


Global Weather Impacts – Saturday 6th to Friday 12th July 2019

Issued on Saturday 6th July 2019

HEADLINES

- Heavy monsoon rains continue across many parts of southern and eastern Asia, including a significant threat for Cox’s Bazar in southeastern Bangladesh.



DISCUSSION

Tropical Cyclones

Ex-Hurricane Barbara – eastern Pacific Weather


Barbara has now weakened to a tropical storm, with 1 minute sustained winds were 50mph, being located close to 19N 136W. Barbara is expected to continue weakening as it tracks westwards, weakening to a tropical depression before it gets close to Hawaii next week.

Discussion

There is good model agreement that Barbara will continue weaken as it tracks west to north-westwards over the coming days, as it encounters cooler SSTs as well as stronger wind shear.

Expected Impacts

Any impacts will be limited to maritime activities.



This forecast may be amended at any time

Global Guidance Unit, Operations Centre, Met Office, FitzRoy Road, Exeter
 Tel: +44(0)1392 884319 VPN: n6225 4319 Email: ggu@metoffice.gov.uk

The following area is being monitored for possible tropical cyclone development:

East North Pacific

Weather


Further tropical storms are likely to develop in the wake of Barbara through the next week in the Eastern North Pacific, although any systems that do develop will track westwards and remain over the open Pacific ocean.

Discussion

Good signal from all models for at least one more tropical storm development in this region along the ITCZ, influenced by African Easterly Waves and the weak MJO.

Expected Impacts

Any impacts will be limited to maritime activities.



Southeastern USA and Gulf of Mexico – see *North America* section.

Europe

Southern Europe

Weather


Anomalously high temperatures will remain focused across southern Europe, predominantly south of the Alps. Temperatures are likely to remain around 5 °C above average through much of the coming 7 days, and could still reach 35-40 °C in places, with the focus gradually transferring from Spain to SE Europe. Thunderstorms will form in places each day, especially across areas of high ground, producing up to 30-50 mm of rainfall in a few hours, along with large hail, gusty winds and frequent lightning.

Discussion

There will continue to be a sharp north-south divide across Europe regarding airmasses, with the anomalous heat confined to southern parts. A zonal flow with embedded short wave upper troughs will produce a deep convective threat, especially with elevated heat sourced input.

Expected Impacts

High temperatures will bring heat health impacts to vulnerable populations, particularly given the spell of very warm nights (minima >20 °C), whilst placing strain on some utilities and transport networks (e.g. railways). Increased likelihood of wildfires. Flash flooding, large hail and damaging winds are possible where intense thunderstorms form.



North America

Northern Plains of the USA and southern parts of central Canada

Weather


There is a significant threat of severe thunderstorms developing in this part of North America during the first part of next week. These storms could produce 50-100 mm of rain in a few hours, along with frequent lightning, large hail and strong winds, with a tornado threat too.

Discussion

The combination of an eastward travelling upper trough and a significant northward push of very high WBPT air will result in a significant likelihood of severe storms, with forecast profiles showing up to 4000J/Kg of CAPE and large vertical windshear.

Expected Impacts


Flash flooding looks likely in places, with potential for power and aviation disruption too. There is also a low likelihood of structural damage from high winds or tornadoes.



Southeastern USA and Gulf of Mexico

Weather

From Wednesday there is an increasing threat of widespread heavy showers and thunderstorms developing along the Gulf Coast of the southeastern USA, producing the potential for up to 200 mm of rain in a few days, equivalent to the rainfall for the whole of July. There is also a low probability of a tropical storm development just offshore in the Gulf of Mexico.



This forecast may be amended at any time

Global Guidance Unit, Operations Centre, Met Office, FitzRoy Road, Exeter
Tel: +44(0)1392 884319 VPN: n6225 4319 Email: ggu@metoffice.gov.uk

© Crown copyright 2019 This information is for use by UK government only. It does not replace the advice and guidance provided by the official meteorological service for this region. Where there is a requirement to share this information with non-UK government agencies, please contact the Met Office to discuss.

Discussion

There is a reasonably strong signal for heavy rainfall in this region from the middle of next week, probably as a result of a cut off vortex engaging a warm plume over anomalously warm seas in the northeastern Gulf of Mexico. There is also a weak NWP signal for a tropical storm development in association with this event.

Expected Impacts

Flash flooding is the most likely impact, but with the low likelihood of minor wind damage and coastal flooding if a tropical storm develops.

Central America and Caribbean

Nicaragua, Costa Rica and Panama – see *South America* section.

South America

Western Colombia, Ecuador, Nicaragua, Costa Rica and Panama

Weather


Increased frequency of heavy showers and thunderstorms are expected in this region through much of the next week, although Ecuador should see drier conditions from Tuesday. Up to a further 200 mm of rain could fall in places, which is in excess of an average monthly rainfall at this time of year in southern parts of Central America, and well above the average monthly rainfall further south, especially in Ecuador where it is now the drier season.

Discussion

The combination of an approaching active MJO phase and the westward progression of African Easterly Waves will enhance seasonal rainfall in this region through the next week. In addition the potential formation of Central American Gyre is signalled in southern parts of Central America, and these systems can lead to exceptional rainfall accumulations during the rainy season.

Expected Impacts

An enhanced threat of flash flooding and landslides will be the most likely impacts this week.



Africa

Central parts of Africa

Weather


There will be an increasing likelihood of more widespread heavy showers and thunderstorms as we go through the next week across these central latitudes of Africa. Up to 75-100 mm of rain could accumulate in just a few hours, with a threat of strong winds. The strong winds could lift dense dust storms on the northern edge of this active shower region which still has a dry ground state.

Discussion

The advance of the MJO will likely help to enhance the convective rainfall across central latitudes of Africa along the ITCZ. This will result in more frequent and / or active African Easterly Waves, as well as a higher likelihood of large MCS events.

Expected Impacts

Flash flooding is the most likely impact, with a lower likelihood of wind damage. Dense dust storms on the northern edge of this region will produce hazardous air quality.



Middle East

Nil.

This forecast may be amended at any time

Global Guidance Unit, Operations Centre, Met Office, FitzRoy Road, Exeter

Tel: +44(0)1392 884319 VPN: n6225 4319 Email: ggu@metoffice.gov.uk

© Crown copyright 2019 This information is for use by UK government only. It does not replace the advice and guidance provided by the official meteorological service for this region. Where there is a requirement to share this information with non-UK government agencies, please contact the Met Office to discuss.

Asia

Bangladesh and western Myanmar

Weather


There is a significant threat of very heavy monsoon rainfall in this region during the next week, with up to 750-1000 mm of rain (which is equivalent of a month's worth of rain) likely to fall in places during this period. Most places will see over 20-300 mm during this time. The rain will come in the form of very heavy showers and thunderstorms, and could produce 100 mm of rain in a few hours.

Discussion

The development of a monsoon low pressure system through the weekend across northern India will help to strengthen the very moist and unstable southwest monsoon flow into this region. There is a consistent signal from deterministic and ensemble output for a significant monsoon rainfall event in this region, and may significantly affect the Cox's Bazar humanitarian camps. There are differences in rainfall accumulations between models, with the GM tending to produce the higher rainfall totals, but also likely to be excessive.

Expected Impacts

There is an increased threat of flooding and landslides in this region, which included Cox's Bazar humanitarian camps. The vulnerability of these camps is thought to be much reduced compared to 12 months ago, due to the actions of international organisations. Measures taken to reduce vulnerability include the relocation of people from the more hazardous areas, re-vegetation programs to improve land stability, improved drainage/ water supply, and making materials available to improve shelters. As a result the likelihood of international resources (additional to those already present) being required to assist with the impacts of this event is assessed to be low.



Northern and western India, Nepal and Bhutan

Weather


Heavy monsoon rain is expected in these locations through the coming week, with many areas seeing in excess of 200 mm, with up to 500 mm in places in a few days, which is equivalent to up to two months worth of monsoon rainfall in places.

Discussion

The active phase of the Indian Summer Monsoon is expected to continue transferring north over the next week due to the MJO progression east from the Eastern Pacific into Africa. There is a strong model signal for a monsoon depression to slowly track west-northwest across northern India through the next week. Heavier and more frequent than normal showers/thunderstorms across the far west of India is likely to weaken next week as the southwesterly monsoon gradient eases (another MJO teleconnection).

Expected Impacts

Torrential rain will increase the threat of flooding and landslides.



Southern China and south-western Japan

Weather


Torrential rain and severe thunderstorms associated with the seasonal rains will affect this region through much of the next week, with 140-250 mm widely, locally as much as 500 mm falling over the next week. This is around a month to two month's worth of rain for some locations.

Discussion

Strong convergence along the Mei-yu/Baiu front will continue to provide a focus for intense rainfall and a threat of severe storms. A succession of upper troughs will engage the northern edge of the monsoon frontal plume through much of the coming week, resulting in persistent, heavy rains in places.

Expected Impacts

Both fluvial and flash flooding is possible, with an additional risk of landslides in mountainous areas. Disruption to transport and infrastructure is likely in what is a densely populated area due to the slow moving seasonal heavy rainfall.



This forecast may be amended at any time

Global Guidance Unit, Operations Centre, Met Office, FitzRoy Road, Exeter
 Tel: +44(0)1392 884319 VPN: n6225 4319 Email: ggu@metoffice.gov.uk

Australasia

Nil.

Additional information

Nil.

Issued at: 060500 UTC **Meteorologists** Paul Hutcheon

Global Guidance Unit

This forecast may be amended at any time

Global Guidance Unit, Operations Centre, Met Office, FitzRoy Road, Exeter

Tel: +44(0)1392 884319 VPN: n6225 4319 Email: ggu@metoffice.gov.uk

© Crown copyright 2019 This information is for use by UK government only. It does not replace the advice and guidance provided by the official meteorological service for this region. Where there is a requirement to share this information with non-UK government agencies, please contact the Met Office to discuss.