

SECRET

THE DAILY WEATHER REPORT

BRITISH SECTION

1st April to 30th June,

1942



AIR MINISTRY, METEOROLOGICAL OFFICE,
LONDON, W.C.2

INTRODUCTION

The Daily Weather Report has been issued in three sections since April 1st, 1919, the British and International Sections consisting of four pages and the Upper Air Section of two pages. On 1st January, 1942, all three sections were modified. The International Section was reduced to two pages of charts supplemented at eight-day intervals by a four page tabular statement of foreign observations. The Upper Air Section was increased to four pages giving two pages of charts and diagrams and two pages of observations in tabular form. The British Section of which this forms the Introduction was modified by increasing the scale of the chart on page 2 so that it occupies the whole page, and in consequence the weather forecasts have been transferred to the front page and the table of auxiliary reports to the back page. The various codes which were formerly given on pages 1 and 4 are now incorporated in this Introduction. The increased scale of the chart on page 2 makes it possible to show the observations from a selection of stations in full, the data being set out in accordance with the "station model" adopted by the International Meteorological Conference at Warsaw in September, 1935.

On pp. 1 and 4 two tables of observations taken generally at 13h. and 18h. G.M.T. of "yesterday," and at 1h. and 7h. G.M.T. of "to-day" from about 45 stations in the British Isles, which regularly report to the Meteorological Office, and of the weather in the intervening intervals. These observations are telegraphed in a figure and letter code. The stations are arranged according to Forecast Districts as described at the foot of p. 1 of the report, and also on p. 4 of this Introduction. Whenever it is possible to do so without occupying too much space, the decoded values are set out in full in the table; in other cases, code figures are entered; these are interpreted by reference first to the number printed at the head of the column, and then to the Explanation printed below, where the column numbers are shown in connexion with each of the separate classes of observation. Observations in abridged form for a further selection of stations are printed on the lower part of page 4, and can be interpreted by reference at the head of the columns and to the explanation below.

Barometric Tendency—(Columns 2 and 17)		
The Barometric tendency is expressed in tenths of a millibar.		

Code for wind direction (DD)

Abridged observations (page 4).

Code Number	Direction	Number	Code	Direction
00	Calm	16	S	
01	N by E	17	S by W	
02	NNE	19	SSW	
03	NE by N	20	SW by S	
04	NE	21	SW by W	
05	NE by E	22	WSW	
06	ENE	23	W by S	
07	E by N	24	W	
08	E	25	W by N	
09	E by S	26	WNW	
10	ESE	27	NW by W	
11	SE by E	28	NW	
12	SE	29	NW by N	
13	SE by S	30	NNW	
14	SSE	31	N by W	
15	S by E	32	N	

Note 33 is added to DD to denote unusual gustiness, and 67 is added if a definite squall or line squall has occurred during the preceding hour.

Code for Height above ground of base of cloud (h) Abridged reports (page 4).

0	... 0—150 feet
1	150—300 "
2	300—600 "
3	600—1,000 "
4	1,000—2,000 "
5	2,000—3,000 "
6	3,000—5,000 "
7	5,000—6,500 "
8	6,500—8,000 "
9	above 8,000 feet or no low cloud

Code for cloud amount (Nh and N).

0	... 0.	7	... More than 9 but with openings.
1	... Trace.	8	... 1 tenth.
2	... 2, 3 tenths.	9	... 10 tenths.
3	... 4, 5, 6 tenths.		Sky obscured by fog, dust storm or other phenomenon.
4	... 7, 8 tenths.		
5	... 9 tenths.		
6			

Code for state of ground (E)—Column 31.

0 ... Ground dry	7 ... Ground covered with snow, less than 6 ins. deep but ground not frozen.
1 ... wet.	8 ... covered with snow, less than 6 ins. deep but ground frozen.
2 ... flooded.	
3 ... frozen hard and dry.	
4 ... partly covered with snow or hail.	9 ... covered with snow greater than 6 ins. deep.
5 ... covered with ice or glazed frost.	— ... Fresh snow has fallen on the mountains.
6 ... covered with thawing snow.	

THE BEAUFORT SCALE OF WIND FORCE [F] Columns 4, 19

Beaufort Number	Admiral Beaufort's General Description of Wind.	Specification for use on Land, based on observations made at British Land Stations.	Limits of Mean Velocities Statute Miles per Hour as recorded by well exposed anemometers about 30 to 40 feet above ground.
0	Calm ...	Calm; smoke rising vertically...	Less than 1
1	Light air ...	Direction of wind shown by smoke drift ...	1-3
2	Slight breeze ...	Wind felt on face; leaves rustle ...	4-7
3	Gentle breeze...	Leaves and small twigs in constant motion; wind extends light flag ...	8-12
4	Moderate breeze	Raises dust and loose paper; small branches are moved ...	13-18
5	Fresh breeze ...	Small trees in leaf begin to sway; crested wavelets on inland waters...	19-24
6	Strong breeze...	Large branches in motion; whistling heard in telegraph wires	25-31
7	Moderate gale...	Whole trees in motion; inconvenience felt when walking against wind ...	32-38
8	Fresh gale ...	Breaks twigs off trees; generally impedes progress...	39-46
9	Strong gale ...	Slight structural damage occurs (chimney pots and slates removed) ...	47-54
10	Whole gale ...	Seldom experienced inland; trees uprooted...	55-63
11	Storm ...	Very rarely experienced; accompanied by widespread damage	64-73
12	Hurricane	Above 75

Form of Low Cloud (Cl) — Columns 10, 25

- 0 No low cloud.
- 1 Fair weather Cu.
- 2 Large Cu without anvil.
- 3 Cb.
- 4 Sc formed by the spreading out of Cu.
- 5 Layer of St or Sc.
- 6 Ragged low clouds of bad weather (or fractonimbus).
- 7 Fair weather Cu and Sc.
- 8 Large-Cu (or Cb) and Sc.
- 9 Large-Cu (or Cb) and ragged low clouds of bad weather.

Form of Medium Cloud (Cm) — Columns 11, 26

- 0 No medium cloud.
- 1 Typical As (thin).
- 2 Typical As (thick) (sun or moon invisible), or (Ns)
- 3 Single layer of Ac or high Sc.
- 4 Ac in isolated patches. Individually decreasing (often lenticular).
- 5 Ac in bands (increasing).
- 6 Ac formed from the spreading out of Cu.
- 7 Ac associated with As or As with parts resembling Ac.
- 8 Ac Castellatus (or Ac in ragged fragments).
- 9 Ac in several layers generally associated with fibrous veils and a chaotic appearance of the sky.

Form of High Cloud (Ch) — Columns 11, 27

- 0 No cirriform cloud.
- 1 Fine Ci not increasing: sparse.
- 2 Fine Ci not increasing: abundant but not a continuous layer.
- 3 Anvil Ci (usually dense).
- 4 Fine Ci increasing: usually in tufts.
- 5 Ci or Cs increasing: still below 45° altitude: often in polar bands.
- 6 Ci or Cs increasing and reaching above 45° altitude: often in polar bands.
- 7 Veil of Cs covering whole sky.
- 8 Cs not increasing and not covering whole sky.
- 9 Cc predominating, and a little ci. (Cc may occur with any of the types 1 to 8).

Cloud Form Abbreviations

Cirrus,—Ci:	Stratocumulus,—Sc:
Cirrocumulus,—Cc:	Stratus,—St:
Cirrostratus,—Cs:	Nimbostratus,—Ns:
Altocumulus,—Ac:	Cumulus,—Cu:
Altostratus,—As:	Cumulonimbus,—Cb:

Cloud Amount — Columns 13, 14, 28, 29

Columns 13, 28. The figures in these columns indicate the amount of cloud at the height given in Columns 15, 30.
 Columns 14, 29. The figures in these columns indicate the total amount of all forms of cloud.
 An entry "4-6" means that the cloud amount may be 4, 5 or 6 tenths; similarly for other grouped entries.
 "tr" signifies a small amount of cloud (trace) covering less than 1/20 of the sky.
 "9+" signifies an overcast sky with a few small openings.

Code for Horizontal Visibility (V)—Columns 9, 24

Objects not visible at	
0 Dense fog	55 yards
1 Thick fog	220 "
2 Fog	550 "
3 Moderate fog	1,100 "
4 Mist or haze	1 1/2 miles
5 Poor visibility	2 1/2 ..
6 Moderate ..	6 1/2 ..
7 Good ..	12 1/2 ..
8 Very good ..	31 ..
9 Excellent ..	beyond 31m.

Code for State of Sea (S)—Column 32

0 Calm—glassy.	5 Rough.
1 Calm—rippled.	6 Very rough.
2 Smooth.	7 High.
3 Slight.	8 Very high.
4 Moderate.	9 Phenomenal.


Rainfall—Columns 36, 37

Tr: = rain has fallen, but amount less than 0.1 m.m.

Beaufort Notation and Symbols for Weather—Columns 5, 20, 39, 40, 41, 42

b, blue sky (not more than a quarter covered with cloud).	q, squalls.
bc, sky partly cloudy (one half covered). c, generally cloudy.	rs, sleet.
d, drizzle. e, wet air. g, gloom.	t, thunder.
f, fog, visibility 220-1100 yds.	u, ugly, threatening sky.
f, thick fog, less than 220 yds.	v, unusual visibility.
fs, low fog over sea (coast station).	w, dew.
fg, low fog over land (inland station).	x, hoar frost.
m, mist, visibility 1100-2200 yds.	y, dry air.
h, hail.	z, dust haze: the turbid atmosphere of dry weather.
h(r), "hail" or "rain and hail."	
Capital letters indicate intense; suffix <i>s</i> indicates slight; repetition of letters indicates continuity: thus R, heavy rain.	
R, heavy rain.	r, slight rain.
rr, continuous rain.	
<, less than (for cloud height).	
„, gale.	
Solar halo. ☀, lunar halo. ☾, Aurora.	

With present weather is combined, whenever possible, the general character of the weather.





DUPLICATE SECRET

MONTHLY
SUPPLEMENT,

Page 1.

THE DAILY WEATHER REPORT

OF THE METEOROLOGICAL OFFICE, LONDON

June 1942 No. 306

Dry and sunny, except in Scotland
A depression to the northwest of Ireland moved northwards during the first few days, followed by an anticyclone spreading from the South, bringing much warmer weather generally. Some high maxima were recorded, notably 87°F at Sealand on the 5th, and 88°F at Croydon and South Farnboro' on the 6th.


A low pressure system to the Northeast moved eastwards on the 7th and 8th, causing gales in North Ireland and North Scotland. From the 9th to 11th an Atlantic anticyclone maintained cooler conditions over the country especially at night, with screen minima of 32°F at Mildenhall and Eskdalemuir, and 33°F at Aldergrove. A grass min. reading of 23°F was recorded at Mildenhall and many places reported ground frosts. A disturbance off Southern England moved northwards and influenced most of England from 12th to 15th. Particularly low maxima were reported from many stations on the 12th, within the range 44°-53°F.

Frontal systems from centres to the Northwest and North moved across the northern half of the British Isles from the 16th to 23rd, but an anticyclonic situation was more or less maintained in the South, with maxima reaching above 80°F on the 22nd-23rd. From the 24th-26th an Atlantic anticyclone extended its influence over most of the country with cool northerly winds and the passage of fronts from an Icelandic disturbance brought showery conditions to the North from 27th to 28th.

The final days of the month saw the development of a shallow depression over Southern England, with thunderstorms, particularly in the London area, on the 30th. Temperatures generally returned to higher levels in England, with a max. reading of 86°F at South Farnboro' and a night min. reading of 62°F at Kew. A few other thunderstorms were reported during the month but were mainly slight or local in character. Although sunshine approached the record at some places (it was exceeded at Shoeburyness) the measurements in Scotland were below the average, the exposure at Stornoway being the lowest for June since 1881.

Rainfall was deficient in many parts of the country, a new low value at Birmingham being recorded. A period of absolute or partial drought was again established at some stations for the second time this year.


Daily Rainfall at KEW Observatory.



● = less than 0.5 mm.


RAINFALL. Total for Month. 36 mm.

Daily Sunshine at KEW Observatory.



SUNSHINE. Total for Month. 244 hrs.

Daily Range of Temperature at KEW Observatory.



TEMPERATURE. The pecked curves indicate the maximum temperature recorded each day, and the minimum temperature each night throughout the month. The chain lines show normal values.


MEAN VALUES FOR THE MONTH.*

STATIONS.	PRESSURE		TEMPERATURE	
	Mean mb	Difference from average mb.	Mean °F.	Difference from average °F.
Kew	1019.9	+3.2	60.1	+0.2
Aberdeen	1018.4	+2.7	53.5	+0.3
Valentia	1022.3	+5.6	56.6	+0.1

* Pressure—The mean is for the 24 hours. It is derived from values at 7 h. and 18 h. duly corrected.

Temperature—mean of Max. and Min.

WIND FREQUENCIES at 7 hr.



SUMMARY OF RECORDS OF TEMPERATURE, LOW CLOUD, VISIBILITY,

DISTRICT.	STATIONS.	TEMPERATURE.												LOW CLOUD.						FOG, MIST and GOOD VISIBILITY.								
		Number of daily readings within fixed limits.						Extremes—Warmest and Coldest.						Number of observations within fixed limits.			Number of observations within fixed limits.			Number of observations within fixed limits.			Number of observations within fixed limits.					
		Maximum.			Minimum.			Days.			Nights.			7 h.			13 h.			18 h.			7 h.					
		42°-50° 51°-59° 60°-68° 69°-77° 78°-86° 87° or above	Average Maximum	24°-32° 33°-41° 42°-50° 51°-59° 60°-68°	Highest Max. Date.	Lowest Max. Date.	Highest Min. Date.	Lowest Min. Date.	Number of Ground Frosts.	Below 1,000 ft.	1,000-5,000 ft.	5,000-8,000 ft.	Below 1,000 ft.	1,000-5,000 ft.	5,000-8,000 ft.	Below 1,000 ft.	1,000-5,000 ft.	5,000-8,000 ft.	Dense fog.	Thick fog.	Fog.	Mist.	Good Visibility.	Dense fog.	Thick fog.	Fog.	Mist.	Good Visibility.
1	London ... (Kew Obsy). Croydon ... Thorney Island ... Lympne ...	0 4 11 6 9 0 0 4 10 7 8 1 0 1 17 9 3 0 0 5 14 9 2 0	68.0 67.4 65.4 63.7	0 0 13 16 1 0 3 14 13 0 0 4 15 11 0 0 7 14 9 0	51.9 51.3 52.0 49.2	86 6 53 12 88 6 53 12 85 5 55 12 80 6 57 15	62 30 43 11 59 30 39 10 58 24 41 14 59 23 37 26	3 11 3 1 0 2 1 10 2 2 9 3	0 20 0 0 24 0 0 17 4 0 21 1	0 26 0 0 24 0 1 15 3 1 9 5	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 5 12 24 22	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	24 25 27 22									
2	Shoeburyness ... Gorleston ... Cranwell ...	0 3 12 13 2 0 0 12 18 0 0 0 0 7 10 8 5 0	66.6 62.6 66.0	0 3 16 10 1 0 0 15 15 0 0 4 15 11 0	49.7 51.1 47.8	80 30 56 12 68 2 52 12 84 4 51 13	60 30 38 26 58 23 42 9 57 5 22 30	1 1 1 2 12 3 12 2	0 11 1 0 20 0 2 11 2	0 20 0 1 20 0 2 22 3	1 13 0 1 20 1 2 17 3	0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0	1 15 0 1 20 0 2 22 3	0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0	20 24 17								
3	Birmingham ... (Edgbaston)	0 7 10 6 7 0	64.9	0 0 14 14 2	49.5	84 { 5 54 13 12	62 6 42 14 57 5 37 14	2 1 17 2 1 20 0	0 26 0 0 29 0	0 22 0 0 23 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	7 8	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	25 29						
4	Ross-on-Wye ...	0 5 11 8 6 0	67.0	0 4 13 13 0	49.3	84 { 6 58 12 12	57 5 37 14	1 1 20 0	0 26 0	0 23 0	0 0 0 0	0 0 0 0	19	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	25 29					
5	The Lizard ...	0 11 18 1 0 0	*	0 0 14 16 0	*	70 6 52 12	59 5 44 { 15 15	5 25 0	1 26 0	2 25 0	0 0 4 0	26	0 0 1 0	27	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	27				
7	Holyhead ... (Valley)	0 11 16 1 2 0	59.4	0 4 15 11 0	51.3	83 5 55 { 13 13	55 { 23 29 37 13	2 6 18 0	3 22 0	3 21 0	0 0 0 0 1	26	0 0 0 0 0 0 0 0	28														
8	Chester ... (Sealand)	0 9 13 5 3 0	65.1	0 3 14 12 1	48.6	81 6 54 13	62 6 37 14	3 0 23 1	1 26 1	0 20 4	0 0 0 0 2	16	0 0 0 0 0 0 0 0	22														
10	Tynemouth ...	3 12 11 3 1 0	59.7	0 0 16 13 1	49.3	86 6 49 { 15 15	66 4 42 1	0 0 24 0	0 26 0	0 24 0	0 0 0 0 4	16	0 0 0 0 0 0 0 0	18														
11	Leuchars ...	1 6 16 6 1 0	61.7	0 3 19 7 1	46.1	78 6 48 12	63 6 38 11	0 3 20 1	2 28 0	4 24 1	0 0 0 0 0	24	0 0 0 0 0 0 0 0	25														
12	Renfrew ...	1 8 14 6 1 0	63.0	0 5 16 9 0	46.6	78 5 49 12	56 22 38 { 11 11	0 2 23 2	1 28 0	1 27 1	0 0 1 1 1	13	0 0 0 0 0 0 0 0	27														
	Eskdalemuir ...	2 10 15 2 1 0	61.1	2 10 13 5 0	43.7	79 5 44 12	54 29 31 1	3 8 19 0	3 26 0	3 26 0	0 0 2 0 0	21	0 0 1 1	27														
13B	Stornoway ...	3 22 5 0 0 0	67.0	0 5 18 7 0	46.7	66 5 48 8	52 22 37 { 12 12	* 2 28 0	0 30 0	0 30 0	0 1 1 0 25	0 0 0 0	28															
15	Aberdeen ...	2 13 11 3 1 0	59.5	0 6 14 10 0	46.9	79 6 50 { 14 14	55 3 39 { 16 16	2 1 26 0	3 26 0	1 27 0	0 0 1 1 25	0 0 0 1	25															
18	Aldergrove ...	0 10 12 7 1 0	63.2	0 6 15 9 0	47.9	81 5 55 8	57 21 33 10	3 1 25 1	0 28 0	0 28 1	0 0 0 0 0	27	0 0 0 0 0 0 0 0	30														
19	Birr Castle ...	0 6 14 8 2 0	64.5	0 6 11 13 0	48.3	83 5 56 9	59 { 29 33 7 0	2 23 0	1 25 0	2 26 0	0 0 0 0 0	30	0 0 0 0 0 0 0 0	30														
20	Valentia ... (Cahirciveen)	0 13 14 2 1 0	61.6	0 10 19 0	51.4	81 5 55 { 13 13	57 20 40 14	0 6 22 0	2 24 1	1 24 2	0 0 0 0 0	27	0 0 0 0 0 0 0 0	29														
UPPER AIR TEMPERATURE.												UPPER WINDS.																
												No. of records of Velocity (km./hr.) within fixed limits.																
Pressure.	Normal Height.	BIRCHAM NEWTON.		ALDERGROVE.		PENZANCE.		STATION.	LYMPNE.			PLYMOUTH (Mt. Batten).			HOLYHEAD (Valley).			RENFREW.			STATION.							
mb.	Feet.	Normal Temp. °F.	Mean. °F.	No. of Reports.	Mean. °F.	No. of Reports.	Mean. °F.	No. of Reports.	Height. Metres.	* No. of Obs.	6 to 25 kilometres per hour.	26 to 50 kilometres per hour.	51 to 75 kilometres per hour.	76 to 100 kilometres per hour.	* No. of Obs.	6 to 25 kilometres per hour.	26 to 50 kilometres per hour.	51 to 75 kilometres per hour.	76 to 100 kilometres per hour.	* No. of Obs.	6 to 25 kilometres per hour.	26 to 50 kilometres per hour.	51 to 75 kilometres per hour.	76 to 100 kilometres per hour.	Above 100			
950	1850	52.6	51.1	60	48.5	60	52.2	30	500 above ground	104	44	51	5	0	46	26	15	1	0	18	11	5	0	0	0	500 above ground		
850	4860	42.3	41.7	60	40.9	60	42.9	30	1000 above M.S.L																			

SUNSHINE, RAINFALL, AND HUMIDITY

June

1942

Page 3.

DISTRICT.	STATIONS.	SUNSHINE.										RAINFALL.										Days with Snow or Sleet.								
		Number of Days with Duration.				Maximum Duration.		Total for past 12 months.				Highest and Lowest Totals on record for Month.		Number of days with amount.				Maximum fall in 24 hours.		Highest and Lowest Totals on record for Month.										
		Nil.	0·1—3h.	3·1—6h.	6·1—9h.	Above 9h.	Hours.	Date.	Total for Month.	Difference from average.	First year of record.	Highest Year.	Lowest Year.	0, trace or 0·1 mm.	0·2—1 mm.	1·1—5 mm.	5·1—15 mm.	15·1—25 mm.	Above 25 mm.	mm.	Date.	Total for Month.	Difference from average.	First year of record.	Highest Year.	Lowest Year.				
1	London (Kew Obsy.)	1	4	5	6	14	14·2	22	1522 +53	244 +41	1880	277 1940	105 1923	27	1	1	0	0	1	32	30	637 +31	36 -19	1856	183 1903	1 1925	1 0			
	Croydon	1	3	4	7	15	15·0	4	1652 +127	273 +62	1922	278 1925	112 1923	25	2	2	1	0	0	12	30	615 -64	17 -37	1921	30 1926	4 1925	1 0			
	Thorney Island	*	*	*	*	*	*	*	*	*	1941	*	*	*	*	28	0	1	1	0	0	8	11	*	*	11 -35	1941	100 1905	0 1925	0 0
	Lympne	0	3	4	3	20	14·8	4	1817 +52	297 +70	1921	306 1940	141 1923	26	2	2	0	0	0	1	12	661 -63	4 -45	1920	113 1927	1 1921	1 0			
2	Shoeburyness	1	3	3	3	20	14·2	4	1616 -100	283 +57	1919	273 1925	154 1923	27	1	2	0	0	0	4	12	485 -18	9 -36	1920	70 1937	5 1921	0 0			
	Gorleston	3	3	6	5	13	15·0	15	Incomplete Record	236 +27	1908	252 1940	148 1916	23	2	2	3	0	0	11	29	535 -87	36 -9	1871	116 1927	5 1932	2 0			
	Cranwell	3	8	0	6	13	15·1	3	1506 -32	229 +28	1921	283 1940	148 1923	23	3	2	1	1	0	19	13	641 +51	41 -2	1917	81 1936	3 1925	0 0			
3	Birmingham (Edgbaston)	1	6	6	6	11	15·2	3	1313 +9	218 +39	1887	280 1940	95 1923	27	2	1	0	0	0	3	14	760 +86	4 -55	1893	125 1912	9 1925	2 0			
4	Ross-on-Wye	1	7	2	7	13	15·0	7	1497 +12	237 +30	1915	318 1925	135 1916	25	4	1	0	0	0	1	12	611 -106	3 -52	1859	143 1860	0 1925	1 0			
5	Falmouth (Observatory)	2	3	4	3	18	15·3	3	1731 +21	281 +54	1881	375 1925	121 1907	27	0	3	0	0	0	5	11	873 -228	11 -48	1871	120 1879	0 1925	1 0			
7	Holyhead (Valley)	*	*	*	*	*	*	*	*	*	1914	311 1940	150 1931	28	2	0	0	0	0	1	8	791 -26	1 -54	1871	127 1936	1 1925	0 0			
8	Chester (Sealand)	1	6	4	7	12	15·3	3	1413 +37	240 +45	1923	292 1940	131 1923	22	8	0	0	0	0	1	14	695 +57	4 -48	1922	128 1931	1 1925	0 0			
10	Tynemouth	*	*	*	*	*	*	*	*	*	1935	*	*	20	5	3	2	0	0	13	13	491 -130	31 -19	1915	100 1927	3 1925	0 0			
11	Leuchars	2	6	7	6	9	16·8	25	1416 -54	189 -14	1922	263 1940	137 1935	19	3	7	1	0	0	8	21	646 -7	26 -16	1922	115 1931	7 1940	0 0			
12	Renfrew	2	12	5	4	7	12·6	25	1165 -28	149 -26	1921	258 1925	105 1931	22	1	4	3	0	0	10	21	903 -36	42 -14	1921	129 1928	10 1925	0 0			
	Eskdalemuir	4	8	3	5	10	14·4	30	1317 +116	171 -4	1910	271 1940	83 1912	20	4	4	2	0	0	8	20	1400 -29	29 -51	1910	260 1931	23 1921	0 0			
13B	Stornoway	3	18	4	2	3	12·6	13	1140 -75	92 -75	1881	260 1905	94 1923	13	5	8	2	2	0	20	20	976 -290	57 -2	1870	140 1872	11 1897	0 0			
15	Aberdeen	3	11	6	6	4	11·1	16	1196 -133	130 -51	1881	279 1940	82 1912	17	8	4	1	0	0	10	12	826 +78	26 -17	1871	118 1916	12 1891	1 0			
18	Aldergrove	1	8	6	8	7	13·7	14	1250 -47	181 -6	1927	279 1940	123 1938	24	3	3	0	0	0	5	13	929 +91	11 -50	1926	116 1938	11 1941	0 0			
19	Birr Castle	1	10	6	5	8	15·2	3	*	*	182 +22	1881	278 1940	104 1937	25	2	3	0	0	0	5	17	*	*	1862	131 1878	9 1887	* *		
20	Valentia (Cabirciveen)	1	6	9	5	9	15·3	3	*	*	201 +28	1880	295 1887	91 1924	21	8	1	0	0	0	1	13	*	*	1866	207 1935	3 1921	* *		

MINIMUM SURFACE HUMIDITY.

NO. OF DAYS (MDT. TO MDT.) WITH MINIMA BETWEEN FIXED LIMITS

STATE OF GROUND AT 18 h.

NO. OF DAYS EACH TYPE WAS RECORDED



STATIONS.	95 to 100 %	90 to 94 %	80 to 89 %	70 to 79 %	60 to 69 %	50 to 59 %	40 to 39 %	30 to 29 %	20 to 19 %	0 to 19 %	STATIONS.	0	1	2	3	4	5	6	7	8	9	CODE for State of Ground.									
London (Kew) ...	0	0	0	1	1	6	13	7	2	0	London (Kew) ...	24	6									0	Dry.								

PRESSURE: ICELAND TO GULF OF LIONS

June.

1942.

ISOPLETHS BASED ON SIX-HOURLY OBSERVATIONS.



* The diagram is obtained by drawing a line from Akureyri in Iceland to the south of France near Marseilles. The points at which the isobars drawn for 4 mb. pressure intervals intersect this line at 1h., 7h., 13h. and 18h. are plotted consecutively and joined to show the variation of pressure from day to day at any point in the line. The line terminates at Lat. 66° N., Long. 18° W., in the north; at Lat. 44 $\frac{1}{2}$ ° N., Long. 4° E., in the south.

SECRET


Monday 1st June 1942

No. 29411

Page 1
BRITISH
SECTIONTHE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

PAST 24 HOURS.

DISTRICT.	STATIONS. (For heights see p. 4.)	OBSERVATIONS at 13h. G.M.T. 31st May												OBSERVATIONS at 18h. G.M.T. 31st May												PAST 24 HOURS.											
		Wind.		Wind.		Wind.		Wind.		Wind.		Wind.		Wind.		Wind.		Wind.		Wind.		Wind.		Wind.		Wind.		Wind.		Wind.		Wind.		Wind.		Wind.	
		Barom. mb. (1)	M.S.L. (2)	Change in 3 hours. (3)	Dir. (4)	Force. (5)	Weather. (6)	Temp. °F. (7)	% Humid. (8)	Dew Point. (9)	Visibility. 0-9 (10)	Low. (11)	Med. (12)	High. (13)	Amount. 0-10 (14)	Height of Base. (feet) (15)	Barom. mb. (16)	M.S.L. (17)	Change in 3 hours. (18)	Dir. (19)	Force. (20)	Weather. (21)	Temp. °F. (22)	% Humid. (23)	Dew Point. (24)	Visibility. 0-9 (25)	Low. (26)	Med. (27)	High. (28)	Amount. 0-10 (29)	Height of Base. (feet) (30)	State of Ground. 0-9 (31)	Sea. (32)	WEATHER.	7h.-13h. 31st (39)	13h.-18h. 31st (40)	18h.-1st. 1st (41)
1 London (Kew) ...	17.2	+20	NNW	4	phr	65	55	43	8	3	3	2-8	9	1600	19.9	+16	NW	3	bc	62	45	48	8	-	-	46	46	2500	1	*	ocpacy	cabay	bcmow	bcmow			
Croydon ...	16.4	+16	NW'W	3	cp	61	55	45	7	8	6	3	4-6	7-8	2500	19.7	+14	NW'N	3	bc	61	53	42	7	2	-	2-3	2-3	2500	1	*	cpracy	cabay	bcmo	bcmo		
S. Farnborough ...	17.7	+22	NW'N	4	pr	57	55	44	9	3	6	3	9	9+	3000	20.0	+18	NW'	3	bc	62	45	41	8	1	-	-	4-6	4-6	4000	1	*	cpavpav	cpavb	bwb	bwb	
Boscombe Down ...	18.3	+18	N	3	pr	68	65	46	8	2	-	-	7-8	9	3000	20.0	+18	NW'N	3	bc	59	55	42	8	F	-	-	2-3	2-3	3000	0	*	bccp	czabcy	bcbw	bcbw	
Thorney Island ...	17.1	+14	NW	4	c	65	55	46	8	2	-	-	7-8	7-8	2500	20.4	+14	N	2	c	63	55	48	9	2	-	-	7-8	7-8	4000	1	*	ccpacy	cabay	bcbw	bcbw	
Lymnep ...	16.7	+16	NW	4	c	67	65	46	8	2	-	-	9	3	3000	20.0	+16	NNW	2	c	58	75	50	8	3	-	-	7-8	7-8	3000	1	*	ccpacy	cabay	bcbw	bcbw	
Manston ...	15.9	+14	N	2	bc	60	65	48	8	3	6	-	2-3	4-6	3000	19.5	+14	W'N	1	zo	55	65	49	6	2	-	-	7-8	7-8	3000	1	*	cpafm	bcprabz	czbom	czbom	
2 Shoeburyness ...	15.8	+12	W'N	3	c	65	55	50	7	2	7	-	7-8	9	2800	19.3	+18	NNW	2	c	61	55	46	8	2	-	-	7-8	7-8	2500	0	*	cpabacy	cybacy	bcbm	bcbm	
Felixstowe ...	15.9	+18	NW	2	cp	54	85	49	7	3	-	-	9+ 9+	2000	18.6	+14	NW	2	bc	59	52	57	7	1	-	-	2-3	2-3	5700	1	2	cpabac	bcmb	bcbm	bcbm		
Gorleston ...	15.4	+22	NNE	3	c	57	65	49	7	8	7	-	4-6	7-8	2000	18.4	+14	N	2	bc	59	65	47	7	1	4	-	2-3	4-6	2500	0	3	bc	bc	bcbm	bcbm	
Mildenhall ...	16.0	+18	W	4	c	61	65	49	8	8	7	-	4-6	7-8	3000	19.2	+16	NNW	4	bc	59	55	43	7	4	6	-	1	2-3	4000	0	*	cpab	bybbw	bcbm	bcbm	
Cranwell ...	15.6	+8	NNW	4	zo	60	65	41	6	2	-	-	4-6	4-6	2500	19.0	+18	W'N	4	bc	57	55	39	7	-	-	0	0	-	cbcza	bcabz	bcbm	bcbm				
3 Birmingham ...	17.0	+20	NW	4	c	55	65	44	8	8	-	-	3	3	2500	20.6	+14	NN	3	b	57	55	42	8	1	-	-	1	1	1	4000	1	*	cpabcy	cabay	bcb	bcb
Upper Heyford ...	17.2	+24	NW	3	zo	59	55	43	6	8	-	-	7-8	7-8	2000	20.0	+18	NN'N	3	bc	59	55	42	8	1	-	-	2-3	2-3	3000	0	*	cpjabc	czabcy	bcb	bcb	
Ross-on-Wye ...	18.1	+20	NW	3	pr	57	65	46	9	2	3	-	4-6	4-6	4000	20.8	+14	NNW	3	b	59	55	41	9	1	-	-	1	1	1	4000	1	*	cpab	bcvby	bcb	bcb
5 Hartland Point ...	20.7	+22	NW	3	bc	55	75	47	8	2	-	-	2-3	2-3	1500	23.1	+10	W'N	3	bc	51	85	47	8	1	-	-	1	2-3	2-3	2000	0	3	bc	bc	bcb	bcb
Bristol ...	18.6	+14	W	5	c	60	75	51	8	2	-	-	7-8	7-8	4000	21.9	+14	W	4	b	59	65	48	9	1	-	-	1	1	1	4000	1	*	bc	bc	bcb	bcb
Portland Bill ...	18.6	+14	NNW	3	bc	55	85	51	8	2	-	-	4-6	4-6	4000	22.0	+18	NN'W	3	bc	55	85	42	8	2	-	-	4-6	4-6	4000	1	3	bcabc	bcabc	bcb	bcb	
Plymouth ...	20.6	+20	NN	3	c	61	65	46	8	1	?	-	4-6	7-8	3000	23.4	+18	NN	2	b	57	65	45	9	1	-	-	1	1	1	3000	0	2	cdv	bc	bcb	bcb
The Lizard ...	21.1	+16	NN	3	bc	56	75	48	8	2	-	-	2-3	4-6	2500	24.2	+10	NNW	3	bc	55	85	51	8	2	-	-	2-3									



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).
Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.
Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin.

In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis is said to occur when a front is in process of dissolution.



Clarke's Projection Scale 1 : 4×10^7 along meridian at 55° N.

Status Miles. 0 1 2 3 4 500

EXPLANATION OF CHART.

BAROMETER. Isobars are drawn for intervals of four millibars.

WIND. Arrows fly by wind. A full length feather indicates two steps on the Beaufort Scale, and a short feather one step. Calm is indicated by circle outside weather symbol: —○—

TEMPERATURE is given in degrees F.

WEATHER SYMBOLS. —○ Clear sky. ○ Sky less than 3/10 clouded. (○) Sky 4/10 to 6/10 clouded.

○ Sky 7/10 to 9/10 clouded. (○) Overcast sky. ● Rain falling. * Snow. ♀ Sleet. ▲ Hail.

Fog. = Mist. = Thunder. (T) Thunderstorm. ☂ Slight haze. ☂

The hour of observation is not uniform throughout the Hemisphere: a chart showing the hours at which the observations are taken is contained in the Introduction.

FRONTS or boundaries between masses of air of different origin are indicated, wherever their characteristics are well pronounced in the following way:

= Warm Front on the Surface

= Warm Front above the ground

= Cold Front on the surface

= Cold Front above the ground

= Occluded Front (or Occlusion)

= Warm Occlusion

= Cold Occlusion

= Lines of Frontogenesis

Short strokes across the frontal line indicate

Frontolysis. (For explanation see page 3.)

NOTE.—The symbols are placed on the side of the line towards which the front is moving.

When the front is stationary the symbols are placed alternately on both sides of the line.

All times are G.M.T. Add two hours to get double summer time.

Page 4.
BRITISH
SECTION

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Monday 1st June 1942
No. 2341

DISTRICT.	STATION.	OBSERVATIONS at 1 hr. G.M.T. 1st June												OBSERVATIONS at 7 hr. G.M.T. 1st June												PAST 24 HOURS.																
		Height above M.S.L., in feet.	Barom. at M.S.L.	Change in 3 hours.	Wind.			Weather.	Temp. °F.	Humid.	Dew Point. °F.	Visibility 0-9	Cloud.			Barom. at M.S.L.	Change in 3 hours.	Wind.			Weather.	Temp. °F.	Humid.	Dew Point. °F.	Visibility 0-9	Cloud.			Sea.	Max. Day 7h-18h °F.	Min. Night 18h-7h °F.	Min. on Grass °F.	TEMPERATURE.		RAINFALL.		SUN-SHINE 31st Hrs.					
					Dir.	Force 0-12 (4)	(5)						Form. (6)	(7)	(8)	(9)	Low. (10)	Med. (11)	High (12)	Low. (13)	Total (14)	Height of Base, (feet) (15)	Dir. (16)	Force 0-12 (17)	(18)	(19)	(20)	Low. (21)	Med. (22)	High (23)	Low. (24)	Amount (25)	Height of Base, (feet) (26)	Low. (27)	Total (28)	Height of Base, (feet) (29)	State of Ground (30)	(31)	(32)	(33)	(34)	(35)
1	London (Kew)	18	*	*	*	*	*	-	47	*	*	*	*	*	*	*	*	*	*	*	*	28.5	+20	-	0	20	51	75 43	6	-	5	5	0	7.8	-	1	*	62	44	38	TR	10.2
	Croydon	290	25.0	+14	-	0	20	b	43	92	41	5	-	-	0	0	-	0	0	-	29.7	+14	-	0	20	53	65 43	2	-	4	6	0	9.7	-	1	*	63	39	38	TR	10.5	
	S. Farnborough	226	15.4	+14	W's	2	b	45	85	41	8	-	-	1	0	0	-	0	0	-	28.0	+10	-	0	20	50	75 41	7	-	4	6	0	9.7	-	1	*	65	40	30	TR	12.4	
	Boscombe Down	417	26.2	+14	NW	1	b	43	97	43	7	-	-	1	0	2.3	-	0	0	-	28.1	+14	-	0	20	52	75 45	9	-	4	5	0	2.3	-	1	*	65	42	32	TR	1.5	
	Thorney Island	10	25.1	110 NW'W	1	b	47	85	44	8	-	-	0	0	-	0	-	0	0	-	28.2	+14	-	0	20	51	75 41	7	-	4	5	0	1.6	-	1	*	65	42	38	TR	-	
	Lyminge	283	25.3	+12	NW	1	b	44	85	39	7	5	-	-	1	0	-	-	-	-	28.0	+18	NNW	1	20	53	75 44	6	-	4	1	0	2.3	-	1	*	61	41	34	3	-	
	Manston	154	24.9	+14	-	0	b	47	85	43	7	-	8	-	0	1	-	0	-	27.9	+18	NNW	2	20	53	75 44	6	-	3	6	0	7.8	-	1	*	62	44	38	0.1	TR 2.5		
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	27.8	+20	NW	2	b	53	65 42	6	-	5	0	1.6	-	0	*	67	42	33	TR	-		
	Felixstowe	12	24.3	+16	NW	2	20	49	75	42	6	5	-	-	1	1	-	0	-	25.00	27.2	+14	NNW	3	20	50	75 43	6	-	6	0	4.6	-	0	2	61	45	40	2	-		
	Gorleston	5	23.0	+16	NW	2	20	47	85	42	6	-	-	0	0	-	0	-	-	26.8	+20	NW	2	b	47	85	42	6	-	4	0	2.3	-	0	2	60	43	39	-	-		
	Mildenhall	15	24.0	+12	W	2	b	42	85	37	7	-	-	0	0	-	-	-	-	27.3	+18	SW'W	1	20	49	75 41	6	-	4	1	0	2.3	-	0	*	62	38	20	0.1	TR G9		
	Cranwell	203	23.9	+14	WS	3	20	43	85	39	6	-	4	8	0	1	-	-	-	26.0	+8	SW'W	2	20	51	75 42	6	-	3	1	0	7.8	-	0	*	62	41	37	-	-		
3	Birmingham	536	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	26.4	+8	S	4	c	50	75 42	8	-	7	-	0	9.7	-	1	*	59	43	30	1	-		
4	Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	27.6	+14	S	5	c	48	85	43	7	-	5	0	9.7	-	0	*	61	40	33	-	TR *		
5	Hartland Point	299	25.3	+4	WSW	3	b	51	85	48	8	1	-	6	2.3	2.3	-	15.00	26.0	+4	SW	3	c	52	85	46	8	5	-	9	9	1500	0	3	56	43	46	-	-			
	Bristol	208	26.2	+10	WSW	2	b	48	97	47	7	-	-	6	0	-	-	-	-	28.2	+16	S	1	c	52	85	48	7	3	-	7	9	1500	1	*	64	43	35	-	-		
	Portland Bill	32	26.0	+16	NW	2	b	50	85	46	8	-	-	0	0	-	-	-	-	28.4	+14	NNW	2	c	52	85	48	8	2	-	7	8	4000	1	3	56	47	*	-	-		
	Plymouth	82	26.7	+10	ENE	1	b	46	97	45	8	-	5	-	0	-	-	-	-	28.1	+8	ESE	2	c	49	97	48	6	5	3	-	7.8	9	1000	0	2	62	42	37	-	-	
	The Lizard	240	26.4	+8	WSW	2	b	49	97	49	9	4	-	-	2.3	2.3	-	25.00	27.1	+6	SW	3	c	52	97	52	8	8	2	-	7.8	9	1200	1	3	58	48	*	-	-		
	Scilly (St. Mary's)	163	25.9	+4	SSW	3	b	51	92	49	8	1	-	-	1	1	-	-	-	26.5	+10	SWW	2	c	51	85	45	7	5	7	-	7	7	3000	1	*	63	33	33	0.1		

~~SECRET~~

Tuesday 2nd June 1942

...1942

No. 29412

...1942

Page 1 BRITISH SECTION

**THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.**

No. 29412

...1942

OBSERVATIONS at 13h. G.M.T. 1st June 1942.

OBSERVATIONS at 18h. G.M.T., 1st June, 1942

PAST 24 HOURS.

DISTRICTS.

FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON, G.M.T. Tuesday 2nd June 1942.

1 S.E. England	Fair; Moderate southwesterly winds; Rather warm.	16 Orkneys and Shetlands	southwesterly winds. Average temperature.
2 E. England ...		17 N. W. Ireland	
3 E. Midlands ...		18 N. E. Ireland	
4 W. Midlands	Cloudy, slight local rain or drizzle, coast and hill fog at first, fog patches persisting in coastal areas, some bright intervals later. Moderate southwesterly wind. Average temperature.	19 S. E. Ireland	As 7-9.
5 S.W. England		20 S. W. Ireland	
6 South Wales			
7 North Wales			
8 N.W. England	Mainly cloudy, some bright periods later, slight local rain or drizzle. Local hill fog. Moderate southwesterly winds. Average temperature.		
9 N. Midlands ...			
10 N.E. England			
11 S.E. Scotland	As 1-3.		
12 S.W. Scotland & Isle of Man			
13A W. Scotland ...	As 7-9.		
13B N.W. Scotland	As 15-16.		
14 Mid Scotland	As 7-9.		
15 N.E. Scotland	Much low cloud, intermittent rain, hill fog. Moderate		
GENERAL INFERENCE			
A depression centred North of Shetland is moving east. Pressure is high to southward of the British Isles and a warm damp air current from S.W. is flowing over the country. There will be much cloud with slight rain or drizzle on the western coasts and in the North of Scotland. In eastern and inland districts it will become fine and rather warm today.			
FURTHER OUTLOOK			
No great change.			
Forecasts issued at 10.30. G.M.T.			
N. K. JOHNSON, D.Sc., A.R.C.S., Director. Meteorological Office, Air Ministry, Kingsway, London, W.C.2			

GENERAL INFERENCE


A depression centred North of Shetland is moving east. Pressure is high to southward of the British Isles and a warm damp air current from S.W. is flowing over the country. There will be much cloud with slight rain or drizzle on the western coasts and in the North of Scotland. In eastern and inland districts it will become fine and rather warm today.

FURTHER OUTLOOK

No great change.

Forecasts issued at 10.30. G.M.T.

N. K. JOHNSON, D.Sc., A.R.C.S., Director.
Meteorological Office, Air Ministry, Kingsway, London, W.C.2



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).
 Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis is said to occur when a front is in process of dissolution.



Clarke's Projection Scale 1 : 4 x 10⁷ along meridian at 55° N.

Statute Miles. 0 1 2 3 4 500

EXPLANATION OF CHART.

BAROMETER. Isobars are drawn for intervals of four millibars.

WIND. Arrows fly with wind. A full length feather indicates two steps on the Beaufort Scale, and a short feather one step. Calm is indicated by circle outside weather symbol: —○—

TEMPERATURE is given in degrees F.

WEATHER SYMBOLS: —○— Clear sky. ○ Sky less than 3/10 clouded. (○) Sky 4/10 to 6/10 clouded.

○ Sky 7/10 to 9/10 clouded. (○) Overcast sky. ● Rain falling. * Snow. ♫ Sleet. △ Hail.

Fog. Ⓜ Mist. Ⓜ Thunder. (T) Thunderstorm. Ⓜ Slight haze. Ⓜ

The hour of observation is not uniform throughout the Hemisphere; a chart showing the hours at which the observations are taken is contained in the Introduction.

FRONTS or boundaries between masses of air of different origins are indicated, wherever their characteristics are well pronounced in the following way—

— Warm Front on the Surface

— Warm Front above the ground

— Cold Front on the surface

— Cold Front above the ground

— Occulted Front (or Occlusion)

— Warm Occlusion

— Cold Occlusion

— Lines of Frontogenesis

Short strokes across the frontal line indicate Frontolysis. (For explanation see page 3.)

NOTE.—The symbols are placed on the side of the line towards which the front is moving.

When the front is stationary the symbols are placed alternately on both sides of the line.

All times are G.M.T. Add two hours to get double summer time.

Page 4. BRITISH SECTION

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Tuesday 2nd June 1942
No. 29413

Abridged observations of additional stations in the AVIATION WEATHER CODE

LONDON OBSERVATIONS

For the 24 hours ending morning of **2nd June 1942**
Day 7h-18h Kew and Croydon, 9h-18h Kensington

Stations	Weather			Atmospheric Pollution. Milligrams of solid impurity per cubic metre.
	Morning	Afternoon	Night	
Bewley	bewy	cbeyy	cmry	
Bydon	embey	beyey	sybeey	
Enwick	bcwy	beyy	bcc	
London Square	b	bc	*	Kew 24 hours ended 7h.
Insington	bc	bc	*	Max. Time 0.1 7.30h.
Hampstead	b	bc	0	Min. Time 40 minutes

Stations.	Temperature			Rainfall		Sun- shine to sunset	Humidity		Period
	Day	Night	Min on grass	Day	Night	hrs	15h %	9h %	
	Max	Min	°F	mm	mm	Yesterday	To- day	To- day	
	°F	°F	°F						
London	67	52	45	-	-	8.6	*	*	
London	67	49	49	-	Tr	13.4	*	*	
Greenwich	71	52	41	-	Tr				
minster	68	53	51	-			71	88	
ments Park	69	53	49	-	-		59	73	
den Square	71	53	47	-	-		*	*	78
sington	71	52	47	-	-		56	75	
mpstead	67	50	47	-	-		*	*	75

SECRET


Wednesday 3rd June 1942

No. 29443

Page 1 BRITISH SECTION

**THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.**

DISTRICT.	STATIONS. (For heights see p. 4.)	OBSERVATIONS at 13h. G.M.T. 2nd June.												OBSERVATIONS at 18h. G.M.T. 2nd June.												PAST 24 HOURS.											
		Barom. at M.S.L. (1)	Change in 3 hours. (2)	Wind. Dir. 0-12 (3)		Weather. (5)	Temp. °F. (6)	% Humid. (7)	Dew Point. °F. (8)	Visibility 0-9 (9)	Cloud. Form. (10) Low. (11) Med. (12) High. (13) Total (14) Height of Base (feet) (15)	Barom. at M.S.L. (16)	Change in 3 hours. (17)	Wind. Dir. 0-12 (18)		Weather. (20)	Temp. °F. (21)	% Humid. (22)	Dew Point. °F. (23)	Visibility 0-9 (24)	Cloud. Form. (25) Low. (26) Med. (27) High. (28) Total (29) Height of Base (feet) (30)	State of Ground (31)	Sea. (32)	WEATHER.													
				0-12 (4)	Wind. Dir. 0-12 (19)								0-12 (20)	Wind. Dir. 0-12 (21)	7h.-13h. 2nd.... (39)									13h.-18h. 2nd.... (40)	18h.- 1h. 2nd... (41)	1h.-7h. 3rd... (42)											
1	London (Kew) ...	31.6	+6	NNW	2	bc	67	68	54	8	1	-	5	4-6	7-8	2500	31.2	-2	NNW	2	bc	73	55	54	8	1	4	1	Tr	2-3	2500	1	* cwbcb	bey	bbmow	bymw	
	Croydon ...	31.1	-6	WV	3	bc	69	55	53	8	1	-	2	4-3	4-6	2500	30.3	-4	WSW	3	bc	73	55	55	8	1	-	2	Tr	2-3	2800	0	* cbc	brown	bwmw	bwmw	
	S. Farnborough ...	31.9	-2	W	3	bc	70	55	53	8	1	-	4	4-6	7-8	3000	31.0	0	W	3	bc	73	55	54	8	1	-	4	2-3	2300	0	* cbc	bubb	bymw	bymw		
	Boscombe Down ...	32.0	0	W'S	1	bc	68	65	64	8	1	-	2	2-3	4-6	3000	31.5	+2	W'N	1	b	71	65	61	8	1	-	1	0	1	-	0	* cbc	bey	bymo	bymo	
	Thorney Island ...	32.4	+2	SSW	3	bc	61	75	53	8	1	-	8	0	4-6	-	31.9	-2	S	3	b	63	75	54	9	1	-	1	Tr	1	4000	0	* cbc	bcg	bafy	baw	
	Lyminge ...	31.7	-2	SW	2	bc	67	65	55	8	1	-	2	Tr	4-6	4000	31.1	-4	S	1	b	65	65	54	9	1	-	1	0	1	-	0	* cbc	bcb	baw	baw	
	Manston ...	31.6	0	NW	1	bc	65	65	53	6	1	-	2	Tr	4-6	2800	31.5	0	-	zo	64	75	54	6	1	-	8	0	9	-	0	* cbc	bccz	ezobrown	bwmw		
2	Shoeburyness ...	31.8	-6	WSW	2	b	70	65	55	6	1	-	1	1	2-3	2500	31.2	-2	E	2	bc	61	85	55	6	1	-	1	0	2-3	-	0	* cmo	bzobmo	bmo	bmo	
	Felixstowe ...	31.5	+2	S2	1	bc	69	55	54	8	5	-	7	7-8	2500	31.5	-2	SSE	3	c	60	75	52	8	-	-	2	0	7-8	-	1	2	cmo	cbcabc	bybmow	bwmw	
	Corleston ...	30.9	+6	NW	1	c	65	65	54	7	5	-	9	9	-	2700	31.1	0	S	4	bc	59	85	54	6	-	-	1	0	4-6	-	0	4	c	bmo	bmo	bmo
	Mildenhall ...	31.0	-2	S'W	3	bc	64	65	52	8	5	-	7	7-8	2800	30.6	-4	WSW	2	bc	70	65	55	7	1	-	1	2-3	5700	0	* cbc	bc	bzobmo	bwmw			
	Cranwell ...	29.9	+2	W	4	bc	66	65	55	6	5	-	2	4-6	7-8	2000	29.4	-6	W'S	3	b	71	55	56	7	-	-	3	0	2-3	-	0	* cbc	bmo	bmo	bmo	
3	Birmingham ...	30.5	+2	SW	3	bc	64	65	52	8	7	4	1	4-6	4-6	4000	30.5	0	WSW	3	b	69	55	54	8	1	-	1	Tr	1	4000	1	* cbc	bcb	b	b	
4	Upper Heyford ...	31.6	+2	SSW	3	zo	63	65	52	6	5	-	7	7-8	2100	30.7	0	SW'W	3	b	70	65	56	7	1	-	1	Tr	1	3500	0	* cmo	cbcabc	b	bwmw		
5	Ross-on-Wye ...	30.5	0	SSW	3	bc	66	75	56	7	1	-	9	2-3	2-3	3500	30.2	0	SW	3	b	68	65	54	8	-	-	0	0	-	1	* bccb	bcb	b	b		
6	Hartland Point ...	31.9	+2	N	2	ba	57	85	51	8	1	-	1	1	-	2800	31.4	-4	NE	1	b	57	75	50	8	1	-	1	Tr	1	3000	0	3	cbc	bcb	b	bw
	Bristol ...	32.2	0	W	2	b	63	75	53	8	1	-	1	2-3	3800	31.4	-4	W	2	b	69	65	57	8	-	-	1	0	1	-	1	* cbc	b	bwmw	bymw		
	Portland Bill ...	32.3	+4	WNW	2	c/f	54	92	50	8	2	-	1	1-6	7-8	4000	32.1	-2	S	2	bc	55	85	51	8	2	-	-	4-6	4-6	4000	1	2 offc	bcb	bcb	bcb	
	Plymouth ...	32.5	0	SW	2	bc	60	75	52	8	4	-	4	1	0	4-6	-	32.3	-2	SW	2	b	59	65	48	9	-	-	0	0	-	0	2	bc	obmow	bwmw	bwmw
	The Lizard ...	31.9	0	92	3	bc	60	75	52	8	2	6	-	2-3	4-6	3500	31.5	0	E	2	bc	58	85	52													



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).
Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin.
In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis is said to occur when a front is in process of dissolution.



BRITISH
SECTIONTHE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.Wednesday 3rd June 1942
No. 29413

DISTRICT.	STATIONS.	OBSERVATIONS at 1 hr. G.M.T. 3rd June												OBSERVATIONS at 7 hr. G.M.T. 3rd June												PAST 24 HOURS.																		
		Wind.			Cloud.			Wind.			Cloud.			TEMPERATURE.			RAINFALL.			SUN-SHINE																								
		Height above M.S.L. in feet.	Barom. at M.S.L.	Change in 3 hours.	Dir.	Force.	Weather.	Temp. °F.	%	Dew Point. °F.	0-9	Visibility.	Form.	Amount.	Height of Base (feet).	Barom. at M.S.L.	Change in 3 hours.	Dir.	Wind.	Temp. °F.	%	Dew Point. °F.	0-9	Visibility.	Form.	Amount.	Height of Base (feet).	State of Sea.	Max. Day 7h-18h °F.	Min. Night 18h-7h °F.	Min. on Grass 7h-18h mm.	Day 18h-7h mm.	Night 18h-7h mm.	2nd Rd.										
1	London (Kew)	18	*	*	*	*	*	*	*	*	*	*	*	*	*	*	32.8	+8	-	0	Zo	61	55	56	6	-	-	-	0	0	-	1	73	52	40	-	17	10.3						
	Croydon	290	31.6	12	SSE	2	0	54	92	62	6	-	-	-	0	0	32.0	+4	-	0	Zo	65	75	56	6	-	-	-	0	0	-	1	73	51	51	-	17	13.1						
	S. Farnborough	226	32.0	0	-	0	b	55	85	51	8	-	-	-	0	0	32.5	+6	-	0	Zo	60	85	55	6	-	-	-	0	0	-	1	74	49	40	-	17	13.7						
	Boscombe Down	417	32.1	0	NNW	1	z	56	97	55	6	-	-	-	0	0	32.4	+2	-	0	bif	58	92	55	6	5	-	-	1	1	13.0	0	*	72	49	47	-	17	13.2					
	Thorney Island	10	32.0	-4	NW'N	2	f	51	92	49	8	-	-	-	0	0	32.5	+8	SE	1	b	61	85	55	7	-	-	-	0	0	-	1	65	48	43	-	17	*						
	Lymnpe	283	32.2	+2	-	0	b	50	97	49	8	-	-	-	0	0	32.3	0	-	0	Zo	62	85	57	6	-	-	-	0	0	1	69	48	41	-	17	13.6							
	Manston	154	31.9	-2	-	0	b	54	92	52	7	-	-	-	0	0	32.5	+4	-	0	Zo	62	85	57	5	-	-	-	0	0	1	68	51	42	-	17	13.6							
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	32.4	+8	NW	1	b	63	85	57	6	-	-	-	0	0	-	1	73	48	43	-	17	13.6						
	Felixstowe	12	31.6	-2	ESE	1	zo	55	97	54	6	-	-	-	0	0	32.4	+4	-	0	Zo	61	85	56	6	-	-	-	0	0	1	69	51	45	-	17	8.6							
	Gorleston	5	31.1	-4	SSW	1	zo	55	92	53	6	-	-	-	0	0	32.4	+10	SSW	2	Zo	56	92	53	6	-	-	-	0	0	1	68	53	50	-	17	7.6							
	Mildenhall	15	31.5	+2	S'E	2	zo	55	92	53	5	-	-	-	0	0	32.1	+6	SW	1	Zo	61	85	53	6	-	-	-	1	1	71	51	44	-	17	6.9								
	Cranwell	203	30.2	+8	WSW	3	zo	55	92	52	5	-	-	-	0	0	31.2	+4	WS	4	b	61	85	49	7	-	-	-	0	0	1	71	52	45	-	17	11.4							
3	Birmingham	635	*	*	*	*	*	*	*	*	*	*	*	*	*	*	31.6	+8	SSW	2	b	61	65	49	8	-	-	-	0	0	1	70	53	40	-	17	9.0							
4	Upper Heyford	408	31.7	+2	S	1	b	54	85	49	7	-	-	-	0	0	32.2	+6	SW'S	1	Zo	59	85	53	6	-	-	-	0	0	1	70	51	44	-	17	*							
	Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	31.3	+6	NW	1	Zo	56	85	50	6	-	-	-	0	0	1	70	46	39	-	17	11.4							
5	Hartland Point	299	31.1	-3	ESE	2	b	54	85	49	8	-	-	-	0	0	31.2	+4	SSW	1	b	60	65	47	8	-	-	-	0	0	3	57	53	48	-	17	12.3							
	Bristol	209	32.0	0	-	0	zo	50	92	47	6	-	-	-	0	0	32.8	+6	-	0	Zo	59	85	55	6	-	-	-	1	1	70	47	38	-	17	10.6								
	Portland Bill	32	31.9	-2	NW	1	b	52	85	48	8	-	-	-	0	0	32.1	+8	E	1	bc	54	73	54	8	1	-	-	0	0	2	57	50	48	-	17	*							
	Plymouth	82	31.9	-8	E'S	2	zo	48	92	46	6	-	-	-	0	0	31.9	+2	SE	1	Zo	56	75	49	6	-	-	-	0	0	2	62	45	36	-	17	12.2							
	The Lizard	240	30.6	-6	ENE	3	bc	52	85	48	8	7	-	-	2.3	2.3	2500	31.0	+4	ENE	3	bc	50	85	53	8	+	-	-	2.3	2.3	3500	0	3	63	51	48	-	17	12.5				
	Scilly (St. Mary's)	163	30.1	-8	E'S	4	b	53	92	51	8	-	-	-	0	0	30.5	+4	E'S	4	b	56	85	52	8	-	-	-	0	0	3	62	51	48	-	17	12.5							
	Guernsey	175	*	*	*	*	*	*	*	*	*	*	*	*	*	*	31.5	+2	WS'	3	dd	51	97	52	8	4	2	-	2.3	4.6	2500	26.8	+8	31.0	52	52	6	-	1	60	45	*	17	6.5
6	Pembroke	142	31.5	-4	E'S	3	b	51	97	50	8	5	-	-	0	0	31.9	+4	E'S	3	b	58	92	52	6	-	-	-	0	0	2	60	45	*	17	17	6.5							
7	Holyhead Valley	32	30.2	0	S	5	c	51	97	50	6	5	-	-	3.9	+400	30.9	10	S'W	4	b	56	85	50	9	-	-	1	3	65	49	47	-	17	*									
8	C																																											

~~SECRET~~

Thursday 4th June 1942

No. 29414

1942

Page 1 BRITISH SECTION

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Thursday 4th June 1942

No. 29414

1942

OBSERVATIONS at 13h. G.M.T. 3rd June

OBSERVATIONS at 18h. G.M.T. 3rd June

PAST 24 HOURS.

DISTRICTS.

FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON. G.M.T. Thursday, 4th June

- | | |
|--------------------------------|--|
| 1 S.E. England | |
| 2 E. England ... | Light variable winds; fine: warm. |
| 3 E. Midlands ... | |
| 4 W. Midlands | |
| 5 S.W. England | |
| 6 South Wales | |
| 7 North Wales | |
| 8 N.W. England | |
| 9 N. Midlands ... | |
| 10 N.E. England | |
| 11 S.E. Scotland | Light to moderate west or southwest winds. Fair with some bright periods; rather warm. |
| 12 S.W. Scotland & Isle of Man | |
| 13A W. Scotland ... | |
| 13B N.W. Scotland | Moderate or fresh west or southwest winds. Mainly cloudy with slight local rain or drizzle; rather warm. |
| 14 Mid Scotland | |
| 15 N.E. Scotland | |

- 16 Orkneys and
Shetlands
17 N. W. Ireland
18 N. E. Ireland
19 S. E. Ireland
20 S. W. Ireland

GENERAL INFERENCE


An anticyclone covering most of the British Isles will cause the fine warm weather to continue in most districts. There will however be low cloud, light rain or drizzle and fog patches on the Northwest coasts of Scotland and Ireland, and variable cloud in Northeast Scotland.

FURTHER OUTLOOK

Little change.

Forecasts issued at 1030G.M.T.

N. K. JOHNSON, D.Sc., A.R.C.S., Director,
Meteorological Office, Air Ministry, Kingsway, London, W.C.2



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).
Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis is said to occur when a front is in process of dissolution.



THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Thursday 4th June 1942
No. 23414

DISTRICT.	STATIONS.	OBSERVATIONS at 1 hr. G.M.T. 4th June															OBSERVATIONS at 7 hr. G.M.T. 4th June															PAST 24 HOURS.												
		Height above M.S.L., in feet, m.b.	Barom. at M.S.L.	Wind.		Weather.	Temp. °F.	Humid.	Dew Point. °F.	Visibility. 0-9	Cloud.					Barom. at M.S.L.	Wind.		Weather.	Temp. °F.	Humid.	Dew Point. °F.	Visibility. 0-9	Cloud.					Sea.	TEMPERATURE.					RAINFALL.					SUN- SHINE 3rd. Hr.				
				Dir.	Force (0-12)						Form.	Amount.	Height of Base. (feet)	Low.	Med.	Total 0-10	Dir.	Force (0-12)	Form.					Amount.	Height of Base. (feet)	Low.	Med.	Total 0-10	High	Max. Day 7h-18h °F.	Min. Night 18h-7h °F.	Min. on Grass °F.	Day 7h-18h mm.	Night 18h-7h mm.										
1	London (Kew)	18	*	*	*	*	*	*	55	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	81	54	43	-	-	T+	12.5
	Croydon	290	30.2	-2	5	1	0	b	zg	55	97	54	5	-	-	-	0	0	0	-	30.1	+2	-	0	z	66	75	59	4	-	-	0	*	80	53	52	-	-	T+	13.7				
	S. Farnborough	226	30.6	0	-	0	b	b	58	92	55	5	-	-	-	0	0	0	-	30.4	+2	-	0	z	62	85	57	6	-	-	0	*	83	51	43	-	-	14.6						
	Bosecombe Down	417	30.5	-2	0	0	b	b	62	75	54	7	-	-	-	0	0	0	-	30.3	-2	-	0	b	65	65	56	6	-	-	0	*	80	53	51	-	-	T+	14.5					
	Thorney Island	10	30.3	0	0	1	b	b	54	97	52	7	-	-	-	0	0	0	-	30.0	0	NE	1	b	65	75	60	7	-	-	0	*	72	49	43	-	-	14.6						
	Lympne	283	30.7	-2	-	0	b	zg	55	85	50	6	-	-	-	0	0	0	-	29.9	-4	-	0	b	63	75	60	7	-	-	0	*	69	52	42	-	-	14.6						
	Manston	154	31.2	+2	-	0	b	zg	53	85	50	6	-	-	-	0	0	0	-	30.4	0	-	0	z	62	75	54	6	-	-	0	*	72	48	39	-	-	14.8						
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	71	48	41	-	-	13.5	
	Felixstowe	12	31.0	-2	-	0	b	zg	55	85	50	6	-	-	-	0	0	0	-	30.6	-4	-	0	b	63	75	56	7	-	-	0	*	68	48	41	-	-	14.5						
	Gorleston	5	31.2	0	-	0	b	bc	57	85	53	7	-	-	-	0	0	0	-	30.4	-2	-	0	z	59	75	51	6	-	-	0	*	65	54	30	-	-	14.5						
	Mildenhall	15	30.7	0	0	5	1	b	zg	58	85	54	6	-	-	-	0	0	-	30.6	+4	s'e	2	b	60	85	57	6	-	-	0	*	82	52	46	-	-	T+	14.6					
	Cranwell	203	30.1	0	-	0	b	zg	55	85	51	6	-	-	-	0	0	-	-	29.6	+2	w's	3	b	68	65	55	7	-	-	0	*	80	50	43	-	-	15.1						
3	Birmingham	535	*	*	*	*	*	*	b	61	75	54	7	-	-	0	0	-	-	29.5	+2	-	0	z	71	65	59	6	-	-	0	*	80	59	44	-	-	15.2						
4	Upper Heyford	408	30.2	-2	-	0	b	bc	54	92	53	6	-	-	-	0	0	-	-	30.4	0	-	0	z	65	85	59	6	-	-	0	*	81	57	49	-	-	15.2						
	Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	30.3	0	w's	1	b	61	85	57	8	-	-	0	*	80	52	46	-	-	14.8						
5	Hartland Point	299	29.6	0	s	1	b	62	75	53	8	-	-	-	0	0	-	-	29.3	+2	e'ne	2	b	63	55	52	8	-	-	0	*	66	61	53	-	-	14.1							
	Bristol	209	30.4	-2	-	0	b	zg	57	85	53	6	-	-	-	0	0	-	-	30.2	0	-	0	z	65	85	60	6	-	-	0	*	79	54	45	-	-	14.3						
	Portland Bill	32	29.8	-2	w	1	bc	58	85	54	7	5	-	-	-	4-6	4-6	4000	30.0	+4	se's	1	b	60	85	56	7	5	-	-	4-6	4-6	4000	1	2	64	64	*	14.2					
	Plymouth	82	30.0	-4	e	1	zg	55	92	53	6	-	-	-	0	0	-	-	29.6	+2	nne	1	zg	60	85	55	5	-	-	0	*	74	52	45	-	-	14.2							
	The Lizard	240	29.9	-6	ne's	3	b	58	85	52	8	-	-	-	0	0	-	-	25.0	-2	"ne"	3	b	60	85	54	8	4	-	-	2-3	2-3	3200	0	3	62	55	*	15.1					
	Scilly (St. Mary's)	163	28.9	-4	e'n	3	b	53	85	50	8	-	-	-	0	0	-	-	28.6	+2	b	58	85	54	8	-	-	0	*	64	52	*	-	-	15.2									
6	Pembroke	142	30.1	-4	e	2	b	60	75	50	8	-	-	4	-	0	1	-	30.1	+2	e'n	3	b	61	65</																			

~~SECRET~~

Friday 5th June 1942

.1942

No. 2945

Page 1 BRITISH SECTION

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

No. 29 + 15

DISTRICTS

FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON. G.M.T. Friday 5th June 1942.


FORECAST FOR THE 21ST NOVEMBER EXCLUDING THE ISLES.	
1 S.E. England	
2 E. England ...	Light variable wind; fine apart from patches of fog or low cloud near east coast; very warm inland; cool sea breezes on the coasts.
3 E. Midlands ...	
4 W. Midlands	
5 S.W. England	
6 South Wales	
7 North Wales	
8 N.W. England	
9 N. Midlands ...	
10 N.E. England	
11 S.E. Scotland	
12 S.W. Scotland & Isle of Man	
13A W. Scotland ...	Light West to Southwest wind; mainly fair but variable clouds; occasional slight rain later near coast; rather warm.
13B N.W. Scotland	
14 Mid Scotland	
15 N.E. Scotland	
16 Orkneys and Shetlands	Light West wind; variable cloud; occasional slight rain later; average temperature.
17 N. W. Ireland	
18 N. E. Ireland	Light South to Southeast wind; fine; warm.
19 S. E. Ireland	
20 S. W. Ireland	
GENERAL INFERENCE	
A large anticyclone covers the British Isles, with the highest pressure off east Scotland. The weather will continue mainly fine and warm. A low pressure system on the Atlantic will affect our northwest seaboard, and some low cloud will occur near its east coast.	
FURTHER OUTLOOK	
Continuing mainly fair; cooler in the Southeast.	
Forecasts issued at 10.30	
N. K. JOHNSON, D.Sc., A.R.C.S., Director. Meteorological Office, Air Ministry, Kingsway, London, W.C.2	

FURTHER OUTLOOK

Continuing mainly fair; cooler in the Southeast.

Forecasts issued at 10.30

N. K. JOHNSON, D.Sc., A.R.C.S., Director,
Meteorological Office, Air Ministry, Kingsway, London, W.C.2



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).
Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis is said to occur when a front is in process of dissolution.



THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Friday 5th June.

1942

No. 29, 415

OBSERVATIONS at 1 hr. G.M.T. 5th June.

OBSERVATIONS at 7 hr. G.M.T. S.A.T.

PAST & FUTURE

Abridged observations of additional stations in the AVIATION WEATHER CODE

London Observations												
For the 24 hours ending morning of 5th June.												
Day 7h-18h Kew and Croydon, 9h-18h Kensington 9h-21h other stations except for rainfall which is 9h-18h												
Stations						Weather						
Morning						Atmospheric Pollution, Milligrams of solid impurity per cubic metre.						
Kew ...	b	by	by	bzbw			Croydon ...	bczby	by	bybm		
Greenwich ...	by	by	by	bwbz			Camden Square ...	b	b	*		
Kensington ...	b	b	b	b			Hampstead ...	b	b	b		
Kew 24 hours ended 7h. Max. Time 04 7h Min. Time 01 5th <0.1 17-20h												
Temperature						Rainfall						
Stations.						Day	Night	Min on grass	Day	Night	Sun- shine to sunset hrs	
Max						°F	°F	mm	mm	mm	15h % To day	
Kew ...	83	55	43	-	Tr	14.1	*					
Croydon ...	81	51	50	-	Tr	15.0	*					
Greenwich ...	82	54	39	-	-	14.8	44	48				
Westminster ...	84	59	55	-	-	*	59	58				
Regents Park ...	86	57	47	-	-	*	42	42				
Camden Square ...	83	58	47	-	-	*	57	57				
Kensington ...	87	57	47	-	-	*	49	68				
Hampstead ...	81	59	51	-	-	*	*	*			\$3	


SECRET

Saturday 6th June 1942

No. 29416

Page 1
BRITISH
SECTIONTHE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

DISTRICT.	STATIONS. (For heights see p. 4)	OBSERVATIONS at 13h. G.M.T. 5th June												OBSERVATIONS at 18h. G.M.T. 5th June												PAST 24 HOURS.									
		Barom. at M.S.L. mb. (1)	Change in 3 hours. (2)	Wind.		Weather. (3)	Temp. °F. (5)	% Humid. °F. (6)	Dew Point. °F. (8)	0-9 Visibility. (9)	Cloud.					Barom. at M.S.L. mb. (16)	Change in 3 hours. (17)	Wind.		Weather. (20)	Temp. °F. (21)	% Humid. °F. (22)	Dew Point. °F. (23)	0-9 Visibility. (24)	Cloud.					State of Ground. (31)	Sea. (32)	WEATHER.			
				Dir. (3)	Force. (4)						Form. (10)	Med. (11)	High (12)	Low 0-10 (13)	Total 0-10 (14)			Dir. (18)	Force. (19)			Form. (25)	Med. (26)	High (27)	Low 0-10 (28)	Total 0-10 (29)									
1 London (Kew) ...	27.1 -10 E'S 3 b 82 35 60 7 - - - 0 0 0 -	25.5 -6 E'N 3 b 80 35 52 8 - - - 0 0 0 -	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw			
Croydon ...	27.0 -8 ESE 3 b 80 35 52 8 - - - 0 0 0 -	25.4 -6 ESE 3 b 81 35 50 8 - - - 0 0 0 -	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw			
S. Farnborough ...	26.7 -10 ESE 3 b 83 35 61 7 - - - 0 0 0 -	25.0 -10 E 3 b 81 35 51 8 - - - 0 0 0 -	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw			
Boscombe Down ...	27.0 -6 E'N 2 b 83 45 66 6 - - - 0 0 0 -	24.9 -4 ESE 2 b 82 35 57 7 - - - 0 0 0 -	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw			
Thorney Island ...	26.6 -8 E 3 b 84 45 60 8 - - - 0 0 0 -	24.8 -8 SE 3 b 76 45 54 8 - - - 0 0 0 -	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw			
Lymne ...	27.4 -4 NE 2 b 76 45 54 8 - - - 0 0 0 -	26.0 -6 NE 1 b 71 45 50 8 - - - 0 0 0 -	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw			
Manston ...	28.0 -6 NEE 2 b 73 65 59 6 - - - 0 0 0 -	26.5 -10 NEE 2 b 66 55 55 8 - - - 0 0 0 -	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw			
2 Shoebury Ness ...	28.2 -12 E'S 2 b 72 65 57 7 - - - 0 0 0 -	26.6 -4 E'N 2 b 66 65 54 8 - - - 0 0 0 -	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw			
Felixstowe ...	28.6 -6 E'S 2 b 67 55 58 7 - - - 0 0 0 -	26.8 -10 ENE 2 b 64 65 53 8 - - - 0 0 0 -	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw			
Gorleston ...	28.6 -8 SW 1 b 60 55 54 7 - - - 0 0 0 -	27.2 -6 ESE 2 b 60 65 55 6 - - - 0 0 0 -	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw			
Mildenhall ...	27.6 -12 NNE 1 b 84 45 67 8 - - - 0 0 0 -	26.0 -4 ENE 3 b 80 45 56 8 - - - 0 0 0 -	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw			
Cranwell ...	27.6 -10 N 2 b 81 35 63 7 - - - 0 0 0 -	26.3 -6 SEE 3 b 73 65 52 6 - - - 0 0 0 -	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw			
3 Birmingham ...	27.3 -10 E 2 b 78 65 57 7 - - - 0 0 0 -	25.3 -10 SE 2 b 72 65 54 8 - - - 0 0 0 -	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw		
Upper Heyford ...	27.0 -10 E 2 b 78 65 57 6 1 - - - Tr Tr 4000	25.0 -10 NE'E 2 b 70 55 62 6 1 - - - Tr Tr 4000	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	bzoby byw	
4 Ross-on-Wye	26.8 -10 E 2 b 82 55 62 7 1 - - - Tr Tr 4000	24.5 -12 E'N 2 b 82 55 62 7 1 - - - Tr Tr 4000	bzoby byw	bzoby byw</																															



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).
Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis. is said to occur when a front is in process of dissolution.



THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Saturday 6th June 1942
No. 23416

Abridged observations of additional stations in the AVIATION WEATHER CODE

LONDON OBSERVATIONS

For the 24 hours ending morning of 6th June.
Day 7h-18h Kew and Croydon, 9h-18h Kensington
9h-21h other stations except for rainfall which is 9h-18h

Stations		Weather			Atmospheric Pollution Milligrams of solid impurity per cubic metre.		
		Morning	Afternoon	Night			
Kew	...	bzby	byw	bwz			
Croydon	...	b	bxmow	ompwz			
Greenwich	...	by	by	bybz			
Camden Square	...	b	b	*			
Kensington	...	b	b	*			
Hampstead	...	b	b	b			
					Kew 24 hours ended 7h. Max. Time 0-3 6h 6th. Min. Time 50-1 13-2h 5th.		
Stations		Temperature		Rainfall		Humidity	
		Day	Night	Min on grass	Day	Night	
		Max	Min	°F	mm	mm	15h %
		°F	°F	°F			9h %
Kew	...	83	57	43	-	-	Yesterday
Croydon	...	82	53	50	-	52	To-day
Greenwich	...	82	55	39	-	-	
Westminster	...	83	60	56	-	-	
Regents Park	...	86	58	53	-	-	
Camden Square	...	89	59	50	-	-	
Kensington	...	87	56	47	-	-	
Hampstead	...	83	56	52	-	-	

~~SECRET~~

Sunday 7th June 1942

No. 29417

Page 1 BRITISH SECTION

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Sunday 7th June 1942

DISTRICTS.

FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON, G.M.T. Sunday 27th June 1942.

- | | |
|--------------------------------|---|
| 1 S.E. England | Moderate or fresh North to Northwest wind; mainly fine but a few scattered showers; cool. |
| 2 E. England ... | |
| 3 E. Midlands ... | |
| 4 W. Midlands | |
| 5 S.W. England | |
| 6 South Wales | |
| 7 North Wales | Fresh West to Northwest wind; bright periods; occasional showers; cool. |
| 8 N.W. England | |
| 9 N. Midlands ... | . |
| 10 N.E. England | |
| 11 S.E. Scotland | |
| 12 S.W. Scotland & Isle of Man | Fresh squally Westerly wind, gale locally on coast; showers; bright intervals; cool. |
| 13A W. Scotland ... | ▲ Fresh squally West wind veering Northwest; gale locally on Northwest coast at first; showers and bright intervals cool. |
| 13B N.W. Scotland | |
| 14 Mid Scotland | |
| 15 N.E. Scotland | |

- | | |
|--------------------------|------------|
| 16 Orkneys and Shetlands | AS 13B-15. |
| 17 N. W. Ireland | AS 12-13A. |
| 18 N. E. Ireland | |
| 19 S. E. Ireland | AS 7-11. |
| 20 S. W. Ireland | |


GENERAL INFERENCE
A depression centred northeast of Shetland is moving east and a trough of low pressure over north Scotland is moving very slowly south. Cool winds from between north and west will affect all districts of the British Isles. There will be frequent showers in north Scotland and scattered showers elsewhere with long bright periods.

Showery in the North; fair apart from scattered showers in the South: rather cool.

* Warning of westerly gale issued at 0915 G.M.T. 7:6:42. in districts 12, 13, 17 and 18.

Forecasts issued at 10.30.

N. K. JOHNSON, D.Sc., A.R.C.S., Director,
Meteorological Office, Air Ministry, Kingsway, London, W.C.2



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).
Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions of the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis is said to occur when a front is in process of dissolution.



THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Sunday 7th June 1942
No. 29417

District.	Stations,	Observations at 1 hr. G.M.T. 7th June												Observations at 7 hr. G.M.T. 7th June												Past 24 Hours.																				
		Wind.			Temp.			Humid.			Dew Point.			Cloud.			Wind.			Temp.			Humid.			Dew Point.			Cloud.			Temperature.				Rainfall.										
		Barom. mb.	Height above M.S.L. in feet.	Change in 3 hours.	Dir.	Force 0-12	Weather.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	
1	London (Kew)	18	*	*	*	*	*	b	45	35	56	7	5	-	-	2-3	2-3	4500	194	118	NNW	4	c	55	55	40	8	5	3	-	2-3	78	4000	0	*	86	55	55	-	-	-	14.0				
	Croydon	290	16.8	+3	NW'N	4	b	45	35	56	7	5	-	-	2-3	2-3	4500	194	118	NNW	4	c	56	55	43	8	5	3	-	78	41	4500	0	*	88	56	54	-	-	-	14.6					
	S. Farnborough	226	15.6	+14	NW'N	3	zo	59	75	47	6	5	-	-	1	1	3000	203	118	NNW	4	c	53	65	40	8	5	3	-	2-3	9	3000	0	*	88	53	52	-	-	-	14.0					
	Boscombe Down	417	18.6	+2	N	4	b	26	83	50	7	-	-	0	0	-	21.6	+18	N	5	bc	52	65	41	8	5	-	-	4646	4000	0	*	85	50	48	-	-	-	13.6							
	Thorney Island	10	15.5	-4	NNW	3	b	43	92	60	7	-	3	-	0	1	-	19.6	+24	N	5	c	53	65	42	9	-	9	-	0	94	-	0	3	81	54	43	-	-	-	*					
	Lymnne	283	15.5	-6	SW	1	zo	65	85	60	6	-	6	-	0	2-3	-	18.8	+24	N	4	c	58	65	24	7	5	-	-	10	10	9000	0	32	80	58	56	-	-	-	14.5					
	Manston	154	14.6	-10	NNW	1	zo	64	85	60	5	-	-	0	0	-	18.2	+18	Z	2	zo	57	83	61	6	5	-	-	10	10	3500	0	*	78	56	52	-	-	-	14.0						
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	71	55	53	-	-	-	13.7					
	Felixstowe	12	15.0	-4	NW	4	zo	66	85	62	6	-	-	0	0	-	19.5	+34	NNW	4	c	55	65	42	8	5	1	-	78	10	2500	0	2	67	53	51	-	-	-	14.0						
	Gorleston	5	14.7	-16	NNW	5	zo	68	85	60	6	-	-	0	0	-	18.9	+20	NW	4	c	53	65	42	7	5	-	-	9	9	2000	0	3	63	52	51	-	-	-	*						
	Mildenhall	15	16.6	+20	NW	5	zo	63	65	52	6	5	-	-	9	9	2200	20.0	+24	NNW	4	b	52	65	41	8	-	7	-	0	1	-	*	85	51	51	-	-	-	0.6						
	Cranwell	203	17.5	+16	NW	3	c	57	65	46	7	5	-	-	10	10	1600	20.5	+14	NNW	5	b	52	65	40	7	-	-	0	0	-	*	82	48	41	-	-	-	12.8							
3	Birmingham	535	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	84	46	42	-	-	-	0.1						
4	Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	84	48	45	-	-	-	*						
5	Hartland Point	299	20.6	+4	N	3	b	53	85	49	7	5	-	-	2-3	2-3	2300	23.2	+16	NNW	5	b	52	75	45	8	1	4	-	2-3	23	3000	0	4	76	51	49	-	-	-	16.7					
	Bristol	209	19.8	+22	N	4	zo	57	85	53	6	5	-	-	10	10	1800	22.8	+14	NE	4	b	52	75	42	9	1	4	-	Tv	Tv	2800	0	*	85	50	44	-	-	-	13.1					
	Portland Bill	32	16.3	-6	N	3	b	60	92	58	7	5	-	-	4-6	4-6	2500	20.3	+22	N	3	c	54	85	48	8	2	-	-	7-8	7-8	1000	1	2	66	53	*	-	-	*						
	Plymouth	82	18.6	+6	N'W	4	b	58	85	53	7	5	-	-	Tv	Tv	22.8	+28	NNW	4	b	55	65	43	8	1	4	-	1	2-3	4000	0	3	77	52	51	-	-	-	11.4						
	The Lizard	240	18.6	+6	N'W	6	b	56	85	50	7	8	-	-	4-6	4-6	2500	22.0	+20	N	4	b	53	75	45	8	7	4	-	4-6	4-6	2500	0	4	70	49	*	-	-	13.2						
	Scilly (St. Mary's)	163	21.9	+10	N'W	5	c	58	92	56	7	5	3	-	4-6	7-8	1800	24.3	+16	N'E	6	b	52	75	43	8	5	4	-	1	4-6	1800	0	4	70	51	*	-	-	13.8						
	Guernsey	175	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
6	Pembroke	142	22.2	+8	N	6	b	51	75	45	7	4	-	-	0	0	-	24.6	+10	N	5	b	51	75	43	8	1	-	-	4-6	4-6	3000	0	3	68	44	*	-	-	11.8						
7	Holyhead (Valley)	32	22.2	+4	NNW	4	zo	47	92	4																																				

~~SECRET~~

Monday 8th June 1942

No. 22418

Page 1 BRITISH SECTION

**THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.**

Monday 8th June 1942

No. 22418

PAST 24 HOURS.

DISTRICTS.

FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON, G.M.T. Monday 8th June 1942.


1 S.E. England			
2 E. England ...	Moderate Northwest wind; bright periods, occasional showers; cool.		
3 E. Midlands...			
4 W. Midlands			
5 S.W. England	Moderate Northwest wind; fair, bright periods; cool.		
6 South Wales			
7 North Wales	As 1-4		
8 N.W. England			
9 N. Midlands...	Fresh squally Northwest wind, moderating; frequent showers, local thunderstorms; cool.		
10 N.E. England			
11 S.E. Scotland			
12 S.W. Scotland & Isle of Man			
13A W. Scotland ...			
13B N.W. Scotland	Fresh or strong squally Northwest wind moderating; frequent showers, local thunderstorms; cold.		
14 Mid Scotland			
15 N.E. Scotland			
16 Orkneys and Shetlands		Fresh or strong North to Northwest wind; cloudy, rain at times; cold.	
17 N.W. Ireland		Fresh squally Northwest wind; occasional showers; local thunder; cool.	
18 N. E. Ireland			
19 S. E. Ireland			
20 S. W. Ireland		AS 5-6	
GENERAL INFERENCE			
A depression centred east of Shetland is moving slowly East. Weather will be cool generally. There will be frequent showers and local thunder in the North. Local showers are probable also in the Midlands and East of England today, but in the Southwest it will be fair.			
FURTHER OUTLOOK			
Fair or fine in Southwest, Showery and cool in the North, occasional showers in the Southeast. ♠ Gale warning in operation in districts 4, 13A, 13b, 16, 17, 18. Districts 13A, 13B, 17, 18 issued 0715 7-6-42. Districts 11, 15 issued 0930 7-6-42.			
Forecasts issued at 1030			
N. K. JOHNSON, D.Sc., A.R.C.S., Director. Meteorological Office, Air Ministry, Kingsway, London, W.C.2			

FURTHER OUTLOOK

Fair or fine in Southwest, Showery and cool in the North, occasional showers in the Southeast. Gale warning in operation in districts 4, 13A, 13B 15, 17, 18. Districts 13A 13B, 17, 18 issued 0715 7-6-42 Districts 11, 15 issued 0930 7-6-42.

Forecasts issued at 2030

N. K. JOHNSON, D.Sc., A.R.C.S., Director.
Meteorological Office, Air Ministry, Kingsway, London, W.C.2



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts



(The symbols used to indicate fronts are shown below).
Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis. is said to occur when a front is in process of dissolution.



EXPLANATION OF CHART.

BAROMETER. Isobars are drawn for intervals of four millibars.

WIND. Arrows fly with wind. A full length feather indicates two steps on the Beaufort Scale, and a short feather one step. Calm is indicated by circle outside weather symbol: —○—

TEMPERATURE is given in degrees F.

WEATHER SYMBOLS: —○— Clear sky. ○— Sky less than 3/10 clouded. (○) Sky 4/10 to 6/10 clouded.

(○) Sky 7/10 to 9/10 clouded. (○) Overcast sky. ● Rain falling. * Snow. ♀ Sleet. △ Hail.

Fog. Ⓜ Mist. Ⓝ Thunder. (Ⓣ) Thunderstorm. Ⓞ Slight haze. Ⓟ Hail.

The hour of observation is not uniform throughout the Hemisphere; a chart showing the hours at which the observations are taken is contained in the Introduction.

FRONTS or boundaries between masses of air of different origin are indicated, wherever their characteristics are well pronounced in the following way—

— Warm Front on the Surface

— Warm Front above the ground

— Cold Front on the surface

— Cold Front above the ground

— Occluded Front (or Occlusion)

— Warm Occlusion

— Cold Occlusion

— Lines of Frontogenesis

Short strokes across the frontal line indicate

Frontolysis. (For explanation see page 3.)

NOTE.—The symbols are placed on the side of the line towards which the front is moving.

When the front is stationary the symbols are placed alternately on both sides of the line.

All times are G.M.T. Add two hours to get double summer time.

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Monday 8th June 1942
No. 29418

DISTRICT.	STATION.	OBSERVATIONS at 1 hr. G.M.T. 8th June												OBSERVATIONS at 7 hr. G.M.T. 8th June												PAST 24 HOURS.																						
		Height above M.S.L. in feet.	Barom. at M.S.L. mb. (1)	Wind.		Weather.	Cloud.			Barom. at M.S.L. mb. (16)	Wind.		Weather.	Cloud.			Sea. 0-9 (30)	Max. Day 7h-18h °F. (21)	Min. Night 19h-7h °F. (22)	Min. on Grass °F. (23)	Day 7h-18h mm. (24)	Night 18h-7h mm. (25)	Sun- shine Hr. (26)																									
				Change in 3 hours.	Dir. (3)		Form. (6)	Amount. (7)	Height of Base. (feet) (14)		Dir. (16)	Force. (17)		Form. (20)	Amount. (21)	Height of Base. (feet) (28)																																
1	London (Kew)	18	*	*	*	*	b	52	*	*	*	*	*	b	53	65	42	8	1	4	-	Tr	2-3	2500	0	*	65	49	31	-	-	11.2																
	Croydon	290	22.0	+10	WSW	1	b	48	75	41	8	-	4	-	0	Tr	22.1	52	75	43	7	1	4	-	Tr	2-3	2500	0	*	69	44	43	-	-	10.6													
	S. Farnborough	226	22.8	+2	WN	2	b	47	75	40	9	-	-	0	0	b	22.7	-2	WMW	3	b	52	75	44	9	-	3	1	0	1	*	67	43	31	-	-	11.7											
	Boscombe Down	417	23.4	+2	NW/N	2	b	46	75	39	8	-	-	0	0	b	22.6	-6	NW/W	3	b	52	75	44	8	7	-	-	Tr	4000	0	*	65	42	33	-	-	13.0										
	Thorney Island	10	22.3	+2	NW/N	2	b	48	85	43	7	-	-	0	0	b	22.9	+2	NW	2	b	54	75	46	8	-	3	0	0	Tr	-	68	44	-	-	*												
	Lyminge	283	22.2	0	WNW	1	b	42	92	40	80	-	-	0	0	b	22.5	+2	RWW	2	b	53	75	44	7	1	-	-	Tr	2500	0	*	65	39	33	Tr	-	7.3										
	Manston	154	21.3	-6	NW/N	2	b	52	65	41	8	-	-	0	0	b	21.4	-2	WNW	3	b	55	75	48	8	1	-	1	Tr	1	2800	0	*	63	48	36	-	-	7.4									
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*											
	Felixstowe	12	20.7	0	VNW	3	b	51	75	42	7	-	-	0	0	b	21.4	0	NW/W	3	b	56	65	44	8	-	3	-	0	2-3	-	0	*	69	45	37	-	-	10.0									
	Gorleston	5	20.6	0	WN	2	b	48	75	41	6	-	4	-	0	b	21.1	+6	W	3	b	53	75	45	8	5	-	-	4-6	4-6	5000	0	*	68	48	43	-	-	8.6									
	Mildenhall	15	21.0	-2	W'S	3	b	44	85	39	8	-	-	0	0	b	20.0	0	NW	3	b	49	75	43	7	-	0	0	0	2	60	44	39	-	-	9.5												
	Cranwell	203	20.7	+2	W	4	b	46	85	42	6	-	-	0	0	b	19.4	-2	W	5	b	51	85	45	7	5	4	-	4-6	4-6	3500	0	*	68	43	38	Tr	-	13.1									
3	Birmingham	535	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	14.2											
4	Upper Heyford	408	22.1	0	W	2	b	47	85	42	8	-	-	0	0	b	22.1	+2	W/N	3	b	49	75	42	8	8	-	5	4-6	4-6	2500	0	*	60	46	42	-	-	13.2									
	Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*												
5	Hartland Point	299	24.9	0	NNW	3	b	52	75	43	8	4	-	2-3	2-3	b	22.6	-4	NNW	4	b	49	75	44	8	2	-	4-6	4-6	2500	0	*	64	47	41	*	*	15.0										
	Bristol	209	24.0	+2	NW	1	b	45	85	41	7	-	4	-	0	b	24.1	+2	W/N	4	b	51	65	40	8	1	4	-	2-3	4-6	2500	0	*	55	49	47	-	-	14.2									
	Portland Bill	32	23.0	0	N	1	b	54	85	50	7	5	-	4-6	4-6	b	23.6	+8	NW	2	b	53	75	44	8	1	3	-	1	2-3	4000	0	*	67	44	33	-	-	14.4									
	Plymouth	82	25.3	+2	-	0	b	47	92	45	8	-	-	0	0	b	25.4	+2	W'S	3	b	51	85	45	7	7	-	-	4-6	4-6	4000	1	*	63	49	*	-	-	*									
	The Lizard	240	25.8	0	N'W	3	b	48	92	46	8	-	-	0	0	b	26.0	+2	N'W	3	b	51	85	46	8	8	-	-	2-3	2-3	2500	0	*	62	43	35	-	-	13.9									
	Scilly (St. Mary's)	163	26.7	+2	NNW	4	b	52	85	48	8	-	-	0	0	b	27.0	+2	N'W	4	b	52	75	42	8	8	6	-	4-6	4-6	3500																	

~~SECRET~~

Tuesday 9th June 1942

No. 29419

Page 1 BRITISH SECTION

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Tuesday 9th June 1942

No. 29419

OBSERVATIONS at 13h. G.M.T. 5th June.

OBSERVATIONS at 18h. G.M.T. 8th June.

PAST 24 HOURS.

DISTRICTS

FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON, G.M.T. Tuesday 3rd June 1942.

- | | |
|--------------------------------|--|
| 1 S.E. England | |
| 2 E. England ... | Light or moderate West to Northwest wind; fair; cool. |
| 3 E. Midlands ... | |
| 4 W. Midlands | |
| 5 S.W. England | |
| 6 South Wales | |
| 7 North Wales | Moderate Northwest wind fresh locally; bright intervals; |
| 8 N.W. England | local showers; cool. |
| 9 N. Midlands ... | |
| 10 N.E. England | Moderate Northwest wind, fresh locally; cloudy; occasional rain; cool. |
| 11 S.E. Scotland | |
| 12 S.W. Scotland & Isle of Man | As 7-9 |
| 13A W. Scotland | |
| 13B N.W. Scotland | Moderate or fresh Northwest wind, strong locally; cloudy, |
| 14 Mid Scotland | occasional rain; cold. |
| 15 N.E. Scotland | |

- 16 Orkneys and
Shetlands
17 N. W. Ireland
18 N. E. Ireland
19 S. E. Ireland
20 S. W. Ireland


A large anticyclone is centred to west of Ireland and a depression over Scandinavia is probably moving southeast. Weather will be fair in the South, but there will be showers in the North, and occasional rain in East Scotland and in Northeast England. It will be cool generally.

FURTHER OUTLOOK

Cool generally. Showers in the North; increasing tendency for showers in the South.

Forecasts issued at 1030

N. K. JOHNSON, D.Sc., A.R.C.S., Director,
Meteorological Office, Air Ministry, Kingsway, London, W.C.2



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).
Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.
Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin.

In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis. Is said to occur when a front is in process of dissolution.



Clarke's Projection Scale 1 : 4 x 10⁷ along meridian at 55° N.

Statute Miles 0 1 2 3 4 5 6 7 8 9 10

EXPLANATION OF CHART.

BAROMETER. Isobars are drawn for intervals of four millibars.

WIND. Arrows fly with wind. A full length feather indicates two steps on the Beaufort Scale, and a short feather one step. Calm is indicated by circle outside weather symbol: —○—

TEMPERATURE is given in degrees F.

WEATHER SYMBOLS: —○— Clear sky. ○ Sky less than 3/10 clouded. (○) Sky 4/10 to 6/10 clouded.

• Sky 7/10 to 9/10 clouded. (●) Overcast sky. ● Rain falling. * Snow. ♫ Sleet. △ Hail.

Fog = Mist. = Thunder. (T) Thunderstorm. S Slight haze. & So.

The hour of observation is not uniform throughout the Hemisphere; a chart showing the hours at which the observations are taken is contained in the Introduction.

FRONTS or boundaries between masses of air of different origin are indicated, wherever their characteristics are well pronounced in the following way—

— Warm Front on the Surface

— Warm Front above the ground

— Cold Front on the surface

— Cold Front above the ground

NOTE. The symbols are placed on the side of the line towards which the front is moving.

When the front is stationary the symbols are placed alternately on both sides of the line.

— Occluded Front (or Occlusion)

— Warm Occlusion

— Cold Occlusion

— Lines of Frontogenesis

Short strokes across the frontal line indicate

Frontolysis. (For explanation see page 3.)

All times are G.M.T. Add two hours to get double summer time.

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Tuesday 9th June 1942
No. 29449

District.	Station.	Observations at 1 hr. G.M.T. 9th June												Observations at 7 hr. G.M.T. 9th June												Past 24 hours													
		Wind.			Cloud.			Wind.			Cloud.			Temperature.			Rainfall.			Sea.		Temperature.			Rainfall.			Sun-shine Hrs.											
		Height above M.S.L. in feet.	Barom. at M.S.L.	Change in 3 hours.	Direc.	Force 0-12	Weather.	Temp. °F.	Humid.	Dew Point. °F.	Visibility 0-9	Form.	Amount Low 0-10	Height of Base (feet)	Wind. Direc.	Force 0-12	Weather.	Temp. °F.	Humid.	Dew Point. °F.	Visibility 0-9	Form.	Amount Low 0-10	Height of Base (feet)	State of Sea 0-9	0-9	Max. Day 7h-18h °F.	Min. Night 18h-7h °F.	Min. on Grass 7h-18h mm.	Day 18h-7h mm.	Night 7h-18h mm.	Sun-shine Hrs.							
1 London (Kew)	18	*	*	*	*	*	*	50	*	*	*	*	*	*	*	19-6	+2	NNW	2	c	51	65	40	7	5	-	-	94	24	2500	0	*	63	47	32	-	-	9.5	
Croydon	290	20.5	-2	WNW	1	bc	46	85	40	8	5	3	-	4-6	4-6	4500	20-1	+2	WNW	2	c	50	75	41	7	5	3	-	4-6	94	4500	0	*	64	41	34	-	-	10.9
S. Farnborough	226	20.6	-4	WNW	1	bc	45	85	40	9	4	4	-	2-3	2-3	4000	20-2	+2	NNW	2	c	48	75	41	8	5	3	-	4-6	94	3000	1	*	64	42	32	-	-	11.6
Boscombe Down	417	21.6	-6	-	b	43	85	38	8	-	-	-	-	20-4	0	NNW	1	c	47	97	91	7	7	-	-	4-6	4-6	3000	0	*	61	40	32	-	-	10.7			
Thorney Island	10	20.4	-2	NNW	2	b	45	85	42	7	5	-	-	Tr	Tr	5200	20-0	+2	NNE	2	b	52	65	41	9	5	-	-	1	1	7200	0	*	64	41	34	-	*	10.7
Lyminge	283	20.6	-4	NNW	3	c	48	75	41	8	S	-	-	2-8	2-8	7000	20-0	+2	NNW	3	b	51	65	40	8	S	-	-	Tr	Tr	7000	0	*	63	42	38	-	-	11.9
Manston	154	19.9	-2	NNW	2	z	51	65	41	6	S	-	-	Tr	Tr	5200	18-9	+2	NNW	3	b	52	75	43	7	1	3	-	Tr	1	3000	0	*	62	47	42	-	-	9.5
2 Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	19-5	+2	LNW	3	bc	53	65	42	8	-	3	-	0	2-3	-	0	*	67	42	33	-	-	9.6
Felixstowe	12	19.6	-2	WNW	3	b	49	65	37	7	-	-	-	0	0	-	19-9	+10	WNW	4	b	50	75	40	8	-	-	-	0	0	-	0	*	63	45	41	-	-	11.9
Gorleston	5	18.9	0	WNW	3	z	47	75	38	6	-	-	-	0	0	-	18-0	0	WNW	3	bc	49	75	47	7	-	4	-	0	2-3	-	0	*	63	42	38	TY	-	8.3
Mildenhall	15	19.5	-4	WSW	3	z	42	85	37	6	S	-	-	Tr	Tr	4000	18-6	0	WSW	4	c	49	75	41	7	S	2	-	7-8	9	4000	0	*	64	38	-	Tr	10.2	
Cranwell	203	19.1	-2	W	4	b	44	85	39	7	-	4	-	0	Tr	-	17-6	-2	W	4	c	48	85	42	6	S	2	-	9-10	4000	0	*	60	43	37	-	-	13.3	
3 Birmingham	536	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	19-8	0	WNW	3	c	47	75	40	8	8	-	-	7-8	7-8	2500	0	*	59	44	39	-	-	10.4
Upper Heyford	408	20.8	+2	NNW	2	b	42	85	39	8	-	4	-	0	1	-	20-2	+2	WNW	3	bc	49	85	43	8	1	3	-	1	2-3	2500	0	*	61	41	35	-	-	*
4 Ross-on-Wye	222	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	20-6	-4	WNW	2	bc	50	75	41	8	7	-	-	2-3	2-3	4000	0	*	59	44	36	-	-	9.0
5 Hartland Point	209	15.0	+4	WNW	4	bc	52	65	40	8	1	4	-	2-3	2-3	3000	21-1	+2	NNE	3	c	51	75	43	8	4	-	-	7-8	7-8	3500	0	3	54	50	46	-	-	13.7
Bristol	209	22.2	-2	SW	1	bc	48	75	38	7	S	-	-	2-3	2-3	4000	21-1	-4	NW	2	c	50	75	43	8	5	4	-	7-8	7-8	1600	0	*	60	42	29	-	-	8.7
Portland Bill	32	21.6	-10	NNW	2	b	51	92	49	8	-	-	-	0	0	-	20-2	+2	NW	2	bc	53	85	49	8	1	-	-	4-6	4-6	4000	1	2	59	49	*	-	-	*
Plymouth	82	22.5	-12	E'S	2	b	45	92	42	7	-	-	-	0	0	-	21-0	-6	NNE	2	bc	51	85	47	7	7	-	-	4-6	4-6	4500	0	2	59	41	33	-	-	13.7
The Lizard	240	22.8	0	N'W	2	b	45	97	45	8	-	-	-	0	0	-	21-4	-4	N	2	bc	52	85	48	8	8	6	-	4-6	4-6	2500	0	3	58	44	*	-	-	13.4
Scilly (St. Mary's)	163	23.2	-12	NNW	3	b	51	92	49	8	S	-	-	Tr	Tr	1500	21-4	-4	NNE	4	bc	52	75	43	8	5	3	-	2-3	4-6	1800	0	3	59	50	*	-	-	9.2
Guersey	175	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
6 Pembroke	142	22.3	-6	N'E	3	c	48	85	44	8	S	-	-	7-8	7-8	4000	22-2	+4	N	4	bc	49	75	42	8	8	-	-	4-6	4-6	3000	0	3	56	41	*	-	-	11.8
7 Holyhead (Valley)	32	21.3	-2	NNW	3																																		

~~SECRET~~

Page 1 BRITISH SECTION

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Wednesday 10th June 1942

No. 29420.

OBSERVATIONS at 13h. G.M.T. 9th June.

OBSERVATIONS at 18h. G.M.T. 9th June.

PAST 24 HOURS.

DISTRICTS

FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON G.M.T.

Wednesday 10th June 1942.

- | | |
|-------------------|---|
| 1 S.E. England | Light or moderate Northeast wind; mainly fair; cool |
| 2 E. England ... | |
| 3 E. Midlands ... | |
| 4 W. Midlands | |
| 5 S.W. England | |
| 6 South Wales | |

- 16 Orkneys and Shetlands
 - 17 N. W. Ireland
 - 18 N. E. Ireland
 - 19 S. E. Ireland
 - 20 S.-W. Ireland

GENERAL INFERENCE

- 7 North Wales
8 N.W. England
9 N. Midlands ...
10 N.E. England
11 S.E. Scotland
12 S.W. Scotland
& Isle of Man
13A W. Scotland ...
13B N.W. Scotland
14 Mid Scotland
15 N.E. Scotland

Light or moderate North wind, backing slowly North West;
Variable cloud; local showers; cool.


An anticyclone is centred west of Ireland; a feeble trough of low pressure over Iceland will move southeast. There will be bright intervals and showers in the North, but in the South weather will be mainly fair. It will be cool generally.

FURTHER OUTLOOK

Occasional light rain in the North; mainly fair in the South; cool.

Forecasts issued at 10.30

N. K. JOHNSON, D.Sc., A.R.C.S., Director.
Meteorological Office, Air Ministry, Kingsway, London, W.C.2



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts

(The symbols used to indicate fronts are shown below).
Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.


Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin.

In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis is said to occur when a front is in process of dissolution.



BRITISH
SECTIONTHE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Wednesday 10th June 1942


No. 29420

DISTRICT.	STATIONS.	OBSERVATIONS at 1 hr. G.M.T. 10th June												OBSERVATIONS at 7 hr. G.M.T. 10th June												PAST 24 HOURS.															
		Height above M.S.L. in feet.	Barom. at M.S.L.	Wind.		Temp.	Humid.	Point.	Dew Point.	Cloud.			Barom. at M.S.L.	Wind.		Temp.	Humid.	Point.	Visibility.	Cloud.			State of Sea.	TEMPERATURE.			RAINFALL.			SUNSHINE Hrs.											
				Change in 3 hours.	Dir.					Form.	Amount.	Height of Base (feet)		Change in 3 hours.	Dir.	Force 0-12				Form.	Amount.	Height of Base (feet)	Sea. 0-9	Max. Day 7h-18h °F.	Min. Night 18h-7h °F.	Min. on Grass °F.	Day 7h-18h mm.	Night 18h-7h mm.	(36)	(37)	(38)										
1	London (Kew) ...	18	*	*	*	*	*	*	*	S2	*	6	5	-	4-6	4-6	4000	17-0	+4	ENE	3	bc	52	65	41	7	1	-	4	1	2-3	2500	0	*	58	47	32	-	-	4-0	
	Croydon ...	290	17-2	-6	E	1	bc	47	85	43	6	5	-	-	2-3	2-3	3500	16-5	-2	NE'E	3	b	51	75	42	7	1	-	1	T	2000	0	*	59	42	39	-	-	3-4		
	S. Farnborough ...	226	16-7	-6	-	0	bc	48	85	43	6	5	-	-	2-3	2-3	3500	16-5	+6	ENE	3	bc	52	75	45	7	1	-	9	2-3	4-6	2500	1	*	59	42	31	-	-	4-3	
	Boscombe Down ...	417	17-6	-8	N	2	c	47	85	43	7	6	-	-	7-8	7-8	4000	16-5	+2	ENE	3	Zo	50	85	45	6	-	-	0	0	0	*	59	49	38	-	-	4-9			
	Thorney Island ...	10	16-1	-10	NE	2	Zo	48	85	43	6	5	7	-	2-3	10	4000	15-7	0	ENE	2	b	53	75	45	7	1	4	1	T	2500	0	*	62	41	35	-	-	*		
	Lymnep ...	283	17-7	-10	-	0	Zo	44	97	43	6	5	-	-	2	0	4-6	-	16-7	-2	NE	3	bc	52	75	44	8	2	3	-	4-6	4-6	2000	0	2	59	39	35	-	-	9-1
	Manton ...	154	16-9	-10	NE'E	2	Zo	46	92	45	6	5	-	1	T	1	2500	16-2	+2	ENE	3	Si	51	85	46	9	2	3	-	4-6	7-8	1500	0	*	59	43	35	-	0-1	8-4	
2	Shoeburyness ...	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	6-8						
	Felixstowe ...	12	17-7	-6	N'E	1	b	47	85	43	7	5	-	-	T	T	4000	17-0	+2	NNE	3	bc	53	85	47	8	7	1	2-3	4-6	2500	0	*	60	43	34	-	-	5-4		
	Gorleston ...	5	18-5	-2	N'W	2	bc	45	92	43	7	1	-	-	2-3	2-3	1500	17-2	+4	NNE	4	c	51	75	42	8	1	-	1	2-3	2-3	2500	0	2	60	47	32	-	-	3-8	
	Mildenhall ...	15	18-1	-6	NNE	2	bc	48	85	44	7	5	7	-	4-6	7-8	4000	17-4	-2	NNE	1	bc	49	85	44	8	1	-	1	2-3	2-3	2500	0	*	60	32	27	-	-	2-9	
	Cranwell ...	203	17-9	-8	-	0	c	47	85	43	7	-	7	-	0	7-8	-	17-8	+2	NE'E	2	c/r	46	92	44	7	5	7	-	7-8	9	3000	1	*	58	44	31	-	0-2	1-1	
3	Birmingham ...	535	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	4-0						
4	Upper Heyford ...	408	17-2	-8	NE	3	Zo	46	85	42	6	7	-	0	9	-	-	16-8	-4	NE'E	3	Zo	49	85	43	5	5	7	-	4-6	10	4000	0	*	53	47	36	-	-	4-0	
5	Ross-on-Wye ...	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	5-7							
6	Pembroke ...	142	18-3	-10	N'E	4	bc	48	85	42	8	4	-	-	2-3	2-3	4000	17-3	-6	NNNE	4	c	51	75	45	8	8	-	-	7-8	7-8	3000	0	2	56	40	37	-	-	12-9	
7	Holyhead(Valley) ...	32	18-5	-6	N	2	c	48	75	42	8	5	-	-	9	9	7000	17-8	0	N	2	bc	50	75	42	8	2	-	-	2-3	2-3	2000	0	2	56	40	33	-	-	*	
8	Chester(Seaford) ...	16	18-4	-4	WNW	1	bc	47	92	45	6	5	3	-	2-3	2-3	5000	17-8	-2	NE	2	Zo	50	85	45	6	5	3	-	2-3	2-3	2500	0	*	58	46	36	-	-	3-8	
9	Manchester ...	235	18-2	-4	-	0	c	46	97	45	6	5	7	-	4-6	7-8	4000	16-1	+10	NE	2	c	52	85	48	7	5	-	-	7-8	9	4000	1	2	60	49	38	-	-	7-2	
10	Spurn Head ...	29	18-9	+4	N	3	c	49	75	42	7	5	-	-	9	9	4000	18-0	-4	N'E	4	c	52	75	45	7	8	4	-	9	9	4000	0	3	56	46	36	-	-	5-6	
	Catterick ...	175	18-5	+4	NW	1	c	47	92	45	3	5	-	-	10	10	2500	19-6	+8	NNW	3	c	49	85	44	7	5	3	1	2-3	7-8	2500	1	*	55	44	41	-	-	3-7	
	Tynemouth ...	108	19-5	+6	NNE	3	c	47	85	42	7	8	-	-	9	9	2500	19-9	+4	N	4	bc	49	75	42	7	5	-	-	4-6	4-6	2600	0	3	52	44	42	0-4	-	*	
11</																																									

SECRET

Tuesday 11th June 1942
No. 29421Page 1
BRITISH
SECTIONTHE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

DISTRICT.	STATIONS. (For heights see p. 4.)	OBSERVATIONS at 13h. G.M.T. 10th June										OBSERVATIONS at 18h. G.M.T. 10th June										PAST 24 HOURS.															
		Barom. mb. (1)	at M.S.L. (2)	Change in 3 hours. (3)	Wind. Dir. 0-12 (4)	Weather. (5)	Temp. °F. (6)	% Humid. (7)	Dew Point. °F. (8)	Visibility 0-9 (9)	Cloud.					Barom. mb. (16)	at M.S.L. (17)	Change in 3 hours. (18)	Wind. Dir. 0-12 (19)	Weather. (20)	Temp. °F. (21)	% Humid. (22)	Dew Point. °F. (23)	Visibility 0-9 (24)	Cloud.					State of Ground. (31)	Sea. 0-9 (32)	WEATHER.					
											Form. (10)	Med. (11)	High. (12)	Low. (13)	Total 0-10 (14)	Height of Base. (feet) (15)					Form. (25)	Med. (26)	High. (27)	Low. (28)	Total 0-10 (29)	Height of Base (feet) (30)	7h.-13h. (39)	13h.-18h. (40)	18h.-24h. (41)	24h.- 1h. (42)							
1	London (Kew) ...	16.3	-2	NNE	3	C	57	55	+1	7	5	-	0	0	2500	16.6	-2	NE'E	3	C	58	55	+3	8	5	-	2+	2500	0	*	bey	cy	cby	bey			
	Croydon ...	16.7	0	NE	4	C	56	55	+1	7	7	4	-	2-3	2800	16.6	+2	E2E	3	bc	52	55	+1	8	3	4	-	4-6	2500	0	*	b2c	cybey	b2cbey	b2wbe		
	S. Farnborough ...	16.5	+2	ENE	3	C	59	45	+8	8	7	-	-	7-8	3000	16.5	+1	NNE	3	bc	60	55	+4	8	8	3	-	4-6	3000	0	*	b2b	b2bey	b2bey	b2wbe		
	Boscombe Down ...	16.6	-2	SE'N	3	C	56	45	+7	8	7	-	0	0	3000	16.7	+2	NE'E	3	C	57	55	+2	7	2	6	-	1-7.8	6000	0	*	bey	bey	bey	bey		
	Thorney Island ...	16.6	-2	NE'E	3	C	52	45	+1	2	2	-	2	4-6	7-8	4000	15.7	+6	SE'E	3	C	57	75	+8	8	9	2	-	2-3	4-6	4000	0	*	bey	bey	bey	bey
	Lymne ...	16.9	-6	NE'E	3	C	58	55	+5	9	9	1	-	4-6	4-6	3500	17.5	+6	Z2E	4	bc	53	65	+4	9	1	-	2	2-3	4-6	4000	0	*	b2b	b2b	b2b	b2wbe
	Manston ...	16.4	-6	NEE	4	C	57	75	+3	9	9	1	3	1	1	2000	17.1	+6	NE'E	4	bc	53	92	+9	9	1	-	4	2-3	4-6	3000	0	*	b2b	b2b	b2b	b2c
2	Shoeburyness ...	17.2	-4	ENE	3	C	57	92	+5	8	7	3	-	7-8	0	2900	17.3	+2	ENE	4	C	54	92	+3	9	1	3	-	7-8	8	3000	0	*	bey	evbey	b2b	b2wbe
	Felixstowe ...	17.3	0	E2E	3	C	54	65	+3	8	7	-	1	0	3400	17.4	+2	Z2E	4	C	54	65	+3	8	7	-	1	7-8	7-8	2500	0	3	b	evbey	b2c	b2wbe	
	Gorleston ...	17.9	-2	NE'	4	bc	53	85	+7	7	2	4	-	4-6	4-6	2000	18.2	+4	NE'E	4	bc	53	65	+2	7	2	-	1	4-6	4-6	2500	0	3	b	b	b	b
	Mildenhead ...	17.4	-4	NN	3	C	58	55	+4	8	7	-	-	7-8	0	2000	18.0	+8	NN	4	C	55	65	+8	8	7	-	2-3	4-6	3000	0	*	cxy	cybey	b2f	b2m2b2e	
	Cranwell ...	18.1	0	N'E	3	C	55	65	+3	7	8	-	-	4-6	10	2000	18.5	+4	NE'E	3	bc	53	65	+1	8	1	-	2-3	2-3	2500	0	*	cpr2c	cpr2c	b2b	b2m2b	
3	Birmingham ...	18.4	0	NE	3	C	52	65	+6	6	5	7	-	4-6	5	4000	17.5	0	E2E	3	C	56	65	+5	6	5	7	-	0	7-8	-	0	*	az	cz	b2m2w	cz
	Upper Heyford ...	17.7	+6	NE'E	3	C	57	65	+2	8	1	7	-	4-6	8	2200	17.2	+4	NE	4	bc	54	65	+2	7	3	-	4-6	4-6	4000	0	*	cbe	cybey	b2w	b2bbm	
	Ross-on-Wye	17.3	0	ENE	3	C	58	55	+3	7	1	3	-	2-3	9	3500	16.9	0	NE'E	3	b	58	55	+2	7	-	-	0	-	0	*	c	cybey	b2b	b2c		
5	Hartland Point ...	16.2	-2	NE	3	C	56	65	+6	7	1	3	-	1	0	2500	15.8	-2	NE'E	3	C	55	75	+8	6	2	7	-	4-6	9	2500	0	3	c	cbe	b2w	b2wbe
	Bristol ...	16.8	-2	NE'E	3	C	50	55	+3	8	2	6	-	2-3	9	4000	17.3	+2	NE'E	3	C	57	65	+6	7	4	3	-	1	0	4000	0	*	cmb2c	cye	b2c	b2wbe
	Portland Bill ...	16.0	0	SE	3	C	56	92	+4	7	5	7	-	4-6	4-6	4000	16.0	-2	SE	3	C	56	92	+8	8	5	-	7-8	7-8	4000	1	3	c	c	b2c	b2cm2m	
	Plymouth ...	15.0	+2	SE	3	C	58	45	+3	7	5	-	-	3-5	0	4000	15.8	+2	SSW	2	C	56	75	+8	7	8	6	-	4-6	7-8	5000	0	3	b2c	b2c	b2c	b2cm2m
	The Lizard ...	15.6	0	SE	3	bc	60	75	+5	5	8	2	-	4-6	4-6	3500	15.8	+2	NE'E	2	C	55	75	+7	8	8	3	-	4-6	7-8	2500	0	3	b2c	b2c	b2c	b2cm2m
	Scilly (St. Mary's) ...	16.2	+2	NE'E	4	C	57	75	+8	7	8	-	-	7-8	7-8	1500	15.8	-2	NE'E	5	C	54	85	+9													



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).
Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis is said to occur when a front is in process of dissolution.



THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.Thursday 11th June 1942
No. 29,421

DISTRICT.	STATIONS.	OBSERVATIONS at 1 hr. G.M.T. 11th June												OBSERVATIONS at 7 hr. G.M.T. 11th June												PAST 24 HOURS.												
		Wind.			Cloud.			Wind.			Cloud.			Temperature.			Rainfall.			Sun-shine.																		
		Height above M.S.L. in feet.	Barom. at M.S.L.	Change in 3 hours.	Dir.	Force.	Weather.	Temp.	Dew Point.	Humid.	Height of Base. (feet)	Barom. at M.S.L.	Change in 8 hours.	Dir.	Force.	Weather.	Temp.	Dew Point.	Humid.	Height of Base. (feet)	Sea.	Max. Day 7h-18h °F.	Min. Night 18h-7h °F.	Min. on Grass 7h-18h mm.	Day 18h-7h mm.	Night 18h-7h mm.	10am-1pm hrs.											
1	London (Kew) ...	18	* * * * *	0-12	W	3	b	45	85	41	6	-	4	-	0	11	-	18.5	+4	2	E	3	b	50	65	39	6	8	-	2-3 4-6 2500	*	53	43	35	-	6.7		
	Croydon ...	290	18.6 16	+10	2	NE	3	b	45	85	41	6	-	4	-	0	11	-	19.0	+4	2	E	4	b	48	75	41	7	5	-	2-3 4-6 3500	*	53	42	38	-	8.9	
	S. Farnborough ...	226	18.7 +10	2	N	3	b	46	75	37	6	-	-	-	-	-	-	18.8	+4	2	E	3	b	49	75	42	8	1	5	1	T-2-3 2500	*	61	41	33	-	10.9	
	Boscombe Down ...	417	18.9 +10	2	EN	3	b	46	75	38	8	-	2	0	2	3	-	18.8	0	2	E	3	b	49	75	42	8	1	3	1	T-2-3 2000	*	61	39	35	-	6.8	
	Thorney Island ...	10	17.5 +6	2	NE	2	b	49	92	47	6	-	3	-	0	T-	-	17.7	+2	2	E	4	c	49	75	40	8	5	3	1	T-2-3 4000	*	63	42	36	-	*	
	Lympne ...	283	18.5 0	0	NE	2	b	48	82	41	8	5	-	-	-	-	-	18.5	+2	2	E	3	b	49	75	41	8	5	-	1	T-2-3 1200	*	58	42	42	-	10.9	
	Manston ...	154	18.1	0	NE	2	b	49	85	45	8	5	-	1	2	3	2	3	18.1	+4	2	E	3	b	53	75	46	9	5	-	1	T-2-3 2500	*	57	47	43	-	8.0
2	Shoeburyness ...	11	* * * * *	0-12	W	2	c	45	85	40	8	5	-	9	9	2	00	18.7	+4	2	E	2	b	50	75	42	8	5	-	0	4-6 7-8 3400	*	59	41	35	-	9.7	
	Felixstowe ...	12	18.5 +2	2	N	2	b	45	85	40	8	5	-	-	9	9	2	00	18.7	+4	2	E	2	b	50	75	41	8	5	-	7-8 7-8 2500	2	53	40	37	T-7	8.2	
	Gorleston ...	5	18.9 +12	2	NE	3	b	49	85	45	7	8	-	-	2	3	-	19.3	+6	2	E	3	b	51	55	37	7	7	-	4-6 4-6 2000	3	50	43	38	-	11.5		
	Mildenhall ...	15	19.3 -2	2	N	2	b	37	97	36	7	5	-	-	-	-	-	19.6	+2	2	E	2	b	48	75	41	8	7	3	-	2-3-2-3 2500	*	60	37	23	-	T-7 10.3	
	Cranwell ...	203	20.0 +2	2	N	2	b	42	92	46	7	-	4	-	0	T-	-	19.9	0	2	E	2	b	47	85	42	7	1	-	-	T-7 2200	*	56	40	28	T-7	2.5	
3	Birmingham ...	535	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	20.2	0	2	E	2	b	47	75	40	5	3	-	-	T-7 1500	*	63	43	30	-	2.4	
4	Rosa-on-Wye ...	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	19.4	0	2	E	2	b	48	75	41	8	1	4	-	2-3 4-6 1800	*	55	38	35	-	*	
																		19.4	0	2	E	2	b	50	75	42	7	7	-	-	4-6 4-6 3500	*	60	43	34	-	5.1	
5	Hartland Point ...	299	17.5 +10	NE	3	b	52	65	41	7	4	-	-	0	0	-	-	17.5	+4	2	E	2	b	50	65	37	8	2	4	-	2-3 4-6 1500	3	58	48	46	-	4.0	
	Bristol ...	209	19.6 +8	ESE	1	b	45	85	40	7	5	-	-	1	1	2	50	-	20.1	+6	2	E	2	b	48	85	42	8	1	5	-	T-7 4-6 4000	*	63	39	27	-	4.5
	Portland Bill ...	32	17.9 +14	E	4	c	53	92	51	8	5	-	-	-	-	-	-	17.9	-8	2	E	4	c	48	97	46	8	2	-	-	9 4-6 4000	3	57	47	*	-	*	
	Plymouth ...	82	17.3 +10	N	1	b	45	85	46	6	5	-	-	-	-	-	-	17.0	+2	2	E	3	c	51	65	38	8	5	3	-	2-3 7-8 7000	2	61	48	47	-	3.5	
	The Lizard ...	240	16.8 +6	E	3	b	52	85	48	8	8	2	-	-	-	-	-	17.0	+0	1	E	1	b	56	85	47	8	8	3	-	2-3 7-8 2000	4	61	50	*	-	10.4	
	Scilly (St. Mary's) ...	163	16.3 +2	NE	3	b	52	92	49	6	5	7	-	-	-	-	-	17.8	+4	2	E	5	b	52	85	48	8	8	3	2	2-3 7-8 1500	3	58	51	*	-	6.1	
	Guernsey ...	175	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	20.2	0	2	E	2	b	51	75	45	7	5	-	-	0-0 4-6 3500	*	60	43	34	-	5.1	
6	Pembroke ...	142	18.9 16	E	2	b	51	85	47	7	5	-	-	-	-	-	-	19.0	0	2	E	2	b	51	75	45	7	-	-	-	0-0 4-6 3500	2	58	42	*	-	8.5	
7	Holyhead (Valley) ...	32	19.3 16	-	0	0	b	43	92	41	6	-	-	0	0	-	-	19.1	+6	2	E	2	b	52	85	47	8	1	-	-	T-7 1000	2	58	41	31	-	*	
8	Chester (Sealand) ...	16	20.1 +10	-	0	0	b	44	92	42	4	-	-	0	0	-</td																						

SECRET


Friday 12th June 1942

No. 29422

Page 1 BRITISH SECTION

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

District.	STATIONS. (For heights see p. 4.)	OBSERVATIONS at 13h. G.M.T. Thursday 11th June												OBSERVATIONS at 18h. G.M.T. Thursday 11th June												PAST 24 HOURS.																							
		Barom. at M.S.L. (1)			Wind. Dir. 0-12 (2) (3)			Weather. Temp. °F. (5)			Humid. Dew Point. °F. (7)			Cloud. Form. Low. (10)			Amount. 0-10 10-20 20-30 (13)			Height of Base (feet) (16)			Barom. at M.S.L. (17)			Wind. Dir. 0-12 (18)			Weather. Temp. °F. (18)			Humid. Dew Point. °F. (21)			Cloud. Form. Low. (25)			Amount. 0-10 10-20 20-30 (28)			Height of Base (feet) (30)			State of Sea 0-9 (32)		WEATHER.			
		Change in 8 hours. (2)			Dir. 0-12 (4)			Weather. Temp. °F. (5)			Humid. Dew Point. °F. (7)			Cloud. Form. Low. (10)			Amount. 0-10 10-20 20-30 (13)			Height of Base (feet) (16)			Wind. Dir. 0-12 (17)			Weather. Temp. °F. (18)			Humid. Dew Point. °F. (21)			Cloud. Form. Low. (25)			Amount. 0-10 10-20 20-30 (28)			Height of Base (feet) (30)			State of Ground 0-9 (31)		7h.-13h. 11th ... (39)	13h.-18h. 11th ... (40)	18h.-1h. 11th ... (41)	1h.-7h. 12th ... (42)			
1	London (Kew)	16.3	-12	NE	3	c	59	45	35	8	1	5	-	2-3	7-8	2500	137	-12	ESE	3	c	58	55	41	8	-	-	4	0	7-8	-	0	*	bccy	bccy	Croc	4Croc												
	Croydon	17.0	-14	NE	3	bc	58	45	40	8	4	4	-	2-3	4-6	2600	141	-14	NE	4	c	56	55	42	8	-	-	6	0	9	-	0	*	cybc	cybc	Solo	4Solo												
	S. Farnborough	16.2	-14	NE	3	bc	60	45	37	8	1	-	1	-	2-3	4-6	5000	130	-10	E	3	c	58	55	41	8	-	-	8	0	9+	-	0	*	bccy	bccy	4Solo	4Solo											
	Boscombe Down	16.6	-14	E/N	5	bc	61	45	39	8	1	3	-	2-8	4-6	3000	129	-16	NE/E	3	c	60	45	38	7	-	7	-	0	10	-	0	*	bccy	bccy	Croido	4Croido												
	Thorney Island	16.0	-10	E	3	c	61	55	51	8	4	4	-	7-8	3-9	5700	130	-10	E/N	3	c	60	55	43	9	1	4	7	Tr	10	8000	0	*	bccy	bccy	Croido	4Croido												
	Lyminge	17.7	-2	NE	3	c	55	55	41	9	1	-	3	-	7-8	7-8	4000	149	-14	NE	4	c	51	65	41	9	-	2	2	0	9	-	0	*	cbccy	cbccy	Croido	4Croido											
	Manston	17.4	-2	E/N	4	bc	55	75	47	8	5	3	-	2-3	4-6	3000	145	-16	NE/E	4	c	52	85	47	9	-	7	6	0	10	-	0	*	bccy	bccy	Croido	4Croido												
2	Shoeburyness	17.6	-8	E/N	4	bc	56	55	42	9	1	3	-	4-6	4-6	3500	154	-14	NE	4	c	54	65	41	8	-	7	6	0	7-8	-	0	*	capbc	bcyc	e	4e												
	Felixstowe	17.9	-6	E/N	4	bc	57	55	40	8	7	3	-	2-3	2-3	4000	150	-10	ENE	3	bc	53	55	38	8	-	6	0	4-6	-	0	*	cybcy	bybcy	bcyc	4bcyc													
	Corleston	18.7	-6	N	3	bc	52	55	36	8	1	-	1	-	2-3	2-3	3000	166	-20	E	2	bc	52	55	38	8	-	4	0	2-3	-	0	*	bccy	bccy	e	4e												
	Mildenhall	17.4	-18	N/E	2	bc	60	35	35	9	7	7	-	2-3	2-3	2800	144	-22	E/N	3	bc	61	35	34	8	1	4	1	Tr	2-3	2500	0	*	cybcy	bcby	ccyo	4ccyo												
	Cranwell	17.5	-18	E/N	2	c	57	55	41	8	7	-	1	-	7-8	9	3500	145	-22	SEE	4	bc	56	55	32	8	-	1	5	0	4-6	-	0	*	bccy	bccy	bcc	4bcc											
3	Birmingham	17.2	-10	E	3	c	58	45	38	8	8	-	1	-	7-8	7-8	4000	139	-16	E	2	bc	59	45	39	8	-	1	0	2-3	-	0	*	bbcb	bccy	bbc	4bbc												
	Upper Heyford	17.2	-12	N/E/N	4	bc	58	45	38	8	1	4	5	-	2-3	4-6	3500	136	-14	NE	4	c	59	45	37	8	-	7	6	0	7-8	-	0	*	bbcb	bccy	cm	4cm											
4	Ross-on-Wye	17.1	-16	ENE	3	bc	57	55	39	8	1	-	1	-	4-6	4-6	4000	135	-16	ENE	3	bc	60	45	38	8	-	4	0	1-6	-	0	*	bbbc	bccy	c	4c												
5	Hartland Point	15.9	-10	NE	4	bc	56	45	35	8	1	-	3	-	2-3	4-6	4000	117	-16	ENE	4	c	57	55	40	8	5	-	9	9	3000	0	4	*	bccy	bccy	cy	4cy											
	Bristol	17.1	-16	NE	4	bc	60	55	43	8	1	4	1	-	4-6	4-6	4500	139	-18	E/N	3	c	59	55	42	8	5	-	0	9+	-	0	*	bbcb	bccy	cy	4cy												
</																																																	



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.



Explanation of Frontal Lines shown on Charts

(The symbols used to indicate fronts are shown below).
Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.
Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin.
In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis. It is said to occur when a front is in process of dissolution.



EXPLANATION OF CHART.

BAROMETER. Isobars are drawn for intervals of four millibars.

WIND. Arrows fly with wind. A full length feather indicates two steps on the Beaufort Scale, and a short feather one step. Calm is indicated by circle outside weather symbol: ○

TEMPERATURE is given in degrees F.

WEATHER SYMBOLS: — Clear sky. ○ Sky less than 3/10 clouded. ① Sky 4/10 to 6/10 clouded.

② Sky 7/10 to 9/10 clouded. ③ Overcast sky. ● Rain falling. * Snow. ♫ Sleet. △ Hail.

Fog. ⚭ Mist. ⚮ Thunder. (T) Thunderstorm. ☂ Slight haze. ☁

The hour of observation is not uniform throughout the Hemisphere; a chart showing the hours at which the observations are taken is contained in the Introduction.

FRONTS or boundaries between masses of air of different origin are indicated, wherever their characteristics are well pronounced in the following way—
— Warm Front on the Surface
— Warm Front above the ground
— Cold Front on the surface
— Cold Front above the ground
Osculated Front (or Occlusion)
Warm Occlusion
Cold Occlusion
— Lines of Frontogenesis
Short strokes across the frontal line indicate Frontolysis. (For explanation see page 3.)

NOTE. The symbols are placed on the side of the line towards which the front is moving. When the front is stationary the symbols are placed alternately on both sides of the line.

All times are G.M.T. Add two hours to get double summer time.

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Friday 12th June 1942
No. 29422

District.	STATION.	OBSERVATIONS at 1 hr. G.M.T. 12th June															OBSERVATIONS at 7 hr. G.M.T. 12th June															PAST 24 HOURS.								
		Height above M.S.L., in feet. mb. (1)	Change in 3 hours. (2)	Wind.			Weather. (5)	Temp. °F. (6)	Humid. % (7)	Dew Point. °F. (8)	Visibility. 0-9 (9)	Cloud.					Barom. mb. (16)	Change in 3 hours. (17)	Wind.			Weather. (20)	Temp. °F. (21)	Humid. % (22)	Dew Point. °F. (23)	Visibility. 0-9 (24)	Cloud.					Sea. 0-9 (30)	Temp. 7h-18h °F. (31)	Rainfall. Min. 7h-7h mm. (32)	Sun- shine 11h Hrs. (33)					
				Dir. (3)	Force. (4)	Dir. (18)					Low. (10)	Med. (11)	High. (12)	Low. (13)	Total 0-10 (14)	Height of Base. (feet) (15)			Dir. (16)	Force. (17)	Dir. (18)			Dir. (20)		Low. (21)	Med. (22)	High. (23)	Low. (24)	Total 0-10 (25)	Height of Base. (feet) (26)	Dir. (27)	Low. (28)	Total 0-10 (29)	State Ground. (30)					
1	London (Kew)	18	*	*	*	*	*	60	*	*	*	*	*	*	*	*	87.8	-12	ENE	4	10/10	52	85	48	6	2	-	7-8	10	2500	1	*	62	50	46	-	1	2.5		
	Croydon	290	12-1	-10	NE	1	10/0	48	92	46	6	6	2	-	4-6	10	1500	07.3	-18	NE	3	10/0	51	97	50	6	5	2	-	9	10	2000	1	*	60	47	47	-	2	12.7
	S. Farnborough	226	11-2	-14	ENE	3	10/0	49	85	44	6	5	-	-	7-8	10	5000	08.2	-14	NE/N	2	10/0	50	91	48	6	5	2	-	7-8	10	6000	1	*	64	48	46	-	2	12.3
	Boscombe Down	417	11-2	-10	ENE	3	10/0	49	75	42	6	6	2	-	10	10	6000	08.8	-10	NE/E	2	10/0	48	97	48	6	2	-	4-6	10	3000	1	*	63	46	45	-	3	11.2	
	Thorney Island	10	10-3	-12	NE	4	rr	49	92	48	6	5	-	-	10	10	2500	07.6	-14	NE	3	10/0	52	85	49	7	5	1	-	9	10	4100	1	*	64	48	47	-	8	*
	Lymnepne	283	11-9	-18	NE	4	c	51	85	47	8	5	7	-	7-8	10	7000	09.1	-10	E	3	10/0	52	92	50	8	5	-	-	10	10	7000	1	*	58	47	47	-	1	9.6
	Manston	154	10-9	-20	E/N	3	10/0	52	92	50	7	6	2	-	9	10	1900	08.2	-18	E/N	3	10/0	52	97	52	6	5	7	-	4-6	10	5700	1	*	57	49	46	-	1	10.9
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	09.5	-14	ENE	4	c	54	85	49	8	5	7	-	7-8	10	5700	0	*	59	48	45	-	Tr	11.5
	Felixstowe	12	12-6	-16	NE/E	4	c	52	75	46	8	5	-	-	9+ 9+	-	7100	09.3	-20	ENE	4	c	54	75	47	8	5	2	-	7-8	10	5000	0	3	58	40	37	-	-	12.7
	Gorleston	5	14-1	-12	SE/S	4	c	51	75	45	7	5	-	-	9+ 9+	-	1500	11.0	-14	SE/S	4	c	52	85	48	7	5	-	-	0	9	-	0	4	55	49	43	-	-	13.0
	Mildenhall	15	12-9	-14	NE/N	1	c	44	85	39	7	-	7	-	0	7-8	-	10-0	-14	NE/N	2	c/r	50	85	46	8	5	2	-	2-3	9+ 2500	1	*	63	39	34	-	0	4	12.9
	Cranwell	203	13-3	-8	SE	2	c	39	97	38	7	-	-	3	0	9	-	10-7	-14	NE/N	2	c	47	85	43	7	-	7	2	0	9	-	0	62	39	27	-	-	12.7	
3	Birmingham	536	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	10.1	-10	E	2	m	49	65	38	4	-	3	-	0	9	-	0	*	61	47	41	-	-	12.9
4	Upper Heyford	408	12-1	-8	E/N	2	c	48	75	41	7	-	0	-	0	9+	-	09.9	-10	NNE	2	c	47	85	41	7	5	2	-	7-8	9+ 1800	0	*	60	46	-	-	*	-	12.5
	Rosa-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	09.4	-8	ENE	3	c	51	75	42	7	-	3	-	0	7-8	-	0	*	61	49	46	-	-	12.5
5	Hartland Point	299	10-0	-12	NE	3	c	54	65	41	8	5	2	-	7-8	10	1500	07.6	-6	NE	4	c/r	52	75	45	8	5	2	-	7-8	10	2000	4	57	51	49	-	8.8		
	Bristol	209	11-8	-6	E	2	c	51	75	45	7	5	-	-	10	10	6300	09.6	-10	NEE	2	c/r	49	85	45	8	5	-	-	9+ 9+	6900	1	*	61	47	47	-	0	0.2	11.3
	Portland Bill	32	09-6	-26	E	4	rr	51	92	49	7	5	-	-	10	10	2500	07.8	-12	ENE	4	o	50	92	48	7	5	-	-	10	10	2500	1	4	56	48	42	0	10	*
	Plymouth	82	09-3	-18	E/S																																			

SECRET


Saturday, 13th June 1942

No. 29423

Page 1
BRITISH
SECTION

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

DISTRICT.	STATIONS.	OBSERVATIONS at 13h. G.M.T. 12th June												OBSERVATIONS at 18h. G.M.T. 12th June												PAST 24 HOURS.														
		Barom. mb. (1)	Change in 8 hours. (2)	Wind. Dir. (3)	Force. (4)	Weather. (5)	Temp. °F. (6)	% Humid. (7)	Dew Point. °F. (8)	Visiblity. 0-9 (9)	Cloud.					Barom. at M.S.L. (16)	Change in 8 hours. (17)	Wind. Dir. (18)	Force. (19)	Weather. (20)	Temp. °F. (21)	% Humid. (22)	Dew Point. °F. (23)	Visiblity. 0-9 (24)	Cloud.					Height of Base (feet) (25)	State of Ground. (26)	Sea. 0-9 (27)	7h.-13h. (30)	13h.-18h. (31)	18h....to (32)	1h.-7h. (33)				
											Form. (10)	Amount. (11)	Height of Base (feet) (12)	Low. (13)	Med. (14)	High. (15)																								
1	London (Kew) ...	07.0	-6	NE'N	3	ir.0	52	85	49	6	5	2	-	7-8	10	1500	06.6	+2	NE'N	R	dodo	90	92	48	5	6	2	-	9	10	1500	1	*							
	Croydon ...	07.2	-6	N.E.	3	20	52	92	50	5	6	2	-	5	10	900	06.6	-4		2	df	50	97	49	3	-	2	-	10	10	4000	0	*							
	S. Farnborough ...	06.8	-6	NE'S	2	c/r	52	92	49	6	5	2	-	5	10	3000	06.4	-2	NE'N	3	dod	50	92	49	5	6	-	-	4-6	10	1000	1	*							
	Boscombe Down ...	07.7	-4	NE	3	dod	52	92	49	6	5	2	-	4-6	10	800	06.8	-6	NE'N	2	dod	50	97	49	6	5	2	-	4-6	10	600	1	*							
	Thorney Island ...	06.8	-4	NE	3	ir.0	54	85	51	6	5	-	-	10	10	800	06.4	-2	NE'N	2	do	53	97	52	6	5	-	-	10	10	700	1	*							
	Lyminge ...	07.0	-10	E'M	3	c/pv	55	85	52	6	5	3	-	4-6	9	2000	06.6	-2	NE'N	0	df	53	97	53	3	5	-	-	10	10	1500	1	*							
	Manston ...	06.2	-14	E'M	3	dod	54	97	53	6	5	7	-	7-8	9	3000	06.2	-6	Zo	54	97	53	5	7	-	-	10	10	3000	1	*									
2	Shoeburyness ...	07.4	-10	NE	4	c/pr	55	92	52	7	5	7	-	9	9+	1100	07.1	-4	N	3	dodo	51	97	51	4	5	-	-	10	10	600	1	*							
	Felixstowe ...	08.5	-4	N'E	2	ir.0	54	75	48	5	5	-	-	10	10	2000	06.4	-6	N	5	dodo	51	92	51	6	6	-	-	10	10	700	1	2							
	Gorleston ...	09.6	-8	E'M	4	%or	52	85	46	7	5	-	-	10	10	2000	07.6	-6	E'N	5	c/r	51	92	50	6	6	-	-	10	10	1000	1	4							
	Mildenhall ...	08.9	-4	E'N	3	0	55	65	44	8	5	7	-	2-3	10	2000	07.6	-6	E'N	3	c	50	85	46	6	5	2	-	2-3	10	1500	1	*							
	Cranwell ...	08.6	-10	E'S	4	c	61	55	44	7	2	7	-	4-6	9	2000	07.8	-2	E'	3	c	54	75	46	7	4	-	-	4-6	7-8	2000	0	*							
3	Birmingham ...	08.0	-8	SE	2	c	56	65	44	8	7	-	-	7-8	9+	2500	06.3	-8	SE	2	c	57	55	41	8	5	7	-	7-8	7-8	2500	0	*							
4	Upper Heyford ...	07.9	-10	NB	3	ir.0	53	92	50	6	6	7	-	4-6	10	1000	06.8	-4	N'E'S	3	c/r	51	85	47	7	6	7	-	7-8	10	2500	1	*							
5	Rosso-on-Wye ...	08.0	-6	E'M	2	ir.0	56	75	47	8	8	1	-	7-8	10	3000	06.9	-8		2	c	54	85	49	7	6	2	-	1	10	3000	0	*							
6	Pembroke ...	08.7	-6	N	5	c	54	75	47	8	8	3	-	7-8	9	3500	07.8	-2	N'E	4	c	52	85	48	8	8	6	-	7-8	7-8	3000	0	2							
7	Holyhead(Valley) ...	08.0	-10	N	1	c	53	75	42	8	8	7	-	7-8	9	4000	07.9	-10	NN	3	a	23	75	49	7	3	3	-	7-8	7-8	3500	0	3							
8	Chester(Sealand) ...	03.7	-10	NNW	3	2	53	65	48	8	1	7	-	1	9+	3000	07.3	-10	NNW	4	c	54	75	46	7	5	7	-	1	9+	4000	0	*							
9	Manchester ...	09.0	-8	S	2	c	62	35	36	7	1	-	-	2-3	7-8	4000	06.8	-2	NNW	2	ir.0	53	75	46	6	5	7	-	4-6	9	2500	0	*							
10	Spurn Head ...	10.3	-6	ESE	4	c	54	75	47	7	3	-	-	4-6	9+	4000	08.8	-6	E'N	1	0	52	85	48	7	3	-	-	4-6	9+	1500	0	3							
	Catterick ...	10.3	-4	N	3	zo	52	75	48	5	3	2	-	7-8	10	1500	08.7	-24	NME	3	ir.0	52	88	48	6	5	7	-	7-8	10	3000	1	*							
	Tynemouth ...	11.3	0	N	4	fpo	47	97	46	6	-	2	-	10	10	1100	11.0	-24	NME	3	0	48	92	46	7	-	2	-	10	10	1100	1	3							
11	St. Abbs Head ...	11.5	-10	NNW	3	ir.0																																		



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts



(The symbols used to indicate fronts are shown below).
Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin.
In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis is said to occur when a front is in process of dissolution.



EXPLANATION OF CHART.

BAROMETER. Isobars are drawn for intervals of four millibars.

WIND. Arrows fly with wind. A full length feather indicates two steps on the Beaufort Scale, and a short feather one step. Calm is indicated by circle outside weather symbol: ○

TEMPERATURE is given in degrees F.

WEATHER SYMBOLS:— ○ Clear sky. ○ Sky less than 3/10 clouded. ○ Sky 4/10 to 6/10 clouded.
○ Sky 7/10 to 9/10 clouded. ○ Overcast sky. ● Rain falling. * Snow. # Sleet. △ Hail.

Fog. ■ Mist. ■ Thunder. (T) Thunderstorm. ☉ Slight haze. ☁

The hour of observation is not uniform throughout the Hemisphere; a chart showing the hours at which the observations are taken is contained in the Introduction.

FRONTS or boundaries between masses of air of different origin are indicated, wherever their characteristics are well pronounced in the following way:
— Warm Front on the Surface
— Warm Front above the ground
— Cold Front on the Surface
— Cold Front above the ground
— Occluded Front (or Occlusion)
— Warm Occlusion
— Cold Occlusion
— Lines of Frontogenesis
Short strokes across the frontal line indicate Frontolysis. (For explanation see page 3.)

NOTE.—The symbols are placed on the side of the line towards which the front is moving.
When the front is stationary the symbols are placed alternately on both sides of the line.

All times are G.M.T. Add two hours to get double summer time.

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Saturday 13th June 1942
No. 29423

DISTRICT.	STATION.	OBSERVATIONS at 1 hr. G.M.T. 13th June												OBSERVATIONS at 7 hr. G.M.T. 13th June												PAST 24 HOURS.																	
		Height above M.S.L. in feet.	Barom. at M.S.L. (1)	Change in 3 hours. (2)	Wind. Dir. (3)	Force. (4)	Windsor. (5)	Temp. °F. (6)	Humid. (7)	Point. 0-9 (8)	Visibility. Low. (9)	Cloud.			Barom. at M.S.L. (16)	Change in 3 hours. (17)	Wind. Dir. (18)	Temp. °F. (19)	Humid. (20)	Point. 0-9 (21)	Cloud.			Barom. at M.S.L. (16)	Change in 3 hours. (17)	Wind. Dir. (18)	Temp. °F. (19)	Humid. (20)	Point. 0-9 (21)	Cloud.			Sea State of Ground. (31)	Sea. (32)	TEMPERATURE.				RAINFALL.				SUN- SHINE HR.
												Form. (10)	Amount. (11)	Height of Base. (feet) (12)	Low. (13)	Total (14)	Med. (15)	Form. (22)	Amount. (23)	Height of Base. (feet) (24)	Low. (25)	Total (26)	Med. (27)	Form. (28)	Amount. (29)	Height of Base. (30)	Low. (31)	Total (32)	Max. Day 7h-18h °F. (33)	Min. Night 19h-7h °F. (34)	Min. on Grass °F. (35)	Day 7h-18h mm. (36)	Night 18h-7h mm. (37)	Day 7h-18h mm. (38)									
1	London (Kew) ...	18	*	-4	N'W	1	*	49	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	53	49	48	3	0.6	0.0					
	Croydon ...	290	064	-2	N'E	1	m	48	97	48	4	5	-	10	10	300	069	+6	NNW	2	z0	49	32	47	6	5	-	9+	9+	4000	1	*	53	49	48	1	1	0.0					
	S. Farnborough ...	226	064	-2	N'E	1	of+	49	97	47	3	5	-	10	10	800	071	+8	NN'N	4	z0	51	85	47	7	1	3	4	23	78	1000	1	*	52	48	47	6	0.2	0.0				
	Bosecombe Down ...	417	071	+2	N	1	zo	49	97	49	6	6	-	10	10	1000	079	+10	-	0	z0	49	92	47	6	5	7	-	7-8	9+	3000	1	*	52	47	47	6	1.7	0.0				
	Thorney Island ...	10	062	-2	NNW	2	ido	51	92	50	3	-2	-	10	10	800	073	+10	NH	3	c	51	85	48	7	5	-	-	10	10	3200	1	*	55	49	49	2	0.1	*				
	Lympe ...	283	062	-2	-	0	df	51	97	51	3	5	-	10	10	100	072	+10	NNW	3	z0	50	97	49	5	5	-	-	10	10	1000	1	*	58	48	48	1	0.6	0.1				
	Manston ...	184	051	-2	W	1	fr	53	97	53	5	-2	-	10	10	1900	059	+10	W	3	z0	52	97	51	6	5	7	-	9+	10	4000	1	*	55	49	49	1	1.7	0.2				
2	Shoeburyness ...	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	56	48	47	4	0.3	0.0					
	Felixstowe ...	12	048	-2	NNW	2	c/r	52	97	52	5	2	-	7-8	10	400	049	+2	WN'N	4	z0	51	92	49	6	5	-	-	10	10	450	1	*	55	50	49	3	1	0.0				
	Gorleston ...	5	053	-18	ESE	4	lofo	53	97	52	5	6	-	10	10	800	046	+6	ESE	2	lofo	53	97	52	6	6	-	-	10	10	800	1	4	52	51	51	4	5	0.0				
	Mildenhall ...	15	055	-12	NW	3	dodo	50	97	50	4	5	-	10	10	100	049	+6	W	4	c	50	97	50	7	5	-	-	10	10	300	1	*	50	45	47	3	0.3	0.0				
	Cranwell ...	203	072	-4	NW	3	rr	47	97	47	6	-2	-	10	10	2100	059	-6	NW	4	rr	48	97	46	5	6	2	-	9+	10	300	1	*	62	46	46	1	15	2.5				
3	Birmingham ...	535	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	58	45	43	-	0.4	2.0						
4	Upper Heyford ...	408	065	-2	NE	2	lofo	47	97	47	6	5	2	-	4-6	10	1800	068	+6	NNW	3	z0	49	92	47	6	5	3	-	2-3	4-6	1300	1	*	53	43	40	2	1	*			
	Ross-on-Wye ...	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	58	48	48	Tr	1	0.2							
5	Hartland Point ...	299	077	+2	NNW	3	ir	50	75	47	7	5	2	-	7-8	10	1500	096	+14	NNW	3	bc	51	65	40	8	1	-	-	46	46	2500	0	4	53	49	46	0.2	1	0.0			
	Bristol ...	209	076	-2	-	0	zo	49	97	47	5	5	2	-	7-8	10	3100	085	+8	-	0	dodo	50	97	50	6	5	2	-	9	10	1500	1	*	53	48	42	3	1	0.0			
	Portland Bill ...	32	169	+6	NE	2	o	51	92	49	7	5	-	10	10	2500	076	+8	NW	2	o	51	92	47	7	5	-	-	10	10	2500	1	*	54	49	49	1	0.3	*				
	Plymouth ...	82	078	+6	NNW	3	rofo	50	97	50	7	5	-	10	10	3500	101																										

~~SECRET~~

Sunday 14th June 1942

...1942

No. 29, + 24

Page 1 BRITISH SECTION

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Sunday 14th June

No. 29, + 24

PAST 24 HOURS.

DISTRICTS.

FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON. G.M.T. Sunday 14th June 1942

- | | |
|-------------------|---|
| 1 S.E. England | Light variable wind; scattered showers with thunder in places; bright periods, especially at night; local fog around dawn; rather cool. |
| 2 E. England ... | |
| 3 E. Midlands ... | |
| 4 W. Midlands | |
| 5 S.W. England | |

- | | |
|--------------------------|--------------|
| 16 Orkneys and Shetlands | AS 13A - 13B |
| 17 N. W. Ireland | AS 8 - 13A |
| 18 N. E. Ireland | |
| 19 S. E. Ireland | AS 0-7 |
| 20 S. W. Ireland | |

GENERAL INFERENCE

Pressure is high to the northwest of the British Isles and low to the south and east. It will be cloudy with occasional rain in many northern districts. In the south there will be local showers or thunderstorms, and some patches of fog around dawn, but there will be considerable bright periods. Temperatures generally will be below normal.


FURTHER OUTLOOK

Local showers or thunderstorms in many areas.

- | | |
|-------------------|---|
| 13B N.W. Scotland | Light or moderate Northeast wind: fair: cool. |
| 14 Mid Scotland | |
| 15 N.E. Scotland | As B-13A |

Forecasts issued at

N. K. JOHNSON, D.Sc., A.R.C.S., Director.
Meteorological Office, Air Ministry, Kingsway, London, W.C.2



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts

(The symbols used to indicate fronts are shown below).
Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis is said to occur when a front is in process of dissolution.



THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Sunday 14th June 1942
No. 29424

DISTRICT.	STATION.	OBSERVATIONS at 1 hr. G.M.T. 14th June												OBSERVATIONS at 7 hr. G.M.T. 14th June												PAST 24 HOURS.																	
		Height above M.S.L., in feet.	Barom. mb.	Change in 3 hours.	Wind.		Weather.		Cloud.				Barom. mb.	Change in 3 hours.	Wind.		Cloud.				Barom. mb.	Change in 3 hours.	Wind.		Cloud.				State of Ground, Ses.	TEMPERATURE.			RAINFALL.			SUN-RSHINE 13 hr. Hrs.							
					Direc.	Force 0-12	(5)	(6)	%	Humid.	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)		
					W.	S.	N.	E.	W.	S.	N.	E.	W.	S.	E.	W.	S.	N.	E.	W.	S.	N.	E.	W.	S.	N.	E.	W.	S.	N.	E.	W.	S.	N.	E.	W.	S.	N.	E.	W.	S.		
1	London (Kew)	18	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	10.7	0	0	z	45	85	44	6	5	4	-	46	46	2500	1	*	60	47	39	-	5+			
	Croydon	290	10-8	+2	SW	2	b	6c	46	82	43	6	5	-	-	2-3	2-3	3000	11.0	+4	WW	2	c	48	85	45	6	1	+	9+	1200	1	*	61	44	41	-	3-8					
	S. Farnborough	226	11.1	-2	W'S	2	b	46	85	41	6	5	-	-	T	T	3000	11.0	+2	WW	1	b	47	85	41	8	-	7	-	0	1	-	1	*	60	41	34	-	4-3				
	Boscombe Down	417	12.1	-2	WNW	2	b	42	82	40	8	5	-	-	1	1	5700	11.5	-2	-	0	bc	44	92	42	7	8	3	-	4-6	4-6	4000	0	0	60	83	31	T	-	6-4	*		
	Thorney Island	10	11.8	0	W	3	c	47	85	43	8	4	1	-	T	10	4000	11.3	0	WW	1	c	51	85	46	8	-	6	0	7-8	2	63	41	36	T	-	6-4	*					
	Lympne	283	11.7	+2	-	0	bc	43	82	40	7	-	6	-	-	0	4-6	-	-	11.7	-2	WW	1	48	85	44	8	2	6	-	T	T	4000	0	2	61	40	*	-	3-2			
	Manston	154	10.4	+2	WSW	1	z	46	82	44	6	5	-	-	2-3	2-3	2100	10.2	-2	WS	1	z	49	92	46	6	5	-	-	T	T	3000	0	2	61	44	41	T	3-5				
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	10.5	0	0	WW	2	c	52	85	49	6	5	-	-	9	0	1100	1	*	63	46	36	-	5-3		
	Felixstowe	12	10.0	+6	NNW	2	z	52	82	40	6	5	-	-	8+	3+	2700	09.6	-2	WW	1	c	52	85	49	8	5	-	-	7-8	7-8	1300	0	2	61	49	46	-	4-7				
	Gorleston	5	09.3	+4	NNW	2	z	50	87	49	6	6	-	-	10	10	800	10.0	+6	WW	2	c	50	92	48	7	8	-	-	10	10	1800	1	3	54	48	45	2	0-0				
	Mildenhall	15	10.2	+4	NNW	1	z	49	87	48	6	5	2	-	7-8	10	800	09.9	+2	-	0	cd	50	97	47	7	5	-	-	9+	9+	1000	1	*	56	47	44	0-2	2-0				
	Cranwell	203	10.5	+2	-	0	z	46	87	45	7	5	-	-	10	10	1000	10.5	-6	WW	2	c	51	75	42	8	8	-	-	7-8	10	500	1	*	56	46	45	0-3	0-0				
3	Birmingham	535	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	09.3	0	0	W	1	z	50	65	39	5	5	-	-	T	T	2500	1	*	54	42	32	0-2	0-2			
4	Upper Heyford	408	10.6	+2	NNW	1	m	41	87	40	4	-	-	0	1	-	10.5	+2	-	0	m	44	87	43	4	7	3	2	2346	4500	0	*	56	39	34	-	*						
5	Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	11.0	-6	SW	2	b	46	85	42	8	8	-	-	1	1	3500	0	*	61	37	30	0-6	0-6				
6	Hartland Point	299	11.3	-6	NW	3	in	48	85	44	8	2	-	7-8	9	2500	10.4	0	8	3	cjp	48	75	42	8	2	4	-	-	4-6	8	2000	1	3	55	44	42	-	1	14-3			
	Bristol	209	12.1	-2	-	0	b	44	92	42	7	5	-	-	0	T	-	11.7	0	NE'N	1	c	48	82	47	7	8	3	-	-	4-6	7-8	4000	1	*	58	38	28	2	0-2	7-8	*	
	Portland Bill	32	11.6	-4	NW	2	c	52	85	48	8	5	-	-	7-8	7-8	4000	11.8	-6	NNW	1	b	58	85	49	8	2	-	-	-	-	-	4-6	4-6	4000	1	*	56	47	*			
	Plymouth	82	12.8	-4	NW	0	b	41	97	40	7	5	-	-	T	T	4000	11.3	-2	E	1	b	47	85	44	8	2	4	-	-	T	T	2500	0	2	60	35	34	-	-	13-2		
	The Lizard	240	13.3	0	W	1	bc	47	85	48	8	8	-	-	4-6	4-6	2500	10.8	-6	W'S	2	bc	52	85	46	8	8	6	-	-	4-6	4-6	3500	0	3	57	45	45	0-2	11-1			
	Scilly (St. Mary's)	163	12.1	+12	SW'S	2	bc	48	85	43	8	8	-	-</																													

~~SECRET~~

Monday 15th June 1942

1942

Page 1 BRITISH SECTION

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Monday 15th June

No. 29425

OBSERVATIONS at 13h. G.M.T. 14th June.

OBSERVATIONS at 18h. G.M.T. 14th June.

PAST 24 HOURS.

FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON, G.M.T. Monday 15th June 1942.

DISTRICTS.		FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON, G.M.T.	
1 S.E. England	Light Northwest winds; some bright periods but with local thundery showers in afternoon and evening; rather cool.	16 Orkneys and Shetlands	As 14-15.
2 E. England ...	Light to moderate West to Northwest winds; dull with light local rain at first; probably brighter periods tomorrow; cool.	17 N. W. Ireland	
3 E. Midlands ...		18 N. E. Ireland	
4 W. Midlands	Light to moderate North to Northwest winds; considerable fair to fine periods; some local showers at first; a little warmer than of late.	19 S. E. Ireland	
5 S.W. England		20 S. W. Ireland	
6 South Wales			
7 North Wales	Light to moderate Northwest winds; cloudy; light occasional rain; probably fairer tomorrow; cool.		
8 N.W. England			
9 N. Midlands ...			
10 N.E. England	Moderate Northerly winds; dull; occasional rain; very cool.		
11 S.E. Scotland			
12 S.W. Scotland & Isle of Man	Light or variable winds; mainly fair; some bright periods; rather cool.		
13A W. Scotland ...			
13B N.W. Scotland			
14 Mid Scotland	Light Northerly to variable wind; mainly cloudy; slight showers locally; probably more general rain or drizzle later; cool.		
15 N.E. Scotland			
		GENERAL INFERENCE A shallow low pressure system covers the North Sea and another shallow system is drifting slowly south from the Icelandic area. A feeble ridge of higher pressure is moving in over our Southwest districts. Weather will be mainly fair in the Southwest but in the eastern counties the dull cold conditions will persist with some further light rain.	
		FURTHER OUTLOOK Probably dull with some rain in the Northeastern districts of Britain. Fair to bright periods in the West and South.	
		Forecasts issued at 10.30.	
		N. K. JOHNSON, D.Sc., A.R.C.S.; Director, Meteorological Office, Air Ministry, Kingsway, London, W.C.2	

GENERAL INFERENCE


A shallow low pressure system covers the North Sea and another shallow system is drifting slowly south from the Icelandic area. A feeble ridge of higher pressure is moving in over our Southwest districts. Weather will be mainly fair in the Southwest, but in the eastern counties the dull cold conditions will persist with some further light rain.

FURTHER OUTLOOK

Probably dull with some rain in the Northeastern districts of Britain.
Fair to bright periods in the West and South.

Forecasts issued at 10.30.

N. K. JOHNSON, D.Sc., A.R.C.S.; Director,
Meteorological Office, Air Ministry, Kingsway, London, W.C.2



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).

Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis is said to occur when a front is in process of dissolution.



THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Monday 15th June 1942
No. 29425

DISTRICT.	STATIONS.	OBSERVATIONS at 1 hr. G.M.T. 15th June															OBSERVATIONS at 7 hr. G.M.T. 15th June															PAST 24 HOURS.									
		Wind.			Cloud.			Wind.			Cloud.			Temperature.					Rainfall.					SUN-SHINE 14h. (hrs.)																	
		Barom. mb. (1)	Height above M.S.L. in feet.	Change in 3 hours. (2)	Direc. (3)	Force. (4)	Weather. (5)	Temp. °F. (6)	Humid. (7)	Dew Point. °F. (8)	Visiblity. 0-9 (9)	Low. (10)	Med. (11)	High. (12)	Total (13)	Height of Base (feet) (14)	Barom. mb. (16)	Change in 8 hours. (17)	Direc. (18)	Force. (19)	Weather. (20)	Temp. °F. (21)	Humid. (22)	Dew Point. °F. (23)	Visiblity. 0-9 (24)	Low. (25)	Med. (26)	High. (27)	Total (28)	Height of Base (feet) (29)	State of Ground. (30)	Sea. (31)	Max. 7h-18h °F. (32)	Min. Night 18h-7h °F. (33)	Min. on Grass 7h-18h °F. (34)	Day 7h-18h mm. (35)	Night 18h-7h mm. (36)	(37)			
1	London (Kew) ...	18	*	*	*	*	b	43	97	42	6	-	-	11	11	3000	0.2	+2	NW'N	1	Zo	50	85	46	6	-	5	-	0	2-3	-	1	*	62	45	29	-	Tr	7.8		
	Croydon ...	290	08.9	-2	NW	1	b	43	97	42	6	-	-	11	11	3000	0.1	+8	NW	1	m	48	92	45	4	5	-	1	2-3	0	0	*	63	41	38	-	0.3	8.5			
	S. Farnborough ...	226	09.3	-2	NW	1	zo	45	85	41	6	-	-	0	0	-	10.6	+10	W'N	1	Zo	46	85	43	6	5	7	-	4-6	7-8	3000	0	*	63	42	21	-	Tr	11.6		
	Boscombe Down ...	417	09.9	-2	NW'W	1	b	42	92	41	7	-	-	0	0	-	4.2	+10	NW	3	c	48	85	44	7	5	-	-	3	9	2000	0	*	61	40	36	0.1	Tr	8.0		
	Thorney Island ...	10	09.3	-2	NW	2	b	46	85	43	7	5	-	-	0	0	-	0.9	+10	NW	2	zo	50	85	45	6	-	4	2	0	3	-	0	*	63	41	36	-	*	*	
	Lympne ...	283	09.6	-2	-	0	zo	44	97	43	6	-	-	0	0	-	51	85	46	6	-	-	-	-	1	0	Tr	-	0	61	38	-	-	12.1							
	Manston ...	164	08.2	-6	WNW	1	zo	49	92	46	6	4	-	-	9+	9+	5200	0.87	0	WN'N	2	zo	53	85	50	6	2	-	-	46	46	2200	0	*	60	41	32	0.3	-	5.1	
2	Shoeburyness ...	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	10.0	+8	NNW	2	zo	51	85	47	6	5	7	-	7-8	7-8	4700	0	*	63	41	34	-	Tr	9.3		
	Felixstowe ...	12	08.4	-2	NNW	1	zg	47	92	46	6	-	-	0	0	-	0.87	+4	NN'N	2	zo	50	92	48	6	5	7	-	4-6	7-8	5700	1	1	65	43	33	2	11	7.8		
	Gorleston ...	5	09.1	0	NW	1	pr	50	92	47	6	8	-	-	9+	9+	1500	0.89	+2	NW	2	bc	51	92	48	7	8	3	-	4-6	7-8	1600	1	2	57	48	1	-	4.4		
	Mildenhall ...	15	08.6	-2	NNW	2	fg	43	97	42	6	5	-	-	1	1	-	2.0	+6	NNW	3	c	49	85	45	7	5	-	-	10	10	1500	1	*	59	41	35	0.4	Tr	6.1	
	Cranwell ...	203	08.2	-2	NN'N	3	zg	48	97	47	6	3	-	-	10	10	2300	0.94	+4	NNW	4	zo	47	92	45	6	6	1	-	10	10	500	1	*	57	45	45	0.2	Tr	8.6	
3	Birmingham ...	535	*	*	*	*	*	*	*	*	*	*	*	*	*	*	10.7	+8	NW	3	cr	46	91	44	5	6	-	-	10	10	1600	1	*	59	46	43	1	Tr	7.1		
4	Ross-on-Wye ...	408	08.9	-2	NNW	1	zo	44	92	42	5	5	-	-	2-3	2-3	5200	1.03	+14	NN'W	2	do	47	92	45	5	5	2	-	7-8	10	1500	0	*	61	42	40	-	*	*	
5	Hartland Point ...	299	11.0	0	NW	3	bc	51	85	46	8	2	6	-	-	2-3	4-6	1500	12.9	+18	NNW	4	c	51	75	45	8	2	4	3	2-3	7-8	1200	0	3	58	49	46	0.6	-	12.6
	Bristol ...	209	08.8	+2	-	0	zo	45	97	44	6	5	-	-	2-3	2-3	2500	12.1	+12	NW	2	pr	49	91	47	6	5	2	-	9	10	2500	1	*	59	44	33	8	Tr	8.7	
	Portland Bill ...	32	10.8	-	NW	2	bc	51	85	47	8	5	-	-	4-6	4-6	4000	11.6	+8	NW	2	c	52	85	48	8	5	-	-	7-8	7-8	4000	1	3	56	49	44	-	*	*	
	Plymouth ...	82	11.7	+2	-	0	lo	45	92	42	8	-	3	-	0	Tr	-	13.1	+12	NN'N	2	ro	50	85	45	5	5	7	-	2-3	9-10	6000	0	2	59	45	38	1	Tr	11.0	
	The Lizard ...	240	12.4	+6	NNW	3	l	45	97	44	8	8	-	-	2-3	2-3	2500	13.6	+12	NNW	3	c	52	92	50	8	8	6	-	7-8	7-8	2500	1	3	58	44	44	1	13.4		
	Scilly (St. Mary's) ...	163	12.7	+2	NN'N	3	bc	50	85	43	8	8	6	3	4-6	4-6	1500	14.8	+16	NNN	3	bc	54	85	48	8	8	4	2	2-3	4-6	1500	1								


SECRET

Tuesday 16th June, 1942

No. 22126

Page 1
BRITISH
SECTIONTHE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

District.	STATIONS. (For heights see p. 4.)	OBSERVATIONS at 13h. G.M.T. 15th June										OBSERVATIONS at 18h. G.M.T. 15th June										PAST 24 HOURS.															
		Barom. mb. (1)	Change in 8 hours. (2)	Wind.		Weather. (5)	Temp. °F. (6)	% Humid. (7)	Dew Point. °F. (8)	Visibility. 0-9 (9)	Cloud.					Barom. at M.S.L. (16)	Change in 8 hours. (17)	Wind.		Weather. (20)	Temp. °F. (21)	% Humid. (22)	Dew Point. °F. (23)	Visibility. 0-9 (24)	Cloud.					State of Ground. (31)	Sea 0-9 (32)	WEATHER.					
				Dir. (3)	Force (4)						Form. (10)	Low. (11)	Med. (12)	High. (13)	Amount. (14)	Height of Base (feet) (15)		Dir. (18)	Force (19)																		
1	London (Kew)	11.6	+6	WNW	3	C	54	65	42	7	5	2	-	3	10	1500	12.7	+4	NWW	2	?/r	56	65	43	6	5	-	-	10	10	2500	0	*	frmoc	cycfzo	cmo	
	Croydon	11.7	+6	W'N	4	pr	53	75	43	6	9	-	-	2-3	10	2500	12.6	+6	WNN	3	?/r	55	65	44	6	5	-	-	7-8	10	3000	0	*	cmoczo	c3pmo	czmoc	
	S. Farnborough	11.9	+6	NNW	3	C	54	65	42	7	7	3	-	7-8	7-8	2500	13.2	+8	W'N	3	C	57	55	42	8	7	3	-	-	7-8	7-8	7000	0	*	cyc	ccy	s
	Boscombe Down	13.1	+10	NNW	4	C	53	55	42	8	2	-	-	34	94	1600	14.0	+2	NWW	1	pr	55	75	48	8	8	4	-	-	7-8	7-8	1800	0	*	cid, pr	cprpr	cpbpc
	Thorney Island	12.1	+8	NNW	3	%pr	55	75	47	7	8	-	-	2-3	94	2500	13.6	+6	NWW	3	%pr	56	75	48	8	8	6	1	-	7-8	9	4000	0	*	cmocpro	cpopro	cp
	Lymne	12.0	+8	NW	3	pr	52	75	42	6	2	-	-	10	10	2500	12.9	+6	NW	2	Zo	55	75	48	6	5	2	-	-	9+94	9+94	4000	0	*	cmoprm	cprrpm	cp
	Manston	10.7	+6	NNW	3	Zo	55	76	49	6	2	6	-	9	10	2000	11.5	+8	NWW	3	Zo	55	85	49	6	2	-	-	10	10	2500	0	*	bccm	ccccc	cpbpm	
2	Shoeburyness	11.3	+4	NNW	4	Zo	59	55	45	6	8	-	-	4-6	7-8	3000	12.4	+8	NWW	3	pr	56	75	46	5	5	2	-	-	7-8	10	2800	0	*	cmoczo	c24pm	cmo
	Felixstowe	10.9	+4	NNW	4	C	56	65	44	7	8	-	-	10	10	2500	10.9	+8	NWW	4	Zo	53	75	45	7	5	2	-	-	7-8	10	2500	0	3	bmc	cigc	cmo
	Gorleston	09.2	+2	NW	3	pr	53	65	43	7	8	-	-	94	94	2000	09.6	+2	NWW	4	Zo	51	92	49	7	6	-	-	10	10	1500	1	3	ccpmp	ccpmp	cp	
	Mildenhall	10.3	+2	NNW	4	Zo	52	85	43	7	5	7	-	4-6	10	1000	11.7	+8	NWW	4	Zo	51	75	44	6	5	2	-	-	4-6	10	1500	1	*	ccir	cicr	cmrcm
	Cranwell	10.5	+6	NNW	5	id	51	85	46	5	6	1	-	94	10	500	11.7	+4	NWW	5	dd	51	85	47	6	6	-	-	10	10	2500	1	*	ccrr	ccrr	ccm	
3	Birmingham	12.4	+4	NW	3	C	53	75	46	7	8	-	-	3	94	2500	13.6	+6	NW	3	C	53	65	42	7	5	-	-	9+94	9+94	4000	1	*	irr	cbe	bcc	
4	Upper Heyford	11.4	+4	NNW	4	C	52	75	44	7	8	7	-	4-6	10	1800	12.7	+6	NWW	4	C	54	65	43	7	5	3	-	9	9	2500	0	*	cmocm	ccbccm	ccbc	
5	Ross-on-Wye	12.6	0	NNW	3	C	58	65	46	9	8	-	-	7-8	7-8	3500	13.9	+4	N	2	C	55	75	47	8	8	-	-	9	9	3500	0	*	pccpc	pccpc	ccbc	
6	Pembroke	16.1	+10	NW	4	bc	55	75	45	8	8	-	-	2-3	2-3	2500	16.7	+2	W'N	5	C	55	85	50	8	8	3	-	-	7-8	9	3000	0	2	bcc	bcc	c
7	Holyhead (Valley)	13.8	+6	NNW	4	C	54	65	43	8	8	-	-	2-3	94	3000	14.8	+2	NW	3	bc	56	55	40	8	2	3	1	Tr	4-6	3000	0	2	bcc	bcc	bcc	
8	Chester (Sealand)	13.4	+8	NNW	4	C	55	65	44	7	2	7	-	4-6	9	2400	14.1	+4	NWW	3	C	54	65	44	8	7	-	-	10	10	5500	0	*	crpm	ccmoc	cc	
	Manchester	11.8	+2	NNW	3	C	52	75	44	6	2	-	-	10	10	2000	13.2	+6	NWW	4	C	52	75	44	7	2	7	-	7-8	10	2500	1	*	moc	cz	ccbc	
10	Spurn Head	08.3	0	NNW	6	rr	50	92	48	7	8	2	-	7-8	10	800	09.3	+8	NWW	6	rr	48	92	46	6	8	2	-	-	7-8	10	800	1	5	rrr	rrrmo	cicc
	Catterick	11.5	+6	NNW	4	Zo	51	75	43	7	5	2	-	7-8	10	2000	12.8	+8	NNW	2	Zo	51	75	44	7	5	7	-	-	4-6	10	1800	1	*	cir	cir</td	



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts

(The symbols used to indicate fronts are shown below).
Warm Front. The air mass which moves towards this boundary is norm

Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special

Cold Front. The air mass which moves towards this boundary is normally of polar, cool, dry origin, while that which moves away is warm, moist, and tropical; but in certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis is said to occur when a front is in process of dissolution.



BRITISH
SECTIONTHE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.Tuesday 16th June 1942
No. 23426

District.	STATIONS	OBSERVATIONS at 1 hr. G.M.T. 16th June												OBSERVATIONS at 7 hr. G.M.T. 16th June												PAST 24 HOURS.																	
		Height above M.S.L., mb. (1)	Barom. at M.S.L. (2)	Wind.			Weather. (5)	Temp. °F. (6)	Humid. % (7)	Dew Point. °F. (8)	Visibility. 0-9 (9)	Cloud.			Barom. at M.S.L. (16)	Change in 3 hours. (17)	Wind.			Weather. (20)	Temp. °F. (21)	Humid. % (22)	Dew Point. °F. (23)	Visibility. 0-9 (24)	Cloud.			Barom. at M.S.L. (31)	Change in 3 hours. (32)	Temperature.			Rainfall.			Sun-shine 1st h. (38)							
				Dir.	0-12 (3)	Force. (4)						Low.	Med.	High.			Dir.	0-12 (18)	Force. (19)				Low.	Med.	High.	Form.	Amount.	Height of Base. (feet) (15)	Low.	Med.	High.	Form.	Amount.	Height of Base. (feet) (30)	0-9 (33)	0-9 (34)	Max. Day 7h-18h °F. (35)	Min. Night 19h-7h °F. (36)	Min. on Grass 7h-18h mm. (37)	Day 18h-7h mm. (38)			
1	London (Kew) ...	18	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	57	48	46	Tr	-	0.3
	Croydon ...	230	14.0	D	WNW	2	N	51	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	58	47	44	Tr	0.1	0.8			
	S. Farnborough ...	226	14.7	+2	WN	2	C	50	85	44	7	5	5	1	4-6	7-8	5000	15.5	+4	WN	2	C	50	75	43	8	-	7	5	0	0	0	0	0	58	45	40	-	0.1	0.1			
	Beacombe Down ...	417	16.0	+4	WNW	2	C	45	85	42	7	4	6	-	2-3	7-8	4000	16.2	+4	NW'W	2	Z	49	85	44	6	7	-	2	2-3	3000	1	*	58	42	37	0.6	2	0.3				
	Thorney Island ...	10	14.9	0	W	3	S	50	85	45	7	-	6	1	0	7-8	-	158	+8	W	3	bc	51	75	43	8	0	3	0	2-3	-	0	*	61	46	43	Tr	-	*				
	Lympne ...	283	14.2	-2	WN	3	S	45	85	46	6	5	-	3+	9+	3700	14.8	+6	WWN	0	Z	50	85	45	6	5	0	7-8	5000	0	82	57	48	0.6	Tr	3.3	5.3						
	Manston ...	154	12.7	-2	WWN	4	B	51	82	49	5	5	2	-	7-8	10	1100	13.3	+6	NW'W	0	Z	52	82	50	6	5	3	-	4-6	34	9000	1	*	59	50	48	-	3	5.6			
2	Shoeburyness ...	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	60	60	46	Tr	-	0.3	
	Felixstowe ...	12	12.2	+2	NW	3	S	50	82	49	G	5	-	2	-	10	10	1500	12.6	+2	NW'W	4	Z	51	85	47	G	5	-	-	10	10	800	1	3	58	49	47	0.1	1	2.1		
	Gorleston ...	5	10.8	+4	NW'N	3	S	50	85	47	G	6	-	-	-	10	10	800	12.7	+4	NW	3	pr	51	82	49	G	8	-	-	0	3	1400	1	2	55	48	45	3	1	4.0		
	Mildenhall ...	15	12.7	+2	NW'N	3	S	49	82	47	5	5	2	-	7-8	10	900	13.4	+6	NW	2	id	51	85	47	G	5	2	-	0	10	1500	1	*	56	47	48	2	4	0.7			
	Cranwell ...	203	12.9	0	WN	3	O/D	49	87	48	5	5	-	-	10	10	2000	13.4	+6	W	3	Z	51	85	46	G	6	-	7	-	0	34	1	*	32	47	42	1	0.5	0.0			
3	Birmingham ...	536	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	55	45	40	0.1	-	0.9		
4	Upper Heyford ...	408	14.4	+2	NW'N	3	S	47	75	40	G	5	-	-	4-6	4-6	5800	14.7	+2	NW'W	4	C	49	75	42	8	5	3	-	4-6	4-6	5200	0	*	55	46	45	0.2	-	*			
	Ross-on-Wye ...	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	59	41	34	0.3	-	1.0			
5	Hartland Point ...	299	16.7	-2	WNW	3	C	53	85	47	8	5	-	-	7-8	9	2500	16.2	+2	WNW	3	C	54	85	50	8	2	4	-	4-6	4-6	2000	0	3	55	52	50	-	1	3.8			
	Bristol ...	209	16.8	+2	W	1	C	46	85	42	8	-	7	2	0	7-8	-	16.4	+2	W'S	2	C	53	85	47	7	-	3	-	0	9	-	0	*	60	44	38	1	-	3.0			
	Portland Bill ...	32	16.5	+2	NW	4	C	51	82	50	8	5	-	-	7-8	7-8	4000	15.8	+6	W	3	C	53	92	51	8	5	-	2	10	10	4000	1	3	57	50	48	0.6	0.2	*			
	Plymouth ...	82	17.0	-2	NW	2	C	52	85	48	8	-	7	-	0	9	-	17.3	+2	W	2	Z	54	85	50	8	5	7	2	4-6	7-8	2000	0	2	61	50	45	0.2	-	9.1			
	The Lizard ...	240	18.5	-2	WNW	3	bc	51	82	49	8	8	-	-	4-6	4-6	2500	17.2	0	NW	3	c/p	52	82	48	8	8	6	-	7-8	9	1500	1	3	58	50	48	1	0.5	11.7			
	Scilly (St. Mary's) ...	163	18.7	-6	WN	4	c/p	52	85	48	8	8	4	-	7-8	7-8																											

SECRET

Wednesday 17th June 1942

No. 23427


Page 1
BRITISH
SECTIONTHE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

OBSERVATIONS at 13h. G.M.T. 16th June

OBSERVATIONS at 18h. G.M.T. 16th June

PAST 24 HOURS.

DISTRICT.	STATIONS.	Barom. mb.	Change in 3 hours.	Cloud.												Cloud.												WEATHER.																										
				Wind.				Dir.	Temp. °F.	% Humid.	Dew Point. °F.	0-9			Low.			Med.			High.			Amount			Height of Base (feet)			Form.			Low.			Med.			High.			Amount			Height of Base (feet)			State of Ground.		Sea 0-9	7h.-13h. 16th	13h.-18h. 16th	18h.-16th	1h.-7h. 17th
				(1)	(2)	(3)	(4)					(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)															
1 London (Kew) ...	14.2 -6	N'W 2	C	59	55	44	8	8	3	-	7-8	9t	2500	13.3	-4	WNW 2	C	60	55	41	8	8	3	-	7-8	9	4000	0	*	c _o c _g	cy	c _b c _w	c _b c _w	c _b c _w	c _b c _w																			
Croydon ...	14.2 -10	W'N 2	C	59	55	43	7	8	-	-	2-3	9t	3000	13.5	-4	WNW 2	C	61	55	47	7	8	4	5	4-6	7-8	3700	0	*	c _y	c _b c _w	c _b c _w	c _w	c _w																				
S. Farnborough ...	14.2 -6	NW'W 3	C	62	55	36	9	7	-	-	9	9	3500	13.3	-6	W 3	C	60	55	42	8	2	7	9	2-3	9	3500	0	*	c _b c _w	c _y c _y	c _b c _w	c _b c _w	c _b c _w																				
Boscombe Down ...	14.8 -10	N'W 2	C	59	55	42	8	8	3	-	9	9t	3000	14.5	-2	WS 3	C	57	55	42	8	9	6	1	7-8	9	5000	1	*	b _c	c _p c _y	c _b c _w	b _w c _b	b _w c _b																				
Thorney Island ...	14.8 -6	W'W 4	Z _o	61	55	49	8	8	-	-	9t	9t	4000	14.3	-4	W 3	C	56	75	49	9	4	7	-	1	10	2500	0	*	b _c	c _p c _y	c _b c _w	b _w c _b	b _w c _b																				
Lyminge ...	15.0 -2	WSW 1	Z _o	57	65	46	6	8	-	-	7-8	10	3000	14.9	-6	NW 1	C	56	65	46	8	8	-	-	2-3	9	3500	0	*	c _o	c _z c _y	c _p c _r m _o	c _m _o	c _m _o																				
Manston ...	15.5 -2	W'W 3	Z _o	57	85	52	6	2	7	-	7-8	9t	1800	13.5	+2	N 2	pr	55	85	53	6	8	7	-	9t	10	4000	1	*	c _o	c _z c _y	c _p c _r m _o	p _r m _o	c _m _o																				
2 Shoeburyness ...	13.9 +6	NW 3	C	61	65	47	8	2	3	-	2-3	9	3000	13.8	0	N 1	Z _o	57	75	48	5	2	3	-	2-3	9	4000	0	*	c _m c _z c _y	c _p r _c c _z	c _z p _o g _m	c _p r _c r _r	c _z p _o g _m																				
Felixstowe ...	13.0 -2	NW 3	Z _o	58	75	49	6	8	7	-	7-8	9t	2500	13.1	+2	WNW 1	C	55	75	48	6	5	-	-	10	10	6000	1	2	c _m p _o c _m	c _z p _o g _m	c _m _o b _m	c _p r _c m _o	c _m _o b _m																				
Corleston ...	12.9 +2	N'W 4	C	54	85	48	7	8	-	-	9t	9t	1800	12.9	0	N 2	C	58	85	50	6	8	-	-	9	9	1800	1	*	c _p r _c	c _z _o	c _p r _c m _o	c _z _o	c _p r _c m _o																				
Mildenhall ...	13.2 -2	WSW 3	Z _o	57	75	47	6	8	3	-	7-8	9t	2000	13.0	-6	N 2	Z _o	53	85	48	6	5	7	-	4-6	10	4000	1	*	c _m	c _z c _m	c _z c _m	c _m	c _m																				
Cranwell ...	13.4 -2	WSW 1	Z _o	53	85	49	6	3	7	-	4-6	10	1500	12.4	-6	NNW 2	Z _o	57	65	45	6	2	3	-	1	9t	4000	1	*	c _m p _o c _m	c _z c _m	c _m	c _m	c _m																				
3 Birmingham ...	13.8 -6	W 3	C	56	55	41	8	5	-	-	9	9t	4000	13.4	-2	WNW 2	C	58	55	43	8	8	6	-	4-6	7-8	4000	0	*	b _c	c	c _b c _m	c _b c _m	c _b c _m																				
Upper Heyford ...	13.6 -6	WW 2	C	60	55	41	8	7	6	-	4-6	7-8	3000	12.8	-10	WNW 2	C	61	55	42	8	8	3	-	4-6	9	3500	1	*	c _b	cy	cubcc	bcm _g b _c	bcm _g b _c																				
Ross-on-Wye	14.2 -8	WW 2	C	61	55	42	8	7	-	-	9t	9t	4000	13.6	-6	SSW 2	C	58	65	47	8	8	-	-	9t	9t	3500	0	*	b _c	c _b	rcv	b _c	b _c																				
5 Hartland Point ...	15.7 -8	W 3	C	58	65	48	9	2	7	-	2-3	7-8	2000	15.3	-2	W 2	b _c	56	75	49	9	2	4	-	2-3	4-6	2000	0	2	c _c c _b c _b	c _b	c _b	b _c	b _c																				
Bristol ...	15.4 -2	WW 3	C	56	75	49	8	7	-	-	4-6	9t	4000	15.1	+4	W 3	C	57	75	48	8	1	3	6	Tr	7-8	3000	0	*	b _c	c _b	c _b	b _c	b _c																				
Portland Bill ...	15.3 -2	SW 2	C	55	92	53	8	5	-	-	10	10	4000	14.9	-4	NW 2	C	55	92	53	8	2	-	-	9	9	4000	1	2	c	c																							



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).

Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis is said to occur when a front is in process of dissolution.



THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Wednesday 17th June 1942
No. 29427.

DISTRICT.	STATION.	OBSERVATIONS at 1 hr. G.M.T. 17th June												OBSERVATIONS at 7 hr. G.M.T. 17th June												PAST 24 HOURS.																	
		Height above M.S.L. in feet.	Barom. at M.S.L.	Wind.		Weather.	Temp. °F.	Humid. %	Dew Point °F.	Visibility 0-9	Cloud.			Barom. at M.S.L.	Change in 3 hours.	Wind.		Weather.	Temp. °F.	Humid. %	Dew Point °F.	Visibility 0-9	Cloud.			Sea. 0-9	TEMPERATURE.				RAINFALL.				SUN-SHINE 12h. Hrs.								
				Dir.	Force.						Form.	Amount	Height of Base. (feet)			Dir.	Force.						Low	Med.	High	Total 0-10	State of Ground.	Max. Day 7h-18h °F.	Min. Night 18h-7h °F.	Min. on Grass °F.	Day 7h-18h mm.	Night 18h-7h mm.											
1	London (Kew) ...	18	*	*	*	*	*	*	*	*	S2	*	*	*	*	*	*	*	*	*	*	13·1	+2	NW'W	1	Zo	53	75	45	6	5	3	-4·6	4·6 4000	0	*	62	49	36	-	-	1·3	
	Croydon ...	290	13·6	-4	WSW	1	c	c	50	85	45	7	5	3	-	-2·3	7-8	4500	2	Zo	53	75	46	6	5	3	-2·3	4·6 5800	0	*	63	49	43	Tr	Tr	4·2							
	S. Farnborough ...	226	13·7	-2	W'N	1	c	c	50	85	44	8	-	7	-	0	0	0	-	13·5	+2	NW'W	1	c	50	85	46	8	-	7	-	0	0	*	65	45	40	-	-	5·8			
	Boscombe Down ...	417	14·6	-2	WNW	1	bc	45	92	44	7	5	-	-	-2·3	2-3	4000	4·5	+4	-	0	c	52	85	48	7	5	3	-2·3	9	6000	0	*	62	44	40	0·2	Tr	6·0				
	Thorney Island ...	10	13·9	-6	W'N	2	b	b	49	85	46	8	5	-	-	1	1	5700	13·2	-2	N'W	2	bc	55	75	48	8	-	3	1	0	7·8	-	0	65	44	40	Tr	Tr	*			
	Lyminge ...	283	14·5	-6	-	0	z ₀	z ₀	49	92	48	6	-	3	-	0	10	-	13·5	-4	W'N	2	z ₀	50	89	47	6	-	3	-	0	7·8	-	0	63	45	*	-	1	2·6			
	Manston ...	154	12·8	-10	WSW	1	i ₀	i ₀	51	97	50	6	-	2	-	0	10	-	12·4	+2	WSW	1	z ₀	51	97	51	5	7	-	1	10	5100	1	*	61	50	48	Tr	0·6	2·2			
2	Shoeburyness ...	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	13·2	+4	W'N	1	m	52	75	45	4	5	3	1	4·6	7-8	1300	1	*	65	49	43	Tr	4	2·8
	Felixstowe ...	12	13·1	-2	W'N	1	z ₀	z ₀	53	85	48	5	5	-	-	10	10	5700	12·2	-2	W'N	1	z ₀	54	85	49	6	-	7	-	0	2·3	-	1	63	49	46	0·2	0·1	2·6			
	Gorleston ...	5	13·2	-2	W	1	z ₀	z ₀	50	85	48	6	8	3	-	4·6	34	1500	12·2	-6	W	1	z ₀	52	92	49	6	5	3	1	4·6	7-8	1500	1	2	58	50	47	0·2	0·6	2·3		
	Mildenhall ...	15	13·0	-4	-	0	z ₀	z ₀	48	92	47	7	5	-	-	7·8	7-8	6000	12·3	-2	W'N	2	c	53	75	46	7	-	3	-	0	7·8	-	0	59	45	33	Tr	Tr	0·6			
	Cranwell ...	203	12·2	-2	WNW	2	z ₀	z ₀	48	85	43	6	-	7	-	0	34	-	12·0	-2	W	3	z ₀	49	85	45	6	5	3	-	4·6	94	6000	0	*	59	49	38	0·3	-	0·8		
3	Birmingham ...	535	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	12·6	-2	NW'W	1	m	50	85	45	4	-	3	1	0	2·3	-	0	60	46	36	-	-	3·8		
4	Upper Heyford ...	408	13·2	-6	WNW	1	z ₀	z ₀	50	85	46	6	5	-	-	7·8	7-8	5800	13·0	+2	W'N	2	c	51	85	46	8	5	3	-	1	7-8	3000	0	*	62	61	44	-	-	*		
4	Ross-on-Wye ...	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	13·8	-4	SW	2	b	48	85	45	9	1	3	9	Tr	1	4000	1	*	62	40	33	Tr	1	6·7		
5	Hartland Point ...	299	14·8	-2	WNW	2	bc	53	85	49	8	2	-	-	4·6	4-6	2500	13·9	0	W	3	bc	56	75	49	8	2	4	-	2-3	4-6	2500	0	3	59	52	48	1	-	8·0			
	Bristol ...	209	14·8	-2	W	1	bc	48	92	46	7	-	3	-	0	2-3	-	14·0	-6	W'N	1	bc	51	85	47	8	-	4	-	0	4-6	-	0	62	42	31	-	-	6·5				
	Portland Bill ...	32	14·7	0	NW	2	c	c	52	92	50	8	5	-	-	7-8	7-8	4000	14·1	0	NW	2	c	54	85	50	8	2	7	-	7-8	10	4000	1	3	58	52	*	-	-	*		
	Plymouth ...	82	15·5	-6	WNW	2	c	c	52	92	50	8	5	-	-	9	9	5800	14·9	-2	W'N	2	z ₀	54	85	50	7	7	7	-	7-8	9-8	3500	0	2	64	51	48	Tr	Tr	3·3		
	The Lizard ...	240	16·0	-2	WNW	2	c	c	52	92	50	7	8	2	-	9	10	1500	14·8	0	NW	2	c	52	92	50	8	2	8	-	7-8	9+1	1500	0	3	61	51	*	Tr	1	2·2		
	Scilly (St. Mary's) ...	163	16·1	-2	W'S	2	z ₀	z ₀	51	92</																																	

~~SECRET~~

Thursday 18th June 1942

No. 29,428

Page 1 BRITISH SECTION

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

OBSERVATIONS at 13h. G.M.T. 17th June

OBSERVATIONS at 18h. G.M.T. 17th June

PAST 24 HOURS.

No. 29,428

PAST 24 HOURS.

FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON, G.M.T. Thursday 18th June

1 S.E. England			
2 E. England ...	Mainly light West to Northwest winds; cloudy; slight rain or drizzle locally, occasionally: rather cool.		
3 E. Midlands ...			
4 W. Midlands			
5 S.W. England	light to moderate Westerly winds; fair with some bright periods; average temperature.		
6 South Wales			
7 North Wales			
8 N.W. England	Light Northerly winds; cloudy with brighter intervals; light local rain or drizzle at first: cool.		
9 N. Midlands ...			
10 N.E. England	Moderate North to Northeast winds; dull; some coastal showers: very cool.		
11 S.E. Scotland			
12 S.W. Scotland & Isle of Man	Moderate Northerly winds; variable cloud; bright periods; a few showers chiefly on the coast; cool to very cool.		
13 W. Scotland ...			
13B N.W. Scotland			
14 Mid Scotland			
15 N.E. Scotland			
16 Orkneys and Shetlands		As 12-15	
17 N. W. Ireland			
18 N. E. Ireland		As 7-9	
19 S. E. Ireland			
20 S. W. Ireland		As 1-4	
GENERAL INFERENCE			
A feeble trough of low pressure is moving slowly southeast over the southern half of the British Isles and will cause a little light local rain or drizzle and mainly cloudy weather generally. In Scotland there will be brighter periods with a few scattered showers.			
FURTHER OUTLOOK			
Fair in many areas at first, but a depression is expected to spread in from the Atlantic.			
Forecasts issued at 1030.			
N. K. JOHNSON, D.Sc., A.R.C.S., Director. Meteorological Office, Air Ministry, Kingsway, London, W.C.2			

GENERAL INFERENCE


A feeble trough of low pressure is moving slowly southeast over the southern half of the British Isles and will cause a little light local rain or drizzle and mainly cloudy weather generally. In Scotland there will be brighter periods with a few scattered showers.

FURTHER OUTLOOK

fair in many areas at first, but a depression is expected to spread in from the Atlantic.

Forecasts issued at 1030.

N. K. JOHNSON, D.Sc., A.R.C.S., Director.
Meteorological Office, Air Ministry, Kingsway, London, W.C.2



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).
Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis. Is said to occur when a front is in process of dissolution.



Clarke's Projection Scale 1 : 4 x 10⁷ along meridian at 55° N.

Statute Miles 0 1 2 3 4 500

EXPLANATION OF CHART.

BAROMETER. Isobars are drawn for intervals of four millibars.

WIND. Arrows fly with wind. A full length feather indicates two steps on the Beaufort Scale, and a short feather one step. Calm is indicated by circle outside weather symbol: ○

TEMPERATURE is given in degrees F.

WEATHER SYMBOLS: ○ Clear sky. ◻ Sky less than 3/10 clouded. ◌ Sky 4/10 to 6/10 clouded. ◍ Sky 7/10 to 9/10 clouded. ◎ Overcast sky. ● Rain falling. * Snow. ♫ Sleet. △ Hail.

Fog. ☁ Mist. ☢ Thunder. (T) Thunderstorm. ☠ Slight haze. ☂

The hour of observation is not uniform throughout the Hemisphere; a chart showing the hours at which the observations are taken is contained in the Introduction.

FRONTS or boundaries between masses of air of different origin are indicated, wherever their characteristics are well pronounced in the following way—

- Warm Front on the Surface
- Warm Front above the ground
- Cold Front on the Surface
- Cold Front above the ground

— Occluded Front (or Occlusion)

— Warm Occlusion

— Cold Occlusion

— Lines of Frontogenesis

Short strokes across the frontal line indicate Frontolysis. (For explanation see page 3.)

NOTE—The symbols are placed on the side of the line towards which the front is moving.

When the front is stationary the symbols are placed alternately on both sides of the line.

All times are G.M.T. Add two hours to get double summer time.

BRITISH
SECTIONTHE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.Thursday 18th June 1942
No. 29,428

DISTRICT.	STATION	OBSERVATIONS at 1 hr. G.M.T. 18th June												OBSERVATIONS at 7 hr. G.M.T. 18th June												PAST 24 HOURS.															
		Wind.			Cloud.			Wind.			Cloud.			Temperature.			Rainfall.			Sea. 0-9			Max. Day 7h-18h Min. Night 18h-7h Min. on Grass °F. (25)			Day 7h-18h mm. (26)			Night 18h-7h mm. (27)			Sun-shine Hrs. (28)									
		Height above M.S.L. in feet. mb. (1)	Barom. at M.S.L. mb. (2)	Change in 3 hours. 0-12 (3)	Direc. (4)	Wind. F. (5)	Temp. °F. (6)	% Humid. (7)	Dew Point. °F. (8)	Visability. 0-9 (9)	Low. 0-10 (10)	Med. (11)	High. (12)	Amount. 0-10 (13)	Height of Base (feet) (14)	Wind. F. (15)	Humid. (16)	Dew Point. °F. (17)	Visability. 0-9 (18)	Low. 0-10 (19)	Med. (20)	High. (21)	Amount. 0-10 (22)	Height of Base (feet) (23)	Sea. 0-9 (24)	Max. Day 7h-18h Min. Night 18h-7h Min. on Grass °F. (25)	Day 7h-18h mm. (26)	Night 18h-7h mm. (27)	Sun-shine Hrs. (28)												
1	London (Kew)	18	*	*	*	*	54	*	*	*	5	3	1	2-3	7-8	4500	14-3	+6	WSW	2	20	56	75	48	6	5	3	-	7-8	9	2500	0	*	67	52	45	-	-	9-1		
	Croydon	290	13-5	+6	WSW	3	bc	52	85	47	7	5	3	0	7-8	4500	14-6	+10	w's	2	e	58	85	49	7	5	4	-	2-3	9	5500	0	*	67	50	47	-	-	11-7		
	S. Farnborough	228	14-0	+6	W'N	1	c	51	85	46	8	-	s	0	7-8	4500	14-5	+4	w's	2	bc	54	85	48	8	1	7	-	T	7-8	2000	0	*	68	49	42	-	-	8-4		
	Boscombe Down	417	14-4	+2	W'N	2	bc	49	92	47	8	-	3	0	4-6	4500	15-1	+4	SWL	1	c	59	85	50	8	8	3	-	4-6	9	2500	0	*	67	46	41	-	-	7-1		
	Thorney Island	10	14-1	+2	WNW	3	c	53	75	47	8	-	3	0	10	5000	15-3	+6	W	3	c	55	85	50	8	1	3	-	1	7-8	1500	0	*	67	50	48	-	-	8-5		
	Lympne	283	14-0	+2	WSW	1	bc	51	92	49	7	5	-	1	1	4-6	5000	15-6	+10	WIN	1	c	53	85	49	7	7	0	-	0	9	0	*	66	45	45	-	-	8-5		
	Maston	154	12-6	+2	W	2	z.	52	85	48	6	-	-	1	0	2-3	4500	14-1	+8	w	1	z.	56	85	50	6	5	9	-	0	9	0	*	63	51	42	-	-	6-0		
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	56	75	48	6	5	3	-	7-8	9	2500	0	*	67	52	45	-	-	Tr		
	Felixstowe	12	12-0	+2	WNW	1	z.	57	85	51	6	-	7	-	0	2-3	4500	12-8	+2	w	2	c/r	56	75	48	6	5	7	-	0	9	4	4000	0	*	68	37	35	-	-	Tr
	Gorleston	5	12-3	+2	NW'W	2	z.	55	85	49	7	8	-	10	10	5000	13-0	+6	WIN	2	c	54	85	49	7	5	7	-	4-6	9	1700	0	*	63	54	53	-	-	Tr		
	Mildenhall	15	12-5	+6	W	2	z.	54	75	48	6	5	7	-	4-6	7-8	5000	13-5	+10	WSW	2	c/r	54	75	47	8	5	7	-	7-8	10	4000	0	*	67	50	47	-	-	10-0	
	Cranwell	203	11-7	+2	W'S	3	z.	51	85	47	6	-	0	7-8	-	12-6	+10	W	3	1d.	54	85	51	6	5	-	-	10	10	3000	0	*	66	49	44	-	-	7-1			
3	Birmingham	536	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	53	85	48	6	5	2	-	9	10	1500	0	*	66	51	45	-	-	5-9			
4	Upper Heyford	408	13-0	+4	-	0	bc	51	85	46	8	-	4	8	0	4-6	-	13-6	+4	WSW	2	c	53	85	49	7	5	7	-	2-3	9	4500	0	*	67	48	44	-	-	5-9	
	Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	54	85	51	6	5	-	-	10	10	2500	0	*	68	49	40	-	-	6-9			
5	Hartland Point	299	14-4	-2	WNW	4	bc	54	85	50	8	4	-	2-3	2-3	2500	14-7	+4	WSW	2	c	55	85	51	8	5	-	-	9	9	2100	0	3	60	58	50	-	-	Tr		
	Bristol	200	14-6	0	WSW	2	bc	52	92	50	8	5	7	-	4-6	4-6	1800	15-2	+6	WSW	2	1d.	54	85	51	7	5	3	-	9	10	1500	0	*	65	51	45	-	-	9-8	
	Portland Bill	32	13-9	-2	W	3	c	53	92	51	8	5	7	-	7-8	7-8	4000	15-7	+18	w	2	c	54	92	52	8	5	-	-	10	10	4000	1	2	56	51	48	-	-	3-3	
	Plymouth	82	15-8	-2	W	3	c	54	92	52	8	8	7	-	9	10	1500	16-2	+2	WSW	3	c	55	92	53	7	7	-	-	10	10	3000	0	3	63	52	48	-	-	9-3	
	The Lizard	240	16-2	+6	W'N	1	c	54	92	52	8	8	2	-	9	10	1500	16-6	+2	W	3	c	55	92	53	8	3	-	-	2-3	9	1500	0	5	60	52	48	-	-	7-8	
	Scilly (St. Mary's)	163	16-3	0	W	4	c	55	85	52	8	8	2	-	7-8	9+	1800	16-6	+2	w	4	c	55	85	51	8	8	7</td													

~~SECRET~~

Friday 19th June 1942

1942

No. 29429

Page 1 BRITISH SECTION

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

DISTRICTS.

FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON G.M.T. Friday 19th June 1942.


- | FORECAST FOR THE 24 HOURS COMMENCING AT NOON, G.M.T. | |
|---|--|
| 1 S.E. England | Light variable winds. Fair, but considerable cloud at first. Average temperature. |
| 2 E. England ... | Light variable winds. Fine but cloudy locally at first. Temperature rather below average with a slight risk of local ground frost. |
| 3 E. Midlands ... | |
| 4 W. Midlands | |
| 5 S.W. England | Light variable wind. Cloudy with local slight drizzle, improving slowly. Average temperature. |
| 6 South Wales | |
| 7 North Wales | |
| 8 N.W. England | |
| 9 N. Midlands ... | |
| 10 N.E. England | |
| 11 S.E. Scotland | As 2-4 |
| 12 S.W. Scotland & Isle of Man | |
| 13A W. Scotland ... | |
| 13B N.W. Scotland | |
| 14 Mid Scotland | |
| 15 N.E. Scotland | |
| 16 Orkneys and Shetlands | As 2-4 |
| 17 N.W. Ireland | As 20. |
| 18 N. E. Ireland | Light South to Southeast wind. Fair. Rather warm. |
| 19 S. E. Ireland | |
| 20 S. W. Ireland | Light South to Southeast wind. Fair at first. Cloudy with slight local drizzle later. Average temperature. |
| GENERAL INFERENCE | |
| An elongated Anticyclone stretching from the Faeroes to East England is intensifying and moving slowly southeast. A weak trough over the South coast is moving south. | |
| FURTHER OUTLOOK | |
| Little change. Mainly fair and warm. | |
| Forecasts issued at 10.30 A.M.T. | |
| N. K. JOHNSON, D.Sc., A.R.C.S., Director.
Meteorological Office, Air Ministry, Kingsway, London, W.C.2 | |

FURTHER OUTLOOK

Little change. Mainly fair and warm.

Forecasts issued at 10.30 A.M.T.

N. K. JOHNSON, D.Sc., A.R.C.S., Director.
Meteorological Office, Air Ministry, Kingsway, London, W.C.2



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).
Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front, known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis is said to occur when a front is in process of dissolution.




THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.Friday 12th June 1942
No. 29429

District.	STATIONS.	OBSERVATIONS at 1 hr. G.M.T. 13th June												OBSERVATIONS at 7 hr. G.M.T. 13th June												PAST 24 HOURS.														
		Wind.			Cloud.									Wind.			Cloud.									Temperature.			Rainfall.			Sun-shine								
		Height above M.S.L. in feet. mb. (1)	Change in 3 hours. (2)	Dir. 0-12 (3)	Force. (4)	Weather. (5)	Temp. °F. (6)	Humid. % (7)	Dew Point. °F. (8)	Visibility. 0-9 (9)	Form. (10)	Amount. (11)	Height of Base (feet) (12)	Barom. at M.S.L. mb. (16)	Change in 8 hours. (17)	Dir. 0-12 (18)	Weather. (20)	Temp. °F. (21)	Humid. % (22)	Dew Point. °F. (23)	Visibility. 0-9 (24)	Form. (25)	Amount. (26)	Height of Base (feet) (27)	Sea. 0-9 (28)	Max. Day 7h-18h °F. (29)	Min. Night 18h-7h °F. (30)	Min. on Grass °F. (31)	Day 7h-18h mm. (32)	Night 18h-7h mm. (33)	Sea. 0-9 (34)	Max. Day 7h-18h °F. (35)	Min. Night 18h-7h °F. (36)	Sea. 0-9 (37)	Sun-shine Hrs. (38)					
1	London (Kew)	18	*	*	*	*	56	*	*	*	*	*	*	23.7	+22	S.E.	3	Zo	54	85	49	6	5	-	-	10	10	2500	0	*	63	53	53	Tr	-	0.5				
	Croydon	290	19.9	+12	N.E.	3	Zo	56	92	55	5	5	-	10	10	1100	23.1	+20	NE	3	Zo	52	92	50	5	5	-	-	10	10	800	0	*	62	52	53	Tr	0.1	0.3	
	S. Farnborough	226	19.8	+8	N.E.'E.	2	Zo	57	85	54	6	5	-	10	10	1900	23.2	+24	E.N.E.	3	d.d.	54	97	53	5	5	-	-	10	10	400	1	*	63	54	53	Tr	1.2		
	Boscombe Down	417	20.1	+10	-	0	Zo	57	92	54	5	5	-	10	10	2300	22.5	+22	E.W.	3	m	55	92	53	4	5	-	-	10	10	600	0	*	61	53	52	Tr	-	1.6	
	Thorney Island	10	19.5	+4	NNW	1	Zo	57	97	55	6	5	-	10	10	3400	22.3	+20	N.E.	2	Zo	58	85	54	6	5	-	-	10	10	1100	0	*	63	56	55	Tr	-	*	
	Lymnpe	283	20.2	+6	E.N.E.	2	id.	51	92	50	6	5	-	10	10	1500	23.6	+22	N.E.	2	c	63	85	49	7	5	-	-	9	9	1200	0	*	63	52	52	Tr	-	1.1	
	Manston	154	20.1	+10	N.E.	3	Zo	54	97	53	5	5	2	-	7-8	10	200	23.3	+18	N.E.'E.	2	c	55	85	7	5	7	-	-	7-8	9	2200	0	*	64	52	51	Tr	-	0.6
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	23.7	+18	N.E.'N.	2	c	54	85	50	8	5	7	7	-	4-6	94	1400	0	*	63	52	52	Tr	-	1.4			
	Felixstowe	12	20.7	+14	N.W.	1	Zo	52	92	49	6	5	-	10	10	1700	23.5	+18	N.E.	2	c	54	85	50	8	7	7	-	4-6	7-8	2500	0	1	64	42	41	Tr	-	0.2	
	Gorleston	5	20.5	+10	N.E.'E.	2	Zo	51	85	48	6	8	-	4-6	4-6	2500	23.9	+20	N.E.'E.	2	b	55	55	41	8	2	-	-	4-6	4-6	2500	0	2	59	50	45	Tr	-	0.0	
	Mildenhall	15	21.2	+10	N.E.'N.	2	c	51	92	48	7	5	1	-	4-6	9	6000	24.4	+22	N.E.'E.	2	b	52	75	45	8	1	-	-	2-3	2-3	2500	0	*	63	46	41	Tr	-	0.2
	Cranwell	203	21.6	+10	N.E.'N.	2	Zo	48	92	46	6	5	-	10	10	1500	24.4	+18	N.E.	2	b	51	75	45	8	1	4	9	1	2000	0	*	59	45	41	Tr	-	0.0		
3	Birmingham	536	*	*	*	*	*	*	*	*	*	*	*	23.9	+20	E	2	m	50	85	45	4	5	-	-	10	10	1800	0	*	61	49	47	-	-	0.0				
4	Upper Heyford	408	20.6	+14	N.E.'E.	2	Zo	51	92	49	5	5	-	10	10	600	23.3	+16	E.N.E.	4	c	51	85	47	7	5	2	-	9	10	1100	0	*	62	50	45	Tr	-	*	
	Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	22.7	+20	N.E.'E.	2	o	52	85	48	7	5	-	-	10	10	2000	0	*	62	52	45	-	-	0.0				
5	Hartland Point	299	19.8	+4	w	2	c	55	92	53	8	5	-	9-10	9	1500	21.7	+16	WN.W.	1	c	56	92	54	7	5	-	-	9-10	9	3000	0	2	61	55	54	-	-	0.3	
	Bristol	209	20.0	+6	-	0	Zo	55	97	54	5	5	-	9-10	9	2800	23.1	+22	NE	1	z	54	97	53	5	5	-	-	9-10	9	800	0	*	62	53	49	Tr	-	0.0	
	Portland Bill	32	19.6	+12	w	2	c	55	92	53	7	5	-	7-8	7-8	2500	21.2	+12	NE	2	c	57	85	53	7	5	-	-	10	10	2500	1	3	57	53	*	-	-	*	
	Plymouth	82	20.1	+6	NNW	1	bc	55	97	53	8	5	-	2-3	2-3	5700	21.8	+10	-	0	c	55	92	56	8	5	-	-	10	10	2000	0	2	58	51	41	Tr	-	0.0	
	The Lizard	240	20.4	+8	NW	1	c	55	97	53	8	8	2	9	10	1500	21.7	+14	-	0	c	56	97	56	8	7	3	-	7-8	7-8	3000	0	3	58	53	41	Tr	-	0.0	
	Scilly (St. Mary's)	163	20.3	0	NN'W	2	c	55	97	55	7	8	-	10	10	1200	22.1	+14	NNW	1																				

SECRETSaturday 20th June 1942
No. 29430Page 1
BRITISH
SECTIONTHE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

District.	STATIONS. (For heights see p. 4.)	OBSERVATIONS at 13h. G.M.T. 19th June												OBSERVATIONS at 18h. G.M.T. 19th June												PAST 24 HOURS.							
		Wind.			Cloud.			Wind.			Cloud.			Wind.			Cloud.			Wind.			Cloud.			Weather.							
		Barom. st. m.b.	Change in 3 hours.	Dir.	0-12 Force.	Temp. °F.	% Humid.	Dew Point. °F.	Visiblity.	Form.	Amount.	Height of Base (feet)	Barom. st. m.b.	Change in 3 hours.	Dir.	0-12 Force.	Temp. °F.	% Humid.	Dew Point. °F.	Visiblity.	Form.	Amount.	Height of Base (feet)	State of Ground	Sea.	7h.-13h. 19th.	13h.-18h. 19th.	18h.-24h. 19th.	1h.-7h. 20th				
1	London (Kew) Croydon ... S. Farnborough Boscombe Down Thorney Island Lyapne ... Manston ...	24.4 24.5 24.4 23.8 24.1 24.9 25.2	+6 +8 +6 +4 +8 +6 +6	SEE E E ESE ESE NE ENE	2 3 2 2 0 2 2	20 0 20 20 0 C bc	62 59 60 59 63 59 58	65 49 51 52 56 49 48	48 7 6 5 7 8 1	5 5 5 5 5 5 1	- - - - - - -	9+ 10 10 10 10 2-3 2-3	9+ 2-3 10 10 10 2-3 2-3	2500 2500 1800 900 1500 3500 2500	24.6 24.5 24.4 24.8 24.3 25.1 26.0	0 +2 -2 +6 -2 0 +6	E'S SE SE'S SSE SSE NE	2 2 1 2 2 1 1	20 C jd bc bc bc bc	62 75 51 56 52 46 75	65 51 6 55 52 46 47	49 6 7 5 5 5 9	6 8 7 5 5 5 -	- - - - - - -	7-8 9 7-8 10 Tr 0 0	9+ 3200 3500 1000 46 0 0	O O O 1 * 0 0	*	cmonzo omoido omodozo omormo omocmo cmoidoc cb cbob	czycz como czobcmo cmfoc, bc bmgmw bgbv b	b b b b b b b		
2	Shoeburyness ... Felixstowe ... Gorleston ... Mildenhall ... Cranwell ...	25.4 25.5 25.8 24.7 24.5	+6 +10 +8 +2 0	ESE E NE NWN E	3 2 3 2 2	bc c bc c c	59 57 55 63 60	75 65 55 45 47	49 45 41 45 47	8 5 8 7 8	1 4 1 1 1	- - - - -	2-3 2-3 4-6 7-8 7-8	2500 2500 3000 3000 3000	257 26.2 26.4 24.8 24.6	+4 +4 +2 +2 -2	E E E SE ESE	3 2 2 2 3	b b c 62 b	86 65 42 54 65	75 43 8 49 49	47 8 1 8 8	- - - - -	0 1 2-3 7-8 7-8	0 4000 3000 2500 0	O O 3 0 *	*	cbcb cbcc cybcy bcycybc bcb	bcbv b bbc bbwb ben,c,bm,	bw b bbc bbc b			
3	Birmingham ... Upper Heyford ... Ross-on-Wye	23.9 24.0 23.6	0 +6 0	S SSSE E	2 2 0	C C 60	62 63 75	65 49 54	51 49 56	8 7 5	5 5 5	- - -	9+ 9 10	4000 3100 2000	23.7 24.1 23.3	-2 +2 0	SE SSE S	2 2 2	C 20 20	64 65 75	53 51 55	8 6 6	- - - - -	7-8 7-8 7-8 1 1	2500 2500 3000 3000	O O 0 0	*	cb,c cbcc c cbczo	cbem cbzozm cof bc	cbem bm,cm,f om			
5	Hartland Point Bristol ... Portland Bill ... Plymouth ... The Lizard ... Scilly (St. Mary's) Guernsey ...	23.2 24.3 23.8 23.5 22.6 23.8	+6 +2 +12 +10 +2 +6	N NE E SE WS N	1 1 2 2 0 2	bc bc bc bc bc bc	59 60 57 61 60 62	85 85 85 53 56 57	53 56 53 57 56 57	7 6 7 8 6 8	5 5 5 6 5 8	- - - - - 3	4-6 4-6 4-6 4-6 4-6 4-6	2500 1000 2800 1500 2500 1500	23.9 24.3 25.1 24.1 23.9 24.6	+4 -2 +4 +4 +2 +6	WNN S SE SU bc N	2 1 3 2 2 2	bc z0 bc bc bc bc	61 62 56 61 64 60	75 75 52 85 75 85	53 56 52 56 55 55	7 4 3 7 7 8	- - - - - 4	2-3 4-6 4-6 2-3 2-3 2-3	2000 2000 2500 3000 3000 1200	O 0 2 2 2 0	2	bc cbczo bc bc bc bc	bc bc bc bc bc bc	bee q, b, m, o c bc bc bc		
6	Pembroke ... Holyhead (Valley) Chester (Sealand)	23.5 23.1 22.8	+4 +4 -10	SE SW SE	3 3 3	bc c bc	61 64 67	85 65 55	58 52 48	7 7 6	8 5 1	6 3 3	- - - - -	4-6 4-6 4-6 4-6 4-6	4000 4000 3500 2500 2500	24.1 22.7 23.0 23.1	0 -6 +2 -2	WN SSW NW SE	3 2 2 2	bc b c bc	60 61 65 66	85 50 50 55	56 59 50 52	8 2 7 6	- - - -	2-3 3500 7-8 5500	O 0 0 0	2	bcz bwbc c2oy bc2zoy	bc bc bc bc	bc bc bc bc		
10	Spurn Head ... Catterick ... Tynemouth ...	25.5 24.4 25.6	+6 0 0	ESE SE SE	2 2 4	bc bc bc	54 63 54	65 55 75	41 47 46	8 8 8	1 3 -3	3 3 0	2-3 4-6 2-3	4000 3000 2500	26.0 23.7 24.3	0 -4 -6	ESE SSE SE	3 3 5	bc c cpr	53 65 85	42 49 46	8 8 8	1 4 5	- - - - -	2-3 4000 9 3500	O 0 0 0	3	bc bcmbcy bc bcpc	c c c e	oemo bcnac c c			
11	St. Abbe Head Leuchars ...	22.7 23.4	+6 -6	SE E	3 3	bc c	56 58	75 65	48 46	8 8	1 5	4 5	- - - - -	2-3 4-6 4-6 4-6 4-6	3500 4000 4000 4000 4000	22.1 22.8 23.0 23.1	-6 -2 +2 -2	SE E NW SE	4 3 2 2	c c z0 bc	51 55 65 66	92 78 50 55	48 48 50 52	8 8 7 6	- - - -	9 3000 3500 5000 3000	O 0 0 0	5	cbc c cbc cbc	c c c c	cbc cmo cbc cbc		
12	Ronfrew (Abbots.) Eskdalemuir ... Point of Ayre ...	22.6 22.3 22.9	-2 -4 0	NNW SWW SE	1 3 4	z0 c bc	60 62 62	65 75 75	49 48 53	5 7 8	5 3 1	7 - - - -	4-6 7-8 7-8 Tr	2800 2800 2500 2500	22.1 22.1 22.1 0	-4 -4 -4 ESE	4 2 4 2	c z0 c bc	65 65 60 59	51 56 48 85	48 52 7 52	7 7 8 8	- - - -	4-6 5000 7-8 2800 4-6 3000	O 0 0 0 0 0	1	cbc cbc cbc cbc cbc cbc	c c cbc cbc cbc cbc	cbc cbc cbc cbc cbc cbc				
13A	Tiree ...	21.8	0	SSW	1	c	55	75	47	8	5	-	-	9+ 9+	2500	22.2	+2	-	0	c	54 55	85 85	49 48	8 8	- - -	9+ 2500 1	O 0	2	cid.	c od	od		
13B	Stornoway ...	21.4	-8	S	3	c pr	52	92	50	8	5	1	-	7-8 10	2500	21.0	0	W	2	c o	55 56	85 75	48 47	8 7	- - -	7-8 2500 0	O 0	1	cpr.	epr. o	epr.		
15	Dalwhinnie ... Aberdeen ... Wick ...	23.0 24.5 24.1	+2 -2 -4	SSW E SEE	2 3 2	c c c	53 51 50	75 75 65	45 43 37	7 5 5	2 3 7	- - - - -	9+ 9+ 9+ 9+	2500 2500 4000 2500	22.1 24.1 23.9	-2<br																	



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).
Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis is said to occur when a front is in process of dissolution.



Clarke's Projection Scale 1 : 4 x 10⁷ along meridian at 55° N.
Statute Miles 0 1 2 3 4 500

EXPLANATION OF CHART.

BAROMETER. Isobars are drawn for intervals of four millibars.

WIND. Arrows fly with wind. A full length feather indicates two steps on the Beaufort Scale, and a short feather one step. Calm is indicated by circle outside weather symbol: —○—

TEMPERATURE is given in degrees F.

WEATHER SYMBOLS: —○— Clear sky. ○ Sky less than 3/10 clouded. (○) Sky 4/10 to 6/10 clouded.

(●) Sky 7/10 to 9/10 clouded. (●) Overcast sky. ● Rain falling. * Snow. # Sleet. △ Hail.

Fog. = Mist. = Thunderstorm. ☀ Slight haze. ☀

The hour of observation is not uniform throughout the Hemisphere; a chart showing the hours at which the observations are taken is contained in the Introduction.

FRONTS or boundaries between masses of air of different origin are indicated, wherever their characteristics are well pronounced in the following way:

— Warm Front on the Surface
— Warm Front above the ground
— Cold Front on the surface
— Cold Front above the ground

— Occluded Front (or Occlusion)

— Warm Occlusion

— Cold Occlusion

— Lines of Frontogenesis

Short strokes across the frontal line indicate Frontolysis. (For explanation see page 3.)

NOTE. The symbols are placed on the side of the line towards which the front is moving. When the front is stationary, the symbols are placed alternately on both sides of the line.

All times are G.M.T. Add two hours to get double summer time.

BRITISH
SECTIONTHE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.Saturday 20th June 1942
No. 29430

District.	Stations.	Observations at 1 hr. G.M.T. 20th June															Observations at 7 hr. G.M.T. 20th June															Past 24 Hours.							
		Height above M.S.L. in feet.	Barom. M.S.L. mb. (1)	Change in 3 hours.	Wind.		Temp. °F. (6)	% Humid. (7)	Point. Dew Point. (8)	Cloud.			Barom. M.S.L. mb. (16)	Change in 3 hours.	Wind.		Temp. °F. (21)	% Humid. (22)	Point. Dew Point. (23)	Cloud.			Sea. 0-9 (30)	Max. Day 7b-18h 7b-18h "F. (31)	Min. Night 18h-7h "F. (32)	Min. on Grass "F. (33)	Temperature.		Rainfall.		Sun-shine 19th Rm. (36)								
					Dir.	Force. 0-12 (4)				Form. (9)	Amount. (10)	Height of Base. (feet) (15)			Dir.	Force. 0-12 (18)				Form. (24)	Amount. (25)	Height of Base. (feet) (29)					Max. Day 7b-18h 7b-18h "F. (34)	Min. Night 18h-7h "F. (35)	Day 7h-18h mm. (36)	Night 18h-7h mm. (37)									
1	London (Kew) ...	18	*	*	S E	0	49	*	*	*	*	*	*	*	25.7	+4	WSW	2	Zo	55	75 48	6	5	-	-	10	2500	0	*	65	49	38	-	-	7.2				
	Croydon ...	290	25.8	-	S	2	b	48	97	46	6	5	-	-	25.9	+2	SSW	1	c	54	75 47	7	5	-	-	10	1400	0	*	64	47	48	-	-	1.3				
	S. Farnborough ...	226	25.6	+6	S	2	z	54	85	51	6	5	-	-	25.9	+2	WSW	1	c	55	85 51	6	5	-	-	10	1000	0	*	65	81	41	-	-	0.7				
	Boscombe Down ...	417	25.9	+6	S	2	m/F	50	97	50	4	5	-	-	26.1	+2	ENE	2	c	52	92 51	7	8	2	-	7-8	9	3500	0	*	61	41	39	-	-	0.0			
	Thorney Island ...	10	25.8	+4	-	0	fg	48	97	48	4	-	-	-	25.9	+4	-	0	c	54	85 50	8	5	-	-	9+ 9+	4000	0	*	63	43	40	-	-	*				
	Lyminge ...	283	26.0	+2	-	0	b	46	92	44	8	-	-	-	26.4	+2	-	0	b	54	75 48	9	5	-	-	0	0	0	*	60	39	-	-	-	6.2				
	Manston ...	154	26.1	+2	E	1	b	47	92	45	8	-	-	-	26.2	-2	-	0	b	56	75 49	9	5	-	-	T/T	2500	0	*	59	42	31	-	-	10.6				
2	Shoeburyness ...	11	*	*	*	*	*	*	*	*	*	*	*	*	26.1	+2	SSE	2	b	56	75 49	8	-	3	-	0	1	-	0	*	60	42	-	-	-	9.4			
	Felixstowe ...	12	25.9	-2	ESE	2	b	53	75	46	8	5	-	-	26.4	+6	SSE	1	b	55	75 48	8	-	-	-	0	0	0	*	60	45	38	-	-	9.8				
	Gorleston ...	5	26.4	0	SW	1	b	50	75	42	9	-	4	-	26.1	-4	SW	3	bc	50	75 43	8	-	7	-	0	2-3	-	0	0	2	56	46	39	-	-	13.0		
	Mildenhall ...	15	25.8	+2	SE	2	b	45	92	42	7	-	-	-	25.8	0	SSW	3	b	53	92 50	8	-	-	-	0	0	0	*	67	41	39	-	-	12.0				
	Cranwell ...	203	25.0	-2	SE'S	3	z	47	97	45	6	5	-	-	24.6	+2	SUS	2	zo	55	92 52	6	-	3	-	0	T/T	-	0	*	62	45	41	-	-	13.3			
3	Birmingham ...	536	*	*	*	*	*	*	*	*	*	*	*	*	24.9	+4	SW	2	c	57	92 55	4	5	7	-	-	Tr	1	2500	0	*	66	54	50	-	-	3.2		
4	Upper Heyford ...	408	25.4	+10	ESE	1	m	52	92	48	4	-	-	-	25.2	+2	SU	2	f-	53	97 52	3	-	-	-	10	4500	0	*	66	50	45	-	-	*				
	Ross-on-Wye ...	223	*	*	*	*	*	*	*	*	*	*	*	*	25.1	+4	SUW	1	zo	57	92 55	5	5	-	-	10	10	800	0	*	65	54	46	-	-	0.8			
5	Hartland Point ...	299	24.8	+4	-	0	b	55	92	52	8	4	-	-	Tr	Tr	1500	25.9	+10	SSE	1	c	55	92 53	7	5	-	-	9+ 9+	900	0	1	62	50	48	-	-	8.3	
	Bristol ...	209	25.6	+4	SW	1	z	54	97	54	6	5	-	-	24.8	+8	S	2	z	58	85 55	6	5	-	-	Tr	Tr	1500	0	*	65	52	44	-	-	0.6			
	Portland Bill ...	32	25.3	+2	E	1	c	53	85	49	7	5	-	-	9	9	4000	25.7	+2	E	2	c	56	92 54	7	5	-	-	10	10	4000	1	2	60	50	40	-	-	*
	Plymouth ...	82	25.4	0	SE'E	1	f+	54	97	54	3	5	-	-	10	10	3000	25.9	+4	O	0	f	53	97 53	1	5	-	-	10	10	200	0	1	64	51	49	-	-	5.3
	The Lizard ...	240	25.1	+2	-	0	c	56	92	54	8	8	-	-	7-8	7-8	1500	25.3	+2	O	0	f	53	97 52	2	5	-	-	10	10	400	0	1	65	52	40	-	-	6.3
	Scilly (St. Mary's) ...	163	25.3	+2	N	2	c	54	99	54	7	5	-	-	7-8	7-8	1500	25.4	+2	N'E	2	c	56	97 55	8	5	-	-	10	10	1500	0	2	62	53	30	-	-	10.1
	Guernsey ...	175	*	*	*	*	*	*	*	*	*	*	*	*	25.4	+6	WSW	2	e	56	97 55	8	5	-	-	10	10	1500	0	2	62	53	30	-	-	*			
6	Pembroke ...	142	25.4	+6	WSW	2	z																																

~~SECRET~~

Sunday 21st June 1942

No. 29431

Page 1 BRITISH SECTION

**THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.**

DISTRICTS.

FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON, G.M.T. Sunday 21st June 1942


- | | | |
|--|---|---|
| 1 S.E. England | | |
| 2 E. England ... | Light variable wind; mainly fine and warm; cool on the coast; local mist in early morning. | |
| 3 E. Midlands ... | | |
| 4 W. Midlands | | |
| 5 S.W. England | Light variable wind; fair or fine and rather warm inland; cool on the coast, with fog patches. | |
| 6 South Wales | | |
| 7 North Wales | Light or moderate Southwest wind; cloudy; slight rain or drizzle; patches of fog on coast; average temperature. | |
| 8 N.W. England | | |
| 9 N. Midlands ... | Light Southwest wind; fair; rather warm. | |
| 10 N.E. England | Light or moderate Southwest wind; cloudy; rain at times; average temperature. | |
| 11 S.E. Scotland | | |
| 12 S.W. Scotland & Isle of Man | Moderate South to Southwest wind; cloudy; rain or drizzle at times; patches of fog on coast; average temperature. | |
| 13A W. Scotland ... | | |
| 13B N.W. Scotland | | |
| 14 Mid Scotland | Moderate South to Southwest wind; cloudy; rain or drizzle at times; average temperature. | |
| 15 N.E. Scotland | | |
| 16 Orkneys and Shetlands | As 14-15. | |
| 17 N. W. Ireland | Moderate Southwest to West wind; cloudy with occasional rain at first; bright intervals later; average temperature. | |
| 18 N. E. Ireland | | |
| 19 S. E. Ireland | | |
| 20 S. W. Ireland | Light Southwest to West wind; variable cloud; local thunder; rather warm to average temperature. | |
| | | GENERAL INFERENCE |
| A large anticyclone over the North Sea and Southern Britain is declining slowly. A trough of low pressure over Scotland and another trough off West Ireland are moving slowly east. Weather will continue fine and warm in the South and Midlands but it will be cloudy with rain at times in the North. | | |
| | | FURTHER OUTLOOK |
| Further rain in Northeast Scotland. Fair periods elsewhere but occasional thunder rain spreading East. | | |
| Forecasts issued at 10.30. | | N. K. JOHNSON, D.Sc., A.R.C.S., Director.
Meteorological Office, Air Ministry, Kingsway, London, W.C.2 |

FURTHER OUTLOOK

Further rain in Northeast Scotland. Fair periods elsewhere but occasional thundery rain spreading East.

Forecasts issued at 10.30

N. K. JOHNSON, D.Sc., A.R.C.S., Director.
Meteorological Office, Air Ministry, Kingsway, London, W.C.2



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).
Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions of the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis is said to occur when a front is in process of dissolution.



EXPLANATION OF CHART.

BAROMETER. Isobars are drawn for intervals of four millibars.

WIND. Arrows fly with wind. A full length feather indicates two steps on the Beaufort Scale, and a short feather one step. Calm is indicated by circle outside weather symbol: —○—

TEMPERATURE is given in degrees F.

WEATHER SYMBOLS: —○— Clear sky. ○ Sky less than 3/10 clouded. (○) Sky 4/10 to 6/10 clouded. (●) Sky 7/10 to 9/10 clouded. (●●) Overcast sky. ● Rain falling. * Snow. # Sleet. △ Hail.

Fog = Mist = Thunder. (%) Thunderstorm. % Slight haze. ☀

The hour of observation is not uniform throughout the Hemisphere; a chart showing the hours at which the observations are taken is contained in the Introduction.

FRONTS or boundaries between masses of air of different origin are indicated, wherever their characteristics are well pronounced in the following way:
 — Warm Front on the Surface
 — Warm Front above the ground
 — Cold Front on the surface
 — Cold Front above the ground
 — Occluded Front (or Occlusion)
 — Warm Occlusion
 — Cold Occlusion
 — Lines of Frontogenesis
 Short strokes across the frontal line indicate Frontolysis. (For explanation see page 3.)

NOTE. The symbols are placed on the side of the line towards which the front is moving.
When the front is stationary the symbols are placed alternately on both sides of the line.

All times are G.M.T. Add two hours to get double summer time.

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Sunday 21st June 1942
No. 29431

DISTRICT.	STATIONS.	OBSERVATIONS at 1 hr. G.M.T. 21st June																OBSERVATIONS at 7 hr. G.M.T. 21st June																PAST 24 HOURS.								
		Height above M.S.L. in feet.		Bartn. at. mb.	M.S.L.	Change in 3 hours.	Wind.		Weather.	Temp.		Humid.	Dew Point.	Visibilit.	Cloud.			Barom. at. M.S.L.		Change in 3 hours.	Wind.		Weather.	Temp.		Humid.	Dew Point.	Visibilit.	Cloud.			Form.		Amount.	Height of Base (feet)	State of Ground.	Sea.	TEMPERATURE.		RAINFALL.		SUN- SHINE 24h Hrs.
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)			
1	London (Kew)	18	*	*	*	*	*	*	*	56	*	53	C	-	*	*	*	*	*	*	23.4	0	SSW	2	z _o	60	85	54	G	-	-	-	0	0	0	0	0	75	52	42	-	S.8
	Croydon	290	24.1	0	s	2	z _o	55	92	53	G	-	56	53	55	6	61	85	55	6	23.5	-2	SSW	2	b	73	53	47	-	7.3												
	S. Farnborough	226	24.3	-2	s	2	z _o	53	85	50	G	-	56	53	54	6	59	85	54	6	23.5	+2	-	0	z _o	77	50	39	-	7.3												
	Boscombe Down	417	24.4	0	WN	2	z _o	55	92	53	5	-	56	53	54	6	58	85	53	6	24.0	+2	NW'N	1	z _o	73	50	42	-	7.3												
	Thorney Island	10	24.3	-2	ENE	1	z _o	50	92	45	4	-	56	53	53	6	57	85	53	6	23.4	0	ESE	1	z _o	65	48	45	-	*												
	Lymnep	283	24.5	-4	-	0	5	49	85	45	7	-	56	53	54	8	60	75	53	8	24.1	0	ESE	1	b	61	44	*	-	14.2												
	Manston	154	24.8	-4	-	0	5	51	92	50	8	-	56	53	54	8	58	85	54	8	23.9	-2	SE'S	1	z _o	63	49	39	-	Tr 14.0												
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	23.8	0	SE	1	b	61	55	42	8	-	0	0	0	65	49	43	-	13.0					
	Felixstowe	12	24.1	-4	S'E	2	bc	58	85	52	7	5	-	56	52	52	8	59	75	52	8	24.1	+6	S'E	2	b	63	53	46	-	12.7											
	Gorleston	5	24.0	-2	S'E'S	2	z _o	54	85	48	6	-	56	53	50	7	58	75	50	7	24.3	0	S	3	bc	61	53	48	-	10.8												
	Mildenhall	15	23.5	-4	SSE	2	z _o	58	75	46	6	-	56	53	54	6	59	55	43	6	23.1	-2	S.	1	z _o	74	50	43	-	8.7												
	Cranwell	203	23.1	-2	L	0	z _o	56	92	54	6	5	-	56	53	55	7	63	75	56	6	22.6	+2	NNW	1	z _o	73	55	46	-	8.8											
3	Birmingham	536	*	*	*	*	*	*	*	55	85	51	8	5	-	56	54	54	8	64	75	56	4	-	-	0	0	0	73	55	43	-	7.1									
4	Upper Heyford	408	23.3	-2	-	0	z _o	62	85	57	G	5	-	56	57	56	6	61	85	56	6	23.0	0	W	1	b	74	56	48	-	7.0											
	Ross-on-Wye	223	*	*	*	*	*	*	*	55	92	57	G	5	-	56	55	55	7	59	85	55	7	23.2	-8	NW	1	z _o	75	52	44	-	7.0									
5	Hartland Point	299	24.6	-6	NW	1	c	55	85	51	8	5	-	56	52	52	8	54	97	52	6	23.5	0	NE	2	o	61	53	52	-	10.7											
	Bristol	209	24.6	-2	-	0	z _o	52	97	51	G	-	56	52	52	8	56	97	52	3	24.2	-2	0	bF	0	56	97	52	3	72	49	42	-	11.3								
	Portland Bill	32	24.5	-2	SW	1	b	55	92	53	8	-	56	52	53	8	57	95	52	3	22.6	+10	NW	1	bc	60	85	56	7	-	4.6	4.6	4.00	-	1.8							
	Plymouth	82	24.4	-6	NW	1	z _o	55	92	53	7	-	56	52	53	6	58	92	53	6	23.8	+2	0	bF	0	55	92	53	6	60	51	45	-	6.5								
	The Lizard	240	24.5	-8	N	2	bc	55	97	55	7	4	-	56	94	54	8	59	85	55	7	22.7	-6	ENE	2	bc	59	85	55	7	60	54	*	-	4.3							
	Scilly (St. Mary's)	163	24.7	-4	NE'S	3	b	54	97	53	7	4	-	56	94	54	8	55	97	55	7	23.3	-4	E'N	2	ft	55	97	55	7	64	53	*	-	0.5							
	Guernsey	175	*	*	*	*	*	*	*	55	85	51	8	5	-	56	53	53	8	59	97	55	7	-	-	0	0	0	2	64	53	*	-	0.5								
6	Pembroke	142	24.7	-8	WSW	3	c	55	85	51	8	8	-	56	52	52	8	56	92	54	8	23.5	-2	SW'W	3	c	56	92	54	8	5	-	10	10	2500	0	1	61	49	*	-	4.5
7	Holyhead (Valley)	32	23.4	-8	S'W	4	c	55	92	52	8	5	-	56	92	52	8	57	85	53	8	22.2	0	S'W	4	c	57	85	53	8	59	52	*	-	4.5							
8	Chester (Sealand)	16	23.9	-8	SE	1	fg	53	97</																																	

~~SECRET~~

Monday 22nd June 1942

No. 29432

Page 1 BRITISH SECTION

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

DISTRICTS.

FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON, G.M.T., Monday, 22nd June.

- | | |
|-----------------------------------|--|
| 1 S.E. England | Light Variable or Southeast winds; mainly fine; local coast fog; very warm |
| 2 E. England ... | |
| 3 E. Midlands ... | |
| 4 W. Midlands | |
| 5 S.W. England | |
| 6 South Wales | |
| 7 North Wales | |
| 8 N.W. England | |
| 9 N. Midlands ... | Light Southeast wind veering West; fair at first; local thundery rain; thunderstorms later; local coast fog; |
| 10 N.E. England | warm becoming a little cooler. |
| 11 S.E. Scotland | |
| 12 S.W. Scotland
& Isle of Man | Light or moderate South wind, veering Southwest; occasional rain; local thunder; local coast fog; |
| 13A W. Scotland ... | bright intervals later; warm becoming cooler. |
| 13B N.W. Scotland | |
| 14 Mid Scotland | |
| 15 N.E. Scotland | |

- | | |
|--------------------------|-----------|
| 16 Orkneys and Shetlands | 48 11-15 |
| 17 N. W. Ireland | |
| 18 N. E. Ireland | Light or |
| 19 S. E. Ireland | |
| 20 S. W. Ireland | local th. |


An anticyclonic ridge is giving way slowly. A feeble cold front over West Ireland is moving slowly east. There will be occasional rain in the North with perhaps local thunder but it will continue fine and very warm in the South and Midlands.

FURTHER OUTLOOK

Chance of local thunderstorms in Great Britain

Forecasts issued at 10.30h.

N. K. JOHNSON, D.Sc. A.R.C.S., Director.
Meteorological Office, Air Ministry, Kingsway, London, W.C.2



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).
Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin.
In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis is said to occur when a front is in process of dissolution.



THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Monday 22nd June 1942
No. 29432

OBSERVATIONS at 1 hr. G.M.T. 22nd June

OBSERVATIONS at 7 hr. G.M.T. 22nd June

PAST 24 HOURS.

District.	STATIONS.	Height above M.S.L. in feet.	Barom. at M.S.L.	Cloud.												Cloud.												PAST 24 HOURS.																			
				Wind.				Weather.				Form.				Wind.				Weather.				Form.				Wind.				Weather.				Temperature.				Rainfall.				Sun-shine			
				Change in 3 hours.	Dir.	Force 0-12	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)						
1	London (Kew)	18	*	*	*	*	*	b	58	*	*	*	*	*	*	*	*	*	*	20.7	-2	-	20.4	-6	SE	2	b	65	65	54	6	-	5	-	0	2-3	-	0	*	79	SS	44	-	-	10.4		
	Croydon	290	21.3	-2	SSE	1	b	60	57	60	7	-	-	-	0	0	-	0	0	20.4	-6	SE	2	b	67	65	55	7	-	8	-	0	Tr	-	0	*	79	SG	52	-	-	14.0					
	S. Farnborough	226	20.9	-2	SSE	1	2	57	85	51	6	-	-	0	0	-	0	0	20.1	-6	-	0	0	b	62	75	55	6	-	4	-	0	1	-	0	*	78	S2	40	-	-	10.8					
	Boscombe Down	417	21.1	-6	E	2	2	60	65	58	6	-	3	-	0	2-3	-	20.8	-6	E'S	3	b	63	75	55	7	-	3	9	0	7-8	-	0	*	77	S3	46	-	-	10.0							
	Thorney Island	10	20.8	-6	ENE	2	b	53	85	49	8	-	3	-	0	1	-	22.2	-2	E'S	1	b	66	65	53	7	-	8	1	0	1	-	0	*	69	S1	48	-	-	*							
	Lyminge	283	21.3	-2	ESE	2	b	58	85	52	7	-	-	0	0	-	21.1	-2	SE	1	b	63	85	58	6	-	3	0	0	Tr	-	0	*	72	SS	*	-	-	14.5								
	Manston	154	21.8	-2	SE	1	2	57	92	55	6	-	-	0	0	-	21.1	-2	SE	1	b	63	85	58	6	-	3	0	0	Tr	-	0	*	69	SS	48	-	-	14.2								
2	Shoreburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	21.4	-2	ESE	1	b	64	75	57	7	-	3	4	0	2-3	-	0	*	71	S1	43	-	-	12.3						
	Felixstowe	12	22.0	0	SE	1	b	60	85	54	8	-	-	0	0	-	21.6	-2	SE'S	1	b	62	85	57	6	-	3	4	0	2-3	-	0	*	62	SS	49	-	-	11.4								
	Gorleston	5	22.4	-2	S'W	2	bc	57	85	51	7	-	4	-	0	4-6	-	22.1	+2	SE'S	3	bc	58	85	55	7	-	4	0	4-6	-	0	*	64	SS	49	-	-	7.0								
	Mildenhall	15	21.0	-2	SSE	2	c	59	75	50	7	-	7	-	0	7-8	-	20.8	0	SE	3	bc	63	75	54	7	-	3	9	0	2-3	-	0	*	79	S6	S1	-	-	7.1							
3	Birmingham	536	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	19.9	0	SSE	2	b	65	75	59	5	-	8	4	0	4-6	-	0	*	79	SS	46	-	-	13.3							
4	Ross-on-Wye	408	20.6	+2	SW	1	zo	60	75	53	6	-	4	-	0	Tr	-	20.4	+6	SSW	1	bc	61	65	50	7	-	3	3	0	4-6	-	0	*	78	56	-	-	*	12.5							
5	Hartland Point	299	20.2	-2	NE	2	b	56	85	52	7	-	-	0	0	-	18.3	-12	ENE	2	bc	61	65	52	7	-	4	9	0	2-3	-	0	*	57	S4	50	-	-	11.5								
	Bristol	209	21.2	0	-	0	2	57	92	55	6	-	4	-	0	Tr	-	20.9	0	bc	58	85	49	7	-	3	4	0	2-3	-	0	*	76	S3	42	-	-	11.5									
	Portland Bill	32	20.3	-8	E	1	bc	57	85	53	7	2	-	-	46	4-6	4000	19.4	-4	ENE	2	c	60	85	56	7	2	-	2	7-8	4000	1	2	63	S4	*	-	*	13.1								
	Plymouth	82	20.7	-4	-	0	2	53	97	52	6	-	-	0	0	-	18.9	-6	E'S	1	zo	60	75	52	6	-	2	0	4-6	-	0	*	65	S0	43	-	-	13.5									
	The Lizard	240	20.4	-4	ENE	3	bc	57	92	54	8	4	-	-	2-3	2-3	2500	18.1	-6	NE	3	bc	59	75	51	8	4	-	-	2-3	2500	0	2	66	S4	*	-	*	5.8								
	Scilly (St. Mary's)	163	20.3	-6	NE	2	f	53	97	53	2	-	-	10	10	150	19.0	-2	NNW	2	F+	54	97	54	0	-	-	10	10	150	0	2	62	SO	*	-	Tr	12.5									
	Guernsey	175	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	19.9	-6	NE	2	bc	57	97	53	2	-	3	0	0	94	-	0	*	77	SS	47	-	-	12.5							
6	Pembroke	142	20.4	-8	NW	2	b	55	92	52	7	-	-	0	0	-	19.3	-6	'N'E	2	b	57	92	54	7	-	1	0	Tr	-	0	*	62	48	-	-	4.7										
7	Holyhead (Valley)	32	19.5	-8	S	2	c	55	92	52	8	-	9	3	0	7-8	-	18.4	-6	S'W	3	b	57	85	53	6	-	9	-	0	4-6	-	0	*	61												

Page 1 BRITISH SECTION

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Tuesday 23rd June 1942
No 29433

DISTRICTS.

FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON, G.M.T. Tuesday 23rd June 1932.

- | | |
|-----------------------------------|---|
| 1 S.E. England | |
| 2 E. England ... | Light variable winds; mainly fine, but possibly a few isolated thunderstorms; warm. |
| 3 E. Midlands ... | |
| 4 W. Midlands | |
| 5 S.W. England | |
| 6 South Wales | |
| 7 North Wales | Light Northwest wind; mainly fair; somewhat cooler. |
| 8 N.W. England | |
| 9 N. Midlands ... | |
| 10 N.E. England | |
| 11 S.E. Scotland | |
| 12 S.W. Scotland
& Isle of Man | Light and variable West wind; variable cloud; local rain; cooler. |
| 13a W. Scotland ... | |
| 13b N.W. Scotland | |
| 14 Mid Scotland | |
| 15 N.E. Scotland | |

- 16 Orkneys and Shetlands
 - 17 N. W. Ireland
 - 18 N. E. Ireland
 - 19 S. E. Ireland
 - 20 S. W. Ireland

As 12-15

Light West wind; fair; cooler.

GENERAL INFERENCE


A shallow depression covers East and Southeast England, and a small depression off North Scotland is moving northeast. There will be some local rain in Scotland and North Ireland. Elsewhere weather will be fair, apart from some isolated thunderstorms chiefly in East and Southeast England and the Midlands.

FURTHER OUTLOOK

Similar

Forecasts issued at 10.30.

N. K. JOHNSON, D.Sc., A.R.C.S., Director,
Meteorological Office, Air Ministry, Kingsway, London, W.C.2



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).
Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special

Occlusion. The air between the warm and the cold front of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

as "warm" or "cold" occlusions.

Frontolysis is said to occur when a front is in process of dissolution.



THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Tuesday 23rd June 1942
No 29433

DISTRICT.	STATIONS.	OBSERVATIONS at 1 hr. G.M.T. 23rd June												OBSERVATIONS at 7 hr. G.M.T. 23rd June												PAST 24 HOURS.															
		Wind.			Cloud.			Wind.			Cloud.			Temperature.			Rainfall.			SUS-SHINE																					
		Height above M.S.L. in feet.	Barom. at M.S.L.	Change in 3 hours.	Dir.	Force.	Temp.	Humid.	Dew Point.	% F.	0-9	Low.	Med.	High.	Barom. at M.S.L.	Change in 3 hours.	Dir.	Force.	Weather.	Temp.	Humid.	Dew Point.	Visibility	Height of Base (feet)	State of Sea.	Max. Day 7h-18h °F.	Min. Night 18h-7h °F.	Min. on Grass 7h-18h mm.	Day 18h-7h mm.	Night 18h-7h mm.	22nd Hr.										
1	London (Kew) ...	18	*	*	S	1	bc	59	32	56	*	*	*	*	16.2	+2	SW	1	20	63	75	54	6	5	-	-	1	1	4000	0	*	81	56	43	-	-	14.2				
	Croydon ...	290	17.3	-4	-	0	zo	57	85	51	-	-	8	-	16.3	-6	-	0	20	66	75	56	6	-	-	1	0	-	-	-	54	50	-	-	-	14.6					
	S. Farnborough ...	226	16.8	-2	-	0	zo	56	85	53	6	-	-	0	-	16.1	-2	W'S	1	20	61	75	53	6	-	-	4	-	0	*	80	53	39	-	-	14.6					
	Beecombe Down ...	417	17.7	-2	-	0	zo	56	92	53	6	-	-	0	-	17.4	+2	NW	3	20	54	92	53	2	-	-	10	10	150	0	*	77	49	41	-	-	13.3				
	Thorney Island ...	10	17.1	-2	NNW	1	bif	55	92	53	6	-	1	0	Tr	-	16.1	-2	WNW	2	20	61	85	56	6	-	-	3	-	0	2.3	-	0	*	77	51	-	-	-	13.3	
	Lyminge ...	283	18.1	-2	-	0	bc	63	75	56	7	-	8	1	0	4.6	-	17.3	-2	SE	1	20	66	65	56	6	-	8	+	4.6	-	0	81	76	55	-	-	14.7			
	Manston ...	154	17.0	-10	SE	1	zo	60	92	58	6	-	3	2	0	4.6	-	16.1	+2	NNW	1	20	68	75	56	6	-	8	-	0	4.6	-	0	*	72	59	55	-	-	13.3	
2	Shoeburyness ...	11	*	*	*	*	*	*	*	*	*	*	*	*	16.6	-2	ENE	1	20	65	85	59	5	-	3	-	0	1	-	0	*	73	54	47	-	-	14.0				
	Felixstowe ...	12	17.5	-10	SE	3	zo	63	75	56	6	-	8	-	0	4.6	-	16.3	-2	JSE	1	20	64	85	59	6	-	7	-	0	2.3	-	0	1	69	58	52	-	-	13.3	
	Gorleston ...	5	18.6	-4	SSE	2	zo	60	85	53	6	-	4	-	0	4.6	-	17.4	-2	S	2	20	60	85	56	6	-	5	-	0	4.6	-	0	2	65	58	52	-	-	11.3	
	Mildenhall ...	15	17.1	-2	-	0	bc	60	75	52	7	-	4	-	0	2.3	-	16.1	0	SW'W	1	20	65	75	54	7	-	3	-	0	1	-	0	*	80	53	47	-	-	12.7	
	Cranwell ...	203	16.2	-4	SW	3	zo	57	85	52	6	-	7	-	0	1	-	15.5	-2	NNW	3	20	62	75	54	6	-	4	-	0	1	-	0	*	70	53	44	-	-	10.1	
3	Birmingham ...	536	*	*	*	*	*	*	*	*	*	*	*	*	16.7	0	NNW	2	20	60	85	56	5	-	-	7	-	0	1	-	0	*	80	56	50	-	-	11.8			
4	Upper Heyford ...	408	16.5	+2	S	1	b	60	75	53	6	-	0	0	-	16.0	-2	NNW	1	20	59	85	55	5	-	-	0	0	-	0	*	70	54	47	-	-	*				
5	Ross-on-Wye ...	223	*	*	*	*	*	*	*	*	*	*	*	*	16.8	0	NNW	2	20	60	85	55	6	-	-	1	1	3000	0	*	79	53	45	-	-	8.8					
6	Hartland Point ...	299	17.5	-4	WNW	2	bc	56	92	53	8	+	-	-	2.3	2.3	2800	16.9	0	WSW	2	20	58	85	54	8	5	-	4	-	7.8	7.8	3500	0	2	66	56	52	-	-	14.3
	Bristol ...	200	17.8	+2	-	0	zo	55	92	53	6	-	-	0	0	-	17.7	+2	W	2	20	58	97	58	1	-	-	-	10	10	150	0	*	78	51	43	-	-	11.4		
	Portland Bill ...	32	-12	E	1	bc	55	85	51	7	5	-	-	-	2.3	2.3	4000	16.1	+2	NW	2	20	58	85	54	7	2	-	-	4.6	+4.6	4000	0	2	63	53	*	-	-	*	
	Plymouth ...	82	17.3	-2	NNW	1	zo	56	92	52	6	-	-	0	0	-	17.7	+2	NNW	2	20	60	85	58	8	1	-	-	4.6	1	1500	0	69	54	47	-	-	13.4			
	The Lizard ...	240	18.9	+4	NNW	2	bc	54	92	52	8	-	-	-	2.3	2.3	2500	18.3	0	NNW	3	20	57	92	55	8	7	-	-	2.3	2.3	800	0	3	68	53	*	-	-	14.0	
	Scilly (St. Mary's) ...	163	19.3	-2	NW	3	'	55	85	51	8	-	-	0	0	-	19.1	+2	NNW	5	20	58	85	54	8	5	-	4	4.6	2.3	1800	0	2	65	45	*	-	-	8.9		
	Guernsey ...	175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
7	Pembroke ...	142	17.6	-2	NW	3	b	56	97	55	8	4	4	-	-	4.6	-4.6	4000	18.3	+8	NE	4	20	59	75	52	8	2	5	3	2.3	7.8	3000	0	2	62	49	*	-	-	13.0
8	Holyhead (Valley) ...	32	17.0	-2	S	2	c	57	97	55	8	5	5	-	-	7.8	-10	280																							


SECRET

Wednesday 24th June 1942

No. 22434

Page 1
BRITISH
SECTIONTHE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

District.	Stations. (For heights see p. 4)	Observations at 13h. G.M.T. 23rd June												Observations at 18h. G.M.T. 23rd June												Past 24 Hours.										
		Wind.			Cloud.			Wind.			Cloud.			Wind.			Cloud.			Wind.			Cloud.			Weather.										
		Barom. mb. (1)	Change in hours. (2)	Dir. (3)	0-12 (4)	Weather. (5)	% F. (6)	Dew Point. °F. (7)	Humid. 0-9 (8)	Visibil. Low. (9)	Form. (10)	Amount. Low. (11)	Height of Base (feet) (12)	Barom. mb. (16)	Change in hours. (17)	Dir. (18)	Weather. (19)	Dew Point. °F. (20)	Humid. 0-9 (21)	Visibil. Low. (22)	Form. (23)	Amount. Low. (24)	Height of Base (feet) (25)	Barom. mb. (26)	Change in hours. (27)	Dir. (28)	Weather. (29)	Dew Point. °F. (30)	Humid. 0-9 (31)	Visibil. Low. (32)	State of Ground. (33)	Sea. 0-9 (39)	7h.-13h. 23rd (40)	13h.-18h. 23rd (41)	18h. 24th to 1h. 24th (42)	1h.-7h. 24th (43)
1	London (Kew)	14.4	-10	NW	1	bc	28	45 53	7	1	-	2-3 2-3	2500	13.5	+6	NW	2	bc	81	35 36	8	7	4	1	2-3 4-6	2500	0	*	babey	babey	babey	bcc				
	Croydon	14.8	-10	NW	1	bc	81	45 53	7	1	-	2-3 2-3	2800	13.7	-6	NW	2	c	80	25 45	8	4	-	-	7-8	8500	0	*	b2oyby	b2oyby	b2oyby	o2o				
	S. Farnborough	14.3	-6	W	3	b	88	35 56	8	1	+	1	4000	13.6	-4	W	3	b	81	25 45	8	1	0	-	0	*	b2y	b2y	b2y	cmo						
	Boscombe Down	14.3	-6	NNW	3	z	70	60 58	6	1	-	1	1500	14.3	-2	NNW	4	z	72	65 58	6	1	0	-	0	*	obcamby	obcamby	obcamby	cpo						
	Thorney Island	13.5	-2	SSW	3	z	73	55 56	8	1	-	1	1500	14.3	-6	WSW	3	z	73	65 59	6	1	-	0	-	0	*	b2y2b2y	b2y2b2y	b2y2b2y	b2y2b2y					
	Lymupne	16.0	-10	S	3	b	73	55 56	8	1	-	1	1500	15.1	-6	SSW	1	bc	74	55 55	7	1	0	-	0	*	b2yb2y	b2yb2y	b2yb2y	b2yb2y						
	Manston	14.7	-6	SE	3	z	78	45 57	6	3	8	4	1500	14.9	-6	SSW	8	2	76	55 60	8	2	6	-	2-3 7-8	5200	0	*	b2yb2y	b2yb2y	b2yb2y	b2yb2y				
2	Shoeburyness	15.2	-16	SEE	2	b	74	65 61	5	3	-	0	1	-	13.7	-6	S'E	1	bc	73	75 63	7	3	-	0	2-3	0	*	bmo	bmo	bmo	bmo				
	Felixstowe	15.2	-8	SE'S	3	z	72	65 60	6	2	4	-	2-3 2-3	4000	14.3	+6	NNE	3	c	69	65 56	7	3	-	4-6	5700	0	1	b2ybmo	b2ybmo	b2ybmo	pro				
	Gorleston	16.9	-8	S	3	z	61	88 55	6	2	3	-	46 4-6	3000	15.6	+4	NNE	3	z	62	75 55	6	5	3	-	4-6	7-8	2300	0	2	b2mo	b2mo	b2mo	b2mo		
	Mildenhall	14.6	-8	WSW	2	bc	82	35 52	7	1	-	1	2-3 2-3	4000	15.0	+2	NNE	3	bc	74	55 55	7	3	4	0	4-6	-	0	*	b2yb2y	b2yb2y	b2yb2y	b2yb2y			
	Cranwell	15.6	+2	NNE	3	z	70	66 58	6	1	1	-	4-6 7-8	3500	16.1	+4	ENE	3	c	63	75 52	8	7	7	0	9+	-	0	*	b2mo	b2mo	b2mo	b2mo			
3	Birmingham	16.0	-2	NNW	3	c	72	66 61	7	8	-	-	7-8 7-8	4000	16.3	+2	NNW	4	bc	67	65 56	7	8	-	1	2-3 4-6	4000	0	*	b2bc	b2bc	b2bc	cm			
4	Upper Heyford	14.5	-6	NNW	1	z	76	45 51	c	1	-	-	1-6 4-6	2800	14.5	+6	NE	3	z	72	65 53	6	8	6	-	4-6	7-8	2200	0	*	b2zoyzoy	b2zoyzoy	b2zoyzoy	cmo		
5	Hartland Point	18.3	+6	NNW	3	bc	58	70 51	8	2	4	-	2-3 4-6	2500	18.1	+2	NH	3	bc	57	75 49	8	1	-	3	11	4-6	2500	0	4	b2bc	b2bc	b2bc	clcb		
	Bristol	16.4	-6	W	2	z	72	65 60	6	2	-	1	2-3 2-3	4000	16.1	-2	W	3	c	69	65 55	7	5	9	0	7-8	-	0	*	fcfmo	fcfmo	fcfmo	clcb			
	Portland Bill	17.7	+2	W	1	bc	62	75 57	8	2	-	-	4-6 4-6	4000	15.3	-16	NE	1	bc	87	85 60	8	2	+	4-6	4-6	4000	1	2	b2be	b2be	b2be	clcc			
	Plymouth	17.2	-2	NWN	4	bc	69	65 57	8	1	5	-	4-6 4-6	3500	17.7	+4	NW	4	bc	63	55 48	8	1	-	8	11	2-3	3500	0	3	bc	bc	bc	b2bc		
	The Lizard	18.5	+8	NW	4	bc	63	75 54	8	2	3	-	2-3 4-6	3500	18.7	0	NW	4	bc	61	85 58	8	7	6	-	4-6	4-6	3000	0	4	bc	bc	bc	b2bc		
	Scilly (St. Mary's)	20.2	+4	NNW	3	bc	64	75 54	8	8	-	4	2-3 4-6	1500	19.9	-2	NW'N	3	bc	60	75 50	8	2	-	9	1	4-6	1800	0	2	b2	b2	b2	b2		
	Guernsey																																			
6	Pembroke	15.5	+10	N'W	4	c	58	85 53	8	1	7	-	2-3 7-8	3000	19.2	-2	NW'N	4	bc	58	75 51	8	-	7	6	0	4-6	-	0	2	b2bc	b2bc	b2bc	b2bc		
7	Holyhead (Valley)	18.2	+2	NW	3	c	62	65 51	9	2	6	6	-	7-8	3000	18.4	+2																			



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).
Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions of the structure which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontalysis. Is said to occur when a front is in process of dissolution.



Page 4.
BRITISH
SECTION

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Wednesday 24th June 1942
No. 29434

DISTRICT.	STATION.	OBSERVATIONS at 1 hr. G.M.T. 24th June.															OBSERVATIONS at 7 hr. G.M.T. 24th June.															PAST 24 HOURS.									
		Height above M.S.L. in feet. mb. (1)	Barom. at M.S.L. (2)	Change in 3 hours. (3)	Wind.		Weather. (5)	Temp. (6)	Humid. (7)	% Dew Point. (8)	Visiblity. (9)	Cloud.					Barom. at M.S.L. (16)	Change in 3 hours. (17)	Wind.		Weather. (20)	Temp. (21)	Humid. (22)	% Dew Point. (23)	Visiblity. (24)	Cloud.					State of Ground. (30)	Sea. (31)	TEMPERATURE.			RAINFALL.			SUN-SHINE Hrs. (38)		
					Dir.	Force. (4)						Low.	Med.	High.	0-10	Total (10-12)			Dir.	Force. (4)	Low.				Med.	High.	0-10	Total (10-12)	Max. Day 7h-18h °F. (32)	Min. Night 7h °F. (33)		Min. on Grass 7h °F. (34)	Day mm. (35)	Night 18h-7h mm. (36)							
1	London (Kew)	18	*	*	N.E.	3	20	60	85	54	6	-	4	2	0	7-8	-	18.4	+18	N.E.N	3	C	61	65	57	7	8	3	-	2-3	9	4000	0	*	82	58	53	-	-	13.5	
	Croydon	290	15.9	+8	N.W.	2	20	60	85	54	6	5	7	-	4-6	9+	4000	18.4	+14	NNE	3	bc	60	65	49	7	2	4	-	4-6	5	3000	0	*	83	58	54	-	-	13.6	
	S. Farnborough	226	16.3	+6	N.W.	2	20	60	85	54	6	5	7	-	10	10	5700	18.3	+12	NNW	4	c/or	56	85	50	8	-	7	-	0	4-6	-	0	*	83	57	51	-	-	14.2	
	Boscombe Down	417	17.0	+4	N.W.	3	C	60	75	53	7	5	-	-	10	10	5700	18.3	+12	NNW	4	C	60	75	52	7	8	7	-	3	9+	2500	0	*	77	55	52	Tr	8.0		
	Thorney Island	10	18.4	+4	N.E.	1	20	61	85	56	6	-	4	-	8	0	2-3	-	16.9	+14	NE	4	Zo	60	85	54	6	-	8	2	0	4-6	-	0	*	77	58	55	-	-	13.0
	Lyminge	283	16.2	+2	NNW	2	20	54	92	52	6	-	4	-	0	0	0	-	17.0	+6	NNE	4	bc	59	85	53	7	2	6	6	Tr	4-6	3000	0	*	82	51	*	-	-	13.0
	Manton	154	15.2	+6	NNW	2	20	57	97	56	5	-	-	-	0	0	-	-	17.0	+18	NE	4	bc	59	85	53	7	2	6	6	Tr	4-6	3000	0	*	81	55	52	-	-	10.8
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	18.0	+20	N	3	C	59	75	51	8	8	7	-	3	9	4600	0	*	78	56	49	-	-	12.5	
	Felixstowe	12	15.6	+2	NNE	2	20	57	92	54	6	-	7	-	0	2-3	-	17.5	+14	NNE	3	C	56	85	50	7	8	7	-	5	9+	4000	1	2	73	56	43	-	4	10.3	
	Gorleston	5	17.1	+6	NNE	3	20	56	85	52	6	5	4	-	4-6	4-6	2500	18.1	+6	N.E.N	3	C	56	75	48	7	5	7	-	4-6	7-8	2600	0	3	67	55	50	-	8.5		
	Mildenhall	15	17.1	+6	N	2	20	55	85	51	6	5	7	-	2-3	7-8	4000	19.0	+14	NE	2	C	56	85	50	8	5	7	-	7-8	9+	4000	0	*	83	52	45	-	13.5		
	Cranwell	203	18.5	+6	NW'N	1	20	57	75	50	6	-	2	-	0	10	-	19.2	+6	WN	2	Zo	57	75	50	6	-	4	-	0	2-3	-	0	*	73	53	47	-	10.5		
3	Birmingham	536	*	*	*	*	*	*	*	*	*	*	*	*	*	*	20.7	+6	NNW	3	Zo	54	85	50	5	5	-	-	3	9	800	0	*	74	51	47	-	-	7.1		
4	Upper Heyford	408	17.7	+6	NNW	2	20	58	85	53	6	5	3	-	2-3	7-8	4000	19.3	+14	N.W	4	Zo	55	88	49	5	-	4	8	0	2-3	-	0	*	77	53	52	Tr	7.1		
	Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	20.0	+6	N.W	3	C	57	85	51	8	7	-	-	1	9	3500	0	*	75	52	48	-	-	10.5		
5	Hartland Point	299	18.9	+2	NNW	2	C	58	75	44	8	4	-	-	7-8	7-8	2500	20.2	+14	NE	3	bc	56	75	48	8	2	-	-	2-3	2-3	2500	0	3	61	54	51	-	-	10.5	
	Bristol	209	18.9	+0	NEN	5	C	57	65	47	8	5	-	-	9	9	4100	20.3	+8	NE	3	bc	56	75	50	8	1	6	-	2-3	4-6	4000	0	*	73	53	44	-	-	8.4	
	Portland Bill	32	15.9	-8	NW	1	C	58	85	55	8	5	-	-	9	9	4000	17.8	+18	NE	3	C	59	85	53	8	5	-	-	10	10	4000	1	2	62	55	*	-	-	*	
	Plymouth	82	18.7	0	NNW	4	C	53	85	49	8	5	3	-	4-6	7-8	3500	19.0	+6	NNW	3	C	58	85	52	8	7	-	-	9+	9+	3500	0	4	71	52	46	-	-	13.5	
	The Lizard	240	20.1	0	NNW	3	bc	52	92	50	8	8	6	-	4-6	4-6	2500	19.1	+4	N																					

SECRET

Thursday 25th June 1942

No. 29435

Page 1 BRITISH SECTION

**THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.**

Thursday 25th June 1942

PAST 24 HOURS.

DISTRICTS

FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON, G.M.T. Thursday 25th June 1942.

1 S.E. England	Light or moderate Northerly winds; Cloudy on east coast with a few slight showers, Bright intervals inland; Rather cool on east coast, average temperature inland.	16 Orkneys and Shetlands	As 14-15.
2 E. England ...		17 N. W. Ireland	
3 E. Midlands ...		18 N. E. Ireland	As 3-9.
4 W. Midlands		19 S. E. Ireland	
5 S.W. England	Light or moderate Northerly winds; Cloudy and bright periods; average temperature.	20 S. W. Ireland	
6 South Wales			
7 North Wales			
8 N.W. England			
9 N. Midlands ...			
10 N.E. England	As 1-2.		
11 S.E. Scotland			
12 S.W. Scotland & Isle of Man	Light variable winds; Fair, with some bright periods; average temperature.	An anticyclone centred to the west of Ireland will maintain dry weather over the greater part of the British Isles. Minor troughs of low pressure moving southeastwards round the northern and eastern sides of the anticyclone will, however, give some slight local rain or showers in extreme northern and eastern districts. It will be rather cool near the east coast, but about normal elsewhere.	GENERAL INFERENCE
13A W. Scotland ...			FURTHER OUTLOOK
13B N.W. Scotland			temperature will be
14 Mid Scotland	Light or moderate Northwesterly winds; Mainly cloudy, with occasional rain; rather cool.		
15 N.E. Scotland			Similar.
Forecasts issued at 10.30.		N. K. JOHNSON, D.Sc., A.R.C.S., Director. Meteorological Office, Air Ministry, Kingsway, London, W.C.2	

GENERAL INFERENCE.

An anticyclone centred to the west of Ireland will maintain dry weather over the greater part of the British Isles. Minor troughs of low pressure moving southeastwards round the northern and eastern sides of the anticyclone will, however, give some slight local rain or showers in extreme northern and eastern districts. It will be rather cool near

the east coast, but about normal elsewhere.


FURTHER OUTLOOK

temperature will be

C. 11.

Forecasts issued at 10.30.

N. K. JOHNSON, D.Sc., A.R.C.S., Director.
Meteorological Office, Air Ministry, Kingsway, London, W.C.2



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts

(The symbols used to indicate fronts are shown below).
Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.


Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin.

In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis. Is said to occur when a front is in process of dissolution.



Page 4. BRITISH SECTION

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Thursday 25th June 1942
No. 29435

Abridged observations of additional stations in the AVIATION WEATHER CODE

13h. G.M.T.				24th June				25th June				26th June			
18h. G.M.T.		01h. G.M.T.		07h. G.M.T.		13h. G.M.T.		18h. G.M.T.		01h. G.M.T.		07h. G.M.T.			
IIIC _L	C _M	wwVhN _b	DDFWN	C _L	C _M	wwVhN _b	DDFWN	C _L	C _M	wwVhN _b	DDFWN	C _L	C _M	wwVhN _b	DDFWN
109 3- 10747	29467	5-	02855 28425	5-	02835	27225	57	02854	29325	333 74	02964 30425	44	01962 30413	5-	01851 32314
115 2- 81834	26287	55	02844 22227	57	02944	04126	57	02944	28226	334 -	02754 28216	-	-	-	01843 32314
203 5- 02948	22328	8-	02948 04328	-	-	-	-	-	-	340 50	01863 29313	10	00963 26413	03	02790 30215
206 5- 02966 26326	8-	02957 28227	55	01963	28114	5-	02965	24125	336 08	01890 01312	07	01990 06303	5-	02886 03126	
210 5- 02957 26417	5-	02967 31357	53	01834	28314	50	01863	25313	339 10	01765 32415	50	01763 04113	-	02864 30228	
220 51 03853	28317	57	02853 29317	10	01954	31214	-	-	-	360 57	00353 05057	77	02755 02227	5-	02768 02228
230 53 01865	24357	53	01964 29414	50	01961	08113	50	00941	00001	368 20	00762 18212	24	01863 12114	-	02757 04327
245 8- 02966 14326	5-	02967 16227	50	00862	08113	5-	02965	32305	379 20	01754 32314	00	00790 30409	50	03654 32314	
260 7- 02855 21317	7-	02865 01215	5-	05667	04317	-	-	-	390 14	07761 19668	23	02765 04315	5-	02767 05217	
278 5- 02857 27527	14	00862 28513	50	00061	30401	5-	02877	02127	382 20	01865 26205	8-	05664 32224	50	05674 32114	
279 76 02966 27227	7-	02865 26225	50	00863	02313	14	00851	04402	438 00	01790 04412	54	02774 32215	57	02755 04417	
285 5- 02748 12428	-	-	-	-	-	-	5-	02637 04327	430 10	02771 02423	40	01753 12223	5-	02768 08280	
288 23 01753 02325	5-	05676 02326	-	-	-	-	5-	05657 01427	409 14	01963 32513	10	00861 32502	50	02764 02325	
575 8- 02848 30268	5-	02868 30128	5-	02768	32228	5-	02865	32225	439 -	-	-	-	-	02844 02314	
301 10 02851 28526	10	00851 28522	50	02766	30226	5-	05665	10226	409 14	01963 32513	10	00861 32502	50	02764 02325	
321 80 01765	01325	5-	02856 07226	5-	02768	03288	77	02854 01825	439 -	-	-	-	-	02844 02314	
299 3- 02745	32325	57	01764 04204	5-	01744	32114	44	02754 32314	439 -	-	-	-	-	02844 02314	
292 7- 05665	30225	7-	02867 08127	5-	02747	06157	57	02756 02228	439 -	-	-	-	-	02844 02314	
310 23 05674	30126	26	05664 02126	51	05665	06128	-	-	-	439 -	-	-	-	-	02844 02314


SECRET

Friday 26th June 1942

No. 29436

Page 1
BRITISH
SECTIONTHE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

District.	STATIONS. (For heights see p. 4.)	OBSERVATIONS at 13h. G.M.T. 25th. June.												OBSERVATIONS at 18h. G.M.T. 25th. June.												PAST 24 HOURS.											
		Barom. at M.S.L. mb.	Change in 8 hours. (1)	Wind. Dir. 0-12 (2)	Wind. Dir. 0-12 (3)	Temp. °F. (4)	Humid. % (5)	Dew Point. °F. (6)	Visibility 0-9 (7)	Cloud.				Barom. at M.S.L. mb.	Wind. Dir. 0-12 (17)	Wind. Dir. 0-12 (18)	Temp. °F. (19)	Humid. % (20)	Dew Point. °F. (21)	Visibility 0-9 (22)	Cloud.				Barom. at M.S.L. mb.	Wind. Dir. 0-12 (26)	Wind. Dir. 0-12 (27)	Temp. °F. (28)	Humid. % (29)	Dew Point. °F. (30)	Visibility 0-9 (31)	State of Ground. (32)	Sea. (39)	WEATHER.			
									Low. (10)	Med. (11)	High. (12)	Total (13)	Low. (14)	Med. (15)	High. (16)	Total (17)	Low. (18)	Med. (19)	High. (20)	Total (21)	Low. (22)	Med. (23)	High. (24)	Total (25)	Low. (26)	Med. (27)	High. (28)	Total (29)	Low. (30)	Med. (31)	High. (32)	7h.-13h. 25th (40)	13h.-18h. 25th (41)	15h.- 1h. 26th (42)	1h.-7h. 26th (43)		
1	London (Kew) Croydon ... S. Farnborough Boscombe Down Thorney Island Lympne ... Manston ...	25.7 25.9 25.8 25.7 25.8 25.8 25.8	+4 +6 +6 +6 +10 +6 +4	N/P/N NE ENE E/W N/E NE	3 3 3 3 3 3 3	C C C C C C C	63 62 63 62 60 58 58	55 55 55 55 52 55 55	45 46 48 49 52 45 54	8 8 7 7 5 8 7	5 2 5 7 5 1 -	- - - - - - -	10 10 10 10 10 10 9+	10 10 10 10 10 10 9+	2500 2500 2500 2500 2500 2500 3500	26.1 25.8 25.7 25.6 25.7 25.7 26.1	- - - - - - -	NNE NE/N E/W N/E SW NE NE	3 3 3 3 3 3 3	C C C C C C C	62 61 61 62 61 57 56	55 55 55 54 53 45 49	44 45 47 49 40 9 8	7 8 5 5 3 1 1	- - - - - - -	7-8 7-8 9-10 7-8 7-8 7-8 7-8	7-8 7-8 9-10 7-8 7-8 7-8 7-8	4000 4000 4000 4000 4000 4000 3800	0 0 0 0 0 0 0	*	cbscy cbscy cbscy cbscy cbscy cbscy cbscy	cbscy cbscy cbscy cbscy cbscy cbscy cbscy	bzsw brwngbz brwngbz brwngbz brwngbz brwngbz brwngbz				
2	Shoeburyness ... Felixstowe ... Gorleston ... Mildenhall ... Cranwell ...	25.9 25.8 26.1 26.6 27.0	+4 +10 +4 +6 +4	N NW NNE NNE NE	2 4 4 4 3	C be C b c	63 64 55 61 59	55 55 55 45 55	47 45 43 40 46	8 8 7 9 7	- - - - -	- - - - -	9+ 2-3 7-8 1 46	25.3 4000 26.7 12 78	+2 +2 +4 +2 +2	ENE NW NNE N/E E	3 3 4 4 2	b b c b b	57 58 54 57 57	65 46 53 54 65	47 48 39 49 45	9 8 7 4 7	- - - - -	1 1 1 1 1	2700 4000 2500 2500 1000	0 0 0 0 0	*	ccy bbcbscy cbscy cbscy cbscy	ccy bbcbscy cbscy cbscy cbscy	bzb bzb bc bzb bzb							
3	Birmingham ... Upper Heyford Ross-on-Wye	26.8 26.0 26.0	+4 +2 +6	ESE ENE E	2 3 2	C C C	60 61 61	65 65 75	49 50 52	6 7 7	3 1 -	- - -	4-6 4-6 10	4000 2500 3000	-4 -2 0	E ENE E	2 2 2	zo zo c	62 61 63	65 50 51	51 60 57	6 6 5	- - -	2-3 2-3 3-4	4000 3000 3500	0 0 0	*	c c c	c c c	bzb bzb bzb							
4	Hartland Point Bristol ... Portland Bill ... Plymouth ... The Lizard ... Scilly (St. Mary's) Guernsey ...	25.5 26.0 25.8 25.1 24.8 26.2 26.2	+4 +6 +12 +6 +2 +2	NNF E/W ESE WSW N NNE	3 1 2 2 3 5	b be c bc bc b	59 63 59 65 66 59	75 52 85 65 65 65	50 52 55 53 53 47	7 5 8 7 8 8	1 5 2 1 1 4	- - - - - -	- - - - - -	1 10 10 10 10 10	2000 2800 4000 2500 3500 2600	-4 -2 +2 +2 -2 -2	NNE NE E SW N NNE	3 2 1 2 4 4	bc bc bc bc bc bc	57 64 58 61 64 57	75 65 54 50 55 75	49 52 54 58 49 48	7 7 8 8 7 8	- - - - - -	Tr Tr Tr Tr Tr Tr	2-3 2-3 4-6 4-6 4-6 4-6	2000 2500 4000 4000 3500 1800	0 0 0 0 0 0	*	bc bc bc bbc bbc bbc	bc bc bc bbc bbc bbc	bzb bzb bzb bzb bzb bzb					
5	Pembroke ... Holyhead (Valley) Chester (Sealand) Manchester ...	26.5 26.2 26.9 26.7	0 0 +6 +4	N N SSE -	5 4 2 0	bc bc bc bc	61 61 64 62	75 52 65 62	54 52 53 49	7 2 6 5	2 1 -	- - - -	- - - -	1 10 10 10	2000 2800 3000 2500	-4 -2 -4 -2	N NE WNW 2500	3 2 0 3	bc bc bc bc	57 64 58 61	75 65 54 50	49 52 54 58	7 7 8 8	- - - -	Tr Tr Tr Tr	2-3 2-3 4-6 4-6	2000 2500 3000 2500	0 0 0 0	*	bc bc bc bc	bc bc bc bc	bzb bzb bzb bzb					
10	Spure Head ... Catterick ... Tynemouth ...	28.2 28.5 26.8	+16 +2 +2	N/W NNE NNE	5 3 4	bc bc bc	56 58 53	55 55 75	38 42 45	7 6 8	7 1 2	- - -	- - -	- - -	4-6 4-6 4-6	4000 3500 3200	-4 -4 -4	N NE/N NE	4 2 3	bc bc bc	54 58 53	65 55 41	41 43 41	7 6 8	- - -	Tr Tr Tr	2-3 2-3 2-3	5700 3500 2800	0 0 0	*	bc bc bc	bc bc bc	bzb bzb bzb				
11	St. Abbs Head Leuchars ...	27.8 27.5	-4 -10	N SE	1 3	b bc	56 62	65 65	46 49	9 8	1 1	4 4	- -	- -	- -	2-3 2-3	3000	-2 -2	E SE	3 4	bc bc	52 54	85 75	46 45	9 9	- - -	Tr Tr Tr	2-3 2-3 4-6	4000 4000 3500	0 0 0	*	bc bc	bc bc	bzb bzb			
12	Rentfrew (Abbots.) Eskdalemuir ... Point of Ayre ...	27.2 27.0 27.8	-6 -4 +6	NW ENE E/S	2 2 2	bc bc b	67 61 62	35 55 75	39 45 53	9 8 8	1 1 1	- - 4	- - -	- - -	- - -	2-3 2-3 2-3	4000 2600 3000	-4 -4 -4	W																		



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.



Explanation of Frontal Lines shown on Charts

(The symbols used to indicate fronts are shown below).
Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.
Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis. It is said to occur when a front is in process of dissolution.



EXPLANATION OF CHART.

BAROMETER. Isobars are drawn for intervals of four millibars.

WIND. Arrows fly with wind. A full length feather indicates two steps on the Beaufort Scale, and a short feather one step. Calm is indicated by circle outside weather symbol: —○—

TEMPERATURE is given in degrees F.

WEATHER SYMBOLS: —○— Clear sky. ○ Sky less than 3/10 clouded. (○) Sky 4/10 to 6/10 clouded.

WEATHER SYMBOLS: —○— Sky 7/10 to 9/10 clouded. (○) Overcast sky. ● Rain falling. * Snow. ♫ Sleet. △ Hail.

Fog. ☁ Mist. ☀ Thunder. (T) Thunderstorm. ☂ Slight haze. ☁

The hour of observation is not uniform throughout the Hemisphere; a chart showing the hours at which the observations are taken is contained in the introduction.

FRONTS or boundaries between masses of air of different origin are indicated, wherever their characteristics are well pronounced in the following way—

— Warm Front on the Surface
 — Warm Front above the ground
 — Cold Front on the surface
 — Cold Front above the ground

— Occluded Front (or Occlusion)
 — Warm Occlusion
 — Cold Occlusion
 — Lines of Frontogenesis

Short strokes across the frontal line indicate Frontolysis. (For explanation see page 3.)

NOTE.—The symbols are placed on the side of the line towards which the front is moving. When the front is stationary the symbols are placed alternately on both sides of the line.

All times are G.M.T. Add two hours to get double summer time.

Page 4.
BRITISH
SECTION

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Friday 26th June 1942
No. 29436

District	Stations	Observations at 1 hr. G.M.T. 26th June												Observations at 7 hr. G.M.T. 26th June												Past 24 Hours												
		Barom. mb. (1)	Height above M.S.L. in feet, mb. (2)	Change in 3 hours, (3)	Wind, Dir. (4)	Force, (5)	Temp., °F. (6)	Humid., % (7)	Dew Point, °F. (8)	Visibility, 0-9 (9)	Cloud.				Barom. mb. (16)	Change in 3 hours, (17)	Wind, Dir. (18)	Force, (19)	Temp., °F. (20)	Humid., % (21)	Dew Point, °F. (22)	Visibility, 0-9 (23)	Cloud.				Sea. (30)	Max. Day 7h-18h °F. (33)	Min. Night 18h-7h °F. (34)	Min. on grass 7h-18h mm. (35)	Day 18h-7h mm. (36)	Night 18h-7h mm. (37)	Sun- shine hrs. (38)					
1 London (Kew)	18	*	*	*	*	*	50	*	*	*	*	*	*	*	26.4	+2	-	54	75	45	-	-	-	-	-	-	-	63	+5	29	-	-	68					
Croydon	290	27.1	+4	S'E	1	b	43	97	42	8	-	-	-	0	0	0	26.4	-2	54	65	43	-	-	-	-	-	63	39	35	-	-	51						
S. Farnborough	226	27.4	+4	-	0	b	47	85	42	7	-	-	-	0	0	0	26.8	-2	48	75	43	-	-	-	-	-	66	41	-	-	-	1.2						
Boscombe Down	417	27.3	+4	N E	2	b	51	85	46	7	-	-	-	0	0	0	26.8	-2	48	85	45	-	-	-	-	-	66	42	38	-	-	1.2						
Thorney Island	10	26.7	+6	N N E	2	b	47	92	46	7	-	-	-	2-8	2-3	2500	26.3	+2	54	87	53	-	-	-	-	-	64	43	39	-	-	*						
Lyminge	283	26.8	-0	N N W	1	f g	38	97	37	7	5	-	-	0	T	4000	26.3	+2	50	75	3	1	-	-	T	2000	0	0	62	37	3							
Mansston	154	26.4	-2	S'W	2	z	50	85	46	6	5	-	-	7-8	7-8	2500	26.0	+4	N E	1	52	85	48	3	1	-	-	2-3	3100	0	0	60	46	40				
2 Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	26.3	+2	NNW	1	b	53	65	42	8	-	-	-	-	-	65	38	30	-	-	71			
Felixstowe	12	26.7	-2	WWN	2	b	47	85	42	8	5	-	-	T	T	4000	26.5	+4	NNW	1	51	75	43	8	-	-	-	70	41	37	-	-	11.2					
Gorleston	5	26.6	+4	NW	2	b	49	75	42	7	7	-	-	-	-	-	2-6	-4	NNW	2	b	48	70	41	7	-	8	-	58	45	42	-	-	10.4				
Mildenahill	15	27.1	-6	-	0	b	40	92	37	8	-	-	-	0	0	-	26.2	-2	b	48	75	42	7	-	1	-	62	36	30	-	-	11.2						
Cranwell	203	27.3	-2	SW	2	b	44	85	40	7	-	-	-	0	0	-	25.0	-4	W'S	3	b	51	85	45	5	-	-	4-6	-	62	-	-	11.2					
3 Birmingham	536	*	*	*	*	*	*	*	*	*	*	*	*	*	*	26.3	0	NNW	2	3	54	85	50	6	-	3	-	0	0	0	-	-	63	48	41	-	-	1.2
4 Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	26.0	-4	NNW	1	3	51	85	48	5	-	-	-	-	-	-	-	65	45	39	-	-	1.2	
5 Hartland Point	299	26.2	+6	S	3	b	53	85	49	7	-	-	-	0	0	-	26.2	+4	SW	2	b	57	65	47	8	-	-	-	60	52	47	-	-	12.6				
Bristol	209	27.2	+6	S	1	b	48	85	44	6	-	-	-	0	0	-	26.0	0	NE	1	b	52	82	49	6	-	-	-	66	44	34	-	-	4.8				
Portland Bill	32	27.2	-2	S'W	1	b	54	85	50	8	-	-	-	-	-	-	2-6	-4	4000	26.6	+6	b	57	82	55	8	-	-	65	51	*	-	-	12.2				
Plymouth	82	26.8	+2	E	1	b	53	85	48	8	3	-	-	-	-	-	2-3	2-4	34000	27.0	+4	b	56	87	56	8	3	6	-	67	52	47	-	-	15.8			
The Lizard	240	26.3	+10	S'W	2	b	54	87	53	8	-	-	-	0	0	-	26.4	+6	SW	2	b	56	87	56	7	-	6	-	59	51	*	-	-	3.8				
Scilly (St. Mary's)	163	26.6	+4	S'W	2	b	53	82	51	8	-	-	-	0	0	-	26.6	+4	E	2	b	56	87	56	7	-	6	-	59	51	*	-	-	3.8				
6 Pembroke	142	26.0	+6	S'E	3	z	55	92	52	6	-	-	-	0	0	-	26.3	+4	NE'	3	z	56	92	54	6	1	3	-	2-3	7-8	3500	0	2	62	47	-	10.5	
7 Holyhead Valley	32	27.0	0	NNW	1	b	49	92	47	7	-	-	-	0	0	-	27.0	+4	NNW	2	b	54	75	46	8	5	-	8	-	68	42	*	-	-	4.5			
Chester (Sealand)	16	26.9	+2	WN	1	b	49	92	47	7	5	3	-	T	1	4000	26.3	+2	NNW	2	c	54	85	50	8	1	3	2	-	67	44	35	-	-	2.9			
Manchester	235	27.0	0	WSW</td																																		

~~SECRET~~

Saturday 27th June 1942

No. 29437

Page I BRITISH SECTION

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Saturday 27th June 1942

No. 29437

DISTRICTS

FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON, G.M.T. Saturday 27th June, 1942.

- | | |
|--------------------------------|---|
| 1 S.E. England | Light Northwesterly winds. Fair. Average temperature. |
| 2 E. England ... | |
| 3 E. Midlands ... | |
| 4 W. Midlands | |
| 5 S.W. England | |
| 6 South Wales | |
| 7 North Wales | |
| 8 N.W. England | Moderate Northwest to West wind. Cloudy with slight local rain or drizzle. Average temperature or rather cool. |
| 9 N. Midlands ... | |
| 10 N.E. England | Light to moderate Northwest to West wind. Fair, but with considerable cloud. Average temperature. |
| 11 S.E. Scotland | |
| 12 S.W. Scotland & Isle of Man | Moderate Westerly wind, fresh locally in North. Cloudy with occasional rain or drizzle. Average temperature or rather cool. |
| 13A W. Scotland ... | |
| 13B N.W. Scotland | |
| 14 Mid Scotland | |
| 15 N.E. Scotland | |

- 16 Orkneys and Shetlands
 - 17 N. W. Ireland
 - 18 N. E. Ireland
 - 19 S. E. Ireland
 - 20 S. W. Ireland

AS., 12-15.

As 1-7.

GENERAL INFERENCE


The anticyclone to the Southwest of the British Isles is declining. A depression near Iceland will move east, and associated troughs of low pressure will affect the North and Northwest of the British Isles, where there will be occasional rain or drizzle. It will continue fair in the South. Temperatures generally will be near the seasonal average.

FURTHER OUTLOOK

Rather unsettled in North. Continuing fair in South.

Forecasts issued at 10.30

N. K. JOHNSON, D.Sc., A.R.C.S., Director,
Meteorological Office, Air Ministry, Kingsway, London, W.C.2



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).
Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions of the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontalysis is said to occur when a front is in process of dissolution.



BRITISH
SECTIONTHE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Saturday 27th June 1942

No. 29437

DISTRICT.	STATION.	OBSERVATIONS at 1 hr. G.M.T. 27th June												OBSERVATIONS at 7 hr. G.M.T. 27th June												PAST 24 HOURS.																					
		Height above M.S.L., in feet. mb.	Barom. at M.S.L. (1)	Change in 3 hours. (2)	Wind. Dir. (3)	Force. (4)	Weather. (5)	Temp. °F. (6)	Humid. % (7)	Dew Point. °F. (8)	Visability. Low. (9)	Cloud.				Barom. at M.S.L. (16)	Change in 8 hours. (17)	Wind. Dir. (18)	Force. (19)	Weather. (20)	Temp. °F. (21)	Humid. % (22)	Dew Point. °F. (23)	Visability. Low. (24)	Cloud.				State of Sea. (31)	Sea. (32)	TEMPERATURE.				RAINFALL.				SUN- SHINE Hrs. (38)								
												Form. (10)	Amount. (11)	Height of Base (feet) (12)	Total (13)	Med. (14)	High (15)	Form. (25)	Amount. (26)	Height of Base (feet) (27)	Total (28)	Med. (29)	High (30)	Max. Day 7h-18h °F. (33)	Min. Night 18h-7h °F. (34)	Min. on 7h mm. Grass °F. (35)	Day 7h-18h mm. (36)	Night 18h-7h mm. (37)																			
1	London (Kew)	18	*	*	*	*	*	57	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	23.2	+4	NW	2	z	58	73	48	6	5	-	6	1	4-6	4000	0	*	72	51	36	-	-	10.0
	Croydon	290	23.3	+2	E N E	2	b	54	85	50	6	5	-	-	T	T	5000	23.3	0	NNW	1	z	56	75	50	6	-	-	6	0	7-8	-	0	*	73	47	42	-	-	11.4							
	S. Farnborough	226	23.6	0	W'N	1	z	53	73	47	6	-	-	4	0	T	-	23.7	+2	NW	2	z	55	75	49	6	-	-	5	0	2-3	-	0	*	73	47	39	-	-	10.2							
	Boscombe Down	417	24.4	+2	N W'N	3	bc	53	82	47	7	-	-	6	0	2-3	-	24.5	+6	NW	3	bc	54	85	51	7	1	3	2	T	2-3	3000	0	*	72	45	42	-	-	9.4							
	Thorney Island	10	23.0	0	N	2	b	53	83	49	7	-	-	6	0	0	-	23.2	0	N	3	c	57	75	49	7	1	-	2	1	7-8	4000	0	*	68	49	44	-	-	*							
	Lyminge	283	23.2	-2	NW	2	bc	49	52	46	7	5	7	2	4-6	4-6	5000	23.3	+2	-	0	b	57	85	51	8	1	-	2	T	4-6	2500	0	*	64	45	*	-	-	11.7							
	Manston	184	22.7	+2	NNE	2	bc	54	87	54	7	-	-	2	0	2-3	-	22.8	0	N	1	bc	58	75	48	8	-	-	8	0	2-3	-	0	*	65	47	38	-	-	12.2							
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	23.0	+2	NNW	1	b	58	73	49	7	-	3	1	0	1	-	0	*	73	45	35	-	-	12.6
	Felixstowe	12	23.2	-2	N'E	1	c	50	85	47	8	-	-	6	0	7-8	-	22.7	-2	W	3	c	53	75	48	7	-	7	-	0	9+	-	0	2	68	47	41	-	-	13.3							
	Gorleston	5	23.3	0	E N E	1	bc	50	75	43	7	-	4	-	0	2-3	-	22.6	-2	NNW	2	c	53	75	46	7	5	-	10	10	3500	0	2	69	47	42	-	-	12.4								
	Mildenhall	15	23.4	0	-	0	bc	46	82	43	7	-	4	2	0	4-6	-	23.1	0	W	2	z	52	82	47	6	-	7	-	0	9+	-	0	*	73	40	36	-	T	12.2							
	Cranwell	203	23.5	-6	W'S	3	c	50	85	45	7	-	-	2	0	9	-	22.8	+2	NNW	3	c	56	75	49	6	-	3	1	0	9	-	0	*	74	47	37	-	-	9.3							
3	Birmingham	536	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	24.3	0	NNW	3	c	55	73	48	7	5	-	0	0	5700	0	*	69	51	46	-	-	8.7		
	Upper Heyford	408	23.9	+2	NW	2	z	51	82	49	6	-	-	6	0	4-6	-	23.9	0	NNW	4	z	55	85	50	6	-	3	-	0	9+	-	0	*	71	47	46	-	-	*							
4	Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	24.8	0	NNW	0	c	54	85	49	9	5	-	-	9+	3500	0	*	71	50	43	-	-	9.3		
5	Hartland Point	299	25.3	-2	N	3	bc	54	82	52	8	-	4	-	0	2-3	-	25.4	+4	N	3	bc	55	92	52	8	2	5	-	1	4-6	2000	0	3	64	53	50	-	-	13.2							
	Bristol	209	24.8	-2	WOW	1	bc	53	85	48	7	-	-	1	0	2-3	-	25.6	+6	N	1	c	55	55	51	7	-	4	-	0	7-8	-	0	*	71	50	38	-	-	10.6							
	Portland Bill	32	24.2	+4	N	1	b	56	92	54	8	-	-	0	0	0	-	23.9	+6	NNW	2	c	57	85	53	8	2	-	-	7-8	7-8	4000	0	2	62	54	*	-	-	*							
	Plymouth	82	25.4	0	NNW	3	b	53	85	49	7	-	-	0	0	0	-	25.3	+2	N	2	bc	56	85	53																						


SECRET

Sunday 28th June 1942

No. 29438.

**BRITISH
SECTION**
**THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.**

DISTRICT.	STATIONS.	OBSERVATIONS at 13h. G.M.T. 27th June												OBSERVATIONS at 18h. G.M.T. 27th June												PAST 24 HOURS.												
		Barom. at M.S.L. (mb.)	Change in 3 hours. (1)	Wind. Dir. 0-12 (3)	Force. (4)	Weather. (5)	Temp. °F. (6)	Humid. % (7)	Dew Point. °F. (8)	Visibility. 0-9 (9)	Cloud.				Barom. at M.S.L. (15)	Change in 3 hours. (16)	Wind. Dir. 0-12 (18)	Force. (19)	Weather. (20)	Temp. °F. (21)	Humid. % (22)	Dew Point. °F. (23)	Visibility. 0-9 (24)	Cloud.				Sea. (31)	7h-13h. 7h (39)	13h-18h. 7h (40)	18h-27h. 1h... (41)	1h-7h. 28h (42)						
1	London (Kew)	22.2	0	NW	2	C	69	45	46	8	7	3	-	7-8	9	2500	26.7	2	NNW	3	C	67	55	48	8	7	3	-	4-6	7-8	2500	0	*	bz, cy	cy	cy	cz	
	Croydon	22.3	-2	NW	3	C	71	45	50	8	7	4	-	2-3	9	2600	21.7	2	NW	3	C	67	55	50	8	7	3	-	4-6	9	2500	0	*	bz, cy	cy	cy	c	
	S. Farnborough	22.6	-2	NW	3	C	70	55	53	8	-	-	-	9	5	4500	22.1	2	NNW	3	C	67	45	47	9	7	3	-	7-8	9	4000	0	*	bz, cy	cy	cy	cz=cc	
	Boscombe Down	23.2	-4	NW	3	W	67	55	48	8	6	1	-	9	9	3000	22.9	0	NW	3	C	69	57	52	8	7	1	-	9-10	9	3000	0	*	bz, cy	cy	cy	bz, cz, cl	
	Thorney Island	22.6	0	3	3	C	66	55	55	7	-	-	-	7-8	7-8	5700	21.8	0	NNW	3	C	67	55	52	8	7	3	-	4-6	7-8	4000	0	*	bz, cy	cy	cy	cz, cc	
	Lyminge	22.9	+2	SSE	2	C	59	73	51	8	8	-	-	7-8	10	3500	21.9	+6	SSW	3	C	67	24	53	9	7	3	-	7-8	9	4500	0	2	bz, cy	cy	cy	bz, cz, cp	
	Manston	22.3	-2	SSE	1	C	65	55	55	7	8	-	-	9-10	9	6000	21.3	-2	NNW	1	C	67	25	55	7	8	1	-	9-10	9	3000	0	*	bz, cy	cy	cy	cz, cm, bz	
2	Shoeburyness	21.9	-2	NW	2	C	69	45	47	7	5	-	-	9	9	2800	21.2	-2	NNW	2	C	68	55	51	7	5	-	-	7-8	7-8	3800	0	*	cz, cy	cy	cy	cz	
	Felixstowe	21.9	-2	NNW	3	C	68	55	50	7	7	-	-	9-10	9	4000	21.7	0	NE	2	C	69	75	57	1	5	-	-	7-8	7-8	4000	0	*	cy	cy	cy	cmo	
	Gorleston	22.1	-2	W	1	C	59	85	54	7	2	-	-	7-8	7-8	1500	21.5	0	NE	2	C	59	75	50	7	1	-	9	9	2900	0	2	cz	cz	cz	cz, c		
	Mildenhall	20.0	-2	NNW	3	C	66	55	49	7	7	-	-	7-8	9	2400	21.2	-6	NNW	2	C	64	55	48	7	4	-	1	7-8	9	3000	0	*	bz, cy	cy	cy	cz, cz	
	Cranwell	22.1	-2	NNW	4	20	61	63	59	6	5	-	-	10	10	6000	20.8	-10	NNW	3	20	62	65	69	6	5	-	-	2-3	2-3	6000	0	*	cz, bz	cz	cz	cn	
3	Birmingham	23.2	-4	NW	2	C	61	53	45	6	5	7	-	9	9	4000	21.8	-10	NNW	2	C	64	55	45	8	5	7	-	9	9	2500	0	*	cz, bz	cz	cz	c	
4	Upper Heyford	22.8	-6	NNW	4	C	66	55	46	8	7	-	-	4-6	9	2500	21.9	-10	NNW	3	C	65	55	50	8	7	3	-	4-6	7-8	3500	0	*	em, bz	cy	cy	cmo	
5	Ross-on-Wye	23.1	-4	NNW	3	C	62	65	50	8	8	-	-	10	10	3500	22.1	-10	W	2	C	65	55	50	9	4	-	8	9	9	1000	0	*	cz, bz	cz	cz	c	
	Hartland Point	25.6	+2	NW	2	bc	63	63	52	8	2	4	-	2-3	4-6	2500	24.4	-2	W	3	bc	62	85	47	8	5	2	-	4-6	5-7	2500	0	3	bc	bc	bc	c	
	Bristol	24.2	-6	W	1	bc	66	55	49	8	7	8	-	7-8	9	3400	23.5	-2	W	3	bc	63	75	53	8	5	3	-	4-6	5-7	5300	0	*	cz, bz	cz	cz	cmo	
	Portland Bill	23.6	-6	W	1	C	68	55	60	8	2	4	-	4-6	7-8	4000	22.9	-6	W	2	C	61	85	58	8	5	1	-	10	10	4000	1	2	cc	cc	cc	c	
	Plymouth	24.9	-4	NW	2	C	67	55	49	9	1	4	-	7-8	7-8	3000	24.2	0	NW	3	C	68	55	50	8	1	5	6	-	4-6	7-8	3000	0	2	bz, cy	cy	cy	cmo
	The Lizard	25.4	0	NNW	3	bc	66	65	53	8	2	6	-	4-6	6-7	3300	24.6	-4	NNW	2	bc	65	53	50	8	2	6	-	2-3	4-6	3300	0	1	bc	bc	bc	bw	
	Scilly (St. Mary's)	26.5	0	N	2	bc	63	75	54	8	1	5	-	1	2-3</																							



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts


Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis. is said to occur when a front is in process of dissolution.



Clarke's Projection Scale 1 : 4 x 10⁷ along meridian at 55° N.

Statute Miles. 0 1 2 3 4 500

EXPLANATION OF CHART.

BAROMETER. Isobars are drawn for intervals of four millibars.

WIND. Arrows fly with wind. A full length feather indicates two steps on the Beaufort Scale, and a short feather one step. Calm is indicated by circle outside weather symbol: —○—

TEMPERATURE is given in degrees F.

WEATHER SYMBOLS: —○— Clear sky. ○— Sky less than 3/10 clouded. (○)— Sky 4/10 to 6/10 clouded.

(○) Sky 7/10 to 9/10 clouded. (○) Overcast sky. ● Rain falling. * Snow. ♫ Sleet. △ Hail.

Fog. ☛ Mist. ☚ Thunder. (T) Thunderstorm. ☛ Slight haze. ☛

The hour of observation is not uniform throughout the Hemisphere: a chart showing the hours at which the observations are taken is contained in the Introduction.

FRONTS or boundaries between masses of air of different origin are indicated, wherever their characteristics are well pronounced in the following way—

— Warm Front on the Surface

— Warm Front above the ground

— Cold Front on the surface

— Cold Front above the ground

— Occluded Front (or Occlusion)

— Warm Occlusion

— Cold Occlusion

— Lines of Frontogenesis

Short strokes across the frontal line indicate

Frontolysis. (For explanation see page 3.)

NOTE.—The symbols are placed on the side of the line towards which the front is moving.

When the front is stationary the symbols are placed alternately on both sides of the line.

All times are G.M.T. Add two hours to get double summer time.

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Sunday 28th June 1942
No. 29438

DISTRICT.	STATIONS.	OBSERVATIONS at 1 hr. G.M.T. 28th June												OBSERVATIONS at 7 hr. G.M.T. 28th June												PAST 24 HOURS.							
		Wind.			Cloud.			Wind.			Cloud.			Temperature.			Rainfall.			Sun-shine Hrs.													
		Barom.	Height above M.S.L.	Change in 3 hours.	Direc.	Temp.	Humid.	Form.	Amount.	Height of Base (feet)	Barom.	Change in 3 hours.	Direc.	Temp.	Humid.	Form.	Amount.	Height of Base (feet)	Sea. 0-9	Max. Day 7h-18h °F.	Min. Night 18h-7h °F.	Min. on Grass F.	Day 7h-18h mm.	Night 18h-7h mm.	(38)								
1	London (Kew) ...	18	*	*	w	*	*	c	57 85 50 7	-	20.2	72	WSW	2	c	60 75 52 6	5	-	94 97 2500 0	70	56	41	-	-	8.6								
	Croydon ...	290	21.7	-2	w	1	o	55 85 50 7	-	20.5	6	w	2	c	59 75 52 6	5	3	-	94 5500 0	72	54	48	-	-	6.7								
	S. Farnborough ...	226	21.7	-2	w	2	c	55 85 50 7	5	20.7	+2	WSW	3	c	59 85 53 7	-	7	-	0 7-8	0	* 53	45	-	-	7.4								
	Boscombe Down ...	417	22.7	-2	w	3	z	52 92 51 6	-	21.6	-2	WSW	4	c/r	57 85 53 7	5	2	-	2-3 94 5000 0	69	50	45	-	-	5.7								
	Thorney Island ...	10	21.9	-2	w/n	3	c	56 85 52 7	-	21.3	0	w	3	c	59 85 54 7	-	3	9	0 7-8	72	53	50	-	-	*								
	Lympne ...	283	21.7	-2	-	0	bc	52 92 50 7	5	21.3	+2	SSW	1	c/pr	56 85 51 8	8	3	-	7-8 94 6000 0	67	48	-	-	-	7.2								
	Manston ...	154	20.9	-4	WSW	1	z	56 85 51 6	-	19.9	-2	w	2	c	58 75 50 6	5	-	-	94 94 5700 0	69	52	49	-	-	6.0								
2	Shoeburyness ...	11	*	*	*	*	*	*	*	*	*	*	*	20.7	0	w	2	c	59 75 52 6	-	3	-	0 10	0	* 72	54	-	-	8.5				
	Felixstowe ...	12	20.6	-8	SW'S	1	z	59 85 54 6	-3	19.3	-4	WSW	2	z	58 85 52 6	-	7	-	0 9	0	1 70	58	54	-	-	2.6							
	Gorleston ...	5	20.3	-6	WSW	1	c	55 85 51 7	5	-	2500	18.6	WNW	2	c	57 75 49 7	5	-	-	10 10 2500 0	65	51	50	-	-	5.5							
	Mildenhall ...	15	19.9	-4	w's	2	z	56 75 47 6	5	-	94 4000	18.9	-2	w	3	c	58 73 52 7	-	7	-	0 94	67	54	46	-	-	2.6						
	Cranwell ...	203	19.8	-4	w's	3	z	55 85 50 6	5	3	-	WSW	2	z	59 85 54 0	1	7	9	4-6 2000 0	52	43	-	-	-	2.2								
3	Birmingham ...	536	*	*	*	*	*	*	*	*	*	*	*	19.4	-2	w	3	c	58 85 53 8	5	7	-	9 10 2500 0	65	55	52	-	-	3.6				
4	Upper Heyford ...	408	21.0	-6	WSW	1	c	54 85 48-8	-3	0	4+	-	20.1	-6	SW'W	2	z	58 75 51 6	5	7	-	2-3 94 6000 0	66	53	47	-	-	*					
	Ross-on-Wye ...	223	*	*	*	*	*	*	*	*	*	*	*	20.1	-4	w's	3	bc	61 75 52 8	4	9	1-3 4-6 4000 0	66	55	50	-	-	1.9					
5	Hartland Point ...	299	23.1	-4	w	3	c	56 92 84 8	5	6	4-6	7-8 1500	22.0	+4	w	3	c	58 92 56 8	2	7	-	2-3 94 1300 0	64	55	53	-	-	12.2					
	Bristol ...	209	22.8	-6	WSW	4	z	56 92 53 6	5	3	8	1	24 1500	21.9	-4	w's	3	z	58 92 56 7	6	7	-	1 94 1500 1	64	55	52	-	0.1	4.7				
	Portland Bill ...	32	22.8	-8	N	1	bc	57 85 53 8	2	-	4-6	4-6 4000	22.5	-6	w	1	c	56 85 52 8	5	-	-	10 10 4000 1	65	53	50	-	-	*					
	Plymouth ...	82	24.3	-2	NW'W	1	bc	55 92 51 8	-	7	6	0	4-6	-	23.4	+4	w'n	2	z	56 92 55 6	5	-	-	10 10 3000 0	70	51	44	-	-	12.7			
	The Lizard ...	240	24.6	-2	NW	4	c	57 97 54 8	8	6	-	7-8 7-8 2500	23.4	-2	NW	3	c	57 92 55 8	8	6	-	7-8 7-8 2500 0	67	52	50	-	-	13.3					
	Scilly (St. Mary's) ...	163	25.0	-4	WNW	4	c	56 85 51 8	8	7	4-6	94 1500	24.1	+2	WNW	4	c/pr	58 85 54 8	8	7	-	7-8 94 1200 0	65	54	50	-	-	12.2					
6	Pembroke ...	142	22.6	-8	w's	4	c	56 97 56 8	8	3	-	4-6	7-8 4000	21.8	-4	w'n	3	c	56 92 54 8	5	7	-	7-8 9 3000 0	62	50	48	-	-	8.8				
7	Holyhead (Valley) ...	32	19.9	-10	WSW	3	r/r	55 92 53 8	8	-	10	10	2000	19.4	+6	WSW	3	c	57 85 53 8	5	-	-	10 10 2500 1	66	54	50	-	-	*				
8	Chester (Sealand) ...	16	19.3	-10	w'n	1	z	60 75 53 6	8	7	-	4-6	10 4000	19.0	-2	WNW	2	c	58 85 54 7	6	-	-	10 10 1800 0	65	56	54	-	0.2	11.2				
	Manchester ...	235	19.3	-12	S	3	c	56 75 49 7	5	7	-	9	10	3000	18.6	-2	WSW	3	d/d	55 97 54 4	5	-	-	10 10 600 1	64	54	53	-	1	*			
10	Spurn Head ...	29	18.8	-14	w's	4	c	57 75 49 7	7	2	-	7-8 10 2500	18.0	0	w	3	o	58 85 53 8	5	-	-	10 10 2100 0	61	56	54	-	-	0.7					
	Catterick ...	175	17.3	-14	w	1	c	57 75 49 8	8	-	0	94	-	16.9	0	NNW	1	c	59 85 55 9	5	-	-	9 9 2000 0	65	55	51	-	-	Tr 2.7				
	Tynemouth ...	108	17.5	-8	WNW	5	c	59 75 49 7	8	-	7-8	7-8 2500	16.8	0	WSW	3	c	59 85 52 7	8	-	-	9 9 1600 0	64	57	55	-	-	*					
11	St. Abbs Head ...	280	14.0	-14	WSW	4	c	56 85 52 7	5	-	94	94 2500	13.9	+4	w	4	c	58 92 54 8	5	4	-	4-6 7-8 2500 0	63	55	52	-	-	0.4					


SECRET

Monday 29th June 1942

No. 29439

Page 1
BRITISH
SECTIONTHE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

DISTRICT.	STATIONS. (For heights see p. 4.)	OBSERVATIONS at 13h. G.M.T. 28th June												OBSERVATIONS at 18h. G.M.T. 28th June												PAST 24 HOURS									
		Barom. at M.S.L. (1)	Change in 3 hours. (2)	Wind.		Temp. °F. (3)	Humid. % (4)	Dew Point. °F. (5)	Visibility. 0-9 (6)	Cloud.					Barom. at M.S.L. (16)	Change in 3 hours. (17)	Wind.		Temp. °F. (18)	Humid. % (19)	Dew Point. °F. (20)	Visibility. 0-9 (21)	Cloud.					State of Ground. (30)	Sea. (31)	WEATHER.					
				Dir.	0-12 (8)					Form.	Amount.	Height of Base (feet) (15)	Low. (10)	Med. (11)	High. (12)	Total (13)	Low. (14)	Med. (15)	High. (16)	Form.	Amount.	Height of Base (feet) (30)	Low. (25)	Med. (26)	High. (27)	Total (28)	Low. (29)	Med. (30)	High. (31)	Total (32)	7h.—13h. (39)	13h.—18h. (40)	18h....to 1h.... (41)	1h.—7h. (42)	
1 London (Kew) ...	20.0	0	WNW 2	C	68	55	52	8	7	3	-	7-8 9	2500	19.8	0	NW N	3	bc	74	43	47	8	7	-	-	7-8 7-8	2500	0	*	c2o ey	cby	beyw	b2w		
Croydon ...	20.4	+2	W 3	C	67	65	55	7	5	-	-	9-10 9t	2000	19.8	-2	W	4	bc	72	59	54	9	5	-	-	4-6 4-6	2300	0	*	c2o	cby v	beybw	b2w b2		
S. Farnborough ...	20.5	+2	WNW 3	C	68	65	54	8	8	-	-	7-8 9t	2000	19.9	0	WN	3	bc	73	55	53	8	1	-	-	4-6 4-6	4000	0	*	c2o	cby	beybw	b2w b2		
Boscombe Down ...	21.1	-2	WNW 4	C	67	65	54	8	5	-	-	4-6 7-8	3500	21.0	0	NW W	4	b	70	65	56	8	5	-	-	2-3 2-3	3000	0	*	c2o	bey	beyb	b2w b2		
Thorney Island ...	21.0	0	WSW 3	C	67	65	57	7	5	-	-	10 10 4000	20.9	-4	WSW	3	b	69	75	59	8	1	-	-	1 1	4000	0	*	c2o	cby	beyw	b2w b2			
Lymne ...	20.6	0	NNW 1	C	67	65	54	8	7	-	-	7-8 9t	3500	20.5	-2	W'S	1	bc	66	65	52	7	5	-	-	7-8 7-8	6000	0	*	c2o	cby	beyw	b2w b2		
Manston ...	19.7	+2	WNW 3	20	69	55	52	5	1	-	-	7-8 4000	20.1	+4	SSSE 1	20	68	65	57	6	8	6	-	7-8 7-8	6000	0	*	c2o	cby	beyw	b2w b2				
2 Shoeburyness ...	19.7	0	WN 2	C	69	65	58	6	5	-	-	10 10 2100	19.7	0	WN	2	bc	71	55	33	7	5	-	-	4-6 4-6	4800	0	*	c2o	cby by	bey	b2w b2			
Felixstowe ...	19.5	+6	WSW 3	C	65	75	53	7	5	-	-	10 10 3000	19.6	+2	WNW	2	e	70	63	57	7	5	-	-	7-8 7-8	5700	0	1	c2o	cby	beyw	b2w b2			
Gorleston ...	19.0	+4	NW'N 3	C	64	65	63	2	5	-	-	9t 9t 6000	19.5	6	S'E	1	e	61	85	56	7	5	-	-	9t 9t	2500	0	2	c2o	cby	beyw	b2w b2			
Mildenhall ...	19.2	+2	W'N 2	C	66	55	58	7	1	-	-	7-8 9t	2000	19.3	-2	NW	3	bc	70	59	50	8	7	3	-	2-3 2-3	2500	0	*	c2o	cby	beyw	b2w b2		
Cranwell ...	18.9	+2	WNW 3	20	67	55	50	0	5	-	-	9 10 3500	19.0	+2	W'M	4	20	66	65	52	6	5	-	-	1 1	4000	0	*	c2o	c2o, b2o	beyw	b2w b2			
3 Birmingham ...	20.0	+2	NW 3	C	66	55	50	8	7	-	-	7-8 9t	4000	19.9	0	NW	3	bc	68	55	50	8	7	-	-	2-3 2-3	4000	0	*	c2o	cbe	bey	b2w b2		
Upper Heyford ...	19.7	-2	NW'N 4	C	68	55	52	9	7	-	-	7-8 7-8	3500	19.6	-2	NNW	3	bc	72	59	52	9	1	-	-	2-3 2-3	3500	0	*	c2o	cby	beyw	b2w b2		
4 Ross-on-Wye	20.2	0	NW'W 3	bc	69	55	53	9	7	-	-	4-6 4-6	4000	20.3	0	NN'N	3	bc	70	53	52	9	1	-	-	T	T	4000	0	*	c2o	cbe	bey	b2w b2	
5 Hartland Point ...	22.6	+2	W 3	C	62	85	59	8	5	7	-	4-6 9t 1500	22.6	-2	W	2	c	63	83	59	8	5	-	-	7-8 7-8	1500	0	3	oide	c	bey	ff			
Bristol ...	21.6	-2	W'S 4	bc	66	65	59	8	7	6	-	2-3 4-6	4000	21.3	-2	W'S	5	b	67	65	56	8	4	-	-	T	T	5700	0	*	cir	bey	bey	b2w, am	
Portland Bill ...	22.1	-2	WSW 1	C	69	85	55	8	2	-	-	7-8 7-8	4000	21.2	-8	W	3	c	59	83	54	8	2	-	-	7-8 7-8	4000	0	3	c	bey	bey	b2w, am		
Plymouth ...	23.1	-2	WNW 3	C	65	55	58	8	5	-	-	10 10 2000	23.2	+2	WNW	3	c	64	85	57	8	5	-	-	10 10 1500	0	2	c	prdem	ff	ff				
The Lizard ...	24.0	-4	WNW 3	0	58	97	53	5	5	-	-	10 10 1000	23.9	+2	WNW	3	c/f	58	97	58	8	5	-	-	10 10 500	0	2	c	ff	ff	ff				
Scilly (St. Mary's) ...	24.3	-2	W 3	c/f	61	92	58	6	5	-	-	10 10 800	24.1	-2	WNW	3	c/f	61	85	58	6	5	-	-	10 10 2000	0	3	c	cpe	coffe	coffe				
Guernsey ...																																			
6 Pembroke ...	22.5	+6	WNW 3	bc	62	82</																													



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts



(The symbols used to indicate fronts are shown below).
Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin.
In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis is said to occur when a front is in process of dissolution.



EXPLANATION OF CHART.

BAROMETER. Isobars are drawn for intervals of four millibars.

WIND. Arrows fly with wind. A full length feather indicates two steps on the Beaufort Scale, and a short feather one step. Calm is indicated by circle outside weather symbol: —○—

TEMPERATURE is given in degrees F.

WEATHER SYMBOLS: —○— Clear sky. —○— Sky less than 3/10 clouded. —○— Sky 4/10 to 6/10 clouded.
—○— Sky 7/10 to 9/10 clouded. —○— Overcast sky. —●— Rain falling. *— Snow. #— Sleet. △— Hail.

Fog = Mist. = Thunder. (X) Thunderstorm. ☀ Slight haze. ☀

The hour of observation is not uniform throughout the Hemisphere; a chart showing the hours at which the observations are taken is contained in the Introduction.

FRONTS or boundaries between masses of air of different origin are indicated, wherever their characteristics are well pronounced in the following way—

— Warm Front on the Surface
— Warm Front above the ground
— Cold Front on the surface
— Cold Front above the ground

— Occluded Front (or Occlusion)
— Warm Occlusion
— Cold Occlusion

— Lines of Frontogenesis
Short strokes across the frontal line indicate Frontolysis. (For explanation see page 3.)

NOTE. The symbols are placed on the side of the line towards which the front is moving.
When the front is stationary the symbols are placed alternately on both sides of the line.

All times are G.M.T. Add two hours to get double summer time.

BRITISH
SECTIONTHE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Monday 29th June 1942

No. 29439

District.	STATIONS.	OBSERVATIONS at 1 hr. G.M.T. 29th June															OBSERVATIONS at 7 hr. G.M.T. 29th June															PAST 24 HOURS.										
		Height above M.S.L., in feet. mb.	Barom. at M.S.L. (1)	Change in 3 hours. (2)	Wind.			Temp. °F. (6)	Humid. % (7)	Dew Point. °F. (8)	Visibility. 0-9 (9)	Cloud.					Barom. at M.S.L. (16)	Change in 3 hours. (17)	Wind.			Temp. °F. (21)	Humid. % (22)	Dew Point. °F. (23)	Visibility. 0-9 (24)	Cloud.					Sea- Ground (30)	Ses. (31)	TEMPERATURE.				RAINFALL.				SUN- SHINE Hrs. (38)	
					Obsc. (3)	Force. (4)	West. (5)					Form. (10)	Amount. Low. (11)	Med. (12)	High. (13)	Total (14)			Dir. (18)	Force. (19)	Weather. (20)																					
1	London (Kew)	18	*	*	W's	*	*	59	*	*	*	*	*	*	*	*	*	23-5	+0	NNW	2	20	61	b3	50	6	-	-	-	-	-	0	0	0	0	0	74	54	39	-	-	6-6
	Croydon	290	22-6	t6	W's	1	0	57	85	54	7	-	1	0	TTr	-	23-5	+8	NNW	1	20	61	75	53	6	0	0	0	0	0	73	50	36	-	-	6-1						
	S. Farnborough	226	22-9	t6	NNW	1	b	57	92	55	8	-	1	0	0	0	-	23-7	+0	NNW	2	15	59	88	b3	7	-	-	-	-	0	0	0	0	0	74	51	41	-	-	6-2	
	Boscombe Down	417	23-5	+10	NNW	2	0	57	97	53	9	-	1	0	0	0	-	24-2	+4	NNW	2	15	59	85	54	7	-	-	-	-	0	0	0	0	0	71	59	41	-	-	6-3	
	Thorney Island	10	22-6	+10	NNW	2	0	57	92	55	8	-	1	0	1	2	-	23-4	+6	NNW	1	20	62	75	56	7	-	-	-	-	0	0	0	0	0	70	54	47	-	-	6-4	
	Lyminge	283	22-6	+8	-	0	0	57	97	54	2	-	1	0	0	0	-	23-5	+6	NNW	1	20	61	83	55	6	-	-	-	-	0	0	0	0	0	71	58	49	-	-	3-2	
	Manston	154	21-8	+6	-	0	0	57	97	66	6	5	1	0	0	2-3	4000	23-2	+0	NNW	2	20	61	83	55	6	-	-	-	-	0	0	0	0	0	70	53	49	-	-	2-2	
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	23-2	+10	NW	2	15	61	75	53	6	-	-	-	-	0	0	0	0	0	74	52	40	-	-	3-0	
	Felixstowe	12	22-0	+10	W'N	1	Zo	57	92	55	6	5	1	0	0	0	-	22-3	+6	NNW	2	20	60	75	53	6	-	-	-	-	0	0	0	0	0	70	55	47	-	-	1-1	
	Gorleston	5	21-0	+6	NNW	2	bC	56	85	50	6	5	1	0	0	0	-	22-3	+10	NNW	1	20	59	88	54	6	-	-	-	-	0	0	0	0	0	68	53	48	-	-	0-1	
	Mildenhall	15	21-8	+6	W's	1	Zo	50	92	48	6	-	1	0	0	0	-	23-3	+12	WSW	1	20	57	85	52	6	-	-	-	-	0	0	0	0	0	70	47	39	TTr	-	4-8	
	Cranwell	203	21-9	+6	W'N	3	Zo	53	85	49	6	1	0	0	0	-	22-6	+6	W	3	Zo	59	83	53	6	5	3	-	-	-	-	0	0	0	0	0	67	40	-	-	-	6-4
3	Birmingham	536	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	23-3	+8	-	0	m	61	85	56	4	5	-	6	TTr	1	2500	0	*	72	53	40	-	-	7-3		
4	Upper Heyford	408	22-4	+8	NW	1	b	54	85	50	8	-	1	0	0	0	-	23-8	+6	WSW	1	20	59	88	53	8	-	4	-	0	0	0	72	50	45	-	-	4-5				
	Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	23-8	0	S	1	bC	60	85	54	8	-	-	9	0	1	-	-	72	51	45	-	-	0-3			
5	Hartland Point	299	24-1	+6	NNW	2	bP+	57	97	47	1	-	1	0	0	0	-	24-3	+14	NNW	3	P	58	97	55	2	-	-	10	10	6150	1	3	63	55	55	-	-	2-9			
	Bristol	209	23-8	+6	S'E	1	bP	53	92	52	7	-	1	0	0	0	-	24-7	+10	NNW	2	C/P	59	92	57	6	5	-	9	9	400	0	2	70	49	40	TTr	-	8-0			
	Portland Bill	32	23-0	+14	NW	1	bP	57	85	53	8	-	1	0	0	0	-	23-9	+4	NW	2	bC	59	85	55	8	2	-	4	4	400	0	2	60	56	48	-	-	0-2			
	Plymouth	82	24-1	+2	NNW	2	c	57	92	55	8	5	-	1	0	0	-	24-6	+4	NW	2	E	58	97	57	6	5	-	9	9	400	0	2	66	56	48	T					


SECRET

Tuesday 30th June 1942

No. 29440

Page 1
BRITISH
SECTIONTHE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

DISTRICT.	STATIONS.	OBSERVATIONS at 13h. G.M.T. 29th June												OBSERVATIONS at 18h. G.M.T. 29th June												PAST 24 HOURS.									
		Barom. at M.S.L. (mb.)	Change in 8 hours. (1)	Wind. Dir. (2)	Force. (3)	Weather. (4)	Temp. °F. (5)	% Humid. (6)	Dew Point. °F. (7)	Cloud.				Barom. at M.S.L. (mb.)	Change in 8 hours. (16)	Wind. Dir. (18)	Force. (19)	Weather. (20)	Temp. °F. (21)	% Humid. (22)	Dew Point. °F. (23)	Cloud.				State of ground. (25)	Sea. (26)	7h.—13h. 29th (39)	13h.—18h. 29th (40)	18h.— 30th 1h. (41)	1h.— 30th (42)				
										Form. (10)	Low. (11)	Med. (12)	High. (13)	Low. 0-10 (14)	Total 0-10 (15)																				
1	London (Kew) ...	22.9	-8	NW	1	b	78	45	55	7	-	-	-	0	0	-	21.0	-8	WSW	2	c	80	45	57	8	5	5	1	4-6	9	4000	0			
	Croydon ...	22.9	-6	NW	1	b	80	45	55	6	-	-	-	0	0	-	21.4	-2	s	2	bc	77	55	61	7	2	3	1	Tr	4-6	3500	0			
	S. Farnborough ...	23.1	-6	N	1	b	80	45	57	8	-	-	-	Tr	Tr	3000	213	-2	SSW	3	c	81	55	60	8	1	5	9	1	7-8	4500	0			
	Boscombe Down ...	23.2	-6	N	1	bc	78	55	58	8	3	-	-	2-3	2-3	3000	218	-12	SW's	4	bc	76	65	62	8	2	3	9	4-6	4-6	3000	0			
	Thorney Island ...	23.6	0	SSW	4	b	70	65	57	8	1	-	-	Tr	Tr	2500	227	-4	SW	3	b	71	65	58	8	-3	3	9	0	1	-	0			
	Lyminge ...	24.0	-2	ESE	3	zo	69	65	58	6	-	-	-	0	0	-	23.1	-2	3SE	2	bc	69	65	57	6	-	3	9	0	2-3	-	0			
	Manton ...	23.9	+2	SSE	2	zo	68	65	55	6	-	-	-	0	0	-	22.2	-6	SW	2	zo	74	55	58	6	-	8	-	0	2-3	-	0			
2	Shoeburyness ...	23.6	-8	SE's	2	zo	72	75	63	6	-	-	-	0	1	-	22.4	-2	s	2	z	71	75	63	6	-	3	-	0	1	-	0			
	Felixstowe ...	23.2	-2	SSE	3	zo	71	66	57	6	-	-	-	0	0	-	21.9	-8	S'E	3	zo	69	65	58	6	-1	7	9	1	Tr	4-6	4000	0		
	Gorleston ...	22.9	0	SE	3	zo	62	75	55	6	-	3	-	0	2-3	-	22.4	-4	SSE	3	bc	63	85	57	6	-3	0	4-6	-	0	3	bz	bc	em	
	Mildenhead ...	22.7	-6	WSW	2	bc	79	45	56	7	-	3	9	0	4-6	-	21.5	-4	NNW	3	zo	76	05	61	6	8	3	9	7-8	9	2500	0			
	Cranwell ...	22.5	+2	NW'W	4	zo	75	55	59	6	1	3	9	1	4-6	3000	210	-2	NN'N	3	zo	74	55	59	6	-7	0	9	-	0	3	bc	bc	em	
3	Birmingham ...	22.8	-4	w	2	bc	75	55	58	8	1	-	3	2-3	4-6	4000	223	-2	NNW	3	c	70	75	62	8	5	7	-	4-6	10	4000	0			
	Upper Heyford ...	22.5	-8	NW	1	bc	78	55	59	8	1	5	9	Tr	2-3	4500	213	-2	-	o	2	c	78	55	62	8	2	3	9	7-8	9	2800	0		
4	Ross-on-Wye ...	22.5	-8	s	2	bc	77	55	57	8	1	-	3	Tr	2-3	4000	215	-6	SW'W	3	c	75	65	60	8	-7	0	9	+	-	0	bz	bz	em	
5	Hartland Point ...	24.2	-4	w	3	if	57	92	54	8	1	-	4	1	2-3	2000	234	-6	w	3	f	58	97	58	1	-	1	-	10	10	1150	0			
	Bristol ...	23.7	-10	w	2	b	77	55	53	8	-	3	-	0	Tr	-	227	-4	w	3	bc	76	55	59	8	-4	4	0	23	-	0	3	ifbcif	ifff	fbef
	Portland Bill ...	24.5	+4	w	1	bc	62	85	59	8	2	4	-	1-6	4-6	4000	231	-10	w	1	c	58	85	54	8	2	4	4	-	46	2800	0			
	Plymouth ...	25.0	+4	sw	3	cjf	59	92	56	6	5	-	-	10	10	4000	239	-8	sw	2	cjf	59	91	57	4	5	-	-	10	10	100	0			
	The Lizard ...	25.1	+8	-	0	cjf	61	85	56	6	5	-	-	10	10	1000	237	-6	wnw	2	cjf	58	92	55	2	5	-	-	10	10	400	0			
	Scilly (St. Mary's) ...	25.3	0	ws	2	c	62	85	57	7	5	-	-	9+9	800	260	-8	n	1	cjf	60	92	57	6	5	-	-	10	10	500	0				
6	Pembroke ...	24.9	-2	w	2	f	38	92	56	2	-	-	-	10	10	150	234	-8	N'E	4	bc	65	75	55	7	2	3	4	23	4-6	3500	0			
7	Holyhead (Valley) ...	24.5	+6	N	3	cf	64	75	54	8	7	4	8	9	3+	3000	240	-6	NNW	2	e	62	65	52	8	7	9	2	4-6	9	5000	0			
	Chester (Sealand) ...	24.0	+2	NW	3	bc	67	75	57	7	5	3	4	2-3	4-6																				



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).
 Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis is said to occur when a front is in process of dissolution.



Page 4.
BRITISH
SECTION

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Tuesday 30th June 1942
No. 29440

DISTRICT.	STATION.	OBSERVATIONS at 1 hr. G.M.T. 30th June															OBSERVATIONS at 7 hr. G.M.T. 30th June															PAST 24 HOURS.												
		Height above M.S.L. in feet.	Barom. at. mb.	Change in 3 hours.	Wind.			Weather.	Temp. °F.	Humid. %	Dew Point. °F.	Visibility. 0-9	Cloud.					Barom. at. m.s.l.	Change in 3 hours.	Wind.			Weather.	Temp. °F.	Humid. %	Dew Point. °F.	Visibility. 0-9	Cloud.					Sea. 0-9	State of Ground. 0-9	Sea. 0-9	TEMPERATURE.				RAINFALLS.				SUM- SHINE Hrs.
					Dir.	Force (1)	0-12 (2)						Low. (3)	Med. (4)	High. (5)	Total (6)	Dir.		Force (16)	Temp. (18)	Humid. (19)	Dew Point. (20)			Visibility. (21)	Low. (22)	Med. (23)	High. (24)	Total (25)	Low. (26)	Med. (27)	High. (28)	Total (29)	Sea. (30)	State of Ground. (31)	Sea. (32)	Max. Day 7h-18h °F.	Min. Night 18h-7h °F.	Min. 24h Grass °F.	Day 1h-8h mm.	Night 8h-7h mm.	(33)	(34)	(35)
1	London (Kew) ...	18	* * * * *	S	C	63	*	*	*	*	*	*	*	*	*	*	20.8	+2	SW	1	bc	65	75	58	6	5	3	1	1	4-6	4000	0	*	83	62	53	-	-	12.8					
	Croydon ...	290	21.6 -6	S	C	62	85	58	6	-	3	-	0	94	-	20.7	+6	SW	1	bc	67	75	60	7	-	2-3	-	0	*	84	59	57	-	-	13.5									
	S. Farnborough ...	226	21.4 -6	-	O	64	75	57	8	-	3	-	0	9	-	20.9	+2	NNW	1	z	63	85	58	6	-	0	0	0	*	86	59	50	-	-	13.1									
	Boscombe Down ...	417	22.1 -2	w'N	2	bc	60	92	58	8	-	3	-	0	4-6	-	21.7	-4	NNW	2	z	61	92	59	6	-	7	9	0	94	-	82	55	51	-	Tr	13.4							
	Thorney Island ...	10	22.2 -6	ssw	1	bc	56	92	54	8	-	3	-	0	2-8	-	21.1	-2	-	0	z	60	92	58	5	-	3	9	0	7-8	-	75	52	44	-	-	*							
	Lyminge ...	283	22.8 -6	-	O	54	97	54	6	-	3	-	0	1	-	21.7	-2	WSW	1	bc	64	65	54	8	-	4	1	0	1	-	72	53	44	-	-	13.5								
	Manston ...	154	21.9 -6	sw	1	z	60	85	55	6	-	3	-	0	Tr	-	21.2	-2	SW	2	bc	64	75	56	7	-	8	6	0	4-6	-	76	56	50	-	-	13.8							
2	Shoeburyness ...	11	* * * * *	S	C	63	*	*	*	*	*	*	*	*	*	20.9	0	WSW	2	z	66	75	58	6	-	-	0	0	0	*	72	60	-	-	-	14.1								
	Felixstowe ...	12	21.6 -6	s'E	1	z	65	85	62	6	5	7	-	7-8	94	5700	20.3	-4	NNW	1	z	62	85	59	6	-	7	1	0	7-8	-	73	56	53	-	*	13.3							
	Gorlestone ...	5	22.8 0	SE	2	z	58	85	53	6	5	-	-	94	2500	21.7	0	E	3	T	56	97	56	5	8	-	1	0	1000	1	66	56	55	-	12.2									
	Mildenhall ...	15	21.4 -6	N'W	1	z	66	75	58	6	5	-	-	9	9	7200	21.3	+4	ENE	2	z	63	75	56	6	-	7	1	0	94	-	82	60	56	-	Tr	11.7							
	Cranwell ...	203	12.2 -4	-	O	z	58	92	55	6	5	7	-	94	10	4000	21.7	0	NNW	2	z	57	92	55	6	5	7	4	6	94	4000	1	*	86	56	51	-	Tr	9.9					
3	Birmingham ...	536	* * * * *	S	C	63	*	*	*	*	*	*	*	*	*	21.5	0	N	2	c	57	85	56	6	5	7	9	94	5700	0	*	80	54	51	-	Tr	9.4							
4	Ross-on-Wye ...	408	21.8 -7	N	3	2	62	85	57	6	3	-	0	94	-	21.6	0	NW	3	z	60	75	52	6	5	9	4-6	3000	0	*	82	56	55	-	Tr	*								
		223	* * * * *	S	C	63	*	*	*	*	*	*	*	*	*	22.2	-4	NE'S'E	2	c	59	75	52	7	5	4	9	4-6	3500	0	*	81	55	51	-	-	11.1							
5	Hartland Point ...	299	22.5 -4	E	2	if	58	97	58	6	-	4	-	0	4-6	-	21.4	0	NNE	3	c	58	92	56	7	5	4	4	1	9	1000	0	2	59	56	53	-	-	5.0					
	Bristol ...	209	23.0 0	-	O	z	58	92	57	6	-	3	-	0	94	-	22.6	-2	HNE	2	z	59	85	53	6	-	3	0	7-8	-	80	55	48	-	*	11.9								
	Portland Bill ...	32	22.1 -4	NW	2	f	56	85	52	8	8	-	-	7-8	7-8	4000	21.1	-4	W	2	c	58	85	54	8	2	4	-	4-6	7-8	4000	1	64	53	-	-	*							
	Plymouth ...	82	22.6 -6	-	O	f	57	97	57	2	-	-	-	10	10	450	22.2	+2	-	0	o	56	97	55	2	-	10	10	150	0	2	63	54	51	-	-	4.0							
	The Lizard ...	240	23.3 -2	-	O	gf	56	97	56	3	-	-	-																															