


DUPPLICATE

UDC 551.524.36:
551.571.36 (423)



METEOROLOGICAL OFFICE

London Road, Bracknell, Berkshire

CLIMATOLOGICAL MEMORANDUM 92

PERCENTAGE FREQUENCY OF HOURLY VALUES OF
DRY-BULB AND WET-BULB TEMPERATURES
AT PLYMOUTH, MOUNTBATTEN 1960-74

by

H.J. Baker and Joyce Laing

ORGs UKMO C Duplicate

National Meteorological Library
FitzRoy Road, Exeter, Devon. EX1 3PB

logical Services (Met.O.3)

August 1976

DUPLICATE

25 NOV 1976

CLIMATOLOGICAL MEMORANDUM NO. 92

PERCENTAGE FREQUENCY OF HOURLY VALUES OF DRY-BULB AND WET-BULB TEMPERATURES

AT PLYMOUTH, MOUNT BATTEN 1960-70

BY H J BAKER AND JOYCE LAING

Introduction

Hourly observations of dry-bulb and wet-bulb temperature were made at Plymouth, Mount Batten NGR SX 492529 during the 15 years 1960-74. The thermometers were exposed in the standard louvered screen 4 feet (1.25 metres approximately) above short grass. An analysis has been made by computer of these observations to give monthly and annual tables showing the percentage frequency of combinations of dry- and wet-bulb readings in ranges of one degree Celsius. Tables are also given showing the frequency of dry-bulb and wet-bulb temperatures separately.

Explanation of the tables

Tables 1 to 13 contain for each month, and for the year, the distribution of combined dry-bulb and wet-bulb temperature. The ranges of dry-bulb temperature are shown down the left hand side: the ranges of wet-bulb temperature, across the page, are for the sake of brevity given as T (the dry-bulb temperature range for the row) $T-1$ degC, $T-2$ degC etc. Thus if T is 0.1 to 1.0 then $T-1$ is -0.9 to 0.0 and so on.

For any given range of dry-bulb temperature and associated wet-bulb temperature two values are given. The upper figure is the percentage frequency of occurrence within the given range calculated to two places of decimals; the lower figure is the cumulative percentage frequency of occurrence of dry-bulb temperature and associated wet-bulb temperature greater than, or equal to, the lower values in the appropriate range as indicated, calculated to one place of decimals. Entries of 0.0^+ indicate values of less than .05 per cent but greater than zero.

Example. In Table 1 for January, the percentage frequency of the number of hours with dry-bulb temperature within the range 10.1 to 11.0 deg C and the associated wet-bulb temperature within the range 8.1 to 9.0 deg C (column $T-2$) is 0.91. The cumulative value in this 'box', 11.0, indicates that a dry-bulb temperature of 10.1 deg C or more and an associated wet-bulb temperature of 8.1 deg C or more occurred on 11.0 per cent of the hours. This value is derived from the sum of the upper figures in each box below and to the left of a diagonal through the box concerned to the bottom right of the table, thus:

4.01	3.67	0.91	0.13	
0.94	1.08	0.22	0.04	
0.11	0.03	0.01	0.01	
				0.01

Slight discrepancies may occur in the last place of decimals due to the rounding off of figures when the percentage frequencies were calculated; the printed cumulative figures are correct rather than those obtained by simple addition of the figures in the table.

Table 14 gives the frequency of dry-bulb temperatures alone and table 15 gives the frequency of wet-bulb temperatures alone. The annual percentage frequencies have been worked from all the data and are not a direct mean of the monthly figures.

Average of accumulated temperature

Accumulated temperatures are the integrated excess or deficit from a stated base temperature, and are expressed as degree-days or degree-hours. From data given in table 14 the degree-hours can be calculated using the following method.

The average number of degree-hours in any month above a base temperature ($b^{\circ}\text{C}$) is given by the sum of the products obtained by multiplying the entries for that month which refer to temperatures greater than $b^{\circ}\text{C}$ (ie those values lying beneath the entry referring to the range of temperature whose upper limit is b) by $(1/2) \times (N/100)$, $(3/2 \times N/100)$, $(5/2 \times N/100)$ etc. respectively, where N is the number of hours in the month. This assumes, in effect, that the entries in the ranges $(b + 0.1)$ to $(b + 1)$, $(b + 1.1)$ to $(b + 2)$ etc. are concentrated at mid-point of the range $(b + 0.5)$, $(b + 1.5)$ etc.

Example. In October (number of hours 744) the average number of degree-hours above 15°C is (from table 14):

$$\begin{aligned} 5.8 \times (1/2) \times (744/100) &= 21.6 \\ 2.4 \times (3/2) \times (744/100) &= 26.8 \\ 0.9 \times (5/2) \times (744/100) &= 16.7 \\ 0.3 \times (7/2) \times (744/100) &= 7.8 \\ 0.1 \times (9/2) \times (744/100) &= 3.3 \\ 0.1 \times (11/2) \times (744/100) &= 4.1 \\ 0^+ \times (13/2) \times (744/100) &= 0.0 \end{aligned}$$

80.3

To obtain the number of degree-hours below base $b^{\circ}\text{C}$ the procedure is the same except that the percentages used are those for the temperature ranges **below and including** the range of temperature which has $b^{\circ}\text{C}$ as its upper limit.

Memoranda containing similar data for other stations in the United Kingdom are published in this series (see list inside the front cover).

85.0	76.0	78.8	10.4
70.0	55.0	80.1	38.0
60.0	50.0	71.0	30.0
10.0	10.0	10.0	10.0

Table I PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

JANUARY 1960-74

PLYMOUTH (MOUNT BATTEN)

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB		T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
T (DEG C)										
-6.9	TO -6.0	0.01								
		100.0								
-5.9	TO -5.0	0.14	0.01							
		100.0	100.0							
-4.9	TO -4.0	0.11	0.31							
		99.5	99.8							
-3.9	TO -3.0	0.47	0.42							
		99.0	99.4							
-2.9	TO -2.0	0.50	0.63	0.02						
		97.8	98.5	98.5						
-1.9	TO -1.0	0.61	0.86	0.07						
		96.2	97.3	97.4						
-0.9	TO 0.0	1.16	1.39	0.28						
		93.8	95.6	95.8						
0.1	TO 1.0	1.27	2.23	0.39						
		89.6	92.6	93.0						
1.1	TO 2.0	1.58	2.14	0.75	0.02					
		85.6	88.3	89.1	89.1					
2.1	TO 3.0	1.65	2.46	0.54	0.05					
		86.7	84.6	84.6	84.6					
3.1	TO 4.0	1.94	3.78	0.80	0.04					
		74.4	79.1	79.9	79.9					
4.1	TO 5.0	2.02	3.85	0.84	0.02					
		67.6	72.5	73.4	73.4					
5.1	TO 6.0	2.17	3.54	0.95	0.01					
		59.8	65.6	66.6	66.6					
6.1	TO 7.0	2.43	5.18	2.17	0.06					
		50.3	57.6	59.9	60.0					
7.1	TO 8.0	2.58	5.84	2.02	0.12					
		39.5	47.8	50.0	50.1					
8.1	TO 9.0	4.32	5.75	2.28	0.18	0.01				
		28.8	36.9	39.4	39.6	39.6				
9.1	TO 10.0	6.63	6.81	2.26	0.17					
		16.7	24.5	26.9	27.0					

Table I (cont.) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES
JANUARY 1960-74 PLYMOUTH (MOUNT BATTEN)

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB

T (DEG C)	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
10.1 TO 11.0	4.01	3.67	0.91	0.13	70.0	20.0	0.4- 0T 0.2-	(0.00) 0
	6.2	10.1	11.0	11.2	0.001	0.00		
11.1 TO 12.0	0.94	1.08	0.22	0.04	81.0	20.0	0.5- 0T 0.6-	
	1.1	2.2	2.4	2.4	0.00	0.00		
12.1 TO 13.0		0.11	0.03	0.01	0.01	58.0	0.5- 0T 0.5-	
		0.1	0.1	0.2	0.2	0.00		
13.1 TO 14.0			0.01		50.0	20.0	0.1- 0T 0.1-	
			0.0		0.00	0.00		
					81.0	63.1	11.1	0.0 0T 0.0-
					0.00	0.00	0.00	
					54.0	50.5	5.1	0.1 0T 1.0
					1.39	0.00	0.00	
					70.0	51.1	11.1	0.2 0T 1.4
					0.00	0.00	0.00	
					51.0	48.1	01.1	0.1 0T 1.3
					5.00	1.00	0.00	
					51.0	48.1	01.1	0.1 0T 1.3
					5.00	1.00	0.00	
					65.0	54.1	04.1	0.0 0T 1.8
					0.00	0.00	0.00	
					65.0	54.1	04.1	0.0 0T 1.8
					0.00	0.00	0.00	
					40.0	31.0	7.1	0.2 0T 1.2
					0.00	0.00	0.00	
					40.0	31.0	7.1	0.2 0T 1.2
					0.00	0.00	0.00	
					40.0	31.0	7.1	0.2 0T 1.2
					0.00	0.00	0.00	
					11.0	1.0	02.1	0.1 0T 1.0
					5.00	1.00	0.00	
					11.0	1.0	02.1	0.1 0T 1.0
					5.00	1.00	0.00	
					20.0	16.0	07.1	0.3 0T 1.3
					2.00	0.00	0.00	
					20.0	16.0	07.1	0.3 0T 1.3
					2.00	0.00	0.00	
					10.0	02.0	02.1	0.0 0T 1.0
					0.00	0.00	0.00	
					10.0	02.0	02.1	0.0 0T 1.0
					0.00	0.00	0.00	
					50.0	45.0	5.1	0.01 0T 1.0
					5.00	0.00	0.00	
					50.0	45.0	5.1	0.01 0T 1.0
					5.00	0.00	0.00	
					50.0	45.0	5.1	0.01 0T 1.0
					5.00	0.00	0.00	

Table 2 PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

FEBRUARY 1960-74

PLYMOUTH (MOUNT BATTEN)

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB T (DEG C)	T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
-4.9 TO -4.0	0.03 99.9	0.07 100.0		01.0 S.21	19.0 0.11	70.8 1.01	10.4 S.6	0.11 OT 1.01	
-3.9 TO -3.0	0.09 99.7	0.16 99.9		40.0 A.S.	55.0 A.S.	80.1 S.S.	49.0 1.1	0.51 OT 1.11	
-2.9 TO -2.0	0.32 99.3	0.30 99.7		10.0 S.0	80.0 I.0	11.0 Z.0		0.81 OT 1.51	
-1.9 TO -1.0	0.71 98.2	0.65 99.0	0.04 99.0		10.0 0.0			0.41 OT 1.01	
-0.9 TO 0.0	1.11 95.7	1.28 97.4	0.19 97.6						
0.1 TO 1.0	1.42 91.3	2.02 94.6	0.42 95.1						
1.1 TO 2.0	1.97 85.4	2.86 89.9	1.12 91.1	0.07 91.2					
2.1 TO 3.0	2.07 77.6	4.16 83.4	1.39 85.1	0.12 85.2					
3.1 TO 4.0	1.82 69.6	3.98 75.5	1.42 77.2	0.23 77.4					
4.1 TO 5.0	2.11 60.9	4.44 67.8	1.47 69.7	0.18 70.0	0.04 70.0				
5.1 TO 6.0	2.35 51.0	4.82 56.8	1.98 61.2	0.40 61.7	0.04 61.8				
6.1 TO 7.0	2.78 39.6	5.79 48.6	2.56 51.6	0.41 52.1	0.11 52.2				
7.1 TO 8.0	2.25 28.3	5.55 36.8	2.70 40.1	0.39 40.5	0.05 40.5				
8.1 TO 9.0	3.72 20.0	4.45 26.1	2.54 29.0	0.56 29.6	0.01 29.6				
9.1 TO 10.0	5.13 11.1	4.32 16.3	1.42 17.9	0.34 18.3	0.02 18.3				
10.1 TO 11.0	1.89 2.6	3.00 5.9	0.85 6.8	0.21 7.0	0.03 7.1				

Table 2 (cont.) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

FEBRUARY 1960-74

PLYMOUTH (MOUNT BATTEN)

(ASSOCIATED WET-BULB TEMPERATURE (DEG C))

DRY-BULB

T (DEG C)	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
11.1 TO 12.0	0.07 0.1	0.47 0.7	0.37 1.1	0.04 1.1	20.0 0.001	0.0- DT 0.0-		
12.1 TO 13.0		0.06 0.1	0.04 0.1		10.0 0.001	0.2- DT 0.2-		
13.1 TO 14.0			0.02 0.0	0.02 0.0	10.0 0.001	0.4- DT 0.4-		
					20.0 0.001	20.0 0.001	0.8- DT 0.8-	
					30.0 0.001	31.0 0.001	0.5- DT 0.5-	
					32.0 0.001	33.0 0.001	0.1- DT 0.1-	
					34.0 0.001	35.0 0.001	0.0- DT 0.0-	
					36.0 0.001	37.0 0.001	0.1- DT 0.1-	
					38.0 0.001	39.0 0.001	0.1- DT 0.1-	
					40.0 0.001	41.0 0.001	0.1- DT 0.1-	
					42.0 0.001	43.0 0.001	0.1- DT 0.1-	
					44.0 0.001	45.0 0.001	0.1- DT 0.1-	
					46.0 0.001	47.0 0.001	0.1- DT 0.1-	
					48.0 0.001	49.0 0.001	0.1- DT 0.1-	
					50.0 0.001	51.0 0.001	0.1- DT 0.1-	
					52.0 0.001	53.0 0.001	0.1- DT 0.1-	
					54.0 0.001	55.0 0.001	0.1- DT 0.1-	
					56.0 0.001	57.0 0.001	0.1- DT 0.1-	
					58.0 0.001	59.0 0.001	0.1- DT 0.1-	
					60.0 0.001	61.0 0.001	0.1- DT 0.1-	
					62.0 0.001	63.0 0.001	0.1- DT 0.1-	
					64.0 0.001	65.0 0.001	0.1- DT 0.1-	
					66.0 0.001	67.0 0.001	0.1- DT 0.1-	
					68.0 0.001	69.0 0.001	0.1- DT 0.1-	
					70.0 0.001	71.0 0.001	0.1- DT 0.1-	
					72.0 0.001	73.0 0.001	0.1- DT 0.1-	
					74.0 0.001	75.0 0.001	0.1- DT 0.1-	
					76.0 0.001	77.0 0.001	0.1- DT 0.1-	
					78.0 0.001	79.0 0.001	0.1- DT 0.1-	
					80.0 0.001	81.0 0.001	0.1- DT 0.1-	
					82.0 0.001	83.0 0.001	0.1- DT 0.1-	
					84.0 0.001	85.0 0.001	0.1- DT 0.1-	
					86.0 0.001	87.0 0.001	0.1- DT 0.1-	
					88.0 0.001	89.0 0.001	0.1- DT 0.1-	
					90.0 0.001	91.0 0.001	0.1- DT 0.1-	
					92.0 0.001	93.0 0.001	0.1- DT 0.1-	
					94.0 0.001	95.0 0.001	0.1- DT 0.1-	
					96.0 0.001	97.0 0.001	0.1- DT 0.1-	
					98.0 0.001	99.0 0.001	0.1- DT 0.1-	
					100.0 0.001	101.0 0.001	0.1- DT 0.1-	

Table 3 PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

MARCH 1960-74

PLYMOUTH (MOUNT BATTEN)

(ASSOCIATED WET-BULB TEMPERATURE (DEG C))

DRY-BULB T (DEG C)	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
-6.9 TO -6.0	0.05 100.0		0.0 1.1	0.0 1.1	0.0 1.0	0.0 1.0	0.01 0.11	0.01 0.11
-5.9 TO -5.0	0.01 99.9			0.0 1.0	0.0 1.0		0.01 0.11	
-4.9 TO -4.0	0.0 99.9	0.01 99.9	0.0 0.0	0.0 0.0			0.01 0.11	
-3.9 TO -3.0	0.07 99.9	0.04 99.9						
-2.9 TO -2.0	0.24 99.6	0.17 99.8	0.01 99.8					
-1.9 TO -1.0	0.30 98.9	0.33 99.4	0.02 99.4					
-0.9 TO 0.0	0.56 97.7	0.69 98.6	0.10 98.7					
0.1 TO 1.0	0.84 95.9	1.24 97.2	0.18 97.4	0.01 97.4				
1.1 TO 2.0	1.21 91.6	2.02 94.7	0.32 95.1	0.03 95.1				
2.1 TO 3.0	1.10 86.6	2.13 90.4	0.91 91.5	0.06 91.5				
3.1 TO 4.0	1.71 80.6	2.89 85.5	1.27 87.1	0.18 87.3				
4.1 TO 5.0	2.00 72.6	3.38 78.9	1.44 80.9	0.37 81.3	0.02 81.3			
5.1 TO 6.0	2.37 62.6	4.38 70.6	2.18 73.5	0.45 74.0	0.03 74.1			
6.1 TO 7.0	3.07 51.5	4.45 60.3	2.46 63.8	0.69 64.6	0.06 64.7	0.01 64.7		
7.1 TO 8.0	4.14 37.5	6.16 48.4	2.60 52.7	0.82 53.8	0.08 53.9			
8.1 TO 9.0	6.05 23.1	6.29 33.3	3.21 38.1	1.32 39.8	0.22 40.1	0.01 40.1		
9.1 TO 10.0	3.25 8.7	6.03 17.1	2.49 21.0	1.37 22.6	0.30 23.0	0.04 23.0		

Table 3(a) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

MARCH 1960-74

PLYMOUTH (MOUNT BATTEN)

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB T (DEG C)	T-0	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
10.1 TO 11.0	0.53 2.2	1.93 5.5	1.40 7.8	1.12 9.2	0.16 9.4	0.10 9.5	0.01 9.5		
11.1 TO 12.0	0.01 0.6	0.45 1.7	0.83 3.0	0.76 4.0	0.22 4.2	0.04 4.3	0.02 4.3		
12.1 TO 13.0	0.0 0.2	0.04 0.6	0.28 1.3	0.30 1.7	0.15 1.9	0.02 2.0			
13.1 TO 14.0		0.0 0.2	0.13 0.6	0.24 0.9	0.11 1.1	0.03 1.1	0.01 1.2		
14.1 TO 15.0			0.04 0.2	0.09 0.4	0.08 0.6	0.03 0.6	0.02 0.6	0.04 0.7	
15.1 TO 16.0			0.01 0.0	0.06 0.2	0.06 0.3	0.01 0.3	0.02 0.4		
16.1 TO 17.0				0.03 0.0	0.04 0.1	0.04 0.2	0.02 0.2		
17.1 TO 18.0			50.0 5.00	45.0 1.00	41.5 2.00	38.6 3.00	34.5 4.00	0.04 0.0	0.04 0.1
			20.0 4.00	17.0 3.00	22.5 2.00	25.6 1.00	28.5 0.50	0.8 0.0	0.04 0.1
			35.0 1.00	32.1 3.00	34.6 5.00	36.2 3.00	37.0 0.50	0.0 0.0	0.04 0.1
			10.0 0.00	22.0 0.00	20.8 1.00	21.6 2.00	20.4 3.00	0.01 0.05	0.01 0.05
			00.0 0.00	20.0 0.00	23.1 1.00	27.5 2.00	24.2 3.00	0.0 0.0	0.01 0.01
			80.0 0.01	17.0 2.00	21.1 0.01	21.5 1.00	20.5 2.00	0.01 0.01	0.01 0.01
			50.0 1.00	21.0 1.00	20.0 1.00	21.1 1.00	20.0 1.00	0.0 0.0	0.01 0.01
			40.0 0.00	61.0 2.00	46.0 0.00	49.0 0.00	50.0 0.00	0.0 0.0	0.01 0.01
			60.0 0.00	10.0 0.00	61.0 0.00	62.0 0.00	61.0 0.00	0.0 0.0	0.01 0.01
			10.0 0.00	51.0 0.00	48.0 0.00	47.0 0.00	46.0 0.00	0.0 0.0	0.01 0.01

Table 4 PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

APRIL 1960-74

PLYMOUTH (MOUNT BATTEN)

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB		T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
T (DEG C)										
-0.9 TO 0.0	0.08	0.04								
	100.0	100.0	51.1	01.1	29.1	52.0	0.11 DT 1.01			
0.1 TO 1.0	0.23	0.12								
	99.7	99.9	57.0	63.0	24.0	10.0	0.51 DT 1.21			
1.1 TO 2.0	0.42	0.34	0.01							
	99.1	99.5	99.5	85.0	40.0	0.0	0.61 DT 1.51			
2.1 TO 3.0	0.59	0.70	0.06							
	97.6	98.7	98.8	61.0	0.0		0.71 DT 1.61			
3.1 TO 4.0	0.72	1.27	0.26	0.03						
	94.9	97.1	97.4	97.4	0.0		0.81 DT 1.71			
4.1 TO 5.0	0.94	2.14	0.72	0.06						
	90.6	94.2	95.1	95.1	0.0		0.91 DT 1.81			
5.1 TO 6.0	1.04	2.77	1.19	0.10						
	83.8	89.7	91.1	91.3	0.0		0.71 DT 1.61			
6.1 TO 7.0	2.06	3.88	2.14	0.17	0.02					
	73.9	82.8	85.9	86.1	86.2	0.81 DT 1.71				
7.1 TO 8.0	2.92	5.23	2.85	0.71	0.09					
	60.5	71.8	76.8	77.8	77.9					
8.1 TO 9.0	4.75	5.68	3.48	1.50	0.25					
	46.0	57.6	63.7	65.8	66.1					
9.1 TO 10.0	7.05	6.10	3.09	1.98	0.58	0.01				
	29.8	41.2	47.1	49.8	50.4	50.4				
10.1 TO 11.0	3.62	5.14	2.76	1.85	0.56	0.06				
	13.7	22.8	28.1	30.9	31.5	31.6				
11.1 TO 12.0	0.76	2.99	2.22	1.73	0.71	0.08				
	4.0	10.1	14.0	16.6	17.5	17.6				
12.1 TO 13.0	0.0	1.00	1.55	1.18	0.65	0.18	0.02			
	0.7	3.3	6.3	8.1	8.9	9.1	9.1			
13.1 TO 14.0	0.0	0.07	0.64	0.90	0.38	0.13	0.04			
	0.1	0.7	2.3	3.8	4.3	4.5	4.6			
14.1 TO 15.0	0.0	0.19	0.44	0.41	0.16	0.01	0.03			
	0.1	0.7	1.6	2.2	2.4	2.4	2.4			
15.1 TO 16.0		0.05	0.14	0.34	0.12	0.01	0.01			
		0.1	0.5	1.0	1.1	1.2	1.2			

Table 4(1) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

APRIL 1960-74

PLYMOUTH (MOUNT BATTEN)

(a) ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB T (DEG C)	WET-BULB T (DEG C)						
	T-1	T-2	T-3	T-4	T-5	T-6	T-7
16.1 TO 17.0					50.0 0.001	0.1 0.001	0.1 0.001
	0.01 0.1	0.14 0.3	0.12 0.4	0.06 0.5	0.01 0.5		
17.1 TO 18.0					0.01 0.001	0.02 0.02	0.02 0.02
	0.01 0.0	0.02 0.0	0.08 0.1	0.02 0.2	0.02 0.2	0.02 0.2	
18.1 TO 19.0					0.02 71.0 7.99	0.01 80.0 2.99	0.01 0.0 1.99
					50.0 2.99	85.0 2.99	95.0 2.99
					85.0 4.99	53.0 2.99	52.0 0.99
					70.0 4.99	65.0 2.99	65.0 0.99
					50.0 2.99	45.0 2.99	45.0 0.99
					40.0 2.99	40.0 2.99	40.0 0.99
					35.0 2.99	35.0 2.99	35.0 0.99
					30.0 2.99	30.0 2.99	30.0 0.99
					25.0 2.99	25.0 2.99	25.0 0.99
					20.0 2.99	20.0 2.99	20.0 0.99
					15.0 2.99	15.0 2.99	15.0 0.99
					10.0 2.99	10.0 2.99	10.0 0.99
					5.0 2.99	5.0 2.99	5.0 0.99
					0.0 2.99	0.0 2.99	0.0 0.99

Table 5 PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

MAY 1960-74

PLYMOUTH (MOUNT BATTEN)

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB

T T (DEG C)	T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
0.1 TO 1.0	0.02								
	100.0								
1.1 TO 2.0	0.08	0.02	1.0						
	100.0	100.0							
2.1 TO 3.0	0.11	0.08	0.0						
	99.8	99.9							
3.1 TO 4.0	0.18	0.17							
	99.5	99.7							
4.1 TO 5.0	0.37	0.38	0.02						
	98.9	99.3	99.3						
5.1 TO 6.0	0.47	0.62	0.07						
	97.6	98.5	98.6						
6.1 TO 7.0	0.97	0.78	0.25	0.01					
	95.4	97.1	97.4	97.4					
7.1 TO 8.0	1.54	2.01	0.55	0.04					
	91.0	94.5	95.4	95.4					
8.1 TO 9.0	2.39	3.65	0.87	0.23	0.02				
	82.3	89.4	90.9	91.3	91.3				
9.1 TO 10.0	4.70	6.61	2.03	0.49	0.07				
	67.1	79.9	83.4	84.0	84.1				
10.1 TO 11.0	6.34	8.49	3.29	0.93	0.09	0.03			
	47.0	62.4	68.6	70.1	70.2	70.2			
11.1 TO 12.0	4.75	6.51	3.89	1.77	0.30	0.04			
	28.4	40.7	47.6	50.5	51.0	51.1			
12.1 TO 13.0	1.57	5.39	3.34	1.95	0.89	0.16			
	13.7	23.6	29.5	32.4	33.6	33.8			
13.1 TO 14.0	0.51	2.72	2.32	1.57	0.73	0.22	0.04		
	5.9	12.2	16.7	19.1	20.2	20.5	20.5		
14.1 TO 15.0	0.05	1.22	1.89	1.34	0.63	0.20	0.04		
	2.0	5.4	8.9	11.1	12.0	12.3	12.4		
15.1 TO 16.0	0.0	0.18	1.08	0.81	0.60	0.27	0.06	0.04	
	0.9	1.9	4.1	5.8	6.6	6.9	7.0	7.0	
16.1 TO 17.0	0.0	0.09	0.30	0.57	0.58	0.20	0.03	0.03	
	0.3	0.9	1.7	2.9	3.7	3.9	4.0	4.0	

Table 5 (cont) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

(MATTAG THUOM) - HTUOMYJ4

MAY 1960-74

PLYMOUTH (MOUNT BATTEN)

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB T (DEG C)	T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
17.1 TO 18.0	0.0	0.01	0.15	0.31	0.27	0.15	0.03		
	0.1	0.3	0.8	1.4	1.9	2.2	2.2		
18.1 TO 19.0		0.0	0.11	0.15	0.14	0.22	0.09	0.01	
		0.1	0.3	0.6	0.9	1.2	1.3	1.3	
19.1 TO 20.0			0.01	0.05	0.07	0.05	0.05	0.01	
			0.1	0.2	0.4	0.5	0.5	0.6	
20.1 TO 21.0				0.05	0.02	0.06	0.04	0.02	
				0.1	0.2	0.2	0.3	0.3	
21.1 TO 22.0					0.01	0.03	0.01	0.01	
					0.0	0.1	0.1	0.1	
22.1 TO 23.0							0.01	0.02	
							0.0	0.1	
23.1 TO 24.0							0.02		
							0.0		
24.1 TO 25.0								0.01	0.01
								0.0	0.0
25.1 TO 26.0									
26.1 TO 27.0									
27.1 TO 28.0									
28.1 TO 29.0									
29.1 TO 30.0									
30.1 TO 31.0									
31.1 TO 32.0									
32.1 TO 33.0									
33.1 TO 34.0									
34.1 TO 35.0									
35.1 TO 36.0									
36.1 TO 37.0									
37.1 TO 38.0									
38.1 TO 39.0									
39.1 TO 40.0									
40.1 TO 41.0									
41.1 TO 42.0									
42.1 TO 43.0									
43.1 TO 44.0									
44.1 TO 45.0									
45.1 TO 46.0									
46.1 TO 47.0									
47.1 TO 48.0									
48.1 TO 49.0									
49.1 TO 50.0									
50.1 TO 51.0									
51.1 TO 52.0									
52.1 TO 53.0									
53.1 TO 54.0									
54.1 TO 55.0									
55.1 TO 56.0									
56.1 TO 57.0									
57.1 TO 58.0									
58.1 TO 59.0									
59.1 TO 60.0									
60.1 TO 61.0									
61.1 TO 62.0									
62.1 TO 63.0									
63.1 TO 64.0									
64.1 TO 65.0									
65.1 TO 66.0									
66.1 TO 67.0									
67.1 TO 68.0									
68.1 TO 69.0									
69.1 TO 70.0									
70.1 TO 71.0									
71.1 TO 72.0									
72.1 TO 73.0									
73.1 TO 74.0									
74.1 TO 75.0									
75.1 TO 76.0									
76.1 TO 77.0									
77.1 TO 78.0									
78.1 TO 79.0									
79.1 TO 80.0									
80.1 TO 81.0									
81.1 TO 82.0									
82.1 TO 83.0									
83.1 TO 84.0									
84.1 TO 85.0									
85.1 TO 86.0									
86.1 TO 87.0									
87.1 TO 88.0									
88.1 TO 89.0									
89.1 TO 90.0									
90.1 TO 91.0									
91.1 TO 92.0									
92.1 TO 93.0									
93.1 TO 94.0									
94.1 TO 95.0									
95.1 TO 96.0									
96.1 TO 97.0									
97.1 TO 98.0									
98.1 TO 99.0									
99.1 TO 100.0									

Table 6 PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

JUNE 1960-74

PLYMOUTH (MOUNT BATTEN)

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB

T (DEG C)

T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
4.1 TO 5.0	0.0	0.03						
	100.0	100.0						
5.1 TO 6.0	0.06	0.07	0.01					
	99.8	100.0	100.0					
6.1 TO 7.0	0.19	0.10	0.03	0.01				
	99.6	99.8	99.8	99.8				
7.1 TO 8.0	0.52	0.35	0.07					
	98.9	99.4	99.5					
8.1 TO 9.0	0.89	0.67	0.10	0.01	0.01			
	97.2	98.4	98.5	98.6	98.6			
9.1 TO 10.0	1.22	1.66	0.36	0.01	0.01			
	93.5	96.4	96.8	96.9	96.9			
10.1 TO 11.0	1.46	2.49	0.64	0.09	0.03			
	86.9	92.2	93.5	93.6	93.6			
11.1 TO 12.0	3.02	4.03	1.59	0.35	0.03			
	76.2	85.4	88.3	88.9	88.9			
12.1 TO 13.0	3.96	6.73	2.48	0.68	0.16			
	59.8	73.2	78.4	79.6	79.9			
13.1 TO 14.0	5.14	7.50	3.26	1.46	0.46	0.07		
	41.1	55.9	62.5	65.2	65.8	65.9		
14.1 TO 15.0	3.26	6.48	3.82	1.72	0.87	0.11	0.02	0.01
	22.8	36.0	43.2	46.6	47.8	48.0	48.0	48.0
15.1 TO 16.0	0.46	3.59	3.42	1.70	1.10	0.31	0.02	
	10.4	19.6	26.2	29.7	31.3	31.7	31.7	
16.1 TO 17.0	0.09	1.56	2.73	1.58	1.07	0.42	0.03	
	4.9	9.9	15.5	18.7	20.5	21.1	21.1	
17.1 TO 18.0	0.0	0.61	1.28	1.24	0.90	0.43	0.15	
	1.8	4.8	8.2	11.1	12.8	13.5	13.6	
18.1 TO 19.0	0.0	0.06	0.88	0.92	0.74	0.50	0.17	
	0.7	1.8	4.2	6.4	8.0	8.7	9.0	
19.1 TO 20.0	0.0	0.0	0.31	0.68	0.61	0.44	0.15	0.08
	0.2	0.7	1.7	3.3	4.5	5.4	5.6	5.7
20.1 TO 21.0	0.0	0.0	0.06	0.21	0.42	0.36	0.25	0.07
	0.1	0.2	0.7	1.4	2.3	2.9	3.4	3.5

Table 6 (cont.) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

JUNE 1960-74

PLYMOUTH (MOUNT BATTEN)

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

Table 7 PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES.

(JULY 1960-74)

PLYMOUTH (MOUNT BATTEN)

(ASSOCIATED WET-BULB TEMPERATURE (DEG C))

DRY-BULB

T (DEG C)

	T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
6.1 TO 7.0	0.03								
	100.0								
7.1 TO 8.0	0.13	0.04							
	99.9	100.0							
8.1 TO 9.0	0.30	0.11							
	99.7	99.8							
9.1 TO 10.0	0.65	0.39							
	98.9	99.4							
10.1 TO 11.0	0.94	1.06	0.07						
	96.9	98.3	98.4						
11.1 TO 12.0	1.51	2.17	0.36						
	92.3	95.9	96.3						
12.1 TO 13.0	2.57	3.50	0.92	0.02					
	83.2	90.8	92.2	92.3					
13.1 TO 14.0	3.85	6.36	2.04	0.32					
	67.1	80.6	84.8	85.2					
14.1 TO 15.0	5.56	7.75	3.46	1.18	0.12				
	47.3	63.2	70.4	72.5	72.7				
15.1 TO 16.0	3.50	7.06	3.90	1.97	0.66	0.04			
	26.6	41.7	49.9	53.6	54.6	54.6			
16.1 TO 17.0	1.45	4.81	4.13	2.67	1.16	0.23			
	12.6	25.1	31.1	35.5	37.2	37.5			
17.1 TO 18.0	0.33	2.37	3.09	2.37	1.29	0.54	0.02		
	5.4	11.2	16.6	20.7	22.4	23.0	23.0		
18.1 TO 19.0	0.04	0.62	1.85	1.62	1.15	0.27	0.05		
	2.3	5.1	8.5	11.0	12.6	12.9	13.0		
19.1 TO 20.0	0.0	0.22	0.82	0.91	0.68	0.30	0.05		
	0.8	2.3	4.4	6.0	6.9	7.3	7.4		
20.1 TO 21.0	0.0	0.02	0.29	0.60	0.35	0.16	0.05	0.04	
	0.2	0.8	2.1	3.4	4.0	4.2	4.3	4.4	
21.1 TO 22.0	0.0	0.0	0.10	0.41	0.35	0.19	0.03	0.03	0.01
	0.1	0.2	0.8	1.8	2.4	2.8	2.8	2.9	2.9
22.1 TO 23.0	0.0	0.01	0.14	0.30	0.28	0.09	0.04	0.04	0.01
	0.1	0.2	0.7	1.3	1.6	1.7	1.8	1.8	1.8

Table 7 (cont.) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

JULY 1960-74

PLYMOUTH (MOUNT BATTEN)

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

Table 8 PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

(AUGUST 1960-74)

PLYMOUTH (MOUNT BATTEN)

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB T (DEG C)		T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8	(0 DEG) 2
6.1	TO 7.0	0.05									0.45 DT 1.85
		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
7.1	TO 8.0	0.22	0.04								0.25 DT 1.85
		99.9	99.9	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
8.1	TO 9.0	0.59	0.19								0.65 DT 1.85
		99.5	99.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
9.1	TO 10.0	0.89	0.47	0.04							0.75 DT 1.85
		98.4	98.9	98.9	100.0	100.0	100.0	100.0	100.0	100.0	
10.1	TO 11.0	0.76	0.71	0.01							0.85 DT 1.85
		96.5	97.5	97.5	100.0	100.0	100.0	100.0	100.0	100.0	
11.1	TO 12.0	1.50	1.84	0.24	0.01						
		93.1	95.8	96.0	96.0	100.0	100.0	100.0	100.0	100.0	
12.1	TO 13.0	2.01	3.30	0.56	0.04						
		85.9	91.6	92.4	92.5	100.0	100.0	100.0	100.0	100.0	
13.1	TO 14.0	3.21	6.03	1.48	0.11						
		72.0	83.9	86.3	86.6	100.0	100.0	100.0	100.0	100.0	
14.1	TO 15.0	4.21	7.74	3.32	0.58	0.09					
		52.4	68.6	74.6	75.6	75.7	100.0	100.0	100.0	100.0	
15.1	TO 16.0	5.85	8.13	4.63	1.33	0.28	0.01				
		32.3	48.2	56.8	59.4	59.8	59.8	100.0	100.0	100.0	
16.1	TO 17.0	2.96	5.87	4.30	2.61	0.94	0.11				
		14.6	26.4	34.2	38.2	39.4	39.6	100.0	100.0	100.0	
17.1	TO 18.0	0.51	2.93	3.32	2.27	1.03	0.22	0.02			
		4.9	11.6	17.6	21.1	22.5	22.8	22.8	100.0	100.0	
18.1	TO 19.0	0.02	0.84	2.28	1.68	0.82	0.30	0.05			
		1.7	4.4	8.2	10.9	12.1	12.4	12.5	100.0	100.0	
19.1	TO 20.0	0.0	0.22	0.81	0.99	0.56	0.24	0.04	0.02		
		0.6	1.7	3.6	5.1	6.0	6.4	6.5	6.5	100.0	
20.1	TO 21.0	0.0	0.0	0.30	0.63	0.32	0.28	0.10			
		0.1	0.6	1.5	2.5	3.1	3.5	3.6	100.0	100.0	
21.1	TO 22.0			0.0	0.09	0.25	0.37	0.15	0.13	0.04	
				0.1	0.6	1.1	1.6	1.8	1.9	2.0	

Table 8 (cont.) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

AUGUST 1960-74

PLYMOUTH (MOUNT BATTEN)

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

Table 9 PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

SEPTEMBER 1960-74

PLYMOUTH (MOUNT BATTEN)

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB

T (DEG C)	T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
2.1 TO 3.0	0.02								
	100.0								
3.1 TO 4.0	0.05	0.01							
	100.0	100.0							
4.1 TO 5.0	0.08	0.03							
	99.9	99.9							
5.1 TO 6.0	0.42	0.06							
	99.8	99.8							
6.1 TO 7.0	0.65	0.23							
	99.1	99.3							
7.1 TO 8.0	1.00	0.46	0.03						
	97.9	98.4	98.5						
8.1 TO 9.0	1.07	0.90	0.09						
	95.6	96.9	97.0						
9.1 TO 10.0	1.31	1.28	0.31	0.02					
	92.6	94.5	94.9	94.9					
10.1 TO 11.0	1.47	1.88	0.93	0.07					
	86.7	90.7	91.9	92.0					
11.1 TO 12.0	2.14	2.82	1.31	0.15					
	79.1	85.2	87.4	87.6					
12.1 TO 13.0	2.74	5.06	1.74	0.46	0.09				
	66.6	76.9	80.2	81.1	81.2				
13.1 TO 14.0	4.10	6.38	3.17	1.02	0.33	0.04			
	50.5	63.8	69.1	70.7	71.1	71.1			
14.1 TO 15.0	4.49	6.35	4.27	1.51	0.44	0.06			
	33.6	46.4	53.3	55.5	56.0	56.1			
15.1 TO 16.0	4.05	5.85	3.45	1.80	0.52	0.06			
	18.3	29.1	35.6	38.2	38.9	39.0			
16.1 TO 17.0	2.23	3.87	2.77	1.94	0.74	0.10	0.03		
	7.0	14.2	19.2	22.2	23.1	23.2	23.2		
17.1 TO 18.0	0.13	1.42	2.19	1.40	0.81	0.11	0.0	0.01	
	1.7	4.7	8.1	10.3	11.4	11.5	11.5	11.5	11.5
18.1 TO 19.0	0.01	0.40	0.80	0.68	0.46	0.21			
	0.4	1.5	3.2	4.4	5.2	5.5			

Table 9 (cont) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

SEPTEMBER 1960-74

PLYMOUTH (MOUNT BATTEN)

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB T (DEG C)	T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
	0.0	0.03	0.39	0.34	0.27	0.21	0.06		
19.1 TO 20.0	0.1	0.4	1.1	2.0	2.5	2.9	2.9		
20.1 TO 21.0		0.0	0.14	0.19	0.36	0.20	0.12	0.01	
		0.1	0.4	0.7	1.2	1.5	1.6	1.6	
21.1 TO 22.0			0.01	0.09	0.12	0.13	0.06		
			0.1	0.2	0.4	0.5	0.6		
22.1 TO 23.0				0.01	0.05	0.02	0.02		
				0.1	0.1	0.2	0.2		
23.1 TO 24.0					0.01	0.01			
					0.1	0.1			
24.1 TO 25.0						0.04	0.02		
						0.0	0.1		
25.1 TO 26.0							0.01		
							0.0		
26.1 TO 27.0								0.01	
								0.0	
27.1 TO 28.0									0.01
									0.0
28.1 TO 29.0									0.01
									0.0
29.1 TO 30.0									0.01
									0.0
30.1 TO 31.0									0.01
									0.0
31.1 TO 32.0									0.01
									0.0
32.1 TO 33.0									0.01
									0.0
33.1 TO 34.0									0.01
									0.0
34.1 TO 35.0									0.01
									0.0
35.1 TO 36.0									0.01
									0.0
36.1 TO 37.0									0.01
									0.0
37.1 TO 38.0									0.01
									0.0
38.1 TO 39.0									0.01
									0.0
39.1 TO 40.0									0.01
									0.0
40.1 TO 41.0									0.01
									0.0
41.1 TO 42.0									0.01
									0.0
42.1 TO 43.0									0.01
									0.0
43.1 TO 44.0									0.01
									0.0
44.1 TO 45.0									0.01
									0.0
45.1 TO 46.0									0.01
									0.0
46.1 TO 47.0									0.01
									0.0
47.1 TO 48.0									0.01
									0.0
48.1 TO 49.0									0.01
									0.0
49.1 TO 50.0									0.01
									0.0
50.1 TO 51.0									0.01
									0.0
51.1 TO 52.0									0.01
									0.0
52.1 TO 53.0									0.01
									0.0
53.1 TO 54.0									0.01
									0.0
54.1 TO 55.0									0.01
									0.0
55.1 TO 56.0									0.01
									0.0
56.1 TO 57.0									0.01
									0.0
57.1 TO 58.0									0.01
									0.0
58.1 TO 59.0									0.01
									0.0
59.1 TO 60.0									0.01
									0.0
60.1 TO 61.0									0.01
									0.0
61.1 TO 62.0									0.01
									0.0
62.1 TO 63.0									0.01
									0.0
63.1 TO 64.0									0.01
									0.0
64.1 TO 65.0									0.01
									0.0
65.1 TO 66.0									0.01
									0.0
66.1 TO 67.0									0.01
									0.0
67.1 TO 68.0									0.01
									0.0
68.1 TO 69.0									0.01
									0.0
69.1 TO 70.0									0.01
									0.0
70.1 TO 71.0									0.01
									0.0
71.1 TO 72.0									0.01
									0.0
72.1 TO 73.0									0.01
									0.0
73.1 TO 74.0									0.01
									0.0
74.1 TO 75.0									0.01
									0.0
75.1 TO 76.0									0.01
									0.0
76.1 TO 77.0									0.01
									0.0
77.1 TO 78.0									0.01
									0.0
78.1 TO 79.0									0.01
									0.0
79.1 TO 80.0									0.01
									0.0
80.1 TO 81.0									0.01
									0.0
81.1 TO 82.0									0.01
									0.0
82.1 TO 83.0									0.01
									0.0
83.1 TO 84.0									0.01
									0.0
84.1 TO 85.0									0.01
									0.0
85.1 TO 86.0									0.01
									0.0
86.1 TO 87.0									0.01
									0.0
87.1 TO 88.0									0.01
									0.0
88.1 TO 89.0									0.01
									0.0
89.1 TO 90.0									0.01
									0.0
90.1 TO 91.0									0.01
									0.0
91.1 TO 92.0									0.01
									0.0
92.1 TO 93.0									0.01
									0.0
93.1 TO 94.0									0.01
									0.0
94.1 TO 95.0									0.01
									0.0
95.1 TO 96.0									0.01
									0.0
96.1 TO 97.0									0.01
									0.0
97.1 TO 98.0									0.01
									0.0
98.1 TO 99.0									0.01
									0.0
99.1 TO 100.0									0.01
									0.0

Table IO PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

OCTOBER 1960-74

PLYMOUTH (MOUNT BATTEN)

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB

T (DEG C)

	T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
1.1 TO 2.0	0.07	0.04							
	100.0	100.0	95.0	95.0	90.0	0.0	0.05	0.1	0.1
2.1 TO 3.0	0.22	0.08							
	99.8	99.9	91.0	91.0	90.0	0.0	0.15	0.15	0.15
3.1 TO 4.0	0.58	0.25	0.02						
	99.3	99.6	99.6	90.0	10.0				
4.1 TO 5.0	0.81	0.50	0.06						
	98.1	98.7	98.7	90.0	10.0				
5.1 TO 6.0	0.90	0.78	0.08						
	96.2	97.3	97.4	90.0	10.0				
6.1 TO 7.0	1.19	1.25	0.21	0.02					
	93.4	95.3	95.6	95.6	90.0	0.05	0.25	0.25	0.25
7.1 TO 8.0	1.58	1.72	0.58	0.05					
	89.0	92.2	92.9	92.9	90.0	0.05	0.25	0.25	0.25
8.1 TO 9.0	1.69	2.69	1.10	0.13					
	82.7	87.4	88.9	89.0	90.0	0.05	0.25	0.25	0.25
9.1 TO 10.0	2.10	3.31	1.29	0.31	0.01				
	74.3	81.0	83.0	83.4	83.4	90.0	0.05	0.25	0.25
10.1 TO 11.0	1.98	3.87	2.30	0.57	0.03				
	63.6	72.2	75.6	76.4	76.4	90.0	0.05	0.25	0.25
11.1 TO 12.0	3.04	4.34	3.21	0.96	0.13				
	52.5	61.6	66.3	67.5	67.6	90.0	0.05	0.25	0.25
12.1 TO 13.0	4.11	6.51	3.24	1.19	0.22				
	39.1	49.5	54.3	55.7	55.9	90.0	0.05	0.25	0.25
13.1 TO 14.0	6.23	7.12	3.07	1.25	0.26				
	25.1	34.9	38.9	40.4	40.7	90.0	0.05	0.25	0.25
14.1 TO 15.0	3.93	5.88	2.21	0.77	0.26	0.03			
	10.8	18.8	21.6	22.4	22.7	22.7	90.0	0.05	0.25
15.1 TO 16.0	0.73	3.06	1.48	0.42	0.08	0.01			
	2.9	6.9	9.0	9.0	9.7	9.7	90.0	0.05	0.25
16.1 TO 17.0	0.05	0.91	0.79	0.54	0.12				
	0.6	2.1	3.1	3.8	3.9	90.0	0.05	0.25	0.25
17.1 TO 18.0	0.0	0.21	0.42	0.16	0.12				
	0.1	0.5	1.2	1.3	1.5	90.0	0.05	0.25	0.25

Table 10 (cont.) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

OCTOBER 1960-74

PLYMOUTH (MOUNT BATTEN)

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB T (DEG C)	T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
18.1 TO 19.0	0.0	0.13	0.15	0.02	0.01	0.5	0.5		
	0.1	0.3	0.5	0.5	0.6				
19.1 TO 20.0		0.02	0.08	0.03		0.1	0.1		
		0.1	0.2	0.2		0.0	0.0		
20.1 TO 21.0			0.04	0.03	0.02	0.0	0.0	0.0	
			0.1	0.1	0.1				
21.1 TO 22.0				0.02	0.01	0.1	0.1	0.0	
				0.0	0.0	0.0	0.0		
22.1 TO 23.0					0.0	0.0	0.0	0.0	
					0.0	0.0	0.0		
23.1 TO 24.0						0.0	0.0	0.0	
						0.0	0.0		
24.1 TO 25.0							0.0	0.0	
							0.0		
25.1 TO 26.0								0.0	
								0.0	
26.1 TO 27.0									0.0
									0.0
27.1 TO 28.0									
28.1 TO 29.0									
29.1 TO 30.0									
30.1 TO 31.0									
31.1 TO 32.0									
32.1 TO 33.0									
33.1 TO 34.0									
34.1 TO 35.0									
35.1 TO 36.0									
36.1 TO 37.0									
37.1 TO 38.0									
38.1 TO 39.0									
39.1 TO 40.0									
40.1 TO 41.0									
41.1 TO 42.0									
42.1 TO 43.0									
43.1 TO 44.0									
44.1 TO 45.0									
45.1 TO 46.0									
46.1 TO 47.0									
47.1 TO 48.0									
48.1 TO 49.0									
49.1 TO 50.0									
50.1 TO 51.0									
51.1 TO 52.0									
52.1 TO 53.0									
53.1 TO 54.0									
54.1 TO 55.0									
55.1 TO 56.0									
56.1 TO 57.0									
57.1 TO 58.0									
58.1 TO 59.0									
59.1 TO 60.0									
60.1 TO 61.0									
61.1 TO 62.0									
62.1 TO 63.0									
63.1 TO 64.0									
64.1 TO 65.0									
65.1 TO 66.0									
66.1 TO 67.0									
67.1 TO 68.0									
68.1 TO 69.0									
69.1 TO 70.0									
70.1 TO 71.0									
71.1 TO 72.0									
72.1 TO 73.0									
73.1 TO 74.0									
74.1 TO 75.0									
75.1 TO 76.0									
76.1 TO 77.0									
77.1 TO 78.0									
78.1 TO 79.0									
79.1 TO 80.0									
80.1 TO 81.0									
81.1 TO 82.0									
82.1 TO 83.0									
83.1 TO 84.0									
84.1 TO 85.0									
85.1 TO 86.0									
86.1 TO 87.0									
87.1 TO 88.0									
88.1 TO 89.0									
89.1 TO 90.0									
90.1 TO 91.0									
91.1 TO 92.0									
92.1 TO 93.0									
93.1 TO 94.0									
94.1 TO 95.0									
95.1 TO 96.0									
96.1 TO 97.0									
97.1 TO 98.0									
98.1 TO 99.0									
99.1 TO 100.0									

Table II PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

NOVEMBER 1960-74

PLYMOUTH (MOUNT BATTEN)

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB T (DEG C)	T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
-2.9 TO -2.0	0.03 100.0	0.02 0.0	0.10 2.0	0.10 4.0	0.00 1.0	0.00 1.0	0.01 1.0	0.01 1.0	0.01 1.0
-1.9 TO -1.0	0.19 99.9	0.03 100.0	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0
-0.9 TO 0.0	0.32 99.6	0.19 99.7	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0
0.1 TO 1.0	0.63 98.6	0.56 99.2	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0
1.1 TO 2.0	0.80 96.8	0.93 97.9	0.09 98.0	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0
2.1 TO 3.0	1.06 94.5	1.15 96.0	0.16 96.2	0.01 96.2	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0
3.1 TO 4.0	1.28 90.9	1.75 93.4	0.33 93.8	0.04 93.9	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0
4.1 TO 5.0	1.70 86.1	2.24 89.7	0.62 90.4	0.08 90.5	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0
5.1 TO 6.0	1.50 78.9	3.27 84.4	1.13 85.7	0.09 85.8	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0
6.1 TO 7.0	2.17 69.9	3.85 77.4	1.88 79.6	0.16 79.8	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0
7.1 TO 8.0	1.94 58.6	4.83 67.8	2.91 71.4	0.31 71.7	0.02 71.8	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0
8.1 TO 9.0	1.97 47.6	4.68 56.7	3.36 61.0	0.64 61.7	0.04 61.7	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0
9.1 TO 10.0	2.44 36.5	5.20 45.6	3.45 50.0	0.94 51.0	0.06 51.1	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0
10.1 TO 11.0	3.01 26.2	5.08 34.1	3.10 38.0	0.85 39.0	0.01 39.0	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0
11.1 TO 12.0	3.99 16.2	5.67 23.2	2.44 26.0	0.77 26.8	0.13 26.9	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0
12.1 TO 13.0	3.27 7.6	4.08 12.2	1.24 13.6	0.34 13.9	0.01 13.9	0.00 1.0	0.00 1.0	0.00 1.0	0.00 1.0

Table II (cont.) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

NOVEMBER 1960-74

PLYMOUTH (MOUNT BATTEN)

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB		T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
T (DEG C)							(° AND)	T	
13.1	T0 14.0	1.16 2.1	1.98 4.4	0.52 4.9	0.08 5.0		40.0 0.001	0.2- DT 0.2-	
14.1	T0 15.0	0.16 0.2	0.64 0.9	0.32 1.2	0.01 1.2		50.0 0.001	0.3- DT 0.3-	
15.1	T0 16.0		0.04 0.0	0.06 0.1			60.0 0.001	0.5- DT 0.5-	
							70.0 0.001	0.7- DT 0.7-	
							80.0 0.001	0.8- DT 0.8-	
							90.0 0.001	0.9- DT 0.9-	
							100.0 0.001	1.0- DT 1.0-	
							110.0 0.001	1.1- DT 1.1-	
							120.0 0.001	1.2- DT 1.2-	
							130.0 0.001	1.3- DT 1.3-	
							140.0 0.001	1.4- DT 1.4-	
							150.0 0.001	1.5- DT 1.5-	
							160.0 0.001	1.6- DT 1.6-	
							170.0 0.001	1.7- DT 1.7-	
							180.0 0.001	1.8- DT 1.8-	
							190.0 0.001	1.9- DT 1.9-	
							200.0 0.001	2.0- DT 2.0-	

Table 12 PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

DECEMBER 1960-74

PLYMOUTH (MOUNT BATTE)

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB T (DEG C)	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
-5.9 TO -5.0	0.03							
	100.0		80.0	52.0	82.0	81.0	62.0	1.0
-4.9 TO -4.0	0.02	0.02						
	100.0	100.0	10.0	52.0	46.0	31.0	21.0	1.0
-3.9 TO -3.0	0.09	0.08						
	99.8	99.9	5.0	40.0	40.0	2.0	0.0	
-2.9 TO -2.0	0.23	0.30	0.01					
	99.4	99.8	99.8					
-1.9 TO -1.0	0.32	0.51	0.06					
	98.5	99.2	99.2					
-0.9 TO 0.0	1.17	1.10	0.11					
	96.9	96.2	98.3					
0.1 TO 1.0	1.28	1.94	0.24	0.01				
	93.2	95.7	95.9	95.9				
1.1 TO 2.0	1.83	2.08	0.52					
	89.2	91.9	92.5					
2.1 TO 3.0	1.90	2.79	0.61	0.04				
	83.8	87.3	88.0	88.0				
3.1 TO 4.0	2.12	3.25	0.66	0.04				
	77.8	81.9	82.7	82.7				
4.1 TO 5.0	2.19	4.44	0.77	0.06				
	70.0	75.7	76.6	76.6				
5.1 TO 6.0	2.01	4.01	0.99	0.08				
	61.9	67.8	69.1	69.2				
6.1 TO 7.0	1.96	3.71	1.65	0.25				
	53.7	59.9	61.8	62.1				
7.1 TO 8.0	1.92	4.61	2.26	0.26	0.01			
	44.3	51.7	54.2	54.5	54.5			
8.1 TO 9.0	2.24	5.51	2.60	0.23				
	34.0	42.4	45.2	45.4				
9.1 TO 10.0	2.98	5.69	2.74	0.24				
	24.3	31.8	34.6	34.9				

Table 12 (cont.) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

DECEMBER 1960-74

PLYMOUTH (MOUNT BATTEN)

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB	D-T	C-T	B-T	G-T	S-T	I-T	R	T-6	(D-DT)	T-7	T-8
T (DEG C)		T	T-1	T-2	T-3	T-4	T-5	T-6	D-T	R-A-	
10.1 TO 11.0	4.51	5.36	1.75	0.07	0.01			10.0	0.001		
	14.7	21.3	23.1	23.2	23.2			10.0	0.001	0.2- DT R-A-	
11.1 TO 12.0	3.75	4.12	1.19	0.07	0.0			10.0	0.001		
	5.9	10.2	11.4	11.5	11.5			10.0	0.001	0.3- DT R-A-	
12.1 TO 13.0	0.67	1.43	0.14	0.03	0.0			10.0	0.001	0.4- DT R-A-	
	0.7	2.2	2.3	2.4	2.4			10.0	0.001	0.5- DT R-A-	
13.1 TO 14.0	0.07	0.02	0.0	0.0	0.0			10.0	0.001	0.6- DT R-A-	
	0.1	0.1	0.1	0.1	0.1			10.0	0.001	0.7- DT R-A-	
								10.0	0.001	0.8- DT R-A-	
								10.0	0.001	0.9- DT R-A-	
								10.0	0.001	1.0- DT R-A-	
								10.0	0.001	1.1- DT R-A-	
								10.0	0.001	1.2- DT R-A-	
								10.0	0.001	1.3- DT R-A-	
								10.0	0.001	1.4- DT R-A-	
								10.0	0.001	1.5- DT R-A-	
								10.0	0.001	1.6- DT R-A-	
								10.0	0.001	1.7- DT R-A-	
								10.0	0.001	1.8- DT R-A-	
								10.0	0.001	1.9- DT R-A-	
								10.0	0.001	2.0- DT R-A-	
								10.0	0.001	2.1- DT R-A-	
								10.0	0.001	2.2- DT R-A-	
								10.0	0.001	2.3- DT R-A-	
								10.0	0.001	2.4- DT R-A-	
								10.0	0.001	2.5- DT R-A-	
								10.0	0.001	2.6- DT R-A-	
								10.0	0.001	2.7- DT R-A-	
								10.0	0.001	2.8- DT R-A-	
								10.0	0.001	2.9- DT R-A-	
								10.0	0.001	3.0- DT R-A-	
								10.0	0.001	3.1- DT R-A-	
								10.0	0.001	3.2- DT R-A-	
								10.0	0.001	3.3- DT R-A-	
								10.0	0.001	3.4- DT R-A-	
								10.0	0.001	3.5- DT R-A-	
								10.0	0.001	3.6- DT R-A-	
								10.0	0.001	3.7- DT R-A-	
								10.0	0.001	3.8- DT R-A-	
								10.0	0.001	3.9- DT R-A-	
								10.0	0.001	4.0- DT R-A-	
								10.0	0.001	4.1- DT R-A-	
								10.0	0.001	4.2- DT R-A-	
								10.0	0.001	4.3- DT R-A-	
								10.0	0.001	4.4- DT R-A-	
								10.0	0.001	4.5- DT R-A-	
								10.0	0.001	4.6- DT R-A-	
								10.0	0.001	4.7- DT R-A-	
								10.0	0.001	4.8- DT R-A-	
								10.0	0.001	4.9- DT R-A-	
								10.0	0.001	5.0- DT R-A-	
								10.0	0.001	5.1- DT R-A-	
								10.0	0.001	5.2- DT R-A-	
								10.0	0.001	5.3- DT R-A-	
								10.0	0.001	5.4- DT R-A-	
								10.0	0.001	5.5- DT R-A-	
								10.0	0.001	5.6- DT R-A-	
								10.0	0.001	5.7- DT R-A-	
								10.0	0.001	5.8- DT R-A-	
								10.0	0.001	5.9- DT R-A-	
								10.0	0.001	6.0- DT R-A-	
								10.0	0.001	6.1- DT R-A-	
								10.0	0.001	6.2- DT R-A-	
								10.0	0.001	6.3- DT R-A-	
								10.0	0.001	6.4- DT R-A-	
								10.0	0.001	6.5- DT R-A-	
								10.0	0.001	6.6- DT R-A-	
								10.0	0.001	6.7- DT R-A-	
								10.0	0.001	6.8- DT R-A-	
								10.0	0.001	6.9- DT R-A-	
								10.0	0.001	7.0- DT R-A-	
								10.0	0.001	7.1- DT R-A-	
								10.0	0.001	7.2- DT R-A-	
								10.0	0.001	7.3- DT R-A-	
								10.0	0.001	7.4- DT R-A-	
								10.0	0.001	7.5- DT R-A-	
								10.0	0.001	7.6- DT R-A-	
								10.0	0.001	7.7- DT R-A-	
								10.0	0.001	7.8- DT R-A-	
								10.0	0.001	7.9- DT R-A-	
								10.0	0.001	8.0- DT R-A-	
								10.0	0.001	8.1- DT R-A-	
								10.0	0.001	8.2- DT R-A-	
								10.0	0.001	8.3- DT R-A-	
								10.0	0.001	8.4- DT R-A-	
								10.0	0.001	8.5- DT R-A-	
								10.0	0.001	8.6- DT R-A-	
								10.0	0.001	8.7- DT R-A-	
								10.0	0.001	8.8- DT R-A-	
								10.0	0.001	8.9- DT R-A-	
								10.0	0.001	9.0- DT R-A-	
								10.0	0.001	9.1- DT R-A-	
								10.0	0.001	9.2- DT R-A-	
								10.0	0.001	9.3- DT R-A-	
								10.0	0.001	9.4- DT R-A-	
								10.0	0.001	9.5- DT R-A-	
								10.0	0.001	9.6- DT R-A-	
								10.0	0.001	9.7- DT R-A-	
								10.0	0.001	9.8- DT R-A-	
								10.0	0.001	9.9- DT R-A-	
								10.0	0.001	10.0- DT R-A-	

Table 13 PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

ANNUAL 1960-74

PLYMCUTH (MOUNT BATTEN)

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB

T (DEG C)	T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
-6.9 TO -6.0	0.01								
	100.0	10.0	50.0	75.0	85.0	92.0	98.0	100.0	100.0
-5.9 TO -5.0	0.01	0.00+	5.05	11.05	24.05	35.05	45.05	51.05	57.05
	100.0	100.0	0.0	10.0	21.1	31.2	41.3	51.4	61.5
-4.9 TO -4.0	0.01	0.03	0.11	0.11	0.31	0.51	0.71	0.91	1.11
	99.9	100.0	0.0	10.0	20.0	30.0	40.0	50.0	60.0
-3.9 TO -3.0	0.06	0.06	0.5	6.5	16.5	26.5	36.5	46.5	56.5
	99.9	99.9	0.0	0.0	10.0	20.0	30.0	40.0	50.0
-2.9 TO -2.0	0.11	0.12	0.00+						
	99.7	99.8	99.8						
-1.9 TO -1.0	0.18	0.20	0.02						
	99.3	99.6	99.6						
-0.9 TO 0.0	0.37	0.39	0.06						
	98.6	99.1	99.2						
0.1 TO 1.0	0.47	0.68	0.10	0.00+					
	97.3	98.3	98.4	98.4					
1.1 TO 2.0	0.66	0.87	0.23	0.01					
	95.6	96.9	97.1	97.1					
2.1 TO 3.0	0.73	1.13	0.30	0.02					
	93.4	95.0	95.5	95.3					
3.1 TO 4.0	0.87	1.45	0.40	0.05					
	90.6	92.6	93.1	93.2					
4.1 TO 5.0	1.02	1.79	0.50	0.06	0.00+				
	87.1	89.7	90.3	90.4	90.4				
5.1 TO 6.0	1.11	2.03	0.71	0.09	0.01				
	82.6	86.0	86.9	87.0	87.0				
6.1 TO 7.0	1.46	2.44	1.11	0.15	0.02	0.00+			
	77.2	81.5	82.9	83.1	83.1	83.1			
7.1 TO 8.0	1.73	3.07	1.38	0.23	0.02				
	70.4	75.7	77.6	77.9	77.9				
8.1 TO 9.0	2.50	3.38	1.64	0.40	0.05	0.00+			
	63.1	68.7	70.9	71.4	71.5	71.5			
9.1 TO 10.0	3.20	3.99	1.62	0.49	0.09	0.00+			
	54.3	60.6	62.8	63.4	63.5	63.5			

Table 13 (cont) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

ANNUAL 1960-74

PLYMOUTH (MOUNT BATTEN)

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB

T (DEG C)

	T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
10.1 TO 11.0	2.54 45.3	3.56 51.1	1.50 53.4	0.49 54.0	0.08 54.1	0.02 54.1	0.00+ 54.1	0.00+ 54.1	
11.1 TO 12.0	2.12 37.5	3.04 42.7	1.49 45.0	0.55 45.8	0.13 45.9	0.01 46.0	0.00+ 46.0		
12.1 TO 13.0	1.74 29.8	3.10 35.4	1.30 37.6	0.52 38.3	0.18 38.6	0.03 38.6	0.00+ 38.6		
13.1 TO 14.0	2.02 22.0	3.19 28.1	1.39 30.5	0.58 31.4	0.19 31.7	0.04 31.7	0.01 31.7		
14.1 TO 15.0	1.81 14.1	3.01 20.0	1.63 22.9	0.64 23.9	0.24 24.2	0.05 24.3	0.01 24.3	0.01 24.3	
15.1 TO 16.0	1.22 7.6	2.33 12.3	1.51 15.2	0.69 16.4	0.30 16.8	0.07 16.9	0.01 16.9	0.00+ 16.9	
16.1 TO 17.0	0.57 3.3	1.43 6.4	1.25 8.7	0.83 10.1	0.40 10.7	0.10 10.8	0.01 10.8	0.00+ 10.8	
17.1 TO 18.0	0.08 1.2	0.63 2.8	0.87 4.4	0.65 5.5	0.37 6.0	0.13 6.2	0.02 6.2	0.01 6.2	
18.1 TO 19.0	0.01 0.4	0.16 1.1	0.50 2.1	0.43 2.6	0.28 3.3	0.13 3.4	0.03 3.5	0.00+ 3.5	
19.1 TO 20.0	0.0 0.1	0.04 0.4	0.20 0.9	0.25 1.4	0.18 1.7	0.10 1.9	0.03 1.9	0.01 1.9	
20.1 TO 21.0		0.00+ 0.1	0.07 0.4	0.14 0.7	0.12 0.9	0.09 1.0	0.05 1.1	0.01 1.1	
21.1 TO 22.0		0.00+ 0.0	0.02 0.1	0.07 0.3	0.09 0.5	0.06 0.6	0.03 0.6	0.02 0.6	0.00+ 0.6
22.1 TO 23.0		0.00+ 0.0	0.03 0.1	0.06 0.2	0.04 0.3	0.03 0.3	0.01 0.3	0.00+ 0.3	
23.1 TO 24.0			0.01 0.0	0.03 0.1	0.03 0.1	0.02 0.2	0.01 0.2	0.00+ 0.2	
24.1 TO 25.0			0.00+ 0.0	0.01 0.0	0.02 0.1	0.02 0.1	0.00+ 0.1	0.00+ 0.1	
25.1 TO 26.0			0.00+ 0.0	0.00+ 0.0	0.01 0.0	0.01 0.0	0.00+ 0.0	0.00+ 0.0	

Table 13 (cont.) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES
 ANNUAL 1960-74 PLYMOUTH (MOUNT BATTEN) 4

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB T (DEG C)	Δ-T	T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
20.0	+0.0	50.0	50.0	50.0	50.0	50.0	50.0	50.0	(0.00)	50.0
21.0	-1.0	49.0	49.0	49.0	49.0	49.0	49.0	49.0	49.0	49.0
22.0	-2.0	48.0	48.0	48.0	48.0	48.0	48.0	48.0	48.0	48.0
23.0	-3.0	47.0	47.0	47.0	47.0	47.0	47.0	47.0	47.0	47.0
24.0	-4.0	46.0	46.0	46.0	46.0	46.0	46.0	46.0	46.0	46.0
25.0	-5.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0
26.0	-6.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0	44.0
27.0	-7.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0	43.0
28.0	-8.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0	42.0
29.0	-9.0	41.0	41.0	41.0	41.0	41.0	41.0	41.0	41.0	41.0
30.0	-10.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0
31.0	-11.0	39.0	39.0	39.0	39.0	39.0	39.0	39.0	39.0	39.0
32.0	-12.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0	38.0
33.0	-13.0	37.0	37.0	37.0	37.0	37.0	37.0	37.0	37.0	37.0
34.0	-14.0	36.0	36.0	36.0	36.0	36.0	36.0	36.0	36.0	36.0
35.0	-15.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0
36.0	-16.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0	34.0
37.0	-17.0	33.0	33.0	33.0	33.0	33.0	33.0	33.0	33.0	33.0
38.0	-18.0	32.0	32.0	32.0	32.0	32.0	32.0	32.0	32.0	32.0
39.0	-19.0	31.0	31.0	31.0	31.0	31.0	31.0	31.0	31.0	31.0
40.0	-20.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
41.0	-21.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0
42.0	-22.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0
43.0	-23.0	27.0	27.0	27.0	27.0	27.0	27.0	27.0	27.0	27.0
44.0	-24.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0
45.0	-25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0
46.0	-26.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0
47.0	-27.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0
48.0	-28.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0
49.0	-29.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0	21.0
50.0	-30.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0
51.0	-31.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0
52.0	-32.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0
53.0	-33.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0
54.0	-34.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0
55.0	-35.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
56.0	-36.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0
57.0	-37.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0
58.0	-38.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
59.0	-39.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0
60.0	-40.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
61.0	-41.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
62.0	-42.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0
63.0	-43.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0
64.0	-44.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
65.0	-45.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
66.0	-46.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
67.0	-47.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
68.0	-48.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
69.0	-49.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
70.0	-50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 14

PERCENTAGE FREQUENCY OF HOURLY DRY-BULB TEMPERATURES PLYMOUTH (MOUNT BATTEN) 1960-74

	DRY BULB TEMPERATURE (C. I.C.)	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Year
-69 TO -60	0.0+	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0+
-59 TO -50	0.2	0.0	0.0+	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0+
-49 TO -40	0.4	0.1	0.0+	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0+
-39 TO -30	0.9	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
-29 TO -20	1.1	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
-19 TO -10	1.5	1.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
-9 TO 0	2.8	2.6	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6
1 TO 10	10	3.9	3.9	2.5	0.4	0.0+	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5
11 TO 20	20	4.5	6.0	3.8	0.1	0.0	0.0	0.0	0.0	0.0	0.1	1.2	1.2	1.2
21 TO 30	30	4.7	7.7	4.2	1.4	0.2	0.0	0.0	0.0	0.0	0.3	2.4	2.4	1.8
31 TO 40	40	6.6	7.4	6.1	2.3	0.3	0.0	0.0	0.0	0.0	0.9	3.4	5.3	2.2
41 TO 50	50	6.7	8.2	7.2	3.9	0.8	0.0+	0.0	0.0	0.0	1.4	4.6	4.4	1.8
51 TO 60	60	6.7	9.6	9.4	5.1	1.2	0.1	0.0	0.0	0.0	1.8	6.0	7.1	3.9
61 TO 70	70	9.8	11.6	16.8	8.3	2.0	0.3	0.0+	0.0	0.0	2.7	8.1	7.6	5.1
71 TO 80	80	16.6	16.9	15.8	11.8	4.1	0.9	0.0	0.0	0.0	0.9	10.0	9.1	6.4
81 TO 90	90	12.5	11.3	17.1	15.7	7.2	1.7	0.4	0.0	0.0	2.1	5.6	7.5	3.3
91 TO 100	100	15.9	11.2	13.5	16.8	13.9	3.3	1.0	0.0	0.0	0.5	1.8	7.1	3.9
101 TO 110	110	8.7	9.0	5.2	14.0	19.2	4.7	2.1	1.5	0.9	1.5	5.9	12.1	11.7
111 TO 120	120	2.3	1.0	2.3	5.5	17.2	9.0	4.0	3.0	6.4	11.7	13.0	9.1	7.4
121 TO 130	130	0.2	0.1	0.8	4.9	13.3	14.0	7.0	5.9	10.1	15.3	8.9	2.3	6.9
131 TO 140	140	0.0+	0.0+	0.5	2.2	8.1	17.9	12.6	10.8	15.0	17.9	3.7	0.1	7.4
141 TO 150	150	0.0	0.0	0.3	1.2	5.4	16.3	18.1	15.9	17.1	13.1	1.1	0.0	7.4
151 TO 160	160	0.0	0.0	0.2	0.7	3.0	16.6	17.1	20.2	15.7	5.8	6.1	0.0	6.2
161 TO 170	170	0.0	0.0	0.1	0.3	1.8	7.5	14.5	16.8	11.7	2.4	0.0	0.0	4.6
171 TO 180	180	0.0	0.0	0.1	0.1	0.9	4.6	10.0	10.3	6.1	0.9	0.0	0.0	2.6
181 TO 190	190	0.0	0.0	0.0	0.0	0.7	3.5	5.6	6.0	2.6	0.3	0.0	0.0	1.6
191 TO 200	200	0.0	0.0	0.0	0.0	0.3	2.3	3.0	2.9	1.3	0.1	0.0	0.0	0.8
201 TO 210	210	0.0	0.0	0.0	0.0	0.2	1.4	1.5	1.6	1.0	0.1	0.0	0.0	0.5
211 TO 220	220	0.0	0.0	0.0	0.0	0.1	1.0	1.1	1.0	0.4	0.0+	0.0	0.0	0.3
221 TO 230	230	0.0	0.0	0.0	0.0	0.0+	0.7	0.9	0.5	0.1	0.0	0.0	0.0	0.2
231 TO 240	240	0.0	0.0	0.0	0.0	0.0+	0.3	0.4	0.2	0.0+	0.0	0.0	0.0	0.1
241 TO 250	250	0.0	0.0	0.0	0.0	0.0+	0.1	0.3	0.1	0.1	0.0	0.0	0.0	0.1
251 TO 260	260	0.0	0.0	0.0	0.0	0.0+	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0+
261 TO 270	270	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0+
271 TO 280	280	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

0⁺ - less than 0.05 percent

Table 15

PERCENTAGE FREQUENCY OF HOURLY WET-BULB TEMPERATURES PLYMOUTH (MOUNT BATTEN)

1960 - 74

WET BULB TEMPERATURE (C. 1C)	Year											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
-69 TO -60	0.0+											0.0+
-59 TO -50	0.4	0.1	0.0+									0.0+
-49 TO -40	0.5	0.2	0.1	0.0+								0.1
-39 TO -30	1.2	0.4	0.3	0.0+								0.2
-29 TO -20	1.6	1.2	0.7	0.0+								0.4
-19 TO -10	2.4	2.5	1.2	0.0+								0.9
-9 TO 0	4.2	4.4	4.2	0.2	0.0+							0.4
1 TO 10	1.0	5.9	4.0	0.7	0.0+							0.4
11 TO 20	4.3	7.0	5.0	1.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21 TO 30	6.3	8.0	6.0	2.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31 TO 40	6.8	8.7	6.1	4.3	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
41 TO 50	7.9	9.9	10.0	6.5	1.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0
51 TO 60	9.5	11.4	11.2	6.9	2.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0
61 TO 70	10.7	11.2	14.0	4.5	0.7	0.1	0.1	0.1	0.1	0.1	0.1	0.1
71 TO 80	10.7	8.3	14.0	14.5	6.7	1.7	0.2	0.4	0.4	0.4	0.4	0.4
81 TO 90	12.1	8.5	14.4	16.1	15.2	3.8	0.8	1.1	1.1	1.1	1.1	1.1
91 TO 100	10.5	8.5	6.5	16.1	20.0	20.0	6.6	2.1	1.9	1.9	1.9	1.9
101 TO 110	5.1	2.4	1.0	9.7	18.7	16.6	4.5	3.4	7.6	11.1	10.0	8.8
111 TO 120	4.1	0.4	0.4	3.3	14.6	16.4	6.1	7.3	17.3	12.5	13.5	8.6
121 TO 130	1.1	0.0	0.0	0.6	7.8	18.7	16.1	13.9	16.0	14.0	5.6	0.7
131 TO 140	0.0	0.0	0.0	0.1	3.9	18.5	19.8	19.6	16.9	14.2	1.9	0.0
141 TO 150	0.0	0.0	0.0	0.0	1.1	12.5	26.7	26.1	15.5	8.0	0.2	0.0
151 TO 160	0.0	0.0	0.0	0.0	0.6	5.4	14.0	17.7	21.3	2.3	0.0	4.3
161 TO 170	0.0	0.0	0.0	0.0	0.2	3.1	7.2	9.7	5.3	0.5	0.0	2.2
171 TO 180	0.0	0.0	0.0	0.0	0.1	1.1	3.0	3.2	1.3	0.1	0.0	0.7
181 TO 190	0.0	0.0	0.0	0.0	0.5	1.5	1.1	0.3	0.0	0.0	0.0	0.3
191 TO 200	0.0	0.0	0.0	0.0	0.1	0.6	0.5	0.1	0.0	0.0	0.0	0.0
201 TO 210	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0
211 TO 220	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
221 TO 230	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

 O^+ = less than 0.005 percent