

Met 0 8b 10-YEAR SUMMARY SHEETS

Governed by Public Records Acts

I M P O R T A N T

1. These sheets are a VITAL part of the permanent data archives of the Office, and are stored in Met08 for all decades for practical and historical reasons, including ready access, rather than be stored in Technical Archives.
2. For many old stations these sheets are the ONLY record of available data.


ENTRIES

3. All entries must invariably be made in permanent ink (nowadays normally in black waterproof ink), be perfectly legible and comments sufficiently intelligible to those reading them decades after the event.
4. Every attempt should be made to ensure that any follow-up action is adequately cross-referenced to a previous entry.
5. Retrospectively effective comments MUST be entered on the station's 10-year sheets for all relevant previous decades, not just on the latest decade's sheet.

BORROWING OF 10-YEAR SHEETS PROHIBITED

6. On no account whatsoever are the original sheets to be lent to other branches, and care is to be exercised if sheets are wanted by sections other than Met08b within Met08.
7. These sheets may only be extracted from their binders for the very short periods required during any manuscript updating, or whilst actually being photocopied. It is important that temporarily extracted sheets are returned to their correct numerical position by station number; and if more than one decade's sheets for a station are extracted at the same time, very special care needs to be taken to ensure that each decadal sheet is returned to the correct decadal binder.

The discovery of any station's sheet missing from the binder must be reported personally to HSO-in-charge RAINMASTER.



Head of Hydrometeorological
Data Systems

KEEP as top enclosure of each binder

RAINFALL at Bantry House

County of Cork Observer W. Stevens Esq. for
River Basin Bantry Bay 4 Mrs Shelswell White
Rain Gauge, by _____

Diameter ...	5					5"					
Height	1 8	1 9	1 10			2' 0"		1 0			
Altitude ...	20		25			25'					
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS
January ...	10.72	5.91	9.34	2.74	8.87	6.44	10.90	6.42	9.90	3.16	10.90
February ...	3.66	3.58	6.11	12.76	3.15	7.08	7.64	3.78	6.73	9.87	1.33
March	5.30	6.15	4.01	5.05	1.87	.53	1.90	6.27	6.56	1.61	5.72
April	7.12	1.00	2.90	5.80	3.30	6.18	3.35	1.86	5.37	1.45	2.68
May	6.72	2.64	2.79	.80	3.02	5.00	3.83	2.26	2.60	3.76	2.87
June	3.22	.04	.47	.62	5.61	.38	3.60	3.01	7.76	2.39	3.46
July	5.30	5.09	5.49	2.58	5.55	(3.39)	2.16	4.82	2.62	4.94	2.92
August	2.83	5.34	5.28	6.87	4.26	(3.36)	2.87	4.71	4.96	4.67	5.69
September...	3.49	3.14	4.66	5.78	10.00	3.47	1.36	3.56	3.12	1.20	4.60
October	6.19	4.55	2.01	7.38	4.60	6.18	3.95	4.88	9.72	5.60	7.45
November...	7.03	7.75	4.28	4.53	5.65	4.12	8.15	6.67	9.58	11.38	8.43
December...	6.95	4.07	6.16	4.82	11.08	5.45	.47	9.25	8.22	14.10	6.40
TOTALS...	68.53	49.26	53.50	59.73	66.96	51.58	50.18	57.49	77.14	64.13	62.45

1925. July & Aug. adjusted for W.D.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
			Bantry	2 mi	N.E.	do	do	do

RAINFALL at Garinish Island

County of Cork

River Basin Bantry Bay - 4

Rain Gauge, by M. Mackenzie

Observer J. Bryce Esq.
J. Q. Donohoe Esq. (1922)

Diameter ...	5					5"				5	
Height	1 0		0 6		- 9	10"	0 6			1 0	
Altitude ...	15					15'				25	
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	10.99		11.75	4.71	10.46	9.71	13.95	7.63	15.01	3.81	12.12
February ...	4.41		9.57	15.36	3.03	10.51	10.14	4.38	10.73	8.85	.85
March	6.00		4.37	5.43	2.53	.63	3.66	10.16	6.87	2.49	8.35
April	6.86		3.68	6.94	4.41	6.67	5.26	2.54	5.79	1.99	2.85
May	7.01		3.63	1.97	4.20	6.77	4.48	2.83	3.60	4.65	3.54
June	4.77		.65	1.18	6.02	.43	4.66	3.91	9.38	4.24	4.22
July	4.89		8.57	3.03	7.41	5.48	3.39	3.85	3.73	7.02	3.38
August	2.70		7.64	8.96	6.61	5.52	4.47	6.27	6.77	7.16	5.91
September...	5.53		6.04	6.83	11.68	2.85	1.71	5.89	4.14	1.48	5.72
October	5.80	5.74	4.38	9.47	7.29	8.92	6.30	7.62	11.88	7.79	8.78
November...	8.79		4.24	7.61	6.45	4.13	11.35	8.43	12.59	13.21	8.50
December...	6.64		6.64	7.66	14.04	6.68	.70	6.39	9.92	16.41	7.99
TOTALS...	74.39		71.16	79.14	34.13	68.30	70.07	69.90	100.41	79.10	72.21

1925, Shrubs 8ft. high. 12 ft. N.W.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
22.7.24	50°44'	9°33'	Bantry	10 mi	SE	Glenariff	
1925	51°44'	9°33'	Bantry	12 m	N.E.	Glenariff	2 m W.

RAINFALL at Toormore, Altar Rectory

County of Cork 6. Observer Rev John J Bonolly

River Basin _____ Rev R J. Calthurst 1928

Glaisher Rain Gauge, by (125)

Diameter ...				8						5	
Height				1.0						0.10	
Altitude ...				60						60	
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...					5.83	5.51	8.80			(2.25)	7.63
February ...					2.14	6.13	7.18			(6.25)	1.40
March					1.99	.57	2.32			1.19	5.95
April.....					2.91	5.42	2.74			1.48	1.97
May					2.44	5.51	3.69			2.68	2.49
June					4.87	.38	4.31			2.38	3.27
July				#	4.93	3.83	1.30			3.90	2.95
August				6.47	4.16	3.34	2.86			3.83	6.15
September...				3.92	6.79	3.67	1.09			1.01	5.64
October.....				6.12	6.08	4.57	3.89			5.17	7.11
November...				4.74	3.17	2.39	5.71			9.69	6.66
December...				4.19	7.57	5.11	.78			10.60	5.67
TOTALS...				- - D	52.88 D	46.43 D	44.67 D	N.O.	N.O	(50.43) a	56.89 D

1923. Large situated in slight depression with no objects within 15 yards.
Scrub beyond & hill rises gradually to N.

1929. Jan. & Feb. est. d. from adj. stations.

1930. a bank 1 1/2 ft. high, 25 ft. S.
Hedge 8 " " 28 " W.
5 " " 35 " E.
Sloping rock, 15 ft., 27 " N.

Position of Station on reduced Ordnance Survey } No. of Map _____ Reference No. _____
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1923	As Altar church		Schull	5	E	Altar	200 yds	W.
1929			"	6	E	"	300 yds	S.W.

RAINFALL at Castle Townsend (Gle Barraghane)
County of Cork Observer Lt. E. B. Coghill Bt.
River Basin Bandon SC - 6
Snawdon (125)
(1916) Rain Gauge, by N. J.
Major H. Chavasse
for Capt. Sir M. P. Coghill Bt. R.F.A. (1922)

Diameter ...	5										
Height	1	1	1	3							
Altitude ...	100										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	7.61	3.86	6.35	2.98	5.59	5.15	7.65	4.88	7.60	2.33	7.97
February ...	1.67	1.19	6.00	10.61	1.78	4.97	5.39	2.34	5.24	6.42	1.60
March	4.63	3.53	3.16	3.85	1.67	.37	1.63	4.58	5.70	1.03	5.34
April	5.99	.65	3.87	6.69	3.58	5.61	2.25	1.46	3.54	1.40	1.95
May	5.03	2.01	2.63	.81	2.84	4.58	3.91	2.31	2.09	3.32	2.46
June	3.22	.00	.90	.26	5.02	.44	3.43	2.48	6.23	2.42	3.05
July	4.11	3.44	3.67	2.58	5.87	3.45	1.95	2.94	1.98	3.97	2.54
August	2.59	5.29	5.71	7.78	3.70	4.39	2.60	4.76	3.87	2.96	4.44
September...	3.28	2.23	3.15	3.97	6.40	2.91	.81	3.91	1.93	.87	3.81
October	3.54	3.39	2.34	5.44	5.37	4.55	3.97	4.49	7.19	4.33	6.31
November...	5.23	3.69	2.30	4.88	3.98	2.63	5.39	3.68	6.51	9.35	5.57
December...	5.94	3.30	4.62	3.44	7.31	4.84	.49	5.83	6.66	11.48	(4.50)
TOTALS...	53.84	32.58	44.70	53.29	53.11	43.89	39.47	43.66	58.54	49.68	49.54
	D	D	D	D	D	D	D	D	D	D	D

1920. See 35 ft. 4 ft. E 1925. No object is as high as the distance
wall 9 ft. 14 ft. N. between it and the top gauge.
1930 Sept. adjusted on 8, 12 & 15, and Dec. estimated from 12th

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920.	51.30 51.32	9.10 9.13.20	Ribbreen	5 mi	N NN	Castlerea	600 yds	N.N.E.

RAINFALL at Castle Town^{land} (Seafield)

County of CorkObserver Major J. Chavasse

River Basin Bandon TC-6

(1927) Glanbehen Rain Gauge, by _____

Diameter ...	5										
Height8							1.0			
Altitude ...	40										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS
January ...	7.20	4.18	6.66	3.19	6.18	5.48	8.33	5.39	8.18	2.52	8.49
February ...	2.59	2.64	6.31	10.72	1.83	5.52	5.92	2.48	5.18	6.72	1.59
March	5.13	3.72	3.40	3.85	1.74	.40	1.98	5.03	6.32	1.11	5.51
April	5.58	.76	3.42	6.66	3.85	6.01	2.40	1.55	3.53	1.40	1.94
May	5.26	2.25	2.79	.86	2.96	4.88	4.25	2.37	2.33	3.40	2.69
June	3.24	.02	.92	.27	5.14	.49	3.52	2.90	7.12	2.62	3.22
July	4.11	4.10	3.68	2.60	5.94	3.14	2.08	3.28	2.26	4.19	2.73
August	2.75	5.00	5.89	7.89	3.70	4.60	2.37	5.33	4.67	3.63	4.69
September...	3.28	2.35	3.27	4.23	6.18	3.18	.89	3.88	2.18	1.00	4.43
October	4.09	3.88	2.49	5.92	5.17	4.77	4.18	4.91	8.05	4.82	6.86
November...	6.19	5.18	2.37	5.05	3.35	2.85	5.92	3.97	6.96	9.77	5.75
December...	5.66	3.39	5.11	3.97	7.83	5.07	.51	5.90	7.05	11.87	4.64
TOTALS...	55.08	57.47	46.31	55.21	53.87	46.39	42.35	46.99	63.83	53.05	52.46
	D	D	D	D	D	D	D	D	D	D	D

7. 300 yds from Glen Berrahane gauge
1925. No object is as high as the distance between it and the g.
1927 Height of gauge 1.0 for some years (see end 1921 666308/26 pool)

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920.	51.32	9.12.26	Kibberen	5 mi	N.W.	Castletown	5 mi	N
1925	"	"	"	"	"	Castle Haven	1/4 m.	N.E.

RAINFALL at Skibberen Hollybrook farm

County of Cork

Observer Col A H Morgan
Capt. C. M. Morgan 240.

River Basin Barrow & C-6

Symons Rain Gauge, by

P. Maher (Skibberen)

Diameter ...	8										
Height	1 6										
Altitude ...	60										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS
January ...	9.00	5.70	8.73	3.28	6.79	6.02	10.81	6.11	9.26	3.41	10.75
February ...	2.98	3.13	6.62	12.53	2.25	6.89	7.58	3.61	6.58	8.20	1.86
March	5.27	4.97	3.61	4.99	2.21	.53	2.10	5.75	7.23	1.39	7.30
April	5.86	1.05	3.83	7.81	3.50	6.69	3.07	2.04	4.78	1.12	2.46
May	6.59	2.80	3.65	1.52	3.39	6.81	4.21	2.23	2.29	3.49	3.28
June	3.98	.08	.68	0.36	5.18	.57	4.27	3.11	8.16	3.06	3.77
July	5.12	4.70	4.70	2.78	6.66	3.48	2.43	5.29	2.60	5.15	4.01
August	3.17	5.32	6.13	7.53	4.74	4.30	3.14	5.98	5.53	3.82	5.87
September...	3.65	2.42	4.40	5.25	7.74	3.53	1.00	3.91	2.48	1.10	5.35
October	4.45	5.18	2.29	7.06	5.24	5.43	3.74	5.25	9.24	5.96	6.81
November...	6.97	6.93	4.22	4.72	5.57	1.85	7.46	5.70	8.01	11.90	7.08
December...	6.73	4.62	6.95	4.82	9.74	5.76	.82	8.31	8.22	13.18	5.68
TOTALS...	63.77	46.90	55.81	62.65	63.01	51.86	50.63	57.29	74.38	61.78	64.22

1921 Sledge, 2' 6" high, 9 ft. 6 E
1925 " 4 ft. " 8 " " "
1926 " 3' 6" " 6 " " "

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920			Skibberen	2 mi	S	Skibberen	2 mi	S.

RAINFALL at Caheragh The RectoryCounty of CorkObserver Reo. A. W. WhitleyRiver Basin Bandon TC - 6James B. B. B.
HowardRain Gauge, by J. A. M. G. L.

Diameter ...	5										
Height	1	0	1	2	1			1	3		
Altitude ...	98	100		97.7							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	8.83	6.05	9.31	4.38	8.56	6.44	10.21	6.55	9.78	3.12	9.60
February ...	3.17	3.17	7.97	13.83	2.37	7.50	7.11	3.47	6.62	8.70	1.21
March	5.61	5.62	3.92	4.92	2.30	.59	2.56	6.78	6.06	1.61	7.11
April	6.27	1.26	3.25	6.69	4.81	5.77	3.49	2.07	5.02	1.83	1.89
May	6.82	3.28	3.61	1.19	3.54	6.86	4.11	1.84	2.33	3.63	2.97
June	3.83	.07	1.98	0.64	5.70	.50	5.07	3.22	8.18	3.46	3.33
July	5.16	4.36	5.09	3.22	6.92	4.12	2.42	4.17	2.68	5.40	3.52
August	3.38	6.02	6.50	7.09	4.36	3.92	3.28	5.16	4.98	4.79	5.90
September...	3.50	3.07	4.72	6.33	8.62	3.37	1.04	4.45	2.73	1.04	5.04
October	5.12	5.40	3.43	7.38	5.60	6.10	4.85	5.33	9.82	6.35	6.50
November...	7.59	7.15	3.51	5.39	5.55	2.75	7.46	6.08	8.24	11.58	7.52
December...	7.13	4.58	6.95	4.90	10.25	5.70	.40	7.45	7.33	12.40	5.95
TOTALS...	66.41	50.03	60.24	65.96	68.58	53.62	52.00	56.57	73.77	63.91	60.54
	D	D	D	D	D	D	D	D	D	D	D

1920. Storm 25 kph 25 to N.

1926 " 30 " 30 " NW.

Position of Station on reduced Ordnance Survey
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1920			Ludlow	1 mi	S.E.	Caheragh	200 yds.	N.E.

RAINFALL at Clonakilly Shannon Vale Ho.

County of Cork Observer T. J. Bennett, Esq.
(per E.W. Murphy, 1922)

River Basin Anderson - 6

Howard Rain Gauge, by _____

Diameter ...	5										
Height	1				6			0.9			
Altitude ...	135										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 Means.
January ...	6.16	3.57	6.07	1.97	6.67	4.55	7.07	4.12	5.92	2.55	7.50
February ...	2.03	2.06	5.69	8.47	2.44	4.42	4.88	1.99	3.48	5.74	1.54
March	4.28	2.88	2.62	2.51	1.52	.37	2.03	4.28	5.29	1.13	6.17
April	5.69	.68	2.80	6.01	2.98	4.54	2.25	1.41	5.20	1.13	2.08
May	4.37	1.96	2.48	.99	3.05	5.79	3.22	2.18	2.21	3.92	2.43
June	3.70	.03	.89	.40	4.14	.82	3.17	3.16	7.48	2.55	2.98
July	4.63	3.87	3.74	2.36	5.28	3.27	1.97	3.33	2.72	3.76	3.60
August	2.35	4.75	4.92	6.09	2.71	2.98	2.94	5.33	4.89	3.84	5.98
September...	3.16	2.49	3.34	4.05	6.14	3.21	.79	3.44	3.20	1.16	4.78
October	3.74	4.37	2.51	4.88	5.82	4.47	4.11	4.43	7.47	4.20	5.70
November...	4.55	5.49	2.57	3.59	4.68	2.10	5.61	3.36	5.85	7.77	5.03
December...	5.11	2.36	4.23	2.90	8.03	4.16	.26	5.30	5.58	9.67	4.37
TOTALS...	49.77	34.51	41.86	44.22	53.46	40.68	38.30	42.33	59.29	47.42	52.16

Position of Station on reduced Ordnance Survey
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920			Ballinacorney Clonakilly	2 mi	W	Kilnagross	5 mi	E

RAINFALL at Ballinacorney Kilmeen Rectory

County of Cork Observer J. W. Dalton Esq.

River Basin Barrow + C - 6

Rain Gauge, by W. J.

Diameter ...	5										
Height	1	0									
Altitude ...	350										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	8.28	5.41	8.28								
February ...	3.27	4.25	7.83								
March	5.21	4.75	3.52								
April	7.73	.91	3.47								
May	5.74	2.78	2.45								
June	3.98	.04	1.76								
July	4.70	4.80	4.57								
August	2.94	5.05	5.13								
September...	3.26	2.51	4.43								
October	5.93	4.44	3.22								
November...	5.98	7.95	3.50								
December...	7.59	4.04	5.67								
TOTALS...	64.61	46.93	53.83								

to Desertserges Rectory Cork Co.

W. J. Dalton. 10 yds. W. N. W. 1st Jan. 1920.
1920. Wall. 10ft R. 28' 6" N. N. W.


Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920.			Ballinacorney	5 mi	NNE	Kilmeen	300 yds.	S.

County of Cork.Observer Manager, Browhead Copper Mining Co.

River Basin- 6

Rain Gauge, by

Diameter ...			12" [□]								
Height			2 8								
Altitude ...			300								
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...											
February ...											
March											
April											
May											
June											
July			imp.								
August			3.92								
September...			1.77 ²								
October			2.07								
November...			2.24								
December...			5.41								
TOTALS...			imp.	N.R.							



Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1922			Schull	32 mi.	E	Coleen	5 1/2 mi.	E.

RAINFALL at Kinsale, Saily House

County of Cork Observer J. J. Orr, M.D.

River Basin Bandon St. 6
Snowdon (125)
Ordinary Rain Gauge, by n. + 2.

Diameter ...	5			.							
Height	1 0										
Altitude ...	62										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...		2.60	4.92	2.21	6.52	4.33	6.98	3.59	5.15	2.60	7.28
February ...		1.13	4.39	7.58	1.88	4.24	4.82	2.03	3.73	6.29	1.41
March		2.50	1.99	3.09	1.47	.25	2.17	4.89	5.69	1.05	5.66
April50	3.19	3.46	2.28	4.37	2.12	1.23	4.66	1.50	2.17
May		1.61	2.50	.72	2.95	5.33	2.38	1.77	2.51	3.71	2.08
June		0.00	.99	.38	3.65	.63	2.25	3.46	6.54	1.48	2.04
July		2.89	3.11	1.70	5.29	2.65	1.43	3.50	1.21	3.22	4.69
August		4.69	5.61	5.25	2.11	3.48	2.21	4.58	6.02	3.76	4.55
September...		1.97	2.80	3.01	5.90	3.18	.59	3.41	3.52	1.49	4.28
October		2.99	2.31	4.93	4.44	4.57	3.46	3.51	7.66	3.47	4.10
November...		4.75	2.00	3.37	4.46	2.46	5.59	5.05	5.84	6.87	4.48
December...		2.57	4.18	2.35	7.35	3.96	.26	5.69	5.37	10.32	3.85
TOTALS...		28.20	37.99	38.05	48.30	39.45	34.26	42.71	57.90	45.76	46.59
		D	D	D	D	D	D	D	D	D	D

1927. House 40 ft. high 50 ft. N.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance Direction from gauge
1921	51°42'16"	8°30'55" W.	Kinsale				
1923			Kinsale	3 miles	N	Kinsale	3 miles W.

RAINFALL at Drenagh Rectory

County of Bork Observer Rev. Harold Haddon

River Basin Bandon & Co. 6.

Rain Gauge, by _____

Diameter ...		5					5				
Height		2.0			2.6						
Altitude ...							219				
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...			8.55	2.62	8.77	6.65	.				
February ...			6.99	11.71	2.89	6.80	.				
March			3.91	4.53	1.97	.66	.				
April			3.85	8.05	4.03	5.73	.				
May			3.67	1.13	3.71	7.10	21.33				
June			1.42	.66	6.07	.70	2.35				
July			(4.64)	3.04	5.60	3.48	1.60				
August			5.41	(6.03)	8.36	4.57	4.21	2.54			
September...			2.57	4.86	5.44	8.37	3.14	.61			
October			4.97	2.92	6.89	6.46	6.45	4.10			
November...			7.84	3.38	4.41	5.53	3.93	5.26			
December...			3.75	5.52	4.39	10.09	6.53	.47			
TOTALS...			(55.74)	61.23	68.06	55.38	imp. #				
		D	d		2	D	3				

1922 : July & Aug. part est.
1923 Record "W.D."

To Dohoval Cork/6

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
			Dunmanway.				

RAINFALL at Kinsale, Mohaval Rectory

County of Louth Observer Rev J.B. Badden

River Basin Bandon & C 6

Rain Gauge, by _____

Diameter ...							5				
Height											
Altitude ...							219	272			
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...								3.87	4.79	3.01	6.39
February ...								2.57	3.43	6.58	1.49
March								4.32	5.76	.98	5.79
April								1.92	4.53	1.48	1.58
May							2.33	1.77	2.62	3.60	2.17
June							2.35	6.93	5.98	1.25	1.80
July							1.60		1.09	3.57	3.03
August							2.54	5.23	7.03	3.58	4.76
September...							.61	3.60	3.26	1.28	4.57
October							4.10	3.37	7.75	3.50	4.50
November...							5.26	4.33	5.95	6.00	4.77
December...							.47	6.21	5.67	9.21	4.04
TOTALS...							imp	44.12	57.86	44.04	44.89

From Drenagh Rectory

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series					No. of Map		Reference No.			
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge		
1930.			Kinsale	7 m.	W.					

RAINFALL at Dunmanway De Rectory

County of Cork Observer Robert Wilson

River Basin Bandon &c - 6

Rain Gauge, by _____

Diameter ...	5										
Height	1 6										
Altitude ...	205										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	10.40	6.38	9.81	3.65	10.17	7.49	11.17	6.90	10.21	3.29	11.48
February ...	3.73	3.74	8.10	12.28	3.40	6.57	7.44	3.31	6.81	9.91	1.11
March	5.58	6.10	4.03	4.31	1.93	.71	2.78	6.76	6.79	2.05	7.96
April	9.50	1.16	3.74	7.68	3.80	5.59	3.12	1.60	5.82	2.10	2.36
May	6.75	3.01	3.26	1.31	3.64	6.71	4.30	3.01	2.31	4.88	2.74
June	3.84	.08	1.54	.65	5.13	.48	4.23	3.22	7.57	2.47	3.40
July	5.25	5.36	5.53	2.83	6.94	3.21	3.75	4.84	2.22	6.59	3.76
August	3.33	5.36	5.03	7.29	3.52	3.28	3.34	5.23	5.12	4.88	5.56
September...	4.08	2.74	4.59	5.51	8.08	3.14	1.26	4.51	3.69	1.25	5.08
October	6.04	5.10	3.07	7.55	5.99	6.80	4.94	6.06	9.58	5.82	6.84
November...	7.40	8.09	3.42	4.40	5.77	3.66	8.36	6.21	8.10	12.25	7.37
December...	8.45	4.45	7.50	4.42	10.67	6.28	.37	8.87	7.76	14.72	6.09
TOTALS...	74.35	51.57	59.62	61.88	69.09	53.92	55.06	60.52	75.98	70.21	63.75

1921. Stable 15ft. high 18ft. n.e.

Position of Station on reduced Ordnance Survey
Map, 2 miles to 1 inch Series

No. of Map _____

Reference No. _____

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
	51°42'	9°6' W	Dunmanway	3 1/4 mi	S.W.	Spaldbro	35 yds.	W

RAINFALL at 1 Dunmanway Carbery

County of Cork Observer Dr W H Fitzmaurice

River Basin Bandon TC - 6

Rain Gauge, by _____

Diameter ...	5										
Height	1 6										
Altitude ...	204										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	10.65	6.86									
February ...	3.84	3.74									
March	5.65	6.57									
April	9.50	1.21									
May	7.09	2.99									
June	3.97	.06									
July	5.36	5.52									
August	3.53	5.58									
September...	4.16	2.66									
October	6.21	4.94									
November...	7.33	8.10									
December...	8.76	5.06									
TOTALS...	76.05	53.29									

1920. not in use

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920.			Dunmanway	34 mi	SW.	Brinny	300 yds	W.

RAINFALL at Enniskean Kilskegan

County of Cork Observer Mr. E. F. Longfield

River Basin Bandon & C - 4

Rain Gauge, by _____

Diameter ...	5										
Height	2 0		3 0	2 6							
Altitude ...	180										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	9.89		7.25	2.58	8.36						
February ...	2.70		5.60	10.61	3.43						
March	4.76		2.53	3.75	1.44						
April	6.78		2.49	6.53	3.07						
May	5.93		2.46	.94	3.39						
June	3.09		1.24	.63	5.09						
July	4.66		2.69	1.90	4.97						
August	2.89		4.77	6.80	2.60						
September...	3.37		3.73	2.62	7.05						
October	4.35		3.22	4.78	5.28						
November...	3.80		2.87	4.20	6.67						
December...	6.03		(6.09)	2.69	10.60						
TOTALS...	56.25	N.O.	(44.94)	48.03	61.95	#					

1922: Dec. 18-22 corr. by sun. obs. Trees 40-70 ft. distant.

Position of Station on reduced Ordnance Survey
Map, 2 miles to 1 inch Series

No. of Map _____

Reference No. _____

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1920			Donabally Junction Dahsera	2 1/2 mi	S.	Deerbergis	2	W

RAINFALL at Bandon Ke Green

County of Cork Observer Rev H Hadden

River Basin Bandon TC - 6

Rain Gauge, by _____

Diameter ...											
Height											
Altitude ...											
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...											
February ...											
March	#										
April	7.30										
May	5.13										
June	3.74										
July	4.59										
August	2.59										
September...	3.36										
October.....	4.93										
November...	5.90										
December...	6.72	To Drenagh Redan									
TOTALS...	-	-	-								

Position of Station on reduced Ordnance Survey
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction

County of CorkObserver Col. W.D. Conner
for Murphy Esq.
River Basin Bandon + C-6
Rain Gauge, by _____

Diameter ...											
Height											
Altitude ...	110										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	7.42										
February ...	2.30										
March	4.43										
April	6.53										
May	6.42										
June	3.00										
July	4.92										
August	2.40										
September...	2.59										
October	5.32										
November...	4.86										
December...	6.72										
TOTALS...	56.93	/	-								

Position of Station on reduced Ordnance Survey
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
	51° 46'	8° 4'	Lipton	1 1/4 mi	N.	Innishannon	3 1/4 mi	E

RAINFALL at Kinnakean, Desertserges Rectory

County of Cork Observer J. W. Dollin, Esq. M.D. died VII/28.

River Basin Bandon & C. — 6

Snowdon Rain Gauge, by N. & Z.
(125)

Diameter ...					5						
Height					1.6						
Altitude ...					126						
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...					8.38	6.46	9.95	5.63			
February ...					4.01	4.94	6.50	2.94			
March					1.57	.31	2.33	5.11			
April					2.83	4.60	2.75	1.49			
May					3.10	6.27	3.92	2.11			
June					4.86	.60	3.21	2.80			
July					5.13	2.80	2.05	4.34			
August					2.65	3.33	3.37	5.58			
September...					7.20	2.86	.61	3.18			
October					5.03	6.56	3.80	4.63			
November...					6.57	3.21	6.66	5.08			
December...	from Kilmeehan Rectory Cork 16				10.18	4.55	.30	8.94			
TOTALS...					61.51	46.49	45.45	51.83	N.O. #		

1925. House 30 ft. high 57 ft. E.N.E.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series					No. of Map		Reference No.		
Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge		Parish Church.	Distance Direction from gauge		
1925			Desert	1 m	W	Desert	1/4 m.	W	

RAINFALL at Ballinacorney Inchiky

County of Cork Observer Mr Walsh by P. Lweeney

River Basin Cork Harbour - 7

5" copper London Rain Gauge, by N. 83

Diameter ...	8	5									
Height	1	0									
Altitude ...		400?									
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	14.18	11.59	12.21	6.51	12.10	9.88					
February ...	6.97	3.23	12.13	16.10	3.02	9.65					
March	6.07	7.28	6.31	5.38	2.38	.17					
April	12.92	2.24	4.58	7.85	5.29	6.57					
May	8.37	3.09	3.14	3.08	5.46	9.07					
June	4.25	.11	2.33	1.53	6.38	.31					
July	6.17	6.67	6.96	3.69	8.54	6.76					
August	3.41	6.88	5.64	10.12	5.75						
September...	5.49	3.19	6.01	10.29	12.26						
October	7.03	6.19	4.77	9.57	8.67						
November...	11.77	7.11	4.70	6.44	8.13						
December...	9.72	7.72	13.44	8.52	17.21						
TOTALS...	96.45	65.30	82.22	89.08	95.19						
	d	d	d	d	d						

Terminated see 660614/26.

Position of Station on reduced Ordnance Survey
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
	51° 50' 8"	9° 17'	Bantry.	14 mi	Sw.	Ballinacorney R.C. +	3 mi	E

RAINFALL at Bellmount Brookstown

County of Cork

Observer Capt. J. N. Herrick
per Murphy. (1921)
Wth J. Herrick per S.R.A. (1925)

River Basin Cork Harbour.

8" Ga. Rain Gauge, by _____

Diameter ...		8									
Height		2	6								
Altitude ...		400									
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...		5.02	7.30	3.14		(5.56)					
February ...		3.95	7.46	10.52		(4.50)					
March		4.75	3.17	4.40		.22					
April.....		.85	3.26	6.49		(4.36)					
May		2.24	2.33	.94		4.47					
June07	.95	.42		.52					
July		5.65	4.42	2.54		4.04					
August		4.44	4.81	6.01		3.38					
September...		1.73	4.39	4.34		(3.52)					
October.....		4.08	1.95	6.10		(4.58)					
November...		6.68	2.63	3.62		2.70					
December...		3.47	6.51	3.23		3.85					
TOTALS...		42.93	49.18	51.75		(41.70)	NO.	NO	#	Enc 39A 66064/26.	

1922. Tree 80' high, 100 yds. NW.
1923 Tree 76' " 75 ft distant.

1925. Record commenced at end of Feb. First two months computed by S.R.A. Feb, April, Sept. rest. corr. by maps.

Position of Station on reduced Ordnance Survey } No. of Map _____ Reference No. _____
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1922			Brookstown	1 mi	NE	Noviddy	1/2 mi.	N.

RAINFALL at Cork, Corn Market

County of Cork Observer D. J. O'Mahony Esq.
Public Analyst

River Basin Cork Harbour - 9

Snowdon Rain Gauge, by N & Z

Diameter ...	5										
Height	1	0									
Altitude ...	19								17		
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	5.65	2.21	5.75						5.00	2.55	
February ...	1.45	2.43	3.93						3.23	7.75	
March	3.98	2.60	2.04						6.98	.85	
April	5.46	.49	2.96						5.55	1.46	
May	4.19	1.50	1.46						2.54	3.88	
June	3.18	.01	.59						5.01	1.16	
July	4.24	3.33	2.91						1.22	4.17	
August	2.40	3.31	3.63						5.24	2.21	
September...	2.65	1.21	3.14						2.78	.69	
October	4.02	2.59	1.68						6.28	3.04	
November...	4.07	5.08	1.78						5.07	6.56	
December...	4.91	1.55	4.05						5.29	10.36	
TOTALS...	46.20	26.31	33.92	NR					54.19	44.68	
	2	2	2						3d	2.1	

1920 Seed was high the 30ft. above 60 for gauge N & N E - Same
F 789020/27

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1940	51° 53' 28"	8° 24' 28"	Cork Bandon Rly.	1/2 mi	NE	Parish St John Bandon R.C.	3 1/4 mi	SW

RAINFALL at Cork University College

County of Cork

Observer J. H. Walsh

River Basin Cork Harbour - 7

Prof. H. N. Walsh, ('25)

Shandon (C.) Rain Gauge, by N+Z.

+A.

Diameter ...	8	5									
Height	1.0										
Altitude ...	65						59			54	
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS
January ...	5.94	2.57	6.44	1.92	8.04	5.64	9.18	4.75	5.39	2.23	7.07
February ...	1.67	2.56	4.42	8.53	2.97	4.45	4.74	2.66	3.42	8.16	1.03
March	4.14	2.91	2.22	3.96	1.31	.22	1.50	4.79	7.33	.89	6.88
April	5.54	.54	2.98	4.28	2.44	5.51	3.04	1.21	5.66	1.46	2.09
May	5.36	1.66	1.67	.96	3.62	4.35	2.87	2.38	2.60	4.05	1.67
June	3.22	.02	.80	.74	3.70	.63	2.28	2.57	5.60	1.21	2.15
July	3.96	3.77	3.21	2.37	3.81	2.77	1.67	4.35	1.01	4.29	2.79
August	2.28	3.59	3.91	5.38	2.15	3.03	2.50	3.68	5.04	2.16	5.36
September...	2.66	1.35	3.45	2.96	5.86	2.63	.51	3.42	2.26	.82	4.52
October	3.96	2.90	1.96	4.81	4.22	5.31	2.87	3.48	6.41	3.22	5.12
November...	4.16	5.16	1.85	3.46	5.96	2.48	6.20	4.15	5.33	6.91	5.26
December...	5.12	1.84	4.34	2.27	7.48	4.13	.48	8.43	5.61	10.78	3.97
TOTALS...	48.01	28.87	37.25	41.04	51.56	41.15	37.84	45.87	55.66	46.18	47.91
	2	D	D	D	D	D	D	D	D	D	D

1923. Trees + Buildings. 50 height. 150 distance. E.N. + W. 1045
mean
43.34

Position of Station on reduced Ordnance Survey } No. of Map
Map, 2 miles to 1 inch Series

Reference No.

Date.	Lat. N.	Long. W.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1923	51° 54'	8° 21'	Cork R.	100 yds	E	St. Finian's Cathedral	1 mi	E
	51° 53' 34"	8° 29' 25"	Cork					

Observer H. W. Wahl, Eng.

Recording Rain Gauge, by

1923. Check gauge; not printed.

Reference No.

[illegible]

RAINFALL at Ballinacple, Blackrock Rd.
Shamrock Lane
County of Cork Observer Michael Murphy Esq.
River Basin Cork Harbour - 9
Rain Gauge, by _____

Diameter ...	1	0									
Height	1	0									
Altitude ...	96										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	5.39	1.94	5.49								
February ...	1.45	2.15	3.48								
March	3.85	2.61	2.00								
April	5.28	.60	2.81								
May	4.20	1.59	1.64								
June	2.81	.02	.46								
July	4.33	3.31	2.87								
August	2.42	3.46	3.81								
September...	2.56	1.07	3.27								
October	4.00	2.58	1.84								
November...	3.96	4.40	1.41								
December...	4.59	1.34	3.38								
TOTALS...	44.82	25.07	32.46	NR							
	D	D	D								

Position of Station on reduced Ordnance Survey } No. of Map _____
Map, 2 miles to 1 inch Series } Reference No. _____

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
	51°53'30"	8°26'30" W	Cork	1 mi	W.	Blackrock Rd.	4 mi	W

RAINFALL at Cork Magazine Rd

County of Cork Observer Sam. R. H. H. H.

River Basin Cork Harbour - 7

Rain Gauge, by _____

Diameter ...	5										
Height	1.3										
Altitude ...	95										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	5.62										
February ...	1.68										
March	3.91										
April	5.69										
May	5.18										
June	3.18										
July	3.85										
August	2.27										
September...	2.73										
October	4.05										
November...	4.05										
December...	4.96										
TOTALS...	47.17										

1920. June. 26th 35ft 1.5

Position of Station on reduced Ordnance Survey } No. of Map _____ Reference No. _____
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920			Cork Harbour Rd	1.100 yds	E	St. Finbarr's Cathedral, Cork	1.150 yds	E

RAINFALL at Cork, Wellington Rd

County of Cork Observer R. C. Pike Esq. Ch.

River Basin Cork Harbour - 7

Shandon Rain Gauge, by H. G.

Diameter ...	5										
Height	2	2									
Altitude ...	120										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	5.86	2.48	6.14	2.02	8.21	5.83	9.38	5.05	5.50	2.31	6.85
February ...	1.54	2.57	4.07	8.78	2.89	4.53	4.74	2.99	3.68	8.05	1.08
March	3.64	2.95	2.28	3.65	1.50	.21	1.71	5.17	7.43	.98	7.49
April	5.70	.57	3.34	4.59	(2.21)	5.45	2.68	1.22	5.83	1.50	2.01
May	4.21	1.74	1.67	.96	3.82	4.00	2.80	2.47	2.68	3.95	1.76
June	3.07	.03	.82	.14	4.20	.61	2.61	2.90	5.31	1.18	2.29
July	4.53	3.74	3.13	2.52	3.92	2.90	1.78	4.08	1.41	4.51	2.35
August	2.52	(3.49)	4.05	5.38	2.29	3.12	2.76	4.15	5.40	2.68	5.48
September...	2.88	1.28	3.67	2.97	5.99	2.57	.47	3.11	2.16	.76	4.70
October	4.02	2.81	1.96	5.11	4.20	5.22	2.83	3.68	6.42	3.26	5.05
November...	4.60	5.31	2.10	3.51	5.79	2.38	6.39	4.35	5.53	7.24	5.36
December...	5.00	2.10	4.17	2.27	(7.29)	4.05	.59	8.43	5.64	10.63	4.14
TOTALS...	47.59	(29.07)	37.40	41.90	52.31	40.87	38.74	47.60	56.99	47.05	48.56

1920 Dec 15 Rpt 15 Sw

5 22 > 45 SSE

1923. Dec 15 " 15 SW

" 25 " 45 SSE

1924. April & December converted.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.		
Date.	Lat. N.	Long. W	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920	51° 54'	8° 29'	Cork (S. W.R.)	4 mi	SSE	St Lukes	6 mi	E

RAINFALL at Middleton Ballinacorra

County of Cork Observer J. H. Bennett Esq.

River Basin Cork Harbour - 7

H. O. Patten Rain Gauge, by Hicks, London.

Diameter ...	8										
Height8		1 0								
Altitude ...	25										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS
January ...	4.57	2.19	4.74	1.53	6.22	4.51	7.59	4.06	4.14	2.73	4.86
February ...	1.36	2.39	3.40	6.88	2.11	3.46	3.59	3.11	2.92	6.72	1.36
March	4.07	2.63	1.70	3.61	1.29	.24	2.17	4.27	5.91	.87	7.17
April	4.57	.61	2.64	4.37	2.14	4.78	2.37	1.52	6.05	.93	1.78
May	3.36	1.64	1.58	.81	3.50	4.92	2.28	2.04	2.45	3.24	1.75
June	2.14	0.00	1.03	.09	3.83	.43	2.73	2.40	5.24	1.41	1.91
July	5.03	3.20	3.07	2.45	4.09	2.72	3.23	4.00	1.18	3.09	2.34
August	2.49	3.91	4.53	5.27	1.97	4.03	2.57	4.58	6.21	2.42	4.69
September...	2.91	1.34	2.77	2.57	5.45	2.34	.52	3.07	2.17	1.00	4.97
October	6.50	2.16	1.49	3.95	4.32	4.79	2.54	3.31	7.08	3.02	4.97
November...	3.13	4.48	2.12	3.59	5.20	1.78	5.27	4.04	4.58	6.59	4.06
December...	4.47	1.37	3.36	1.96	6.59	3.23	.39	6.50	4.81	7.88	3.80
TOTALS...	44.60	25.92	32.43	37.08	46.71	37.23	35.25	42.90	52.74	39.90?	42.66

1923. Wire paling only 2 yards. No object near to shelter.
1925. Trees about 30 yards from g. on S. side.
1927. Hut 11 ft. high 13 yds. S.
1929. about 3-4 ins. low. ? g. leaking after Feb. 1929.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map _____ Reference No. _____

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
	51° 50'	8° 1'	Middleton	2 mi	N	Middleton	1 mi	N
1923	57° 52'	8° 1'	"	"	"	"	"	"

RAINFALL at Quinstown John Gardens

County of Cork

Observer Mr E. Beckett
R. Forbes (1921)

River Basin Cork Harbour - 7

Rain Gauge, by Casella

Diameter ...	5			5							
Height	1 6			1 6							
Altitude ...	36			36							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	4.85	3.02	5.74	2.72							
February ...	1.84	2.39	4.22	8.51							
March	4.75	3.09	2.36	4.59							
April	5.53	.68	2.89	5.23							
May	4.05	2.26	1.81	1.34							
June	2.27	.06	1.08	.16							
July	7.34	3.56	(3.79)	2.74							
August	2.68	4.54	4.12	4.92							
September...	3.67	1.40	3.17	3.17							
October	6.31	3.11	1.60	5.10							
November...	4.87	4.89	2.39	4.51							
December...	5.64	2.70	4.00	23.5							
TOTALS...	53.80	31.70	(37.17)	45.34	# Enc 51 ^B 66064/56.						

1920. Gooseberry Bank 2.3 ft. 2 ft N.
1922. July part. ex.

Position of Station on reduced Ordnance Survey } No. of Map
Map, 2 miles to 1 inch Series

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920.	51° 54'	8° 18'	John	3/4 mi	W.	Quinstown	5 mi	S.E.W.

RAINFALL at Glanmire Lota Lodge No. 1.

County of Cork Observer A. T. Sherman Crawford

River Basin Cork Harbour - 7

Snowdon Rain Gauge, by Factoresa Rapkin
complete with bottle & inner outer cans
Funnel has 4" vertical sides

Camden glass 2967 (P&R) graduated to 1/2"
certified B.R.O. 1429 C.S.

Diameter ...	5										
Height	1 0										
Altitude ...	200										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 1931
January ...	6.05	2.92	5.75	2.13	7.94	5.79	9.36	5.35	5.80	2.39	6.74
February ...	1.76	2.43	4.40	9.18	2.79	4.95	4.81	3.01	3.54	7.72	1.07
March	4.27	3.19	2.33	4.06	1.56	1.35	1.64	5.42	7.80	1.05	7.18
April	5.75	71	3.52	4.71	2.45	5.54	2.41	1.29	5.85	1.38	1.88
May	4.13	1.79	1.69	1.34	3.89	4.24	2.49	2.29	2.50	4.13	2.00
June	2.71	.04	1.33	.14	4.10	.68	3.67	3.20	5.65	1.48	2.55
July	5.09	4.06	3.74	3.01	4.31	3.12	1.94	4.73	1.38	4.87	2.28
August	2.58	4.01	5.02	5.99	2.40	2.73	2.90	5.98	6.28	2.72	5.65
September...	2.98	1.20	3.83	3.31	6.56	3.03	.69	3.33	2.45	.80	5.39
October	4.60	3.08	1.81	5.74	4.34	5.37	2.88	3.83	7.68	3.58	5.23
November...	5.11	5.21	2.10	3.92	6.23	2.56	6.26	4.17	5.76	7.24	5.27
December...	5.41	2.25	4.50	2.79	8.11	3.99	.72	7.68	5.68	10.64	4.45
TOTALS...	50.44	30.89	40.02	46.32	54.68	42.35	39.77	50.28	60.37	48.00	49.69
	D	D	D		D	D	D	D	D	D	D

1921. Fence 8 ft. high 24 ft. S.
ledge 7 ft. 16 ft. E

Letter of 29.2.24 (file 404056/23) observer says:- Lota Lodge is situated on side of hill over-
looking valley of Glanmire River. This hill is 3 miles due East of Cork City with an elevation of
300 feet above sea level
No. 1 gauge is in position approved by Dr. Mill. (see notes on other sheet).
attend to this g. (see notes on other sheet).
Mrs. Crawford's garden (John Rowe)

1926 Inspected by Mr Spencer Russell 24/April. In field, surrounded by wire fence. ground slopes gradually
to S. Box Ledge 6' high 40' S. (f. 698/144/26)

Position of Station on reduced Ordnance Survey } No. of Map _____ Reference No. _____
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1921			Dunkettle	2 mi	S.E.	Glanmire	4 mi	N.
1926								

County of Cork Observer J. Y. Sherman Crawford

River Basin Cork Harbour - 7

Standard Rain Gauge, by N&Z 3040
(125)
Complete with bottle inner can roller can funnel 4" vertical sides.
Camden glass graduated to 1/2"

Diameter ...	5			5							
Height	1 0			1 0							
Altitude ...	100			100							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	5.95	2.63	5.50	1.96	7.46	5.25					
February ...	1.70	2.29	4.06	8.59	2.66	4.69					
March	4.18	2.73	2.23	3.88	1.49	.32					
April	5.51	.62	3.40	4.55	2.45	5.29					
May	4.14	1.70	1.54	1.35	3.56	3.94					
June	2.69	.04	1.21	.12	3.96	.65					
July	4.97	3.83	3.66	2.89	4.16	2.88					
August	2.46	3.70	4.59	5.75	2.29	2.46					
September...	2.83	1.12	3.47	3.01	6.41	2.95					
October	4.53	2.96	1.67	5.32	4.26	5.09					
November...	4.82	4.81	1.99	3.81	5.98	2.42					
December...	5.13	1.94	4.20	2.48	7.59	3.74					
TOTALS...	48.91	28.37	37.52	43.71	52.27	39.68					
	D	D	D	D	D	D					

1921. Stone 35 ft high 50 ft. N.W.W.
Punk 7 " " 15 " SE.
No. 2 gauge is in fairly good situation but exposed somewhat to S.E. gales. & is 100 ft.
lower than No. 1 gauge. & 400 yards from it (above). Mr. Crawford attends to this g.
(See Notes on other sheet.)
1923 np. check g.
1924 np. " 3'
1926 Inspected by Mr Spencer Russell 24 April. g on a levelled lawn to S side of Lota Lodge.
Exposure quite free. probably somewhat overexposed to S & SE (f 698.144/26).

Position of Station on reduced Ordnance Survey
Map, 2 miles to 1 inch Series } No. of Map _____ Reference No. _____

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1921			Dunkettle	1/2 mi	SE.	Glenmire	1/4 mi	N.

RAINFALL at 1 Ripsey Wooden Mills

County of Cork

Observer St. Walsh by Prof. J. C. D. O'Mahony.

River Basin Cork Harbour - 7

Snowdon (C.) Rain Gauge, by N+Z

Diameter ...	5										
Height	1 0										
Altitude ...		250?									
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	6.06	2.99	5.74	1.12	6.01	5.12	8.48				
February ...	1.88	2.62	4.95	8.56	3.16	4.39	(5.54)				
March	3.83	2.93	2.57	2.62	1.46	.33	1.85				
April	5.69	.88	3.02	4.09	2.57	5.21	2.61				
May	4.11	1.54	1.35	.89	2.84	7.61	2.77				
June	2.80	0.00	.90	.12	4.28	.56	2.65				
July	3.91	5.10	4.42	2.54	2.96	3.85	2.68				
August	2.29	3.21	3.93	4.77	1.90	(3.49)	(3.20)				
September...	2.65	1.52	3.51	2.65	7.08	2.08	.68				
October	4.00	4.06	1.49	4.33	6.76	4.73					
November...	4.54	4.75	1.64	4.26	4.95	3.73					
December...	5.21	1.61	4.17	2.16	6.52	(4.35)					
TOTALS...	46.97	31.21	37.69	38.11?	50.49	(45.45)	imp.	NR.	#	815792/28.	

1923 record short throughout. 1925. Aug. & Dec. corr'd by our 2 stations.
1926. Feb. & Aug. corrected from maps. Oct. - Dec. missing.

Position of Station on reduced Ordnance Survey
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
	51° 55' 29"	8° 44' 48"						

RAINFALL at Blurney Slieve Hill Hydro

County of Cork Observer D. R. Barker

River Basin Cork Harbour - D. R. Barker per I.R.A. (1925)

Rain Gauge, by N.G.

Diameter ...	8										
Height	10										
Altitude ...	216										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	5.85	3.24				6.35	(8.21)	5.73			
February ...	1.48	1.68				4.24	(4.65)	2.55			
March	3.71	3.06				.28	1.14	5.11			
April	5.33	.81				4.94	2.71	.92			
May	3.66	1.42				4.07	2.63	2.23			
June	2.38	0.00				.73	1.86	1.89			
July	4.34	4.15				3.02	(2.39)	3.86			
August	2.29	3.52				3.67	2.62	3.68			
September...	2.51	1.52				2.15	.65	3.26			
October	3.67	2.34				4.45	2.38	2.52			
November...	4.15	4.63				2.95	6.69	4.45			
December...	4.57	2.41				4.10	.36	5.13			
TOTALS...	44.14	28.78	-	-	-	40.95	(26.29)	41.33	N.R.# 825622/28		

1920 Stone 30ft high soft w.
15 > 50 > S
30 > 100 > N.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.		
Date.	Lat. N.	Long. W	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920.	51°55'50"	8°36'0"	Slieve Hill	1 1/2 mi	S.	Blurney	1 1/2 mi	E

RAINFALL at Rock Point

County of Lark
Womanagh - 8.
River Basin Cash Harbour - 7

Observer Meteorological office
M. Fitzmaurice Post office

Rain Gauge, by _____

Diameter ...											
Height	1	0									
Altitude ...	22 33			32							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	5.17	2.72	4.97	1.71	6.62	4.47	7.77	3.78	4.61	3.63	7.05
February ...	1.59	1.57	3.98	6.57	1.97	3.49	3.71	2.76	3.36	6.76	1.65
March	4.21	3.21	1.81	3.76	1.72	.20	1.85	3.59	6.06	1.02	7.88
April	4.76	.52	3.00	4.18	2.52	4.10	2.32	1.66	4.87	.97	2.67
May	3.45	1.91	2.41	1.03	4.31	5.43	2.06	2.05	2.34	4.38	2.76
June	2.56	.04	1.07	.30	3.88	.52	1.69	2.65	6.09	2.71	1.71
July	5.47	3.54	3.36	1.97	5.02	2.38	3.48	3.86	1.41	3.74	2.69
August	2.48	4.81	5.60	6.20	2.69	3.60	2.49	5.18	6.50	3.50	5.48
September...	2.46	2.00	2.43	3.03	5.69	2.79	.46	3.36	2.60	1.55	4.41
October	6.13	5.52	2.30	4.60	4.19	4.66	2.26	3.13	7.44	3.77	6.25
November...	3.69	4.35	2.28	3.71	5.63	2.68	4.78	4.38	5.44	6.82	5.00
December...	5.12	1.91	3.93	2.07	7.09	2.78	.34	6.61	5.71	7.98	5.20
TOTALS...	47.09	29.10	37.14	38.53	51.33	37.10	33.21	43.01	56.43	46.83	52.75

* from file 56505/25

Position of Station on reduced Ordnance Survey } No. of Map _____
Map, 2 miles to 1 inch Series } Reference No. _____

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
	51° 47'	8° 15'						

RAINFALL at Shengarry Kiloid

County of Cork Observer Mr L P. Stanger

River Basin Womaneagh - 8

No. pattern Rain Gauge, by (25)

Diameter ...	5			5							
Height	1 0			1 0							
Altitude ...	75		85	75							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	4.24	2.20	4.92	1.10	6.29	3.77	6.68	3.36	3.69	2.47	6.25
February ...	1.26	1.73	3.58	6.96	1.49	2.94	3.33	2.45	3.51	5.28	1.04
March	3.94	2.55	.95	2.60	1.26	.27	1.53	3.60	4.86	1.04	8.43
April	3.88	.42	2.40	3.13	1.90	3.94	2.10	1.60	6.83	.75	1.72
May	2.66	1.20	1.81	.59	3.58	5.25	1.93	1.53	1.71	3.35	2.04
June	2.12	.02	1.13	.10	2.65	.39	2.20	2.93	5.34	1.14	1.43
July	4.56	3.28	2.76	2.29	4.66	2.91	1.61	4.09	.99	3.69	2.68
August	2.43	4.16	4.30	4.61	2.05	3.56	2.51	1.53	5.32	2.07	4.81
September...	2.07	1.34	2.31	2.68	4.86	2.20	.67	3.38	2.49	1.54	4.63
October	4.56	2.70	1.34	3.76	2.72	3.36	2.61	2.63	3.75	3.08	4.53
November...	2.42	3.97	2.42	3.88	4.85	1.43	5.83	3.88	3.68	6.86	4.07
December...	3.97	1.99	3.88	1.93	6.20	2.89	.57	5.14	4.14	8.90	3.51
TOTALS...	38.71	25.56	31.50	33.58	42.51	32.91	31.57	39.12	46.31	40.17	45.14
	D	D	d	d	d	d	d	D	D	D	

1920. House 30ft. Rise 50ft. N.
Ponds 14ft. 50ft. ESW

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map _____ Reference No. _____

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1923	51° 51'	8° 21' W	Mogeely	5 1/2 mi	N.	Kilmahan Bloyne Bally Cotton	1/2 mi	S.
			"	"	"		4 mi	W.
							3	S.S.E.

RAINFALL at Ballyhooley

County of Cork Observer H. Beddington

River Basin Blackwater - 9

Rain Gauge, by _____

Diameter ...	5										
Height	9										
Altitude ...											
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	7.66	3.42									
February ...	2.37	1.27									
March	4.27	3.29									
April	5.94	.78									
May	3.85	1.84									
June	3.23	1.21									
July	4.18	2.75									
August	3.00	3.91									
September...	3.17	1.52									
October	4.98	3.40									
November...	5.05	5.20									
December...	4.89	2.98									
TOTALS...	52.59	31.57	11	-							

Position of Station on reduced Ordnance Survey
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920			Ballyhooley	5 mi	N.	Ballyhooley	100 yds.	W.

RAINFALL at Mallow, Keshwood,

County of Lork Observer E. H. Eysaght, per J. K. A.

River Basin Blackwater, 9.

M.O. Rain Gauge, by _____

Diameter ...										5	
Height										1 0	
Altitude ...						360'				360	
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...						5.85	6.56	5.77	5.52	1.16	6.04
February ...						3.82	3.66	2.15	3.84	5.38	.54
March27	1.53	4.52	5.59	.72	6.25
April						6.59	2.63	.81	4.37	2.32	2.55
May						4.38	3.19	1.71	2.42	2.95	1.61
June66	2.37	3.33	4.69	1.79	2.61
July						3.69	5.19	4.14	.98	4.90	2.51
August						2.52	4.11?	4.43	3.84	2.75	6.02
September...						2.62	1.45	3.63	1.98	.93	4.07
October						5.12	2.52	2.58	5.85	3.84	5.29
November...						2.06	4.98	3.13	4.41	5.99	4.14
December...						3.57	.75	4.61	3.51	9.12	4.19
TOTALS...						41.15	38.94	40.81	47.00	41.85	45.82

1926, J. K. A. state Aug. is correct (7.660614/26)

1930, Trees 40 ft. high, 25 yds. N.E.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1929.			Mallow	4 1/2 m.	S.	Buttevant.	3 m	N.

RAINFALL at Kanturk Castle

County of Cork Observer Mrs. Helen Barry

River Basin Blackwater - 9

Rain Gauge, by _____

Diameter ...											
Height											
Altitude ...											
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	6.10	3.58	4.73	2.60	5.04	5.96	6.25	6.89	5.46	1.48	5.70
February ...	2.22	2.22	4.67	6.79	2.16	5.00	3.81	2.77	4.64	6.98	1.84
March	3.48	2.55	2.62	3.31	1.36	.75	1.55	5.29	5.21	.62	5.28
April	5.37	1.19	2.86	4.08	2.71	6.39	2.24	.94	4.31	2.00	2.70
May	3.63	1.53	1.74	1.97	3.25	4.40	2.91	1.64	2.10	2.55	1.21
June	2.63	1.96	1.89	.42	4.45	.43	3.01	3.29	4.36	1.72	3.84
July	5.36	4.03	3.10	1.98	3.57	3.57	4.62	2.90	.96	4.97	3.05
August	2.21	4.11	3.23	5.35	4.26	2.57	(2.82)	4.16	4.12	2.60	5.92
September...	3.42	1.27	3.47	3.14	5.30	2.48	1.52	3.91	2.14	1.24	4.54
October	3.96	2.86	1.15	4.76	3.72	4.27	2.45	2.70	7.03	4.32	5.23
November...	4.24	3.43	1.79	3.54	4.14	2.54	4.96	3.45	5.09	6.50	4.24
December...	3.26	2.81	4.67	2.96	6.29	3.84	1.64	4.68	4.59	8.69	4.10
TOTALS...	45.78	31.54	35.92	40.60	46.25	42.20	(36.78)	42.62	50.01	43.67	46.65

1926. Aug. corrected by our 9 stations.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
	52° 13'	8° 49'	Kanturk	5 mi	Sw.	Ballypaddy.	14 mi	N.

RAINFALL at Mitchelstown Castle

County of Cork

Observer W. D. Webber Esq. Inst. X. 1924

River Basin Blackwater — 9

Rain Gauge, by _____

Diameter ...	8										
Height	3.6	3.0		2.6							
Altitude ...	340	345		340							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	6.32	3.55	3.79	3.28	7.70						
February ...	2.49	1.89	4.33	7.30	2.57						
March	3.78	2.84	1.85	3.58	1.12						
April	5.41	1.00	3.33	4.20	2.69						
May	4.06	1.89	1.75	1.52	3.75						
June	1.91	.32	2.70	.31	4.92						
July	5.45	4.03	2.72	3.32	X						
August	2.75	5.31	3.11	4.58							
September...	3.19	1.77	(4.00)	3.38							
October	4.97	2.70	(.90)	5.41							
November...	5.16	4.47	2.09	4.59							
December...	4.55	2.48	3.69	3.96							
TOTALS...	50.04	32.25	(34.26)	45.43							
	D	D	d	D	imp						

1920 Apple trees 16ft. high 30ft. several directions
1923 " " 12 " " 5 ft. W.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920	52° 16'	8° 15'	Mitchelstown	1 1/4 mi	SE	Mitchelstown Brigmore	1/2 mi	SE.

RAINFALL at Bore Island Lawrence Cove.

County of Cork Observer Capt. J. H. Coleman

River Basin Insular. 11

Rain Gauge, by _____

Diameter ...	5										
Height	0.7										
Altitude ...	40										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	761	3.46									
February ...	2.62	2.26									
March	2.75	2.86									
April	3.87	.46									
May	3.35	1.00									
June	3.42	.00									
July	2.58										
August	2.35										
September...	3.83										
October	3.47										
November...	3.61										
December...	3.11										
TOTALS.	(42.57)	1.11	#								

1920. moved in march.

Position of Station on reduced Ordnance Survey
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction

RAINFALL at Ballybunion Wireless Station.

County of Kerry Observer H. J. Cross

River Basin Shannon-Left Bank Tubs. 1

Rain Gauge, by _____

Diameter ...		5									
Height		1	1								
Altitude ...		50									
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...		4.45	5.57								
February ...		2.52	5.27								
March		3.74	2.16								
April		1.04	2.24								
May		2.20	2.09								
June64	(1.69) [#]								
July		3.17									
August		4.83									
September...		1.56									
October		4.18									
November...		4.30									
December...		3.58									
TOTALS...		36.21	wip.								
		D	D								

1921 { Wireless mast. 300ft. high 306ft. S.
Building 80' > 173' WSW
g. stolen 29.6.22.

Position of Station on reduced Ordnance Survey } Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1921	52° 30'	9° 40' W	Ballybunion (Cartigue Railway)	1890 ft.	N.N.E.	Ballybunion + Island	1920 ft.	N.

RAINFALL at

Kilgobbin ^{*Bedding*}
Camp R.S.O.
Observer *Rev. E. Hackett*
per Murphy. (1921)

County of *Kerry*

River Basin *Maloe Bay Hb. 2*

Shannon Rain Gauge, by
(125)

Diameter ...		5		5							
Height		3 0	3 6	4 0							
Altitude ...		25	30	30							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...		9.03	10.15	4.36	7.40	9.59	11.65	8.80			
February ...		3.40	9.75	12.84	3.09	9.54	6.30	4.75			
March		7.68	3.66	4.24	1.08	1.20	2.15	7.65			
April		1.70	2.90	5.49	4.49	5.95	4.17	1.95			
May		2.70	4.13	2.39	6.80	4.97	4.60	1.75			
June02	1.48	2.29	6.37	.15	5.75	4.37			
July		4.42	7.81	2.72	5.73	4.50	2.01	4.80			
August		5.63	4.31	8.40	5.40	3.34	4.86	5.35			
September...		2.66	4.41	7.64	9.71	3.33	3.57	7.28			
October.....	#	5.08	2.62	8.54	6.92	6.55	4.05	6.45			
November...	7.22	5.55	3.58	6.80	7.27	3.80	8.43	5.00			
December...	6.33	9.28	9.61	7.41	11.33	6.55	1.71	(6.05)			
TOTALS...		57.15	64.41	73.12	75.59	59.47	59.25	(64.20)	No #	<i>Obs'd</i>	

1921. Small trees 10 ft high 25 ft. all round.
1927. Dec. computed.

Position of Station on reduced Ordnance Survey } No. of Map
Map, 2 miles to 1 inch Series

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1921	52° 14' 0"	9° 54' 30"	<i>Castlegregory Junction</i>	1 mi	S.E.	<i>Kilgobbin</i>	200 yds.	N.W.

Rain Gauge, by

F 906574 | 29

Reference No.....

[illegible]

RAINFALL at Cahiraven Water Works

County of KerryObserver L. H. G. Dineen Esq. Cl.

River Basin Single Bay - Sper B. D. Stewart.

MORain Gauge, by _____

monthly S.

Diameter ...	5										
Height	11										
Altitude ...	420										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January	(9.00)	6.85	8.46	4.31	7.23	9.57	12.21				
February ...	4.37	3.15	7.77	12.62	4.06	8.59	5.70				
March	6.31	7.06	3.27	6.21	1.76	1.68	2.83				
April	7.16	1.42	3.39	4.51	3.11	6.72	4.57				
May	5.27	3.73	4.57	2.23	3.85	4.60	.				
June	3.95	.28	2.49	1.60	6.20	.36	.				
July	6.28	5.00	5.69	5.26	7.27	5.71	2.68				
August	2.78	7.21	6.52	9.29	7.23	4.17	4.97				
September...	6.38	1.92	5.67	4.31	9.04	4.71	.				
October	8.90	5.19	2.73	8.12	7.44	6.27	.				
November...	8.98	8.60	3.91	6.41	7.33	4.16	.				
December...	7.45	5.27	7.57	7.58	11.19	4.73	.				
TOTALS...	(76.83)	55.68	62.04	75.37	75.71	60.27	imp.	NR.	N.O.	#	

1920. Jan. Est.


Gauge stands on rough boggy land, growing coarse grass, of moderate gradient. Somewhat sheltered by hill top about 1/2 mile away about N thro' E to S. Hill is 1240 ft high (from letter of 22.3.21 from L.H. Dineen)

1926. May & June missing. Sept. g. stolen.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.		
Date.	Lat. N.	Long. W	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
	51° 56'	10° 13'	Cahiraven	1 mi	N.W.	Cahiraven	1 mi	N.W.

County of Kerry. Observer Mo.

Rain Gauge, by

K22 : Lu in pie 

See file 352829/22 + met mag July 1923.

METEOROLOGICAL OFFICE, AIR MINISTRY.

BRITISH RAINFALL ORGANIZATION, 62, CAMDEN SQUARE, LONDON, N.W.1.

RAINFALL at Cahir River Vahon Observatory

County of Kerry

Observer Meteorological Office
(1921) Air Ministry

River Basin Dingle Bay - 3

Rain Gauge, by TA
In BR 1928 onwards data are for period of 24 hours 7h-7h not 0h-24h as previously used and still used in MWR. See Enc. 15B f 8366/2/28.

Diameter ...	11	8									8	
Height	2.8	1.0									1.0	
Altitude ...	30	30									30	
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS	
January ...	7.74	5.30	7.85	2.68	6.54	8.08	10.42	6.10	8.14	3.56	10.97	7738
February ...	2.51	3.02	6.69	10.84	3.61	7.74	4.92	4.02	4.69	7.06	1.17	5627
March	6.34	6.43	3.05	5.31	1.57	.98	2.37	6.21	5.40	1.37	6.54	4557
April	6.15	1.21	3.22	4.23	3.06	5.67	3.08	1.40	5.00	1.70	3.07	3779
May	4.79	3.07	3.60	1.72	3.56	4.40	4.27	2.35	2.42	3.53	3.07	3678
June	3.06	.11	1.49	.95	4.97	.24	4.50	3.75	5.84	3.40	3.65	3196
July	4.84	4.14	5.57	3.64	5.67	4.11	1.88	3.91	2.00	5.35	4.11	4522
August	2.12	6.08	5.30	7.62	4.89	3.85	4.37	4.93	8.68	5.09	7.96	6029
September...	4.90	1.45	4.19	5.62	7.83	3.89	2.31	4.98	4.70	1.53	4.79	4619
October	7.99	4.19	2.26	6.96	5.45	5.24	3.57	4.28	8.99	6.29	7.48	6220
November...	7.28	7.60	3.97	5.02	5.33	3.93	7.98	4.48	7.33	9.80	6.35	6907
December...	7.21	3.55	6.27	5.35	9.72	4.45	1.44	6.50	6.93	11.62	6.27	6931
TOTALS...	64.93	46.15	53.46	59.94	62.20	52.58	51.11	52.91	70.12	60.30	65.43	63913

1922 : 0-24 h.
1923 : 2

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920	51° 56'	10° 15'					

(0h - 24h)

1929 check N.P.
1930 " " "

[illegible]

RAINFALL at Gap of Dunloe Gearahane

County of Ferry

Observer British Rainfall Organization
John L. Watson (rain observer)
John Casey (27)

River Basin Single Bay - 3
27" capacity Bradford Gauge sent April 1927

+ Bradford Rain Gauge, by Casella.
In use at present sound, but shows signs of rust
but can. rusted & part worn away.

Measuring rod (Casella N° 8345)
graduated 1/10 to 18 inches

Diameter ...	8						5				
Height	3	0					2	0	1	0	
Altitude ...	75										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	16.50	12.50	15.00	7.30	12.00	14.80	18.50	6.00	18.50	4.40	18.30
February ...	5.80	4.50	12.70	18.80	3.50	13.90	15.00	1.30	11.90	8.10	(1.80)
March	10.00	10.50	7.40	6.30	3.60	2.30			8.70	2.90	(11.20)
April	12.50	2.70	6.20	8.60	6.50	9.00			8.90	3.90	(4.90)
May	9.80	4.90	5.40	5.40	6.10	10.40		2.40	2.70	6.00	3.60
June	2.80	0.00	1.80	2.10	7.50	.20		6.30	11.80	4.10	4.60
July	6.70	6.90	8.30	4.20	5.20	8.30		9.50	2.90	10.90	5.80
August	2.40	9.00	7.40	11.50	5.50	4.70		10.30	9.80	8.30	8.80
September...	7.00	3.90	9.50	12.00	10.30	6.60		9.80	5.90	2.20	8.80
October	10.00	5.60	3.00	11.50	7.10	10.30		8.50	14.20	11.30	13.50
November...	11.00	9.50	4.50	8.60	8.60	4.50		9.90	15.80	16.60	10.60
December...	10.00	10.50	15.80	12.00	16.70	11.00		6.90	12.20	20.60	11.10
TOTALS...	105.50	80.50	97.00	108.30	92.60	96.00	imp.	imp.	123.30	99.30	103.00
	M	M	M	M		M					

+ 1926 Inspected by Mr Spencer Russell April 22nd g in a garden known as Ford Brandens Cottage
Stone wall 8' high 60' from gauge NSW ground falls gradually to W. Low grass covered
rocks some distance away to S & E. The g is about 5' above the level of the upper lake
at Killeamey which is 70' above M.S.L. (f 719092/26) (See sketch over)

1926 N. S. of leaking.

1927 New Bradford Gauge set up in April 1927 at 1/8.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge

RAINFALL at Killarney Lore Mr. Buckross Estate

County of Lerry Observer for A.R. Viner
E Greany.
River Basin Single Bay - 3 per Murphy.
Mountain Rain Gauge, by N. & Z. E. J. Phelps

Monthly

Diameter ...											
Height											
Altitude ...						1750'					
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...						10.10	16.70	9.50			
February ...						9.15	9.25	4.55			
March						1.20	6.90	5.00?			
April						8.00	9.85	2.55			
May	9.50					5.65	9.00	1.20			
June25	12.70	4.55			
July						(5.70)	8.45	7.35			
August						3.15	9.70	6.90			
September...						(5.30)	5.85	6.35			
October						(8.25)	7.25	5.80			
November...						3.75	10.00	8.50			
December...						(7.15)	3.65	(7.75)			
TOTALS...						67.65	109.30	(70.00)	N.R.	NR	#

1927. Dec. calc. by I.R.A. from adjoining gauges

F. 816749/28

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction

RAINFALL at Killarney Inckross Gork

County of Kerry

Observer A.R. Vincent

River Basin Dingle Bay - 3

for Murphy

Rain Gauge, by

E. P. Phelps Miss M. Carey (129)

Diameter ...											
Height											
Altitude ...						100'					
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...						10.90	11.25	7.80	12.80	2.80	14.20
February ...						8.65	4.75	3.00	6.00	6.40	.60
March						1.20	2.25	7.80	5.40	1.50	5.50
April						7.20	3.90	2.00	5.10	2.90	4.00
May	5.58					5.09	2.70	.90	1.80	3.20	1.30
June25	4.20	4.20	7.20	2.10	1.20
July						3.50	2.30	7.10	1.10	7.00	1.40
August						2.05	2.80	6.50	4.70	4.80	6.50
September...						6.50	1.70	6.10	3.90	1.70	6.00
October						7.10	4.00	5.70	8.70	6.00	12.50
November...						2.10	5.00	7.60	9.80	13.11	11.50
December...						5.60	.30	8.90	8.70	19.50	10.40
TOTALS...			-			60.14	45.15	67.60	75.20	71.01	75.10

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map _____ Reference No. _____

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1931.			Killarney	3 m.	?	Killarney	3 m.	?

RAINFALL at Kellumey Inckross Linn

County of Kerry Observer A.R. Vincent

River Basin Dingle Bay - 3 for Murphy.

Rain Gauge, by E. L. Phelps, Miss M. Carey ('29)

Diameter ...											
Height											
Altitude ...						100'					
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...						10.70	11.35	8.00?	12.60	2.50	13.80
February ...						8.50	5.00	3.50?	5.70	6.10	1.40
March						1.00	2.50	8.90	4.90	1.20	5.10
April.....						7.00	4.00	2.30	4.60	2.60	3.80
May	5.50					5.00	2.90	1.00?	1.50	2.90	1.10
June20	4.50	4.50	6.90	2.00	1.00
July						(5.65)	2.60	6.80	.80	6.60	1.10
August						2.35	3.00	6.10	4.40	4.50	6.60
September...						(5.00)	2.00	5.90	3.70	1.50	5.90
October.....						7.60	4.50	5.50	8.10	5.50	12.80
November...						3.30	5.20	7.30	9.10	13.60	11.60
December...						6.10	.40	8.50	8.00	18.90	10.40
TOTALS...			-			62.40	47.95?	68.30	70.30	67.90	73.60

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge

RAINFALL at Killarney Hesk hills

County of Kerry

Observer D. O'Donnell & Co.

River Basin Dingle Bay &

J. Lawlor, Esq.

Rain Gauge, by

Engl. Kerry Electric Supply Co.

Diameter ...	8										
Height	26										
Altitude ...	95								96		
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	9.02	5.09	7.56				10.09		9.88	1.93	13.45
February ...	3.47	3.71	7.69				5.07		5.95	6.01	.29
March	6.38	(4.76)	3.77				1.32		6.30	1.14	7.12
April	6.56	.44	3.13				4.29		5.71	2.25	3.00
May	4.10	2.43	(2.23)				3.57		1.41	2.86	1.66
June	2.08	.00	(2.11)				4.60		4.61	1.78	2.87
July	3.47	3.02	4.13				1.99		1.82	6.61	2.60
August	1.74	5.20	(3.39)				3.55		5.62	3.42	5.81
September...	3.86	1.95	(3.98)				1.49		3.57	1.97	4.89
October	4.47	3.81	2.52				3.81		8.55	6.38	8.06
November...	5.85	(3.93)	2.33				8.93		8.44	10.71	(5.38)
December...	5.38	2.85	7.46				1.05		7.58	15.54	(5.86)
TOTALS...	56.38	(37.19)	(50.30)	-	-	-	49.76	NO.	69.45	100.60	(60.99)

1921. March & Nov. partly estd.
1922 May, June, Aug & Sept.
1930 Nov. & Dec. adjusted

{ House 20' high 20 yds. S.
Mill 40' high 10-12 ft. high, 18-23 ft. W.
1930. apple trees

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
			Killarney	2 mi	NW	St. Mary's	2 m.	NW.

Mental Hospital
District Asylum

Observer

E. W. Griffing Esq. M.D.

Medical Superintendent

Rain Gauge, by N + Z4/30

Reference No.

(^c1383) Wt. 1671—6044. 10,000. 4/21. J. T. & S., Ltd. 160.

RAINFALL at Killarney, Lakeriew

County of Kerry

Observer Capt. Sir Maurice O'Connell, Bt, M.C.
per Murphy

River Basin Dingle Bay - 3

No. pattern Rain Gauge, by _____

† B.A. purchased from Dixon & Henpenstall
Copper

Camden measure graduated to $\frac{1}{2}$ inch

Diameter ...										5	
Height					1 -					1 0	
Altitude ...					120	90' +	83	120		120	
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...						10.27	11.66	9.13	10.01	1.56	12.16
February ...						7.57	4.76	3.33	5.35	5.54	1.48
March98	2.56	7.82	6.79	.66	7.66
April						6.32	3.90	1.08	6.22	2.02	2.83
May						5.14	3.00	1.92	1.54	3.09	2.13
June15	3.96	3.17	5.13	1.59	3.09
July						4.24	4.10	4.57	1.58	6.77	3.06
August						2.40	2.95	7.85	6.41	3.51	5.58
September...					# imp	4.21	2.67	4.96	3.53	1.18	4.20
October					4.66	6.18	3.37	5.85	10.33	6.38	9.55
November...					4.56	2.76	7.58	4.63	9.37	10.84	5.96
December...					11.94	5.89	1.14	4.84	6.66	15.11	6.13
TOTALS...					imp D	56.11 D	51.65 D	59.15 D	73.02 D	58.25 D	62.83 D

† Inspected by Mr Spencer Russell April 22nd 1926. Lakeriew is situated on N shore of the lower Lake Killarney. It has shallow funnel with $\frac{1}{2}$ " vertical sides and is on lawn to N of house 83' above MSL with a full exposure. Rim 1' 3" above ground. (f 686 362/26)

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1924			Killarney	4 1/2 m	E.	Fossa (125)	1 m NE.

RAINFALL at Killorglin, Ballinaferry.


County of Kerry.

Observer ^{Major} R. R. Leeson Marshall
J. R. Murphy. (1921)

River Basin Dingle Bay. 3

Rain Gauge, by

Diameter ...		5		5						5	
Height		0 6		2 0				1 0		1 4	
Altitude ...		40	30	30						30	
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 Means.
January ...		4.85	8.32	3.70	5.29	7.79	8.61	7.86	8.20	1.58	8.51
February ...		3.90	7.96	10.02	1.99	6.98	3.26	2.86	5.92	4.84	.99
March		5.28	3.96	2.94	1.33	1.10	2.24	6.69	4.78	.53	5.84
April		2.14	3.40	5.08	3.16	4.85	3.24	1.01	4.16	1.63	2.77
May		2.07	3.08	2.54	4.95	5.28	3.51	1.63	.63	2.35	2.15
June10	1.29	.66	6.04	.14	5.69	3.22	5.69	1.58	2.37
July		3.83	6.62	4.52	2.99	5.72	2.48	2.68	2.47	6.10	3.55
August		6.90	4.20	8.58	6.89	2.87	3.99	6.35	5.68	5.22	6.15
September...		2.64	7.71	8.03	7.24	4.25	3.63	6.49	4.08	1.75	4.49
October		4.00	.65	8.20	4.30	4.65	3.81	4.15	7.91	7.08	8.43
November...		5.01	2.00	7.04	3.89	3.08	7.64	4.01	7.48	9.56	5.34
December...		4.21	6.81	7.06	8.27	4.98	1.93	4.17	5.16	11.81	6.05
TOTALS...		44.93	56.00	68.37	56.34	51.69	50.03	51.12	62.16	54.03	56.64

1922: No objects within 25 yds except apple tree at 30 ft. distance. Situation:  Dingle Bay. R. maine. R. Laine.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1922	52° 8'	9° 47'	Killorglin	3 mi	S by W.	Millicoun	3 mi.	E.
1925	"	"	"	2 1/2 m	S. by W.	Killorglin	2 1/2 m	S. by W.

RAINFALL at Ballymoe Elligott Rectory

County of Kerry Observer Rev. G. Maxwell

River Basin Dingle Bay 3.

Rain Gauge, by

Diameter ...										5	
Height										0 11	
Altitude ...										20	
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...										(1.50)	7.45
February ...										(4.50)	.50
March45	5.23
April										1.39	2.31
May										1.49	1.79
June										1.71	2.81
July										6.79	(2.91)
August										(4.15)	6.12
September...										1.65	3.45
October										6.46	6.68
November...										7.15	3.81
December...										9.06	5.68
TOTALS...										(46.30)	(48.74)

1929. Jan. Feb. & Aug (ht.) est'd
Trees 40 to 55 ft. high, 20 yds. W.
House 40 ft. high, 35 yds. N.E.
1930. July corrected by snow stations

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1929			Portatlea	2 1/2 m.	S.E.	Ballymoe Elligott	200 yds. E.S.E.

RAINFALL at Darrynane Abbey

County of Kerry Observer Miss M. O'Connell

River Basin Kennacoe TC - 4

Knockdown Rain Gauge, by (125)

Diameter ...	5			5							
Height	1 0			1 0					1 0		
Altitude ...	13			13							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	7.18	5.12	7.94	2.71	4.23	5.82	9.29	7.65	7.82	2.77	8.52
February ...	2.82	3.83	5.59	8.59	2.09	7.59	5.28	3.36	5.60	6.62	1.59
March	6.24	5.56	3.72	4.13	1.19	1.34	2.28	6.06	5.73	1.18	6.69
April	5.07	1.68	4.04	3.48	2.02	5.29	2.59	1.75	5.26	1.62	3.14
May	4.99	2.89	3.22	1.73	1.39	5.90	4.34	2.48	2.13	2.92	2.78
June	4.37	.13	1.41	0.70	4.04	.28	4.15	4.16	6.22	2.97	2.81
July	5.09	3.96	5.50	3.54	4.12	5.25	2.24	3.66	2.31	5.34	2.36
August	2.24	7.28	6.62	5.88	5.23	4.04	2.89	6.06	6.83	4.39	7.85
September...	5.42	1.99	5.39	4.10	8.67	4.76	1.91	5.51	2.98	1.20	4.54
October	6.83	4.69	1.99	4.25	5.68	5.20	4.07	5.00	8.68	6.00	7.09
November...	7.17	6.22	3.50	4.88	3.88	2.80	7.64	4.34	6.05	10.04	7.12
December...	5.62	2.68	5.69	3.11	8.87	4.15	1.78	5.58	6.28	9.45	7.64
TOTALS...	63.04	46.03	54.61	47.10	51.41	52.42	48.46	55.61	65.89	54.50	62.13
	D	D	D	D	D	D	D	D	D	D	D

1930. In centre of big field.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
	51° 45' 30"	10° 8' 0"	Cahinacree	1 1/2 mi	N.W.	Cahinacree	2 1/2 mi E.

RAINFALL at Kennmare Derreen

County of Kerry Observer Mr. W. H. Arrowsmith

River Basin Kennmare &c - 4

Londan Rain Gauge, by Co. L.

Diameter ...	5										
Height	1	0									
Altitude ...	94										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	11.25	8.78	11.53								
February ...	5.31	5.27	9.40								
March	7.97	9.00	5.73								
April	10.03	1.45	5.30								
May	6.21	4.10	3.67								
June	5.41	1.15	1.93								
July	5.10	6.01	6.23								
August	2.85	6.26	5.49								
September...	6.16	2.40									
October	10.08	6.65									
November...	9.43	13.55									
December...	9.93	3.82									
TOTALS...	89.73	67.44	imp.								

1920 See 28ft. Rgt 30 yds. N.
> 29ft. > 33 > S

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920	51°	9°	Kennmare	1 mi	NE	Lange RC	1 mi	E

RAINFALL at Kilgarvan, Inchmore

County of Kerry Observer D. O'Donovan
per. H. N. Walsh.

River Basin Kenmare 66-4

Standard Rain Gauge, by _____
(126)

Diameter ...						5"					
Height						1' 0"					
Altitude ...						470'					
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS
January ...						14.50	25.09	13.10	22.59	6.84	24.42
February ...						12.73	13.50	7.06	10.54	16.36	1.41
March						1.79	6.43	15.48	15.64	3.33	15.36
April						10.16	8.27	3.76	10.29	3.15	2.75
May						9.93	9.27	1.83	5.55	6.30	2.32
June						5.46	6.39	5.99	12.03	5.41	5.73
July						5.96	4.23	10.10	2.58	9.19	8.00
August					imp		5.41	9.41	12.63	8.94	7.61
September...					13.34		2.70	5.25	6.55	1.80	8.67
October					8.79		7.09	13.34	18.28	8.43	15.69
November...					9.92		14.32	9.17	16.53	19.81	13.53
December...					22.90	10.78	1.38	13.13	15.44	24.40	10.20
TOTALS...					imp	imp	104.08	107.62	148.65	113.96	115.69
					d	d	d	d	d	d	✓

1926. A low edge more than 1½ times its height from g. The g. is at N.E. base of Kihreen mountain, near where stream from Kihreen Lake joins Slaheny river.

1929. May & June adjusted by surr. stns.

Position of Station on reduced Ordnance Survey } Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1924	51° 50' 30"	9° 25'	Kilgarvan (26)	6 m.	N	Kilgarvan	6 m. N.

RAINFALL at Kennmare Dromore Castle

County of Kerry Observer Major E. Hood

River Basin Kennmare & Co. 4 Lt. Col.

Howard Rain Gauge, by

Diameter ...	5			5							
Height	1 2		0 9	1 0	1 4						
Altitude ...	90			90							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	12.45	7.46	8.79	6.01	10.85	8.68	11.34	9.33	12.26	3.99	12.49
February ...	4.92	3.63	8.71	15.73	3.17	9.74	7.78	4.59	9.32	8.45	.85
March	6.50	7.33	4.14	5.30	2.58	1.94	3.46	8.71	7.66	1.79	8.02
April	8.13	1.64	4.93	6.54	4.42	7.92	4.08	2.35	6.83	2.73	2.67
May	7.80	2.87	4.57	3.00	4.68	6.96	4.20	2.71	2.21	3.16	3.25
June	4.09	.12	1.96	.73	6.30	.57	5.93	4.80	8.06	4.60	3.17
July	5.66	5.28	6.76	4.62	6.09	5.23	2.84	5.11	4.09	7.63	3.80
August	2.26	7.00	6.49	8.09	7.86	4.04	3.55	8.24	5.80	5.92	7.41
September...	4.80	2.44	6.70	6.95	10.38	5.32	3.01	5.87	4.34	1.43	5.12
October	6.48	3.73	2.36	9.24	6.49	8.08	5.48	5.56	12.08	8.37	10.94
November...	7.81	6.64	3.15	7.12	7.38	4.42	9.45	6.76	10.91	13.19	8.83
December...	6.24	5.72	8.09	7.57	11.46	7.39	1.54	7.41	8.33	15.00	7.66
TOTALS...	77.14	53.86	66.65	80.90	81.66	70.29	62.66	71.44	91.89	76.26	74.21
	D	D	D	D	D	D	D	D	D	D	D

1926. Trees 40' high, 20 yds. SE.
40' 25' NW.
clear to sea S.W.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
	51° 51' 30"	9° 42' 30"	Kennmare	6	E	Templenoe	1 1/2 E

RAINFALL at Kennmare Sheen Falls

County of Kerry

Observer Earl J. Kerry

River Basin Kennmare + C - 4

Geo. Taylor (Editor).
per Murphy (1928)

Rain Gauge, by

Marquis of Lansdowne

Diameter ...	5			5							
Height8	.5		0.5							
Altitude ...	about 20			20	25						
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 Means
January ...	13.98	6.36	9.85	4.63	10.70	10.25	14.86	9.41	12.58	2.98	13.06
February ...	5.22	4.84	9.02	16.59	3.87	10.28	7.89	4.47	7.60	9.28	.50
March	6.19	6.47	4.60	5.98	2.87	1.24	3.35	9.30	9.85	1.69	9.23
April	8.08	1.50	4.74	6.90	5.20	7.98	3.84	1.70	7.30	2.64	2.90
May	7.23	3.28	3.33	2.29	5.06	5.50	5.20	3.00	2.98	3.61	2.33
June	3.50	0.00	1.41	.59	5.66	.38	5.38	4.16	7.67	2.56	3.78
July	4.75	5.97	6.41	3.89	5.23	5.02	2.30	6.19	3.17	5.92	4.44
August	2.53	5.40	4.27	8.31	5.70	3.57	3.86	7.89	6.90	5.34	5.59
September...	4.73	2.14	7.01	8.20	9.17	4.66	2.27	4.86	3.74	1.21	4.79
October	8.02	5.26	1.77	9.82	5.61	9.40	5.85	7.21	12.12	6.53	11.19
November...	9.03	9.62	3.01	5.74	8.24	4.40	10.05	6.52	10.88	13.17	8.77
December...	8.98	4.79	8.51	5.60	12.68	6.60	1.84	8.88	7.33	16.35	7.06
TOTALS...	82.24	55.63	63.93	78.54	79.99	69.28	65.69	73.59	92.12	71.28	73.64

1923 House
Height 25 ft.
Distance 30 ft.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map _____ Reference No. _____

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
	51° 52'	9° 34'	Kennmare	1 mi	N	Kennmare	3/4 mi	N.W.

RAINFALL at Kemare Dunkerron Castle

County of Kerry Observer Miss L. Palmer

River Basin Kemare + C - 4

Rain Gauge, by _____

Diameter ...	5										
Height	16										
Altitude ...	70										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	12.79	6.11	8.08								
February ...	4.38	4.44	7.13								
March	5.98	5.51	4.07								
April	6.47	1.36	5.00								
May	6.06	2.63	3.47								
June	3.79	.05	1.39								
July	4.83	4.31	6.26								
August	2.01	5.06	4.46								
September...	4.17	2.08	6.38								
October	7.62	4.06	1.97								
November...	7.42	5.43	2.78								
December...	6.24	4.12	7.37								
TOTALS...	71.76	45.16	58.36								

Position of Station on reduced Ordnance Survey
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920			Kemare	2 1/2 mi	E	Kemare	2 1/2 mi	E

County of Kerry Observer Miss A. F. Payne
E. Dunlop (1921)
14 1922

River Basin Inulars — 6

Rain Gauge, by _____

Diameter ...	8										
Height	10										
Altitude ...	75										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	8.87	6.21	8.78								
February ...	3.16	2.67	6.85								
March	6.89	7.41	3.08								
April	6.15	1.22	#								
May	5.12	3.14									
June	3.96	1.10									
July	4.49	3.98									
August	2.20	5.86									
September...	3.84	1.61									
October	10.21	4.62									
November...	8.09	8.26									
December...	6.57	3.91									
TOTALS...	69.49	48.99	imp.								
	2	2	D								

Badly exposed site inside C.S.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series			No. of Map		Reference No.		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
	51° 56'	10° 20'					

RAINFALL at Lismore Castle

County of WaterfordObserver Duke of Devonshire
J.E. Penrose.

River Basin Blackwater - 1

Rain Gauge, by N.C.J.

Diameter ...	5										
Height	2 9										
Altitude ...	115										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	6.59	4.28									
February ...	2.33	1.85									
March	4.51	4.33									
April	5.36	.68									
May	3.90	2.15									
June	1.31	.26									
July	5.36	3.70									
August	3.44	3.50?									
September...	1.37	1.14									
October	5.49	.87?									
November...	4.01	2.79?									
December...	4.84	1.76									
TOTALS...	48.51	27.31?									
	d	d									

1920. spring tree 6 ft. high 4 yds. W.
1921. October short but observer says correctly copied.

Position of Station on reduced Ordnance Survey } Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920			Lismore	1/4 in	S.	Lismore	220 yds	E

RAINFALL at Cappoquin Dist. Mellory Stty
County of Waterford Observer Irish Rainfall Association
Rev. F. O'Neil
River Basin Blackwater - 1
Inverdon Rain Gauge, by N.G.

Diameter ...	5			5							
Height	1.0			1.0							
Altitude ...	760			760							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	7.24	4.40	4.75	3.65	9.60	5.99					
February ...	2.87	2.45	3.23	5.55	2.70	5.33					
March	5.62	4.35	2.83	4.83	1.90	.12					
April	6.08	1.16	3.62	5.35	2.75	6.85					
May	5.86	2.42	1.10	1.42	6.87	6.21					
June	1.15	.90	1.90	.93	4.61	.60					
July	8.93	3.31	10.20	3.08	4.18	3.36					
August	4.57	6.44		7.25	4.65	(2.47)					
September...	1.71	1.16	6.30	3.48	7.48	2.64					
October	7.28	2.44	.45	5.57	4.87	5.46					
November...	6.04	6.12	3.49	5.95	6.76	(2.20)					
December...	5.31	1.85	3.51	3.77	8.32	3.50					
TOTALS...	62.66	37.00	41.38	50.83	64.69	44.73	NO	NO	# f660614/26.	Enc 36A	

Murphy selected site VII 19.
1922 : July + Aug. = 10.20 appears rather large.
Values for this station have been received again for 1937
147.38

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.			
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction	
1923	52° 12'	7° 52'	Cappoquin	4 mi	NNW				
			"	3 1/2	S.				

RAINFALL at Dunmore East

County of Waterford Observer W. Lloyd, Esq.

River Basin Colligan & C. - 2

N. O. Rain Gauge, by _____

Diameter ...										5	
Height										10	
Altitude ...										25	
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...											5.41
February ...											1.75
March											5.32
April											1.22
May											1.99
June											2.09
July											2.40
August										imp.	4.05
September...										1.45	3.89
October										5.55	5.82
November...										imp.	3.40
December...										8.58	4.46
TOTALS...										imp.	41.80

1929. Nov. record mislaid.
Shed 25ft high, 15 yards W. by N.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1929.			Waterford	10 m.	N. W.	Dunmore E.	800 yds. N. W.

Kilmacthomas
RAINFALL at L (Comragh Ho)

County of Waterford

Observer ^{Miss} Mary Fairholme

River Basin 2. Colligan r.b.

Rain Gauge, by Snowdon

Diameter ...									5		
Height									1		
Altitude ...									350		
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 Mean
January ...										3.33	6.91
February ...										13.91	2.06
March										1.66	7.67
April.....										2.61	2.29
May									2.75	4.88	2.69
June									7.67	2.77	3.28
July									1.52	5.35	4.40
August									6.03	3.24	8.20
September...									1.99	1.43	5.57
October.....									9.75	4.73	6.74
November...									7.22	9.08	6.33
December...									6.44	11.07	5.83
TOTALS...									imp.	64.06 D	61.97 D

New Record. May. 1928.
Site selected by Mr. Edw. Murphy, I.R.A.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
			Kilmacthomas.	5½m	East.	Comragh Church	¼m. West.

RAINFALL at Knockaderry Reservoir N^o I

County of Wickford Observer J. J. Fleming Esq. C.B.

River Basin Suir 3 (1927) D. Sheedy Esq. B.E.

+ Snowdon (Copper) Rain Gauge, by Cassella 7935 Baro Surveyor Wickford
Excellent condition
4" vertical sides.

Diameter ...	5			5							
Height	7 7			7 7						1 0	
Altitude ...	247			247							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	4.72	3.10	4.45	1.40	8.02	5.29		2.88	5.09	3.30	6.84
February ...	1.45	2.30	3.54	6.52	1.57	4.07		2.03	2.97	11.27	2.24
March	3.95	2.90	1.35	3.42	1.57	.26		4.22	6.90	1.34	7.65
April	4.71	.46	2.47	4.95	2.46	3.23		1.62	2.62	1.91	1.85
May	3.97	2.45	1.56	1.02	3.01	5.01		2.00	2.38	4.17	2.28
June	2.13	.13	1.66	.33	3.25	.55		3.75	7.38	2.40	2.50
July	5.48	4.82	2.95	2.11	4.45	2.33		5.04	1.25	4.06	3.66
August	3.10	5.08	5.22	6.90	2.35	3.03		5.77	5.12	3.07	6.22
September...	1.82	1.37	3.30	2.77	7.78	2.76		3.53	1.71	1.49	4.77
October	6.91	2.34	1.32	4.00	4.51	5.13		3.76	10.20	4.21	6.66
November...	2.95	4.95	1.75	2.42	5.33	2.31		5.18	6.62	7.88	6.11
December...	4.27	1.37	3.62	2.81	6.75	2.89		5.74	5.17	9.53	5.21
TOTALS...	45.46	31.27	33.19	38.65	51.05	36.86	NR	45.52	57.41	54.63	55.99
	D	D	D	D	D	D		D	D	D ✓	D

1920. Stone - ^{20ft. hgt 30ft. W} _{14ft. 10 3.}

1926 Inspected by Mr. Spencer Russell 15/4/26. g erected & bolted on to a stone cairn built in boundary hedge of two fields. probably good deal of eddy motion. See sketch over. (f662568/26)

1928/9. Check up.

1930 " "


Position of Station on reduced Ordnance Survey } No. of Map _____ Reference No. _____
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920	52° 15'	7° 15'	Kilmeaden	3 mi	N.E.	Ballyduff	2 mi	N
1923	52° 25'	7° 25'						

1881/1882

1881

1881/1882



County of Waterford

River Basin Ennis - 3

Observer J. Fleming Esq. Cl.
(1927) D. Sheedy Esq. B.E.

~~Snowdon~~ Rain Gauge, by Casella 7936

Diameter ...	5			5							
Height	7	7		7	7					1	0
Altitude ...	248			248							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	3.87	2.16	3.58	.84	6.20			3.65	6.15	3.34	7.71
February ...	1.16	2.32	2.28	5.12	1.10			2.45	3.69	11.52	2.25
March	3.38	1.92	.81	3.01	1.19			5.19	7.81	1.51	8.03
April	4.69	.31	2.34	3.71	2.02			1.87	2.88	1.93	1.82
May	2.87	2.26	1.01	1.02	2.15			2.13	2.65	4.64	2.50
June	1.95	.15	1.57	.29	2.60			4.27	8.15	2.61	2.66
July	5.23	5.58	2.39	1.49	3.70			5.64	1.33	4.08	3.77
August	2.74	4.15	4.45	4.81	1.42			6.16	5.52	3.12	6.43
September...	1.38	1.17	2.33	1.52	5.66			3.99	1.85	1.47	4.83
October	6.59	2.20	.88	2.51	3.09			4.39	11.69	4.46	7.08
November...	2.64	4.26	1.16	1.06	4.65			5.77	7.74	8.67	6.29
December...	3.85	.75	2.25	1.88	4.30			6.51	6.03	10.68	5.63
TOTALS...	40.35	27.23	25.05?	27.26	38.08			52.02	65.49	58.03	59.00

1920. Ins. 24 ft. Lvl 90 ft. + E.
1922. Seems much too short.
1924. np. check g.
1925. " " Branches of trees overhang gauge.
1926. Inspected by Mr Spencer Russell 15/4/26. g erected on stone cairn in boundary hedge 350 yds E of No 1 gauge. In a plantation of fir trees ^{20 ft high} branches of which are actually over gauge & form a thick ~~screen~~ and complete screen to SW & W. sketch over leaf.
New site chosen in a field 300 yds ESE of present position. Rather exposed to E & S. but a slight protection to W by bank of Knockaderry Res. best position obtainable.
S moved to new site May 1926 (f 662568)

Position of Station on reduced Ordnance Survey
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
	52° 15'	7° 15'	Kilmeaden	2m	N.E.	Ballyduff	2mi	N.
1923	52° 26'	7° 25'						

Belt of Fir Trees
15 to 20 feet high

Hedge
on Top of Wall

Stone Wall

Belt of Fir
Trees 15 to 20 feet
high

Hedge
on Top of Wall

Stone Wall

Rane
(No 2 Gauge Knockaderry
do Waterford)

Moved to new site
May 1926.

RAINFALL at Tramore Inisrake

County of Waterford Observer E. B. Jacoby

River Basin Colligan & C-2

Rain Gauge, by _____

Diameter ...	5										
Height	1 0										
Altitude ...	115										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	3.85	2.71		1.14							
February ...	1.32	2.01		6.27							
March	3.76	2.82									
April	4.13	4.2									
May	3.80	1.89									
June	1.86	.05									
July	5.22	5.84									
August	3.02	4.37									
September...	1.80	1.31									
October	7.48	2.89									
November...	2.28	4.11									
December...	3.68	(1.80)									
TOTALS...	42.22	(30.22)	N.O.	up	#						
	D	d		D							

1921 Dec cold from surrounding stations.
1921 Dec. record not kept up.
1922. Record abandoned for this year } see file

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge

RAINFALL at Tranore bridge

County of Wiltford Observer E B Jacoby

River Basin Colligan + C-2

Rain Gauge, by _____

Diameter ...	11										
Height	6 0										
Altitude ...	120										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	3.23	2.38		1.10							
February ...	1.07	1.85		5.69							
March	3.26	2.67									
April	3.48	.42									
May	3.22	(1.46)									
June	1.69	.05									
July	4.63	..									
August	2.72	..									
September...	1.52	1.28									
October	6.75	2.73									
November...	1.95	..									
December...	2.84	..									
TOTALS...	36.36	inp d	N.O.	inp b	#						

1921. gauge broken May. July. Aug. & Nov. } see file
1922. Record abandoned for this year

Position of Station on reduced Ordnance Survey } No. of Map _____ Reference No. _____
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction

RAINFALL at Waterford Brook Lodge

County of Waterford
River Basin Suir. — 3

Observer C.P. Bolton by C. died VIII.24
^{A.F.F.}
Miss Bolton

Rain Gauge, by R. + Z.

Diameter ...	5			5							
Height	1 0			1 0							
Altitude ...	104			104							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	4.83	3.36	4.49	1.73	7.74	5.43	8.41	3.08	4.08	2.48	4.97
February ...	1.80	2.34	3.00	7.12	1.49	4.41	2.95	2.18	2.52	8.67	1.76
March	4.27	3.31	1.31	3.19	1.40	.54	1.04	4.46	5.69	1.01	5.79
April	4.48	.57	2.71	4.00	2.73	4.07	2.29	1.25	2.74	1.59	1.75
May	3.42	2.27	1.44	1.31	2.82	4.97	2.50	1.87	1.99	3.61	1.99
June	1.75	.08	1.17	.42	3.39	.42	2.09	3.93	6.34	2.66	2.59
July	5.20	4.62	2.94	2.11	(3.87)	2.40	3.60	4.99	.93	3.46	3.03
August	2.69	5.08	4.76	5.17	2.72	4.54	2.47	4.27	4.55	2.52	4.29
September...	1.79	1.26	2.53	3.09	8.12	2.64	.93	3.52	1.49	1.50	3.87
October	7.99	3.41	1.20	3.92	4.00	4.32	2.71	3.01	7.41	3.41	6.15
November...	3.01	5.53	1.47	2.45	4.90	2.47	5.61	3.94	5.77	6.90	4.14
December...	4.42	1.90	3.61	2.71	6.63	2.82	.90	5.73	4.15	8.53	4.54
TOTALS...	45.71	33.73	30.63	37.22	49.81	39.03	35.50	42.23	47.66	46.34	44.87

1924. July pt. and peak remaining after

104 ft
mean
40.78

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map _____ Reference No. _____

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
			Waterford	4 mi	N.W.	Pallinskil	2 mi	N.W.

RAINFALL at Waterford, De La Salle College

County of Waterford

Observer Prof Dr J Healey

River Basin Suir - 3

Rain Gauge, by _____

Diameter ...	8										
Height	1 0										
Altitude ...	17	16									
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	5.31	3.37	4.99								
February ...	2.25	2.32	2.69								
March	4.77	3.16	1.17								
April	4.09	.47	2.53								
May	3.70	2.27	1.53								
June	2.00	.09									
July	5.37	4.83									
August	3.31	4.92									
September...	1.82	1.24									
October	7.66	2.87									
November...	2.79	4.85									
December...	4.93	1.99									
TOTALS...	48.00	32.38	imp.	-							

1922 : No return received after May. by mo.

Position of Station on reduced Ordnance Survey } No. of Map _____
Map, 2 miles to 1 inch Series } Reference No. _____

Date.	Lat. N.	Long. W	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
	52° 15'	7° 6'	Waterford	1 mi	N.	St. Johns.	2 mi	N.W.

RAINFALL at ^{ford} ~~Waterford~~ ^{Tycor Waterworks}

County of Waterford
River Basin Suir — 3

Observer J. Fleming Esq. Cl.
(1927) D. Sheedy Esq. C.E.

Howard Rain Gauge, by
(Copper).

Boro Survey ^{Waterford}
Glass. Slab Bottom
Correct .01 15 10 in

Diameter ...	5			5		5"					
Height	0.7			0.7		7" + 8"					
Altitude ...	171					170'					
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 1929
January ...	4.80	3.35	4.02	1.63	7.22	4.43		2.83	2.10	2.06	3.75
February ...	1.61	2.06	2.93	6.54	1.21	3.83		2.15		5.02	.92
March	3.99	3.13	1.66	2.79	1.51	.48		4.18		.49	2.93
April	4.23	.40	2.40	3.77	2.66	3.26		1.43		1.10	1.15
May	3.09	2.22	1.47	1.09	2.93	(5.20)		1.81	1.78	3.20	.61
June	1.83	.05	1.50	.54	3.57	(.50)		3.05	4.17	1.63	1.23
July	5.52	5.12	2.80	2.20	4.18	(2.58)		5.26	.65	2.05	1.56
August	5.85	5.50	4.68	5.89	2.26	3.10		3.59	3.26	1.60	3.71
September...	1.67	1.18	2.43	2.95	7.25	2.62		2.68	1.18	.88	3.93
October	7.01	2.31	1.29	3.51	4.06	3.75		2.44	5.36	2.57	3.50
November...	5.82	5.17	1.70	2.40	4.58	1.92		3.18	3.95	5.02	2.10
December...	4.15	1.72	3.74	2.92	6.36	2.99		4.90	2.62	4.99	2.42
TOTALS...	43.57 <i>d</i>	32.21 <i>d</i>	30.62 <i>d</i>	36.23 <i>d</i>	47.79 <i>d</i>	(34.66) <i>d</i>		37.50? <i>d</i>	inx. <i>1/11</i>	30.61 <i>d</i>	27.81 <i>d</i>

1920. Stone 20ft high, 160ft. E.
1925. N.P. May 20th July 13 estd from surrd stations.
+ 1926. Inspected April 15 by Mr Spencer Russell. Gauge in bad state of repair, funnel leaky + no bottom to outer can. Bottle overflow at 3.25 ins. The site is on the top of one of the Tycor reservoirs, rather overexposed. A new 5" Snowden is being purchased + will be placed in same position 1 foot above ground (f 662568/26)
1928. Gauge out of order.
1929. Low - N.P.
1930. N.P. - Year too low.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map _____ Reference No. _____

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
	52° 9'	7° 0'	<u>Llanore Waterford</u>	<u>1/2 mi</u>	<u>SE.</u>	<u>Ballybricken</u>	<u>?</u>	<u>?</u>
				<u>1 mi</u>	<u>S.E.</u>	<u>Trinity Wilton</u>	<u>4,000ft</u>	<u>E</u>
1923	52°	12°						

RAINFALL at Waterford Gortmore
County of Waterford Observer Mrs M. White
River Basin Shis - 3
Rain Gauge, by _____

Diameter ...	5										
Height	1 2										
Altitude ...	137			137							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS
January ...	4.71	2.88	4.39	1.56	7.96	5.09	9.14	3.38	4.06	2.71	6.05
February ...	1.67	2.13	2.40	7.51	1.60	4.34	3.26	2.32	2.62	9.06	1.87
March	4.22	2.80	1.26	3.23	1.39	.46	1.02	4.87	5.86	1.06	6.03
April	4.29	.41	2.54	3.74	2.79	3.47	2.25	1.55	2.38	1.67	1.53
May	3.00	1.92	1.32	1.14	2.69	4.77	2.13	1.94	2.09	4.39	1.73
June	1.28	.09	1.12	.39	3.28	.93	2.21	3.65	5.76	2.49	1.81
July	5.15	4.53	2.77	1.91	4.02	2.33	3.64	6.53	1.10	3.44	2.46
August	3.04	4.84	4.61	5.70	2.26	3.78	3.74	4.95	4.92	2.38	4.98
September...	1.87	1.22	2.55	3.24	7.70	2.73	.87	3.49	1.54	1.39	4.50
October	6.60	2.64	1.30	3.76	4.13	4.57	2.16	2.93	7.85	3.85	6.27
November...	1.96	5.16	1.61	2.41	5.20	2.60	6.05	3.80	5.65	7.19	4.78
December...	4.44	2.04	3.64	2.80	6.64	2.63	.98	5.91	4.16	8.48	4.76
TOTALS...	42.23	30.66	29.51	37.39	49.66	37.70	37.45	45.32	47.99	48.11	46.77

1921. Sherrin level 6ft high 10ft. E.

1045
mean
40.60

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge
1920.	52° 16'	7° 7'	Waterford N.	1 1/2 mi	NW	S. Patrick's	1 1/4 mi W.

RAINFALL at Portlawn Mayfield

County of Waterford Observer John Anderson Esq (late) dead 11/24

River Basin Suis — 3. M. Sheehan Esq.

B.A. pattern Rain Gauge, by (125)

Diameter ...	5					8"					
Height	3	0	1	6	2.0	10"					
Altitude ...	70				25'	25'					
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	6.11	3.20	5.57		10.08	5.60	9.60	3.63		3.08	7.30
February ...	2.12	2.86	3.02		2.34	4.22	4.69	2.88		11.79	1.41
March	4.64	3.61	1.38		1.37	.21	1.26	5.12		.94	6.95
April	5.11	.41	3.09		3.18	3.64	2.84	1.58		2.05	2.09
May	3.72	2.98	1.42		3.48	4.57	2.52	2.11		4.56	2.25
June	1.76	.16	1.19		3.87	.36	1.98	3.14		2.79	2.36
July	6.79	6.43	3.37		3.84	2.19	2.72	4.87		5.17	3.24
August	3.16	4.78	4.17		2.86	2.92	4.24	4.68		3.19	7.52
September...	1.54	1.05	3.34		7.43	2.19	.98	3.86		1.10	4.24
October	7.63	2.26	1.57		4.43	5.10	2.39	3.22		3.84	5.70
November...	3.57	5.92	2.11		6.23	2.15	6.45	3.71		8.27	5.38
December...	5.20	1.71	4.80		7.02	2.81	.75	7.00		9.30	5.62
TOTALS...	51.35	35.47	35.03	N.R.	56.13	35.96	40.42	45.80	N.R.	56.08	54.06

1925. Dwelling house 40ft. high, 60 yds. E.
1928. Observer says record lost.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map	Reference No.			
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1925.	52° 20'	7° 20' N	Fiddown	3 m	N. E.	Portlawn E.b. R.b.	$\frac{1}{4}$ m. $\frac{3}{4}$ m.	E. S.

County of Wickford Observer Mr. D. Crombie (Edm.)
Wm. H. Arrowood (Edm. for 1.4.23)
River Basin Suis — 3 for Marchioness of Wakeford
Rain Gauge, by _____

Diameter ...	5			5							
Height	1	0		1	0						
Altitude ...	95			95							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	5.84	2.93	5.82	1.47	10.44	6.94	14.12	4.74	7.18		
February ...	2.51	3.18	2.71	7.34	2.64	5.13	5.27	3.89	4.38		
March	4.33	3.50	.80	3.63	1.68	.34	2.06	5.84	10.50		
April	4.53	.28	2.96	4.70	3.19	3.38	3.10	1.93	4.00		
May	3.47	2.70	1.52	1.36	3.79	5.39	3.55	2.60	2.74		
June	1.47	.13	.60?	0.40	4.11	.69	2.36	3.61	6.88		
July	5.65	(5.25)	2.95	2.57	4.05	2.71	3.44	6.53	1.39		
August	3.72	3.73	3.96	5.30	3.06	2.63	5.40	5.61	6.66		
September...	.85	2.38	3.15	3.04	8.25	2.57	1.02	3.78	1.87		
October	8.38	1.02	.91	4.71	4.82	6.72	3.26	4.23	8.90		
November...	2.45	5.31	2.13	2.67	7.46	3.04	7.71	5.58	7.91		
December...	4.65	2.21	4.05	2.60	8.58	3.46	.92	9.74	6.65		
TOTALS...	47.55	32.62	31.56	39.79	62.07	43.00	52.21	58.08	69.06	#	840275/28.

1923. Bush Apple tree. Height 6 ft. Distance 8 ft. N.
1925. Wall 12 ft. high. 8 yds NW.
House 20 " " 30 " N.
Glass Ho. 12 " " 10 " S.
Inspected 3/9/29 See green file gauge leaky.
+ probably broken by 95
ab. 3.28.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
			<u>Liddown</u>	<u>5 mi</u>	<u>NE.</u>	<u>Portlao</u>	<u>2 mi</u>
							<u>E?</u>

RAINFALL at Carrick-on-Suir, Siskin

County of Waterford

Observer James Gribble

River Basin Suir - 3

(1927) Louis Gribble Esq.

Glaisheen Rain Gauge, by
(126)

Diameter ...	8										
Height	1 0 1 6										
Altitude ...	542			542							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	6.82	3.47	5.03	2.00	9.84	6.63	10.15	4.82	5.88	2.69	7.00
February ...	2.43	2.59	2.89	8.62	1.96	4.24	4.69	3.17	4.23	8.96	1.12
March	4.64	3.79	1.92	3.90	1.14	.44	1.54	5.26	8.20	.91	6.10
April	4.97	.49	2.95	5.03	2.83	4.31	3.15	1.07	3.51	2.09	1.96
May	3.62	2.19	.85	1.12	2.90	4.59	3.09	2.12	2.04	4.06	2.01
June	1.91	.07	1.35	.57	3.96	.32	2.49	3.18	4.77	2.27	2.81
July	5.51	5.53	2.72	3.18	4.00	3.17	2.67	5.48	.98	4.59	4.18
August	3.02	4.91	4.66	5.31	2.85	2.43	4.13	5.11	5.33	2.57	6.67
September...	1.82	1.04	4.25	3.95	6.88	3.20	.95	2.91	1.77	1.12	3.91
October	8.04	2.29	1.00	5.03	5.31	6.46	2.34	3.61	7.51	2.93	6.24
November...	3.55	6.47	2.21	3.45	5.77	2.54	6.06	4.07	6.75	7.24	5.69
December...	5.03	1.97	4.92	3.24	7.94	3.72	.84	7.50	5.17	9.72	4.69
TOTALS...	51.33	34.81	34.75	45.40	55.38	42.05	42.10	48.30	56.14	49.15	52.38

1920. on a hill top - no objects near - distant mts.
1926. Nearest to g. - Stevenson screen etc. Position ex d by M.O. Inspector IV.26.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920	52° 20'	7° 26'	Carrick-on-Suir	1 1/4	NNE	Carrick-on-Suir.	1 mi. NNE.

RAINFALL at Nenagh Kilboy
County of Lipperay Observer The Lady Dunally
River Basin Shannon, L. bank - 1
Rain Gauge, by _____

Diameter ...	8										
Height	2	0									
Altitude ...	328										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	6.52	5.32									
February ...	3.82	.98									
March	4.05	3.82									
April	4.80	1.02									
May	4.27	2.98									
June	3.86	.64									
July	6.58	5.19									
August	2.03	4.51									
September...	2.39	1.59									
October	6.37	2.86									
November...	5.14	4.05									
December...	3.76	4.66									
TOTALS...	53.59	27.32	#								

1920 June 60 hgt 50 yds. W. Ties. up to 60 20 (2) N.E.S.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920.			Nenagh	5	N.	Livermore	1 3/4	W.

RAINFALL at Nenagh Traverston
County of Lipperry Observer Mrs A. Norris
River Basin Shannon, L. bank - 1
Shannon Rain Gauge, by Metropolitan

Diameter ...	5			5							
Height	1 0			1 0							
Altitude ...	333			333							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 1929
January ...	6.47	5.55	4.22	3.45	5.12	5.18	7.75	5.18	7.71	2.18	9.49
February ...	3.71	1.16	5.14	6.21	1.73	5.67	4.18	2.94	5.63	3.52	.90
March	3.99	3.20	2.23	3.24	.85	.68	2.16	4.36	5.42	.79	5.68
April	4.96	1.00	2.30	2.85	3.32	4.60	2.80	1.69	3.75	1.58	3.36
May	4.52	2.92	2.20	1.56	4.03	5.01	2.35	1.17	1.65	3.29	2.87
June	3.12	.55	3.44	1.41	5.30	.76	3.13	4.22	4.95	1.65	2.55
July	6.06	4.83	3.48	3.56	3.00	2.88	3.78	3.57	2.04	3.77	4.09
August	2.36	4.34	2.80	5.75	3.40	3.07	3.94	5.05	5.01	5.04	6.09
September...	2.12	1.41	4.93	4.51	8.32	2.52	1.20	5.10	1.94	.77	4.11
October	6.73	2.28	1.38	4.86	4.01	4.73	3.84	3.24	7.25	5.43	6.94
November...	4.96	4.10	1.50	4.69	4.39	2.46	5.25	3.64	6.54	7.29	4.88
December...	4.07	4.07	5.41	3.72	7.03	3.95	.86	4.64	5.99	10.80	4.89
TOTALS...	53.07	35.41	39.03	45.81	50.50	41.51	41.24	44.80	57.88	46.11	55.85
	D	D	D	P	D	D	D	D	D	D	D

1920 b. "getting worn out" heads 1.21.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920			Nenagh	6.4 mi	N.	Ballinacorney	3 mi	N

County of Tipperary

Observer P. Schaffely
per Murphy.

River Basin Shannon, L. bank-1

Rain Gauge, by

Diameter ...	5		5								
Height			1 9						1 0		
Altitude ...	350										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	5.14	3.89	3.51	3.54	5.48	4.80	5.90	3.77	4.49	1.21	
February ...	2.52	1.25	4.42	6.71	1.88	4.66	4.09	3.84	4.73	3.26	
March	3.69	2.77	1.64	2.99	.56	.70	1.60	4.07	3.44	1.10	
April	4.08	.83	2.29	3.52	2.52	4.23	(2.43)	1.23	2.29	1.55	
May	3.77	2.05	1.75	1.65	3.06	4.33	1.46	1.12	1.64	(2.51)	
June	1.39	1.15	2.29	.85	3.96	.60	2.92	3.18	2.96	1.55	
July	3.64	4.18	3.19	3.61	2.33	3.18	2.95	2.74	1.14	4.38	
August	1.68	4.80	3.26	6.35	3.83	2.44	2.50	4.98	5.38	3.49	
September...	2.30	1.39	4.08	3.55	5.58	3.11	.59	3.98	1.39	1.08	
October	4.62	2.92	.35	3.90	3.70	3.05	2.48	1.86	4.61	4.09	
November...	3.71	4.51	1.50	3.60	4.85	2.49	3.47	2.89	4.30	5.58	
December...	2.97	2.74	4.55	4.05	5.18	(3.40)	1.24	4.53	4.18	7.54	
TOTALS...	39.51	32.48	32.83	44.32	42.93	36.99	31.63	38.19	40.55	37.34	N.O.

1925. Dec. corr^d by surr^g stations.

1926. April " " " "

1929 May " " " "

Terminated Minute 9 file 814685/27

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge

RAINFALL at Killaloe, Ballina

County of Lippinay

Observer Office of Public Works

River Basin Shannon, L. bank - 1

Denigrove.
H. Williams.
Denis Browne (125)

Snowdon Rain Gauge, by P. O. Rappin
3. in good condition fixed in concrete. (125)

Glass not tested.

Diameter ...	5			5							
Height	2 0			2 0						1 0	
Altitude ...	126			125.65							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	6.91	5.80	4.73	4.96	5.15	4.98	6.27	5.83	7.03	2.24	7.37
February ...	4.30	1.58	6.75	6.53	1.52	6.19	4.03	3.26	6.54	3.83	.57
March	3.82	4.33	2.42	3.11	.86	.79	2.33	4.36	3.62	1.47	6.28
April	4.47	1.47	3.20	3.04	3.87	5.47	2.51	1.39	2.62	1.54	2.80
May	5.73	2.30	2.53	1.86	5.01	4.41	2.68	1.49	1.75	2.83	2.44
June	1.76	.65	2.27	1.27	4.52	.66	2.90	4.07	4.45	1.75	2.64
July	6.36	4.10	3.93	4.66	3.28	3.40	5.08	2.83	2.55	4.67	4.31
August	3.01	4.66	3.88	6.50	4.44	2.01	3.43	5.44	4.61	6.70	5.64
September...	3.01	1.84	5.27	4.46	7.60	1.99	2.43	5.65	2.47	1.16	3.51
October	3.98	3.00	1.51	5.46	4.67	4.07	3.88	2.71	7.46	6.67	7.28
November...	5.13	4.46	1.97	4.46	4.20	2.70	5.54	3.53	6.62	7.34	5.29
December...	3.36	5.81	5.40	5.63	8.04	3.58	1.28	3.17	5.92	9.68	6.05
TOTALS...	51.84	40.00	43.86	57.94	53.16	40.25	42.36	43.73	55.64	49.88	54.18
	D		D		D	D	D	D	D	D	D

Catchment received 9.11.22. Tree 20ft. high 30ft. W which is being removed.
3. in open site on embankment.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map _____ Reference No. _____

Date.	Lat. N.	Long. W	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
	52° 48' 80" 26'		Killaloe	250	SE	Ballina R.O.	500	E

RAINFALL at Menagh St. Mary's Rectory

County of Lipperary

Observer ^{Canon} Rev. C. W. McDowell

River Basin Shannon, L. bank - 1

Shannon Rain Gauge, by N42

Diameter ...	5			5							
Height	1	0		1	0						
Altitude ...	-		180								
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	5.37	4.43	2.93	3.27	4.09	5.00	5.50	5.45	7.96	1.33	8.03
February ...	3.21	1.01	5.45	5.91	1.34	5.37	2.75	3.07	5.69	3.02	.62
March	2.43	3.22	1.94	1.94	.59	.53	1.58	3.69	5.57	1.68	4.89
April	3.58	.80	2.57	2.26	2.95	4.23	2.26	1.58	4.18	1.48	2.15
May	3.20	1.74	1.61	1.25	3.39	3.89	2.11	.86	1.74	2.92	2.94
June	1.51	1.31	2.33	1.13	3.21	.65	2.66	2.39	4.52	2.04	3.52
July	5.10	4.40	2.57	2.86	2.45	3.06	4.31	2.66	2.77	4.43	.
August	1.74	3.82	3.11	4.97	2.66	1.74	2.76	4.80	4.26	4.46	7.38
September...	1.54	.92	4.04	3.79	6.91	1.93	1.52	6.26	2.04	.57	3.59
October	5.20	2.27	.92	4.20	3.39	3.24	3.02	1.84	7.83	4.69	5.47
November...	4.10	3.30	1.02	3.25	4.09	1.73	5.10	6.24	7.15	7.67	.
December...	2.69	3.65	4.33	3.43	6.65	3.23	1.17	5.68	3.97	11.13	.
TOTALS...	39.67	30.87	32.82	38.26	41.72	34.60	34.74	44.52	57.68	45.42	unp. T

1930. July probably too big, Record too high since 1927.

F. 841749/28

ceased to record.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1922			Menagh	1/4 mi.	S	Menagh	1/6 mi. N.

RAINFALL at Menagh Basile Lough

County of Liffey

Observer S. G. J. Parker-Hutchinson Esq.

River Basin Shannon, L. bank -1

K.O. Hutton Rain Gauge, by
(125)

Diameter ...	5			5							
Height	1 3			1 3							
Altitude ...	120			125							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	5.79	5.22	4.79	3.62	4.86	5.19	7.34	5.02	6.38	1.66	7.56
February ...	3.61	1.86	6.12	5.86	1.45	5.95	3.99	2.55	5.61	3.22	.83
March	3.28	4.06	2.07	2.87	1.03	.73	2.16	4.33	4.10	1.04	5.01
April	3.61	1.11	3.14	3.30	3.16	5.44	2.63	1.95	2.71	1.31	2.12
May	4.58	2.09	2.00	1.47	3.10	4.99	2.44	1.62	1.47	2.43	1.52
June	2.08	.76	1.89	1.11	3.60	.70	2.75	4.38	4.33	1.40	2.11
July	5.30	3.78	3.37	3.58	3.49	2.87	4.81	2.81	2.39	3.95	4.06
August	2.13	3.91	3.06	6.38	2.61	1.77	3.31	4.22	4.00	5.83	5.41
September...	2.06	1.72	3.42	3.39	7.55	1.79	2.10	5.15	1.83	.89	3.51
October	4.38	2.07	1.07	4.63	4.32	3.57	2.65	2.81	6.74	5.63	6.93
November...	4.66	4.04	1.27	3.84	4.16	2.65	5.74	3.17	6.26	5.53	4.05
December...	3.77	4.40	5.50	4.15	8.49	3.51	.88	3.63	4.96	8.80	4.66
TOTALS...	45.25	35.02	37.70	44.20	47.82	39.16	40.80	41.64	50.78	44.69	47.77
	D	D	D	D	D	D	D	D	D	D	D

1925. Apple tree 5' high, 10' N.
" " 9' " , 12' W.
" " 10' " , 20' W.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920			Killaloe	7 mi	S.	Ceslerton	1 1/2 mi S

RAINFALL at Modreeny, Cloughjordan

County of LiffordObserver Capt. G. Whitfield

River Basin Shannon - L.B. Trib. 1.

M.O. Rain Gauge, by

Diameter	...											5
Height	...											30
Altitude	...											275
Year	...	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930
January	...											3.95
February62
March	...											3.23
April	...											2.20
May	...											1.46
June	...											1.66
July	...											3.62
August	...											5.80
September	...											3.65
October	...											4.89
November	...											2.93
December	...											2.99
TOTALS	...											37.00

1930. Low. N.P.
Roses 3ft. high, 1ft. distant, round G.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1930			Cloughjordan	1½ m.	S.E.	Cloughjordan	1 m. S.E.

RAINFALL at Borrisokane, Tipperary.

County of Tipperary Observer Sgt J. O'Rourke.

River Basin Shannon Left Bank Trib:- 1 (Authority, Shannon Power Development).

Shannon Rain Gauge, by _____

Diameter ...									5		
Height										1 10	2. 0
Altitude ...									200		
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...									3.75	1.42	5.10
February ...									4.34	3.30	.72
March									⁹⁰ 2.84	.50	4.05
April.....									1.98	.81	2.19
May									1.89	1.96	2.75
June									4.24	2.07	2.03
July									1.66	3.52	2.43
August									4.38	3.50	3.79
September...									1.74	.14	4.74
October.....									5.63	4.50	5.65
November...									⁷² 4.63	4.52	2.10
December...									3.94	7.34	3.65
TOTALS...									41.20 D.	33.58 2 ✓	39.20 2 ✓

1929. June & July adjusted by aneroid stations
Buildings, 20 ft. high, 20 yds. S.
" 36 " " 30 " S.
Walls, 5 " " 4 " W.

Position of Station on reduced Ordnance Survey } Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1929			Kenagh	9½m.	S.	Borrisokane	130yds.	N.
			Blough Jordan	7m.	E.			

RAINFALL at Terryglass, Old Court.

County of Lipperay Observer Mr. D. Hickie Esq. DL.

River Basin Shannon-Left Bank Tribs. 1.
Inspedon (125)
Rain Gauge, by Dublin.

Diameter ...		5		5							
Height		1 0		1 0							
Altitude ...		150		150							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...		3.88	3.04	2.97	3.75	4.89	5.40	4.11	4.75	1.47	5.14
February ...		1.13	4.51	4.86	1.05	4.94	3.05	2.83	4.56	3.27	.80
March		2.75	1.60	2.18	1.05	.56	1.35	3.88	3.14	.68	3.99
April.....		.95	2.56	2.41	3.09	4.64	2.29	2.16	2.15	.99	2.31
May		1.71	1.90	1.48	3.72	5.03	2.71	.92	1.95	2.01	2.05
June		2.04	1.39	1.01	3.20	.88	3.25	3.78	4.22	1.94	2.14
July		3.94	2.56	2.60	3.75	2.80	3.56	2.52	1.89	3.84	2.77
August		3.36	3.39	6.16	2.77	1.61	2.50	4.93	5.07	5.22	4.12
September...		2.18	3.57	2.52	7.14	1.62	2.07	4.89	1.73	.83	2.86
October.....		2.98	.85	4.41	3.66	2.87	2.08	2.37	5.26	4.70	4.75
November...		3.52	.96	3.33	3.93	2.48	3.90	2.76	4.59	4.42	3.17
December...		4.44	4.42	3.53	6.31	2.26	.87	2.76	3.82	6.52	3.66
TOTALS...	NR	32.88	30.75	37.46	43.42	34.58	33.03	37.91	43.13	35.89	37.76

1921 Dwelling house 16ft. high 30ft. w.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....	
Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge		Parish Church.	Distance Direction from gauge
1921	55° 3'	8° 11' W	Blanch Jordan	11 1/2 m S. E.		Terryglass	1/2 m S. E.

RAINFALL at Jerryglass Slieve
County of Lttery Observer Mr. Genl. Sir Wm. Hickie. K.C.B.
River Basin Shannon, L. bank - 1 B. Genl. C. J. Hickie
M.O. pattern (125)
Coppe Rain Gauge, by John J. Dublin

Diameter ...	8			8							
Height	1 6		1 0	1 0							
Altitude ...	143			143							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	4.74	4.05	2.80	2.52	3.75	4.06	5.18	3.31	4.15	1.69	4.91
February ...	3.09	1.11	4.27	5.13	1.06	4.29	2.72	2.50	4.22	3.27	.68
March	2.83	2.77	1.39	1.94	.77	.47	1.01	2.91	2.65	.58	3.78
April	3.10	.97	2.20	2.61	2.38	3.89	1.93	2.30	2.39	.65	2.18
May	2.89	1.57	1.82	1.59	3.89	4.53	2.73	1.54	2.02	1.65	1.54
June	1.74	2.20	1.55	1.02	3.89	.73	3.06	3.19	4.14	2.18	1.91
July	4.31	3.98	2.49	2.49	3.35	2.43	3.64	2.15	1.89	3.32	2.55
August	2.13	2.95	3.26	5.58	2.49	2.01	2.22	3.74	4.79	5.11	5.00
September...	1.35	2.52	3.28	2.58	6.68	1.38	1.84	4.45	1.81	.86	3.22
October	4.28	2.45	.95	3.74	3.29	2.81	1.93	2.16	4.83	(4.35)	4.54
November...	3.93	3.25	.94	2.63	2.63	2.21	4.26	2.39	4.36	(4.37)	3.10
December...	2.78	4.01	4.40	3.65	4.92	1.96	.72	2.72	3.20	6.46	3.69
TOTALS...	37.17	31.83	29.35	35.50	39.10	30.77	31.24	33.36	40.45	(34.49)	37.10

1920. Stone tree 70 high 30 yds. N.W. 1925. Tree 50' high. E.
Cypress tree 65 ' 27' NE

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920.	53° 3' 45"	8° 11'	Cloughjordan	13 1/2 mi	S	Jerryglass	1 mi. S
1923	53° 4'	8° 9'		13 mi			24 mi S.E.

RAINFALL at Bloghan, Clashleigh

County of Liffey Observer Rev. J. Talbot
per Murphy.

River Basin Suir — 3

Shannon Rain Gauge, by ms

Diameter ...	5										
Height	0.7½										
Altitude ...	180										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	6.50	3.78	4.55								
February ...	2.35	2.50	4.21								
March	5.32	3.77	4.20								
April	5.61	.79	(2.59)								
May	4.07	2.96	1.90								
June	1.84	.29	1.37								
July	4.33	3.94	2.35								
August	2.57	4.70	3.15								
September...	2.12	1.34	4.40								
October	5.11	3.37	.70								
November...	5.08	3.89	2.62								
December...	5.95	2.67	5.57								
TOTALS...	50.85	34.00	(37.61)								

Position of Station on reduced Ordnance Survey
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge

RAINFALL at blonmel (boolgreany)

County of Tipperary Observer Irish Rainfall Assoc.
(Mrs. Grean).

River Basin Suir - 3

Rain Gauge, by _____

Diameter ...			8								
Height			1 0								
Altitude ...			100	100							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...			(5.48) 2.08	9.85	5.29	9.00	4.51	4.75	1.69		6.38
February ...			3.31	7.35	9.5	4.86	3.69	2.64	3.40	3.70	.97
March			1.42	3.40	1.03	.69	1.64	5.68	5.00	.47	5.05
April			3.25	4.19	2.32	4.31	3.40	1.08	4.40	2.51	3.43
May			1.66	1.28	3.86	5.24	3.12	1.70	1.38	3.98	1.85
June			1.51	.43	3.24	.47	2.36	2.86	4.36	2.41	2.71
July			2.80	2.19	3.18	3.03	2.22	3.43	.86	3.78	2.33
August			2.96	5.67	2.89	1.82	3.37	3.94	4.84	2.84	7.46
September...			3.96	3.28	6.24	2.98	1.01	3.26	1.82	1.13	3.54
October61	4.87	3.44	3.17	(2.38)	2.96	5.42	2.92	6.06
November...			2.00	3.99	5.48	3.48	4.64	3.51	5.55	4.66	5.05
December...			4.00	2.65	6.23	3.23	.92	4.37	3.85	10.06	3.45
TOTALS...			(32.96)	41.38	48.71	38.57	(37.75)	39.94	45.63	40.15	48.28

1922 : Jan. 1-11 est. by Murphy. G. read at 4 pm.
1930. Obsns are being discontinued.
#.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long. W	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance Direction from gauge
	52° 21'	7° 43'					

RAINFALL at Blonmel, Bruce Villa.

County of Tipperrary

Observer (1921) (late) J. H. Grubb Esq.

River Basin Suir - 3

Rain Gauge, by _____

Diameter ...	8										
Height	1 1/4										
Altitude ...	110										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	6.75	2.79									
February ...	2.15	2.03									
March	4.40	3.76									
April	4.84	.56									
May	3.22	2.60									
June	2.14	1.07									
July	6.09	4.85									
August	2.90	4.38									
September...	1.69	1.47									
October	7.38	2.39									
November...	2.88	4.73									
December...	3.77	(2.22)									
TOTALS...	48.21	(32.85)									
	D	a									

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long. W.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
	52° 21' 22"	7° 41' 22"	Blonmel	1/3 mi	NE.	St. Mary's	1/3 mi SW

RAINFALL at Cahir, Bengurragh
County of Liffey Observer R. W. Smith Esq. Jr.
River Basin Suir - 3
Rain Gauge, by _____

Diameter ...	5										
Height	1 0										
Altitude ...	199 109										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	6.48	3.82									
February ...	2.26	1.88									
March	3.58	2.78									
April	5.23	46									
May	3.15	2.33									
June	1.74										
July	4.67										
August	2.30										
September...	2.11										
October	5.25										
November...	3.01										
December...	4.59										
TOTALS...	44.37										

Position of Station on reduced Ordnance Survey } No. of Map _____ Reference No. _____
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920	52° 22'	7° 56'	Cahir	1 mi	E	Cahir	1 mi	E

RAINFALL at Cahir Cahir Abbey

County of Leppering

Observer Wm. W. Rockfort

River Basin Suir - 3

(1927) N.A.O. Rain Gauge, by _____

Diameter ...	5										
Height	1 0										
Altitude ...	160										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	6.35	3.69	3.77	2.37	6.50	5.79	8.44	5.07	6.08	1.99	6.00
February ...	2.13	1.79	4.48	6.44	1.55	4.71	4.06	3.18	4.44	4.17	.95
March	3.86	3.07	1.69	2.80	.94	.53	1.77	5.51	5.45	.99	5.37
April	5.01	.86	3.31	3.99	3.21	4.97	2.98	1.12	3.21	2.28	1.92
May	3.22	2.31	1.43	1.28	4.05	4.98	1.60	1.26	1.85	3.10	2.31
June	1.75	.13	1.49	.57	3.92	.56	1.90	3.35	4.22	2.33	2.39
July	4.46	5.04	2.66	2.93	3.02	2.79	3.24	3.73	1.14	4.23	2.90
August	2.52	5.19	3.23	5.06	3.23	2.83	2.72	3.93	5.84	2.24	6.24
September...	1.95	1.29	3.43	3.07	5.84	2.50	.89	3.40	2.28	1.08	3.02
October	5.03	2.84	.86	4.58	4.02	3.96	2.44	3.42	5.69	2.96	6.55
November...	3.73	3.60	1.79	4.04	5.10	1.75	4.61	3.79	6.24	5.77	4.15
December...	3.94	3.00	4.27	3.03	6.62	3.76	.83	4.56	3.74	9.29	4.31
TOTALS...	43.95	32.81	32.41	40.16	48.00	39.13	35.48	42.32	50.18	46.43	46.11

Position of Station on reduced Ordnance Survey } No. of Map _____
Map, 2 miles to 1 inch Series

Reference No. _____

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
			Cahir	1 1/2 mi	S.	Cahir	1 1/2 mi	S.

RAINFALL at Lipperrary Kingswell.

County of Lipperrary Observer E. Frewen Esq. per Murphy.

River Basin Seis - 3 obs. Mrs W. Frewen (1921)

Snawdon Rain Gauge, by n.s.g.

Diameter ...	5			5							
Height	1 0			1 0							
Altitude ...	350			350							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	5.81	3.88	3.01	2.78	5.62	4.51					
February ...	5.79	1.78	3.37	6.55	1.87	3.85					
March	3.40	2.73	1.80	2.10	.62	.54					
April	4.74	.80	2.35	3.55	1.95	3.11					
May	4.33	1.58	1.65	1.65	4.39	4.10					
June	2.20	.46	2.48	1.02	3.04	.52					
July	4.08	2.68	3.87	3.62	2.07	2.23					
August	2.09	4.91	2.85	3.91	3.09	2.32					
September...	2.54	1.22	3.58	4.21	4.74	2.75					
October	5.70	3.12	.59	4.53	3.40	4.09					
November...	4.09	4.30	1.01	3.95	3.61	1.17					
December...	3.24	2.59	3.70	3.02	4.49	2.90					
TOTALS...	45.01	30.05	30.26	40.89	38.89	32.09	#51 ^B	66064/26.			
	D	D	D	D	D	D					

1920. Ice. 20ft high 26yds. N.E. House 36ft. R.L 30yds. S.W.
1923 Aug. almost low.
1924. N.P. - probably 5 inches short.
1925. Low. N.P.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920	53°29'	8°9'	Lipperrary	1 1/2 mi	S.	Lipperrary	1 mi	S.

RAINFALL at Lipperry "The Vale" to Aug. '22
Friarsfield from Sept. '22

County of Lipperry Observer Major J. H. Mearns Collyer, Jr.
River Basin Swiss - 1 Edw. Ennor Esq. (1922)

Rain Gauge, by Asella B.
Years of Use 2

Diameter ...	5		5	5		5					
Height	1 8	1 6	1 0	1 0		1' 0"					
Altitude ...	350		333	333		373'					
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	5.32	3.57	3.21	3.09	7.31	6.90					
February ...	2.57	1.51	3.41	7.11	2.21	4.89					
March	3.09	2.34	1.42	2.61	.72	.89					
April	3.90	.91	2.40	3.51	2.32	4.74					
May	4.04	1.32	1.22	1.69	4.58	4.28					
June	1.74	.28	1.93	1.05	3.07	.49					
July	3.58	3.92	3.54	3.33	2.81	3.75					
August	1.95	5.02	2.79	4.99	4.13	2.41					
September...	2.43	1.24	3.61	3.77	5.26	2.84					
October	5.47	2.75	.46	4.40	4.22	4.42					
November...	3.81	3.94	1.21	3.89	4.51	2.09					
December...	3.62	2.87	4.10	3.20	5.95	3.67					
TOTALS...	41.52	29.47	(29.30)	42.64	47.09	41.37	#				
	D	D	D	D	D	D					

1921. Stone 30 ft. high 20 yds. W.
1922. No near objects.
1923. Laurel Hedge 5 ft. high, 10 ft. diameter. W 3.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.			
Date.	Lat. N.	Long. W	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction	
1920			Lipperry	1 mi	N.	Lipperry	2 mi	N	
1922	52 1/2°	8 1/4°	"	2 m	S.	St. Marys Lipperry	2 m.	S.	
1923	52.5°	8.25°							

RAINFALL at Letchard boothmore

County of Gloucestershire Observer Edm. Murphy Esq.

River Basin Swiss - 3 Wm. Murphy obs. (1921)

Howard Rain Gauge, by A. n. C. l.

Diameter ...	5			5							
Height	1 0			1 0							
Altitude ...	347			347							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	5.83	4.13	3.85	2.52	6.70	4.45	(6.20)	4.35			
February ...	2.21	1.49	3.23	5.66	1.04	4.50	(4.00)	2.89			
March	3.97	2.97	1.41	2.53	.80	.57	1.52	4.37			
April	4.32	.75	3.03	3.02	2.81	4.00	2.66	.81			
May	3.75	1.98	1.49	1.48	4.06	4.88	3.20	1.36			
June	1.85	.80	1.91	1.03	3.68	.42	(1.81)	3.63			
July	5.53	5.68	3.98	3.09	2.72	2.59	(2.82)	3.79			
August	2.87	4.67	3.59	5.44	4.03	2.25	3.39	4.47			
September...	1.54	1.53	4.01	3.35	6.05	2.60	1.09	3.76			
October	5.56	2.58	1.12	4.05	3.44	2.98	2.06	3.27			
November...	2.65	4.00	1.47	4.04	5.34	1.42	4.97	3.35			
December...	3.20	2.46	4.38	2.69	4.89	2.69	.93	3.95			
TOTALS...	43.28	33.04	33.47	38.90	45.56	33.35	(34.65)	40.00	#		
	D	D	D	D	D	D	(D)	d			

1920. June 30 ft. hill 4 ft. ESE. Trees { 30 ft. hill 60 ft. NNE
1928. To Corbally. 50' > 80' > W

Position of Station on reduced Ordnance Survey } No. of Map _____ Reference No. _____
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long. W	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920.	52° 30'	7° 41'	Farrington	1 1/4 mi	W	Letchard	2 3/4 mi	S.

RAINFALL at Cashel Ballinamona

County of Liffey

Observer E. W. Murphy

River Basin Suis - J

London Rain Gauge, by H. J.

Diameter ...	5			5							
Height	1	0		1	0						
Altitude ...	257		262	262							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1920 MEANS.
January ...	5.14	3.73	3.68	2.81	6.72	4.90	7.31	4.58	4.52	1.59	5.73
February ...	2.28	1.72	3.75	6.10	1.63	4.27	3.30	3.02	3.69	3.71	.99
March	3.66	2.73	1.39	2.47	.84	.47	1.78	4.80	4.46	.69	5.55
April	4.08	.68	2.41	3.24	2.44	4.63	2.29	1.24	2.85	2.18	1.90
May	2.85	1.67	1.31	1.19	3.61	3.69	1.95	1.05	1.67	2.82	2.73
June	1.72	.22	1.44	.60	3.66	.42	2.45	3.42	3.68	1.64	2.63
July	4.58	5.26	2.37	2.57	3.27	2.34	2.11	4.87	1.04	3.63	3.47
August	2.08	4.98	3.39	5.35	3.44	2.37	2.46	4.85	5.09	3.27	6.26
September...	1.81	1.61	3.49	3.60	5.41	2.33	1.14	3.14	2.06	1.13	3.46
October	3.84	2.82	1.26	4.33	3.67	3.81	2.21	2.44	5.60	3.60	6.17
November...	2.79	4.33	1.42	4.17	4.57	1.78	4.34	2.54	4.42	4.98	3.74
December...	3.70	2.19	4.32	3.43	5.07	2.94	.79	4.67	3.86	8.21	3.87
TOTALS...	38.53	31.94	30.23	39.84	44.33	33.95	32.13	40.62	42.94	37.45	46.50

1920. Clipped shrub 9ft high 10ft E.N.E.
Iron railing 3' " 5' S.
Tree, with branches removed with 20y. 50ft high 83ft. W.
1926. Clipped shrub, 10' high, 12' N.E.
Iron railing 3' " 5' S.
House " 30' " 60' N.N.E.
Tree " 50' " 75' W.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map _____ Reference No. _____

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920	52.31'	7.56'	Cashel	1 1/2 mi	ENE	Cashel	1 1/2 mi	E

County of Lipperry Observer Sister Ursula
per E. Murphy
River Basin Suir 3.
Hotel Cashel Rain Gauge, by N&Z

Diameter ...		5									
Height		1 0									
Altitude ...		390									
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...											
February ...											
March		# imp									
April.....		.63									
May		3.20									
June61									
July		6.31									
August		4.60									
September...		1.37									
October.....		2.51									
November...		3.43									
December...		3.98									
TOTALS...		imp 2	#.								

Wall of building 12ft away.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1921	52° 31'	7° 53'	Cashel	1/2 mi	W. N. W.	Cashel R.C.	100 yds S.

RAINFALL at Ballyowen Cashel

County of Tipperary Observer J. H. McCan dis

River Basin Chir 3. per Murphy

Shawdon Rain Gauge, by _____

Diameter ...		5									
Height		1.0									
Altitude ...		485		485							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...			3.69	2.53	6.67	4.29	7.33				
February ...			3.66	5.54	1.31	4.34					
March			1.33	2.32	.79	.39					
April			2.31	3.30	2.35	4.22					
May			1.50	1.02	3.69	4.16					
June			1.73	1.00	3.23	.34					
July			2.33	2.50	2.55	3.33					
August		<u>wip</u>	3.35	5.33	3.15	2.86					
September...		1.59	4.18	2.87	5.27	2.18					
October		2.50	1.23	4.08	3.47	4.12					
November...		4.23	1.06	3.65	4.53	2.50					
December...		2.07	4.01	3.01	5.29	2.53					
TOTALS...		<u>wip</u>	30.38	57.15	42.30	35.26					
		<u>D</u>	<u>D</u>	<u>D</u>	<u>D</u>	<u>D</u>					

Position of Station on reduced Ordnance Survey } Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....		
Date.	Lat. N.	Long. W	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1922	52° 33'	7° 50'	Cashel	3 1/2 mi.	SW.	Ballysheehan	1/2 mi.	NE

RAINFALL at Cashed, Synone House

County of Liffhary

Observer K. G. Fitzgerald, Esq.
Per J. K. A. I.

River Basin Swir. 3

Rain Gauge, by _____

Diameter ...											
Height											
Altitude ...						350'					
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...						(4.59)					
February ...						(3.98)					
March54					
April						4.12					
May						3.63					
June45					
July						3.54					
August						1.99					
September...						2.39					
October						4.17					
November...						(1.93)					
December...						(2.71)					
TOTALS...						(34.04)	NO	NO	#sub ^a	f 8197378	

1925. Jan. Feb. Nov. & Dec. corrected by maps.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge

RAINFALL at Ardmyle

County of Liffey
River Basin Swir - 3

Observer L. H. Gault Esq.
per mmp

Rain Gauge, by Leahy & Son
Dublin

Diameter ...	5										
Height	1 6										
Altitude ...	260										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	5.75	3.24									
February ...	2.20	1.82									
March	3.50	<u>imp</u>									
April	3.31										
May	2.79										
June	1.52										
July	3.82										
August	2.03										
September...	1.71										
October	3.76										
November...	2.57										
December...	3.36										
TOTALS...	36.32										

1920. Stone 25ft. high 30yds E.

Position of Station on reduced Ordnance Survey } No. of Map
Map, 2 miles to 1 inch Series

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920			Ardmyle	1 mi.	N.W.	Ardmyle	1/4 mi	N

RAINFALL at Thurles Brittas Basile

County of Liffenny
River Basin Suir - 3

Observer Mrs. Knox
per Murphy (1922)

Rain Gauge, by _____

Diameter ...	6										
Height	1 0										
Altitude ...	360										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	5.56	3.84	2.55	2.31	4.77	3.92	5.98	3.05	4.60		
February ...	2.40	1.53	3.77	4.82	1.11	3.98	3.96	2.56	2.70		
March	3.24	2.27	1.36	2.64	.66	.67	1.28	3.40	4.76		
April	3.67	.68	2.44	2.62	2.59	3.66	2.24	1.30	1.48		
May	2.63	1.38	1.31	.97	3.28	4.06	2.00	1.15	2.02		
June	1.96	.40	1.54	1.01	3.76	.68	2.13	2.89	3.57		
July	4.39	5.13	2.23	1.90	3.03	2.91	2.80	2.75	.96		
August	1.82	4.20	2.69	4.05	2.63	1.44	2.95	4.79	4.02		
September...	1.47	1.44	3.41	2.99	7.22	2.98	.73	2.62	1.89		
October	5.71	2.00	.67	3.80	3.72	3.22	1.85	2.53	1.91		
November...	3.17	2.31	.81	2.59	3.05	2.68	4.81	3.27	4.44		
December...	3.35	(3.09)	4.57	2.97	4.74	1.38	.68	3.29	2.65		
TOTALS...	39.37	(28.27)	27.35	32.67	40.56	31.58	31.41	33.60	35.00	#	f665443/26.

1921. Dec. part estimated.
1925. Dec. probably low.

Position of Station on reduced Ordnance Survey } No. of Map _____
Map, 2 miles to 1 inch Series } Reference No. _____

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
			Thurles	2 mi	S.	Thurles.	2 1/2 mi	S.

20

Observer S. Carden (Castlem, Retired)
J. Murphy (1921)

Swir - 3

Snowden Rain Gauge, by N. S.

1920 Rose Gellin 4 ft high 9 1/2 ft N

Reference No.

[illegible]

RAINFALL at Borbally, Clonaulty.

County of Lippery

Observer A. Moynihan

River Basin Luir - 3.

per E.W. M. Murphy Esq.

Rain Gauge, by _____

Diameter ...									5		
Height									1		
Altitude ...									390	315	386
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS 1930
January ...										2.22	5.34
February ...										3.82	.91
March										1.20	4.81
April										2.01	2.01
May									1.61	2.51	2.20
June									4.48	1.30	2.71
July									1.52	4.26	3.58
August									5.54	4.14	5.72
September...									1.97	1.05	3.31
October									5.35	3.63	6.39
November...									5.65	4.49	4.10
December...									4.22	9.05	4.42
TOTALS...									9m/14.	39.68	45.50

1928.
From Costonore, Fethard - April.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
			<u>Goolds Cross</u>	<u>2m.</u>	<u>S.</u>		

RAINFALL at Roscrea Limney Park

County of Liffey Observer S. Parker Hutchinson Esq. J.P., D.L.

River Basin Barrow, Rose - H

Shannon Rain Gauge, by (125)

Diameter ...	5			5							
Height	1	3	1	0		1					
Altitude ...	475			485			475				
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	4.36	4.34	3.09	2.35	5.62	3.51	6.13	3.54	4.71	1.56	5.42
February ...	2.30	1.15	3.44	5.96	1.71	5.06	2.25	3.79	4.34	3.03	.73
March	3.14	2.67	1.94	2.06	.43	.72	1.10	4.27	3.78	.95	3.79
April	3.39	.86	2.82	3.58	3.06	3.66	2.16	1.61	1.70	.66	2.91
May	3.57	1.36	1.69	2.07	4.59	3.62	2.51	1.13	1.45	1.83	1.73
June	1.66	1.03	2.55	.97	4.43	.58	2.22	3.50	4.72	1.57	2.81
July	3.91	4.91	2.64	2.75	2.69	2.67	3.00	3.96	.97	3.52	3.26
August	2.58	3.67	3.28	5.25	3.99	1.45	4.09	5.66	4.36	3.77	5.65
September...	1.66	1.27	2.68	4.38	6.25	2.37	1.36	3.15	1.55	.62	3.61
October	4.83	2.06	.82	3.01	3.53	2.63	2.39	2.08	5.12	4.24	5.51
November...	2.83	3.27	.87	2.92	4.66	3.86	4.19	2.74	4.54	4.04	2.82
December...	2.98	3.28	4.91	3.69	4.56	1.86	1.43	(3.49)	3.12	7.15	4.03
TOTALS...	36.41	29.87	30.73	38.99	45.52	31.99	32.83	38.92	40.36	32.94	42.27

1925. House 25' high, 40' E.
1929. Dec. values adjusted, Obs. agrees.

Position of Station on reduced Ordnance Survey } Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920			Roscrea	5 mi	N.W.	Corbally	1 mi E.W.

RAINFALL at Abbeysale Springmount
County of Limerick Observer J.F. O'Kelly
River Basin Shannon, L. bank - 2
Glanish Rain Gauge, by New Survey
2/23

Diameter ...	8			5							
Height	1 0			1 0							
Altitude ...	358 365		360	358.2							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	4.99		4.77	3.46	3.99	5.97	6.20	7.79	5.44	1.24	6.70
February ...	1.65		5.28	6.65	2.41	5.65	3.43	2.56	4.60	3.72	.55
March	3.06		1.68	2.78	1.50	1.46	1.30	4.19	2.65	.60	5.66
April	2.98		1.35	4.38	2.47	4.56	2.99	1.57	3.54	1.80	2.57
May	2.77		.88?	2.49	2.99	4.39	3.57	.78?	.86	1.95	2.01
June	2.07		2.14	1.44	4.73	(.25)	5.22	5.31	5.21	1.32	2.11
July	3.53		4.66	2.95	3.29	(4.25)	3.47	2.63	1.69	4.86	3.48
August	1.50		3.33	6.31	7.24	(2.50)	3.28	3.86	3.84	3.98	6.37
September...	4.16		3.52	3.96	5.85	2.97	2.67	6.05	2.63	1.69	3.67
October	2.89		.57	5.16	4.27	2.97	3.37	2.82	6.34	6.71	7.21
November...	5.68		2.30	4.30	2.97	2.68	6.25	3.35	5.76	8.14	4.06
December...	2.64		6.29	5.37	7.59	4.16	2.37	4.42	5.71	9.24	5.10
TOTALS...	57.92		36.77	49.25	49.30	(41.81)	44.12	45.33	48.27	45.25	49.49

1920. Stage 4 ft high 10 ft S.
true 27' - 15' W
below 20 ft - 20' N
Height cord 1.21. obtained from bench marks by levelling.
1925. June, July & Aug. estimated from map.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920	52° 25'	9° 20'	Devon Road	1 mi	N.W.	Abbeysale R.C.	3 mi W.

RAINFALL at Limerick Derravoher
County of Blue Limerick Observer Si. Shaw
River Basin Shannon, R. bank - S / Captain E.R. Shaw
Copper Rain Gauge, by Casella

Diameter ...	5			5							
Height	1 0			1 0							
Altitude ...	about 40			about 40							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	5.03	3.29	3.26	3.36	4.01						
February ...	2.67	1.95	3.83	4.79	1.21						
March	3.11	2.70	1.63	2.54	*						
April	3.15	.98	2.93	2.88							
May	3.40	1.92	2.35	1.57							
June	2.10	2.01	1.87	1.47							
July	4.32	4.12	3.26	3.08							
August	1.59	3.94	3.13	4.27							
September...	2.53	1.25	4.14	3.06							
October	2.55	2.51	.79	4.42							
November...	2.59	3.93	1.47	4.02							
December...	2.60	3.25	4.99	3.70							
TOTALS...	35.64	31.85	33.65	39.16							
	<u>5</u>	<u>5</u>	<u>5</u>	<u>5</u>							

Position of Station on reduced Ordnance Survey } No. of Map _____ Reference No. _____
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
	52° 38'	8° 40'	Limerick	1 1/2 mi	SE	St. Nicholas	1 1/4 mi	NE

RAINFALL at Knocklong Kilfrush

County of Limerick Observer F. J. B. Gubbins Esq

River Basin Shannon, L. bank - S

N.O. pattern Rain Gauge, by (25)

Diameter ...	5			5							
Height	0.7	1 0		1 0							
Altitude ...	312			312							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	5.88	5.61	3.68	3.40	5.28	4.96	6.02	5.55	5.23	1.46	6.16
February ...	2.22	1.45	4.08	6.47	2.17	5.43	3.04	2.44	4.15	3.93	1.08
March	3.77	2.77	2.16	2.32	.72	1.08	1.56	3.93	4.38	.63	5.29
April	4.79	1.08	2.81	3.08	2.55	4.58	2.98	1.16	4.22	1.59	2.81
May	3.76	1.60	1.84	2.12	3.19	3.63	1.76	1.61	1.57	2.91	1.39
June	1.88	.68	2.48	.94	3.78	.64	2.48	4.84	3.57	1.53	3.45
July	4.45	3.72	2.92	3.19	2.50	3.25	3.20	2.86	1.69	4.38	3.21
August	1.74	4.06	3.03	5.09	4.10	2.49	4.83	4.83	3.69	3.18	6.80
September...	3.48	1.39	3.61	3.26	4.94	2.47	1.60	4.73	1.88	1.11	3.81
October	3.85	2.47	.49	4.44	4.07	3.84	2.11	2.14	5.66	3.64	6.12
November...	4.61	3.81	1.33	3.81	5.19	1.77	4.59	3.15	4.72	6.20	3.52
December...	3.09	2.87	4.51	3.71	5.80	3.05	1.37	3.61	4.10	8.71	4.07
TOTALS...	43.99	29.51	32.94	41.83	44.29	37.19	35.54	40.85	44.86	39.27	47.71
	D	D	D	D	D	D	D	D	D	D	D

Position of Station on reduced Ordnance Survey } No. of Map
Map, 2 miles to 1 inch Series

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1920	53° 27'	10° 24'	Knocklong.	1 1/2	SE	Knockainy	2 1/2 m	N.W.

RAINFALL at Ballingarry, The Presbytery,
County of Limerick Observer Rev. Thos. Hogan,
River Basin Shannon L.B. Tribs. 2,
40 Rain Gauge, by _____

Diameter											5
Height											10
Altitude											308
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930
January											5.02
February											1.07
March											4.40
April											2.49
May											1.36
June											2.39
July											3.03
August											5.81
September											3.23
October											5.33
November											3.28
December											4.46
TOTALS											41.87

1930. Tree 20-30 ft. high, 20 yards W.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1930			Kathkeale	5 m.	N.	Ballingarry	30 yds	N.

RAINFALL at Pallagreen Woodville

County of Limerick Observer J. F. Muckelbauer
(per Murphy)

River Basin Shannon-Left Bank Tills. 2.

Rain Gauge, by John P. Doherty

Diameter ...		5									
Height											
Altitude ...			400 (Murphy)								
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...		3.35	3.19								
February ...		1.58	4.63								
March		3.31	1.87								
April		1.15	2.96								
May			1.76								
June			1.84								
July	5.27		2.57								
August	1.85		3.27								
September...	2.59		4.56								
October	4.17	3.04	.50								
November...	4.37	3.96	1.11								
December...	3.54	3.28	4.42								
TOTALS...		unip	32.68 D	X							

1921. Stone 5 ft. 15 yds. due West from gauge

Position of Station on reduced Ordnance Survey } No. of Map
Map, 2 miles to 1 inch Series

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1921	52° 35'	8° 40'	Pallagreen	3 mi	N	Bulla	6 mi	S

RAINFALL at Glin Shannon Linn

County of Limerick Observer C. Hickie Esq.

River Basin Shannon L. bank 2

(Standard -) Rain Gauge, by got per Mr. Salter.

Diameter ...	4			4		4"					
Height	3 0			3 6		3' 9"			1. 0		
Altitude ...	about 15	about 20		about 15	20	21' (about)					
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	5.95	5.15	3.62	3.88	3.72	5.40	5.46	6.44			
February ...	3.18	2.64	6.68	7.10	1.67	6.51	3.61	3.16			
March	4.07	4.18	2.22	2.64	1.65	.79	1.36	4.00			
April	3.44	.72	1.82	4.15	2.75	4.00	3.06	1.21			
May	4.62	1.75	2.10	2.04	2.86	4.51	3.26	1.10			
June	2.62	.62	2.31	1.75	5.27	.10	5.12	5.51			
July	5.26	4.03	4.25	4.14	3.76	5.26 (2.30)		1.88			
August	2.31	6.12	2.16	5.35	5.64	2.15	2.97	4.37			
September...	3.67	1.63	4.65	4.28	5.35	2.55	3.55	5.69			
October	3.03	3.42	1.16	4.85	5.30	3.98	3.64	2.28			
November...	4.19	3.51	1.93	5.01	2.77	2.70	6.32	2.50			
December...	2.53	4.42	7.18	5.36	7.59	3.64	1.35	3.86			
TOTALS...	44.07	38.19	40.08	50.55	48.33	41.59 (42.00)	42.00	#	Obs'd dies f 667562/26.		

1922 : Nothing within distance to affect results : Shannon Linn house is marked on smaller scale OS maps. 5 is 2 1/4 miles SE by S from Tarbert Light House
1926. July corr'd by sucess stations.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
	52° 35' 30"	9° 21' 45"	Loyes	9 mi	E SE	Glin	3 1/2 mi E

RAINFALL at Yoynes Coolmanes
County of Limerick Observer Lord Montagu
John P. Leach, for
River Basin Shannon, L. bank - 2
Rain Gauge, by _____

Diameter ...											
Height	1	0		1	0						
Altitude ...	50			50							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS
January ...	6.18	4.79	4.52	3.71	3.93	6.05	5.32	7.74	5.98	1.80	7.98
February ...	3.30	2.90	5.63	6.16	1.68	5.85	3.18	3.09	4.83	3.66	.61
March	3.52	3.63	1.94	3.15	1.53	.54	1.70	3.88	3.07	.81	3.63
April	3.44	.90	1.94	4.11	3.05	3.31	2.72	1.98	3.77	1.18	1.98
May	4.70	2.05	1.64	1.91	3.07	4.90	3.59	1.64	.98	1.74	1.48
June	2.11	.60	2.08	1.29	4.74	.20	3.93	5.37	4.27	.99	2.29
July	4.31	4.31	3.56	3.77	2.66	4.13	2.65	2.13	2.41	4.24	2.98
August	1.98	4.97	2.76	5.21	4.55	1.82	2.56	3.46	5.04	4.06	5.07
September...	3.13	1.75	3.91	3.50	5.31	2.64	2.67	5.38	2.13	.78	3.75
October	2.93	2.88	.61	4.56	4.47	3.87	3.53	2.24	6.54	5.15	6.86
November...	4.62	3.60	1.72	4.28	3.37	2.48	5.34	2.92	5.96	6.39	3.95
December...	2.65	3.73	6.21	4.71	7.03	3.42	1.27	3.49	5.11	9.29	5.18
TOTALS...	42.87	36.11	36.52	46.36	45.39	39.21	38.46	43.32	50.09	40.09	45.76

3543

10457
41.842

Position of Station on reduced Ordnance Survey } No. of Map _____
Map, 2 miles to 1 inch Series } Reference No. _____

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
	53° 36'	9° 6'						

RAINFALL at Foynes National School

County of Limerick Observer Wm Purcell Esq

River Basin Shannon, L. bank - 2

40 ft Rain Gauge, by Irish
(195) Subh

Diameter ...	5			5							
Height	1 8			1 8	2 . 8	2 . 8					
Altitude ...	16			16	15	16					
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	6.09	4.66	4.02	3.60	4.01	5.58	5.26	7.23	5.62	1.81	6.24
February ...	3.30	2.82	5.70	6.14	1.67	5.95	3.32	3.11	4.62	3.57	.79
March	3.64	3.32	1.84	2.84	1.45	.50	1.82	3.84	3.09	.69	3.60
April	3.75	.92	2.44	4.07	3.19	3.64	2.67	2.05	3.99	1.11	2.42
May	4.79	2.01	1.52	1.81	3.33	4.94	3.36	1.39	1.04	1.76	1.50
June	2.22	.69	2.41	1.29	4.84	.18	3.73	5.17	4.23	.80	2.55
July	4.74	4.27	3.48	3.64	3.47	4.45	2.29	1.98	2.23	4.25	2.87
August	1.96	4.97	2.73	4.97	5.61	1.99	2.44	3.12	4.88	4.01	4.62
September...	3.22	1.73	4.54	3.59	5.38	2.72	2.65	5.49	2.37	.68	3.02
October	2.85	2.93	.66	4.44	4.51	3.69	3.26	2.48	7.06	5.35	6.53
November...	4.47	3.56	1.72	4.07	3.25	2.45	4.96	2.77	5.91	6.74	3.89
December...	2.63	3.55	6.11	4.41	7.07	3.35	1.15	4.14	4.85	9.52	5.06
TOTALS...	43.66	35.43	37.17	44.87	47.78	39.44	36.91	42.77	49.89	40.29	43.09

1930 Stone 30' hgt 25' W

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
	52° 00'	9° 15'	Foynes	2 mi	W	Foynes	2 mi W

RAINFALL at Limerick Immaculate College

County of Limerick

Observer Rev. R. W. Gallagher S. J.
In. O.

River Basin Shannon, L. bank - 2

Rain Gauge, by _____

Diameter ...											
Height											
Altitude ...	55										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	4.94		3.65								
February ...											
March											
April	2.82										
May	3.49										
June	1.62										
July											
August											
September...											
October											
November...											
December...											
TOTALS...											

Position of Station on reduced Ordnance Survey } No. of Map _____
Map, 2 miles to 1 inch Series } Reference No. _____

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
	52° 38'	8° 41'	Limerick	3 mi	E	Rahon	1 mi	E

RAINFALL at Limerick O'Connell St.
County of Limerick Observer R. Davison Esq 66.
River Basin Shannon, L. bank - 2 Co. Surveyors Limerick
Synon Rain Gauge, by _____

Diameter ...	5			5							
Height	1 0			1 0							
Altitude ...	51			51.46							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	5.43	3.66	3.65	3.74	4.28	4.36	5.25	5.32	5.05		
February ...	2.90	3.94	4.54	5.33	1.44	5.90	3.08	2.92	4.13		
March	3.25	3.03	1.66	2.68	.86	.56	1.30	3.27	2.93		
April	3.27	.96	2.83	3.17	3.06	4.35	2.57	1.49	3.11		
May	3.86	1.87	2.27	2.00	3.67	4.00	2.60	1.37	1.27		
June	2.56	1.58	1.96	1.46	3.43	.53	3.18	4.63	3.76		
July	4.87	4.45	4.00	3.70	3.01	3.36	2.69	2.80	1.23		
August	1.88	4.21	3.31	5.02	5.43	2.21	3.14	3.71	4.09		
September...	2.67	1.38	4.58	3.52	5.68	2.44	1.78	4.76	2.46		
October	2.57	2.54	.94	5.48	3.93	3.99	2.89	2.27	5.82		
November...	2.89	4.05	1.59	4.40	4.24	2.00	3.76	2.41	4.94		
December...	2.82	3.71	5.59	4.78	6.08	2.42	1.02	3.22	4.67		
TOTALS...	38.97	35.38	36.92	45.28	45.11	36.12	33.26	38.17	43.46	NR	

1922. E. in back garden - perhaps a little deficient - File 34 of 34/22.
F 24835/30
Moved to Down/5

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
	50° 40'	8° 37 1/2'	S. S. W. Rly. Rineaid	1900 ft.	SE.	Pres. Stn.	100 yds NW
1921	7	7	7	7	13° E of N	7	110 ft. 50° W of N.

RAINFALL at Limerick Inverare St.

County of Limerick

Observer Si. A. Shaw died XI.23

River Basin Shannon, L. bank-2

messrs. W. J. Shaw & Sons. Ltd.

Coffin Island Rain Gauge, by Basella

Diameter ...	5			5							
Height	1	1	1	2	1	2					
Altitude ...	60			60							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	5.63	3.68	3.41	3.89	4.58	4.70	5.02	5.27	5.11	1.69	6.01
February ...	2.98	2.11	4.33	5.90	1.59	5.19	2.96	2.84	5.08	3.29	1.05
March	3.41	3.06	1.83	2.84	.99	.51	1.28	3.73	3.31	1.06	4.07
April	3.28	1.01	2.74	3.48	3.01	4.12	2.49	1.80	3.27	1.33	2.08
May	3.95	1.94	2.24	1.86	3.74	4.21	2.62	1.66	1.50	1.85	1.86
June	2.37	1.20	2.25	1.56	3.63	.52	3.07	4.69	4.36	1.77	2.41
July	4.71	4.42	3.38	3.94	3.13	3.18	3.58	2.96	2.39	4.01	4.01
August	1.92	4.57	3.28	5.70	5.32	2.24	3.00	3.59	5.16	4.96	6.35
September...	2.74	1.32	4.62	3.34	5.32	2.50	1.83	4.88	2.55	.93	4.39
October	2.55	2.62	.97	4.88	3.87	3.99	2.90	2.48	5.44	4.01	6.43
November...	2.88	4.08	1.53	4.27	4.06	2.01	4.48	2.56	5.30	5.90	3.83
December...	2.53	3.76	5.34	4.10	5.43	2.53	1.17	3.94	4.86	7.83	4.16
TOTALS...	38.95	33.77	35.92	45.76	44.67	35.70	34.50	40.40	48.33	38.63	46.65

1920 north; important near gauge
In East side of Limerick City.

1921. { open coolers. 14 ft high 30 ft. SE & 40 ft. SW.
shed 12 ft high 16 ft. N.E. & 20 ft. high
46 ft. N.W.

1922. "Site quite all right" on file 340736/22

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge

RAINFALL at Limerick Strand

County of Limerick Observer W. P. Hone Esq. B.Sc.
River Basin Shannon, L. bank - 2

Rain Gauge, by _____

Diameter ...	5			5		5					
Height	1 0			1 2		1 0					
Altitude ...	50			50		50					
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	4.88	3.82	3.51	3.70	4.60	4.74	(5.14)	5.30	5.25	1.75	6.56
February ...	3.15	2.17	3.96	5.21	1.40	5.35	3.25	2.85	4.74	3.02	.98
March	3.21	2.50	1.33	2.41	.92	.54	1.42	3.80	3.36	1.19	4.22
April	3.40	.84	2.90	3.00	3.45	4.13	2.50	1.60	2.97	1.69	2.02
May	3.73	2.04	2.43	1.55	3.78	4.40	2.75	1.70	1.33	1.64	2.10
June	2.07	1.37	2.07	1.39	3.84	.45	3.10	4.55	4.60	2.20	2.53
July	4.36	4.42	3.11	3.09	3.22	3.16	3.55	3.05	1.63	3.48	4.24
August	2.46	4.31	3.23	4.26	5.41	2.23	3.20	3.63	5.12	5.78	6.47
September...	2.91	1.40	4.30	3.44	5.45	2.67	1.85	4.90	2.44	.75	4.49
October	2.87	2.40	.91	5.41	3.97	4.18	2.95	2.45	5.79	4.74	6.66
November...	3.15	4.28	1.46	4.24	4.22	1.60	4.52	2.61	5.26	6.88	3.91
December...	2.81	3.47	4.82	4.23	5.59	2.79	1.15	4.05	5.14	8.47	4.45
TOTALS...	39.00	33.02	34.03	41.93	45.85	36.24	(35.38)	40.49	47.63	41.59	48.63

1922. Murphy says: "g. well placed" on file 360736/22
1926. Jan interpolated.
G moved Feb 1926.
1930. Club House 30ft. high, 50 yds. N,

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1925	52° 0' 8"	7'	Limerick	½ m	SE		

RAINFALL at Limerick St Michael School
County of Limerick Observer J. B. Boyd
River Basin Shannon, L. bank-2
Rain Gauge, by _____

Diameter ...	5										
Height	1 3										
Altitude ...	43										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	5.30										
February ...	2.70										
March	3.10										
April	2.80										
May	3.70										
June	} 3.70?										
July											
August	2.10										
September...	} 4.70										
October											
November...											
December...											
TOTALS...	inf										

June July 1920. 7 gauge tampered with.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
			Limerick	4 mi	NE.	St Michael	42'	N

RAINFALL at Glenstal Castle

County of Limerick

Observer Si Chas. Barrington St.
(John McBean - 1922)

River Basin Shannon, L. bank - 2

Rain Gauge, by N.F.S.

Diameter ...	8			8							
Height	1 0			1 0							
Altitude ...	400			400							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	5.55	4.66	3.56	4.38	5.15	4.84					
February ...	3.23	1.44	4.51	6.04	1.71	5.49					
March	3.41	3.23	2.06	2.99	.60	.97					
April	4.23	.96	2.99	3.31	3.23	5.89					
May	4.31	2.50	2.23	1.94	5.63	5.31					
June	2.24	.53	2.40	1.51	4.31	.74					
July	5.96	5.03	4.16	4.52	3.25	3.61					
August	2.62	4.88	3.76	6.96	6.40	2.87					
September...	3.27	1.62	5.76	4.07	6.91	2.33					
October	3.75	2.91	1.02	5.33	4.96	4.47					
November...	3.57	4.40	1.40	4.77	4.48	2.15					
December...	2.68	4.13	4.81	5.23	6.56	2.45					
TOTALS...	44.82	36.29	38.66	51.05	53.19	41.12	to Botley Harb				

1921. Tree 80ft. high 2.1 ft. SW.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map _____ Reference No. _____

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1921			Boher	4 mls.	SW.	Abbington	2 mi. 15 mi.	SE. SW.

RAINFALL at Castlecarnell Rectory

County of Limerick

Observer Mrs. Davis

River Basin Shannon, L. bank - 2

Rev. Leslie C. Davis M.A. (1922)

Shannon Rain Gauge, by

Diameter ...	5			5							
Height	1 0			1							
Altitude ...	88			88							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	5.92	4.83	3.84	4.64	4.79	4.32	5.11	5.07	6.55	1.66	5.74
February ...	3.40	1.84	5.29	6.17	1.49	6.39	3.16	2.75	5.42	3.02	.63
March	3.29	3.39	1.84	3.17	.99	.83	1.65	3.78	3.41	1.19	4.89
April	3.99	1.14	2.63	3.61	3.32	5.55	2.54	1.53	2.71	.88	1.71
May	4.72	2.34	2.51	1.72	5.05	4.68	2.53	1.48	1.65	2.08	1.94
June	1.72	.46	2.32	1.50	5.03	.64	3.53	4.47	5.26	1.58	2.16
July	5.24	4.65	3.98	5.03	3.19	3.64	3.90	3.03	2.30	3.70	3.92
August	2.52	5.23	3.81	5.95	5.56	2.10	2.79	3.83	4.30	5.83	5.69
September...	3.26	1.41	5.36	4.10	7.03	2.07	1.82	5.03	1.83	.99	3.93
October	3.85	2.65	1.33	5.97	4.66	4.23	3.41	2.17	5.72	5.02	6.48
November...	3.69	4.46	1.63	4.87	4.97	2.43	4.24	2.50	5.51	5.64	4.17
December...	3.10	4.39	5.73	5.34	7.12	2.70	1.20	3.26	5.39	7.95	4.76
TOTALS...	44.70	36.79	40.27	52.07	53.20	39.58	35.88	38.90	50.05	39.54	46.02

1920. Stone walls 9 ft high 25 yds N.S.E. & W.
1922 Site quite all right 340734/22

Position of Station on reduced Ordnance Survey } No. of Map
Map, 2 miles to 1 inch Series

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920	52° 38'	8° 30'	Castlecarnell	1/4 mi	SE	Seadbally	3 mi	SW

Observer Metereological office
J. Filson.

Rain Gauge, by

1922: short - not printed.

Reference No.

(^c1383) Wt. 1671—6044. 10,000. 4/21. J. T. & S., Ltd. **160.**

RAINFALL at Kilkee (Liscrona) Marine Parade (1925)

County of Clare
River Basin Shannon - 3.

Observer R. N. Griffin Esq.
Iris Rainfall Association
(R.N. Griffin - corr.)

Shannon Rain Gauge, by No 2.
(1925)

Diameter ...			5	5		5"	5					
Height			1	1		13"	1	0	1	4	1	6
Altitude ...			80	80		8' to 10'	12		40	50		
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.	
January ...			5.87	3.51		5.66	5.39	7.77	6.46	2.85	6.61	
February ...			4.95	5.79		5.99	3.48	2.78	4.02	3.48	.88	
March			2.58	2.01		1.01	1.55	3.77	2.82	.86	5.05	
April			2.74	2.45		3.47	2.81	1.92	3.82	.78	2.51	
May			2.66	2.01		5.04	2.81	1.60	1.01	1.80	1.98	
June			1.71	1.47		.31	5.60	5.60	4.31	1.10	2.47	
July			5.14	3.30		4.03	2.46	2.66	2.98	5.12	3.04	
August			3.54	5.50		2.35	3.18	4.46	5.47	5.05	5.53	
September...			3.12	3.51		2.53	3.19	5.77	3.78	1.13	3.73	
October96	4.97		4.45	4.06	3.51	7.17	5.90	6.08	
November...			1.95	4.33		2.74	6.92	2.86	5.99	7.03	5.55	
December...			5.04	4.67		2.50	1.25	4.55	5.54	9.56	6.10	
TOTALS...			40.26	43.52		40.08 D	42.70 D	47.25 D	53.37 D	44.63 M	49.53 M	

1922 : House, 22' high, 28' NE.
1923: House 25' " 25' dist. NE.
Trees 20' " 30' " N.
1925. House 20' " 30' " due E. Gauge moved a few hundred yards to S.W.
1927. Gauge moved 5th November. 1/3 mile W. 3. XII. 25

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1922			Kilkee	5 mi	N	Kilkee	5 mi N
1923.	52.6	9.8					
1925	52.6	9.7	Kilkee (129)	3/4 m	S.E.	Kilberagh (126)	200 yds S., quite adjacent

RAINFALL at Galbally Rectory

County of Limerick Observer Rev. J. F. Young

River Basin Suis - 4

London Rain Gauge, by N. 53

Diameter ...	5										
Height	1 0										
Altitude ...	380										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	6.57	4.38	6.14								
February ...	2.66	1.84	5.20								
March	4.09	4.49	2.79								
April.....	6.58	1.03	3.35								
May	3.79	.97	1.72								
June	2.58	.65	2.75								
July	4.37	4.66	5.03								
August	2.72	5.40	3.66								
September...	3.54	1.65	4.15								
October.....	5.48	2.62	1.66								
November...	5.04	5.00	.84?								
December...	4.13	2.75	3.71								
TOTALS...	51.55	35.42	41.00	✕							

1920. Row of Beech trees. about 80 ft. high 20 yds E.

Position of Station on reduced Ordnance Survey } No. of Map..... Reference No.....
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long. W	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920.	52° 26'	8° 18'	Emly	4 1/4 mi (straight)	N.N.W.	Galbally	100 yds.	SW

RAINFALL at Inagh Mount Callan

County of Blare

Observer Lt Col Fred Tottenham
Capt R. Tottenham (1925)
Capt R. Tottenham

River Basin mal Bay re - 2

Howard's Rain Gauge, by (125)

Diameter ...	5											
Height	0											
Altitude ...	479											
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1931 MEANS.	
January ...	8.68	8.81	8.46	7.17	5.87	6.58	8.40	10.72	9.46	3.00	8.40	
February ...	6.14	2.73	7.77	10.65	2.50	10.26	5.55	3.71	7.65	4.68	.61	
March	6.17	6.59	3.28	4.49	2.83	1.53	2.57	6.15	4.69	1.54	4.80	
April	7.18	1.77	4.40	6.02	3.12	5.36	4.01	3.12	4.90	1.23	3.09	
May	6.69	4.11	3.95	2.80	3.79	7.50	4.40	2.95	1.51	3.14	3.07	
June	2.54	.81	4.56	2.50	5.54	.34	6.33	7.54	5.40	2.40	4.05	
July	6.95	5.55	8.13	7.29	6.69	6.30	3.64	3.53	5.42	7.51	5.53	
August	3.82	8.66	5.30	10.65	8.97	3.38	5.00	6.47	5.78	8.14	7.22	
September...	6.69	3.54	6.81	7.76	8.27	5.08	5.85	8.93	5.37	2.11	4.67	
October	3.69	6.19	1.88	7.91	7.30	6.07	5.70	4.23	11.11	9.80	10.73	
November...	6.24	6.08	4.93	7.42	6.85	3.86	9.77	3.28	9.81	10.09	6.47	
December...	3.96	7.52	10.22	8.28	10.55	4.80	2.35	7.69	7.73	12.56	7.84	
TOTALS...	68.75	62.36	69.69	82.94	72.28	61.06	63.57	68.32	78.83	66.20	66.48	

1929. Hedges 8 ft. 10 ft. 4 ft. & 8 ft. high.
10 yds. 50 yds. 5 yds. 20 yds.
N. S. E. W.

Position of Station on reduced Ordnance Survey
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
			Ennis	12 m.	E			
1925			Ennis	13 m.	E	Miltown	11 m.	
1929			"	"	"	Connally	2 1/2 m.	E.

RAINFALL at Ennistymon House.

County of Clare Observer H. Macnamara Esq.

River Basin Kilbegh &c - 2

Rain Gauge, by _____

Diameter ...	5										
Height	1	0									
Altitude ...	37										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	6.88	5.56	7.07								
February ...	4.53	2.52	6.28								
March	4.72	6.14	2.46								
April	4.14	1.21	#								
May	5.02	2.78									
June	2.68	.64									
July	5.44	3.72									
August	2.71	5.53									
September...	4.51	2.91									
October	3.39	5.39									
November...	5.85	4.96									
December...	3.68	5.43									
TOTALS...	53.54	46.79	imp.								

Position of Station on reduced Ordnance Survey } No. of Map _____ Reference No. _____
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
			Ennistymon	600 yds	E.S.E.	Ennistymon	400 yds	E.N.E.

RAINFALL at Carrigaholt Castle

County of Clare Observer W. C. B. Oulton Esq

River Basin Shannon Right Bank Tributaries 3

Rain Gauge, by _____

Diameter ...	5										
Height	1.0										
Altitude ...	16 T										
Year ...	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	MEANS.
January ...	4.68	1.94	2.90	5.85	2.39	5.46	2.87	1.75	3.88		
February ...	5.34	2.57	2.98	1.74	7.43	5.65	5.49	1.44	5.04		
March	2.95	2.28	4.77	4.42	5.72	.98	2.02	1.65	2.67		
April	2.83	1.90	1.12	2.97	1.71	2.20	3.44	1.30	1.14		
May	2.72	2.24	2.46	3.74	2.06	1.14	3.17	2.33	2.82		
June	2.40	2.68	5.07	3.34	1.64	2.72	2.50	2.51	1.58		
July	3.50	1.93	3.13	.91	4.42	5.37	1.26	1.87	4.74		
August	4.64	2.09	3.47	1.15	5.03	3.05	3.85	7.79	2.35		
September ..	1.04	3.05	.34	4.19	3.87	2.26	2.66	1.49	8.43		
October ...	2.28	4.33	3.82	4.86	3.73	4.23	9.95	1.07	5.74		
November ..	5.38	5.36	3.15	4.93	6.04	5.14	5.97	2.86	3.52		
December ...	4.25	7.76	5.65	3.65	7.89	6.63	4.84	2.47	6.89		
TOTALS ...	42.01	38.13	38.86	41.75	51.93	44.83	48.02	33.53	48.80	N.T.	

1913 Shrub 6ft high 51 yds NW
25 yds

Date.	Lat. N.	Long.	Railway Station.	Distance.	Direction.	Church.	Distance.	Direction.
1911.			Kilkee 1913	7 miles	NE	Kilkee	7 mls.	NE.

RAINFALL at O'Brien's Bridge, The Weir.

County of Clare Observer T. Hagle for Shannon Power Development.

River Basin Shannon R. Bank Tribs-3.

Rain Gauge, by _____

Diameter ...										5	
Height										2 2	
Altitude ...										82	
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...									7.08	1.60	
February ...									6.09	3.22	
March									3.35	1.11	
April.....									2.75	1.11	
May									1.67	2.04	
June									5.46	1.75	
July									2.36	3.88	
August									4.63	5.97	
September...									2.24	1.02	
October.....									6.39	5.73	
November...									6.55	5.97	
December...									5.41	8.79	
TOTALS...									53.98	42.19	#

1929. Ant, 11 ft. high, 70 yds. N.W.
" 12 " " , 80 " S.E.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
			Bridhill	2 m.	W.		
1929			"	2 m.	N.E.	Bridgetown	2 m. S.W.

RAINFALL at Dromolana Castle

County of Clare Observer Lord Inchiquin

River Basin Shannon - 3 (1929) The Dowager Lady Inchiquin

Ross Tipping-bucket. Rain Gauge, by New Inwood, 1/4 M.P. 4, 9/11/22.

Diameter ...	<u>8</u>	<u>8</u>	<u>5</u>			<u>5"</u>					
Height	<u>2' 6</u>	<u>2' 6"</u>	<u>1 3</u>	<u>1 6</u>		<u>1' 6"</u>				<u>1 2</u>	
Altitude ...	<u>45</u>	<u>45</u>	<u>45</u>	<u>25</u>		<u>35'</u>		<u>45</u>			
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 <u>March</u>
January ...	4.53	3.22	4.62	3.60	3.95	4.76	5.68	5.84 ⁹⁵	6.12	2.01	6.00
February ...	2.43	3.09	5.27	6.00	1.66	5.82	3.63	3.18 ⁵	4.17	3.85	(.97)
March	3.61	3.10	1.69	3.21	1.64	.50	1.48	3.73 ⁹⁵	3.24	1.02	(4.60)
April	3.05	1.02	2.27	3.84	2.86	3.90	2.96	2.26 ^{1.89}	3.14	1.30	1.95
May	4.77	2.08	1.91	1.47	3.74	5.42	4.34	1.43	1.81	2.11	1.40
June	2.08	.52	1.33	1.14	4.29	.32	3.69	4.24 ⁶	4.77	1.43	(2.87)
July	4.70	4.29	4.64	3.77	3.12	3.01	3.02	2.15 ²⁸	2.44	4.24	(4.00)
August	1.87	5.21	3.08	6.15	3.89	1.41	2.81	3.66 ⁸⁸	5.93	4.96	(5.73)
September...	2.56	2.09	2.99	3.72	5.57	2.50	2.73	5.18 ³³	3.10	.93	3.44
October	3.26	2.48	.66	4.90	4.41	3.81	3.19	2.76 ²⁸	6.49	5.61	6.12
November...	4.21	3.96	1.90	4.41	4.61	2.54	6.04	2.57 ⁴⁷	5.69	6.40	(4.86)
December...	2.89	4.22	5.48	4.07	6.26	3.28	.95	4.60	4.90	8.27	4.83
TOTALS...	39.96	35.28	35.84 _D	46.28 _D	46.00	37.27 _D	40.52 _D	41.48 _D ⁷	51.80 _D	42.13 _D	(46.77) _D

1918-21 used X1.22 & 1922 X1.25.
Greenhouse 8 ft high 10 ft S.
1927. Corrected for W.D. 19/5/36.
1929. Wall 12 ft. (approx.) high, 30 ft. W.
Greenhouse 5 ft high, 6 ft. N.
1930. Feb, Mar., June, July, Aug. & Nov. adjusted by surr-9 stations.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....	
Date.	Lat. N.	Long. W.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1922	52°46'48"	8°54'16"		2 mi	N.E.	Killmaragh	1 3/4 mi S.
1923	55°46'	8°54'	Ardnallus				

County of Clare Observer Rt. Rev. Bishop Berry (Bishop of Kildare)
per Murphy (1923)

River Basin Shannon - 3.

Rain Gauge, by _____

Diameter ...											
Height			1 3 1 3								
Altitude ...			130 (map - B.R.O.)								
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...			4.37	5.15							
February ...			8.05	6.28							
March			2.20	3.49							
April			2.86	2.82							
May			2.45	1.87							
June			1.98	1.38							
July			3.55	4.43							
August			3.42	6.96							
September...			4.90	4.18							
October			1.04	5.65							
November...			1.82	5.30							
December...			5.66	5.91							
TOTALS...			42.30	53.42	#	51 ⁸	66.64	76.			

Position of Station on reduced Ordnance Survey
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction

County of Blare

Observer Mr. J. Barker
(Lieutenant)

River Basin. Shannon R. bank - 3

Rain Gauge, by

1920 - Trees above 30 ft. High above 50 yds W.
Dwelling Stone " 76 s E

*Position of Station on reduced Ordnance Survey
Map, 2 miles to 1 inch Series*

No. of Map.....

Reference No.

METEOROLOGICAL OFFICE, AIR MINISTRY.

BRITISH RAINFALL ORGANIZATION, 62, CAMDEN SQUARE, LONDON, N.W.1.

RAINFALL at Broadford Hurdleston

County of Glouce

Observer Colonel W. B. Bently

River Basin Shannon, R. bank - 3

Sawdon Rain Gauge, by
(125)

Diameter ...	5			5							
Height	1 0			1 0							
Altitude ...	167			167-015							
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	5.80	5.39	4.58	4.04	4.71	5.16	6.75	6.03	6.22	1.89	6.86
February ...	3.82	2.16	6.86	6.30	1.76	6.89	4.18	3.11	4.64	3.62	.96
March	4.03	3.64	2.35	3.38	1.27	.95	1.83	4.02	3.16	1.11	5.53
April	3.82	1.21	2.85	3.76	4.00	5.27	3.13	1.55	2.85	1.37	1.93
May	5.54	3.19	2.65	1.89	4.38	5.40	3.41	1.27	1.39	2.61	1.87
June	2.11	.45	2.59	1.70	4.27	.46	3.57	4.79	4.52	2.03	2.84
July	5.45	4.32	4.32	5.06	4.76	3.47	5.05	2.70	2.83	3.89	4.05
August	2.40	4.67	3.32	6.96	5.21	2.81	3.81	5.73	5.64	6.91	6.21
September...	3.21	2.09	4.80	5.32	8.36	2.51	2.65	5.66	2.81	1.06	3.48
October	3.46	2.93	1.31	5.89	5.14	4.86	3.47	3.29	7.36	5.68	6.36
November...	4.89	4.67	2.09	4.89	5.12	2.85	5.75	3.20	6.87	6.18	4.29
December...	3.48	4.87	6.70	5.07	9.12	3.56	1.68	3.73	5.80	8.47	5.08
TOTALS...	48.01	39.59	44.42	54.26	58.10	44.19	45.28	45.08	54.09	44.82	49.46
	2	3	2	2	2	2	2	2	2	2	2

1925. Nothing very near gauge.
1926. Tree 20 ft. high, 15 yds. S.E.
1930. G. moved sixty feet to the N.W., on the same level, on the 11th March, on account of a tree to the S.E. which grew very much in 45 years. This was the first time the gauge was moved.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
	52° 48'	5° 38'	Six mile Bridge	9 mi	S.E.	Kilnally	30 yds. N.

RAINFALL at Mountshannon Woodpark

County of Clare Observer R. F. Hibbert Esq

River Basin Shannon, R bank - 3

Standard Rain Gauge, by N.O.

Diameter ...	5											
Height	1 0											
Altitude ...	170											
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.	
January ...	5.87											
February ...	4.29											
March	3.21											
April	3.41											
May	4.40											
June	1.85											
July	5.19											
August	2.19											
September...	2.56											
October	3.48											
November...	4.87											
December...	2.98											
TOTALS...	44.30											

1920 Beach line 20 ft high 22 yds S.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920	52° 55' 57"	8° 27' 30"	Killaloe	12 mi	S	Innisalthe (near Shannon)	1 5 4 NE

TUAMGRANEY

RAINFALL at Tuamgraney, R. Keen House,

County of Clare Observer E. Mac Lysaght
per Murphy.

River Basin Shannon - R. Bank Inlet, 3.

Rain Gauge, by _____

Diameter ...						5"				5	5
Height						6½			0.92	40	1.0
Altitude ...						230'		180		230	180
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...					5.98	5.97	8.69	6.18	6.03	1.80	7.01
February ...					2.33	7.32	4.50	3.64	6.55	3.09	.81
March					1.43	.89	2.26	5.13	4.45	.95	4.79
April					3.87	5.82	3.50	2.49	2.91	1.40	2.32
May					4.13	6.20	3.43	1.75	1.14	2.32	2.44
June					4.40	.50	3.77	4.16	4.48	1.91	3.12
July					3.89	3.27	5.73	3.13	2.91	4.03	4.22
August					5.02	2.99	4.90	5.45	4.52	4.95	5.76
September...					8.25	2.06	2.42	5.12	2.18	1.18	3.70
October					4.57	4.84	3.62	3.28	8.66	5.07	6.69
November...					5.59	2.80	6.21	3.06	7.10	5.72	4.82
December...					9.75	4.15	1.04	4.66	5.40	8.55	4.73
TOTALS...					59.21	46.81	50.07	48.05	56.33	40.97	50.41
					D		D	D	D	D	D

1928. Trees 30 to 40 ft. high 100 yds. S.E. S.W. & W.
House 30 " " 100 " N.W.
Gauge raised in Jan. 1928 on your advice.

1929. Obsr. says g. moved to top of chimney 40 ft. above ground
to avoid sheltering from trees (File 823764/28)

1930. g. moved in April from roof to garden. It is 100 ft. from house (N.W.)
and well away from a few low apple trees and currant bushes -
no high trees near. The high part of house (3 stories) is 150 ft away.

Position of Station on reduced Ordnance Survey } Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1928			Killaloe	10 mi	S.	Tuamgraney	1½ mi W.

