



Climatological Memorandum No. 144

**Frequencies of snow depths and days with  
snow lying at stations in Scotland  
for periods ending winter 1981/82**





© *Crown Copyright 1983*

**Published by the Meteorological Office  
London Road, Bracknell, Berkshire, RG12 2SZ**

Cover photograph (View, in a westerly direction,  
from near the summit of Ben Lawyers 10 February 1983).  
Courtesy of Mr D Lowther (Met O 2)

UDC 551.577.36  
551.578.46

ISBN 0 86180 140 7





## Climatological Memorandum No. 144

# Frequencies of snow depths and days with snow lying at stations in Scotland for periods ending winter 1981/82







Figure 1.

Stations for which  
Snow depth frequencies  
have been compiled.





## Frequencies of snow depths and days with snow lying at stations in Scotland, for periods ending winter 1981/82

This memorandum gives frequencies of snow depths and days with snow lying on the ground at 97 stations in Scotland. It supercedes the earlier publication CM70 in that, where possible, data are included for the months of November to April for each winter up to and including 1981/82. Also, four stations have been added to the list of those presented in the earlier publication. Only continuous records have been used and if it has not been possible to estimate missing values from suitable nearby stations then, for the purposes of this memorandum, a record has been deemed to have been terminated by the missing value. This should not necessarily be taken to indicate that subsequent data are not available. On this basis four of the tables show a record of 30 years or more and eleven show less than 10 years.

In the Meteorological Office, a day with snow lying on the ground is defined as one on which half, or more than half, of the ground surrounding the observing station is covered with snow at 0900 GMT, and the depth of snow is measured on these occasions. The measurement is made by using a ruler held vertically at a representative spot in level snow in a place free from drifting and not scoured by wind.

The data are presented in Tables 1 to 97 and each table is in two parts. One part gives the frequencies of snow depths between specified limits for each winter plus the average for each range over the period of record. The other part gives the number of days in each of the winter months from November to April with snow lying at 0900 GMT, together with average values for the period.

For ease of reference, the average number of days per winter with snow lying at 0900 GMT at depths between the specified limits are summarized for each of the stations in Table 98. These data have been abstracted from the main tables and they serve to illustrate the extreme variability in snow coverage and depths from place to place in Scotland. Much depends on the station's altitude and aspect, and its proximity to the moderating influence of the sea. However, it is necessary to use caution when consulting Table 98 and particular attention should be paid to the period of years used to calculate the average frequencies, especially those for large depths of snow. For example, it can be seen from Table 98 that at Balmoral the average number of days with snow lying at 0900 GMT to a depth of over 40 centimetres is 1.8 days. However, the more detailed figures for Balmoral in Table 30 reveal that this value resulted from prolonged spells of deep snow in only four winters and that in the remaining 22 years of the Balmoral record a depth of over 40 centimetres did not occur.

A map showing the positions of the 97 stations is at Figure 1 and the station index on pages 3 and 4 gives the National Grid Reference of each station. The recording station at Forres was moved to the other side of the town in 1976 and there is an appreciable difference in height above sea level between the two sites. The record at the new site is too short to draw any firm conclusions about homogeneity so the complete record is shown in Table 22 but averages have not been prepared. At Glenlivet there was a clear gap in the records and separate frequency tables have been included for the two separate sites. There have been small changes in the sites of a number of stations but the records are considered to be reasonably homogeneous. In these cases the grid references and altitudes refer to the latest site.



# Station Index

Station	NGR	Page
Aberdeen (Mannofield)	NJ (38) 915042	30 and 83
Abbotsinch (and Renfrew)	NS (26) 480667	66 " 84
Achany	NC (29) 569018	10 " 82
Achnashellach	NH (28) 038492	12 " 82
Arbroath	NO (37) 649411	35 " 83
Ardalnaig	NN (27) 702394	37 " 83
Auchincruive	NS (26) 389236	72 " 84
Balmacara House	NG (18) 800276	12 " 82
Balmoral	NO (37) 260946	27 " 83
Baltasound	HP (N42) 607089	6 " 82
Banff	NJ (38) 689647	26 " 82
Bargrennan	NX (25) 361789	76 " 85
Barrhead	NS (26) 511601	65 " 84
Benbecula	NF (08) 782556	14 " 82
Benmore Forestry School	NS (26) 138853	61 " 84
Blyth Bridge	NT (36) 141463	54 " 84
Bowhill	NT (36) 428278	56 " 84
Braemar	NO (37) 152914	26 " 82
Bush House (and Boghall)	NT (36) 244636	47 " 83
Cape Wrath	NC (29) 259747	9 " 82
Carnoustie	NO (37) 558344	34 " 83
Carnwath	NS (26) 974464	71 " 84
Coatbridge	NS (26) 712643	69 " 84
Craibstone	NJ (38) 871107	28 " 83
Crossmyloof	NS (26) 572627	67 " 84
Cumnock	NS (26) 563200	74 " 85
Dunbar	NT (36) 672791	51 " 84
Dundee	NO (37) 422313	33 " 83
Dyce	NJ (38) 877127	29 " 83
Edinburgh — Royal Observatory	NT (36) 258706	48 " 83
" — East Craigs	NT (36) 185735	45 " 83
" — Royal Botanic Garden	NT (36) 245755	49 " 83
Elgin	NJ (38) 229630	23 " 82
Eskdalemuir	NT (36) 235026	75 " 85
Faskally	NN (27) 918599	38 " 83
Fettercairn	NO (37) 669782	31 " 83
Forres	NJ (38) 047587 & 039595	21 " 82
Fort Augustus	NH (28) 381091	18 " 82
Fort William	NN (27) 123759	17 " 82
Galashiels	NT (36) 479367	57 " 84
Glamis Castle	NO (37) 388486	34 " 83
Glasgow (Springburn Park)	NS (26) 608686	68 " 84
Glenlee	NX (25) 606805	78 " 85
Glenlivet — old site	NJ (38) 223222	25 " 82
" — new site	NJ (38) 188303	25 " 82
Glenlochar Barrage	NX (25) 732646	79 " 85
Glenmore Lodge	NH (28) 987095	19 " 82
Glenshee Lodge	ND (37) 133684	39 " 83
Glentress	NT (36) 283397	56 " 84
Greenock	NS (26) 274757	63 " 84
Haddington	NT (36) 513736	50 " 83
Hamnavoe	HU (N41) 372357	4 " 82
Happendon (and Coalburn)	NS (26) 847349	69 " 84
Helensburgh	NS (26) 303836	61 " 84
Inverness	NH (28) 668462	18 " 82



# Station Index (Contd)

Station	NGR	Page
Isle of Rhum	NM (17) 402996	15 and 82
Kelso	NT (36) 736346	52 " 84
Kinlochewe	NH (28) 024630	13 " 82
Kinloss	NJ (38) 067627	22 " 82
Kirkcaldy	NT (36) 268912	41 " 83
Kirkwall	HY (N30) 483076	7 " 82
Lauder	NT (36) 521488	52 " 84
Leadhills	NS (26) 888151	70 " 84
Lepinmore	NR (16) 985926	60 " 84
Lerwick	HU (N41) 453397	5 " 82
Leuchars	NO (37) 468209	42 " 83
Lossiemouth	NJ (38) 213699	24 " 82
Marchmont	NT (36) 743484	52 " 84
Montrose	NO (37) 707617	36 " 83
Muchalls	NO (37) 898919	32 " 83
Mull of Galloway	NX (25) 157304	81 " 85
Mylnefield	NO (37) 339301	32 " 83
Nairn	NH (28) 869568	20 " 82
Onich	NN (27) 028633	16 " 82
Paisley	NS (26) 478642	64 " 84
Palnure	NX (25) 452646	77 " 85
Penicuik	NT (36) 233599	46 " 83
Penwhirn	NX (25) 127693	81 " 85
Perth	NO (37) 101239	39 " 83
Pitreavie	NT (36) 117848	40 " 83
Prabost	NG (18) 418501	16 " 82
Prestwick	NS (26) 369261	73 " 85
Rhuvaal	NR (16) 425791	60 " 84
St Abb's Head	NT (36) 914693	53 " 84
St Andrews	NO (37) 503167	43 " 83
Sourhope	NT (36) 845202	58 " 84
Stanhope Farm	NT (36) 123296	53 " 84
Stenness	HY (N30) 298112	6 " 82
Stirling	NS (26) 786925	62 " 84
Stornoway	NB (19) 464332	11 " 82
Strachan	NO (37) 696917	31 " 83
Strathyre	NN (27) 561167	37 " 83
Threave	NX (25) 751607	80 " 85
Tiree	NL (07) 999446	59 " 84
Turnhouse	NT (36) 159739	44 " 83
West Linton	NT (36) 150520	55 " 84
Wick	ND (39) 364522	8 " 82



**TABLE 1 Hamnavoe 21 m Maximum depth 28 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1962/63	29	3							32	5	6	15	6			32
1963/64	3	3	1						7		5		2			7
1964/65	13	4	1						18		7	6	2	3		18
1965/66	24	10	8	2					44	10	7	7	14	5	1	44
1966/67	9								9	1	3	4		1		9
1967/68	24	3	5	2					34		9	10	9		6	34
1968/69	16	5	7	4					32	2	5	1	19	7		32
1969/70	13	7	4	4		2			30		4	6	11	7		30
1970/71	3	1	1						5	1	1	2	1			5
1971/72	3	3							6	3		2	1			6
10-year average	13.7	3.9	2.7	1.2		0.2			21.7	2.2	4.7	5.3	6.5	2.3	0.7	21.7



TABLE 2 Lerwick Observatory 82 m Maximum depth 30 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total
1956/57	5	5							10
1957/58	9	14	14	2	3	2			44
1958/59	6	12	3	2	1	3			27
1959/60	10	5	1	2	1	1			20
1960/61	9	2	2						13
1961/62	13	6	6	5	1				31
1962/63	12	14	11	5					42
1963/64	6	4							10
1964/65	21	1	5						27
1965/66	28	17	9	3	2	1			60
1966/67	22	4	1						27
1967/68	37	8	3	4					52
1968/69	12	14	10	1					37
1969/70	35	7		2					46
1970/71	8		2						10
1971/72	10	2							12
1972/73	8	9	5						22
1973/74	9	5	3						17
1974/75	10	3							13
1975/76	12	4	3						19
1976/77	24	5							29
1977/78	12	3	1	2					20
1978/79	11	4	21	10	1	2			47
1979/80	9	9	3						21
1980/81	7	13	4						24
1981/82	9	9	12	3					33
26-year average	13.6	6.9	4.9	1.6	0.3	0.4			27.4

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

November	December	January	February	March	April	Total
3	5	12	15	1	1	10
	3	22	15	12		44
		8	12			27
		4	3	4	2	20
1	10	2	6	12		13
8	6	19	9			31
2	6		2			42
1	7	9	4			10
12	16	8	14	6	4	27
4	7	9		3	4	60
	12	15	13	4	8	27
1	6	3	19	7	1	52
6	6	8	15	9	2	37
1	4	1	1	2	1	46
8		2	1	1		10
1			14	1	6	12
8	7		1	1		22
	4	3	1	5	1	17
	5	10	1	1	2	13
	9	10	4	2	2	19
2		10	4	2	2	29
1	1	9	8	1	1	20
2	4	16	19	6		47
1	2	4	8	5	1	21
6	3	11	2	1	1	24
2	22	8		1	1	33
2.7	5.6	7.4	6.8	3.4	1.5	27.4



**TABLE 3 Baltasound 24 m Maximum depth 43 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1958/59	10	7	3	4	2				26		3	21	2			26
1959/60	6	3	6	2		2			19			9	10			19
1960/61	9	2							11			5	3	1	2	11
1961/62	15	9	9	2					35		12	2	4	17		35
1962/63	9	13	15	7					44	9	6	19	9		1	44
1963/64	3	1		2					6	2	4					6
1964/65	17	4	5	3					29	1	6	7	2	13		29
1965/66	20	9	15	11	8	1			64	10	13	14	14	6	7	64
1966/67	5		1						6			1		1	4	6
1967/68	13	5	14	8	1	4			45		11	13	14	1	6	45
1968/69	9	2	8	10	4	3			36		5		22	9		36
1969/70	11	7	14	2	2	2	4	1	43	5	5	9	12	11	1	43
1970/71	5								5		1	3	1			5
1971/72	1		1	5	1				8	8						8
1972/73	16	2							18					1	6	18
1973/74	6	1	3	2	1	3			16	7	7		2			16
16-year average	9.7	4.1	5.9	3.6	1.2	0.9	0.3	0.1	25.7	2.6	4.6	6.4	6.6	3.8	1.7	25.7

**TABLE 4 Stenness 23 m Maximum depth 18 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1961/62	16	4	8	2					30		13	1	2	14		30
1962/63	8	9	14	1					32	5	7	19			1	32
1963/64	4		1	2					7	1	5		1			7
1964/65	14	3	2						19		5	8	1	5		19
1965/66	24	8	5						37	9	6	4	12	4	2	37
1966/67	5								5		2	3				5
1967/68	11	4	14		1				30		6	7	9		8	30
1968/69	12	5	9	2	1				29		5	1	16	7		29
1969/70	20	4	7	10	2				43	4	2	8	14	13	2	43
1970/71	2								2			2				2
1971/72		4	3		2				9	6		2	1			9
1972/73	4	4	3	3					14				11		3	14
1973/74		2	9						11	7	4					11
13-year average	9.2	3.6	5.8	1.5	0.5				20.6	2.5	4.2	4.2	5.2	3.3	1.2	20.6



TABLE 5 Kirkwall 26 m Maximum depth 24 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	1								1	1						1
1957/58	11	11	8	4	2				36		2	12	14	8		36
1958/59	4	3	2	2					11			11				11
1959/60	11	4							15			3	12			15
1960/61	3	1							4		1			1	2	4
1961/62	13	3	6	1					23		12	1	1	9		23
1962/63	16	6	3						25	5	3	14	2		1	25
1963/64	1	2	2						5		4		1			5
1964/65	4	5		2					11		4	3	1	3		11
1965/66	11	4							15	8	3	1	2	1		15
1966/67		1							1		1					1
1967/68	10	7	8			1			26		6	6	9		5	26
1968/69	5	4	9	3					21		3		16	2		21
1969/70	10	7	7	3					27	2	1	4	15	5		27
1970/71									0							0
1971/72		4	2						6	3		2	1			6
1972/73	4	4	1	3					12	6		3	10		2	12
1973/74	3	3	7						13		7					13
1974/75	5								5		1	1		3		5
1975/76	3	1							4			4				4
1976/77	9	5	2						16		9	4	2		1	16
1977/78	9	5	2						16	1	1	4	10			16
1978/79	9	11	10	4					34	2	4	13	14	1		34
1979/80	10	2	1						13	1		3	7	2		13
1980/81	3	5	2						10			8	2			10
1981/82	3	8	8	3	2				24	1	13	9		1		24
26-year average	6.1	4.1	3.1	1.0	0.1				14.4	1.1	2.9	4.0	4.6	1.4	0.4	14.4

Number of days with snow lying at 0900 GMT, depth not specified

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

TABLE 6 Kirkwall 32 m Maximum depth 30 cm



**TABLE 6 Wick 36 m Maximum depth 30 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	1			1					2	1		1				2
1957/58	7	9	5	3	5	3			32		1	10	13	8		32
1958/59	6	10	1	1	1	2			21		1	19	1			21
1959/60	2	3	3	3	7	3			21			6	14	1		21
1960/61	1	2							3				1	1	1	3
1961/62	6	10	9	3	1				29		12	1	4	11	1	29
1962/63	15	9	2						26	8	2	13	3			26
1963/64	2	1	4						7		4		3			7
1964/65	11	2	5		2				20		4	9	1	6		20
1965/66	10	3	6	1		1			20	8	6		2	3	1	20
1966/67	5	5	3	2					15	3	5	6		1		15
1967/68	13	12	8	2					35		10	11	9	1	4	35
1968/69	6	5	8	1	2	2			24		5	3	15	1		24
1969/70	18	9	8	3	1	1			40	3	3	7	16	10	1	40
1970/71	2								2				1			2
1971/72		2	4	1					7	4		2	1			7
1972/73	7	9	5	2					21	4			12		5	21
1973/74	6	4	4						16	8						16
1974/75	6	1	1						8	8	3	3		1	1	8
1975/76	3		2	1					6			5		1		6
1976/77	6	9	1						16		6	8	2			16
1977/78	3	7	5						15				13		2	15
1978/79	11	3	9	6	1				30		2	13	12	3		30
1979/80	7	2	5	1					15	3		2	6	4		15
1980/81	10	3	4	4					21		4	12	4		1	21
1981/82	10	3	10	3	1				27	1	13	10		3		27
26-year average	6.7	4.7	4.3	1.5	0.8	0.4			18.4	1.7	3.4	5.4	5.1	2.2	0.7	18.4



TABLE 7 Cape Wrath 112 m Maximum depth 18 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Year	Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified										Total
	November	December	January	February	March	April					Total
1956/57	1			1							1
1957/58	11		10	6	10						26
1958/59	8		9								9
1959/60	10		4	6							10
1960/61	2			1		1					2
1961/62	13	5			8						13
1962/63	9	6	6			1					15
1963/64	2	2	5								2
1964/65	10	3		2	2						10
1965/66	10	3			3						15
1966/67	3	1			2						5
1967/68	11	2	4	6		4					16
1968/69	6	3		14							17
1969/70	16	3	2	13	6						29
1970/71											0
1971/72	2			8	1						3
1972/73	1										8
17-year average	6.8	2.0	1.5	3.4	1.9	0.5					10.6



**TABLE 8 Achany 85 m Maximum depth 48 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April,  
with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	13	1							14	3	1	2	8			14
1957/58	12	1	11	7	3	6	4		44		3	15	7	19		44
1958/59	3	5	8	21	5	8			50			30	20			50
1959/60	3	9	1	3	6	9	1	3	35			16	18	1		35
1960/61	12	1							13		4	4	3	1	1	13
1961/62	22	21	14	1	3	1	5		67	7	18	13	10	15	4	67
1962/63	6	28	18	11	5	8			76	9	9	30	28			76
1963/64	17								17	6	6	1	3	1		17
1964/65	14	12	26						52	1	15	23	7	6		52
1965/66	19	5	30	14	14	7			89	12	31	17	18	7	4	89
1966/67	12	7	13	2					34	4	10	10	1	8	1	34
1967/68	13	9	17	13					52		12	15	14	4	7	52
1968/69	13	2	10	9	2	7			43	1	9	6	22	4	1	43
1969/70	18	7	16	8	5	7			61	7	3	13	20	15	3	61
1970/71	15	4							19	8	3	3	4	1		19
15-year average	12.8	7.5	10.9	5.9	2.9	3.5	0.7	0.2	44.4	3.9	8.3	13.2	12.2	5.5	1.4	44.4



TABLE 9 Stornoway 15 m Maximum depth 15 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	2								2	1	1	1				2
1957/58	10	5	3	9					27			10	6	10		27
1958/59	7	5	4	1					17			16	1			17
1959/60	5	5	5	2					17			3	14			17
1960/61	1								1						1	1
1961/62	10	5	7	4					26		11	3	2	10		26
1962/63	10								10	3	3	3			1	10
1963/64	1								1	1	1					1
1964/65	2	1							3	2	2	11	30	1		3
1965/66	10	1							11	4	4	3	31	1	1	11
1966/67	3		1						4	1	1	10	10	1	1	4
1967/68	7	2	2	1					12	6	6	1	3		2	12
1968/69	6	1	2	1					10	1	1	1	8			10
1969/70	12	6	2						20	2		6	7	5		20
1970/71	1								1				1			1
1971/72	4	1							5	4				1		5
1972/73	5	4							10	3	1		6			10
1973/74	4	2							6	4	2					6
1974/75	2								2					1		2
1975/76	3	2							5			5				5
1976/77	5								5		2	3				5
1977/78	6	5							11	1		4	5		1	11
1978/79	16	3	3	1					23	3		13	3	4		23
1979/80	4	4							8		1	2	4	1		8
1980/81	6	1							7		1	6				7
1981/82	5	7	2	3					17		8	7		2		17
26-year average	5.7	2.3	1.2	0.8					10.0	1.0	1.8	3.2	2.3	1.4	0.3	10.0



**TABLE 10 Balmacara House 4 m Maximum depth 15 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1961/62	19								19	4	7	3	1	7	1	19
1962/63	5								5		3				1	5
1963/64	3								3	1	4	2	2	2		3
1964/65	11								11	6	7					11
1965/66	7	2	5	1					15		1					15
1966/67	3								3		9	1	4	2		3
1967/68	18								18		6	4	16	1	4	18
1968/69	11	5	10	1					27	3	1	8	9	13		27
1969/70	21	5	5	3					34							34
9-year average	10.9	1.3	2.2	0.6					15.0	1.6	4.2	2.0	3.5	3.0	0.7	15.0

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

**TABLE 11 Achnashellach 67 m Maximum depth 46 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1962/63	3	1	4	3					11	9	6		1		1	11
1963/64	3	1	3	1					8		8	10	2			8
1964/65	10	3	8	4					25		19	1	1	6		25
1965/66	13	2	13	8	1				37	9	4	10	10	8		37
1966/67	9	5	5						19	3	12	12	10	2		19
1967/68	19	14	6		3	1			43		6	7	21	1	8	43
1968/69	5	2	6	6	7	6	1	1	34	4	3	11	20	18	3	34
1969/70	10	8	8	10	6	9	7		59	3			4			59
1970/71	3	5							8	3		1				8
9-year average	8.3	4.5	5.9	3.5	1.9	1.8	0.9	0.2	27.1	3.1	6.4	5.8	6.5	3.9	1.3	27.1

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified



TABLE 12 Kinlochewe 23 m Maximum depth 61 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total
1956/57	7		5						12
1957/58	22	3	7	5	2		5		44
1958/59	14		11	2	3	7			37
1959/60	12	1		2		1	2	7	25
1960/61	7								7
1961/62	13	1	5	9	5	5			43
1962/63	25								25
1963/64	4	1			2	1			8
1964/65	26				1				27
1965/66	30								30
1966/67	11								11
1967/68	18	2	4	2	2	1			29
1968/69	12	4	8	5	1				30
1969/70	18	8	9	7	4	4			50
1970/71	7	1							8
15-year average	15.1	1.4	3.3	2.1	1.3	1.3	0.8	0.5	25.7

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

November	December	January	February	March	April	Total
3		1	8			12
	4	18	9	11	2	44
		27	10			37
		7	18			25
		4	1	1	1	7
3	17	5	2	16		43
8	7	4	6			25
	6		2			8
	10	11	2	4		27
9	13	1	1	5	1	30
2	4	2		2	1	11
	8	7	8		6	29
	6	3	20	1		30
5	2	10	16	16	1	50
2	1	2	3			8
2.1	5.2	6.8	7.2	3.7	0.8	25.7



TABLE 13 Benbecula 6 m Maximum depth 15 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	2								2							2
1957/58	7	4	3	2					16			7	2	4		16
1958/59	5	1	1						7			7	5			7
1959/60	5	4							9				9			9
1960/61		1							1				1			1
1961/62	12	4							16		9	1	1	5		16
1962/63	9	3							12	2	5	3	1		1	12
1963/64	2								2		1		1			2
1964/65	6								6		2	1		3		6
1965/66	5								5	3				2		5
1966/67	1		1						2		1			1		2
1967/68	5	3							8		5		1		2	8
1968/69	8	6	1						15		3	3	9	6		15
1969/70	11	7		2					20	3		5	6			20
1970/71	1	1							2			2		1		2
1971/72	1		2						3			1	1			3
1972/73	2	1	2						5	1			4		1	5
1973/74	4								4		3			2		4
1974/75	4								4						2	4
1975/76	1	2							3		1	2				3
1976/77	8	2							10		4	6				10
1977/78	2	1							3			2			1	3
1978/79	4	2	1						7			6			1	7
1979/80	4								4				4			4
1980/81	3	1							4	1		2	1			4
1981/82	12								12		5	7				12
26-year average	4.8	1.7	0.4	0.1					7.0	0.4	1.5	2.1	1.8	0.9	0.3	7.0



TABLE 14 Isle of Rhum 5 m Maximum depth 25 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1958/59	9	1	1						11			11				11
1959/60	3	4	5	3					15			1	14			15
1960/61	1								1				1			1
1961/62	14	4	3	2					23	1	9	4	5	9	1	23
1962/63	10		3						13	4	1	2				13
1963/64	1	1							2		2	3				2
1964/65	9	1							10	5	2			5		10
1965/66	6	1							7	1	3			2		7
1966/67	4								4		4	1		1		4
1967/68	7	3	7						17				8	1	3	17
1968/69	13	5	3						21		4	4	12		1	21
1969/70	11	7	4	1	3	2			28	2		6	15	4	1	28
1970/71									0							0
13-year average	6.8	2.1	2.0	0.5	0.2	0.1			11.7	1.0	1.9	2.5	4.2	1.6	0.5	11.7



**TABLE 15 Prabost 67 m Maximum depth 23 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1959/60	3	7	7	1	1				19	1		2	16			19
1960/61	1	1	1						3				2	1		3
1961/62	12	3	11	5	4	1			36		13	3	4	13	1	36
1962/63	31	3	5	5					44	4	6	26	6	1	1	44
1963/64	5								5	1	4					5
1964/65	22	2	1						25		9	11	2	3		25
1965/66	13		1						14	7	4			3		14
1966/67	10	1							11	2	3	1		5		11
1967/68	28								28		7	4	8	4	5	28
1968/69	19	4	2						25		4	4	16	1		25
1969/70	30	4	9						43	8	3	8	15	9		43
1970/71	9								9		2	2	5			9
1971/72	12	3	3	2					20	8		6	2	4		20
1972/73	18	4	3	2					27	6	5	1	11	2	2	27
14-year average	15.2	2.3	3.1	1.1	0.4	0.1			22.1	2.8	4.3	4.9	6.2	3.3	0.6	22.1

**TABLE 16 Onich 15 m Maximum depth 13 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1972/73	7	2	2	2					13	4			9			13
1973/74	10	4	2						16	6	8	1	1			16
1974/75	6								6		2	1			3	6
1975/76	3								3			2	1			3
1976/77	4								4		3				1	4
1977/78	12	1	1						14	2		9	2		1	14
1978/79	14	10	10	3					37	4		22	7	4		37
1979/80	3	2	3						8		1		5	2		8
1980/81	15	3	1						19	3	2	10	2	2		19
1981/82	17	6							23	2	8	9		4		23
10-year average	9.1	2.8	1.9	0.5					14.3	2.1	2.4	5.4	2.7	1.2	0.5	14.3



TABLE 17 Fort William 8 m Maximum depth 38 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total
1946/47	7								7
1947/48	17	2							19
1948/49	9	1							10
1949/50	5	1	1						7
1950/51	23	4	3	1					31
1951/52	19								19
1952/53	14	1	1						16
1953/54	5								5
1954/55	19	1	5	4					29
1955/56	6								6
1956/57	7								7
1957/58	16		1						17
1958/59	18	1							19
1959/60	7	1	9	3					20
1960/61	2								2
1961/62	11	1	4	2	1	1	2		22
1962/63	11								11
1963/64	2								2
1964/65	9	2	1						11
1965/66	10	2							13
1966/67	3	1							4
1967/68	13	3							16
1968/69	15	2							17
1969/70	11	3	4						18
1970/71			2						2
25-year average	10.4	1.0	1.2	0.4	<0.1	<0.1	0.1		13.2

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	November	December	January	February	March	April	Total
1946/47	6	3	10	4	3		7
1947/48		1	5	3	1		19
1948/49		2	1	2		2	10
1949/50	1	15	5	5	5		7
1950/51		1	16	2			31
1951/52	8	4		4			19
1952/53							16
1953/54							5
1954/55			13	14	2		29
1955/56			6				6
1956/57	2		1	4			7
1957/58			6	5	6		17
1958/59		1	18				19
1959/60	1		4	15			20
1960/61				2	2		2
1961/62	5	14	3	3	2		22
1962/63	1	2	1	2		1	11
1963/64	1	6		3	1		11
1964/65	5	5	1		2		13
1965/66							
1966/67	1	2	1				4
1967/68		5	4	4	1	2	16
1968/69		4	4	8		1	17
1969/70	4	1	7	2	4		18
1970/71				2			2
25-year average	1.4	2.6	4.2	3.6	1.1	0.2	13.2



**TABLE 18 Fort Augustus 21 m Maximum depth 28 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1951/52	9	4	11	13	1				38	3	5	26	7			38
1952/53	8	3	1						12		3		6			12
1953/54	10	1	1						12			2	7	2	1	12
1954/55	8		6	7	8	3			32		2	13	15	2		32
1955/56	18								18		3	12	3			18
1956/57	12	1							13	3	1	5	4			13
1957/58	13	2	9	3					27		2	9	6	10		27
1958/59	2	8	13						23			23				23
1959/60	6	2	3	10	1				22	1		5	16			22
1960/61	2								2				2			2
1961/62	13	3	4	4	3	3			30	2	14	4	4	4	2	30
1962/63	21	8							29	5	7	13	3		1	29
1963/64	1								1				1			1
1964/65	13								13		7	3	2	1		13
1965/66	7	1	9	1					18	6	8		2	4		18
1966/67	8	5							13	2	4	7				13
1967/68	18	3	5	1					27	1	7	7	8	1	3	27
1968/69	25								25		5	3	17			25
1969/70	8	4	20	3	1				36	5	2	9	14	6		36
1970/71	1	4							5				5			5
20-year average	10.1	2.5	4.1	2.1	0.7	0.3			19.8	1.4	3.5	7.1	6.0	1.5	0.3	19.8

**TABLE 19 Inverness 4 m Maximum depth 53 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1958/59	4	1	1	1		1			8			8				8
1959/60	5	6	2	6	1		1	1	22			5	16	1		22
1960/61	4	1							5			3	2			5
1961/62	7	5	1		8	6			27	1	16	4	5	1		27
1962/63	17	14	5	4					40	2	6	26	5		1	40
1963/64	1								1				1			1
1964/65	17								17		5	6	2	4		17
1965/66	20	1	1						22	7	6	4	2	3		22
1966/67	3		1						4	2	2					4
8-year average	9.7	3.5	1.4	1.4	1.1	0.9	0.1	0.1	18.2	1.5	4.4	7.0	4.1	1.1	0.1	18.2



TABLE 20 Glenmore Lodge 341 m Maximum depth 63 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	21	5	10						36	4	5	6	18	1	2	36
1957/58	23	5	10	3	3	7	5	3	59	2	5	11	14	24	3	59
1958/59	9	6	16	6	6	9			52		8	29	14		1	52
1959/60	11	1	2	2	3	8	2	3	32	1	2	12	17			32
1960/61	17	3	2	1					23		6	10	4	2	1	23
1961/62	31	14	9	2	4	14	11	7	92	8	18	16	15	29	6	92
1962/63	9	3	10	12	2	35	9	10	90	10	13	31	28	6	2	90
1963/64	27	6	3	2					38	7	15	6	5	5		38
1964/65	59	8	12	2					81	5	22	25	14	12	3	81
1965/66	44	5	7	3		6	9	2	76*	13	18*	17	14	10	4	76*
1966/67	26	14	12	2	1	1	2		58*	11	13*	17	4	10	3	58*
1967/68	25	12	11	13	5	12	2		80*		14*	14	28	14	10	80*
1968/69	16	8	8	11	10	4			57*	6	8*	8	24	7	4	57*
1969/70	30	3	15	12	9	22	4		95	14	8	9	24	24	16	95
1970/71	13	5	9	3					30	2	6	8	6	6	2	30
15-year average	24.0	6.5	9.1	4.9	2.9	7.9	2.9	1.7	59.9	5.5	10.7	14.6	15.3	10.0	3.8	59.9

\* Records incomplete. Depth of snow not reported 15.12.65 - 27.12.65 incl.  
23.12.66 - 31.12.66 incl.  
23.12.67 - 28.12.67 incl.  
24.12.68 - 26.12.68 incl.



TABLE 21 Nairn 8 m Maximum depth 20 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1958/59	4	5	6						15			15				15
1959/60	3	2	13						18			4	14			18
1960/61	6								6			4	1	1		6
1961/62	20	1	7		7				35		16	4	7	8		35
1962/63	41	1	2						44	2	5	26	11			44
1963/64	6								6	2	2	6	2	6		6
1964/65	18	1	3						22	6	6	6	4			22
1965/66	15	1	1	1					18	6	2	1	6			18
1966/67	3	2							5	2	2	4				5
1967/68	13	3	3						19		2		8	2	3	19
1968/69	19	6							25		4	3	17	1		25
1969/70	14	3	4						21	1	2	6	8	3	1	21
1970/71	1								1				1			1
1971/72	1	1	2	1					5	1		2	1	1		5
1972/73	7	3	5						15	2	2		11			15
1973/74	6	2							8		8					8
1974/75	3	2							5		2			2	1	5
1975/76	1		1						2		1	1				2
1976/77	4								4			4				4
1977/78	3	8	2	2	4				19		1	4	15	5		19
1978/79	2	4	5						11			4	1			11
21-year average	9.0	2.1	2.6	0.2	0.5				14.5	0.8	2.8	4.2	5.1	1.4	0.2	14.5



TABLE 22 Forres 50/5 m Maximum depth 40 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	2								2			1	1			2
1957/58	26	1	4	2					33		1	11	9	12		33
1958/59	12	4	5						21			21				21
1959/60	10	2	7	1					20			5	14	1		20
1960/61	6								6			2	3	1	0	6
1961/62	19	5	9	5	2		3		50	3	16	4	7	19	1	50
1962/63	21	3	21	5	3	2			55	7	5	27	16			55
1963/64	5	1							6		2		4			6
1964/65	27	3	1	1					31	10	10	13	3	5		31
1965/66	12	4	3	1	2				22		2		7	3		22
1966/67	10	3	2						15	2	5	6	1	1		15
1967/68	14	16	7	3					40		6	13	12	3	6	40
1968/69	17	3	3						23		4	3	16			23
1969/70	17	8	8	2					35	3	1	8	17	4	2	35
1970/71	1	2							3			2	1			3
1971/72	5	5							10	6		2	1	1		10
1972/73	8	8	2	2	1				21	4	2		13		2	21
1973/74	10	7	4	1					22	6	14	1		1		22
1974/75	5	3	3						11		3	2	1	4	1	11
1975/76	3	4	3						10			9		1		10
1976/77	11	5	1						17		10	4	3			17
1977/78	5	1	3	4	4				17			3	13		1	17
1978/79	20	12	9						41	1		19	15	6		41
1979/80	4	4	2						10			2	5	3		10
1980/81	9	4	1						14		2	12				14
1981/82	3	4	13	11					31	1	13	13		4		31

NB. Major change of site. See note in text.

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified



TABLE 23 Kinloss 5 m Maximum depth 30 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April,  
with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1953/54	7								7			1	3	3		7
1954/55	9	5	9	6	3				32		1	15	14	2		32
1955/56	13	5	1						19		1	11	6		1	19
1956/57	1	1							2			1	1			2
1957/58	8	2	5	1	4	2			22			10	8	4		22
1958/59	7	9	2						18			18				18
1959/60	3	3	10	2	2				20			5	14	1		20
1960/61	3								3			1	2			3
1961/62	19	3	4	2	4	3			35		14	4	5	12		35
1962/63	17	14	7	2					40	1	4	25	10			40
1963/64	3								3		2		1			3
1964/65	16	6	3						25		7	10	3	5		25
1965/66	18	3	2						23	8	2		10	2	1	23
1966/67	4	2	2						6	2	3	1				6
1967/68	21	2	1						24		3	6	10	2	3	24
1968/69	5	4	10	1					20		3	1	16			20
1969/70	21	1		5					27	2		7	14	4		27
1970/71	2								2	1		1	1			2
1971/72	4								4	1		2	1			4
1972/73	10	1	4						15	3	2		9		1	15
1973/74	14		2						16	5	11					16
1974/75	3	2							5		2	1		1	1	5
1975/76	4								4			4				4
1976/77	12	2	1						15		7	4	4			15
1977/78	3	2	3	7	1				16			2	13		1	16
1978/79	11	20	3						34	1	3	18	5	7		34
1979/80	7	2	3						12			4	5	3		12
1980/81	4	5	4						13	1	3	10				13
1981/82	6	1	10	10					27	1	13	11		2		27
29-year average	8.8	3.2	3.0	1.2	0.5	0.2			16.9	0.8	2.8	6.0	5.3	1.7	0.3	16.9



TABLE 24 Elgin 15 m Maximum depth 33 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	1								1			1				1
1957/58	6	2	7	1	4	3			23			9	8	6		23
1958/59	10	2	3	1					16			16				16
1959/60	4	2	3	3		7	1		20			5	14	1		20
1960/61	1	1	1						3				3			3
1961/62	15	9	5	5	1	1			36		15	4	2	15		36
1962/63	14	6	7	3	8	5			43	4	4	25	10			43
1963/64	1								1				1			1
1964/65	21	2	1						24		6	12		6		24
1965/66	12	4							16	7			5	4		16
1966/67	5	2	1						8	2	3	2	1			8
1967/68	24	4		1					29		5	7	11		6	29
1968/69	20	2	2						24		4	3	16	1		24
1969/70	28	1	4						33	3	2	7	11	8	2	33
1970/71	1			1					2		1		1			2
15-year average	10.9	2.5	2.3	1.0	0.9	1.1	0.1		18.6	1.1	2.7	6.1	5.5	2.7	0.5	18.6



TABLE 25 Lossiemouth 6 m Maximum depth 18 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1958/59	9								9			9				9
1959/60	2	1	6	9	1				19			5	13	1		19
1960/61	2	1							3				3			3
1961/62	8	4	4	5	1				22		6	4	2	10		22
1962/63	13	8	7						28	1	4	13	10			28
1963/64	2								2				2			2
1964/65	14		2						16		5	8		3		16
1965/66	7								7	2	2		1	2		7
1966/67	2								2	1		1				2
1967/68	15	4							19		4	4	9	1	1	19
1968/69	11								11		1					11
1969/70	7	7	2						16	2	1	4	8	1		16
1970/71	2								2			1	1			2
1971/72	1	1	1						3			2	1			3
1972/73	NO RECORD								—	NO RECORD						—
1973/74	NO RECORD								—	NO RECORD						—
1974/75	4		1						5		1	1		2	1	5
1975/76	2								2			2				2
1976/77	12	4							16		8	4	4			16
1977/78	6	2	8	2	1				19			4	13		2	19
1978/79	16	4	4						24		2	11	3	8		24
1979/80	9	3							12		1	4	5	2		12
1980/81	5	3	4						12		2	10				12
1981/82	6	16	4						26	1	14	9		2		26
22-year average	5.3	2.0	1.5	0.6	0.1				9.5	0.2	1.8	3.3	2.9	1.1	0.1	9.5



TABLE 26 Glenlivet (Old Site) 331 m Maximum depth 69 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1951/52	5	3	23	9	8	4			52	10	4	26	14	6	2	52
1952/53	10	7	6	10	19	5	1		58		19	13	12		4	58
1953/54	21	2	8	4	2				37			10	16	9	2	37
1954/55	14	4	9	8	6	10	12		75	1	8	18	23	25		75
1955/56	13	3	11	11	10	8			56	4	12	20	21	3		56
1956/57	18	3	7	3	1				32		9	2	15			32
1957/58	9	11	7	4	5	17	5	3	61		6	11	15	26	3	61
1958/59	23	6	2	7	5	2	5	2	52		8	29	14		1	52
1959/60	10	3	3	1	2	1	5	10	35	1	1	11	19	3		35
1960/61	8	4	3	1					16		1	7	3	3	2	16
10-year average	13.1	4.6	7.9	5.8	5.8	4.7	2.8	2.7	47.4	1.6	6.8	14.7	15.2	7.5	1.6	47.4

TABLE 27 Glenlivet (New Site) 215 m Maximum depth 33 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1963/64	11	4	4	2					21	5	7	1	6	2		21
1964/65	32	8	9	3					52	4	12	19	6	10	1	52
1965/66	23	26	12	7	5	1			74	13	24	16	15	5	1	74
1966/67	13	16	6	1					36	5	11	10		8	2	36
1967/68	28	5	12	3	1	10			59		11	15	21	4	8	59
1968/69	20	6	7	6	8				47	6	10	5	24	2		47
1969/70	42	11	16	2	7	1			86	13	11	10	24	18	10	86
1970/71	13	5	3						21		5	8	3	5		21
8-year average	22.8	10.2	8.6	3.0	2.6	2.2	0.1		49.5	5.7	11.4	10.5	12.4	6.7	2.7	49.5



**TABLE 28 Banff 24 m Maximum depth 23 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1961/62	11	4	2	2	1	1			21		10	2	2	6	1	21
1962/63	11	3	11	5					30	2	4	19	5			30
1963/64	2								2		2					2
1964/65	10	1	3	1					15		2	8		5		15
1965/66	10	2	1	1					14	8	4		1	1		14
1966/67	2								2	1						2
1967/68	16	1							17		1	8	6		2	17
1968/69	6	4	4						14				13	1		14
8-year average	8.5	1.9	2.6	1.1	0.1	0.1			14.4	1.4	2.9	4.7	3.4	1.7	0.4	14.4

**TABLE 29 Braemar 339 m Maximum depth 61 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1947/48	21	18	10	5	3				60	10	11	28	11			60
1948/49	19	4	11	4					38		3	15	4	13	3	38
1949/50	9	6	11						26		7	4	12		3	26
1950/51	22	26	28	10	4	10			100	2	27	22	26	21	2	100
1951/52	11	11	17	11	3	2			55		6	27	17	5		55
1952/53	16	8	31	1		2			58	9	20	13	14		2	58
1953/54	5	8	14	7		2			36			9	18	9		36
1954/55	8	11	16	15	12	11	5	8	86		13	20	20	31	2	86
1955/56	16	2	16	16	11	2			63		14	22	21	6		63
1956/57	26	3	2						31	4	7	2	18			31
1957/58	20	9	10	11	6	8	7	1	72		11	12	16	26	7	72
11-year average	15.7	9.6	15.1	7.3	3.5	3.6	1.1	0.8	56.7	2.3	10.8	15.8	16.1	10.1	1.7	56.8



TABLE 30 Balmoral 283 m Maximum depth 91 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total
1946/47	13	4	5	4	4	17	4	20	71
1947/48	16	11	13	6	7				53
1948/49	4	9	9						22
1949/50	14	8	2	1	1				26
1950/51	45	19	14	13	5	6			102
1951/52	12	13	15	6	3	3			52
1952/53	41	14	3	1	2				61
1953/54	21	9	4	3	1	2			40
1954/55	12	9	29	4	6	8	5	9	82
1955/56	13	7	4	14	9	11			58
1956/57	8	2	4						14
1957/58	16	7	10	17	3	8			61
1958/59	28	3	13	6	7	3			60
1959/60	4	15	5	3	2	3	6	2	40
1960/61	29	1							30
1961/62	40	9	10	10	3	13	3		88
1962/63	10	1	4	1	10	26	22	15	89
1963/64	16	2	12	5	7	2			35
1964/65	23	18	14	5	7				69
1965/66	29	10	22	13	7	9	3		93
1966/67	33	8	11						52
1967/68	18	6	12	20	13	9			78
1968/69	36	17	15	12	3				83
1969/70	36	10	30	9	10	1			96
1970/71	11	16							27
1972/72	8	4	6	10		1			29
26-year average	20.6	8.9	10.2	6.3	4.0	4.7	1.7	1.8	58.1

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

November	December	January	February	March	April	Total
1	2	9	28	31		71
11	11	26	5			53
	3	11	1	5	2	22
	4	5	15	1	1	26
3	31	24	26	17	1	102
3	5	25	15	3	1	52
10	20	13	15		3	61
		13	15	12		40
	13	19	21	29		82
	11	21	22	4		58
3	6	1	4			14
	6	13	13	25	4	61
	16	30	13		1	60
1		19	17	3		40
	14	9	3	3	1	30
7	21	17	13	25	5	88
10	13	31	28	7		89
5	10	1	12	7		35
1	13	25	11	19		69
18	31	17	19	8		93
7	19	12	3	9	2	52
2	14	15	29	10	8	78
7	14	8	28	22	4	83
13	13	13	25	20	12	96
	6	7	6	8		27
11	3	7	6	2		29
4.3	11.5	15.0	15.1	10.4	1.7	58.1



**TABLE 31** Craibstone 91 m Maximum depth 46 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1946/47	5	2	7	10	6	15	10	5	60	11	9	7	28	25		60
1947/48	28	1	2						31	1		9	2			31
1948/49	16								16			5	2	8		16
1949/50	15	2	1						18		2	4	7	3	2	18
1950/51	33	2	6	2					43	1	21	8	4	9		43
1951/52	21	10	11						42	2	3	18	18	1		42
1952/53	10		11	3					24	8	7	2	7			24
1953/54	15	1	2	6					24			7	11	6		24
1954/55	23	9	5	7	3	4	3	4	58		3	14	20	21		58
1955/56	39	8	5	4	3				59		11	21	22	3	2	59
1956/57	8								8	3	2	2	1			8
1957/58	30	2	6	7	10	1			56		3	14	17	21	1	56
1958/59	8	6	7	2					23			23				23
1959/60	6	4	5	7	2				24			8	15	1		24
1960/61	9	2							11			7	2	2		11
1961/62	22	9	4	2	1	1	4		43	1	13	10	6	13		43
1962/63	19	12	39	9					79	9	8	28	28	5	1	79
1963/64	12	2	4						18		10	4	4	4		18
1964/65	18	8	12	2					40		7	15	7	11		40
1965/66	48	2	2	1					53	13	8	11	16	4	1	53
1966/67	18								18	2	3	9	1	2	1	18
1967/68	24	6	12		2	1			45	1	12	14	12		6	45
1968/69	14	4	7	4	5	6			40		6	3	23	8		40
1969/70	26	8	13	3					50	7	3	9	15	13	3	50
1970/71	10								10		3	3	1	3		10
1971/72	11	2	2		2				17	9		6	2			17
1972/73	10	5	3						18	4			11		3	18
1973/74	10	2		4	3				19	6	9	1	2	1		19
1974/75	6	2	2						10		3	2		1	4	10
1975/76	3	5	1						9			7		1	1	9
1976/77	11	17	13	1					42	1	19	14	5	2	1	42
1977/78	10	2	3	11					26	2	1	5	15	1	2	26
1978/79	26	24	5	2	1	3			61	4	2	21	19	13	2	61
33-year average	17.1	4.8	5.7	2.6	1.1	0.9	0.5	0.3	33.2	2.6	5.1	9.3	9.8	5.5	0.9	33.2



TABLE 32 Dyce 65 m Maximum depth 50 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1953/54	5	5	5						15			4	5	6		15
1954/55	7	11	6	9	2			2	45		3	11	19	12		45
1955/56	19	10	10	6		7	1		45		9	12	19	3	2	45
1956/57	2								2	1	2	1				2
1957/58	16	5	6	5	8	3			43			14	12	15		43
1958/59	8	2	6	5	2				23			23				23
1959/60	4	5	8	2	3	1			23			7	15	1		23
1960/61	4	1							5			1	2	2		5
1961/62	9	10	7	2	2	3	2		35	8	10	8	4	13		35
1962/63	16	18	20	9					63		7	27	21			63
1963/64	6	2	4						12		8		3	1		12
1964/65	9	11	9	3					32		6	13	3	10		32
1965/66	32	6	3						41	11	5	10	11	4		41
1966/67	13	1							14	2	2	8	1	1		14
1967/68	17	6	9	1	1	1			35		10	13	8		4	35
1968/69	10	7	3	6	3	5			34	6	5	3	20	6		34
1969/70	16	9	18						43		2	9	13	10	3	43
1970/71	4	2							6		2	1	1	2		6
1971/72	4	2	3	2					11	7		2	2			11
1972/73	9	2	2						13	2			10		1	13
1973/74	5	4	1	4	2				16	6	8	1	1			16
1974/75	7	3	1						11		3	2		3	3	11
1975/76	6	1	2	1					10		1	8			1	10
1976/77	22	9	8						39		19	11	5	2	2	39
1977/78	9	2	3	8	1				23	1	1	4	15	1	1	23
1978/79	13	15	6	1	4				39	4	2	19	3	9	2	39
1979/80	5	3	3						11	1		3	4	3		11
1980/81	13	4	5	2					24	3	2	15	3	1		24
1981/82	5	5	4	10	6				30	1	13	15		1		30
29-year average	10.2	5.5	5.2	2.6	1.2	0.7	0.1	0.1	25.6	1.8	4.1	8.4	6.9	3.7	0.7	25.6



**TABLE 33 Aberdeen (Mannofield) 52 m Maximum depth 40 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57									0							0
1957/58	10	4	11	5					30		2	7	11	10		30
1958/59	8	13	1						22			22				22
1959/60	4	5	12						21			6	14	1		21
1960/61	3								3				1	2		3
1961/62	15	8	1	2	1	3	2		32		7	9	4	12		32
1962/63	33	4	8	1					46	8	7	15	16			46
1963/64	4	1	2	1					8		5		3			8
1964/65	19	8							27		5	11	3	8		27
1965/66	35	5	1						41	10	5	8	14	3	1	41
1966/67	13								13	2	2	7	1	1		13
1967/68	31	1	1	2	1				36		12	11	8		5	36
1968/69	11	6	2	6	3	5			33		6	3	19	5		33
1969/70	28	5	9						42	7	4	8	12	8	3	42
1970/71	6								6		2	2		2		6
15-year average	14.7	4.0	3.2	1.1	0.3	0.5	0.1		24.0	1.8	3.8	7.3	7.1	3.5	0.6	24.0



**TABLE 34 Fettercairn 171 m Maximum depth 43 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	4	3	1						8	2	4	1	1	17	5	8
1957/58	21	8	7	6	4	5	1		52		4	11	15			52
1958/59	9	7	4						20			20				20
1959/60	3	2	6	3	4	5	4		27			12	14	1		27
1960/61	10	2	2						14			11	2	1		14
1961/62	20	4	1	1	3	9			38	2	14	7	5	9	1	38
1962/63	9	7	13	30	11	10	5	1	86	7	12	31	28	8		86
1963/64	8	6	10	1					25	1	10	1	5	7	1	25
1964/65	21	5	13	1	2				42		8	15	5	14		42
1965/66	41	4	12	6	2	1			66	14	20	10	17	3	2	66
1966/67	8	1							9	2		5	1	1		9
1967/68	11	7	9	8	2				37	1	8	13	9	1	5	37
1968/69	17	10	8	11	2	1	1		50	2	6	4	20	18		50
1969/70	29	10	5	5	1	1			51	6	12	10	19	3	1	51
1970/71	2	10	1						13		1	6	1	5		13
1971/72	2	6	5	3	1	1			18	8		7	3			18
1972/73	1	1							2				2			2
17-year average	12.7	5.5	5.7	4.4	1.9	1.9	0.6	0.1	32.8	2.6	5.8	9.6	8.6	5.2	0.8	32.8

**TABLE 35 Strachan 120 m Maximum depth 61 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1961/62	14	2	4	3	1	1	4	2	31		12	5	6	7	1	31
1962/63	12	9	17	39	2	2	2		83	9	8	31	28	7		83
1963/64	7	3	5	3					18	1	8	16	3	6		18
1964/65	20	5	8	6	4	3			46		8	7	7	14	1	46
1965/66	24	8	13	5	1				51	13	5	9	19	3	2	51
1966/67	9	2							11	2	3	4	1	1		11
1967/68	26	7	10	2		2	1		48		9	13	20	2	4	48
1968/69	17	7	9	9	2				44	1	7	3	23	10		44
1969/70	28	10	12	12	2	1			65	9	9	9	20	12	6	65
1970/71	9	2	1						12		5	6		1		12
10-year average	16.6	5.5	7.9	7.9	1.2	0.9	0.7	0.2	40.9	3.5	7.4	9.6	12.7	6.3	1.4	40.9



TABLE 36 Muchalls 64 m Maximum depth 61 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	13	6	6	1					0			7	10	9		0
1957/58	6	6	3	1					26			16				26
1958/59	9	5	8						16			7	14	1		16
1959/60	2								22			1	1			22
1960/61	11	3	3	2	1	1	1	3	2		9	6	3	7		2
1961/62	29	8	9						25	8	7	17	14			25
1962/63	2	2	3						46		5					46
1963/64	21	3	3						5		5	9	5	8		5
1964/65									27							27
9-year average	10.1	3.7	3.9	0.4	0.1	0.1	0.1	0.3	18.8	0.9	2.9	7.0	5.2	2.8		18.8

TABLE 37 Mylnefield 30 m Maximum depth 13 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1958/59	4								4			4				4
1959/60	13	2	3	1					19			7	11	1		19
1960/61	8								8		2	4	2			8
1961/62	9	2	9	2					22		11	5	3	3		22
1962/63	35	6	1						42	1	8	19	14			42
1963/64	3	3							6		1	5	5			6
1964/65	14	2							16		3	5	3	5		16
1965/66	29	6	2						37	4	9	9	13		2	37
1966/67	2								2		2					2
1967/68	26								26	1	5	11	6	2	1	26
1968/69	11	1							12		1	3	5	3		12
1969/70	10	1							11		4	4	3			11
1970/71	1	1							2			1		1		2
1971/72	14								14	7		6	1			14
14-year average	12.8	1.7	1.1	0.2					15.8	0.9	3.3	5.6	4.7	1.1	0.2	15.8



TABLE 38 Dundee 45 m Maximum depth 27 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1958/59	15								15			15				15
1959/60	17	1	1	2	1				22		1	9	12	1		22
1960/61	7		1						8			5	2			8
1961/62	6	3	5	2	5				21		10	6	3	2		21
1962/63	27	15	8						50	5	7	25	13			50
1963/64	12	1							13		8		5			13
1964/65	16	2							18		3	9	3	3		18
1965/66	40	5	1						46	7	11	11	14	1	2	46
1966/67	3								3		2		1			3
1967/68	15	1							16		3	2	8	1	2	16
1968/69	15	1							16		3	2	11			16
1969/70	12	1	1						14	3	2	3	5		1	14
1970/71									1			1				1
1971/72	8	1		2					11	5		4	2			11
1972/73	1	1							2				2			2
1973/74	11	1	1						13	3	7	1	1	1		13
1974/75	3	2							5		2	2		1		5
1975/76	1								1							1
1976/77	7	3	7						17		4	10	3			17
1977/78	10	6		3	7	2			28	1	1	10	16			28
1978/79	18	11	5	4					38		4	18	10	6		38
1979/80	6	2	2	5	1				16		2	3	8	3		16
1980/81	17	2							19	3	4	10	1	1		19
1981/82	14	1	1	11	1				28		11	17				28
24-year average	11.7	2.5	1.4	1.2	0.6	0.1			17.5	1.1	3.5	6.8	5.0	0.8	0.2	17.5



**TABLE 39 Glamis Castle 61 m Maximum depth 33 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1958/59	13	2							15			15				15
1959/60	11	5	4	1	1		2		24			10	13	1		24
1960/61	13								13		1	10	2			13
1961/62	14	3	7	1					25		10	10	2	2	1	25
1962/63	24	12	35	7					78	5	12	28	27	6		78
1963/64	6	5	1						12		8		2	2		12
1964/65	27	4							31		5	11	5	10		31
1965/66	30	16	3	1					50	7	14	9	16	2	2	50
1966/67	4	1							5		5					5
1967/68	15	17	1						33	1	4	14	11	2	1	33
1968/69	34								34		4	5	14	11		34
11-year average	17.3	5.9	4.6	0.9	0.1		0.2		29.1	1.2	5.7	10.2	8.4	3.3	0.4	29.1

**TABLE 40 Carnoustie 9 m Maximum depth 18 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1958/59	8								8			8				8
1959/60	10	1	3						14			5	9			14
1960/61	1								1				1			1
1961/62	10		5	1	2				18		10	5	2	1		18
1962/63	26	6	3						35	2	5	16	12			35
1963/64	8								8		6		2			8
1964/65	12	2							14		1	7	1	5		14
1965/66	13	4	1						18	5	1	1	12			18
1966/67	3								3		1	1	1			3
1967/68	12								12		3	3	5		1	12
1968/69	7	3	1						11		4		7			11
1969/70	4	1							5			2	2		1	5
1970/71	1								1			1				1
13-year average	8.8	1.3	1.0	0.1	0.2				11.4	0.5	2.4	3.7	4.1	0.5	0.2	11.4



TABLE 41 Arbroath 29 m Maximum depth 23 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total
1956/57	7	2	4			1			0
1957/58	4	2							14
1958/59	4	5							6
1959/60	6	2	3	4					13
1960/61	24	5	3						0
1961/62	2	1							15
1962/63	4	4							32
1963/64	12								3
1964/65									12
1965/66									12
1966/67	2								2
1967/68	9								9
1968/69	2	2							4
1969/70	5	3							8
1970/71	1	3	1						0
1971/72	6								5
1972/73	3								0
1973/74	1								6
1974/75	3								1
1975/76	6	3	1	1					3
1976/77	4	3	5	4					8
1977/78	2	7	1	4					16
1978/79	2	3							14
1979/80	7	4	1						5
1980/81	5	7	2						12
1981/82	4.5	2.0	1.2	0.5		0.1			14
26-year average									8.2

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	November	December	January	February	March	April	Total
1956/57			1	8	5		0
1957/58			6				14
1958/59			5	7	1		6
1959/60							13
1960/61		8	5	1	1		0
1961/62	4	5	14	9			15
1962/63		1		2			32
1963/64			5	1	6		3
1964/65	3	1		6		2	12
1965/66							12
1966/67		1		1			2
1967/68		2	2	2		3	9
1968/69		1		3			4
1969/70			3	4		1	8
1970/71							0
1971/72	3		1	1			5
1972/73		4					0
1973/74	2	1					6
1974/75			2				1
1975/76						1	3
1976/77		2	4	2			8
1977/78	2	1	12	13	1		16
1978/79							14
1979/80		2	7	2	3		5
1980/81	3	3	11				12
1981/82	0.7	1.2	3.0	2.4	0.7	0.3	8.2



**TABLE 42 Montrose 57 m Maximum depth 30 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	1								1		1					1
1957/58	17	4	2			1			24			6	9	9		24
1958/59	21								21			21				21
1959/60	12	5	1						18	1		5	11	1		18
1960/61	3								3			1	1	1		3
1961/62	4	1	3	5					13		5	5	3			13
1962/63	22	10	8						40	5	5	15	15			40
1963/64	7								7		6		1			7
1964/65	18	6	1		1				26		5	7	6	8		26
1965/66	18	2	1						21	5	2	6	6	2		21
1966/67	2								2		2					2
1967/68	14	3	1						18	1	4	7	3		3	18
1968/69	18	1	1						20		3	4	11	2		20
1969/70	7	1	1						9	3		1	5			9
1970/71	1								1			1				1
1971/72	3	3	3						9	6		2	1			9
1972/73	3	1							4		1		1		2	4
1973/74	2	2							4		3		1			4
1974/75		1	1						2		2					2
1975/76	3	1							4			4				4
20-year average	8.8	2.1	1.1	0.3	0.05	0.05			12.4	1.1	2.0	4.3	3.7	1.1	0.3	12.4



**TABLE 43** Strathyre 130 m Maximum depth 40 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	1	1	2						4		3	1				4
1957/58	11	1	2		2	1			17		1	9	7			17
1958/59	12								12		1	10	1			12
1959/60	13	2	4	1	2				22			8	13	1		22
1960/61	10	3	2	2					17	1	8	6	2			17
1961/62	13	2	8	2	1				26	4	10	7	3	2		26
1962/63	23	1	13	7	9	6	5		64	8	2	25	24	5		64
1963/64	3	1	1			1			6		2		2			6
1964/65	7	1	8	1	1				18	1	6	2		9		18
1965/66	10	2	4	4	1	1			22	2	12	1	5	1	1	22
1966/67	6								6	2	3		1			6
11-year average	9.9	1.3	4.0	1.5	1.5	0.8	0.5		19.5	1.6	4.4	6.3	5.3	1.8	0.1	19.5

**TABLE 44** Ardtalnaig 130 m Maximum depth 25 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1958/59	2								2			2				2
1959/60	4	7	1						15			3	11	1		15
1960/61	3	4	2			3			9		3	4	2			9
1961/62	9		7	5					21		10	6	4		1	21
1962/63	6		29	23	1	1			60	3	2	25	24	5	1	60
1963/64	3								3	1	1			1		3
1964/65	8		3	4	1				16		4	3	1	8		16
1965/66	7	3	16						26	4	7	1	12	1	1	26
1966/67	6								6	1	4	1				6
1967/68	10	12	8	2					32			13	13	3	3	32
1968/69	6	4							10	1		3	2	4		10
1969/70	20	1	4	1					26	3	4	4	13	1	1	26
1970/71	4	1	1						6	2		1	2	1		6
13-year average	6.8	2.5	5.5	2.7	0.1	0.3			17.8	1.2	2.7	5.1	6.5	1.9	0.5	17.8



TABLE 45 Faskally 94 m Maximum depth 38 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	9								9	2	3	2	2			9
1957/58	19		3	2					24		1	11	8	4		24
1958/59	16		1						17			14	3			17
1959/60	3	4	8	2		1	2		20	1		4	14	1		20
1960/61	7	2	4						13			8	4		1	13
1961/62	15	4	2	7	1				29	7	13	7	6	3		29
1962/63	27	16	22	3					68		4	25	24	7	1	68
1963/64	10								10		8		1			10
1964/65	22	10	6						38		9	18	3	7	1	38
1965/66	22	12	17	1					52	11	20	4	14	3		52
1966/67	21	1							22	4	10	8				22
1967/68	21	16	12						49	1	5	14	23	3	3	49
1968/69	30	1	1						32		4	4	18	5	1	32
1969/70	27	2	1						30	4	4	8	10	4		30
1970/71	3	3							6	1	1	1	1	2		6
1971/72	7	8	4						19	7		9	2	1		19
1972/73	9	16	3						28	1	7	4	13		3	28
17-year average	15.8	5.6	4.9	0.8	0.1	0.1	0.1		27.4	2.3	5.2	8.3	8.6	2.4	0.6	27.4



TABLE 46 Perth 23 m Maximum depth 15 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1958/59									0							0
1959/60	15	2	2	1					20		2	7	10	1		20
1960/61	6	2	1						9		2	5	2			9
1961/62	12	3	2	1					18		11	6	1			18
1962/63	53	10	3						66	2	5	27	27	5		66
1963/64	4	1							5		2		2	1		5
1964/65	14	3							17		4	3	4	6		17
1965/66	30	7	4						41	4	11	9	14	1	2	41
1966/67	9								9		4	5				9
1967/68	24	4							28		3	12	11	1	1	28
1968/69	15								15		4	2	7	2		15
11-year average	16.5	2.9	1.1	0.2					20.7	0.5	4.4	6.9	7.1	1.5	0.3	20.7

TABLE 47 Glenshee Lodge 335 m Maximum depth 40 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	19		1	1	2	2			25	3	7	4	10	1		25
1957/58	29	9	8	4	6	3			59		9	12	12	22	4	59
1958/59	29	5	2						36		10	25	1			36
1959/60	16	1	10	6	3	1			37	4		12	18	3		37
1960/61	22	10	3	1					36		8	20	6	1	1	36
1961/62	36	8	13	6					63	7	15	18	12	7	4	63
1962/63	15	14	11	5	24	10	18		97	10	19	31	28	9		97
1963/64	17	1	3	2	5	6			29	3	8	1	6	10	1	29
1964/65	15	2	11	15	5	12	1		61		8	27	9	15	2	61
9-year average	22.0	5.5	6.9	4.4	4.4	3.8	2.1		49.2	3.0	9.3	16.7	11.3	7.6	1.3	49.2



TABLE 48 Pitreavie 40 m Maximum depth 23 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1959/60	6	5	2						13			5	8			13
1960/61	1	2							3			1	2			3
1961/62	7	6	1						14		7	4	3			14
1962/63	15	35	11	1					62	1	5	27	28	1		62
1963/64	2								2							2
1964/65	6	5	1						12		4	5	2	3		12
1965/66	6	5	4						15	4	3		7		1	15
1966/67	1								1		1					1
1967/68	6	2							8		2		3		3	8
1968/69	7	3							10			1	9			10
1969/70	10	3	1	1					15	3		4	7	1		15
1970/71									0							0
1971/72	5		3						8	3		3	2			8
1972/73	4								4		1		3			4
1973/74	2	2	3						7	2	4		1			7
1974/75	1								1		1					1
1975/76	1								1				1			1
1976/77	4	5	4						13		6	6	1			13
1977/78	4	5	10	3	3				25			9	15	1		25
1978/79	9	4	7	8	4	2			34		4	14	6	10		34
1979/80	5	2	2						9	2		1	3	3		9
1980/81	6		2						8			5		3		8
1981/82	18	6							24		11	12		1		24
23-year average	5.5	3.9	2.2	0.6	0.3	0.1			12.6	0.7	2.1	4.2	4.4	1.0	0.2	12.6



TABLE 49 Kirkcaldy 32 m Maximum depth 13 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	2								2		1	1				2
1957/58	13	2	4						19				11	8		19
1958/59	18								18			18				18
1959/60	14	2	3						19			5	13	1		19
1960/61	4								4			2	2			4
1961/62	14		1						15		9	4	1	1		15
1962/63	37	3	3	1					41	1	6	17	17			41
1963/64	1								1		1					1
1964/65	16								16	4	4	4	4	4		16
1965/66	19	1							20	4	6		8	2		20
1966/67	1								1				1			1
1967/68	15								15			1	9	1	4	15
1968/69	4								4		2		2			4
1969/70	9	1	1						11	3	3	3	2			11
1970/71									0							0
15-year average	11.1	0.4	0.8	0.1					12.4	0.5	2.1	3.7	4.7	1.0	0.4	12.4



**TABLE 50 Leuchars 10 m Maximum depth 22 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	2								2		1	1				2
1957/58	8	5	1	1		1			16			3	8	5		16
1958/59	7								7			7				7
1959/60	4	6	4	2					16			6	9	1		16
1960/61	2	1	1						4			2	2			4
1961/62	3	1	5	6					15			5				15
1962/63	7	19	3						29	1	10	15	7			29
1963/64	3								3		6	1	2			3
1964/65	9	4	7						20		3	7	4	6		20
1965/66	20	4	2						26	5	3	7	10	1		26
1966/67	3								3		2		1			3
1967/68	7								7		1	2	3	1		7
1968/69	7								7		1	1	5			7
1969/70	6	3							9		2	3	4			9
1970/71	1								1			1				1
1971/72	10	2							12	4		6	2			12
1972/73	1								1				1			1
1973/74	7	2							9	2	5		1	1		9
1974/75	3	1							4		2	1				4
1975/76	4								4		3	4		1		4
1976/77	5	4	1						10		3	5	2			10
1977/78	4	4	13	2					23	1		8	14			23
1978/79	12	8	6						26		2	16	4	4		26
1979/80	3	2	2	1					8			2	3			8
1980/81	9								9	2	1	6		3		9
1981/82	1	10	5						16		3	13				16
26-year average	5.7	2.9	1.9	0.5		0.1			11.0	0.6	1.8	4.6	3.1	0.8	0.1	11.0



TABLE 51 St Andrews 4 m Maximum depth 13 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	1								1		1					1
1957/58	11	1	4	1					17			3	7	7		17
1958/59									0							0
1959/60									0							0
1960/61									1				1			1
1961/62	3	4	2	5					14		10	4				14
1962/63	12								12		3	2	7			12
1963/64									0							0
1964/65	10	2							12			4	4	4		12
1965/66	19	1							20	4	3	6	5		2	20
1966/67									0							0
1967/68	5								5				5			5
1968/69									0							0
1969/70	4								4		1	3				4
1970/71	1								1			1				1
15-year average	4.4	0.5	0.5	0.4					5.8	0.3	1.2	1.5	1.9	0.7	0.1	5.8

With snow lying at 0900 GMT, depth not specified  
 Number of days with snow lying at 0900 GMT, depth not specified

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

TABLE 52 St Andrews 32 m Maximum depth 32 cm



TABLE 52 Turnhouse 35 m Maximum depth 25 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	4								4		1	1	2			4
1957/58	11	1	1	2					15			7	5	3		15
1958/59	10	1							11			11				11
1959/60	1	4	6	2					13			1	12			13
1960/61	1	1							2			1	1			2
1961/62	7	2	4						13		6	4	2	1		13
1962/63	17	11	6	5					39	1	6	16	16			39
1963/64	1	1							2		2					2
1964/65	7	8	3						18	6	2	5	5	6		18
1965/66	20	3	1						24		3	6	8		1	24
1966/67	5	1							6		2	3	1			6
1967/68	11	2							13		2		8	1	2	13
1968/69	9	5							14		1	1	11	1		14
1969/70	8	5	1						14	3	1	4	4	1	1	14
1970/71	1								1				1			1
1971/72	3	1	1	1					6	2		2	2			6
1972/73	6								6		1		5			6
1973/74	3	5							8	3	4		1			8
1974/75	1								1			1				1
1975/76	2								2			1	1			2
1976/77	8	4							12		7	5				12
1977/78	5	5	8	4	1	1			24			8	15	1		24
1978/79	6	6	5	7	4	1			29		3	13	5	8		29
1979/80	4	3	1	1					9	1		1	3	4		9
1980/81	1	1							2			1			1	2
1981/82	12		9	1					22		10	11		1		22
26-year average	6.3	2.7	1.8	0.9	0.2	0.1			11.9	0.6	2.0	4.0	4.1	1.0	0.2	11.9



TABLE 53    Edinburgh, East Craigs 61 m    Maximum depth 26 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1958/59	9	2							11			11				11
1959/60	5	1	4	2	2				14			1	12	1		14
1960/61	3								3			1	2			3
1961/62	14	2	3						19			4	3			19
1962/63	33	11	5	5					54	1	12	25	22			54
1963/64	1								1		6		1			1
1964/65	16	5	2						23	9	4	5	5	9		23
1965/66	23	2							25		4	3	8		1	25
1966/67	4		1						5		3	1	1			5
1967/68	17	1							18		2	1	11	1	3	18
1968/69	19	1							20		4	1	13	2		20
1969/70	10	4	1						15	3	1	6	4		1	15
1970/71	1								1				1			1
1971/72	1	1	2						4	1		1	2			4
1972/73	4	1							5		1		4			5
1973/74	2	5							7	2	4		1			7
1974/75	1								1			1				1
1975/76	3								3			1	1		1	3
1976/77	8	3	2						13		6	6	1			13
1977/78	1	9	1	9	1	2			23			7	15	1		23
1978/79	10	7	7	5	2	1			32		3	13	6	9	1	32
1979/80	3	1	1		2				7	1		1	3	2		7
1980/81	1	3							4			2		1	1	4
1981/82	5	3	11	1					20		7	12		1		20
26-year average	7.5	2.4	1.5	0.8	0.3	0.1			12.6	0.7	2.2	4.0	4.5	1.0	0.3	12.6



TABLE 54 Penicuik 189 m Maximum depth 30 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	6	3	1						10		4	1	5			10
1957/58	15	4	11	1	3				34		2	8	10	11	3	34
1958/59	5	1	15						21		3	18				21
1959/60	7	2	10	3	3	2			27	2		9	15	1		27
1960/61	8	4							12		5	4	2	1		12
1961/62	21	9	8	19	31	16			38	1	14	7	4	11	1	38
1962/63	9	5	4						84	9	9	31	28	6	1	84
1963/64	10	1	2						13	3	2		6	2		13
1964/65	10	10	7	4	1				32	1	4	8	6	13		32
1965/66	31	9	6						46	12	8	10	14	1	1	46
1966/67	7		5		1	1			14	1	5	5	3			14
1967/68	29	6	8	1					44		3	12	22	3	4	44
1968/69	27	9	7						43		5	5	24	9		43
1969/70	29	3	1	6	1				40	3	5	10	13	5	4	40
1970/71	11	2	2	1	1				15	1	3	6	6	5		15
1971/72	6	6	3						15	6	2	5	3	1		15
1972/73	9	6	3	1					19	3	6	4	9		4	19
1973/74	6	6		2					14	3	6	1	3	1		14
1974/75	9	1		2					12	1	5	4		2		12
1975/76	1	2	2	1					6			2	1		3	6
1976/77	21	17	8		5	2			53	1	21	24	6	1		53
1977/78	12	6	7	2	6	4			37	2		11	18	3	3	37
1978/79	19	12	10	7	4	7			59	1	4	26	10	16	2	59
1979/80	8	8	7	2	1				26	5	4	5	7	5		26
1980/81	14	6	3						23	3	4	11	1	2	2	23
25-year average	13.2	5.4	5.2	2.1	2.3	1.3			29.5	2.2	4.7	8.8	8.6	4.0	1.1	29.5



TABLE 55 Bush House (and Boghall) 184 m Maximum depth 28 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	7		2						9		4	1	4			9
1957/58	22	3	7	2					34		1	8	9	13	3	34
1958/59		1	16						17			17				17
1959/60	6	7	6	2	2	1			24			8	15	1		24
1960/61	2	2	2						6			3	2	1		6
1961/62	16	6	6	1					29		12	5	3	9		29
1962/63	7	1	5	17	20	26			76	7	6	31	28	4		76
1963/64	9								9	1	1		6	1		9
1964/65	13	2	6	7	1				29		4	7	5	13		29
1965/66	29	6		1					36	9	3	8	15		1	36
1966/67	6		1		1	1			9	1	2	3	3			9
1967/68	18	6	6	3					33		3	6	16	6	2	33
1968/69	25	6	3	1					35	1	1	4	22	7		35
1969/70	21	3	3	4	1				32	3	4	8	11	5	1	32
1970/71	6	2	1						9		3		2	4		9
1971/72	8	6							14	5		4	4	1		14
16-year average	12.2	3.2	4.0	2.4	1.6	1.7			25.1	1.7	2.7	7.1	9.1	4.1	0.4	25.1



TABLE 56 Edinburgh, Royal Observatory 134 m Maximum depth 24 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1958/59	12								12			12				12
1959/60	9	5	2	2					18			5	12	1		18
1960/61	3	1							4			2	1	1		4
1961/62	16								16		8	4	3	1		16
1962/63	9	8	36	10					63	8	4	26	25			63
1963/64	2								2				2			2
1964/65	9	8	3	1					21	8	2	5	4	10		21
1965/66	24	3	1						28		4	5	10		1	28
1966/67	7				1				8		2	4	2			8
1967/68	14		2						16		2	1	10	1	2	16
1968/69	20	3	1						24		4	1	14	5		24
1969/70	11	4			4				19	3	1	6	6	2	1	19
1970/71	1								1				1			1
1971/72	7		2	1					10	5		2	2	1		10
1972/73	5	2							7		1	1	5			7
1973/74	2	4	1	1					8	2	4		2			8
1974/75	4								4		3	1				4
1975/76	1	2	1						4			1	1		2	4
1976/77	8	7	5						20		7	11	2			20
1977/78	10	4	1	5	2	4			26	2		7	16	1		26
1978/79	9	8	10	6	2				35		3	15	5	11	1	35
1979/80	3	1	5	2					11	2		1	4	4		11
1980/81	2	3							5			2	1	1		5
23-year average	8.2	2.7	3.0	1.2	0.4	0.2			15.7	1.3	2.0	4.9	5.6	1.7	0.3	15.7



TABLE 57 Edinburgh, Royal Botanic Garden 26 m Maximum depth 23 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1949/50	2								2		9	2				2
1950/51	14	4	3						21		1	10	1	1		21
1951/52	20	3	4						27		1	22	3	1		27
1952/53	5								5		3	1	1			5
1953/54	6								6			3	3			6
1954/55	8	4	15		4	2			33		1	14	14	4		33
1955/56	18		5						23		4	3	16			23
1956/57	1								1		1					1
1957/58	18		2						20			8	7	5		20
1958/59	11								11			11				11
1959/60	14	2	3						19			4	14	1		19
1960/61	2	1							3			1	2			3
1961/62	15		1						16		11	4	1			16
1962/63	34	14	8						56		5	25	25			56
1963/64	1								1				1			1
1964/65	10	8	3	1					22		3	5	5	9		22
1965/66	21	1							22	7	4	3	7		1	22
1966/67	4		1						5		2	2	1			5
1967/68	10	1							11		2		7		2	11
1968/69	17	1							18		3		14	1		18
1969/70	9		2	3					14	3	2	6	2		1	14
1970/71	1								1				1			1
1971/72	1	3							4			2	2			4
1972/73	4	2							6		1		5			6
1973/74	5	2							7	2	4		1			7
1974/75	1								1				1			1
1975/76	2								2				1	1		2
27-year average	9.4	1.7	1.7	0.1	0.1	0.1			13.2	0.5	2.1	4.7	5.0	0.9	0.1	13.2



TABLE 58 Haddington 49 m Maximum depth 18 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1958/59	6	1							7			7				7
1959/60	6	5	2						13			3	9	1		13
1960/61	1								1				1			1
1961/62	9	3	3	4					19		9	5	2	3		19
1962/63	2	2	19	29	14				66		7	31	28			66
1963/64	1								1				1			1
1964/65	7	4	4						15	6		4	6	5		15
1965/66	11	3	1						15	8		3	8		1	15
1966/67	4	1	1						6	2	1		2			6
1967/68	9	1	1						11	8	1		8	2		11
1968/69	10	1	9						20		2	1	15	2		20
1969/70	15	2	1						18	4	2	4	7		1	18
1970/71	5								5	2	2	3				5
1971/72	3	2	2						7	3	2	2	2			7
1972/73	4								4	1	1		3			4
1973/74	1	5							6	4	4					6
1974/75	1	1							2	1	1	1				2
1975/76									0							0
1976/77	7	1	3						11	6	6	4	1			11
1977/78	3	4	4	12					23	1	3	6	15	1		23
1978/79	3	7	18						28	3	3	12	5	8		28
21-year average	5.1	2.0	3.2	2.1	0.7				13.2	0.8	1.8	4.1	5.4	1.0	0.2	13.2



TABLE 59 Dunbar 23 m Maximum depth 16 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1958/59									0							0
1959/60	5	2	3						10			1	9			10
1960/61									0							0
1961/62	5	2		4					11		6	4		1		11
1962/63	10	7	2						19		4	8	7			19
1963/64									0							0
1964/65	3								3	1		2	2	1		3
1965/66	3								3							3
1966/67									0							0
1967/68	4								4			1	1		2	4
1968/69	1	1	2						4				4			4
1969/70			3						3			3				3
1970/71									0							0
1971/72	5	1							6	2		3	1			6
1972/73	1								1	2	1					1
1973/74	2								2		1	1				2
1974/75	2								2							2
1975/76									0							0
1976/77	4	1	1						6	4	4	2	3			6
1977/78	8	5	5	1	1				20			4	15	1		20
20-year average	2.7	0.9	0.8	0.3	0.1				4.7	0.3	0.8	1.5	1.9	0.1	0.1	4.7



TABLE 60 Lauder 183 m Maximum depth 48 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1962/63	6	3	6	29	7	19	8	9	87	12	7	31	28	9		87
1963/64	15	3	2						20	2	8		6	4		20
1964/65	16	11	3	1	2				33		5	9	5	14		33
1965/66	30	10	4	10	1				55	14	9	13	16		3	55
1966/67	9			1		1			11	1	4	4	2			11
1967/68	27	4	4	1					36	1	3	11	17	2	2	36
1968/69	30	11	6	4					51		11	4	22	14		51
1969/70	21	11	3	6					41	7	5	7	14	3	5	41
1970/71	8	1	3						12	1	4	6		1		12
9-year average	18.0	6.0	3.4	5.8	1.1	2.2	0.9	1.0	38.4	4.2	6.2	9.4	12.2	5.2	1.1	38.4

TABLE 61 Marchmont 152 m Maximum depth 38 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1958/59	4	12	4						20			20				20
1959/60	4	2	6	6	2	4			24		3	8	15	1		24
1960/61	6	2	1						9			4	1	1		9
1961/62	5	12	5	1		7			30	1	11	5	4	9		30
1962/63	2	3	3	19	2	43	11		83	10	7	31	28	7		83
1963/64	7	2	2						11				7	4		11
1964/65	18	6	5	1					30		5	12	1	12		30
1965/66	18	8	16	5	1				48	15	11	7	15			48
1966/67	1	4	1		2				8	1	3		3	1		8
1967/68	12	13	7	4					36		3	12	17	2	2	36
1968/69	17	6	13	7	3	1			47		7	2	19	19		47
1969/70	9	1	7	4	4				25	6	7	7	4		1	25
1970/71	13								13		2	6	2	3		13
1971/72	2	3							5			2	3			5
1972/73		6							6				6			6
1973/74	3	3	2						8	2	5		1			8
16-year average	7.6	5.2	4.5	2.9	0.9	3.4	0.7		25.2	2.2	4.0	7.2	7.9	3.7	0.2	25.2



**TABLE 62 St Abb's Head 75 m Maximum depth 20 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	1								1	1						1
1957/58	8	3							11			5	3	3		11
1958/59	3								3			3				3
1959/60	3	3		2					8			1	6	1		8
1960/61		1							1				1			1
1961/62	3								3	2		6		1		3
1962/63	13	3	1	1	2				20	5			9			20
1963/64									0							0
1964/65	2								2					2		2
9-year average	3.7	1.1	0.1	0.3	0.2				5.4	0.9		1.7	2.1	0.8		5.4

**TABLE 63 Stanhope Farm 226 m Maximum depth 23 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	9		1						10	1	4	3	2			10
1957/58	18	7	2						27		1	7	7		3	27
1958/59	26								26		4	22		9		26
1959/60	11	7	4	2					24	1		8	14	1		24
1960/61	7								7		5		2			7
1961/62	30	10							40	2	13	5	6	11	3	40
1962/63	9	18	48	4					79	8	9	29	28	4	1	79
1963/64	10								10	1	6		2	1		10
1964/65	14	2	10						26	1	4	10	5	6		26
1965/66	26	3	6						35	10	3	10	11	1		35
1966/67	10	2		1					14	1	2	9	2			14
1967/68	8	8	3	1		1			20		3		13	3	1	20
1968/69	25	5							30		5	2	18	5		30
1969/70	36								36	6	4	5	13	6	2	36
1970/71	4								4				2	2		4
15-year average	16.2	4.1	4.9	0.5		0.1			25.8	2.1	4.2	7.3	8.3	3.3	0.7	25.8



TABLE 64 Blyth Bridge 253 m Maximum depth 30 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	13		1	1					15	3	4	4	4			15
1957/58	14	4	12						30		2	9	7		2	30
1958/59	11	11	4						26		4	22		10		26
1959/60	10	4	6	4	1	1			26	1		9	15	1		26
1960/61	7	1							8	2	2	2	3	1		8
1961/62	32	5	5						42	14	9	5	8	10	3	42
1962/63	9	14	30	16	13				82	8	9	31	28	5	1	82
1963/64	7	3							10	2	6		6	2		10
1964/65	13	6	7	5		1			32	1	6	9	5	11		32
1965/66	31	2	7						40	10	9	7	14			40
1966/67	13	1	2	1		1			18		6	9	2	1		18
1967/68	19	8	14						41		3	2	28	6	2	41
1968/69	16	9	5	2					32		1	3	23	5		32
1969/70	18	5	4	4					31	5	2	4	12	6	2	31
1970/71	11	8	3						22		5	8	4	5		22
1971/72	8	7	1						16	6		5	2	3		16
1972/73	11	2	4	2		2			21	1	2	3	11		4	21
17-year average	14.3	5.3	6.2	2.1	0.8	0.3			28.9	2.3	4.1	7.8	10.1	3.9	0.8	28.9



TABLE 65 West Linton 244 m Maximum depth 61 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1946/47	4	11	2	1	24	3	5	16	66	1	2	11	28	25		66
1947/48	12	4	5	4					25		3	18	2		1	25
1948/49	2	3	5						10		3	5	2			10
1949/50	14	3	3						20		9	2	9			20
1950/51	41	8	8	6	1				64		24	17	15	7	1	64
1951/52	19	4	4	7	4				38		3	25	8	1	1	38
1952/53	30	2	2						34	10	15	2	7			34
1953/54	23	2							25		7	7	12	6		25
1954/55	17	5	13	18	5				58		7	20	18	13		58
1955/56	31	2	9	1	3				46		9	18	19			46
1956/57	11	2	2						15	3	4	5	3			15
1957/58	14	6	9	3					32		2	9	8			32
1958/59	13	9	7						29		5	24		11	2	29
1959/60	9	4	10	4	1	1			29	2	1	10	15	1		29
1960/61	6	2							8		1		1			8
1961/62	20	9	11	3					43	1	14	7	6	11	4	43
1962/63	7	7		21	36	15			86	10	9	31	28	7	1	86
1963/64	7	5							12	4	1		6	1		12
1964/65	15	7	1	6	2				31	1	5	10	6	9		31
1965/66	32	9	2	2	1				46	10	11	10	14		1	46
1966/67	11	3	3	1	1				19	1	6	9	2	1		19
1967/68	20	13	8	2					43		4	13	19	5	2	43
1968/69	20	5	1	6					32			3	23	6		32
1969/70	13	4	2	6					25	4	2	7	6	6		25
1970/71	17	3	2						22	1	6	5	6	4		22
1971/72	7	4	1						12	4	2	4	2	2		12
1972/73	3	3	4	2					12				8		2	12
1973/74	8	1	1						10	5	2		3			10
1974/75	4	3	1						8		3	5				8
1975/76	2	2	2						6	1		3	1		1	6
1976/77	13	13	9		2	5			42		20	20	2			42
1977/78	5	6	7	5	7				30	1		10	17	2		30
1978/79	21	12	22	10	2				67	1	4	25	18	19		67
1979/80	11	8	3	2					24	5	4	3	7	5		24
1980/81	8	6	3						17		3	7	2	2	3	17
35-year average	14.0	5.4	4.6	3.1	2.5	0.7	0.1	0.5	31.0	1.9	5.3	10.0	9.2	4.1	0.7	31.0



**TABLE 66** Glentress 165 m Maximum depth 51 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1959/60	4	7	9	2	2				24			9	14	1		24
1960/61	7								7		2	2	3			7
1961/62	24	1	3	1					29	1	9	4	4	9	2	29
1962/63	14	2	6	19	15	11	9	5	81	8	9	30	28	5	1	81
1963/64	11	2	2						15	2	6	7	5	2		15
1964/65	9	4	4	2					19	9	6	8	5	5		19
1965/66	23	6	4	3					36	1	6	4	12		1	36
1966/67	7	2	1			1			11	1	3	4	3	2		11
1967/68	17								17		3	11	11	2	1	17
1968/69	28								28		6	2	15	5		28
10-year average	14.4	2.4	2.9	2.7	1.7	1.2	0.9	0.5	26.7	2.1	4.6	6.6	10.0	2.9	0.5	26.7

**TABLE 67** Bowhill 168 m Maximum depth 61 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	7	1	1	1					10	3	4		3			10
1957/58	17	2	5	3	1	1			29		1	10	8	7	3	29
1958/59	10	7	4						21		4	17				21
1959/60	5	8	8	8	2	3			26	1		9	15	1		26
1960/61	8	1	2						11		2	3	4	1	1	11
1961/62	18	13	11	5					47		14	9	3	20	1	47
1962/63	7	1	10	17	12	8	11	18	84	9	8	31	28	8		84
1963/64	16	4	1						21	1	10	6	6	4		21
1964/65	13	8	6						27		4	10	2	11		27
1965/66	15	5	11	10	1	2			44	10	9	9	16			44
1966/67	7		1	1		1			10		5	2	3			10
1967/68	20	11	1	1					33		1	12	18	1	1	33
1968/69	19	8	8	2	1				38		2	2	20	14	2	38
1969/70	17	6	5	2					30	5	4	7	10	2		30
1970/71	6	7	2						15		4	6	3	2		15
1971/72	6	5		3					14	4	4	5	4	1		14
1972/73	5	5	4	1					15		2	4	8		1	15
1973/74	4	8	1	1					14	4	4	2	3	1		14
18-year average	11.1	5.1	4.5	3.1	0.9	0.8	0.6	1.0	27.2	2.1	4.3	7.7	8.5	4.1	0.5	27.2



**TABLE 68 Galashiels 198 m Maximum depth 36 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1971/72	9	4		1					14	3		6	3	2		14
1972/73	9	4	2	1					16	1	2	4	8		1	16
1973/74	8	5	1						14	2	5	2	4	1		14
1974/75	3	1	1						5		2	3				5
1975/76	4	2	1						7			2	1	3	1	7
1976/77	21	12	5						38		18	17	2	1		38
1977/78	15	7	11	3					36	1	3	14	20	1	1	36
1978/79	11	15	11	3	5	2	2		49			25	8	12	1	49
1979/80	6	5	5	4					20	1		4	7	8		20
1980/81	6	3	6	1					16		1	7	1	4	3	16
1981/82	4	2	8	16	7				37		22	14	1			37
11-year average	8.7	5.5	4.6	2.6	1.1	0.2	0.2		22.9	0.7	4.8	8.9	5.0	2.8	0.6	22.9

**TABLE 69 Kelso 34 m Maximum depth 21 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1971/72	1	2	2						5	1		2	2			5
1972/73	4	1							5		1		4			5
1973/74		5	1						6	2	4					6
1974/75		2							2		2					2
1975/76	2		1						3			2	1			3
1976/77	10	13							23		11	10	1	1		23
1977/78	5	5	2	3	8				23		3	5	17	9	1	23
1978/79	7	8	13	5		1			34			17	5	4		34
1979/80	5	4	3						12			3	5			12
1980/81	3	2	2						7	2		3		1	1	7
1981/82	8	14	4	9					35		17	18				35
11-year average	4.1	5.1	2.5	1.5	0.7	0.1			14.1	0.5	3.5	5.5	3.2	1.3	0.2	14.1



TABLE 70 Sourhope 221 m Maximum depth 69 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1953/54	26	1	4	3	2				36			10	19	7		36
1954/55	34		12	2	7			2	66		3	22	21	20		66
1955/56	31	6	6	2	2		6		48		11	13	21	2	1	48
1956/57	4		3						7		3	1	3			7
1957/58	21	3	11	4					39	1	2	12	10	11	3	39
1958/59	3	7		6	5				21		2	19				21
1959/60	5	3	8	10	3				29		1	11	16	1		29
1960/61	18	1							19		9	4	5	1		19
1961/62	15	9	8		2	7	2	1	49	1	11	7	5	23	2	49
1962/63	5	1	1	3	2	7	5	59	83	7	8	31	28	8	1	83
1963/64	16	1	1	2	1				21	2	8		6	5		21
1964/65	14		6	7	2				30	1	4	8	7	10		30
1965/66	5	5	19	6	7				43	14	5	9	13		2	43
1966/67	4		2	2					8		2	2	2	1		8
1967/68	10	9	2						21		3	2	14	1		21
1968/69	12	20	4	2	1	1			40	3	3	1	20	13	7	62
1969/70	29	13	13	6	1				62	13	13	7	12	10		62
1970/71	7	2	1	6					16	7	6	6	2	2		16
1971/72	5	4		1	3				13	7	3	3	2	1		13
1972/73	19	6	2						27	7		4	9		7	27
20-year average	14.1	4.5	5.1	3.3	1.9	1.1	0.7	3.1	33.9	2.8	4.7	8.6	10.7	5.8	1.3	33.9



TABLE 71 Tires 9 m Maximum depth 8 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total
1956/57	1								1
1957/58	6	5							11
1958/59	2								2
1959/60	2								2
1960/61									0
1961/62	7	3	2						12
1962/63		1							1
1963/64	1								1
1964/65	2	1							3
1965/66	2								2
1966/67									0
1967/68	5								5
1968/69	6								6
1969/70	3								3
1970/71									0
1971/72	1								1
1972/73	1	2	1						4
1973/74									0
1974/75	1								1
1975/76									0
1976/77									0
1977/78	4								4
1978/79	13	1	3						17
1979/80	4	1							5
1980/81	1								1
1981/82	9	2							11
26-year average	2.7	0.6	0.2						3.6

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	November	December	January	February	March	April	Total
1956/57				1			1
1957/58			5	5	1		11
1958/59			2				2
1959/60				2			2
1960/61							0
1961/62		8	1	1	2		12
1962/63			1				1
1963/64		1					1
1964/65		1			2		3
1965/66					2		2
1966/67							0
1967/68		2		2		1	5
1968/69				6			6
1969/70			3				3
1970/71							0
1971/72			1				1
1972/73				4			4
1973/74							0
1974/75			1				1
1975/76							0
1976/77							0
1977/78	1		2			1	4
1978/79	1		13	1	2		17
1979/80				4	1		5
1980/81			1				1
1981/82		6	5				11
26-year average	0.1	0.7	1.3	1.0	0.4	0.1	3.6



TABLE 72 Rhuvaal 20 m Maximum depth 2 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1957/58	4								4			1	3			4
1958/59									0							0
1959/60	1								1				1			1
1960/61									0							0
1961/62	3								3		2		2	1		3
1962/63	2								2							2
1963/64									0							0
1964/65									0							0
1965/66									0							0
1966/67									0							0
1967/68	2								2				1		1	2
1968/69	3								3			2	3	2		3
1969/70	4								4							4
1970/71									0							0
1971/72									0				3			0
1972/73	3								3							3
1973/74									0							0
1974/75									0							0
1975/76									0							0
1976/77									0							0
20-year average	1.1								1.1	0.1	0.1	0.1	0.7	0.1	0.1	1.1

TABLE 73 Lephinmore 9 m Maximum depth 18 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1958/59									0							0
1959/60	7	2							9		1	4	5			9
1960/61	1								1		6			1		1
1961/62	7								7							7
1962/63	3		1		1				5				5			5
1963/64	1	1							2		1	1	1			2
1964/65	6		2						8		2	1		5		8
1965/66	4	1							5	2	1		1	1		5
1966/67	4								4	1	2	1				4
9-year average	3.7	0.4	0.3		0.1				4.5	0.3	1.4	0.7	1.3	0.8		4.5



**TABLE 74 Benmore Forestry School 14 m Maximum depth 30 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	7		1						8	1	4	1	2			8
1957/58	11	5	1	2					19		5	8	6			19
1958/59	1								1			1				1
1959/60	7	2	2						11			5	6			11
1960/61	3								3			2	1			3
1961/62	14		1						15		10	1		2		15
1962/63	3	1	7	19		2			32	1		1	23	6	1	32
1963/64	2	1	1						4		2		1			4
1964/65	11	1	2	2	1				17		4	4		9		17
1965/66	17	2	1	1					21	6	9	3	3			21
10-year average	7.6	1.2	1.6	2.4	0.1	0.2			13.1	0.8	3.4	2.6	4.2	1.8	0.3	13.1

**TABLE 75 Helensburgh 89 m Maximum depth 28 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	4		4	1	1				11		4	2	5			11
1957/58	14	1	4	2	3			1	24		5	9	8	2		24
1958/59	6	2							8		1	7				8
1959/60	8		3						11			4	7			11
1960/61	1	1	2						4			2	2			4
1961/62	2	1	2						5		5					5
1962/63	6	3	11	2	2	4			28	2	2	3	21			28
1963/64	2								2	1				1		2
1964/65	6	2	2	1					11		4	2		5		11
1965/66	15	3	2	1	1				22	2	6	1	13			22
1966/67	3	3							6	3	3					6
11-year average	6.1	1.5	2.7	0.6	0.6	0.5			12.0	0.7	2.7	2.7	5.1	0.7		12.0



TABLE 76 Stirling 38 m Maximum depth 17 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	4		1						5	1	2	1	1			5
1957/58	15	2	4						21		1	9	6	5		21
1958/59	2								2			2				2
1959/60	4	1	3	1					9		4	5	3	1		9
1960/61	9	2							11		12	5	2			11
1961/62	17	3							20		8	5	1	2		20
1962/63	50	3	4	4					61	7	2	20	25	1	1	61
1963/64	4	2							6	1	5	2	3	2		6
1964/65	7	1	2						10	3	15		10	2		10
1965/66	17	4	6	2					29						1	29
1966/67	12								12	3	4	4	1			12
1967/68	22	1	2						25		3	8	8	2	4	25
1968/69	11		1						12		1	3				12
1969/70	12	1	2						15	3	3	5	3	1		15
1970/71	3	1							4	1		1	1	1		4
1971/72	10	2	5						17	7		7	2	1		17
1972/73	7	6	4						17	1	3	4	8		1	17
1973/74	7	8	2						17	3	7		3	4		17
1974/75	2								2			2				2
1975/76	6	1							7			4	1	1	1	7
1976/77	28	10	2						40		22	16	2			40
1977/78	29	3	7	1					40			17	22		1	40
1978/79	16	4	4	8	1				33	1	3	15	4	9	1	33
1979/80	15	8	2	1					26	5	5	5	6	5		26
1980/81	11	5	3	2					21		4	12	1	3	1	21
1981/82	5	6	27	1					39		19	17		3		39
26-year average	12.5	2.8	3.1	0.8	0.1				19.3	1.4	4.7	6.5	4.7	1.5	0.4	19.3



TABLE 77 Greenock 61 m Maximum depth 27 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	4	2	1	1					8		3	1	4			8
1957/58	6	3	5	1	1				16		1	8	7			16
1958/59	7								7			7				7
1959/60	7	3	1	1					12			4	8			12
1960/61	3	1							4			2	2			4
1961/62	12	4	2						18		10	3	2	2	1	18
1962/63	8	3	10	10	5				36	2	3	2	25	4		36
1963/64	2		1						3		1		1	1		3
1964/65	8	3	1		1				13		4	3		6		13
1965/66	11	1	1		1				14	5	6		3			14
1966/67	6	1							7	2	3	2				7
1967/68	11	6							17		1	6	8		2	17
1968/69	4								4		2	2				4
1969/70	11	2	4	1					18	3	4	4	5	2		18
1970/71	4		1						5			2	2	1		5
1971/72	7	1		1					9	3		2	3	1		9
1972/73	10	1	4	1	1	2			19	1		6	11		1	19
1973/74	5	7	1						13	3	6		1	3		13
18-year average	7.0	2.1	1.8	0.9	0.5	0.1			12.4	1.1	2.4	3.0	4.5	1.1	0.2	12.4



TABLE 78 Paisley 32 m Maximum depth 18 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1958/59	14	1							15			15				15
1959/60	8	2	1	1					12			4	8			12
1960/61	6								6			4	2			6
1961/62	21								21			4	3	1	1	21
1962/63	14	1	2						17	1	12	2	10		1	17
1963/64	2								2		1	3		1		2
1964/65	8	2		1					11	4	2	3		6		11
1965/66	7	3	2	1					13	2	6	3	3			13
1966/67	8								8		3	3				8
1967/68	9								9		1	1	6		1	9
1968/69	2	1							3			3				3
1969/70	11		1						12	2	1	6	2	1		12
1970/71	1								1			1				1
1971/72	4	1							5	2		2	1			5
1972/73	5	2	3						10			3	6		1	10
1973/74		4	2						6	2	4	3				6
1974/75	1								1		1		1			1
1975/76	2								2		6	2	1			2
1976/77	3	4	1						8			13	2			8
1977/78	4	8	2	2					16						1	16
1978/79	2	6	5	8				1	22		4	14		4		22
1979/80		3	3	2					8	2		1	3	2		8
1980/81		2	4						6			4	1	1		6
1981/82	6	13	2						21		9	12				21
24-year average	5.7	2.2	1.2	0.6	0.1				9.8	0.6	2.2	4.1	2.0	0.7	0.2	9.8



TABLE 79 Barrhead 30 m Maximum depth 23 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	1		1						2				2			2
1957/58	7	4	4						15			6	7	2		15
1958/59	8								8			8				8
1959/60	7	1	1			1			10			4	6			10
1960/61									0							0
1961/62	8	3							11	1	7	3	1			11
1962/63	3	1							5	2	2		2			5
1963/64	3		1						4	2	2		1	1		4
1964/65	8	2	1						11	4	2	4		5		11
1965/66	11	2	1		1				15		6		5			15
1966/67	6								6	1	1	4				6
1967/68	13	1							14	1	1		11		2	14
1968/69	3	1							4			3	1			4
1969/70	10	1	4	1					16	4	2	6	3	1		16
1970/71				1					1				1			1
1971/72	5	1							6	2		2	2			6
16-year average	5.8	1.1	0.9	0.1	0.1	0.1			8.0	0.8	1.4	2.5	2.6	0.6	0.1	8.0



**TABLE 80 Abbotsinch (and Renfrew) 5 m Maximum depth 15 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1952/53	4	1							5		3		2			5
1953/54	1	7	4						12			6	3	3		12
1954/55	8	5	4						17			12	3	2		17
1955/56	8								8		2	5	1			8
1956/57		1							1				1			1
1957/58	2		9						11			6	5			11
1958/59	7								7			7				7
1959/60	4	2		1					7			3	4			7
1960/61									0							0
1961/62	10								10		5	4	1			10
1962/63	8		2						10	1	2	1	6			10
1963/64	1	1							2		1			1		2
1964/65	4	3	1						8		2	1		5		8
1965/66	5	1	2						8	4	2		2			8
1966/67	3								3	1	1	1				3
1967/68	5								5	1	1		3		1	5
1968/69	1	2							3			3				3
1969/70	6	1	4	1					12	4	1	4	2	1		12
1970/71		1							1			1				1
1971/72	5	2							7	2		3	2			7
1972/73	2	5	3						10			3	7			10
1973/74		4	2						6	2	4					6
1974/75	2								2		2					2
1975/76	1								1		1					1
1976/77	7	1							8		6					8
1977/78	10	5	1	3					19	3	1	10	4		1	19
1978/79	3	4	5	9					21		4	13		4		21
1979/80	2	2	3	3					10	2		1	3	4		10
1980/81	5	2	1	1					9		1	4	2	1	1	9
1981/82	14		6						20		10	9		1		20
30-year average	4.3	1.7	1.6	0.6					8.1	0.6	1.6	3.3	1.7	0.7	0.1	8.1



TABLE 81 Crossmyloof 23 m Maximum depth 10 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1962/63	20		2						22	1	4	2	15			22
1963/64	5								5		2		2	1		5
1964/65	20	1	1						22		4	7	6	5		22
1965/66	14	5	1						20	4	9		7			20
1966/67	4								4		3	1				4
1967/68	11								11		1	2	7		1	11
1968/69	3								3		2	2	1			3
1969/70	8	3							11	1	2	4	3	1		11
1970/71	1								1			1				1
1971/72	2	1							3			1	2			3
10-year average	8.8	1.0	0.4						10.2	0.6	2.5	2.0	4.3	0.7	0.1	10.2



TABLE 82 Glasgow, Springburn Park 107 m Maximum depth 25 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1958/59	16								16		3	13				16
1959/60	9			2					18			6	12			18
1960/61	2	4	1						6		2	2	2			6
1961/62	17	2	12						31		13	5	3	9	1	31
1962/63	37	18	16	2					73	8	8	25	27	5		73
1963/64	3		1						4		1		2	1		4
1964/65	17	3	7						27		4	9	6	8		27
1965/66	15	5	5	1	1				27	5	10		11		1	27
1966/67	15								15	2	3	8	1	1		15
1967/68	30	4	5	1					40		2	13	18	4	3	40
1968/69	17	1	3						21	1	2	5	11	2		21
1969/70	26	1	5	3					35	5	4	11	14	1		35
1970/71	4	1							5		1	1	3			5
1971/72	4	7	3						14	7		4	2	1		14
1972/73	2	3	4	4		1			15		2	4	8		1	15
1973/74	4	2	6						12	2	8		2			12
1974/75		1	1						2		2					2
1975/76	5								5	2	2			1		5
1976/77	4	15	3	1					23		10	12	1			23
1977/78	17	14	3	5					39	1		18	18	1	1	39
1978/79	15	9	8	1	7	3			43	1	6	19	7	10		43
1979/80	10	3	6	3					22	6	4	6	6			22
22-year average	12.2	4.5	4.0	1.0	0.4	0.2			22.4	1.8	4.0	7.3	7.0	2.0	0.3	22.4



**TABLE 83 Coatbridge 78 m Maximum depth 20 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	1								1		1					1
1957/58	7	3	2	1					13			6	6	1		13
1958/59	1								1			1				1
1959/60	6	2	2	2					12			5	7			12
1960/61									0							0
1961/62		3							3		1	2				3
1962/63	19	3	3	8	7				40	2	9	13	16			40
1963/64			3						3				2	1		3
1964/65	6	2	4						12		4	4		4		12
1965/66	13	4	3						20	6	7		7			20
1966/67	3								3	1	2					3
1967/68	12		1	1					14		3	1	7	2	1	14
1968/69	8								8			2	6			8
13-year average	5.8	1.3	1.5	0.9	0.5				10.0	0.7	2.1	2.6	3.9	0.6	0.1	10.0

**TABLE 84 Happenden (and Coalburn) 206 m Maximum depth 23 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	9	2	1						12	2	4	4	2			12
1957/58	6	1	4	6	1				19			7	8	3	1	19
1958/59	5	10	11			1			26		4	22				26
1959/60	7	4	6	3	4				24	2		7	15			24
1960/61	4	3							7		3	1	3			7
1961/62	19	9							28		10	3	7	6	2	28
1962/63	28	28	14	7					77	8	3	31	28	6	1	77
1963/64	5								5	2			2	1		5
1964/65	14	13	4		1				32	2	4	10	6	10		32
1965/66	10	1	6	1					18	9	8		1			18
10-year average	10.7	7.1	4.6	1.7	0.6	0.1			24.8	2.5	3.6	8.5	7.2	2.6	0.4	24.8



**TABLE 85 Leadhills 388 m Maximum depth 27 cm**

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	10	1	3	1					15	3	6	3	3			15
1957/58	6	2	9	5					22	1	1	8	8	2	2	22
1958/59	10	8	10	1					29	5	5	24				29
1959/60	8	7	5	3	3	1			27	4		7	16			27
1960/61	15	5	2						22		16	2	4			22
1961/62	29	9	7	1					46	3	10	9	10	8	6	46
1962/63	16	25	24	11	3				79	7	10	28	28	5	1	79
1963/64	14	1							15	4	3	2	3	3		15
1964/65	23	13	17	1					54	4	11	20	6	13		54
1965/66	19	5	3	5	6	1			39	12	10		12	2	3	39
1966/67	19	8	6		1				34	5	9	12	5	3		34
1967/68	11	12	10	14	8	6			61		3	13	29	13	3	61
1968/69	33	10	8	2					53	1	9	6	26	10	1	53
1969/70	13	12	17	5	5	6			58	15		7	16	10	3	58
1970/71	4	10	11	3	1				29	5	5	7	7	5		29
1971/72	14	6	8	1	2				31	7	3	7	6	7	1	31
1972/73	25	11	11						47	10	3	8	17	1	8	47
1973/74	12	13	10						35	7	9	5	5	8	1	35
1974/75	7	7	4	1		2			21	4	7	7		1	2	21
1975/76	4	7	4	3	9				27	3	3	5	9	5	2	27
1976/77	9	6	19	15	1	5			55		31	17	5	1	1	55
1977/78	8	22	13	12	2	2			59		2	21	22	9	5	59
22-year average	14.0	9.1	9.1	3.8	1.9	1.0			39.0	4.3	7.4	9.9	10.8	4.8	1.8	39.0



TABLE 86 Carnwath 208 m Maximum depth 30 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1953/54	16	1	1						18			3	9	6		18
1954/55	31	4	11						46		4	15	18	9		46
1955/56	33	3	2						38		9	15	13		1	38
1956/57	12								12	2	3	5	2			12
1957/58	16	6	4						26	1			8	7	1	26
1958/59	24	4							28		5	23				28
1959/60	11	5	1	5	1				23	1		6	15	1		23
1960/61	8								8		1	4	3			8
1961/62	26	6	2						34	2	10	5	6	7	4	34
1962/63	13	13	40	19		0.02			85	8	11	31	28	6	1	85
1963/64	14								14	3	5		6			14
1964/65	15	14	4		1	1			35	1	5	10	6	13		35
1965/66	18	4	6	1					29	10	9	5	5			29
1966/67	14	1	2						17	3	3	9	2			17
1967/68	30	15	6	1					52		6	13	25	5	3	52
1968/69	18	9	2						29		1	4	20	4		29
1969/70	23	3	6	1					33	5	2	9	12	5		33
1970/71	11	2							13		3	4	5	1		13
1971/72	9	3	1						13	4		5	2	2		13
1972/73	12	4	4	4					24	2	3	5	11		3	24
1973/74	12	4		2					18	6	5	3	3	1		18
1974/75	9	1	3						13	1	5	4		2	1	13
1975/76	6	4		1					11	2	1	4	1	1	2	11
1976/77	26	7	5						44	1	20	18	3	1	1	44
1977/78	17	5	5	10	4	2			41	2	5	18	15	4	2	41
1978/79	16	6	20	13	5	3			63	1	5	26	12	18	1	63
1979/80	14	5	5	3					27	5	3	8	6	5		27
1980/81	20	4							24	2	6	12	2	1	1	24
1981/82	10	2	22	6					40	1	24	12	1	2		40
29-year average	16.7	4.6	5.2	2.3	0.5	0.2			29.6	2.2	5.1	9.8	8.2	3.5	0.7	29.6



TABLE 87 Aukincruive 45 m Maximum depth 22 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	4								4			3	1			4
1957/58	10	3	2	1					16			6	7	3		16
1958/59	1								1			1				1
1959/60	2		1	2	1				6			1	5			6
1960/61									0							0
1961/62	4	1							5		2	2	1			5
1962/63	5	1							6		3	1	2			6
1963/64									0							0
1964/65	3	2							5	1			2	5		5
1965/66	2		1						3							3
1966/67	5								5	2		3				5
1967/68									0							0
1968/69	4								4			1	3			4
1969/70	8	2							10	3		4	1	2		10
1970/71									0							0
1971/72	1								1	1		1				1
1972/73		1	2	3					6	3		1	5			6
1973/74	10								10		5	1	1			10
1974/75									0							0
1975/76	1								1				1			1
1976/77	9								9		3	6				9
1977/78	6								6	1		2	1	2		6
1978/79	8	3	11						22			16	2	4		22
1979/80	1	2	3	1		1			8	2			3	3		8
1980/81	4		1						5			2	2		1	5
1981/82	18								19		7	11		1		19
26-year average	4.1	0.6	0.8	0.3	0.05	0.05			5.8	0.5	0.8	2.3	1.4	0.7	0.1	5.8



TABLE 88 Prestwick Airport 16 m Maximum depth 17 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57									0							0
1957/58	4	4	3	1					12			7	5			12
1958/59									0							0
1959/60		1		1	1				3				3			3
1960/61									0							0
1961/62	4	1							5		2	2	1			5
1962/63	6								6		3		3			6
1963/64	1								1				1			1
1964/65	1	4							5		1			4		5
1965/66	2	1	1						4	2			2			4
1966/67	1								1	1						1
1967/68	2								2				1		1	2
1968/69	2	1							3			2	1			3
1969/70	8	1	1						10	3	1	4	1	1		10
1970/71									0							0
1971/72									0							0
1972/73		2	4						6	2	3	1	5			6
1973/74	5								5							5
1974/75									0							0
1975/76	1								1				1			1
1976/77	1	1							2		1	1				2
1977/78	3								3	1			1		1	3
1978/79	8	3	8						19			16	2	1		19
1979/80	1	2	3	1					7	1			3	3		7
1980/81	2	2	1						5			2	2		1	5
1981/82	1								1	1						1
26-year average	2.0	0.9	0.8	0.1					3.9	0.4	0.4	1.3	1.3	0.3	0.1	3.9



TABLE 89 Cumnock 99 m Maximum depth 30 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1973/74	12	1							13	5	7	1				13
1974/75	3								3	2		1				3
1975/76	1								1				1			1
1976/77	10	4	1						15		10	5				15
1977/78	4	4	2						10	1		4	2	1	2	10
1978/79	13	7	3	1	9	1			34	3	1	19	3	8		34
1979/80	2	4	3	1					10	1	1		4	4		10
1980/81	7			1					8	3	3	3	1		1	8
1981/82	3	9	2						14	7	7	6		1		14
9-year average	6.1	3.2	1.2	0.3	1.0	0.1			12.0	1.3	3.2	4.3	1.2	1.6	0.3	12.0



TABLE 90 Eskdalemuir Observatory 242 m Maximum depth 44 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1946/47	2	9	33	10	4	1			59	4	1	8	28	21	1	59
1947/48	6	9	5	2					22		5	12	1			22
1948/49	13			1					14			6	2	4		14
1949/50	10	5	3						18	1	8	2	7			18
1950/51	34	7	19						60		17	17	12	11	3	60
1951/52	9	2	12	5	6	5	2		41		4	25	9	2	1	41
1952/53	18	6	8						32	9	11	3	7		2	32
1953/54	17	9	5	1					32			10	15	7		32
1954/55	9	10	12	11	12	3			57		4	16	18	19		57
1955/56	21	13	6	2	1				43		6	17	18	2		43
1956/57	8	1		1					10	2	3	2	3			10
1957/58	5		11	6					22			8	8	5	1	22
1958/59	16	9	1						26		4	22				26
1959/60	6	6	5	1	4	1	3		26	2		7	16	1		26
1960/61	6	2	1	1					10		4	2	3	1		10
1961/62	15	10	11	3	1				40		13	9	8	7	3	40
1962/63	4	3	11		2	25	32	5	82	9	9	31	28	5		82
1963/64	5	3							8		3		3	2		8
1964/65	15	11	8		7	1			34	2	8	9	4	11		34
1965/66	6	9	9	5					37	9	10	3	13	1	1	37
1966/67	13	3	2		1				20	1	5	11	3			20
1967/68	8	4	20	18	1		1		51	1	3	12	28	7		51
1968/69	17	12	2	1					32		4	2	16	10		32
1969/70	9	13	8	4	1				35	4	4	6	15	4	2	35
1970/71	14	3	2						19	1	4	6	3	5		19
1971/72	5	10	1						16	3		6	2	4	1	16
1972/73	7	7	5	3	4	1			27	6	3	4	10	1	3	27
1973/74	5	4	7	1					17	3	4	3	4	3		17
1974/75	8	2	5						15	1	5	5		2		15
1975/76	9	2	1						12	2	1	4	2	3		12
1976/77	19	5	18	1	3	1			47		24	17	3	3		47
1977/78	15	7	11	1					34			15	15	2	2	34
1978/79	14	11	19	11	2	5			62	2	7	24	14	15		62
1979/80	8	5	8	5		2			28	1	2	7	9	9		28
1980/81	12	8	7	2	1				30		7	13	3	5	2	30
1981/82	4	4	9	3	12	9			41	1	18	16	2	4		41
36-year average	10.9	6.2	7.9	2.7	1.7	1.5	1.1	0.1	32.2	1.7	5.6	10.0	9.2	4.9	0.7	32.2



TABLE 91 Bargrennan 110 m Maximum depth 30 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1958/59		1	5						6	1		6				6
1959/60	4	2	1	3	1	3			14		1	1	12			14
1960/61	2								2		7	3	1			2
1961/62	4	5	2						11		7				1	11
1962/63	1	2	1	3					7				6		1	7
1963/64	1								1	1		1		1		1
1964/65	4		1			3			8	6	2		1	6		8
1965/66	6		1	2	2				11	1				1	1	11
1966/67									0		1	5	16	3	3	28
1967/68	22	6							28	2	3	2	10	2		17
1968/69	13	4		1	1				17	3	3	4	14	5	1	29
1969/70	17	5	5						29							0
1970/71									0			1	2	4		7
1971/72	6	1	2	3	3	3			21	4		6	10	1		21
1972/73	7	3							15	4	7	2	2			15
1973/74	15								5	1	3	1			1	5
1974/75	5								3							3
1975/76		2	1						3							3
18-year average	5.9	1.7	1.1	0.7	0.4	0.5			10.3	1.1	1.5	1.8	4.2	1.3	0.4	10.3



TABLE 92 Palnure 18 m Maximum depth 30 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1958/59	6								6	1		6				6
1959/60	6	2	1	5					14			2	11			14
1960/61	2								2		2					2
1961/62	6	2	1						9		6	1		2	1	9
1962/63	2		1	1					4				2		1	4
1963/64	3								3					3		3
1964/65	6	1	1		1	2			11			3		8		11
1965/66	12	1							13	6	3		1	2	1	13
1966/67	4								4			4				4
1967/68	8	1	1						10			5	4		1	10
1968/69	15								15		1	1	11	2		15
1969/70	8	1	2	1					12		2	4	3	3		12
1970/71									0							0
1971/72		1	1						2				2			2
1972/73	5	2	5	2					14	2		4	8			14
1973/74	2								2	2						2
1974/75									0							0
1975/76	6								6		1					6
1976/77	3	2							5			5				5
1977/78									0							0
1978/79	15	7	3						25	5	1	16		2	1	25
1979/80	5	1	1						7			1	3	3		7
1980/81	8	3							11	1	3	2	3		2	11
1981/82	1	2	3	1					7		6			1		7
24-year average	5.1	1.1	0.8	0.4	0.1	0.1			7.6	0.7	1.3	2.3	2.0	1.1	0.3	7.6



TABLE 93 Glenlee 55 m Maximum depth 40 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	3		1	1					5		3		2			5
1957/58	4	3	10	1	1				19		1	11	5	2		19
1958/59	10	1							11		4	7				11
1959/60	5	2	1	1	1	3	3		16	1	2	13				16
1960/61	1	6	2						9		7		2			9
1961/62	9	2	2						13		9	3		1		13
1962/63	9	3	13	8	4				37	1	2	6	23	5		37
1963/64	3		1						4		1		1	2		4
1964/65	7	2	4	1					14		3	2		9		14
1965/66	9	1	5	1					16	6	18	3	2			16
1966/67	3								3			3				3
1967/68	7		5						12			3	6	2	1	12
1968/69	10	1	1						12		3	1	7	1		12
1969/70	6	4	5		1				16	1	7	4	3	1		16
1970/71									0							0
15-year average	5.7	1.7	3.3	0.9	0.5	0.2	0.2		12.5	0.6	3.3	3.5	3.4	1.5	0.1	12.5



TABLE 94 Glenloch Barrage 47 m Maximum depth 30 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57	2		2						4		3		1			4
1957/58	12	2	4						18			9	6			18
1958/59	2	6							8		1	7		2	1	8
1959/60	5	2	2	1	1	2			13	1	2	1	11			13
1960/61	6								6		2	2	2			6
1961/62	5								5		5					5
1962/63	28		3						31	1	1	2	27			31
1963/64	2			3					2		2	2		2		2
1964/65	6				2				12	6	2		2	8		12
1965/66	2	3			4	2			14							14
1966/67	5								5			4				5
1967/68	8								8				1	1	1	8
1968/69	8	3							11		3	1	6			11
1969/70	4	5	4	1					14		6	4	3	1		14
1970/71									0							0
1971/72	1	2							3				2	1		3
1972/73		3	6	1					10			4	6			10
1973/74		4							6	2	4					6
1974/75	2								0							0
1975/76			1						1			1				1
1976/77	1	4							5							5
1977/78	3	1	2						6		4	1				6
1978/79	9	13	8						30		1	5	4		1	30
1979/80	2	4	2	2	1				9			23	4	2		9
1980/81	2	4	1						7			3	4	5	2	7
1981/82	1	5	8	2					16		15		2	1		16
26-year average	4.4	2.3	1.8	0.4	0.3	0.1			9.4	0.4	2.0	2.7	3.2	0.9	0.2	9.4



TABLE 95 Threave 73 m Maximum depth 33 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1961/62	8								8	1	5	3				8
1962/63	32	3	6	12	9				62	1	1	27	28	5		62
1963/64	1								1					1		1
1964/65	6	3	1	4	1	1			16	1	3	3		9		16
1965/66	4	2	3		3	3			15	6	6		3			15
1966/67	4	1							5			4	1			5
1967/68	12	5	2						19		1	7	9	1	1	19
1968/69	12	2	1						15		2	2	9	2		15
1969/70	3	7	4	1	1				16	1	6	4	3	2		16
1970/71	1								1			1				1
1971/72		1			1				2				2			2
1972/73	1	2	7		1	1			12			5	7			12
1973/74	7	4							11	2	7	1	1			11
1974/75	3								3	1	1			1		3
1975/76	2								2			1	1			2
1976/77	8	2	2						12		6	6				12
1977/78	7	2	2	1					12			6	4	1	1	12
1978/79	14	22	13	7					56	2	1	24	22	6	1	56
1979/80	1	5	4	1		1			13			1	6	6		13
1980/81	4	5	3	1					13		2	4	5		2	13
1981/82	12	5	9	6					32		18	13		1		32
21-year average	6.8	3.4	2.7	1.6	0.8	0.3	0.1		15.5	0.7	2.8	5.3	4.8	1.7	0.2	15.5



TABLE 96 Penwhirn 166 m Maximum depth 48 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1957/58	14	3	3	5	2				27			11	6	9	1	27
1958/59	3								3	1		3				3
1959/60	6	2	1	3					12			2	9			12
1960/61	5	2							7		5		1		1	7
1961/62	12	1	3	3	1				16		8	3	1	2	2	16
1962/63	27	12	8			3	6	5	65		1	28	28	8		65
1963/64	6								6				1	5		6
1964/65	7	4			1		3		15	7	1	2	1	11		15
1965/66	9		3		1				13		2		2	1	1	13
1966/67	1								1		1					1
1967/68	11								11			5	2	3	1	11
1968/69	6	2	1						9		3	2	4			9
1969/70	4	4	4						12		3	4	2	2	1	12
1970/71									0							0
1971/72				1		1			2				2			2
15-year average	7.4	2.0	1.5	0.8	0.3	0.3	0.6	0.3	13.3	0.5	1.6	4.0	3.9	2.7	0.5	13.3

TABLE 97 Mull of Galloway 78 m Maximum depth 20 cm

Number of days with snow lying at 0900 GMT at depths (cm) between specified limits

Number of days in each month, November to April, with snow lying at 0900 GMT, depth not specified

Year	0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	Total	November	December	January	February	March	April	Total
1956/57									0							0
1957/58	2	3	3	1	2				11			6	2	3		11
1958/59	2								2			2				2
1959/60		3							3				3			3
1960/61	1								1			1				1
1961/62		2							2			2				2
1962/63	2								2			1	1			2
1963/64									0							0
1964/65	1	2							3					3		3
1965/66									0							0
10-year average	0.8	1.0	0.3	0.1	0.2				2.4			1.2	0.6	0.6		2.4



TABLE 98

Average number of days per winter with snow lying at 0900 GMT at depths between specified limits

Station	Period (Years)	Depth (cm)							
		0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40
Hamnavoe	1962/63-1971/72	13.7	3.9	2.7	1.2		0.2		
Lerwick	1956/57-1981/82	13.6	6.9	4.9	1.6	0.3	0.4		21.7
Baltasound	1958/59-1973/74	9.7	4.1	5.9	3.6	1.2	0.9	0.3	27.4
Stenness	1961/62-1973/74	9.2	3.6	5.8	1.5	0.5			25.7
Kirkwall	1956/57-1981/82	6.1	4.1	3.1	1.0	0.1			20.6
Wick	1956/57-1981/82	6.7	4.7	4.3	1.5	0.8	0.4		14.4
Cape Wrath	1956/57-1972/73	6.8	2.0	1.5	0.3	0.1			18.4
Achnahally	1956/57-1970/71	12.8	7.5	10.9	5.9	2.9	3.5	0.7	10.6
Stornoway	1956/57-1981/82	5.7	2.3	1.2	0.8				44.4
Balmacara House	1961/62-1969/70	10.9	1.3	2.2	0.6				10.0
Achnashellach	1962/63-1970/71	8.3	4.5	5.9	3.5	1.9	1.8	0.9	15.0
Kinlochewe	1956/57-1970/71	15.1	1.4	3.3	2.1	1.3	1.3	0.8	27.1
Benbecula	1956/57-1981/82	4.8	1.7	0.4	0.1				25.7
Isle of Rhum	1958/59-1970/71	6.8	2.1	2.0	0.5	0.2	0.1		7.0
Prabost	1959/60-1972/73	15.2	2.3	3.1	1.1	0.4	0.1		11.7
Onich	1972/73-1981/82	9.1	2.8	1.9	0.5				22.1
Fort William	1946/47-1970/71	10.4	1.0	1.2	0.4	<0.1	<0.1	0.1	14.3
Fort Augustus	1951/52-1970/71	10.1	2.5	4.1	2.1	0.7	0.3		13.2
Inverness	1958/59-1966/67	9.7	3.5	1.4	1.4	1.1	0.9	0.1	19.8
Glenmore Lodge	1956/57-1970/71	24.0	6.5	9.1	4.9	2.9	7.9	2.9	18.2
Nairn	1958/59-1978/79	9.0	2.1	2.6	0.2	0.5			59.9
Forres	1956/57-1981/82								14.5
Kinloss	1953/54-1981/82	8.8	3.2	3.0	1.2	0.5	0.2		16.9
Elgin	1956/57-1970/71	10.9	2.5	2.3	1.0	0.9	1.1	0.1	18.6
Lossiemouth	1958/59-1981/82	5.3	2.0	1.5	0.6	0.1			9.5
Glenlivet (Old Site)	1951/52-1960/61	13.1	4.6	7.9	5.8	5.8	4.7	2.8	47.4
Glenlivet (New Site)	1963/64-1970/71	22.8	10.2	8.6	3.0	2.6	2.2	0.1	49.5
Banff	1961/62-1968/69	8.5	1.9	2.6	1.1	0.1	0.1		14.4
Braemar	1947/48-1957/58	15.7	9.6	15.1	7.3	3.5	3.6	1.1	56.7



TABLE 98 (Contd)

Average number of days per winter with snow lying at 0900 GMT at depths between specified limits

Station	Period	(Years)	Depth (cm)								All depths
			0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	
Balmoral	1946/47-1971/72	(26)	20.6	8.9	10.2	6.3	4.0	4.7	1.7	1.8	58.1
Craibstone	1946/47-1978/79	(33)	17.1	4.8	5.7	2.6	1.1	0.9	0.5	0.3	33.2
Dyce	1953/54-1981/82	(29)	10.2	5.5	5.2	2.6	1.2	0.7	0.1	0.1	25.6
Aberdeen (Mannofield)	1956/57-1970/71	(15)	14.7	4.0	3.2	1.1	0.3	0.5	0.1		24.0
Fettercairn	1956/57-1972/73	(17)	12.7	5.5	5.7	4.4	1.9	1.9	0.6	0.1	32.8
Strachan	1961/62-1970/71	(10)	16.6	5.5	7.9	7.9	1.2	0.9	0.7	0.2	40.9
Muchalls	1956/57-1964/65	( 9)	10.1	3.7	3.9	0.4	0.1	0.1	0.1	0.3	18.8
Mylnefield	1958/59-1971/72	(14)	12.8	1.7	1.1	0.2					15.8
Dundee	1958/59-1981/82	(24)	11.7	2.5	1.4	1.2	0.6	0.1			17.5
Glamis Castle	1958/59-1968/69	(11)	17.3	5.9	4.6	0.9	0.1		0.2		29.1
Carnoustie	1958/59-1970/71	(13)	8.8	1.3	1.0	0.1	0.2				11.4
Arbroath	1956/57-1981/82	(26)	4.5	2.0	1.2	0.5	0.05	0.1			8.2
Montrose	1956/57-1975/76	(20)	8.8	2.1	1.1	0.3	0.05	0.05			12.4
Strathyre	1956/57-1966/67	(11)	9.9	1.3	4.0	1.5	1.5	0.8	0.5		19.5
Ardtalnaig	1958/59-1970/71	(13)	6.8	2.5	5.5	2.7	0.1	0.3			17.8
Faskally	1956/57-1972/73	(17)	15.8	5.6	4.9	0.8	0.1	0.1	0.1		27.4
Perth	1958/59-1968/69	(11)	16.5	2.9	1.1	0.2					20.7
Glenshee Lodge	1956/57-1964/65	( 9)	22.0	5.5	6.9	4.4	4.4	3.8	2.1		49.2
Pitreavie	1959/60-1981/82	(23)	5.5	3.9	2.2	0.6	0.3	0.1			12.6
Kirkcaldy	1956/57-1970/71	(15)	11.1	0.4	0.8	0.1					12.4
Leuchars	1956/57-1981/82	(26)	5.7	2.9	1.9	0.5		0.1			11.0
St Andrews	1956/57-1970/71	(15)	4.4	0.5	0.5	0.4					5.8
Turnhouse	1956/57-1981/82	(26)	6.3	2.7	1.8	0.9	0.2	0.1			11.9
Edinburgh, East Craigs	1958/59-1981/82	(26)	7.5	2.4	1.5	0.8	0.3	0.1			12.6
Penicuik	1956/57-1980/81	(25)	13.2	5.4	5.2	2.1	2.3	1.3			29.5
Bush House (and Boghall)	1956/57-1971/72	(16)	12.2	3.2	4.0	2.4	1.6	1.7			25.1
Edinburgh, Royal Observatory	1958/59-1980/81	(23)	8.2	2.7	3.0	1.2	0.4	0.2			15.7
Edinburgh, Royal Botanic Garden	1949/50-1975/76	(27)	9.4	1.7	1.7	0.1	0.1	0.1			13.2
Haddington	1958/59-1978/79	(21)	5.1	2.0	3.2	2.1	0.7				13.2



TABLE 98 (Contd)

Average number of days per winter with snow lying at 0900 GMT at depths between specified limits

Station	Period (Years)	Depth (cm)										All depths
		0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40			
Dunbar	1958/59-1977/78	2.7	0.9	0.8	0.3	0.1						4.7
Lauder	1962/63-1970/71	18.0	6.0	3.4	5.8	1.1	2.2	0.9	1.0			38.4
Marchmont	1958/59-1973/74	7.6	5.2	4.5	2.9	0.9	3.4	0.7				25.2
St Abb's Head	1956/57-1964/65	3.7	1.1	0.1	0.3	0.2						5.4
Stanhope Farm	1956/57-1970/71	16.2	4.1	4.9	0.5		0.1					25.8
Blyth Bridge	1956/57-1972/73	14.3	5.3	6.2	2.1	0.8	0.3					28.9
West Linton	1946/47-1980/81	14.0	5.4	4.6	3.1	2.5	0.7	0.1	0.5			31.0
Glentress	1959/60-1968/69	14.4	2.4	2.9	2.7	1.7	1.2	0.9	0.5			26.7
Bowhill	1956/57-1973/74	11.1	5.1	4.5	3.1	0.9	0.8	0.6	1.0			27.2
Galashiels	1971/72-1981/82	8.7	5.5	4.6	2.6	1.1	0.2	0.2				22.9
Kelso	1971/72-1981/82	4.1	5.1	2.5	1.5	0.7	0.1					14.1
Sourhope	1953/54-1972/73	14.1	4.5	5.1	3.3	1.9	1.1	0.7	3.1			33.9
Tiree	1956/57-1981/82	2.7	0.6	0.2								3.6
Rhuvaal	1957/58-1976/77	1.1										1.1
Lepinmore	1958/59-1966/67	3.7	0.4	0.3		0.1						4.5
Benmore Forestry School	1956/57-1965/66	7.6	1.2	1.6	2.4	0.1	0.2					13.1
Helensburgh	1956/57-1966/67	6.1	1.5	2.7	0.6	0.6	0.5					12.0
Stirling	1956/57-1981/82	12.5	2.8	3.1	0.8	0.1						19.3
Greenock	1956/57-1973/74	7.0	2.1	1.8	0.9	0.5	0.1					12.4
Paisley	1958/59-1981/82	5.7	2.2	1.2	0.6	0.1						9.8
Barrhead	1956/57-1971/72	5.8	1.1	0.9	0.1	0.1	0.1					8.0
Abbotsinch (and Renfrew)	1952/53-1981/82	4.3	1.7	1.6	0.6							8.1
Crossmyloof	1962/63-1971/72	8.8	1.0	0.4								10.2
Springburn Park	1958/59-1979/80	12.2	4.5	4.0	1.0	0.4	0.2					22.4
Coatbridge	1956/57-1968/69	5.8	1.3	1.5	0.9	0.5						10.0
Happendon (and Coalburn)	1956/57-1965/66	10.7	7.1	4.6	1.7	0.6	0.1					24.8
Leadhills	1956/57-1977/78	14.0	9.1	9.1	3.8	1.9	1.0					39.0
Carnwath	1953/54-1981/82	16.7	4.6	5.2	2.3	0.5	0.2					29.6
Auchincruive	1956/57-1981/82	4.1	0.6	0.8	0.3	0.05	0.05					5.8



TABLE 98 (Contd)

Average number of days per winter with snow lying at 0900 GMT at depths between specified limits

Station	Period	(Years)	Depth (cm)								
			0-2	3-5	6-10	11-15	16-20	21-30	31-40	Over 40	All depths
Prestwick Airport	1956/57-1981/82	(26)	2.0	0.9	0.8	0.1					3.9
Cumnock	1973/74-1981/82	(9)	6.1	3.2	1.2	0.3	1.0	0.1			12.0
Eskdalemuir Observatory	1946/47-1981/82	(36)	10.9	6.2	7.9	2.7	1.7	1.5	1.1	0.1	32.2
Bargrennan	1958/59-1975/76	(18)	5.9	1.7	1.1	0.7	0.4	0.5			10.3
Palnure	1958/59-1981/82	(24)	5.1	1.1	0.8	0.4	0.1	0.1			7.6
Glenlee	1956/57-1970/71	(15)	5.7	1.7	3.3	0.9	0.5	0.2	0.2		12.5
Glenlochar Barrage	1956/57-1981/82	(26)	4.4	2.3	1.8	0.4	0.3	0.1			9.4
Threave	1961/62-1981/82	(21)	6.8	3.4	2.7	1.6	0.8	0.3	0.1		15.5
Penwhirn	1957/58-1971/72	(15)	7.4	2.0	1.5	0.8	0.3	0.3	0.6	0.3	13.3
Mull of Galloway	1956/57-1965/66	(10)	0.8	1.0	0.3	0.1	0.2				2.4



