

METEOROLOGICAL OFFICE
London Road, Bracknell, Berkshire

CLIMATOLOGICAL MEMORANDUM 87

PERCENTAGE FREQUENCY OF HOURLY VALUES OF
DRY-BULB AND WET-BULB TEMPERATURES
AT MANSTON 1961-74

by

H.J. Baker and Joyce Laing

ORGs UKMO C Duplicate

National Meteorological Library National Meteorological Services (Met.O.3)
FitzRoy Road, Exeter, Devon. EX1 3PB

August 1976

the first observations made before a most difficult to assess temperature was the average of the two thermometers which had been exposed to the sun for about half an hour. From this point onwards, from time to time, the two thermometers were interchanged so that each could be exposed to the sun for the same length of time.

CLIMATOLOGICAL MEMORANDUM NO. 87

PERCENTAGE FREQUENCY OF HOURLY VALUES OF DRY-BULB AND WET-BULB TEMPERATURES

AT MANSTON 1961-74

BY H J BAKER AND JOYCE LAING

Introduction

Hourly observations of dry-bulb and wet-bulb temperature were made at RAF Manston, Kent NGR TR 335666 during the 14 years 1961-74. The thermometers were exposed in the standard louvered screen 4 feet (1.25 metres approximately) above short grass. An analysis has been made by computer of these observations to give monthly and annual tables showing the percentage frequency of combinations of dry- and wet-bulb readings in ranges of one degree Celsius. Tables are also given showing the frequency of dry-bulb and wet-bulb temperatures separately.

Explanation of the tables

Tables 1 to 13 contain for each month, and for the year, the distribution of combined dry-bulb and wet-bulb temperature. The ranges of dry-bulb temperature are shown down the left hand side: the ranges of wet-bulb temperature, across the page, are for the sake of brevity given as T (the dry-bulb temperature range for the row) $T-1$ degC, $T-2$ degC etc. Thus if T is 0.1 to 1.0 then $T-1$ is -0.9 to 0.0 and so on.

For any given range of dry-bulb temperature and associated wet-bulb temperature two values are given. The upper figure is the percentage frequency of occurrence within the given range calculated to two places of decimals; the lower figure is the cumulative percentage frequency of occurrence of dry-bulb temperature and associated wet-bulb temperature greater than, or equal to, the lower values in the appropriate range as indicated, calculated to one place of decimals. Entries of 0.0⁺ indicate values of less than .05 per cent but greater than zero.

Example. In Table 1 for January, the percentage frequency of the number of hours with dry-bulb temperature within the range 10.1 to 11.0 deg C and the associated wet-bulb temperature within the range 8.1 to 9.0 deg C (column $T-2$) is 0.22. The cumulative value in this 'box', 2.0 indicates that a dry-bulb temperature of 10.1 deg C or more and an associated wet-bulb temperature of 8.1 deg C or more occurred on 2.0 per cent of the hours. This value is derived from the sum of the upper figures in each box below and to the left of a diagonal through the box concerned to the bottom right of the table, thus:

0.43	1.06	0.22	0.05	
0.04	0.15	0.05	0.0	0.02
		0.03	0.01	

Slight discrepancies may occur in the last place of decimals due to the rounding off of figures when the percentage frequencies were calculated; the printed cumulative figures are correct rather than those obtained by simple addition of the figures in the table.

Table 14 gives the frequency of dry-bulb temperatures alone and table 15 gives the frequency of wet-bulb temperatures alone. The annual percentage frequencies have been worked from all the data and are not a direct mean of the monthly figures.

Average of accumulated temperature

Accumulated temperatures are the integrated excess or deficit from a stated base temperature, and are expressed as degree-days or degree-hours. From data given in table 14 the degree-hours can be calculated using the following method.

The average number of degree-hours in any month above a base temperature ($b^{\circ}\text{C}$) is given by the sum of the products obtained by multiplying the entries for that month which refer to temperatures greater than $b^{\circ}\text{C}$ (ie those values lying beneath the entry referring to the range of temperature whose upper limit is b) by $(1/2) \times (N/100)$, $(3/2) \times (N/100)$, $(5/2) \times (N/100)$ etc. respectively, where N is the number of hours in the month. This assumes, in effect, that the entries in the ranges $(b + 0.1)$ to $(b + 1)$, $(b + 1.1)$ to $(b + 2)$ etc. are concentrated at mid-point of the range $(b + 0.5)$, $(b + 1.5)$ etc.

Example. In May (number of hours 744) the average number of degree-hours above 15°C is (from table 14):

$$\begin{aligned}
 4.3 \times (1/2) \times (744/100) &= 16.8 \\
 2.8 \times (3/2) \times (744/100) &= 31.2 \\
 2.1 \times (5/2) \times (744/100) &= 39.1 \\
 1.1 \times (7/2) \times (744/100) &= 28.6 \\
 0.7 \times (9/2) \times (744/100) &= 23.4 \\
 0.5 \times (11/2) \times (744/100) &= 20.5 \\
 0.2 \times (13/2) \times (744/100) &= 9.7 \\
 0.1 \times (15/2) \times (744/100) &= 5.6 \\
 0.1 \times (17/2) \times (744/100) &= 6.3 \\
 0^+ \times (19/2) \times (744/100) &= 0.0 \\
 &\quad \text{181.2}
 \end{aligned}$$

To obtain the number of degree-hours below base $b^{\circ}\text{C}$ the procedure is the same except that the percentages used are those for the temperature ranges below and including the range of temperature which has $b^{\circ}\text{C}$ as its upper limit.

Memoranda containing similar data for other stations in the United Kingdom will be published shortly (see list inside front cover).

	80.0	85.0	90.0	95.0	100.0
50.0	5.0	5.0	5.0	5.0	5.0
60.0		5.0	5.0	5.0	5.0
70.0			5.0	5.0	5.0

ASSOCIATED NEW-ENGLAND TRANSPORTATION INC. - PRELIMINARY INSTRUCTIONS TO DRIVERS FOR VEHICLE USE

MANSTON

JANUARY
1961 TO DATE

(5) ASSOCIATED NEW-ENGLAND TRANSPORTATION INC.

B-T	C-T	D-T	E-T	F-T	G-T	H-T	I-T	K	BLDG-TRAIL
									(0.000 T)
									10.0 0.11-0T 2.11- 0.001
									10.0 0.01-0T 2.01- 0.001
									20.0 0.49- 0T 2.49- 0.001
									50.0 0.8- 0T 2.8- 0.00
									10.0 20.0 0.5- 0T 2.5- 0.00 0.00
									10.0 21.0 0.6- 0T 2.6- 8.00 8.00
									21.0 0.8- 0T 2.8- 3.00 3.00
									45.0 85.0 0.4- 0T 2.4- 5.00 5.00
									20.0 85.0 0.6- 0T 2.6- 4.00 4.00
									21.0 0.5- 0T 2.5- 3.00 3.00
									50.0 15.0 12.1 25.1 0.1- 0T 2.1- 5.00 5.00 5.00 5.00 0.00 0.00
									40.0 60.0 12.5 25.5 0.0 0T 2.0- 4.00 4.00 4.00 4.00 0.00 0.00
									50.0 15.0 12.5 25.5 0.1 0T 2.1- 5.00 5.00 5.00 5.00 0.00 0.00
									10.0 20.0 22.5 25.5 0.5 0T 1.5- 3.00 3.00 3.00 3.00 0.00 0.00
									20.0 85.0 20.0 85.0 0.5 0T 1.5- 5.00 5.00 5.00 5.00 0.00 0.00
									50.0 25.0 25.0 50.0 0.5 0T 1.5- 5.00 5.00 5.00 5.00 0.00 0.00

Table I PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

JANUARY
1961 TO 1974

MANSTON

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB T (DEG C)	T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
-11.9 TO -11.0	0.01								
	100.0								
-10.9 TO -10.0	0.01								
	100.0								
-9.9 TO -9.0	0.04								
	100.0								
-8.9 TO -8.0	0.06								
	99.9								
-7.9 TO -7.0	0.07	0.01							
	99.9	99.9							
-6.9 TO -6.0	0.15	0.01							
	99.8	99.8							
-5.9 TO -5.0	0.26	0.17							
	99.5	99.6							
-4.9 TO -4.0	0.38	0.46							
	98.7	90.2							
-3.9 TO -3.0	0.70	0.78	0.05						
	97.4	98.3	98.4						
-2.9 TO -2.0	1.01	1.20	0.13						
	95.2	96.7	96.8						
-1.9 TO -1.0	1.34	1.51	0.21	0.02					
	92.2	94.2	94.5	94.5					
-0.9 TO 0.0	2.63	2.47	0.43	0.04					
	87.9	90.9	91.4	91.4					
0.1 TO 1.0	3.33	3.42	0.47	0.06					
	81.2	85.3	85.8	85.8					
1.1 TO 2.0	3.50	3.77	0.67	0.01					
	73.2	77.9	78.6	78.6					
2.1 TO 3.0	3.58	4.04	0.78	0.04					
	64.9	69.7	70.6	70.6					
3.1 TO 4.0	4.02	4.72	0.75	0.08					
	55.5	61.3	62.1	62.2					

Table 1 (cont.) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

JANUARY 1961-74

MANSTON

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB									
T (DEG C)	T-0	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
4.1 T0 5.0	4.56 44.9	5.23 51.5	0.98 52.6	0.05 52.6			0.001 0.0		
5.1 T0 6.0	3.93 34.4	4.85 40.4	1.24 41.7	0.10 41.8			0.001 0.0		
6.1 T0 7.0	3.73 24.2	5.02 30.5	0.89 31.6	0.07 31.7			0.001 0.0		
7.1 T0 8.0	3.31 15.0	4.40 20.5	1.14 21.8	0.20 22.0			0.001 0.0		
8.1 T0 9.0	2.46 7.4	3.75 11.6	0.96 12.0	0.12 12.9			0.001 0.0		
9.1 T0 10.0	1.10 2.9	1.80 4.9	0.45 5.4	0.17 5.6	0.01 5.6		0.001 0.0		
10.1 T0 11.0	0.43 0.7	1.06 1.8	0.22 2.0	0.05 2.1			0.001 0.0		
11.1 T0 12.0	0.04 0.1	0.15 0.2	0.05 0.3	0.0 0.3	0.02 0.3		0.001 0.0		
12.1 T0 13.0		0.03 0.0	0.02 0.1				0.001 0.0		
13.1 T0 14.0			0.01 0.0				0.001 0.0		
				50.0 5.00	58.0 7.00	50.0 1.00	58.0 1.00	50.0 2.00	58.0 2.00
					50.0 5.00	58.0 7.00	50.0 1.00	58.0 1.00	50.0 2.00
						50.0 5.00	58.0 7.00	50.0 1.00	58.0 2.00
							50.0 5.00	58.0 7.00	50.0 1.00
								50.0 5.00	58.0 7.00

Table 2 PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES
 FEBRUARY 1961-74
 MANSTON

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB		T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
T (DEG C)										
-10.9 TO -10.0	0.01									
	100.0									
-9.9 TO -9.0	0.0									
	100.0									
-8.9 TO -8.0	0.02									
	100.0									
-7.9 TO -7.0	0.02									
	100.0									
-6.9 TO -6.0	0.02	0.01								
	99.9	99.9								
-5.9 TO -5.0	0.07	0.03								
	99.9	99.9								
-4.9 TO -4.0	0.14	0.09								
	99.7	99.8								
-3.9 TO -3.0	0.32	0.36								
	99.1	99.6								
-2.9 TO -2.0	0.72	0.82	0.07							
	97.8	98.3	98.9							
-1.9 TO -1.0	0.96	1.59	0.21							
	95.0	97.1	97.3							
-0.9 TO 0.0	2.08	1.96	0.41	0.01						
	91.2	94.1	94.5	94.5						
0.1 TO 1.0	2.62	4.01	0.88	0.02						
	83.5	89.1	90.0	90.1						
1.1 TO 2.0	2.62	5.13	1.53	0.03						
	73.7	80.9	82.5	82.5						
2.1 TO 3.0	3.40	4.94	1.78	0.07						
	64.3	71.1	73.2	73.2						
3.1 TO 4.0	4.02	5.54	1.68	0.30	0.01					
	53.6	60.9	62.7	63.0	63.0					
4.1 TO 5.0	4.17	6.49	1.47	0.20						
	41.1	49.6	51.3	51.5						

Table 2 (cont.) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

FEBRUARY 1961-74

AT-EDGE HAM
MANSTON

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

Table 3 PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES
MANSTON

MARCH 1961-74

MANSTON

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB

T (DEG C)	T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
-5.9 TO -5.0	0.05								
	100.0								
-4.9 TO -4.0	0.15	0.03							
	99.9	100.0							
-3.9 TO -3.0	0.28	0.08							
	99.7	99.8							
-2.9 TO -2.0	0.40	0.18							
	99.2	99.4							
-1.9 TO -1.0	0.54	0.73	0.05						
	97.6	98.8	98.8						
-0.9 TO 0.0	1.06	1.10	0.40						
	95.3	97.1	97.5						
0.1 TO 1.0	1.10	2.28	0.67						
	90.5	94.2	94.9						
1.1 TO 2.0	1.42	3.01	1.33	0.04					
	84.7	89.4	90.9	90.9					
2.1 TO 3.0	2.58	4.53	1.23	0.12					
	76.8	83.2	85.0	85.1					
3.1 TO 4.0	3.11	5.11	1.36	0.46					
	67.1	74.3	76.1	76.6					
4.1 TO 5.0	4.07	6.20	1.61	0.42	0.04				
	55.2	64.0	66.0	66.6	66.6				
5.1 TO 6.0	3.51	5.64	2.04	0.39	0.08				
	42.7	51.2	53.7	54.2	54.2				
6.1 TO 7.0	3.06	5.05	2.08	0.45	0.07	0.01			
	30.2	39.1	42.0	42.5	42.6	42.6			
7.1 TO 8.0	2.02	4.41	2.55	0.60	0.03				
	18.9	27.1	31.0	31.8	31.9				
8.1 TO 9.0	1.36	2.83	2.45	0.99	0.16	0.01			
	10.9	16.9	20.7	22.1	22.2	22.3			

Table 3 (cont) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

MARCH 1961-74

MANSTON

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB

T (DEG C)

	T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
9.1 TO 10.0	0.37 5.3	1.80 0.5	1.91 12.7	1.04 14.0	0.33 14.4	0.03 14.4	0.0	0.5- DT R.S-	
10.1 TO 11.0	0.09 2.1	0.86 4.9	1.32 7.3	0.85 8.6	0.28 8.9	0.06 9.0	1.0	0.1- DT R.S-	
11.1 TO 12.0	0.0 0.9	0.28 2.0	0.90 4.0	0.79 5.1	0.31 5.5	0.06 5.5	5.0	0.0- DT R.S-	
12.1 TO 13.0	0.0 0.4	0.04 0.9	0.36 1.7	0.49 2.8	0.26 3.1	0.08 3.2	5.0	0.1- DT L.S	
13.1 TO 14.0	0.0 0.1	0.0 0.4	0.10 0.9	0.27 1.4	0.34 1.9	0.05 2.0	7.0	0.5- DT L.S	
14.1 TO 15.0		0.0 0.1	0.0 0.4	0.15 0.8	0.13 1.0	0.12 1.2	0.02 1.2	0.5- DT L.S	
15.1 TO 16.0			0.0 0.1	0.05 0.4	0.13 0.6	0.06 0.7	0.08 0.8	0.2- DT L.S	
16.1 TO 17.0				0.01 0.1	0.07 0.3	0.04 0.4	0.02 0.5	0.01 0.5	L.S
17.1 TO 18.0					0.01 0.1	0.05 0.2	0.06 0.3	0.01 0.3	L.S
18.1 TO 19.0						0.05 0.1	0.07 0.2	0.01 0.2	L.S
19.1 TO 20.0							0.02 0.0	0.06 0.1	L.S
21.0	21.0	21.5	22.0	22.5	23.0	23.5	24.0	24.5	25.0
22.0	22.0	22.5	23.0	23.5	24.0	24.5	25.0	25.5	26.0
23.0	23.0	23.5	24.0	24.5	25.0	25.5	26.0	26.5	27.0
24.0	24.0	24.5	25.0	25.5	26.0	26.5	27.0	27.5	28.0
25.0	25.0	25.5	26.0	26.5	27.0	27.5	28.0	28.5	29.0
26.0	26.0	26.5	27.0	27.5	28.0	28.5	29.0	29.5	30.0
27.0	27.0	27.5	28.0	28.5	29.0	29.5	30.0	30.5	31.0
28.0	28.0	28.5	29.0	29.5	30.0	30.5	31.0	31.5	32.0
29.0	29.0	29.5	30.0	30.5	31.0	31.5	32.0	32.5	33.0
30.0	30.0	30.5	31.0	31.5	32.0	32.5	33.0	33.5	34.0
31.0	31.0	31.5	32.0	32.5	33.0	33.5	34.0	34.5	35.0
32.0	32.0	32.5	33.0	33.5	34.0	34.5	35.0	35.5	36.0
33.0	33.0	33.5	34.0	34.5	35.0	35.5	36.0	36.5	37.0
34.0	34.0	34.5	35.0	35.5	36.0	36.5	37.0	37.5	38.0
35.0	35.0	35.5	36.0	36.5	37.0	37.5	38.0	38.5	39.0
36.0	36.0	36.5	37.0	37.5	38.0	38.5	39.0	39.5	40.0

Table 4 PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES
APRIL 1961-74 MANSTON

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB T (DEG C)	T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
-2.9 TO -2.0	0.07 100.0	0.00 0.01	0.00 0.01	0.01 0.01	0.01 0.01	0.01 0.01	0.01 0.01	0.01 0.01	0.01 0.01
-1.9 TO -1.0	0.10 99.8	0.09 99.9	0.00 0.01	0.00 0.01	0.01 0.01	0.01 0.01	0.01 0.01	0.01 0.01	0.01 0.01
-0.9 TO 0.0	0.24 99.6	0.11 99.7	0.00 0.01	0.00 0.01	0.00 0.01	0.00 0.01	0.00 0.01	0.01 0.01	0.01 0.01
0.1 TO 1.0	0.45 98.9	0.35 99.4	0.04 99.4	0.00 0.01	0.00 0.01	0.00 0.01	0.00 0.01	0.01 0.01	0.01 0.01
1.1 TO 2.0	0.75 97.8	0.47 98.5	0.06 98.6	0.00 0.01	0.00 0.01	0.00 0.01	0.00 0.01	0.01 0.01	0.01 0.01
2.1 TO 3.0	0.97 95.5	1.16 97.0	0.23 97.3	0.00 0.01	0.00 0.01	0.00 0.01	0.00 0.01	0.01 0.01	0.01 0.01
3.1 TO 4.0	1.75 90.3	2.86 94.5	0.36 94.9	0.02 94.9	0.00 0.01	0.00 0.01	0.00 0.01	0.01 0.01	0.01 0.01
4.1 TO 5.0	2.22 82.3	3.95 88.6	1.06 89.9	0.05 89.9	0.00 0.01	0.00 0.01	0.00 0.01	0.01 0.01	0.01 0.01
5.1 TO 6.0	3.46 70.9	5.71 80.0	1.58 82.4	0.20 82.7	0.00 0.01	0.00 0.01	0.00 0.01	0.01 0.01	0.01 0.01
6.1 TO 7.0	3.55 56.9	6.63 67.4	2.54 70.9	0.71 71.7	0.04 71.7	0.00 0.01	0.00 0.01	0.01 0.01	0.01 0.01
7.1 TO 8.0	3.40 43.2	5.99 53.4	2.86 57.3	0.66 58.1	0.10 58.2	0.00 0.01	0.00 0.01	0.01 0.01	0.01 0.01
8.1 TO 9.0	2.64 30.1	5.33 39.8	2.05 44.0	0.63 45.0	0.18 45.2	0.00 0.01	0.00 0.01	0.01 0.01	0.01 0.01
9.1 TO 10.0	1.75 19.4	4.12 27.4	2.61 31.9	0.03 33.1	0.31 33.5	0.04 33.5	0.00 0.01	0.01 0.01	0.01 0.01
10.1 TO 11.0	0.92 10.7	3.00 17.6	2.23 21.6	1.07 23.4	0.26 23.7	0.06 23.7	0.00 0.01	0.01 0.01	0.01 0.01
11.1 TO 12.0	0.25 4.5	1.88 9.8	2.06 13.7	1.05 15.4	0.62 16.2	0.02 16.2	0.00 0.01	0.01 0.01	0.01 0.01
12.1 TO 13.0	0.16 1.9	0.70 4.3	1.39 7.6	1.21 9.5	0.52 10.2	0.14 10.3	0.00 0.01	0.01 0.01	0.01 0.01
13.1 TO 14.0	0.01 0.7	0.29 1.7	0.76 3.4	1.07 5.4	0.53 6.0	0.16 6.2	0.00 0.01	0.01 0.01	0.01 0.01

Table 4 (cont.) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

APRIL 1961-74

MANSTON

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB T (DEG C)	T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
14.1 TO 15.0	0.0 0.3	0.01 0.7	0.35 1.4	0.61 2.4	0.61 3.3	0.12 3.4	0.01 3.4	0.0	0.0
15.1 TO 16.0	0.0 0.1	0.01 0.3	0.06 0.7	0.21 1.1	0.24 1.4	0.23 1.7	0.01 0.2	0.1 0.5	0.0
16.1 TO 17.0	0.0 0.1	0.0 0.1	0.04 0.3	0.15 0.6	0.12 0.8	0.09 0.9	0.05 0.9	0.01 1.0	0.0
17.1 TO 18.0	0.0 0.1	0.0 0.1	0.0 0.1	0.07 0.3	0.10 0.4	0.04 0.5	0.03 0.5	0.03 0.5	0.0
18.1 TO 19.0		0.0 0.1	0.0 0.1	0.01 0.1	0.07 0.2	0.01 0.2	0.01 0.2	0.03 0.3	0.0
19.1 TO 20.0			0.0 0.1	0.01 0.1	0.0 0.1	0.0 0.1	0.04 0.1	0.01 0.1	0.0
20.1 TO 21.0				0.0 0.1	0.0 0.1	0.0 0.1	0.01 0.1	0.01 0.1	0.0
21.1 TO 22.0					0.0 0.1	0.0 0.1	0.02 0.1	0.02 0.1	0.0
22.1 TO 23.0						0.0 0.02	0.0 0.02	0.03 0.0	0.0
23.1 TO 24.0						0.0 0.02	0.0 0.02	0.01 0.02	0.0
24.1 TO 25.0						0.0 0.02	0.0 0.02	0.01 0.02	0.0
25.1 TO 26.0						0.0 0.02	0.0 0.02	0.01 0.02	0.0
26.1 TO 27.0						0.0 0.02	0.0 0.02	0.01 0.02	0.0
27.1 TO 28.0						0.0 0.02	0.0 0.02	0.01 0.02	0.0
28.1 TO 29.0						0.0 0.02	0.0 0.02	0.01 0.02	0.0
29.1 TO 30.0						0.0 0.02	0.0 0.02	0.01 0.02	0.0

Table 5 PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

MAY 1961-74

MANSTON

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB		T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
T (DEG C)	T (DEG C)									
-0.9 TO 0.0	0.0	0.02								
		100.0	16.0	16.0	25.0	10.0	0.0	0.0	0.0	0.0
0.1 TO 1.0	1.0	0.04	0.02							
		100.0	100.0	15.0	30.0	10.0	0.0	0.0	0.0	0.0
1.1 TO 2.0	2.0	0.06	0.09							
		99.8	99.9	21.0	40.0	0.0	0.0	0.0	0.0	0.0
2.1 TO 3.0	3.0	0.08	0.06							
		99.7	99.8	18.0	0.0	0.0	0.0	0.0	0.0	0.0
3.1 TO 4.0	4.0	0.18	0.14							
		99.5	99.6	10.0	0.0	0.0	0.0	0.0	0.0	0.0
4.1 TO 5.0	5.0	0.41	0.28	0.02						
		98.9	99.3	99.3	0.0	0.0	0.0	0.0	0.0	0.0
5.1 TO 6.0	6.0	0.96	0.77	0.12						
		97.0	98.5	98.6	0.0	0.0	0.0	0.0	0.0	0.0
6.1 TO 7.0	7.0	1.18	1.80	0.50	0.01					
		93.0	96.1	96.8	96.8	0.0	0.0	0.0	0.0	0.0
7.1 TO 8.0	8.0	1.78	3.65	0.94	0.19					
		85.4	91.8	93.1	93.3	0.0	0.0	0.0	0.0	0.0
8.1 TO 9.0	9.0	3.28	5.26	1.92	0.31					
		73.9	83.7	86.4	86.7	0.0	0.0	0.0	0.0	0.0
9.1 TO 10.0	10.0	2.96	6.92	2.76	0.50	0.05				
		57.8	70.6	75.1	75.9	75.9	0.0	0.0	0.0	0.0
10.1 TO 11.0	11.0	2.85	5.94	2.96	1.23	0.24				
		41.3	54.9	60.7	62.5	62.8	0.0	0.0	0.0	0.0
11.1 TO 12.0	12.0	1.56	4.96	3.80	1.70	0.41	0.03			
		25.7	38.4	46.1	49.0	49.5	49.5	0.0	0.0	0.0
12.1 TO 13.0	13.0	0.77	3.13	3.33	2.28	0.85	0.12			
		15.2	24.1	31.9	35.0	36.9	37.1	0.0	0.0	0.0
13.1 TO 14.0	14.0	0.19	1.66	2.31	2.74	1.07	0.25	0.01		
		8.4	14.4	20.2	24.7	26.3	26.6	26.6	0.0	0.0
14.1 TO 15.0	15.0	0.05	0.76	1.89	2.00	1.30	0.37	0.06		
		3.7	8.2	12.6	16.1	17.8	18.3	18.4	0.0	0.0
15.1 TO 16.0	16.0	0.0	0.23	1.22	1.30	1.06	0.34	0.14	0.01	
		1.9	3.6	7.4	9.9	11.4	11.8	11.9	11.9	0.0

Table 5 (cont.) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

MAY 1961 -74

MANSTON

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

Table 6 PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

JUNE 1961-74

MANSTON

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB

T (DEG C)

T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
1.1 TO 2.0	0.01							
	100.0							
2.1 TO 3.0	0.02	0.01						
	100.0	100.0						
3.1 TO 4.0								
4.1 TO 5.0	0.0	0.01	0.01					
	99.9	100.0	100.0					
5.1 TO 6.0	0.11	0.14	0.02					
	99.7	99.9	99.9					
6.1 TO 7.0	0.21	0.22	0.09					
	99.1	99.6	99.7					
7.1 TO 8.0	0.32	0.46	0.12	0.03				
	98.1	98.9	99.1	99.2				
8.1 TO 9.0	0.65	1.45	0.21	0.06				
	95.7	97.8	98.2	98.2				
9.1 TO 10.0	1.28	2.33	0.39	0.08	0.02			
	90.8	95.0	95.7	95.8	95.9			
10.1 TO 11.0	2.22	3.78	1.40	0.23	0.05			
	81.6	80.5	91.4	91.7	91.8			
11.1 TO 12.0	2.81	5.02	2.48	0.44	0.05			
	68.0	79.4	83.5	84.0	84.1			
12.1 TO 13.0	2.61	6.12	3.17	0.98	0.09			
	51.3	65.2	71.6	73.2	73.3			
13.1 TO 14.0	1.91	4.69	3.34	1.70	0.39	0.01	0.01	
	35.3	48.7	56.4	59.7	60.3	60.3	60.3	
14.1 TO 15.0	1.06	4.28	3.28	1.99	0.98	0.13		
	21.0	33.3	42.1	46.5	48.0	48.3		
15.1 TO 16.0	0.64	2.15	2.72	2.55	1.35	0.36	0.11	
	12.8	20.8	28.0	33.4	35.9	36.4	36.5	
16.1 TO 17.0	0.22	1.21	2.08	1.91	1.61	0.77	0.13	0.01
	6.2	12.1	18.0	22.5	25.4	26.5	26.6	26.7
17.1 TO 18.0	0.04	0.32	1.71	1.67	1.44	0.85	0.26	0.05
	2.6	6.0	10.7	14.5	17.1	18.3	18.7	18.7

Table 6 (cont) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES (deg F)

JUNE 1961-74

MANSTON

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB T (DEG C)	WET-BULB TEMPERATURE (DEG C)							
	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
18.1 TO 19.0	0.0	0.17	0.92	1.31	1.11	0.65	0.29	0.05
	0.9	2.6	5.7	8.6	10.8	11.9	12.3	12.4
19.1 TO 20.0	0.0	0.02	0.22	0.91	0.79	0.64	0.36	0.10
	0.2	0.9	2.4	4.6	6.2	7.3	7.7	7.9
20.1 TO 21.0		0.0	0.04	0.45	0.54	0.49	0.33	0.11
		0.2	0.8	2.2	3.4	4.3	4.7	4.8
21.1 TO 22.0			0.0	0.10	0.44	0.40	0.30	0.06
			0.2	0.8	1.7	2.4	2.8	2.8
22.1 TO 23.0				0.0	0.15	0.20	0.21	0.07
				0.2	0.7	1.2	1.5	1.5
23.1 TO 24.0					0.09	0.18	0.17	0.09
					0.2	0.6	0.8	0.9
24.1 TO 25.0						0.10	0.09	0.06
						0.1	0.3	0.4
25.1 TO 26.0							0.03	0.03
							0.0	0.1
26.1 TO 27.0								0.04
								0.0
27.1 TO 28.0								
28.1 TO 29.0								
29.1 TO 30.0								
30.1 TO 31.0								
31.1 TO 32.0								
32.1 TO 33.0								
33.1 TO 34.0								
34.1 TO 35.0								
35.1 TO 36.0								
36.1 TO 37.0								
37.1 TO 38.0								
38.1 TO 39.0								
39.1 TO 40.0								
40.1 TO 41.0								
41.1 TO 42.0								
42.1 TO 43.0								
43.1 TO 44.0								
44.1 TO 45.0								
45.1 TO 46.0								
46.1 TO 47.0								
47.1 TO 48.0								
48.1 TO 49.0								
49.1 TO 50.0								
50.1 TO 51.0								
51.1 TO 52.0								
52.1 TO 53.0								
53.1 TO 54.0								
54.1 TO 55.0								
55.1 TO 56.0								
56.1 TO 57.0								
57.1 TO 58.0								
58.1 TO 59.0								
59.1 TO 60.0								
60.1 TO 61.0								
61.1 TO 62.0								
62.1 TO 63.0								
63.1 TO 64.0								
64.1 TO 65.0								
65.1 TO 66.0								
66.1 TO 67.0								
67.1 TO 68.0								
68.1 TO 69.0								
69.1 TO 70.0								
70.1 TO 71.0								
71.1 TO 72.0								
72.1 TO 73.0								
73.1 TO 74.0								
74.1 TO 75.0								
75.1 TO 76.0								
76.1 TO 77.0								
77.1 TO 78.0								
78.1 TO 79.0								
79.1 TO 80.0								
80.1 TO 81.0								
81.1 TO 82.0								
82.1 TO 83.0								
83.1 TO 84.0								
84.1 TO 85.0								
85.1 TO 86.0								
86.1 TO 87.0								
87.1 TO 88.0								
88.1 TO 89.0								
89.1 TO 90.0								
90.1 TO 91.0								
91.1 TO 92.0								
92.1 TO 93.0								
93.1 TO 94.0								
94.1 TO 95.0								
95.1 TO 96.0								
96.1 TO 97.0								
97.1 TO 98.0								
98.1 TO 99.0								
99.1 TO 100.0								
100.1 TO 101.0								
101.1 TO 102.0								
102.1 TO 103.0								
103.1 TO 104.0								
104.1 TO 105.0								
105.1 TO 106.0								
106.1 TO 107.0								
107.1 TO 108.0								
108.1 TO 109.0								
109.1 TO 110.0								
110.1 TO 111.0								
111.1 TO 112.0								
112.1 TO 113.0								
113.1 TO 114.0								
114.1 TO 115.0								
115.1 TO 116.0								
116.1 TO 117.0								
117.1 TO 118.0								
118.1 TO 119.0								
119.1 TO 120.0								
120.1 TO 121.0								
121.1 TO 122.0								
122.1 TO 123.0								
123.1 TO 124.0								
124.1 TO 125.0								
125.1 TO 126.0								
126.1 TO 127.0								

Table 7 PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

JULY 1961-74

MANSTON

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB

T (DEG C)

	T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
6.1 TO 7.0	0.0	0.01							
	100.0	100.0	10.1	10.0	10.0	0.0	0.01	0.01	
7.1 TO 8.0	0.05	0.05							
	99.9	100.0	10.0	10.0	10.0	0.0	0.05	0.05	
8.1 TO 9.0	0.10	0.14							
	99.7	99.9	10.0	10.0	10.0	0.0	0.15	0.15	
9.1 TO 10.0	0.36	0.48	0.06						
	98.9	99.6	99.7	99.7	99.7	0.0	0.35	0.35	
10.1 TO 11.0	0.67	1.12	0.19						
	95.9	98.5	98.8	98.8	98.8	0.0	0.65	0.65	
11.1 TO 12.0	1.11	2.40	1.00	0.04					
	90.1	95.2	96.7	96.8	96.8	0.0	0.45	0.45	
12.1 TO 13.0	2.27	3.71	1.56	0.36	0.02				
	80.2	89.0	91.7	92.2	92.2	0.0	0.45	0.45	
13.1 TO 14.0	2.46	5.91	2.33	0.81	0.12				
	64.1	77.9	83.0	84.2	84.3	0.0	0.65	0.65	
14.1 TO 15.0	2.45	6.25	3.52	1.56	0.30	0.01			
	47.1	61.7	69.6	72.3	72.7	72.7	0.05	0.05	
15.1 TO 16.0	2.17	5.34	3.01	2.20	0.81	0.06			
	31.6	44.6	53.0	57.3	58.5	58.6	0.0	0.0	
16.1 TO 17.0	1.08	4.24	3.00	2.66	1.32	0.25	0.03		
	18.6	29.6	37.1	42.4	44.6	45.0	45.0	0.0	
17.1 TO 18.0	0.38	2.31	2.65	2.02	1.53	0.64	0.10		
	9.1	17.5	24.3	28.8	31.5	32.3	32.4	0.0	
18.1 TO 19.0	0.02	0.88	2.13	1.77	1.42	0.86	0.20	0.02	
	3.9	8.7	14.8	19.0	21.4	22.6	22.8	22.8	
19.1 TO 20.0	0.0	0.17	1.24	1.54	1.20	0.74	0.25	0.01	
	1.5	3.9	7.8	11.8	14.2	15.2	15.5	15.5	
20.1 TO 21.0	0.0	0.02	0.48	1.02	1.21	0.72	0.24	0.02	
	0.7	1.5	3.7	6.4	8.8	10.0	10.3	10.3	
21.1 TO 22.0	0.0	0.0	0.12	0.64	0.96	0.76	0.34	0.04	0.01
	0.2	0.7	1.4	3.2	4.9	6.1	6.6	6.6	6.6
22.1 TO 23.0	0.0	0.0	0.05	0.13	0.49	0.47	0.36	0.10	0.02
	0.1	0.2	0.7	1.3	2.4	3.1	3.6	3.8	3.8

Table 7 (cont.) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

JULY 1961-74

MANSTON

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

Table 8 PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

AUGUST 1961-74

MANSTON

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB T (DEG C)	T	T-1	T-2	T-3	T-4	T-5	T	T-6	T-7	T-8
6.1 TO 7.0	0.01									
	100.0									
7.1 TO 8.0	0.12	0.08								
	99.9	100.0								
8.1 TO 9.0	0.16	0.23	0.01							
	99.5	99.8	99.8							
9.1 TO 10.0	0.55	0.36	0.05							
	98.7	99.3	99.4							
10.1 TO 11.0	1.01	1.03	0.20							
	96.5	98.2	98.4							
11.1 TO 12.0	0.97	2.46	0.46	0.05						
	91.6	95.5	96.2	96.2						
12.1 TO 13.0	1.67	3.31	0.77	0.18						
	83.1	90.6	92.1	92.3						
13.1 TO 14.0	2.07	4.35	2.23	0.43	0.02					
	69.5	81.4	85.6	86.3	86.3					
14.1 TO 15.0	2.79	5.47	2.80	1.00	0.19					
	52.6	67.5	75.0	77.0	77.2					
15.1 TO 16.0	2.84	6.30	3.44	1.93	0.54	0.04				
	34.9	49.8	59.2	63.9	64.9	65.0				
16.1 TO 17.0	2.11	5.41	3.49	2.41	1.49	0.28	0.01			
	19.7	32.0	40.7	46.6	49.4	49.9	49.9			
17.1 TO 18.0	0.34	3.04	2.97	2.34	2.00	0.90	0.15			
	8.7	17.6	24.5	29.7	33.2	34.5	34.7			
18.1 TO 19.0	0.06	0.73	2.33	2.10	1.69	1.05	0.36	0.02		
	3.5	8.4	14.2	18.2	21.0	22.5	22.0	22.0		
19.1 TO 20.0	0.0	0.30	1.33	1.75	1.18	0.73	0.40	0.04		
	1.1	3.5	7.6	11.1	13.0	14.1	14.6	14.6		
20.1 TO 21.0	0.0	0.02	0.36	1.24	1.27	0.40	0.20	0.08		
	0.4	1.1	3.2	6.0	7.7	8.4	8.8	8.9		
21.1 TO 22.0	0.0	0.0	0.11	0.54	0.85	0.36	0.13	0.11	0.01	
	0.1	0.4	1.1	2.8	4.3	4.8	5.0	5.1	5.1	
22.1 TO 23.0	0.0	0.04	0.17	0.50	0.45	0.06	0.06	0.06		
	0.1	0.4	1.0	2.1	2.8	3.0	3.0			

CK

The following remarks may help in the clarification of the tables contained in Climatological Memoranda Nos 80-102.

In tables 1-13 a cumulative figure (ie the lower of the two entries) of 0.0, being rounded off to one place of decimals, indicates a value of less than 0.05 per cent, but greater than zero.

In table 13 an entry of 0.00+ indicates a value of less than 0.005 per cent but greater than zero.

In tables 14 and 15 an entry of 0.0+ indicates a value of less than 0.05 per cent but greater than zero.

Table 8 (cont.) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

AUGUST 1961-74

MANSTON

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

Table 9 PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

SEPTEMBER 1961-74

MANSTON

TEGUA

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB

T (DEG C)

	T-0	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
4.1 TO 5.0	0.06								
	01.0	100.0	91.0	80.0	0.0				
5.1 TO 6.0	0.12	0.14							
	01.0	99.8	99.9	100.0					
6.1 TO 7.0	0.44	0.37							
	09.3	99.7							
7.1 TO 8.0	0.59	0.70	0.05						
	97.9	98.8	98.9						
8.1 TO 9.0	0.93	1.20	0.22						
	95.5	97.3	97.5						
9.1 TO 10.0	1.15	1.68	0.47	0.04					
	91.7	94.6	95.1	95.2					
10.1 TO 11.0	2.05	3.09	0.64	0.06					
	84.4	90.5	91.7	91.9					
11.1 TO 12.0	1.84	4.06	1.69	0.37	0.05				
	73.4	82.4	85.4	86.0	86.0				
12.1 TO 13.0	1.90	4.69	2.46	0.79	0.20				
	60.9	71.5	76.5	77.8	78.0				
13.1 TO 14.0	2.05	4.84	2.86	1.41	0.41	0.01			
	46.6	59.0	64.9	67.4	68.0	68.0			
14.1 TO 15.0	2.54	5.39	3.32	1.68	0.76	0.11			
	32.2	44.5	52.1	55.2	56.3	56.4			
15.1 TO 16.0	2.21	4.65	3.05	2.38	0.99	0.25	0.02		
	19.0	29.7	36.6	40.8	42.2	42.6	42.6		
16.1 TO 17.0	1.92	3.43	2.56	2.24	1.27	0.37	0.08		
	9.4	16.8	22.8	26.7	28.5	29.0	29.0		
17.1 TO 18.0	0.23	1.62	1.64	1.64	1.11	0.46	0.06		
	3.6	7.5	11.4	14.9	16.5	17.1	17.2		
18.1 TO 19.0	0.08	0.43	0.97	1.30	1.20	0.38	0.09		
	1.5	3.4	5.7	8.0	9.8	10.3	10.4		
19.1 TO 20.0	0.0	0.10	0.42	0.76	0.65	0.45	0.12	0.02	
	0.5	1.4	2.9	4.2	5.2	5.8	5.9	6.0	
20.1 TO 21.0	0.0	0.02	0.22	0.46	0.31	0.24	0.14	0.0	0.01
	0.1	0.5	1.3	2.4	2.9	3.2	3.4	3.4	3.5

Table 9 (cont) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

SEPTEMBER 1961-74

MANSTON

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB T (DEG C)	T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
21.1 TO 22.0	0.0 0.1	0.0 0.1	0.06 0.5	0.16 1.1	0.24 1.7	0.19 1.9	0.06 2.0	0.02 2.0	0.02 2.1
22.1 TO 23.0		0.0 0.1	0.0 0.1	0.06 0.4	0.22 0.9	0.23 1.2	0.05 1.3	0.03 1.3	0.01 1.3
23.1 TO 24.0			0.0 0.1	0.01 0.1	0.10 0.4	0.13 0.6	0.08 0.7		
24.1 TO 25.0					0.02 0.1	0.04 0.2	0.08 0.4	0.11 0.4	0.03 0.4
25.1 TO 26.0						0.04 0.1	0.02 0.1	0.01 0.1	
26.1 TO 27.0						0.02 0.0	0.0 0.0	0.01 0.0	
27.1 TO 28.0									
28.1 TO 29.0									
29.1 TO 30.0									
30.1 TO 31.0									
31.1 TO 32.0									
32.1 TO 33.0									
33.1 TO 34.0									
34.1 TO 35.0									
35.1 TO 36.0									
36.1 TO 37.0									
37.1 TO 38.0									
38.1 TO 39.0									
39.1 TO 40.0									
40.1 TO 41.0									
41.1 TO 42.0									
42.1 TO 43.0									
43.1 TO 44.0									
44.1 TO 45.0									
45.1 TO 46.0									
46.1 TO 47.0									
47.1 TO 48.0									
48.1 TO 49.0									
49.1 TO 50.0									
50.1 TO 51.0									
51.1 TO 52.0									
52.1 TO 53.0									
53.1 TO 54.0									
54.1 TO 55.0									
55.1 TO 56.0									
56.1 TO 57.0									
57.1 TO 58.0									
58.1 TO 59.0									
59.1 TO 60.0									
60.1 TO 61.0									
61.1 TO 62.0									
62.1 TO 63.0									
63.1 TO 64.0									
64.1 TO 65.0									
65.1 TO 66.0									
66.1 TO 67.0									
67.1 TO 68.0									
68.1 TO 69.0									
69.1 TO 70.0									
70.1 TO 71.0									
71.1 TO 72.0									
72.1 TO 73.0									
73.1 TO 74.0									
74.1 TO 75.0									
75.1 TO 76.0									
76.1 TO 77.0									
77.1 TO 78.0									
78.1 TO 79.0									
79.1 TO 80.0									
80.1 TO 81.0									
81.1 TO 82.0									
82.1 TO 83.0									
83.1 TO 84.0									
84.1 TO 85.0									
85.1 TO 86.0									
86.1 TO 87.0									
87.1 TO 88.0									
88.1 TO 89.0									
89.1 TO 90.0									
90.1 TO 91.0									
91.1 TO 92.0									
92.1 TO 93.0									
93.1 TO 94.0									
94.1 TO 95.0									
95.1 TO 96.0									
96.1 TO 97.0									
97.1 TO 98.0									
98.1 TO 99.0									
99.1 TO 100.0									

Table 10 PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES
OCTOBER 1961-74 MANSTON

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB T (DEG C)	T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
1.1 TO 2.0	0.04								
	100.0								
2.1 TO 3.0	0.21	0.09							
	99.9	100.0							
3.1 TO 4.0	0.44	0.37							
	99.2	99.7							
4.1 TO 5.0	0.86	0.66	0.07						
	97.8	98.8	98.8						
5.1 TO 6.0	1.16	1.38	0.21						
	94.5	96.9	97.3						
6.1 TO 7.0	1.52	2.07	0.65	0.12					
	90.2	93.3	94.4	94.5					
7.1 TO 8.0	2.23	3.10	0.86	0.34	0.01				
	83.3	88.6	89.7	90.1	90.1				
8.1 TO 9.0	2.16	4.68	1.51	0.18	0.06				
	73.5	81.1	83.3	83.5	83.6				
9.1 TO 10.0	2.24	4.12	2.04	0.57	0.05				
	63.3	71.4	74.3	75.0	75.0				
10.1 TO 11.0	2.19	3.78	2.36	0.67	0.13				
	51.8	61.0	65.0	65.9	66.0				
11.1 TO 12.0	2.75	4.46	3.19	1.32	0.16	0.01			
	40.6	49.6	55.1	56.7	56.9	56.9			
12.1 TO 13.0	2.95	5.09	2.81	1.70	0.27	0.02			
	29.6	37.8	42.4	44.7	45.0	45.0			
13.1 TO 14.0	2.32	4.62	2.35	1.28	0.46	0.03			
	19.2	26.6	29.8	31.6	32.1	32.1			
14.1 TO 15.0	1.78	3.43	1.85	0.61	0.42	0.07			
	10.9	16.9	19.7	20.5	21.0	21.1			
15.1 TO 16.0	0.73	2.39	1.64	0.75	0.16	0.06	0.03		
	4.7	9.1	11.7	12.6	12.8	12.9	12.9		
16.1 TO 17.0	0.08	1.16	1.36	0.55	0.14	0.05			
	1.4	3.9	6.0	6.9	7.1	7.2			
17.1 TO 18.0	0.01	0.28	0.83	0.52	0.21	0.03	0.01		
	0.3	1.3	2.7	3.4	3.8	3.8	3.8		

Table 1C (cont) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

OCTOBER 1961-74

MANSTON

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB T (DEG C)	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
18.1 TO 19.0	0.0	0.08	0.34	0.39	0.19	0.10	0.02	
	0.1	0.3	1.0	1.6	1.8	1.9	1.9	
19.1 TO 20.0		0.0	0.10	0.20	0.18	0.02	0.04	
		0.1	0.2	0.6	0.8	0.8	0.8	
20.1 TO 21.0			0.0	0.07	0.12			
			0.1	0.1	0.3			
21.1 TO 22.0				0.03	0.01	0.0		
				0.1	0.1	0.1		
22.1 TO 23.0					0.03	0.01	0.03	
					0.0	0.0	0.1	
23.1 TO 24.0						0.5	0.1	
						0.0	1.0	
24.1 TO 25.0						0.6	0.7	
						0.5	0.5	
25.1 TO 26.0						0.6	0.7	
						0.5	0.5	
26.1 TO 27.0						0.6	0.7	
						0.5	0.5	
27.1 TO 28.0						0.6	0.7	
						0.5	0.5	
28.1 TO 29.0						0.6	0.7	
						0.5	0.5	
29.1 TO 30.0						0.6	0.7	
						0.5	0.5	
30.1 TO 31.0						0.6	0.7	
						0.5	0.5	
31.1 TO 32.0						0.6	0.7	
						0.5	0.5	
32.1 TO 33.0						0.6	0.7	
						0.5	0.5	
33.1 TO 34.0						0.6	0.7	
						0.5	0.5	
34.1 TO 35.0						0.6	0.7	
						0.5	0.5	
35.1 TO 36.0						0.6	0.7	
						0.5	0.5	
36.1 TO 37.0						0.6	0.7	
						0.5	0.5	
37.1 TO 38.0						0.6	0.7	
						0.5	0.5	
38.1 TO 39.0						0.6	0.7	
						0.5	0.5	
39.1 TO 40.0						0.6	0.7	
						0.5	0.5	
40.1 TO 41.0						0.6	0.7	
						0.5	0.5	
41.1 TO 42.0						0.6	0.7	
						0.5	0.5	
42.1 TO 43.0						0.6	0.7	
						0.5	0.5	
43.1 TO 44.0						0.6	0.7	
						0.5	0.5	
44.1 TO 45.0						0.6	0.7	
						0.5	0.5	
45.1 TO 46.0						0.6	0.7	
						0.5	0.5	
46.1 TO 47.0						0.6	0.7	
						0.5	0.5	
47.1 TO 48.0						0.6	0.7	
						0.5	0.5	
48.1 TO 49.0						0.6	0.7	
						0.5	0.5	
49.1 TO 50.0						0.6	0.7	
						0.5	0.5	
50.1 TO 51.0						0.6	0.7	
						0.5	0.5	
51.1 TO 52.0						0.6	0.7	
						0.5	0.5	
52.1 TO 53.0						0.6	0.7	
						0.5	0.5	
53.1 TO 54.0						0.6	0.7	
						0.5	0.5	
54.1 TO 55.0						0.6	0.7	
						0.5	0.5	
55.1 TO 56.0						0.6	0.7	
						0.5	0.5	
56.1 TO 57.0						0.6	0.7	
						0.5	0.5	
57.1 TO 58.0						0.6	0.7	
						0.5	0.5	
58.1 TO 59.0						0.6	0.7	
						0.5	0.5	
59.1 TO 60.0						0.6	0.7	
						0.5	0.5	
60.1 TO 61.0						0.6	0.7	
						0.5	0.5	
61.1 TO 62.0						0.6	0.7	
						0.5	0.5	
62.1 TO 63.0						0.6	0.7	
						0.5	0.5	
63.1 TO 64.0						0.6	0.7	
						0.5	0.5	
64.1 TO 65.0						0.6	0.7	
						0.5	0.5	
65.1 TO 66.0						0.6	0.7	
						0.5	0.5	
66.1 TO 67.0						0.6	0.7	
						0.5	0.5	
67.1 TO 68.0						0.6	0.7	
						0.5	0.5	
68.1 TO 69.0						0.6	0.7	
						0.5	0.5	
69.1 TO 70.0						0.6	0.7	
						0.5	0.5	
70.1 TO 71.0						0.6	0.7	
						0.5	0.5	
71.1 TO 72.0						0.6	0.7	
						0.5	0.5	
72.1 TO 73.0						0.6	0.7	
						0.5	0.5	
73.1 TO 74.0						0.6	0.7	
						0.5	0.5	
74.1 TO 75.0						0.6	0.7	
						0.5	0.5	
75.1 TO 76.0						0.6	0.7	
						0.5	0.5	
76.1 TO 77.0						0.6	0.7	
						0.5	0.5	
77.1 TO 78.0						0.6	0.7	
						0.5	0.5	
78.1 TO 79.0						0.6	0.7	
						0.5	0.5	
79.1 TO 80.0						0.6	0.7	
						0.5	0.5	
80.1 TO 81.0						0.6	0.7	
						0.5	0.5	
81.1 TO 82.0						0.6	0.7	
						0.5	0.5	
82.1 TO 83.0						0.6	0.7	
						0.5	0.5	
83.1 TO 84.0						0.6	0.7	
						0.5	0.5	
84.1 TO 85.0						0.6	0.7	
						0.5	0.5	
85.1 TO 86.0						0.6	0.7	
						0.5	0.5	
86.1 TO 87.0						0.6	0.7	
						0.5	0.5	
87.1 TO 88.0						0.6	0.7	
						0.5	0.5	
88.1 TO 89.0						0.6	0.7	
						0.5	0.5	
89.1 TO 90.0						0.6	0.7	
						0.5	0.5	
90.1 TO 91.0						0.6	0.7	
						0.5	0.5	
91.1 TO 92.0						0.6	0.7	
						0.5	0.5	
92.1 TO 93.0						0.6	0.7	
						0.5	0.5	
93.1 TO 94.0						0.6	0.7	
						0.5	0.5	
94.1 TO 95.0						0.6	0.7	
						0.5	0.5	
95.1 TO 96.0						0.6	0.7	
						0.5	0.5	
96.1 TO 97.0						0.6	0.7	
						0.5	0.5	
97.1 TO 98.0						0.6	0.7	
						0.5	0.5	
98.1 TO 99.0						0.6	0.7	
						0.5	0.5	
99.1 TO 100.0						0.6	0.7	
						0.5	0.5	

Table II PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

NOVEMBER 1961-74

MANSTON

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB T (DEG C)	T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
-4.9 TO -4.0	0.01								
	100.0								
-3.9 TO -3.0	0.01	0.01							
	100.0	100.0							
-2.9 TO -2.0	0.11	0.02							
	100.0	100.0							
-1.9 TO -1.0	0.30	0.30							
	99.5	99.8							
-0.9 TO 0.0	0.39	0.50							
	98.6	99.2							
0.1 TO 1.0	0.74	0.86	0.19						
	96.9	98.2	98.4						
1.1 TO 2.0	1.65	1.64	0.45						
	93.9	96.1	96.6						
2.1 TO 3.0	1.86	2.70	0.49						
	88.9	92.3	92.8						
3.1 TO 4.0	2.32	2.97	0.64	0.05					
	82.9	87.0	87.7	87.8					
4.1 TO 5.0	1.94	4.25	0.88	0.05	0.02				
	74.3	80.6	81.7	81.8	81.8				
5.1 TO 6.0	2.59	5.18	1.77	0.20	0.02				
	64.6	72.3	74.4	74.7	74.7				
6.1 TO 7.0	2.81	6.20	2.24	0.33	0.02				
	52.0	62.0	64.6	64.9	64.9				
7.1 TO 8.0	3.13	6.21	3.18	0.28	0.01				
	39.6	49.1	53.0	53.3	53.3				
8.1 TO 9.0	3.08	4.70	2.73	0.60	0.04	0.01			
	29.5	36.5	39.8	40.4	40.5	40.5			
9.1 TO 10.0	3.05	4.10	1.72	0.60	0.03	0.03			
	20.8	26.4	28.7	29.3	29.3	29.4			
10.1 TO 11.0	2.36	3.51	1.16	0.53	0.02				
	13.3	17.8	19.3	19.8	19.9				
11.1 TO 12.0	1.26	3.05	0.76	0.29	0.03				
	7.1	10.9	11.9	12.2	12.3				

Table II (cont) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

NOVEMBER 1961-74

MANSTON

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

Table 12 PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

DECEMBER 1961-74

MANSTON

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB T (DEG C)	T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
-7.9 TO -7.0	0.01								
	100.0	30.0	11.0	6.0	2.0	0.5	0.0	0.01	0.01
		P-0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-6.9 TO -6.0	0.06	0.01							
	100.0	100.0	40.0	9.0	2.0	0.5	0.0	0.01	0.01
		P-0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-5.9 TO -5.0	0.12	0.10							
	99.8	99.9	40.0	8.0	2.0	0.5	0.0	0.01	0.01
		P-0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-4.9 TO -4.0	0.15	0.12	0.01						
	99.6	99.7	99.7	4.0	0.5	0.0	0.0	0.01	0.01
		P-0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-3.9 TO -3.0	0.29	0.12	0.01						
	99.2	99.4	99.4	4.0	0.5	0.0	0.0	0.01	0.01
		P-0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-2.9 TO -2.0	0.52	0.51	0.09						
	98.2	98.9	99.0	4.0	0.5	0.0	0.0	0.01	0.01
		P-0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-1.9 TO -1.0	0.96	1.22	0.14						
	95.9	97.7	97.9	4.0	0.5	0.0	0.0	0.01	0.01
		P-0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-0.9 TO 0.0	1.56	2.50	0.56						
	91.6	94.9	95.6	4.0	0.5	0.0	0.0	0.01	0.01
		P-0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.1 TO 1.0	2.28	3.60	0.79	0.07					
	85.3	90.1	90.9	90.9	0.0				
		P-0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1.1 TO 2.0	2.56	3.90	1.03	0.04					
	78.0	83.0	84.2	84.2	0.0				
		P-0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2.1 TO 3.0	2.70	4.40	1.04	0.09					
	69.7	75.4	76.6	76.7	0.0				
		P-0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3.1 TO 4.0	3.73	4.88	1.15	0.12	0.01				
	61.1	67.0	68.2	68.5	68.5	0.0			
		P-0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4.1 TO 5.0	4.37	4.93	0.97	0.11					
	50.9	57.4	58.4	58.5	58.5	0.0			
		P-0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5.1 TO 6.0	4.38	5.64	1.40	0.09	0.0	0.01			
	39.6	46.5	48.1	48.1	48.1	48.1	48.1	48.1	48.1
		P-0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6.1 TO 7.0	3.28	4.92	1.22	0.12					
	29.2	35.2	36.5	36.6	36.6	36.6	36.6	36.6	36.6
		P-0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7.1 TO 8.0	2.61	3.87	0.99	0.11					
	20.8	25.9	27.0	27.1	27.1	27.1	27.1	27.1	27.1
		P-0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8.1 TO 9.0	1.93	3.51	1.21	0.12					
	13.8	18.2	19.4	19.5	19.5	19.5	19.5	19.5	19.5
		P-0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 12 (cont.) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

DECEMBER 1961-74

MANSTON

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

Table 13 PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

ANNUAL 1961-74

MANSTON

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB

T (DEG C)	T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
-11.9 TO -11.0	0.00+								
	100.0			20.0	08.0	03.0	42.0	0.01	0.01
-10.9 TO -10.0	0.00+			8.0	7.5	7.5	8.0	0.11	0.01
	100.0			70.0	62.0	40.0	01.0	0.11	0.01
-9.9 TO -9.0	0.00+			2.0	8.0	8.0	0.0	0.0	0.0
	100.0			2.0	8.0	8.0	0.0	0.0	0.0
-8.9 TO -8.0	0.01			2.0	8.0	8.0	0.0	0.0	0.0
	100.0			2.0	8.0	8.0	0.0	0.0	0.0
-7.9 TO -7.0	0.01	0.00+		0.0	0.0	0.0	0.0	0.0	0.0
	100.0	100.0		10.0	20.0	20.0	0.0	0.0	0.0
-6.9 TO -6.0	0.02	0.00+		0.0	0.0	0.0	0.0	0.0	0.0
	100.0	100.0		0.0	0.0	0.0	0.0	0.0	0.0
-5.9 TO -5.0	0.04	0.03		0.0	0.0	0.0	0.0	0.0	0.0
	99.9	100.0		0.0	0.0	0.0	0.0	0.0	0.0
-4.9 TO -4.0	0.07	0.06	0.00+						
	99.8	99.9	99.9						
-3.9 TO -3.0	0.13	0.11	0.00+						
	99.6	99.8	99.8						
-2.9 TO -2.0	0.24	0.23	0.02						
	99.2	99.5	99.5						
-1.9 TO -1.0	0.35	0.45	0.05	0.00+					
	98.4	99.0	99.0	99.0					
-0.9 TO 0.0	0.66	0.72	0.15	0.00+					
	97.0	98.0	98.2	98.2					
0.1 TO 1.0	0.88	1.21	0.25	0.01					
	94.7	96.4	96.6	96.6					
1.1 TO 2.0	1.05	1.50	0.42	0.01					
	91.8	93.8	94.3	94.3					
2.1 TO 3.0	1.28	1.83	0.46	0.03					
	88.3	90.7	91.3	91.3					
3.1 TO 4.0	1.63	2.22	0.50	0.09	0.00+				
	84.1	87.0	87.6	87.7	87.7				
4.1 TO 5.0	1.89	2.67	0.59	0.07	0.00+				
	78.8	82.5	83.2	83.3	83.3				

Table 13 (cont) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

ANNUAL 1961-74

MANSTON

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB		T	T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
T (DEG C)										
5.1 TO 6.0		1.97 72.7	2.91 76.9	0.83 77.9	0.10 78.0	0.01 78.0	0.00+ 78.0			
6.1 TO 7.0		1.85 66.2	3.06 70.8	0.97 72.0	0.18 72.2	0.01 72.2	0.00+ 72.2			
7.1 TO 8.0		1.77 59.6	3.02 64.3	1.17 65.9	0.24 66.1	0.01 66.2				
8.1 TO 9.0		1.68 53.1	3.03 57.8	1.26 59.5	0.29 59.9	0.04 59.9	0.00+ 59.9			
9.1 TO 10.0		1.42 46.8	2.67 51.4	1.16 53.1	0.35 53.6	0.07 53.6	0.01 53.6			
10.1 TO 11.0		1.35 40.3	2.53 45.4	1.14 47.3	0.40 47.9	0.09 47.9	0.01 48.0			
11.1 TO 12.0		1.12 33.7	2.54 39.0	1.43 41.5	0.51 42.3	0.14 42.4	0.01 42.4			
12.1 TO 13.0		1.10 27.1	2.49 32.6	1.40 35.3	0.60 36.4	0.19 36.7	0.03 36.7			
13.1 TO 14.0		0.94 20.4	2.30 26.1	1.43 29.0	0.82 30.4	0.28 30.7	0.04 30.8	0.00+ 30.8		
14.1 TO 15.0		0.89 14.1	2.15 19.4	1.45 22.8	0.81 24.3	0.40 24.9	0.08 25.0	0.01 25.0		
15.1 TO 16.0		0.72 8.8	1.76 13.2	1.27 16.4	0.96 18.3	0.44 19.0	0.12 19.2	0.03 19.2	0.00+ 19.2	
16.1 TO 17.0		0.45 4.7	1.29 8.0	1.08 10.7	0.92 12.6	0.57 13.6	0.18 13.9	0.03 13.9	0.00+ 13.9	
17.1 TO 18.0		0.08 2.1	0.63 4.3	0.83 6.3	0.73 7.9	0.60 8.9	0.28 9.3	0.06 9.4	0.01 9.4	0.00+ 9.4
18.1 TO 19.0		0.01 0.8	0.19 2.0	0.57 3.5	0.59 4.7	0.50 5.6	0.29 6.0	0.09 6.1	0.01 6.1	0.00+ 6.1
19.1 TO 20.0		0.0 0.3	0.05 0.8	0.28 1.8	0.45 2.8	0.35 3.4	0.23 3.7	0.11 3.9	0.02 3.9	0.00+ 3.9
20.1 TO 21.0		0.0 0.1	0.00+ 0.3	0.09 0.8	0.27 1.4	0.30 2.0	0.17 2.3	0.09 2.4	0.02 2.4	0.00+ 2.4
21.1 TO 22.0		0.0 0.1	0.02 0.3	0.12 0.7	0.22 1.1	0.15 1.3	0.07 1.4	0.02 1.4	0.00+ 1.4	

Table 13(a) PERCENTAGE FREQUENCIES OF DRY-BULB AND ASSOCIATED WET-BULB TEMPERATURES

ANNUAL 1961-74

MANSTON

ASSOCIATED WET-BULB TEMPERATURE (DEG C)

DRY-BULB T (DEG C)		T-1	T-2	T-3	T-4	T-5	T-6	T-7	T-8
22.1	To 23.0	+00.0 0.8%	0.01 0.1	0.03 0.2	0.12 0.5	0.12 0.7	0.06 0.8	0.02 0.8	0.00+ 0.8
23.1	To 24.0	+00.0 5.5%	0.01 0.1	0.05 0.2	0.08 0.4	0.05 0.4	0.02 0.5	0.00+ 0.5	
24.1	To 25.0	+00.0 5.6%	0.00+ 0.0	0.02 0.1	0.03 0.1	0.05 0.2	0.02 0.2	0.01 0.3	
25.1	To 26.0	+00.0 9.9%	0.00+ 0.0	0.02 0.1	0.02 0.1	0.02 0.1	0.01 0.1	0.00+ 0.1	
26.1	To 27.0	+0.0 8.8%	0.00+ 0.0	0.00+ 0.0	0.00+ 0.0	0.01 0.0	0.01 0.1	0.00+ 0.1	
27.1	To 28.0	+0.0 8.8%	0.00+ 0.0	0.00+ 0.0	0.00+ 0.0	0.01 0.0	0.01 0.0	0.00+ 0.0	
28.1	To 29.0	+0.0 8.8%	0.00+ 0.0	0.00+ 0.0	0.00+ 0.0	0.01 0.0	0.01 0.0	0.00+ 0.0	
29.1	To 30.0	+0.0 8.8%	0.00+ 0.0	0.00+ 0.0	0.00+ 0.0	0.00+ 0.0	0.00+ 0.0	0.00+ 0.0	
		T-9	T-10	T-11	T-12				
21.1	To 22.0	0.00+ 1.4	0.00+ 0.02						
		+00.0 1.4%	+0.0 0.02						
25.1	To 26.0	0.00+ 0.1	0.00+ 0.01						
26.1	To 27.0	0.00+ 0.1	0.00+ 0.0						
27.1	To 28.0	0.00+ 0.0							
28.1	To 29.0	0.00+ 0.0							
29.1	To 30.0	0.00+ 0.0							
30.1	To 31.0	0.00+ 0.0							

Table 14

PERCENTAGE FREQUENCY OF HOURLY DRY-BULB TEMPERATURES

1561-71

WANTON

Table 14 (cont.)

PERCENTAGE FREQUENCY OF HOURLY DRY-BULB TEMPERATURES

MANSTON

1961-74

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep.	Oct	Nov	Dec	Year
DRY BULB TEMPERATURE (C.1C)													
221 TO 230	0.0	0.0	0.0	0.0	0.1	0.6	1.6	1.3	0.6	0.1	0.0	0.0	0.4
231 TO 240	0.0	0.0	0.0	0.0	0.0	0.5	0.9	0.8	0.3	0.0	0.0	0.0	0.2
241 TO 250	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.4	0.3	0.0	0.0	0.1
251 TO 260	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.2	0.1	0.0	0.0	0.0
261 TO 270	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
271 TO 280	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0
281 TO 290	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0
291 TO 300	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
301 TO 310	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

 0^+ = less than 0.05 per cent

Table 15

PERCENTAGE FREQUENCY OF HOURLY WET-BULB TEMPERATURES

MANSTON
1964-74

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Year
WET BULB TEMPERATURE (C. 1C)	-119	TU	-110	0.6+	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	-109	TU	-100	0.0+	0.0+	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	-59	TU	-50	0.0+	0.0+	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	-69	TU	-60	0.1	0.0+	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	-79	TU	-70	0.1	0.0+	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	-69	TU	-60	0.3	0.0+	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	-59	TU	-50	0.8	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	-49	TU	-40	1.3	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	-39	TU	-30	2.1	1.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	-29	TU	-20	3.0	2.7	1.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0
	-19	TU	-10	4.5	3.8	2.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0
	-9	TU	0	6.6	7.7	4.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0
	1	TU	10	5.0	9.8	5.8	1.2	0.1	0.0	0.0	0.0	0.0	0.0
	11	TU	20	8.3	5.4	7.8	2.3	0.1	0.0	0.0	0.0	0.0	0.0
	21	TU	30	9.4	10.6	9.6	5.1	0.2	0.0	0.0	0.0	0.0	0.0
	31	TU	40	10.6	12.5	11.8	8.1	0.6	0.0	0.0	0.0	0.0	0.0
	41	TU	50	10.5	11.5	12.6	11.4	1.9	0.3	0.0	0.0	0.0	0.0
	51	TU	60	10.2	9.7	12.5	13.9	4.1	0.5	0.0	0.0	0.0	0.0
	61	TU	70	9.3	7.0	11.5	13.7	7.5	1.0	0.0	0.0	0.0	0.0
	71	TU	60	7.6	5.7	6.0	13.2	11.6	2.4	0.2	0.0	0.0	0.0
	81	TU	90	4.5	3.8	5.6	10.7	16.0	4.9	0.8	0.0	0.0	0.0
	91	TU	100	2.2	2.5	3.2	8.7	16.6	9.2	2.2	0.0	0.0	0.0
	101	TU	110	0.6	0.8	1.2	6.1	15.6	13.6	5.8	0.4	0.0	0.0
	111	TU	120	0.1	0.1	0.5	2.7	10.5	16.7	9.9	4.9	0.0	0.0
	121	TU	130	0.0	0.0	0.3	1.2	6.8	16.0	16.1	13.5	0.0	0.0
	131	TU	140	0.0	0.0	0.1	0.3	4.7	13.4	17.1	16.9	14.4	0.0
	141	TU	150	0.0	0.0	0.0	0.2	1.8	9.1	15.3	17.7	13.2	0.0
	151	TU	160	0.0	0.0	0.0	0.0	0.9	6.5	13.2	15.2	9.6	3.3
	161	TU	170	0.0	0.0	0.0	0.0	0.7	3.6	9.5	11.0	5.8	1.0
	171	TU	180	0.0	0.0	0.0	0.0	0.2	1.8	5.2	5.2	2.1	0.3
	181	TU	190	0.0	0.0	0.0	0.0	0.0	0.6	2.4	2.4	1.0	0.1
	191	TU	200	0.0	0.0	0.0	0.0	0.0	0.2	0.8	0.7	0.3	0.0
	201	TU	210	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.1	0.0
	211	TU	220	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0
	221	TU	230	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

0+ less than 0.05 per cent