

RAINFALL AT Dunstable Heathworth

Lat. \_\_\_\_\_ Lon. \_\_\_\_\_ County of Herts Beaford.  
Rain Gauge, by \_\_\_\_\_ Observer Miss Jones

Colne - 1.

Diameter ....	5											
Height .....	1.0											
Altitude ....	630B											
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.	
January ....	.59	.97	1.40	3.09	2.26	2.36	3.31	1.78	.97	1.62	1.855	
February ....	3.40	2.52	1.84	4.32	1.20	3.12	.70	.87	1.33	1.98	2.128	
March .....	.87	1.96	1.33	.81	1.58	1.49	1.38	1.50	3.35	2.12	1.639	
April .....	1.88	1.02	2.88	1.75	1.62	2.44	2.03	1.94	2.06	2.82	2.044	
May .....	1.11	.93	2.11	1.89	.47	2.43	4.24	2.50	1.60	4.37	2.165	
June .....	2.22	2.04	2.90	1.89	2.71	2.47	1.73	.78	2.23	.74	1.971	
July .....	6.30	2.26	2.94	3.17	2.75	.21	1.75	.62	3.83	6.86	3.069	
August .....	.58	5.45	2.00	.91	1.85	1.65	.95	1.02	2.52	2.64	1.957	
September ....	6.03	2.76	2.39	3.83	1.92	4.44	1.28	2.67	1.15	1.12	2.756	
October .....	5.47	2.77	6.80	2.44	1.55	4.94	3.99	1.28	.99	4.16	3.439	
November ....	2.42	2.76	3.16	3.08	1.52	3.63	3.33	3.10	4.54	.58	2.812	
December ....	2.51	4.05	2.71	.97	2.74	1.22	4.18	1.51	1.91	1.75	2.355	
TOTALS ....	33.38	29.49	32.46	28.15	22.17	30.60	28.87	19.57	26.48	30.76	28.233	
											28.193	

1880 Daily Return Arithmetical error discovered in Daily return  
1/XI/04



# RAINFALL AT *Luton*, *Pumping Station*.

80

Lat. ....

Lon. ....

County of *Bedford*

Rain Gauge, by .....

Observer *W. H. Lister, Esq.*

*Sea - 2.*

Diameter ....			<i>5</i>								
Height .....			<i>1. -</i>								
Altitude ....			<i>344 ft</i>								
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January .....			<i>1.44</i>	<i>2.77</i>	<i>1.99</i>	<i>1.69</i>	<i>3.09</i>	<i>2.08</i>	<i>.58</i>	<i>1.12</i>	
February .....	<i>(4.70)</i>	<i>(5.00)</i>	<i>1.16</i>	<i>3.89</i>	<i>1.11</i>	<i>3.29</i>	<i>.46</i>	<i>.75</i>	<i>1.26</i>	<i>1.72</i>	
March .....			<i>1.64</i>	<i>1.02</i>	<i>1.36</i>	<i>1.28</i>	<i>1.57</i>	<i>1.58</i>	<i>2.76</i>	<i>1.63</i>	
April .....			<i>3.50</i>	<i>1.62</i>	<i>1.72</i>	<i>2.82</i>	<i>1.92</i>	<i>1.26</i>	<i>1.67</i>	<i>2.46</i>	
May .....	<i>(27.30)</i>	<i>(23.00)</i>	<i>1.93</i>	<i>1.72</i>	<i>.51</i>	<i>2.66</i>	<i>3.57</i>	<i>1.62</i>	<i>1.40</i>	<i>4.61</i>	
June .....			<i>3.09</i>	<i>1.87</i>	<i>1.82</i>	<i>2.40</i>	<i>1.03</i>	<i>1.07</i>	<i>2.31</i>	<i>1.23</i>	
July .....			<i>2.47</i>	<i>3.11</i>	<i>1.88</i>	<i>.19</i>	<i>1.61</i>	<i>.84</i>	<i>3.68</i>	<i>6.46</i>	
August .....			<i>1.59</i>	<i>.48</i>	<i>1.49</i>	<i>1.49</i>	<i>1.04</i>	<i>.92</i>	<i>2.40</i>	<i>2.15</i>	
September .....			<i>2.42</i>	<i>4.43</i>	<i>2.10</i>	<i>3.68</i>	<i>1.44</i>	<i>2.91</i>	<i>1.01</i>	<i>1.89</i>	
October .....			<i>5.24</i>	<i>2.73</i>	<i>1.58</i>	<i>4.79</i>	<i>4.32</i>	<i>1.41</i>	<i>.90</i>	<i>3.72</i>	
November .....			<i>3.23</i>	<i>2.46</i>	<i>1.13</i>	<i>3.57</i>	<i>3.15</i>	<i>3.39</i>	<i>4.28</i>	<i>1.21</i>	
December .....			<i>2.91</i>	<i>1.34</i>	<i>2.89</i>	<i>1.34</i>	<i>4.04</i>	<i>1.41</i>	<i>1.60</i>	<i>1.34</i>	
TOTALS .....	<i>(32.00)</i>	<i>(28.00)</i>	<i>30.62</i>	<i>27.44</i>	<i>19.58</i>	<i>29.20</i>	<i>27.24</i>	<i>19.24</i>	<i>23.85</i>	<i>29.54</i>	

*1882 St. Mary's 600 yards NE*

*Earth Bank 8 ft height 66 ft E*

*1889 St. Mary's 550 yards N*

*Building 23 ft high 150 ft E*

*Gauge moved in June 50 yards N*



RAINFALL AT Luton

Lat. .... Lon. .... County of Bedford  
Rain Gauge, by ..... Observer W. H. Seale

See 2.

Diameter ....		10									
Height .....		2. 2									
Altitude ....		344									
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January ...											
February ...											
March .....											
April .....											
May .....											
June .....											
July .....		# 2.06									
August .....		5.82									
September...		2.38									
October ....		3.28									
November...		2.53									
December ....		4.21									
TOTALS ....											

St Mary's Church 700 yards NE.



# RAINFALL AT *Cardington* Village

80

Lat. ....

Lon. ....

County of *Bedford*

Rain Gauge, by .....

Observer *Mr L McLaren*

*run - 3.*

Diameter ....	<i>12</i>											
Height .....	<i>3.6</i>											
Altitude ....	<i>109</i>											
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.	
January .....	<i>.29</i>	<i>.68</i>	<i>1.44</i>	<i>1.69</i>	<i>1.85</i>	<i>1.38</i>	<i>2.14</i>	<i>2.04</i>	<i>.90</i>	<i>1.07</i>	<i>1.348</i>	
February .....	<i>1.89</i>	<i>2.42</i>	<i>1.45</i>	<i>2.58</i>	<i>.66</i>	<i>1.68</i>	<i>.21</i>	<i>0.72</i>	<i>1.44</i>	<i>1.76</i>	<i>1.481</i>	
March .....	<i>1.58</i>	<i>1.28</i>	<i>1.11</i>	<i>.88</i>	<i>.89</i>	<i>1.16</i>	<i>1.48</i>	<i>1.32</i>	<i>3.04</i>	<i>1.50</i>	<i>1.424</i>	
April .....	<i>1.42</i>	<i>1.04</i>	<i>2.95</i>	<i>1.85</i>	<i>1.16</i>	<i>2.64</i>	<i>1.93</i>	<i>0.80</i>	<i>1.71</i>	<i>2.58</i>	<i>1.808</i>	
May .....	<i>1.11</i>	<i>.64</i>	<i>1.36</i>	<i>1.72</i>	<i>.84</i>	<i>2.21</i>	<i>3.75</i>	<i>2.34</i>	<i>.79</i>	<i>4.65</i>	<i>1.941</i>	
June .....	<i>2.32</i>	<i>2.03</i>	<i>2.71</i>	<i>2.64</i>	<i>2.10</i>	<i>1.81</i>	<i>.57</i>	<i>0.83</i>	<i>3.40</i>	<i>1.32</i>	<i>1.967</i>	
July .....	<i>6.24</i>	<i>1.84</i>	<i>3.13</i>	<i>3.29</i>	<i>2.95</i>	<i>.21</i>	<i>3.36</i>	<i>0.38</i>	<i>3.82</i>	<i>2.77</i>	<i>2.799</i>	
August .....	<i>.90</i>	<i>4.58</i>	<i>1.89</i>	<i>.95</i>	<i>1.15</i>	<i>2.48</i>	<i>1.23</i>	<i>1.24</i>	<i>2.50</i>	<i>1.31</i>	<i>1.823</i>	
September .....	<i>4.76</i>	<i>1.93</i>	<i>2.07</i>	<i>4.48</i>	<i>1.29</i>	<i>3.57</i>	<i>1.12</i>	<i>1.87</i>	<i>.88</i>	<i>2.54</i>	<i>2.445</i>	
October .....	<i>4.21</i>	<i>2.04</i>	<i>4.65</i>	<i>1.61</i>	<i>1.18</i>	<i>4.07</i>	<i>3.18</i>	<i>1.31</i>	<i>.48</i>	<i>3.13</i>	<i>2.586</i>	
November .....	<i>1.94</i>	<i>2.06</i>	<i>3.64</i>	<i>2.68</i>	<i>1.14</i>	<i>3.02</i>	<i>2.10</i>	<i>1.87</i>	<i>2.92</i>	<i>.73</i>	<i>2.210</i>	
December .....	<i>2.04</i>	<i>3.01</i>	<i>2.44</i>	<i>.77</i>	<i>1.68</i>	<i>.81</i>	<i>3.62</i>	<i>1.20</i>	<i>1.03</i>	<i>1.03</i>	<i>1.763</i>	
TOTALS .....	<i>28.70</i>	<i>23.55</i>	<i>28.84</i>	<i>25.14</i>	<i>16.89</i>	<i>24.98</i>	<i>24.63</i>	<i>15.92</i>	<i>22.91</i>	<i>24.39</i>	<i>23.595</i>	

*1882 Gauge new or moved at same time as other*

*Nga Sai, no. 13-174532*

*NGR TL (52) 087480*

*alt 27m*



# RAINFALL AT *Cardington*

80

Lat. ....

Lon. ....

County of *Bedford*

Rain Gauge, by .....

Observer *Mr. J. McLaren*

*one - 3.*

Diameter ....	<i>8</i>								<i>+2</i>		
Height .....	<i>0.0</i>								<i>3.6</i>		
Altitude ....	<i>106</i>								<i>109</i>		
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January .....	<i>.30</i>	<i>.72</i>	<i>1.50</i>	<i>1.80</i>	<i>2.00</i>	<i>1.40</i>	<i>2.25</i>	<i>2.15</i>	<i>.90</i>	<i>1.18</i>	
February .....	<i>2.00</i>	<i>2.50</i>	<i>1.60</i>	<i>2.68</i>	<i>.70</i>	<i>1.75</i>	<i>.20</i>	<i>.75</i>	<i>1.44</i>	<i>1.90</i>	
March .....	<i>1.70</i>	<i>1.40</i>	<i>1.15</i>	<i>.90</i>	<i>.95</i>	<i>1.20</i>	<i>1.56</i>	<i>1.45</i>	<i>3.04</i>	<i>1.57</i>	
April .....	<i>1.54</i>	<i>1.08</i>	<i>3.10</i>	<i>1.85</i>	<i>1.20</i>	<i>2.84</i>	<i>2.04</i>	<i>.80</i>	<i>1.71</i>	<i>2.62</i>	
May .....	<i>1.20</i>	<i>.67</i>	<i>1.50</i>	<i>1.88</i>	<i>.90</i>	<i>2.35</i>	<i>4.00</i>	<i>2.40</i>	<i>.79</i>	<i>4.80</i>	
June .....	<i>2.45</i>	<i>2.15</i>	<i>2.80</i>	<i>2.70</i>	<i>2.25</i>	<i>1.88</i>	<i>.50</i>	<i>.80</i>	<i>3.40</i>	<i>1.43</i>	
July .....	<i>6.44</i>	<i>1.90</i>	<i>3.20</i>	<i>3.29</i>	<i>3.03</i>	<i>.20</i>	<i>3.46</i>	<i>.40</i>	<i>3.82</i>	<i>2.85</i>	
August .....	<i>1.00</i>	<i>4.72</i>	<i>1.94</i>	<i>.95</i>	<i>1.20</i>	<i>2.50</i>	<i>1.26</i>	<i>1.30</i>	<i>2.50</i>	<i>1.33</i>	
September .....	<i>5.00</i>	<i>1.96</i>	<i>2.12</i>	<i>4.55</i>	<i>1.40</i>	<i>3.70</i>	<i>1.15</i>	<i>1.95</i>	<i>.88</i>	<i>2.60</i>	
October .....	<i>4.30</i>	<i>2.12</i>	<i>4.75</i>	<i>1.61</i>	<i>1.26</i>	<i>4.25</i>	<i>3.25</i>	<i>1.35</i>	<i>.48</i>	<i>3.16</i>	
November .....	<i>2.10</i>	<i>2.10</i>	<i>3.74</i>	<i>2.68</i>	<i>1.18</i>	<i>3.20</i>	<i>2.15</i>	<i>2.00</i>	<i>2.92</i>	<i>.76</i>	
December .....	<i>2.10</i>	<i>3.24</i>	<i>2.54</i>	<i>.78</i>	<i>1.75</i>	<i>.90</i>	<i>3.75</i>	<i>1.25</i>	<i>1.03</i>	<i>1.07</i>	
TOTALS .....	<i>30.13</i>	<i>24.56</i>	<i>29.94</i>	<i>25.67</i>	<i>17.82</i>	<i>26.17</i>	<i>25.56</i>	<i>16.60</i>	<i>22.91</i>	<i>25.27</i>	

*1882 Cardington*

*100 yards SE.*

*1882 The gauge was moved at the end of June from 100 yards E of Church to 100 yards W of Church; no trees within 50 ft.*

*1888 Record imperfect*







# RAINFALL AT

*Silsoe, Ampthill*

80

Lat. ....

Lon. ....

County of

*Bedford*

Rain Gauge, by

Observer

*H. Trethoway, Esq. Jun.*

*rise - 3.*

Diameter ....	<i>5</i>											
Height .....	<i>1.2</i>							<i>1.0</i>				
Altitude ....		<i>214 T</i>										
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.	
January .....	<i>.35</i>	<i>93</i>	<i>1.26</i>	<i>2.16</i>	<i>1.81</i>	<i>1.65</i>	<i>3.07</i>	<i>1.83</i>	<i>.63</i>	<i>1.36</i>	<i>1.505</i>	
February .....	<i>2.57</i>	<i>2.52</i>	<i>1.70</i>	<i>3.16</i>	<i>.98</i>	<i>2.15</i>	<i>.45</i>	<i>0.62</i>	<i>1.87</i>	<i>2.17</i>	<i>1.813</i>	
March .....	<i>1.35</i>	<i>1.56</i>	<i>1.33</i>	<i>.70</i>	<i>.96</i>	<i>1.26</i>	<i>1.48</i>	<i>1.15</i>	<i>2.85</i>	<i>2.02</i>	<i>1.466</i>	
April .....	<i>1.57</i>	<i>1.00</i>	<i>3.43</i>	<i>1.78</i>	<i>1.45</i>	<i>2.79</i>	<i>1.79</i>	<i>1.15</i>	<i>2.09</i>	<i>2.90</i>	<i>1.989</i>	
May .....	<i>1.02</i>	<i>.99</i>	<i>.63</i>	<i>1.72</i>	<i>.59</i>	<i>2.68</i>	<i>4.38</i>	<i>2.50</i>	<i>.91</i>	<i>4.98</i>	<i>2.140</i>	
June .....	<i>1.79</i>	<i>1.88</i>	<i>2.81</i>	<i>2.03</i>	<i>2.33</i>	<i>1.77</i>	<i>.60</i>	<i>0.73</i>	<i>2.49</i>	<i>1.36</i>	<i>1.779</i>	
July .....	<i>5.70</i>	<i>2.06</i>	<i>2.18</i>	<i>2.41</i>	<i>2.43</i>	<i>.30</i>	<i>2.22</i>	<i>0.68</i>	<i>4.28</i>	<i>4.42</i>	<i>2.668</i>	
August .....	<i>1.89</i>	<i>5.07</i>	<i>1.53</i>	<i>1.14</i>	<i>1.70</i>	<i>2.17</i>	<i>1.40</i>	<i>1.13</i>	<i>2.79</i>	<i>1.99</i>	<i>2.081</i>	
September .....	<i>5.46</i>	<i>2.33</i>	<i>2.19</i>	<i>3.76</i>	<i>1.66</i>	<i>3.33</i>	<i>1.27</i>	<i>3.07</i>	<i>1.47</i>	<i>2.66</i>	<i>2.720</i>	
October .....	<i>5.48</i>	<i>2.60</i>	<i>4.85</i>	<i>1.91</i>	<i>1.27</i>	<i>4.53</i>	<i>3.20</i>	<i>1.59</i>	<i>1.00</i>	<i>3.14</i>	<i>2.957</i>	
November .....	<i>2.12</i>	<i>2.53</i>	<i>4.37</i>	<i>2.74</i>	<i>1.33</i>	<i>2.95</i>	<i>2.43</i>	<i>2.74</i>	<i>4.40</i>	<i>.63</i>	<i>2.624</i>	
December .....	<i>2.06</i>	<i>3.69</i>	<i>2.67</i>	<i>.82</i>	<i>2.06</i>	<i>.86</i>	<i>3.61</i>	<i>1.24</i>	<i>1.50</i>	<i>1.04</i>	<i>1.955</i>	
TOTALS .....	<i>31.24</i>	<i>27.16</i>	<i>29.95</i>	<i>24.33</i>	<i>18.57</i>	<i>26.44</i>	<i>25.90</i>	<i>18.43</i>	<i>26.28</i>	<i>28.67</i>	<i>25.697</i>	

*1880. Silsoe Ch. 300 yards. S.*

*1882 Shrubs 10ft high & under 18ft chiefly S*  
*1 " 20ft " " N*



# RAINFALL AT *West Park, Amherst* 80

Lat. .... Lon. .... County of *Bedford*  
 Rain Gauge, by ..... Observer *Mr. G. Ford*

*June - 3.*

Diameter ....	<i>5</i>										
Height .....	<i>1.1</i>										
Altitude ....											
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January ....	<i>.33</i>	<i>.70</i>	<i>1.15</i>	<i>2.20</i>	<i>1.52</i>	<i>1.57</i>	<i>3.02</i>	<i>1.68</i>	<i>.69</i>	<i>1.26</i>	<i>1.412</i>
February ....	<i>2.37</i>	<i>2.45</i>	<i>1.61</i>	<i>2.77</i>	<i>.90</i>	<i>2.10</i>	<i>1.44</i>	<i>0.67</i>	<i>1.40</i>	<i>1.54</i>	<i>1.625</i>
March .....	<i>1.03</i>	<i>1.51</i>	<i>1.35</i>	<i>.80</i>	<i>1.00</i>	<i>1.23</i>	<i>1.28</i>	<i>0.86</i>	<i>2.43</i>	<i>1.93</i>	<i>1.342</i>
April .....	<i>1.72</i>	<i>.94</i>	<i>3.18</i>	<i>1.81</i>	<i>1.51</i>	<i>2.82</i>	<i>1.84</i>	<i>1.43</i>	<i>2.66</i>	<i>2.76</i>	<i>2.067</i>
May .....	<i>1.02</i>	<i>.82</i>	<i>1.85</i>	<i>1.73</i>	<i>.45</i>	<i>2.50</i>	<i>4.28</i>	<i>2.26</i>	<i>.76</i>	<i>5.00</i>	<i>2.067</i>
June .....	<i>1.79</i>	<i>2.03</i>	<i>2.79</i>	<i>2.28</i>	<i>2.44</i>	<i>1.69</i>	<i>.61</i>	<i>1.14</i>	<i>2.27</i>	<i>1.32</i>	<i>1.636</i>
July .....	<i>5.97</i>	<i>1.86</i>	<i>1.84</i>	<i>2.84</i>	<i>2.49</i>	<i>.38</i>	<i>1.94</i>	<i>0.60</i>	<i>3.62</i>	<i>4.16</i>	<i>2.570</i>
August .....	<i>1.33</i>	<i>5.78</i>	<i>1.55</i>	<i>.99</i>	<i>1.80</i>	<i>1.93</i>	<i>1.54</i>	<i>0.95</i>	<i>2.60</i>	<i>2.02</i>	<i>2.049</i>
September ....	<i>5.50</i>	<i>2.09</i>	<i>2.13</i>	<i>3.63</i>	<i>1.70</i>	<i>3.28</i>	<i>1.33</i>	<i>2.97</i>	<i>1.46</i>	<i>2.42</i>	<i>2.651</i>
October ....	<i>5.19</i>	<i>2.47</i>	<i>4.76</i>	<i>1.58</i>	<i>1.19</i>	<i>4.62</i>	<i>3.42</i>	<i>1.58</i>	<i>.84</i>	<i>2.89</i>	<i>2.854</i>
November ....	<i>1.63</i>	<i>2.20</i>	<i>4.06</i>	<i>3.02</i>	<i>1.44</i>	<i>2.90</i>	<i>2.76</i>	<i>2.30</i>	<i>4.18</i>	<i>.91</i>	<i>2.540</i>
December ....	<i>2.06</i>	<i>4.75</i>	<i>2.70</i>	<i>.82</i>	<i>1.97</i>	<i>1.07</i>	<i>3.80</i>	<i>1.11</i>	<i>1.32</i>	<i>.98</i>	<i>2.058</i>
TOTALS ....	<i>29.94</i>	<i>27.60</i>	<i>28.97</i>	<i>24.47</i>	<i>18.41</i>	<i>26.09</i>	<i>26.26</i>	<i>17.55</i>	<i>24.23</i>	<i>27.19</i>	<i>25.071</i>

*1880. Silsbee Ch. 1/2 mile. West.*



# RAINFALL AT *Oaklands, Aspley Guise*

80

Lat. ....

Lon. ....

County of *Bedford*

*Daily* Rain Gauge, by *one - 3.*

Observer *E. E. Dymond, Esq.*

Diameter ....	<i>5</i>										
Height .....	<i>1.1</i>										
Altitude ....	<i>433 T</i>							<i>410 T</i>			
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January .....	<i>.41</i>	<i>1.01</i>	<i>1.31</i>	<i>2.34</i>	<i>2.70</i>	<i>1.66</i>	<i>2.77</i>	<i>1.83</i>	<i>.65</i>	<i>1.17</i>	<i>1.525</i>
February .....	<i>2.46</i>	<i>2.14</i>	<i>1.48</i>	<i>3.12</i>	<i>.82</i>	<i>2.12</i>	<i>.40</i>	<i>.62</i>	<i>1.53</i>	<i>1.66</i>	<i>1.635</i>
March .....	<i>1.71</i>	<i>1.63</i>	<i>1.16</i>	<i>.90</i>	<i>1.16</i>	<i>1.17</i>	<i>1.48</i>	<i>1.41</i>	<i>2.77</i>	<i>1.93</i>	<i>1.532</i>
April .....	<i>1.62</i>	<i>.79</i>	<i>3.29</i>	<i>1.50</i>	<i>1.30</i>	<i>2.33</i>	<i>1.72</i>	<i>1.00</i>	<i>2.05</i>	<i>2.24</i>	<i>1.784</i>
May .....	<i>.94</i>	<i>.98</i>	<i>1.50</i>	<i>1.87</i>	<i>1.01</i>	<i>2.92</i>	<i>4.36</i>	<i>2.74</i>	<i>1.03</i>	<i>4.05</i>	<i>2.140</i>
June .....	<i>1.74</i>	<i>2.33</i>	<i>2.50</i>	<i>2.71</i>	<i>1.45</i>	<i>1.86</i>	<i>1.06</i>	<i>.95</i>	<i>1.92</i>	<i>.96</i>	<i>1.748</i>
July .....	<i>6.21</i>	<i>1.88</i>	<i>2.66</i>	<i>2.64</i>	<i>2.89</i>	<i>.17</i>	<i>2.50</i>	<i>.63</i>	<i>4.43</i>	<i>1.87</i>	<i>2.588</i>
August .....	<i>.46</i>	<i>4.68</i>	<i>1.50</i>	<i>1.16</i>	<i>1.51</i>	<i>1.89</i>	<i>1.47</i>	<i>1.13</i>	<i>2.03</i>	<i>1.49</i>	<i>1.732</i>
September .....	<i>4.36</i>	<i>1.67</i>	<i>2.55</i>	<i>4.10</i>	<i>1.70</i>	<i>3.49</i>	<i>1.49</i>	<i>2.48</i>	<i>1.28</i>	<i>1.94</i>	<i>2.506</i>
October .....	<i>4.78</i>	<i>2.28</i>	<i>4.75</i>	<i>1.51</i>	<i>1.09</i>	<i>4.07</i>	<i>3.35</i>	<i>1.50</i>	<i>.65</i>	<i>2.93</i>	<i>2.726</i>
November .....	<i>1.88</i>	<i>2.42</i>	<i>3.77</i>	<i>2.51</i>	<i>1.28</i>	<i>3.91</i>	<i>2.61</i>	<i>2.16</i>	<i>3.67</i>	<i>.92</i>	<i>2.553</i>
December .....	<i>2.00</i>	<i>3.57</i>	<i>2.73</i>	<i>.64</i>	<i>2.34</i>	<i>.75</i>	<i>4.20</i>	<i>1.07</i>	<i>1.64</i>	<i>1.01</i>	<i>1.995</i>
TOTALS .....	<i>28.52</i>	<i>25.38</i>	<i>29.20</i>	<i>25.80</i>	<i>18.65</i>	<i>26.34</i>	<i>27.41</i>	<i>17.52</i>	<i>23.65</i>	<i>22.17</i>	<i>24.464</i>

*1880. Aspley Guise, 1/2 mile. N.*

*Tree 25ft high 30ft N*

*Shrubs 15ft .. 21ft W*

*Compared with originals 21. IX. 09 - No discrepancies.*



# RAINFALL AT *Woburn, Experimental Farm*

1165  
**80**

Lat. .... Lon. .... County of *Bedford*  
Rain Gauge, by ..... Observer *W. F. E. Fraser*

*over-3.*

Diameter ....						8					
Height .....						3.8					
Altitude ....											
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January ....			1.33	1.95	1.92	1.36	2.18	1.79	.55	1.09	
February ....			1.50	2.98	.82	1.74	.32	.41	1.35	1.46	
March .....			.98	.89	1.05	1.03	1.36	1.05	2.30	1.99	
April .....			3.41	1.55	1.52	2.44	1.63	1.33	2.12	2.43	
May .....			1.75	1.40	.82	2.93	3.51	1.30	.97	4.45	
June .....			2.10	2.89	1.53	1.78	1.44	1.69	2.32	1.04	
July .....			2.41	3.07	2.57	.17	2.47	.64	4.96	2.84	
August .....			1.64	.84	1.28	2.55	1.36	.85	2.03	1.55	
September....			2.58	3.81	1.48	4.10	1.25	1.77	1.16	1.98	
October ....			4.72	1.82	1.19	3.69	3.40	.96	.75	3.04	
November....			3.39	2.37	.95	3.45	2.52	2.19	3.84	.97	
December ....			2.33	.63	2.71	.73	3.61	1.06	1.59	.83	
TOTALS ....			28.14	24.20	17.84	25.97	25.05	15.04	23.94	23.67	

*Husborne Crawley Church 3/4 mile W.*

1887 *Not printed amount too small all through especially September*

*These records, except from 1888 + 1889 are too low as is*



# RAINFALL AT *Ampt Hill*

80

Lat. ....

Lon. ....

County of *Bedford*

Rain Gauge, by .....

Observer *Mr L Brown*

*one - 3.*

Diameter ....	<i>5</i>										
Height .....	<i>1.0</i>										
Altitude ....		<i>310 T</i>		<i>313 T</i>							
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January....	<i>.37</i>	<i>.99</i>	<i>1.22</i>	<i>2.15</i>	<i>2.14</i>	<i>1.57</i>	<i>3.04</i>	<i>1.56</i>	<i>.67</i>	<i>1.13</i>	<i>1.484</i>
February....	<i>2.38</i>	<i>2.60</i>	<i>1.74</i>	<i>3.22</i>	<i>.77</i>	<i>1.95</i>	<i>1.44</i>	<i>.60</i>	<i>1.53</i>	<i>1.68</i>	<i>1.691</i>
March .....	<i>1.70</i>	<i>1.84</i>	<i>1.35</i>	<i>.85</i>	<i>.95</i>	<i>1.23</i>	<i>1.55</i>	<i>1.42</i>	<i>2.69</i>	<i>2.11</i>	<i>1.569</i>
April .....	<i>1.89</i>	<i>.76</i>	<i>3.63</i>	<i>1.81</i>	<i>1.70</i>	<i>2.78</i>	<i>1.70</i>	<i>.96</i>	<i>2.03</i>	<i>2.79</i>	<i>2.005</i>
May .....	<i>1.23</i>	<i>1.09</i>	<i>1.82</i>	<i>2.08</i>	<i>.78</i>	<i>2.91</i>	<i>4.58</i>	<i>2.80</i>	<i>1.08</i>	<i>4.61</i>	<i>2.298</i>
June .....	<i>2.39</i>	<i>2.36</i>	<i>2.53</i>	<i>2.13</i>	<i>2.82</i>	<i>1.95</i>	<i>.67</i>	<i>.66</i>	<i>2.24</i>	<i>1.14</i>	<i>1.889</i>
July .....	<i>5.25</i>	<i>1.84</i>	<i>2.76</i>	<i>3.08</i>	<i>3.07</i>	<i>1.9</i>	<i>2.60</i>	<i>.69</i>	<i>3.97</i>	<i>3.33</i>	<i>2.678</i>
August .....	<i>1.48</i>	<i>4.83</i>	<i>1.81</i>	<i>1.07</i>	<i>1.92</i>	<i>2.55</i>	<i>1.46</i>	<i>.98</i>	<i>1.98</i>	<i>1.72</i>	<i>1.980</i>
September....	<i>5.14</i>	<i>2.17</i>	<i>2.32</i>	<i>4.84</i>	<i>1.73</i>	<i>3.87</i>	<i>1.39</i>	<i>2.49</i>	<i>1.48</i>	<i>2.17</i>	<i>2.760</i>
October .....	<i>5.67</i>	<i>2.65</i>	<i>5.29</i>	<i>1.80</i>	<i>1.15</i>	<i>4.28</i>	<i>3.47</i>	<i>1.57</i>	<i>.79</i>	<i>3.08</i>	<i>2.969</i>
November....	<i>2.16</i>	<i>2.40</i>	<i>3.73</i>	<i>2.89</i>	<i>1.14</i>	<i>3.14</i>	<i>2.69</i>	<i>2.56</i>	<i>3.81</i>	<i>.97</i>	<i>2.549</i>
December ....	<i>2.20</i>	<i>3.62</i>	<i>2.95</i>	<i>.88</i>	<i>2.25</i>	<i>.93</i>	<i>3.79</i>	<i>1.21</i>	<i>1.41</i>	<i>1.03</i>	<i>2.027</i>
TOTALS ....	<i>31.86</i>	<i>27.15</i>	<i>31.15</i>	<i>26.80</i>	<i>20.42</i>	<i>27.35</i>	<i>27.38</i>	<i>17.44</i>	<i>23.68</i>	<i>25.76</i>	<i>25.899</i>

*1882 Ampt Hill 1/2 mile NE*



RAINFALL AT *Ampthill Millbrook*

80

Lat. .... Lon. .... County of *Bedford*

Rain Gauge, by ..... Observer *Rev Lg Gillum*

*ouse - 3.*

Diameter ....			<i>5</i>								
Height .....			<i>10</i>								
Altitude ....			<i>200?</i>								
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January... ..			<i>1.51</i>								
February ....			<i>1.30</i>								
March .....			<i>1.67</i>								
April .....			<i>3.35</i>								
May .....			<i>2.68</i>								
June .....			<i>2.64</i>								
July .....			<i>2.81</i>								
August .....			<i>2.07</i>								
September....			<i>2.26</i>								
October ....			<i>4.89</i>								
November....			<i>3.74</i>								
December ....			<i>2.37</i>								
TOTALS ....			<i>31.29</i>								



# RAINFALL AT

*Liddington, Amptwell*  
*Bedford*  
*Per F. Veasey*

Lat. ....

Lon. ....

County of

Rain Gauge, by

Observer

*one - 3.*

Diameter ....	<i>5</i>										
Height .....	<i>1.0</i>										
Altitude ....											
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January .....	<i>.33</i>			<i>2.07</i>	<i>1.78</i>	<i>1.47</i>	<i>2.58</i>				
February .....	<i>2.54</i>			<i>3.26</i>	<i>.80</i>	<i>2.13</i>	<i>.42</i>				
March .....	<i>1.60</i>			<i>.86</i>	<i>1.11</i>	<i>1.30</i>	<i>1.77</i>				
April .....	<i>1.93</i>			<i>1.60</i>	<i>1.69</i>	<i>2.59</i>	<i>1.81</i>				
May .....	<i>1.28</i>			<i>1.75</i>	<i>.87</i>	<i>2.86</i>	<i>4.69</i>				
June .....	<i>2.07</i>			<i>2.89</i>	<i>1.62</i>	<i>2.08</i>	<i>1.13</i>				
July .....	<i>6.97</i>			<i>3.20</i>	<i>3.21</i>	<i>.23</i>	<i>2.85</i>				
August .....	<i>.73</i>			<i>1.19</i>	<i>1.39</i>	<i>3.85</i>	<i>1.41</i>				
September .....	<i>4.44</i>			<i>4.24</i>	<i>1.48</i>	<i>4.12</i>	<i>1.53</i>				
October .....	<i>5.01</i>			<i>1.76</i>	<i>1.17</i>	<i>4.12</i>	<i>3.71</i>				
November .....	<i>2.05</i>			<i>3.07</i>	<i>1.41</i>	<i>3.36</i>	<i>2.57</i>				
December .....	<i>2.05</i>			<i>.85</i>	<i>2.27</i>	<i>1.02</i>	<i>4.58</i>				
TOTALS .....	<i>31.00</i>			<i>26.74</i>	<i>18.80</i>	<i>29.13</i>	<i>29.05</i>				

*1881 No observations*



# RAINFALL AT *Hulcot Rectory, Notburn*

Lat. ....

Lon. ....

County of *Bedford*

Rain Gauge, by .....

Observer *Rev B Chenuckee Smith*

*case - 3.*

Diameter ....	<i>5"</i>											
Height .....	<i>1.0</i>											
Altitude ....	<i>310 T</i>											
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.	
January .....	<i>.39</i>	<i>.87</i>	<i>1.25</i>	<i>2.36</i>	<i>2.46</i>	<i>1.90</i>	<i>2.75</i>	<i>1.98</i>	<i>.61</i>	<i>1.33</i>	<i>1.589</i>	<i>1550</i>
February .....	<i>2.52</i>	<i>2.34</i>	<i>1.59</i>	<i>3.20</i>	<i>1.08</i>	<i>2.36</i>	<i>.42</i>	<i>0.76</i>	<i>1.78</i>	<i>1.85</i>	<i>1.790</i>	<i>1538</i>
March .....	<i>1.64</i>	<i>1.72</i>	<i>1.07</i>	<i>.98</i>	<i>1.32</i>	<i>1.40</i>	<i>1.64</i>	<i>1.55</i>	<i>2.95</i>	<i>2.06</i>	<i>1.633</i>	<i>1469</i>
April .....	<i>1.90</i>	<i>1.01</i>	<i>3.38</i>	<i>1.66</i>	<i>1.67</i>	<i>2.61</i>	<i>2.06</i>	<i>1.02</i>	<i>2.05</i>	<i>2.50</i>	<i>1.986</i>	<i>1796</i>
May .....	<i>1.28</i>	<i>.85</i>	<i>1.67</i>	<i>1.74</i>	<i>.87</i>	<i>3.40</i>	<i>4.80</i>	<i>2.57</i>	<i>1.21</i>	<i>4.29</i>	<i>2.268</i>	<i>2140</i>
June .....	<i>1.83</i>	<i>2.37</i>	<i>2.55</i>	<i>3.75</i>	<i>1.10</i>	<i>1.73</i>	<i>.62</i>	<i>0.91</i>	<i>1.89</i>	<i>.82</i>	<i>1.757</i>	<i>1574</i>
July .....	<i>6.79</i>	<i>2.24</i>	<i>2.65</i>	<i>3.38</i>	<i>2.82</i>	<i>.33</i>	<i>2.72</i>	<i>0.51</i>	<i>3.99</i>	<i>2.25</i>	<i>2.768</i>	<i>2089</i>
August .....	<i>.61</i>	<i>4.54</i>	<i>1.56</i>	<i>1.07</i>	<i>1.21</i>	<i>2.35</i>	<i>1.51</i>	<i>1.03</i>	<i>1.91</i>	<i>1.44</i>	<i>1.723</i>	<i>1662</i>
September .....	<i>4.24</i>	<i>1.72</i>	<i>2.09</i>	<i>4.72</i>	<i>1.71</i>	<i>3.57</i>	<i>1.28</i>	<i>2.84</i>	<i>1.50</i>	<i>2.20</i>	<i>2.587</i>	<i>2163</i>
October .....	<i>5.08</i>	<i>2.44</i>	<i>(4.75)</i>	<i>1.71</i>	<i>1.32</i>	<i>4.14</i>	<i>3.51</i>	<i>1.44</i>	<i>.56</i>	<i>3.04</i>	<i>2.799</i>	<i>2291</i>
November .....	<i>2.15</i>	<i>2.26</i>	<i>3.93</i>	<i>3.14</i>	<i>1.40</i>	<i>3.53</i>	<i>2.56</i>	<i>2.47</i>	<i>4.06</i>	<i>.82</i>	<i>2.634</i>	<i>2419</i>
December .....	<i>1.97</i>	<i>3.51</i>	<i>2.92</i>	<i>.85</i>	<i>2.61</i>	<i>1.03</i>	<i>4.85</i>	<i>0.90</i>	<i>1.66</i>	<i>1.03</i>	<i>2.133</i>	<i>1936</i>
TOTALS .....	<i>30.40</i>	<i>25.89</i>	<i>(29.41)</i>	<i>28.56</i>	<i>19.56</i>	<i>28.35</i>	<i>28.72</i>	<i>17.98</i>	<i>24.17</i>	<i>23.63</i>	<i>25.667</i>	<i>3049</i>

*1880. Hulcot Church, 350 yards N.E.*

*Nothing higher than 5ft within 25 yards of the gauge*

*1887*

*Shrub 667 ft high 21 ft E*

*22627 21627*



# RAINFALL AT Ampthill, Haynes Vicarage

80

Lat. .... Lon. .... County of Bedford

Rain Gauge, by ..... Observer Rev. A. Osborn

one - 3.

Diameter ....					5						
Height .....					0.9			2.8			
Altitude ....					323T			285			
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January ...					1.89	1.44	2.44	1.58			
February ...					.74	2.08	.31	.61			
March .....					.89	1.01	1.26	1.10			
April .....					1.40	2.78	1.62	1.19			
May .....					.84	2.86	4.63	2.53			
June .....					2.46	1.78	.46	1.22			
July .....					3.09	.28	2.68	1.33			
August .....					1.65	2.00	1.67	1.00			
September ...					1.30	3.56	1.26	2.06			
October ....					1.10	3.86	3.45	1.50			
November ....					1.10	2.85	2.65	2.49			
December ....					1.75	.97	3.23	1.20			
TOTALS ....					18.41	25.47	25.66	17.81			

1884 Haynes Church 100 yards N  
House 45 ft N



# RAINFALL AT

*Ampthill, Haynes Park*

80

Lat. ....

Lon. ....

County of

*Bedford*

Rain Gauge, by

Observer

*F. J. Thompson Esq.*

*ouse - 3.*

Diameter ....						5					
Height .....						2.8					
Altitude ....						285					
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January ....	.27	.83	1.34	2.17	1.83	1.64	2.71	1.58			
February ....	2.23	2.62	1.12	2.68	.69	2.08	.36	.61			
March .....	1.17	1.58	1.62	.89	.88	1.16	1.55	1.10			
April .....	1.90	.97	2.89	1.80	1.50	2.80	1.57	1.19			
May .....	1.32	.93	1.56	1.94	.97	2.91	4.71	2.53			
June .....	2.30	1.98	2.78	2.21	2.20	1.80	.37	1.22			
July ..	5.73	1.71	2.77	2.91	2.77	.22	2.08	1.33			
August .....	1.12	5.22	1.83	.79	1.25	2.07	1.43	1.00			
September....	5.49	2.34	2.39	4.80	1.44	3.62	1.25	2.06			
October ....	5.17	2.42	4.94	1.95	1.25	4.13	3.58	1.50			
November....	1.99	2.20	3.28	2.34	1.17	3.09	2.79	2.49			
December ....	2.13	3.47	2.26	1.17	2.00	1.01	3.81	1.20			
TOTALS ....	30.82	26.27	28.78	25.65	17.95	26.53	26.21	17.81			

*Haynes Church 1/4 mile S.E.*

1885

*Greenhouse*

*35 ft N.*

1888

*Observer moved*



# RAINFALL AT *Biggleswade Langford* 80

Lat. .... Lon. .... County of *Bedford*  
 Rain Gauge, by ..... Observer *F. J. Gurney Esq*

*case - 3.*

Diameter ....									5		
Height .....									1. 0		
Altitude ....									106 T	112 T	
Year.....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January ....									.70	.99	
February ....									1.39	1.93	
March .....									2.51	1.32	
April .....									2.00	2.52	
May .....									.68	3.99	
June .....									1.55	2.05	
July .. ...									2.91	3.28	
August .....									2.12	1.74	
September....									1.10	2.47	
October ....									.77	3.31	
November....									3.18	.81	
December ....									.97	.92	
TOTALS ....									19.88	25.33	

1888 *Langford Church* 100. yards NW  
*Stables* 14 ft high 21 ft S  
 " 7. " 20 " N  
 1889 Gauge moved January 11<sup>th</sup> 30 ft E



# RAINFALL AT

*Old Warden, Biggleswade*

80

Lat. ....

Lon. ....

County of

*Bedford*

Rain Gauge, by

Observer

*Mr G. B. Ellis*

*Case - 3.*

Diameter ....	<i>5</i>										
Height .....	<i>1.3</i>		<i>1.2</i>								
Altitude ....											
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January .....	<i>.33</i>	<i>1.08</i>	<i>1.40</i>	<i>1.44</i>	<i>1.83</i>	<i>1.50</i>	<i>2.93</i>	<i>1.81</i>	<i>.75</i>	<i>.99</i>	<i>1.406</i>
February .....	<i>2.23</i>	<i>2.58</i>	<i>1.50</i>	<i>2.91</i>	<i>.82</i>	<i>2.07</i>	<i>.29</i>	<i>.69</i>	<i>1.50</i>	<i>2.05</i>	<i>1.664</i>
March .....	<i>.89</i>	<i>1.47</i>	<i>1.44</i>	<i>.74</i>	<i>.92</i>	<i>1.15</i>	<i>1.51</i>	<i>1.32</i>	<i>2.70</i>	<i>1.68</i>	<i>1.382</i>
April .....	<i>1.71</i>	<i>1.07</i>	<i>3.07</i>	<i>2.15</i>	<i>1.18</i>	<i>2.31</i>	<i>1.49</i>	<i>1.07</i>	<i>1.87</i>	<i>2.41</i>	<i>1.833</i>
May .....	<i>.98</i>	<i>.88</i>	<i>1.00</i>	<i>1.51</i>	<i>.33</i>	<i>2.18</i>	<i>4.07</i>	<i>2.26</i>	<i>.75</i>	<i>4.57</i>	<i>1.873</i>
June .....	<i>2.80</i>	<i>1.81</i>	<i>3.39</i>	<i>2.11</i>	<i>1.16</i>	<i>1.71</i>	<i>.49</i>	<i>1.17</i>	<i>2.58</i>	<i>2.17</i>	<i>1.939</i>
July .....	<i>0.81</i>	<i>2.08</i>	<i>2.47</i>	<i>2.72</i>	<i>3.52</i>	<i>.21</i>	<i>3.09</i>	<i>.48</i>	<i>3.34</i>	<i>3.33</i>	<i>2.705</i>
August .....	<i>1.17</i>	<i>4.78</i>	<i>1.83</i>	<i>1.00</i>	<i>1.34</i>	<i>2.46</i>	<i>1.14</i>	<i>1.59</i>	<i>1.98</i>	<i>1.69</i>	<i>1.898</i>
September .....	<i>5.52</i>	<i>2.27</i>	<i>1.74</i>	<i>3.75</i>	<i>1.44</i>	<i>3.43</i>	<i>1.16</i>	<i>1.81</i>	<i>1.31</i>	<i>2.38</i>	<i>2.481</i>
October .....	<i>5.36</i>	<i>2.53</i>	<i>4.37</i>	<i>1.82</i>	<i>1.17</i>	<i>4.07</i>	<i>2.99</i>	<i>1.36</i>	<i>.64</i>	<i>3.82</i>	<i>2.813</i>
November .....	<i>2.32</i>	<i>1.94</i>	<i>3.24</i>	<i>2.68</i>	<i>1.13</i>	<i>3.07</i>	<i>2.44</i>	<i>2.14</i>	<i>3.04</i>	<i>.98</i>	<i>2.298</i>
December .....	<i>2.34</i>	<i>3.50</i>	<i>2.52</i>	<i>.92</i>	<i>1.70</i>	<i>.86</i>	<i>4.07</i>	<i>1.06</i>	<i>1.15</i>	<i>1.20</i>	<i>1.932</i>
TOTALS .....	<i>31.46</i>	<i>25.99</i>	<i>27.97</i>	<i>23.75</i>	<i>16.74</i>	<i>25.02</i>	<i>25.67</i>	<i>16.76</i>	<i>21.61</i>	<i>27.27</i>	<i>24.224</i>

*1880. Old Warden Ch. 1/2 mile. W.*

*Trees 60ft high 80ft S.E.*



RAINFALL AT *Old Warden, Biggleswade*

Lat. .... Lon. .... County of *Bellford*  
Rain Gauge, by ..... Observer *C. T. Newbury, Esq.*

*once - 3.*

Diameter ....	<i>5</i>										
Height .....	<i>28.0</i>										
Altitude ....								<i>130T</i>			
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January ...	<i>.37</i>	<i>1.47</i>	<i>1.23</i>	<i>1.76</i>	<i>1.87</i>	<i>1.59</i>	<i>2.57</i>	<i>1.90</i>	<i>.80</i>	<i>1.17</i>	<i>1.473</i>
February ...	<i>2.43</i>	<i>2.49</i>	<i>1.51</i>	<i>2.14</i>	<i>1.27</i>	<i>1.74</i>	<i>1.40</i>	<i>.62</i>	<i>1.57</i>	<i>1.69</i>	<i>1.686</i>
March .....	<i>1.32</i>	<i>.77</i>	<i>1.13</i>	<i>.66</i>	<i>.63</i>	<i>1.02</i>	<i>.97</i>	<i>1.43</i>	<i>2.74</i>	<i>.98</i>	<i>1.165</i>
April .....	<i>1.41</i>	<i>.87</i>	<i>3.06</i>	<i>2.21</i>	<i>1.09</i>	<i>2.49</i>	<i>.55</i>	<i>1.19</i>	<i>1.49</i>	<i>2.41</i>	<i>1.677</i>
May .....	<i>.89</i>	<i>.95</i>	<i>1.22</i>	<i>1.71</i>	<i>.39</i>	<i>2.04</i>	<i>4.87</i>	<i>2.35</i>	<i>.49</i>	<i>2.83</i>	<i>1.774</i>
June .....	<i>2.65</i>	<i>1.81</i>	<i>2.89</i>	<i>3.06</i>	<i>1.74</i>	<i>1.91</i>	<i>.94</i>	<i>.91</i>	<i>1.62</i>	<i>1.97</i>	<i>1.950</i>
July .....	<i>5.45</i>	<i>1.83</i>	<i>2.06</i>	<i>2.84</i>	<i>3.66</i>	<i>.22</i>	<i>1.79</i>	<i>.29</i>	<i>3.35</i>	<i>2.86</i>	<i>2.435</i>
August .....	<i>.78</i>	<i>4.60</i>	<i>1.65</i>	<i>1.02</i>	<i>1.81</i>	<i>2.59</i>	<i>1.76</i>	<i>1.57</i>	<i>1.98</i>	<i>2.09</i>	<i>1.979</i>
September ...	<i>4.95</i>	<i>1.71</i>	<i>1.95</i>	<i>2.47</i>	<i>1.03</i>	<i>3.70</i>	<i>1.25</i>	<i>1.73</i>	<i>.81</i>	<i>2.34</i>	<i>2.194</i>
October .....	<i>5.31</i>	<i>1.75</i>	<i>4.42</i>	<i>1.97</i>	<i>2.04</i>	<i>4.01</i>	<i>2.19</i>	<i>1.41</i>	<i>.74</i>	<i>3.15</i>	<i>2.699</i>
November ...	<i>2.08</i>	<i>2.02</i>	<i>3.35</i>	<i>2.76</i>	<i>.98</i>	<i>3.19</i>	<i>2.59</i>	<i>1.98</i>	<i>2.06</i>	<i>1.02</i>	<i>2.203</i>
December ....	<i>2.08</i>	<i>3.48</i>	<i>2.76</i>	<i>.99</i>	<i>1.47</i>	<i>.89</i>	<i>5.33</i>	<i>1.24</i>	<i>1.63</i>	<i>.86</i>	<i>2.073</i>
TOTALS ....	<i>29.72</i>	<i>23.75</i>	<i>27.23</i>	<i>23.59</i>	<i>17.98</i>	<i>25.39</i>	<i>26.21</i>	<i>16.56</i>	<i>19.28</i>	<i>23.37</i>	<i>23.308</i>

*1880. Biggleswade Ch. 257 yards. W.*



RAINFALL AT Baldock, Stotfold

Three Counties  
Asylum

Lat. ....

Lon. ....

County of Bedford

Rain Gauge, by .....

Observer J. Swaine

rise -3.

Diameter ....	5											
Height .....	9							1.0				
Altitude .....	220											
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.	
January .....	.30	.93	1.00	1.62	1.64	1.64	2.36	1.60	.67	1.09	1.285	
February .....	1.90	2.22	1.55	3.04	.90	1.89	.34	.63	1.41	1.88	1.576	
March .....	.75	1.11	1.17	.91	.87	.97	1.22	1.15	2.47	1.42	1.204	
April .....	1.28	.82	2.86	1.89	1.25	2.65	1.52	.99	1.51	2.48	1.725	
May .....	.86	.58	1.10	1.57	.44	2.39	4.42	2.22	.88	4.05	1.851	
June .....	2.24	1.53	1.99	2.32	1.67	2.48	.82	.90	1.45	1.85	1.725	
July .....	4.12	2.02	1.82	3.08	4.66	.24	1.93	.76	2.71	2.91	2.425	
August .....	1.12	4.21	1.35	1.00	1.60	2.00	1.08	1.21	3.00	1.35	1.792	
September .....	4.67	1.85	1.91	3.27	1.93	3.37	1.17	3.09	1.69	1.86	2.481	
October .....	5.43	1.90	5.10	1.49	1.24	4.46	2.97	1.49	.91	3.07	2.806	
November .....	2.12	1.93	2.34	2.88	1.28	3.01	2.62	2.50	3.62	.75	2.305	
December .....	2.22	3.15	2.29	.84	1.67	.62	2.95	1.00	1.18	.83	1.675	
TOTALS .....	27.01	22.25	24.48	23.91	19.15	25.72	23.40	17.54	21.50	23.54	22.850	

1882 Stotfold Church 2 miles NNE  
Asylum 50 ft high 90 ft N  
1882 looks small.



RAINFALL AT *Wrestlingworth, Totton* 80

Lat. .... Lon. .... County of *Bedford*  
Rain Gauge, by ..... Observer *H. I. King, Esq.*  
*one - 3 .*

Diameter ....	<i>5</i>										
Height .....	<i>1.0</i>										
Altitude ....											
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January .....	<i>.27</i>	<i>.66</i>	<i>1.18</i>	<i>1.13</i>	<i>1.70</i>	<i>1.52</i>	<i>2.56</i>	<i>1.36</i>	<i>.97</i>	<i>.87</i>	<i>1.222</i>
February .....	<i>1.53</i>	<i>2.16</i>	<i>1.49</i>	<i>2.68</i>	<i>.80</i>	<i>1.80</i>	<i>.27</i>	<i>.60</i>	<i>1.30</i>	<i>1.76</i>	<i>1.439</i>
March .....	<i>.89</i>	<i>1.09</i>	<i>1.23</i>	<i>.63</i>	<i>.74</i>	<i>1.10</i>	<i>1.43</i>	<i>1.49</i>	<i>2.38</i>	<i>1.59</i>	<i>1.257</i>
April .....	<i>1.45</i>	<i>1.16</i>	<i>2.89</i>	<i>2.33</i>	<i>1.20</i>	<i>2.30</i>	<i>1.36</i>	<i>1.06</i>	<i>1.57</i>	<i>2.27</i>	<i>1.759</i>
May .....	<i>.85</i>	<i>.82</i>	<i>1.24</i>	<i>1.30</i>	<i>.62</i>	<i>2.19</i>	<i>4.93</i>	<i>2.14</i>	<i>.59</i>	<i>3.82</i>	<i>1.850</i>
June .....	<i>3.04</i>	<i>1.62</i>	<i>2.59</i>	<i>3.59</i>	<i>1.26</i>	<i>1.90</i>	<i>.42</i>	<i>.73</i>	<i>1.97</i>	<i>1.69</i>	<i>1.881</i>
July .....	<i>4.78</i>	<i>2.01</i>	<i>2.80</i>	<i>2.93</i>	<i>3.18</i>	<i>.60</i>	<i>2.27</i>	<i>.49</i>	<i>3.06</i>	<i>2.85</i>	<i>2.497</i>
August .....	<i>1.78</i>	<i>4.71</i>	<i>1.60</i>	<i>.88</i>	<i>1.82</i>	<i>2.01</i>	<i>1.72</i>	<i>1.32</i>	<i>2.44</i>	<i>2.12</i>	<i>2.040</i>
September .....	<i>4.47</i>	<i>2.25</i>	<i>2.09</i>	<i>3.55</i>	<i>1.56</i>	<i>3.45</i>	<i>1.12</i>	<i>2.13</i>	<i>1.08</i>	<i>2.68</i>	<i>2.442</i>
October .....	<i>4.48</i>	<i>2.15</i>	<i>5.22</i>	<i>1.66</i>	<i>1.29</i>	<i>4.90</i>	<i>2.53</i>	<i>1.28</i>	<i>.80</i>	<i>2.69</i>	<i>2.700</i>
November .....	<i>2.16</i>	<i>1.83</i>	<i>3.13</i>	<i>2.66</i>	<i>1.09</i>	<i>3.33</i>	<i>2.51</i>	<i>2.08</i>	<i>3.02</i>	<i>.75</i>	<i>2.256</i>
December .....	<i>2.42</i>	<i>3.16</i>	<i>2.79</i>	<i>.88</i>	<i>1.70</i>	<i>.74</i>	<i>3.93</i>	<i>1.07</i>	<i>1.01</i>	<i>1.09</i>	<i>1.879</i>
TOTALS .....	<i>28.12</i>	<i>23.62</i>	<i>28.25</i>	<i>24.26</i>	<i>16.96</i>	<i>25.84</i>	<i>25.05</i>	<i>15.75</i>	<i>20.19</i>	<i>24.18</i>	<i>23.222</i>

*1880. Wrestlingworth Ch. 300 yards. N.  
Sledge 4ft high 8ft W  
Tree 12ft " 36ft E*



# RAINFALL AT *The Lodge, Sandy*

80

Lat. ....

Lon. ....

County of *Bedford*

Rain Gauge, by .....

Observer *A. N. Peel, Esq., M.P.*

*no. 3.*

Diameter ....	<i>5</i>										
Height .....	<i>1.0</i>										
Altitude ....											
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January .....	<i>.33</i>	<i>.71</i>	<i>1.41</i>	<i>1.62</i>	<i>1.73</i>	<i>1.53</i>	<i>2.61</i>	<i>1.60</i>	<i>.77</i>	<i>1.23</i>	<i>1.356</i>
February .....	<i>1.77</i>	<i>2.13</i>	<i>1.52</i>	<i>3.05</i>	<i>.89</i>	<i>1.95</i>	<i>.24</i>	<i>.69</i>	<i>1.04</i>	<i>.97</i>	<i>1.425</i>
March .....	<i>1.30</i>	<i>1.26</i>	<i>1.46</i>	<i>.65</i>	<i>.83</i>	<i>1.03</i>	<i>1.47</i>	<i>1.48</i>	<i>2.51</i>	<i>1.51</i>	<i>1.350</i>
April .....	<i>1.79</i>	<i>.88</i>	<i>3.19</i>	<i>2.53</i>	<i>1.01</i>	<i>2.12</i>	<i>1.50</i>	<i>.71</i>	<i>1.71</i>	<i>2.76</i>	<i>1.820</i>
May .....	<i>.93</i>	<i>.78</i>	<i>1.15</i>	<i>1.71</i>	<i>.83</i>	<i>1.84</i>	<i>4.75</i>	<i>1.89</i>	<i>.76</i>	<i>4.80</i>	<i>1.944</i>
June .....	<i>2.42</i>	<i>1.90</i>	<i>3.21</i>	<i>4.71</i>	<i>1.42</i>	<i>1.75</i>	<i>.54</i>	<i>.96</i>	<i>1.85</i>	<i>2.10</i>	<i>2.086</i>
July .....	<i>5.27</i>	<i>1.79</i>	<i>2.43</i>	<i>3.04</i>	<i>4.08</i>	<i>.37</i>	<i>2.63</i>	<i>.35</i>	<i>3.69</i>	<i>3.52</i>	<i>2.717</i>
August .....	<i>1.67</i>	<i>5.19</i>	<i>1.72</i>	<i>1.11</i>	<i>1.28</i>	<i>2.05</i>	<i>1.18</i>	<i>1.22</i>	<i>2.34</i>	<i>2.00</i>	<i>1.976</i>
September .....	<i>5.10</i>	<i>2.34</i>	<i>2.33</i>	<i>3.75</i>	<i>1.50</i>	<i>3.63</i>	<i>1.25</i>	<i>1.85</i>	<i>1.84</i>	<i>2.56</i>	<i>2.615</i>
October .....	<i>4.98</i>	<i>2.21</i>	<i>4.88</i>	<i>1.56</i>	<i>1.26</i>	<i>4.37</i>	<i>2.70</i>	<i>1.29</i>	<i>.76</i>	<i>4.23</i>	<i>2.824</i>
November .....	<i>2.16</i>	<i>1.88</i>	<i>2.96</i>	<i>2.60</i>	<i>1.17</i>	<i>3.25</i>	<i>2.68</i>	<i>1.82</i>	<i>2.85</i>	<i>.92</i>	<i>2.229</i>
December .....	<i>2.35</i>	<i>3.40</i>	<i>2.75</i>	<i>1.03</i>	<i>1.60</i>	<i>.76</i>	<i>3.25</i>	<i>1.03</i>	<i>1.16</i>	<i>1.06</i>	<i>1.839</i>
TOTALS .....	<i>30.07</i>	<i>24.47</i>	<i>29.01</i>	<i>27.36</i>	<i>17.60</i>	<i>24.67</i>	<i>24.80</i>	<i>14.89</i>	<i>21.28</i>	<i>27.66</i>	<i>24.181</i>



RAINFALL AT *Sandy Rectory* 80

Lat. \_\_\_\_\_ Lon. \_\_\_\_\_ County of *Bedford*  
Rain Gauge, by \_\_\_\_\_ Observer *Rev. John Richardson*

*one - 3.*

Diameter . . . .	<i>5</i>										
Height . . . . .	<i>7</i>										
Altitude . . . .											
Year . . . . .	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January . . . .	<i>.36</i>	<i>.62</i>	<i>1.33</i>	<i>1.50</i>	<i>1.62</i>	<i>1.48</i>	<i>2.68</i>	<i>1.65</i>	<i>.78</i>	<i>1.09</i>	<i>1.311</i>
February . . . .	<i>1.80</i>	<i>2.28</i>	<i>1.41</i>	<i>2.67</i>	<i>.73</i>	<i>1.98</i>	<i>.25</i>	<i>.73</i>	<i>1.56</i>	<i>1.46</i>	<i>1.487</i>
March . . . . .	<i>1.33</i>	<i>1.33</i>	<i>1.19</i>	<i>.76</i>	<i>.80</i>	<i>1.28</i>	<i>1.50</i>	<i>1.11</i>	<i>2.56</i>	<i>1.47</i>	<i>1.333</i>
April . . . . .	<i>1.60</i>	<i>.97</i>	<i>2.93</i>	<i>2.39</i>	<i>1.03</i>	<i>1.90</i>	<i>1.95</i>	<i>.93</i>	<i>1.93</i>	<i>2.49</i>	<i>1.812</i>
May . . . . .	<i>.89</i>	<i>.72</i>	<i>1.19</i>	<i>1.62</i>	<i>.90</i>	<i>2.24</i>	<i>4.44</i>	<i>1.82</i>	<i>.76</i>	<i>4.35</i>	<i>1.893</i>
June . . . . .	<i>2.64</i>	<i>1.83</i>	<i>3.43</i>	<i>4.49</i>	<i>1.47</i>	<i>1.82</i>	<i>.58</i>	<i>1.35</i>	<i>1.91</i>	<i>2.10</i>	<i>2.162</i>
July . . . . .	<i>5.19</i>	<i>1.89</i>	<i>2.51</i>	<i>2.64</i>	<i>4.41</i>	<i>.40</i>	<i>3.08</i>	<i>.43</i>	<i>3.77</i>	<i>3.69</i>	<i>2.801</i>
August . . . . .	<i>1.78</i>	<i>4.56</i>	<i>1.71</i>	<i>1.17</i>	<i>.94</i>	<i>2.58</i>	<i>1.35</i>	<i>1.23</i>	<i>2.44</i>	<i>1.65</i>	<i>1.941</i>
September . . . .	<i>5.17</i>	<i>2.19</i>	<i>2.14</i>	<i>3.63</i>	<i>1.75</i>	<i>3.49</i>	<i>1.27</i>	<i>1.84</i>	<i>2.38</i>	<i>2.50</i>	<i>2.636</i>
October . . . . .	<i>5.14</i>	<i>2.23</i>	<i>4.99</i>	<i>1.53</i>	<i>1.17</i>	<i>4.32</i>	<i>2.83</i>	<i>1.32</i>	<i>.70</i>	<i>3.64</i>	<i>2.787</i>
November . . . .	<i>2.26</i>	<i>2.08</i>	<i>3.29</i>	<i>2.62</i>	<i>1.09</i>	<i>3.18</i>	<i>2.40</i>	<i>1.79</i>	<i>2.89</i>	<i>.79</i>	<i>2.239</i>
December . . . .	<i>2.23</i>	<i>3.19</i>	<i>2.68</i>	<i>.96</i>	<i>1.85</i>	<i>.84</i>	<i>3.45</i>	<i>1.02</i>	<i>1.09</i>	<i>.98</i>	<i>1.829</i>
TOTALS . . . . .	<i>30.39</i>	<i>23.89</i>	<i>28.80</i>	<i>25.58</i>	<i>17.76</i>	<i>25.51</i>	<i>25.78</i>	<i>15.22</i>	<i>22.77</i>	<i>26.21</i>	<i>24.231</i>

*1880. Sandy Ch. a few yards, N.  
Greenhouse 12ft-high 24ft N*



# RAINFALL AT

Potton

80

Lat. ....

Lon. ....

County of Bedford

Rain Gauge, by

Observer Rev W Howell Evans

Case - 3.

Diameter . . .										5	
Height . . . . .										0.10	
Altitude . . . .											
Year . . . . .	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January . . . .										.88	
February . . . .										1.46	
March . . . . .										1.27	
April . . . . .										2.31	
May . . . . .										5.04	
June . . . . .										1.54	
July . . . . .										3.38	
August . . . . .										1.54	
September . . . .										2.37	
October . . . . .										3.32	
November . . . .										.90	
December . . . .										1.22	
TOTALS . . . .										25.23	

1890 Jan 1.88 Feb .76 March 2.31 April .41 T.



RAINFALL AT Bedford The Grove

80

Lat. Lon. County of Bedford

Rain Gauge, by Observer D. Robt Esq

rise - 3.

W Byron Graham

Diameter . . .									5	5	
Height . . . . .									1	0	<del>1.0</del>
Altitude . . . .									108	<del>108</del>	<del>115</del>
Year . . . . .	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January . . . .									.69	1.07	
February . . . .									1.23	1.71	
March . . . . .								#	2.74	1.60	
April . . . . .									1.53	2.70	
May . . . . .									.82	4.34	
June . . . . .									3.49	1.26	
July . . . . .									3.83	2.68	
August . . . . .									2.51	1.39	
September . . . .									.90	2.75	
October . . . . .									.66	2.87	
November . . . .									2.43	.90	
December . . . .									1.08	1.10	
TOTALS . . . .									21.91	24.37	



# RAINFALL AT Bedford St. Peters Parish 80

Lat. ....

Lon. ....

County of Bedford

Rain Gauge, by .....

Observer

Mr W Godfrey

Once 3.

Diameter . . . .							5	5			
Height . . . . .							1. -	- 8			
Altitude . . . .								114T			
Year . . . . .	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January . . . .									.70	1.06	
February . . . .									1.50	1.77	
March . . . . .								# 1.25	2.95	1.59	
April . . . . .								1.00	1.55	2.55	
May . . . . .								2.02	71	4.50	
June . . . . .	2.84	1.82	2.47	3.46	1.94	1.79	# .93	.99	3.06	1.19	
July . . . . .	6.41	1.85	3.68	2.98	3.32	.24	3.81	.64	3.83	2.78	
August . . . . .	.76	5.64	1.85	1.03	1.18	2.01	1.46	1.13	2.54	1.45	
September . . . .							#	2.02	.90	2.74	
October . . . .								1.41	1.12	2.79	
November . . . .								1.85	2.87	.90	
December . . . .								1.15	1.25	1.10	
TOTALS . . . .									23.58	24.42	

1888 St. Peters Church 200 yards N

Wall 6ft-high 7 to 8ft E

Tree 18. " nearest point 18ft S.W.



# RAINFALL AT *Bedford Nimbolton Road*

80

Lat. ....

Lon. ....

County of .....

*Bedford*

Rain Gauge, by .....

Observer .....

*Col. C. K. Brooke*

*one - 3.*

Diameter ....									8		
Height .....									1.10	2.0	
Altitude ....									133	120	
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January ....									.83	1.13	
February ....									1.69	1.98	
March .....									2.52	1.66	
April .....									1.68	2.70	
May .....									.89	4.22	
June .....									3.09		
July ..									3.91	5.40	
August .....									2.45		
September ....									.89	2.66	
October ....									.48	2.92	
November ....									3.01	.89	
December ....									1.52	1.16	
TOTALS ....									22.96	24.72	

*St- Peters Church 1/3 mile S W*  
*Wall 7 ft high 18 ft W*



# RAINFALL AT Bedford Armagh Street

Lat. .... Lon. .... County of Bedford  
 Rain Gauge, by ..... Observer R. J. A. Barrow Clough

ouse - 3.

Diameter ....			5								
Height .....			11								
Altitude ....			100?								
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January ... ..				2.11							
February ... ..				2.68							
March .....											
April .....				1.91							
May .....				1.99							
June .....				3.62							
July .....				2.80							
August .....				#							
September ...											
October ....											
November ....			#3.67								
December ....			2.57								
TOTALS ....											

St Johns Church 200 yards NE.

Outhouse 9ft high 10ft S.

Walls 5ft . 12ft E, W, & N.



# RAINFALL AT Bedford Western Street

80

Lat. \_\_\_\_\_ Lon. \_\_\_\_\_ County of Bedford  
Rain Gauge, by \_\_\_\_\_ Observer D. Noble, Esq.

In use 3.

Diameter ....	5										
Height .....	4							0.8	10		
Altitude ....	115 T							112	T		
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January .....	.32	1.08	1.45	1.63	1.70	1.27	2.07	1.54	.73	1.05	1.284
February .....	1.93	2.32	1.60	2.44	.65	1.77	.30	0.54	1.57	1.87	1.499
March .....	1.70	1.37	1.10	.83	.91	1.17	1.47	1.32	2.79	1.67	1.433
April .....	1.60	.80	3.00	1.91	1.26	2.23	2.00	1.00	1.42	2.55	1.777
May .....	1.11	.63	1.23	1.90	.70	2.27	3.80	2.15	.77	4.56	1.912
June .....	2.60	1.82	2.20	3.70	1.81	1.82	.90	1.00	3.48	1.20	2.053
July .....	6.30	2.37	3.57	2.80	3.17	.21	3.72	0.67	3.84	2.87	2.952
August .....	.77	5.50	1.75	.89	1.25	2.00	1.23	1.20	2.50	1.25	1.834
September .....	5.64	1.98	2.07	4.80	1.50	3.40	1.11	1.90	.90	2.75	2.605
October .....	5.00	2.40	5.10	1.67	1.17	3.60	2.90	1.37	.60	2.67	2.648
November .....	1.80	2.10	3.20	2.50	1.15	3.25	2.40	1.87	3.08	.90	2.225
December .....	2.03	2.93	2.15	.87	1.77	.70	4.20	.97	1.25	1.03	1.790
TOTALS ....	30.80	25.30	28.42	25.94	17.04	23.69	26.10	15.53	22.93	24.37	24.012

1880. St. Pauls, 1/4 mile E.

Coal house 7ft high 15ft E  
Wall 6ft " 10ft S.



# RAINFALL AT *Clapham Park Bedford*

80

Lat. ....

Lon. ....

County of *Bedford*

Rain Gauge, by .....

Observer *Howard, Esq., M.P.*

*one - 3.*

Diameter ....	8										
Height .....	1.0										
Altitude ....	200 T 220 T										
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January .....	3.4	1.31	1.51	1.62	1.86	1.22	3.16	2.12	.65		
February .....	1.94	2.14	1.82	2.53	.80	1.96	.22	.64	1.23		
March .....	1.74	1.33	1.07	.82	.92	.98	1.39	1.06	2.70		
April .....	1.81	.96	3.11	1.97	1.36	2.45	1.94	.87	1.54		
May .....	1.07	.67	1.36	2.07	.77	2.38	2.89	2.11	.88		
June .....	2.76	1.81	2.62	2.72	1.42	1.65	.69	1.09	3.14		
July .....	6.69	2.30	3.30	2.39	3.14	.20	4.27	.41	3.90		
August .....	.82	4.77	1.73	.80	1.11	2.16	1.57	1.15	1.91		
September .....	5.28	1.66	2.03	5.22	2.06	3.22	1.04	1.72	.42		
October .....	4.69	2.22	4.06	1.62	1.19	3.75	2.73	1.36	.48		
November .....	1.74	2.23	3.07	2.46	1.33	3.26	2.64	2.05	3.00		
December .....	2.22	2.98	2.83	.81	1.53	.79	3.71	1.22	1.41		
TOTALS .....	30.80	24.38	29.41	25.03	17.49	24.02	26.25	15.80	21.26		

1880. Clapham. 3/4 mile W.

House 60ft high 97 N.



# RAINFALL AT *Milton Ernest, Bedford*

Lat. ....

Lon. ....

County of *Bedford*

Rain Gauge, by .....

Observer *F. Newbury, Esq.*

*no. - 3.*

Diameter ....	<i>5</i>										
Height .....	<i>5.0</i>										
Altitude ....	<i>130?</i>										
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January .....	<i>2.5</i>	<i>1.37</i>	<i>1.34</i>	<i>1.70</i>	<i>1.74</i>	<i>1.23</i>	<i>1.99</i>	<i>1.53</i>	<i>.74</i>	<i>1.17</i>	<i>1.306</i>
February .....	<i>2.02</i>	<i>2.12</i>	<i>1.48</i>	<i>2.60</i>	<i>.88</i>	<i>2.00</i>	<i>.27</i>	<i>0.65</i>	<i>1.68</i>	<i>1.45</i>	<i>1.515</i>
March .....	<i>1.40</i>	<i>1.59</i>	<i>.96</i>	<i>.70</i>	<i>.88</i>	<i>1.17</i>	<i>1.52</i>	<i>1.21</i>	<i>2.63</i>	<i>1.70</i>	<i>1.376</i>
April .....	<i>1.52</i>	<i>1.23</i>	<i>3.12</i>	<i>1.85</i>	<i>1.39</i>	<i>2.48</i>	<i>1.71</i>	<i>0.93</i>	<i>1.18</i>	<i>2.50</i>	<i>1.791</i>
May .....	<i>1.09</i>	<i>.59</i>	<i>1.21</i>	<i>1.62</i>	<i>.72</i>	<i>2.58</i>	<i>4.17</i>	<i>2.22</i>	<i>.94</i>	<i>4.15</i>	<i>1.929</i>
June .....	<i>2.73</i>	<i>1.82</i>	<i>2.83</i>	<i>2.81</i>	<i>1.22</i>	<i>1.98</i>	<i>.88</i>	<i>1.02</i>	<i>3.24</i>	<i>.82</i>	<i>1.935</i>
July .....	<i>7.40</i>	<i>2.01</i>	<i>3.19</i>	<i>2.81</i>	<i>3.31</i>	<i>.13</i>	<i>3.48</i>	<i>0.65</i>	<i>4.32</i>	<i>2.08</i>	<i>2.938</i>
August .....	<i>.84</i>	<i>4.49</i>	<i>1.48</i>	<i>.79</i>	<i>1.71</i>	<i>1.96</i>	<i>1.34</i>	<i>1.21</i>	<i>2.44</i>	<i>1.44</i>	<i>1.770</i>
September .....	<i>5.04</i>	<i>1.73</i>	<i>2.26</i>	<i>4.37</i>	<i>1.69</i>	<i>3.55</i>	<i>1.00</i>	<i>1.87</i>	<i>.61</i>	<i>2.64</i>	<i>2.476</i>
October .....	<i>4.76</i>	<i>2.40</i>	<i>4.59</i>	<i>2.16</i>	<i>1.20</i>	<i>3.99</i>	<i>3.21</i>	<i>1.51</i>	<i>.46</i>	<i>2.69</i>	<i>2.697</i>
November .....	<i>1.86</i>	<i>2.12</i>	<i>3.06</i>	<i>2.54</i>	<i>1.25</i>	<i>3.46</i>	<i>2.50</i>	<i>1.90</i>	<i>3.29</i>	<i>.88</i>	<i>2.286</i>
December .....	<i>2.17</i>	<i>2.84</i>	<i>2.77</i>	<i>.76</i>	<i>1.47</i>	<i>.75</i>	<i>4.22</i>	<i>0.95</i>	<i>1.24</i>	<i>1.36</i>	<i>1.853</i>
TOTALS .....	<i>31.08</i>	<i>24.31</i>	<i>28.29</i>	<i>24.71</i>	<i>17.46</i>	<i>25.28</i>	<i>26.29</i>	<i>15.65</i>	<i>22.77</i>	<i>22.88</i>	<i>23.872</i>



# RAINFALL AT

*Tempsford Hall*

80

Lat. ....

Lon. ....

County of

*Bedford*

Rain Gauge, by

Observer

*Col. W. Stuart*

*ouse - 3.*

Diameter ....	<i>5</i>										
Height .....	<i>9</i>										
Altitude ....	<i>140 B</i>		<i>80 T</i>								
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January ....	<i>30</i>	<i>1.13</i>	<i>1.34</i>	<i>1.47</i>	<i>1.57</i>	<i>1.44</i>	<i>2.26</i>	<i>2.13</i>	<i>.78</i>	<i>1.08</i>	<i>1.350</i>
February ....	<i>1.77</i>	<i>2.16</i>	<i>1.32</i>	<i>2.33</i>	<i>.50</i>	<i>1.86</i>	<i>.21</i>	<i>.65</i>	<i>1.18</i>	<i>1.65</i>	<i>1.363</i>
March .....	<i>1.14</i>	<i>1.13</i>	<i>1.17</i>	<i>.54</i>	<i>.81</i>	<i>1.24</i>	<i>1.38</i>	<i>1.21</i>	<i>2.42</i>	<i>1.42</i>	<i>1.246</i>
April .....	<i>1.09</i>	<i>.88</i>	<i>2.65</i>	<i>2.32</i>	<i>1.40</i>	<i>2.05</i>	<i>1.60</i>	<i>1.04</i>	<i>1.55</i>	<i>2.24</i>	<i>1.732</i>
May .....	<i>1.13</i>	<i>.68</i>	<i>1.63</i>	<i>1.69</i>	<i>1.54</i>	<i>2.24</i>	<i>4.29</i>	<i>1.75</i>	<i>.73</i>	<i>4.44</i>	<i>2.012</i>
June .....	<i>2.11</i>	<i>1.76</i>	<i>3.58</i>	<i>3.18</i>	<i>1.16</i>	<i>1.94</i>	<i>.69</i>	<i>1.18</i>	<i>1.94</i>	<i>1.50</i>	<i>1.904</i>
July .....	<i>6.09</i>	<i>1.79</i>	<i>2.93</i>	<i>2.52</i>	<i>3.92</i>	<i>.40</i>	<i>3.52</i>	<i>.40</i>	<i>4.22</i>	<i>3.58</i>	<i>2.937</i>
August .....	<i>1.92</i>	<i>4.43</i>	<i>1.52</i>	<i>.90</i>	<i>1.28</i>	<i>1.97</i>	<i>1.35</i>	<i>1.53</i>	<i>2.43</i>	<i>1.56</i>	<i>1.889</i>
September ....	<i>5.12</i>	<i>2.16</i>	<i>1.98</i>	<i>3.92</i>	<i>1.44</i>	<i>3.59</i>	<i>1.20</i>	<i>1.73</i>	<i>1.52</i>	<i>3.01</i>	<i>2.567</i>
October ....	<i>5.24</i>	<i>2.21</i>	<i>4.78</i>	<i>1.68</i>	<i>1.03</i>	<i>4.24</i>	<i>3.04</i>	<i>1.33</i>	<i>.52</i>	<i>3.23</i>	<i>2.728</i>
November ....	<i>1.79</i>	<i>1.79</i>	<i>2.78</i>	<i>2.50</i>	<i>1.17</i>	<i>3.40</i>	<i>2.15</i>	<i>1.80</i>	<i>3.04</i>	<i>.87</i>	<i>2.129</i>
December ....	<i>2.09</i>	<i>3.06</i>	<i>2.59</i>	<i>.85</i>	<i>1.58</i>	<i>.78</i>	<i>3.34</i>	<i>1.07</i>	<i>1.23</i>	<i>1.21</i>	<i>1.780</i>
TOTALS ....	<i>30.29</i>	<i>23.18</i>	<i>28.27</i>	<i>23.88</i>	<i>17.40</i>	<i>25.15</i>	<i>25.03</i>	<i>15.82</i>	<i>21.56</i>	<i>25.79</i>	<i>23.637</i>

*1880. Tempsford Ch. 500 yards. S. S. W.*

*House 50ft high 195ft W.*

*Cedar 40ft .. 105ft S.*



# RAINFALL AT *Podington*

80

Lat. .... Lon. .... County of *Bedford*  
Rain Gauge, by .... Observer *R. R. B. Orlebar Esq.*

*Gene - H.*

Diameter ....							5				
Height .....							1.0				
Altitude ....							2567				
Year .....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January ....							2.24		1.02	1.09	
February ....							.23		1.71	2.49	
March .....							1.74		2.94	1.75	
April .....							1.67		1.71	2.21	
May .....							4.51		.98	4.03	
June .....							1.46		1.71	1.67	
July .. ...							4.22		4.33	2.29	
August .....							2.36		1.98	2.09	
September ....							1.25		1.12	1.72	
October ....							3.00		.47	3.20	
November ....							2.71		3.41	.86	
December ....							4.33		1.74	1.28	
TOTALS ....							29.72		23.12	24.68	

*Podington Church* <sup>120</sup> 150 yards N.  
1886 Youngfruit trees 6ft high 12 or 15 ft distant  
1887 Record burnt  
1888 Low Sheds 12 to 15 ft high 42 ft W  
Large leafless trees 40 " " 63 " W