

RAINFALL AT *Market-Lavington*

Lat.

Lon.

County of *Wilt*

Rain Gauge, by

Observer *Rev T. A. Preston*

Lower avon - 1.

Rt Hon. E. P. Bouverie

Diameter			<i>5</i>								
Height			<i>1. -</i>								
Altitude											
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January ...			<i>1.68</i>	<i>2.64</i>	<i>2.80</i>	<i>2.12</i>	<i>3.60</i>	<i>2.53</i>	<i>.73</i>	<i>.60</i>	
February ...			<i>1.97</i>	<i>4.89</i>	<i>1.94</i>	<i>3.05</i>	<i>.62</i>	<i>.62</i>	<i>1.47</i>	<i>1.66</i>	
March			<i>1.76</i>	<i>1.19</i>	<i>2.28</i>	<i>1.18</i>	<i>1.81</i>	<i>1.59</i>	<i>3.34</i>	<i>2.58</i>	
April			<i>4.46</i>	<i>.92</i>	<i>1.50</i>	<i>1.99</i>	<i>2.68</i>	<i>1.13</i>	<i>1.81</i>	<i>2.95</i>	
May			<i>2.16</i>	<i>2.30</i>	<i>.98</i>	<i>2.35</i>	<i>3.43</i>	<i>1.25</i>	<i>1.11</i>	<i>2.10</i>	
June			<i>4.30</i>	<i>1.37</i>	<i>3.21</i>	<i>1.26</i>	<i>.56</i>	<i>1.18</i>	<i>3.79</i>	<i>.80</i>	
July			<i>4.72</i>	<i>3.63</i>	<i>2.75</i>	<i>.26</i>	<i>2.04</i>	<i>.78</i>	<i>5.13</i>	<i>3.57</i>	
August			<i>2.19</i>	<i>1.41</i>	<i>1.18</i>	<i>1.14</i>	<i>.98</i>	<i>1.60</i>	<i>2.01</i>	<i>1.86</i>	
September ...			<i>3.23</i>	<i>3.52</i>	<i>1.36</i>	<i>4.95</i>	<i>2.15</i>	<i>2.35</i>	<i>1.83</i>	<i>1.84</i>	
October			<i>5.53</i>	<i>2.74</i>	<i>.82</i>	<i>3.85</i>	<i>4.02</i>	<i>2.38</i>	<i>1.24</i>	<i>2.91</i>	
November ...			<i>3.52</i>	<i>3.32</i>	<i>1.72</i>	<i>3.62</i>	<i>3.37</i>	<i>2.20</i>	<i>4.78</i>	<i>1.29</i>	
December			<i>3.32</i>	<i>.71</i>	<i>2.76</i>	<i>1.05</i>	<i>5.85</i>	<i>1.88</i>	<i>2.75</i>	<i>1.88</i>	
TOTALS			<i>38.84</i>	<i>28.66</i>	<i>23.30</i>	<i>26.81</i>	<i>31.11</i>	<i>19.49</i>	<i>29.99</i>	<i>24.04</i>	

RAINFALL AT *Market Lavington, Great Cheverell*

Lat. Lon. County of *Wilt*

Rain Gauge, by Observer *Rev. J. A. Preston*

L. avon - 1.

Diameter					<i>5</i>						
Height					<i>1.1</i>						
Altitude											
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January					<i>3.38</i>	<i>2.63</i>					
February					<i>2.17</i>	<i>3.54</i>					
March					<i>2.50</i>	<i>1.09</i>					
April					<i>1.71</i>	<i>2.05</i>					
May					<i>1.16</i>	<i>2.76</i>					
June					<i>3.57</i>	<i>1.35</i>					
July					<i>3.20</i>	<i>.31</i>					
August					<i>1.15</i>	<i>1.26</i>					
September					<i>1.16</i>	<i>5.04</i>					
October					<i>.92</i>	<i>3.83</i>					
November					<i>1.85</i>	<i>3.96</i>					
December					<i>3.16</i>	<i>.99</i>					
TOTALS					<i>25.93</i>	<i>28.81</i>	<i>N.R.</i>				

RAINFALL AT *Steeple Ashton Vicarage, Trurobridge*

Lat.

Lon.

County of *Wilt*

Rain Gauge, by

Observer *Rev. A. O. Hartley*

L. avon - 1.

Diameter	<i>5</i>										
Height	<i>1.0</i>										
Altitude	<i>2410</i>										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January	<i>.47</i>	<i>1.56</i>	<i>1.15</i>	<i>2.12</i>	<i>2.96</i>	<i>2.11</i>	<i>2.97</i>	<i>2.14</i>	<i>.73</i>	<i>.60</i>	<i>1.681</i>
February	<i>3.66</i>	<i>2.97</i>	<i>1.70</i>	<i>3.58</i>	<i>1.74</i>	<i>3.03</i>	<i>.58</i>	<i>.50</i>	<i>1.15</i>	<i>1.46</i>	<i>2.037</i>
March	<i>1.71</i>	<i>1.62</i>	<i>1.46</i>	<i>.99</i>	<i>2.44</i>	<i>.98</i>	<i>1.63</i>	<i>1.87</i>	<i>3.05</i>	<i>2.23</i>	<i>1.798</i>
April	<i>1.71</i>	<i>.46</i>	<i>3.92</i>	<i>.75</i>	<i>1.78</i>	<i>2.12</i>	<i>3.24</i>	<i>1.33</i>	<i>1.60</i>	<i>3.25</i>	<i>2.016</i>
May	<i>.93</i>	<i>1.58</i>	<i>1.45</i>	<i>1.81</i>	<i>1.79</i>	<i>2.28</i>	<i>4.61</i>	<i>1.47</i>	<i>1.17</i>	<i>2.09</i>	<i>1.918</i>
June	<i>1.75</i>	<i>2.39</i>	<i>4.11</i>	<i>2.55</i>	<i>4.11</i>	<i>1.24</i>	<i>.88</i>	<i>1.32</i>	<i>3.22</i>	<i>2.74</i>	<i>2.431</i>
July	<i>3.70</i>	<i>1.91</i>	<i>2.89</i>	<i>3.41</i>	<i>2.87</i>	<i>.19</i>	<i>2.79</i>	<i>1.26</i>	<i>3.87</i>	<i>2.48</i>	<i>2.537</i>
August	<i>.64</i>	<i>5.20</i>	<i>2.52</i>	<i>1.77</i>	<i>1.21</i>	<i>2.17</i>	<i>1.15</i>	<i>1.80</i>	<i>1.67</i>	<i>3.14</i>	<i>2.127</i>
September	<i>3.81</i>	<i>1.73</i>	<i>2.70</i>	<i>3.62</i>	<i>1.38</i>	<i>4.49</i>	<i>2.35</i>	<i>2.31</i>	<i>1.57</i>	<i>1.11</i>	<i>2.507</i>
October	<i>4.21</i>	<i>1.47</i>	<i>5.59</i>	<i>2.50</i>	<i>.92</i>	<i>3.49</i>	<i>3.61</i>	<i>2.54</i>	<i>1.16</i>	<i>2.84</i>	<i>2.833</i>
November	<i>2.46</i>	<i>3.30</i>	<i>3.27</i>	<i>2.79</i>	<i>1.35</i>	<i>4.50</i>	<i>3.10</i>	<i>2.96</i>	<i>4.82</i>	<i>1.15</i>	<i>2.970</i>
December	<i>3.16</i>	<i>2.99</i>	<i>2.71</i>	<i>.65</i>	<i>2.53</i>	<i>.98</i>	<i>5.22</i>	<i>1.79</i>	<i>2.45</i>	<i>1.61</i>	<i>2.409</i>
TOTALS	<i>28.21</i>	<i>27.18</i>	<i>33.47</i>	<i>26.54</i>	<i>25.08</i>	<i>27.58</i>	<i>32.13</i>	<i>21.29</i>	<i>26.46</i>	<i>24.70</i>	<i>27.264</i>

1880. Steeple Ashton Ch. 300 yards, N.W.

Trees 20ft-high 45 to 60ft distant

RAINFALL AT

Trowbridge Wingfield

Lat.

Lon.

County of

Wilt

Rain Gauge, by

Observer

Rev. T. A. Preston

T. H. Clark, Esq. B.A.

L. avon - 1.

Diameter			<i>5</i>								
Height			<i>1. -</i>								
Altitude			<i>150</i>					<i>293T</i>	<i>190T</i>		
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January			<i>1.78</i>	<i>3.02</i>	<i>3.96</i>	<i>2.56</i>	<i>3.57</i>	<i>2.16</i>	<i>.78</i>	<i>.64</i>	
February			<i>1.85</i>	<i>3.65</i>	<i>2.01</i>	<i>3.63</i>	<i>.67</i>	<i>.59</i>	<i>1.83</i>	<i>1.82</i>	
March		<i>1.82</i>	<i>1.84</i>	<i>.98</i>	<i>2.64</i>	<i>.94</i>	<i>2.10</i>	<i>2.49</i>	<i>3.20</i>	<i>2.73</i>	
April		<i>.83</i>	<i>3.98</i>	<i>.88</i>	<i>1.34</i>	<i>2.29</i>	<i>3.23</i>	<i>1.09</i>	<i>1.95</i>	<i>3.71</i>	
May		<i>1.86</i>	<i>1.86</i>	<i>1.64</i>	<i>1.87</i>	<i>2.51</i>	<i>4.73</i>	<i>1.97</i>	<i>1.29</i>	<i>2.76</i>	
June		<i>2.23</i>	<i>4.32</i>	<i>3.34</i>	<i>3.46</i>	<i>1.04</i>	<i>.63</i>	<i>1.07</i>	<i>3.56</i>	<i>1.15</i>	
July		<i>2.05</i>	<i>3.04</i>	<i>4.01</i>	<i>3.14</i>	<i>.17</i>	<i>2.44</i>	<i>1.17</i>	<i>4.53</i>	<i>2.25</i>	
August		<i>5.07</i>	<i>3.41</i>	<i>1.86</i>	<i>1.33</i>	<i>2.44</i>	<i>1.43</i>	<i>1.46</i>	<i>1.58</i>	<i>2.79</i>	
September		<i>1.64</i>	<i>3.34</i>	<i>4.03</i>	<i>1.69</i>	<i>5.05</i>	<i>2.47</i>	<i>2.63</i>	<i>1.40</i>	<i>.96</i>	
October		<i>1.81</i>	<i>5.45</i>	<i>3.17</i>	<i>1.04</i>	<i>3.97</i>	<i>4.51</i>	<i>2.98</i>	<i>1.10</i>	<i>3.41</i>	
November		<i>3.94</i>	<i>4.38</i>	<i>3.77</i>	<i>1.68</i>	<i>4.31</i>	<i>3.90</i>	<i>2.74</i>	<i>5.39</i>	<i>1.35</i>	
December		<i>3.40</i>	<i>3.44</i>	<i>.95</i>	<i>3.36</i>	<i>1.21</i>	<i>5.96</i>	<i>2.22</i>	<i>3.25</i>	<i>1.77</i>	
TOTALS			<i>38.69</i>	<i>31.30</i>	<i>27.52</i>	<i>30.12</i>	<i>35.64</i>	<i>22.57</i>	<i>29.86</i>	<i>25.34</i>	

1884 Wingfield Church about 700 yards S.E.

Wall 8ft. 6in. high 21ft N

1889 Greenhouse 14ft high 30ft NW

Outhouse 20 " " 60 " SE

RAINFALL AT Trowbridge

Lat.

Lon. County of Mills

Rain Gauge, by

Observer W. N. Staden Esq.

L. won - 1.

Diameter					5						
Height					1	2					
Altitude											
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January					4.45	2.36	3.31	2.01	.67	.56	
February					1.70	3.51	.68	.59	2.00	1.79	
March					2.40	.97	2.03	2.40	3.19	2.58	
April					1.43	2.10	3.37	1.12	1.67	3.70	
May					1.56	2.53	4.64	1.77	1.28	2.84	
June					3.22	1.17	.85	1.01	3.32	1.15	
July					3.29	.23	2.64	1.48	4.06	2.21	
August					1.26	2.77	1.27	1.45	1.81	2.53	
September					1.48	5.57	2.22	2.90	1.46	#	
October					(.83)	3.59	3.75	2.68	1.04		
November					1.64	4.19	3.52	2.65	5.01		
December					3.09	1.11	5.88	1.95	2.79		
TOTALS					(26.35)	30.10	34.16	22.01	28.30		

RAINFALL AT *Podney House, Trowbridge*

Lat.

Lon.

County of *Wilt*

Rain Gauge, by

Observer *W. J. Mann, Esq.*

L. ann - 1.

Diameter	<i>5</i>										
Height	<i>1.1</i>										
Altitude	<i>140 ft</i>										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January	<i>.57</i>	<i>1.67</i>	<i>1.48</i>	<i>2.60</i>	<i>3.82</i>	<i>2.40</i>	<i>3.32</i>	<i>2.04</i>	<i>.69</i>	<i>.51</i>	<i>1.930</i>
February	<i>3.54</i>	<i>3.62</i>	<i>1.82</i>	<i>3.62</i>	<i>1.74</i>	<i>3.37</i>	<i>.67</i>	<i>.62</i>	<i>1.85</i>	<i>1.74</i>	<i>2.259</i>
March	<i>1.59</i>	<i>1.92</i>	<i>1.78</i>	<i>.94</i>	<i>2.43</i>	<i>1.02</i>	<i>1.97</i>	<i>2.30</i>	<i>3.12</i>	<i>2.57</i>	<i>1.964</i>
April	<i>1.66</i>	<i>.72</i>	<i>3.80</i>	<i>.67</i>	<i>1.42</i>	<i>2.16</i>	<i>3.26</i>	<i>1.12</i>	<i>1.64</i>	<i>3.54</i>	<i>1.999</i>
May	<i>.87</i>	<i>2.37</i>	<i>1.71</i>	<i>1.66</i>	<i>1.60</i>	<i>2.80</i>	<i>4.63</i>	<i>1.81</i>	<i>1.16</i>	<i>2.83</i>	<i>2.144</i>
June	<i>1.80</i>	<i>2.47</i>	<i>4.64</i>	<i>2.57</i>	<i>3.21</i>	<i>1.13</i>	<i>.85</i>	<i>1.01</i>	<i>3.27</i>	<i>1.12</i>	<i>2.207</i>
July	<i>3.25</i>	<i>1.93</i>	<i>2.71</i>	<i>3.41</i>	<i>3.31</i>	<i>.22</i>	<i>2.54</i>	<i>1.44</i>	<i>4.14</i>	<i>2.04</i>	<i>2.499</i>
August	<i>1.16</i>	<i>4.89</i>	<i>2.85</i>	<i>1.82</i>	<i>1.23</i>	<i>2.80</i>	<i>1.28</i>	<i>1.49</i>	<i>1.72</i>	<i>2.40</i>	<i>2.164</i>
September	<i>3.73</i>	<i>1.78</i>	<i>3.51</i>	<i>3.78</i>	<i>1.49</i>	<i>5.52</i>	<i>2.23</i>	<i>2.95</i>	<i>1.43</i>	<i>1.03</i>	<i>2.745</i>
October	<i>4.33</i>	<i>1.71</i>	<i>5.15</i>	<i>2.91</i>	<i>1.02</i>	<i>3.66</i>	<i>3.72</i>	<i>2.70</i>	<i>1.02</i>	<i>3.10</i>	<i>2.932</i>
November	<i>2.76</i>	<i>3.60</i>	<i>3.79</i>	<i>3.39</i>	<i>1.61</i>	<i>4.21</i>	<i>3.52</i>	<i>2.83</i>	<i>4.94</i>	<i>1.24</i>	<i>3.189</i>
December	<i>3.41</i>	<i>3.18</i>	<i>3.08</i>	<i>.85</i>	<i>3.00</i>	<i>1.16</i>	<i>5.98</i>	<i>1.95</i>	<i>2.75</i>	<i>1.51</i>	<i>2.687</i>
TOTALS	<i>28.67</i>	<i>30.06</i>	<i>36.32</i>	<i>28.22</i>	<i>25.88</i>	<i>30.45</i>	<i>33.97</i>	<i>22.26</i>	<i>27.73</i>	<i>23.63</i>	<i>28.719</i>

1880. Trowbridge Ch. 400 yards. W.

1883 Gauge moved about 5 yards in consequence of growth of plants.

RAINFALL AT *Trowbridge Lovemead*

Lat.....

Lon.....

County of.....

Wilts

Rain Gauge, by.....

Observer.....

Dr G Kayler

L. aom - 1.

Diameter . . .											5	
Height											1.3	
Altitude											125 B	
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.	
January52	
February											1.60	
March											2.89	
April											3.73	
May											2.81	
June											1.04	
July											2.13	
August											2.03	
September											1.04	
October											3.26	
November											1.29	
December											1.64	
TOTALS											23.98	

*L. James' Trowbridge 850 ft as crow flies SW
Tree 19 ft high 15 ft W
Gauge moved June 12th 20 ft West*

RAINFALL AT Bradford (1) ? Westbury Ho.

Lat.

Lon.

County of Wilt

Rain Gauge, by

Observer Rev T.A. Preston

Mrs Spencer

L. avon - 1.

Diameter			5								
Height			1.-						1.2		
Altitude											
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January ...			1.60	2.92	3.92	2.53	3.60	2.36	.87	.87	
February ...			1.65	3.65	2.23	3.35	.72	.65	1.10	1.68	
March			1.88	1.09	2.75	1.10	1.81	2.46	3.38	3.21	
April			4.02	.71	1.26	2.50	2.79	1.11	2.02	3.49	
May			2.38	1.37	2.12	2.85	5.00	1.74	1.30	3.60	
June			4.19	2.86	3.79	1.05	.48	1.07	3.05	1.28	
July			3.16	3.40	3.33	.26	2.63	1.28	5.58	2.01	
August			3.97	1.58	1.43	2.82	1.60	1.93	1.94	2.90	
September		1.78	2.73	3.80	1.99	5.13	2.37	2.73	1.48	1.25	
October		1.74	5.16	2.96	.96	4.15	4.48	2.16	1.14	3.22	
November		(3.81)	4.10	3.62	1.67	4.74	3.71	2.90	5.50	1.26	
December		3.11	3.58	1.10	3.30	1.28	5.99	2.38	3.40	1.69	
TOTALS			38.42	29.06	28.75	31.96	35.18	22.77	30.76	26.46	

1887 Bradford on Avon Ch 500 yds W

RAINFALL AT *Bradford*

Lat.

Lon.

County of *Wills*

Rain Gauge, by

Observer *Rev T A Preston*

L. avon - 1.

Wm Thring

Diameter			<i>5</i>								
Height			<i>1. -</i>								
Altitude											
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January ...			<i>1.63</i>	<i>2.84</i>	<i>3.92</i>	<i>2.66</i>	<i>3.81</i>	<i>2.40</i>	<i>.97</i>	<i>.95</i>	
February ...			<i>1.73</i>	<i>3.59</i>	<i>2.14</i>	<i>3.38</i>	<i>.72</i>	<i>.52</i>	<i>1.57</i>	<i>1.90</i>	
March			<i>2.02</i>	<i>1.08</i>	<i>2.57</i>	<i>1.08</i>	<i>1.95</i>	<i>2.64</i>	<i>3.88</i>	<i>3.01</i>	
April			<i>4.09</i>	<i>.72</i>	<i>1.28</i>	<i>2.49</i>	<i>2.88</i>	<i>1.07</i>	<i>2.12</i>	<i>3.61</i>	
May			<i>2.53</i>	<i>1.49</i>	<i>2.02</i>	<i>2.92</i>	<i>5.30</i>	<i>1.79</i>	<i>1.13</i>	<i>3.15</i>	
June			<i>4.84</i>	<i>3.01</i>	<i>3.66</i>	<i>1.20</i>	<i>.40</i>	<i>1.10</i>	<i>2.69</i>	<i>1.36</i>	
July			<i>3.37</i>	<i>3.36</i>	<i>3.43</i>	<i>.33</i>	<i>2.55</i>	<i>1.10</i>	<i>5.46</i>	<i>2.11</i>	
August			<i>4.25</i>	<i>1.62</i>	<i>1.44</i>	<i>2.90</i>	<i>1.56</i>	<i>1.81</i>	<i>1.97</i>	<i>3.06</i>	
September ...			<i>3.35</i>	<i>3.86</i>	<i>2.09</i>	<i>5.01</i>	<i>2.45</i>	<i>2.77</i>	<i>1.33</i>	<i>1.32</i>	
October			<i>5.40</i>	<i>3.11</i>	<i>.98</i>	<i>(4.36)</i>	<i>4.77</i>	<i>2.17</i>	<i>1.11</i>	<i>3.47</i>	
November			<i>4.23</i>	<i>3.56</i>	<i>1.62</i>	<i>4.85</i>	<i>3.53</i>	<i>2.88</i>	<i>5.26</i>	<i>1.29</i>	
December			<i>3.71</i>	<i>1.05</i>	<i>3.30</i>	<i>1.24</i>	<i>6.15</i>	<i>2.40</i>	<i>3.23</i>	<i>1.88</i>	
TOTALS			<i>41.15</i>	<i>29.29</i>	<i>28.45</i>	<i>(32.42)</i>	<i>36.07</i>	<i>22.65</i>	<i>30.72</i>	<i>27.11</i>	

1885 Oct 30 amount computed.

RAINFALL AT *Bradford Murrell Winsley*

Lat. Lon. County of *Wilt*

L. avon - 1. Rain Gauge, by Observer *Col Magrath*

Diameter . . .				8						8	
Height				1.0						1.0	
Altitude				270						270	
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January				2.84	2.39	1.80	2.78	1.76	.64	.62	
February				3.59	1.80	2.57	.41	.62	1.34	1.38	
March83	1.85	.96	1.30	1.80	2.48	2.48	
April49	1.52	1.91	2.41	.81	2.15	3.03	
May				1.33	1.47	2.58	4.65	1.46	.86	3.92	
June				2.63	3.94	1.14	.84	1.57	3.10	1.29	
July				3.18	2.94	.34	2.38	1.37	5.40	1.90	
August				1.27	.92	2.43	1.76	1.66	1.78	2.77	
September				3.72	2.29	4.95	2.25	2.44	1.38	1.09	
October				2.94	.79	3.94	3.98	2.15	.94	3.04	
November				2.68	1.34	3.86	3.52	2.84	5.21	.91	
December				87	2.71	1.17	3.77	1.82	2.50	1.38	
TOTALS				26.37	23.96	27.65	30.05	20.30	27.78	23.81	

Observations from 1883-88 entered to day of observation.
 1890 Jan 2.51 Feb .68 March .99 April 1.07 May 2.25 T

N.B. Annual values rejected from Survey 1929.

RAINFALL AT

AT

Holt Trowbridge

Lat.

Lon.

County of

Willi

Rain Gauge, by

Observer

Major F. D. Grillon
A. J. Beavan Esq

L. Avon - 1.

Diameter	<i>5</i>										
Height	<i>1.2</i>										
Altitude	<i>120 T</i>										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January	<i>.53</i>	<i>2.08</i>	<i>1.59</i>	<i>2.70</i>	<i>3.75</i>	<i>2.34</i>	<i>3.63</i>	<i>2.21</i>	<i>.89</i>	<i>.71</i>	
February	<i>3.44</i>	<i>4.19</i>	<i>1.68</i>	<i>3.62</i>	<i>2.11</i>	<i>3.22</i>	<i>.67</i>	<i>.63</i>	<i>1.79</i>	<i>1.72</i>	
March	<i>1.85</i>	<i>1.98</i>	<i>2.13</i>	<i>.99</i>	<i>2.57</i>		<i>1.89</i>	<i>2.35</i>	<i>3.53</i>	<i>2.75</i>	
April	<i>1.78</i>	<i>.65</i>	<i>4.17</i>	<i>.65</i>	<i>1.43</i>	<i>2.32</i>	<i>2.86</i>	<i>1.24</i>	<i>2.09</i>	<i>3.43</i>	
May	<i>.83</i>	<i>1.70</i>	<i>2.02</i>	<i>1.40</i>	<i>1.52</i>	<i>2.54</i>	<i>4.92</i>	<i>1.78</i>	<i>1.26</i>	<i>3.83</i>	
June	<i>2.24</i>	<i>2.37</i>	<i>4.20</i>	<i>2.98</i>	<i>3.40</i>	<i>1.17</i>	<i>.65</i>	<i>.99</i>	<i>3.41</i>	<i>.97</i>	
July	<i>3.96</i>	<i>2.17</i>	<i>3.25</i>	<i>3.44</i>	<i>3.32</i>	<i>.35</i>	<i>2.62</i>	<i>1.13</i>	<i>5.83</i>	<i>2.10</i>	
August	<i>1.47</i>	<i>4.71</i>	<i>3.70</i>	<i>2.28</i>	<i>1.32</i>	<i>2.40</i>	<i>1.44</i>	<i>1.69</i>	<i>1.95</i>	<i>3.30</i>	
September	<i>4.47</i>	<i>1.77</i>	<i>2.81</i>	<i>3.90</i>	<i>1.79</i>	<i>4.77</i>	<i>2.16</i>	<i>2.62</i>	<i>1.63</i>	<i>1.29</i>	
October	<i>4.00</i>	<i>1.74</i>	<i>5.59</i>	<i>2.93</i>	<i>1.13</i>	<i>3.85</i>	<i>4.49</i>	<i>2.25</i>	<i>1.15</i>	<i>3.02</i>	
November	<i>2.74</i>	<i>3.66</i>	<i>4.23</i>	<i>3.47</i>	<i>1.54</i>	<i>4.81</i>	<i>3.48</i>	<i>2.63</i>	<i>5.47</i>	<i>1.20</i>	
December	<i>3.61</i>	<i>3.43</i>	<i>3.53</i>	<i>.98</i>	<i>2.92</i>	<i>1.25</i>	<i>6.17</i>	<i>2.23</i>	<i>2.88</i>	<i>1.64</i>	
TOTALS	<i>30.92</i>	<i>30.45</i>	<i>38.90</i>	<i>29.34</i>	<i>26.80</i>		<i>34.98</i>	<i>21.75</i>	<i>31.88</i>	<i>25.96</i>	

1880. St. Catherine's Ch. 300 yards. S.

Brick wall 7ft high 70ft NW

House 30ft " 140ft SW.

2 1/2 new station from 86-

RAINFALL AT *Devizes Wilts Co asylum*

Lat.....

Lon.....

County of *Wilts*

Rain Gauge, by.....

Observer..... *J Ireland Bowes*

H Watson Engineer

L. Avon - 1.

Diameter . . .								8	8	8	
Height								2.2	2.4	2.4	
Altitude								500		500 T	
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January								<i>#</i> 2.11	.94	.64	
February80	.88	1.68	
March								1.54	3.19	2.26	
April								1.12	1.92	3.22	
May99	1.08	2.43	
June								1.36	3.30	1.55	
July99	5.20	3.52	
August								2.23	1.78	2.82	
September . . .								2.04	1.77	1.15	
October								1.92	1.15	2.46	
November								2.73	5.03	1.09	
December								1.74	2.23	1.58	
TOTALS								19.57	28.47	24.40	

St James Church 1 mile N
Observatory 6 ft high 15 ft SW
1888 Gauge moved 70 yards N.N.E.

RAINFALL AT *Southgate House, Derizes*

Lat.

Lon.

County of *Mills*

Rain Gauge, by

Observer *J. G. Cunningham, Esq.*

B. H.

L. 2000-1.

Diameter	<i>8</i>										
Height	<i>10</i>							<i>1.0</i>			
Altitude	<i>436 T</i>										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January	<i>.61</i>	<i>1.77</i>	<i>1.50</i>	<i>2.88</i>	<i>3.37</i>	<i>2.20</i>	<i>4.15</i>	<i>2.47</i>	<i>.94</i>	<i>.78</i>	<i>2.067</i>
February	<i>3.84</i>	<i>3.06</i>	<i>2.17</i>	<i>4.70</i>	<i>1.81</i>	<i>3.92</i>	<i>.83</i>	<i>.97</i>	<i>.88</i>	<i>2.38</i>	<i>2.456</i>
March	<i>1.95</i>	<i>2.16</i>	<i>1.97</i>	<i>1.31</i>	<i>2.17</i>	<i>1.07</i>	<i>1.74</i>	<i>2.05</i>	<i>3.58</i>	<i>2.67</i>	<i>2.067</i>
April	<i>2.02</i>	<i>.71</i>	<i>4.72</i>	<i>1.07</i>	<i>1.49</i>	<i>2.27</i>	<i>2.72</i>	<i>1.22</i>	<i>2.37</i>	<i>3.53</i>	<i>2.212</i>
May	<i>.94</i>	<i>1.96</i>	<i>1.62</i>	<i>2.01</i>	<i>1.44</i>	<i>2.71</i>	<i>3.66</i>	<i>1.69</i>	<i>1.15</i>	<i>2.93</i>	<i>2.011</i>
June	<i>1.96</i>	<i>2.55</i>	<i>4.79</i>	<i>1.87</i>	<i>3.12</i>	<i>1.70</i>	<i>.66</i>	<i>1.15</i>	<i>3.54</i>	<i>1.78</i>	<i>2.312</i>
July	<i>3.12</i>	<i>1.68</i>	<i>3.92</i>	<i>3.47</i>	<i>3.01</i>	<i>.24</i>	<i>2.39</i>	<i>1.29</i>	<i>5.62</i>	<i>3.38</i>	<i>2.812</i>
August	<i>.92</i>	<i>4.90</i>	<i>3.58</i>	<i>1.60</i>	<i>1.33</i>	<i>1.87</i>	<i>1.32</i>	<i>3.11</i>	<i>2.02</i>	<i>3.38</i>	<i>2.403</i>
September	<i>3.90</i>	<i>2.18</i>	<i>3.61</i>	<i>4.13</i>	<i>1.87</i>	<i>4.58</i>	<i>2.27</i>	<i>2.42</i>	<i>2.33</i>	<i>1.25</i>	<i>2.854</i>
October	<i>4.92</i>	<i>1.62</i>	<i>5.69</i>	<i>2.57</i>	<i>.86</i>	<i>3.98</i>	<i>5.05</i>	<i>2.56</i>	<i>1.27</i>	<i>2.79</i>	<i>3.125</i>
November	<i>2.79</i>	<i>4.04</i>	<i>4.11</i>	<i>3.45</i>	<i>1.87</i>	<i>4.64</i>	<i>3.81</i>	<i>2.86</i>	<i>5.84</i>	<i>1.11</i>	<i>3.452</i>
December	<i>3.63</i>	<i>3.88</i>	<i>3.92</i>	<i>.98</i>	<i>2.88</i>	<i>1.15</i>	<i>5.26</i>	<i>2.06</i>	<i>2.64</i>	<i>1.99</i>	<i>2.839</i>
TOTALS	<i>30.60</i>	<i>30.51</i>	<i>41.60</i>	<i>29.98</i>	<i>25.22</i>	<i>30.33</i>	<i>33.86</i>	<i>23.85</i>	<i>32.18</i>	<i>27.97</i>	<i>30.610</i>

1880. St John's Ch. 400 yards, NNW

Trees 12ft high 30ft S.

" 20ft " 45ft E

1884 " 10ft " 15ft S

Wall 7ft " 15ft W

RAINFALL AT *Lacock, Chippenham*

Lat.

Lon.

County of *Wilt*

Rain Gauge, by

Observer *Miss Audrey*

L. avon-1.

Diameter	<i>5</i>										
Height	<i>11</i>										
Altitude	<i>250?</i>										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January	<i>.60</i>	<i>2.09</i>	<i>1.75</i>	<i>2.99</i>	<i>3.57</i>	<i>2.70</i>	<i>3.95</i>	<i>2.01</i>	<i>.84</i>	<i>.76</i>	<i>2.126</i>
February	<i>3.74</i>	<i>4.24</i>	<i>2.17</i>	<i>3.32</i>	<i>2.15</i>	<i>3.17</i>	<i>.55</i>	<i>.84</i>	<i>1.51</i>	<i>1.61</i>	<i>2.330</i>
March	<i>1.85</i>	<i>1.87</i>	<i>2.25</i>	<i>.99</i>	<i>2.32</i>	<i>1.11</i>	<i>2.00</i>	<i>2.21</i>	<i>3.15</i>	<i>2.75</i>	<i>2.050</i>
April	<i>2.20</i>	<i>.62</i>	<i>4.41</i>	<i>.79</i>	<i>1.58</i>	<i>2.10</i>	<i>2.12</i>	<i>1.10</i>	<i>2.12</i>	<i>3.75</i>	<i>2.079</i>
May	<i>.89</i>	<i>1.57</i>	<i>1.95</i>	<i>1.56</i>	<i>1.57</i>	<i>3.03</i>	<i>4.84</i>	<i>1.68</i>	<i>1.23</i>	<i>2.54</i>	<i>2.086</i>
June	<i>1.71</i>	<i>2.47</i>	<i>3.93</i>	<i>3.12</i>	<i>3.26</i>	<i>1.20</i>	<i>1.33</i>	<i>.95</i>	<i>4.11</i>	<i>1.38</i>	<i>2.346</i>
July	<i>4.28</i>	<i>3.09</i>	<i>4.68</i>	<i>3.82</i>	<i>3.30</i>	<i>.30</i>	<i>3.33</i>	<i>1.47</i>	<i>4.23</i>	<i>2.95</i>	<i>3.145</i>
August	<i>1.78</i>	<i>4.83</i>	<i>3.07</i>	<i>1.52</i>	<i>1.50</i>	<i>2.58</i>	<i>1.57</i>	<i>1.18</i>	<i>2.63</i>	<i>3.04</i>	<i>2.364</i>
September	<i>4.14</i>	<i>1.87</i>	<i>3.16</i>	<i>4.37</i>	<i>1.77</i>	<i>5.80</i>	<i>2.36</i>	<i>2.41</i>	<i>1.64</i>	<i>1.62</i>	<i>2.914</i>
October	<i>4.39</i>	<i>1.58</i>	<i>5.31</i>	<i>2.83</i>	<i>.95</i>	<i>4.12</i>	<i>4.18</i>	<i>2.28</i>	<i>1.16</i>	<i>2.43</i>	<i>2.923</i>
November	<i>2.81</i>	<i>4.16</i>	<i>4.14</i>	<i>3.32</i>	<i>1.66</i>	<i>4.96</i>	<i>3.35</i>	<i>2.59</i>	<i>5.18</i>	<i>1.14</i>	<i>3.331</i>
December	<i>3.58</i>	<i>3.59</i>	<i>4.02</i>	<i>1.00</i>	<i>3.19</i>	<i>1.32</i>	<i>5.48</i>	<i>2.26</i>	<i>2.80</i>	<i>1.60</i>	<i>2.884</i>
TOTALS	<i>31.97</i>	<i>31.98</i>	<i>40.84</i>	<i>29.63</i>	<i>26.82</i>	<i>32.39</i>	<i>35.00</i>	<i>20.98</i>	<i>30.60</i>	<i>25.57</i>	<i>30.578</i>

1880. Lacock Ch. 1 1/4 mile S.W

Stone 40ft high 36ft W

Tree 60ft .. 36ft E

*1883 Gauge moved to very bad position about middle of year
to be replaced on Jan'y 1st 1884*

RAINFALL AT Corsham

Lat.

Lon.

County of Wilt

Rain Gauge, by

Observer Rev. J. A. Preston

L. noon - 1.

Diameter	<u>5</u>											
Height	<u>1.0</u>											
Altitude	<u>350?</u>											
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.	
January	<u>.60</u>	<u>2.66</u>	<u>1.74</u>	<u>3.08</u>	<u>4.09</u>	<u>2.85</u>	<u>3.81</u>	<u>2.14</u>	<u>.93</u>	<u>.82</u>	<u>2.272</u>	
February	<u>3.86</u>	<u>4.48</u>	<u>2.31</u>	<u>3.55</u>	<u>1.98</u>	<u>3.34</u>	<u>.78</u>	<u>.66</u>	<u>2.03</u>	<u>1.60</u>	<u>2.459</u>	
March	<u>2.36</u>	<u>1.96</u>	<u>2.39</u>	<u>1.06</u>	<u>2.80</u>	<u>1.02</u>	<u>1.78</u>	<u>1.91</u>	<u>3.43</u>	<u>3.02</u>	<u>2.173</u>	
April	<u>1.75</u>	<u>.58</u>	<u>4.62</u>	<u>.80</u>	<u>1.58</u>	<u>2.05</u>	<u>1.84</u>	<u>.99</u>	<u>2.24</u>	<u>4.07</u>	<u>2.052</u>	
May	<u>1.08</u>	<u>2.58</u>	<u>1.95</u>	<u>1.63</u>	<u>2.05</u>	<u>2.81</u>	<u>5.51</u>	<u>1.96</u>	<u>1.45</u>	<u>2.44</u>	<u>2.346</u>	
June	<u>1.77</u>	<u>3.06</u>	<u>3.37</u>	<u>2.47</u>	<u>3.14</u>	<u>1.32</u>	<u>.66</u>	<u>1.06</u>	<u>3.38</u>	<u>.64</u>	<u>2.087</u>	
July	<u>5.12</u>	<u>2.84</u>	<u>3.46</u>	<u>3.46</u>	<u>3.38</u>	<u>.34</u>	<u>2.47</u>	<u>1.66</u>	<u>4.55</u>	<u>2.45</u>	<u>2.973</u>	
August	<u>1.30</u>	<u>5.64</u>	<u>4.16</u>	<u>1.25</u>	<u>1.85</u>	<u>2.90</u>	<u>1.76</u>	<u>1.77</u>	<u>2.52</u>	<u>2.99</u>	<u>2.614</u>	
September	<u>4.69</u>	<u>2.06</u>	<u>2.84</u>	<u>4.42</u>	<u>1.58</u>	<u>5.04</u>	<u>2.48</u>	<u>2.79</u>	<u>1.27</u>	<u>1.58</u>	<u>2.875</u>	
October	<u>4.15</u>	<u>1.78</u>	<u>6.38</u>	<u>3.13</u>	<u>1.06</u>	<u>4.17</u>	<u>4.16</u>	<u>2.52</u>	<u>1.19</u>	<u>2.71</u>	<u>3.125</u>	
November	<u>3.40</u>	<u>4.42</u>	<u>4.42</u>	<u>3.46</u>	<u>1.58</u>	<u>(5.18)</u>	<u>3.53</u>	<u>2.77</u>	<u>5.63</u>	<u>1.16</u>	<u>3.555</u>	
December	<u>3.74</u>	<u>3.82</u>	<u>4.15</u>	<u>1.13</u>	<u>3.39</u>	<u>1.19</u>	<u>5.88</u>	<u>2.27</u>	<u>3.08</u>	<u>1.56</u>	<u>3.021</u>	
TOTALS	<u>33.82</u>	<u>35.88</u>	<u>41.79</u>	<u>29.44</u>	<u>28.48</u>	<u>(32.21)</u>	<u>34.66</u>	<u>22.50</u>	<u>31.70</u>	<u>25.04</u>	<u>31.552</u>	

1885 Nov. 27 Amount computed.

RAINFALL AT *High St., Calne*

Lat.

Lon. County of *Wilt*

Rain Gauge, by

Observer *Mr. A. Watkins, Junr.*

L. avon - 1.

Diameter	<i>5</i>											
Height	<i>3.6</i>											
Altitude			<i>244</i>									
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.	
January	<i>.78</i>	<i>1.61</i>	<i>1.75</i>	<i>2.96</i>	<i>3.63</i>	<i>2.69</i>	<i>3.97</i>	<i>2.32</i>	<i>.88</i>	<i>.92</i>	<i>2.151</i>	
February	<i>3.47</i>	<i>3.84</i>	<i>1.77</i>	<i>3.92</i>	<i>1.86</i>	<i>2.98</i>	<i>.55</i>	<i>.75</i>	<i>1.87</i>	<i>1.59</i>	<i>2.260</i>	
March	<i>.67</i>	<i>2.01</i>	<i>1.81</i>	<i>1.12</i>	<i>2.30</i>	<i>1.09</i>	<i>1.90</i>	<i>1.72</i>	<i>3.47</i>	<i>2.45</i>	<i>1.854</i>	
April	<i>2.49</i>	<i>.77</i>	<i>4.03</i>	<i>.72</i>	<i>1.71</i>	<i>2.04</i>	<i>2.54</i>	<i>1.20</i>	<i>2.02</i>	<i>3.18</i>	<i>2.070</i>	
May	<i>.81</i>	<i>1.69</i>	<i>1.75</i>	<i>2.08</i>	<i>1.70</i>	<i>2.47</i>	<i>3.44</i>	<i>1.62</i>	<i>1.32</i>	<i>1.73</i>	<i>1.861</i>	
June	<i>1.88</i>	<i>2.05</i>	<i>4.00</i>	<i>3.74</i>	<i>3.44</i>	<i>1.62</i>	<i>.77</i>	<i>.95</i>	<i>3.14</i>	<i>1.08</i>	<i>2.267</i>	
July	<i>5.06</i>	<i>2.59</i>	<i>3.51</i>	<i>3.23</i>	<i>2.80</i>	<i>.34</i>	<i>3.32</i>	<i>1.08</i>	<i>4.34</i>	<i>4.39</i>	<i>3.066</i>	
August	<i>1.02</i>	<i>4.98</i>	<i>2.93</i>	<i>1.33</i>	<i>1.53</i>	<i>2.33</i>	<i>1.33</i>	<i>1.74</i>	<i>2.31</i>	<i>2.96</i>	<i>2.246</i>	
September	<i>3.98</i>	<i>1.94</i>	<i>2.80</i>	<i>4.27</i>	<i>1.96</i>	<i>5.22</i>	<i>2.28</i>	<i>2.30</i>	<i>1.77</i>	<i>1.30</i>	<i>2.782</i>	
October	<i>4.50</i>	<i>1.41</i>	<i>5.53</i>	<i>2.57</i>	<i>.87</i>	<i>3.88</i>	<i>4.85</i>	<i>2.40</i>	<i>1.05</i>	<i>2.35</i>	<i>2.941</i>	
November	<i>2.93</i>	<i>4.05</i>	<i>4.36</i>	<i>3.68</i>	<i>1.93</i>	<i>4.71</i>	<i>3.57</i>	<i>2.61</i>	<i>5.73</i>	<i>1.24</i>	<i>3.481</i>	
December	<i>3.21</i>	<i>3.71</i>	<i>3.77</i>	<i>1.18</i>	<i>3.07</i>	<i>1.08</i>	<i>5.34</i>	<i>2.10</i>	<i>2.47</i>	<i>1.76</i>	<i>2.769</i>	
TOTALS	<i>30.80</i>	<i>30.65</i>	<i>38.01</i>	<i>30.80</i>	<i>26.80</i>	<i>30.45</i>	<i>33.86</i>	<i>20.79</i>	<i>30.37</i>	<i>24.95</i>	<i>29.748</i>	

1880. St. Mark's Ch. 1/4 mile S.S.W.

RAINFALL AT

Compton Bassett

Gardens

1493

Lat. 51° 20' N

Lon. 1° 57' W

County of Wilts

Rain Gauge, by

Observer

Mr J Allen

L. avon - 1.

W. W. A. Cooke

Diameter	6											
Height	1.0											
Altitude	400T									395T		
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.	
January61	1.84	2.04	3.03	3.34	2.78	3.82	2.30	.76	.94	2.146	
February	3.72	3.63	1.84	3.98	1.58	3.23	.88	.89	1.80	1.92	2.347	
March	1.96	2.14	1.82	1.12	2.27	1.29	1.86	2.03	3.92	2.86	2.127	
April	2.01	.70	4.25	.82	1.82	1.92	2.42	1.21	2.08	3.13	2.036	
May92	1.56	1.78	2.06	1.59	2.47	3.60	1.54	1.32	2.09	1.893	
June	1.71	2.43	4.00	2.91	2.75	1.63	.68	1.05	3.68	1.09	2.196	
July	5.01	2.06	3.76	2.67	2.06	.34	3.12	1.02	4.21	4.98	2.923	
August99	4.90	2.62	1.40	1.45	2.18	1.37	2.38	1.82	3.18	2.229	
September	4.05	1.97	2.60	3.98	1.91	4.27	2.66	2.48	1.78	1.28	2.698	
October	4.40	1.41	6.05	2.30	.91	4.31	5.75	2.14	.84	3.03	3.114	
November	2.92	4.19	4.30	3.60	1.71	4.82	3.48	2.38	5.78	1.21	3.439	
December	3.52	3.46	3.42	1.00	2.89	1.27	6.00	2.07	2.57	1.80	2.800	
TOTALS	31.82	30.29	38.51	28.87	24.28	30.51	35.64	21.49	30.56	27.51	29.948	

St. Swethin's

1880. Compton Bassett Ch. 200 yds. E.

Trees 76ft high 180ft S.W.

1884 Trees 60ft " 300ft E.

1888 Observer changed at end of Nov! but gauge not moved

MET. O.S. RAINMASTER
RETROS. 11. 11. 11.

411858

NGR: Su(41) 028716

ALT: 117 metres. Date of review: 20/12/83

RAINFALL AT *Wootton Bassett The Lime Kiln.*

Lat.

Lon. County of *Wilts*

Rain Gauge, by

Observer *Rev T. A. Preston*

L. avon - 1.

H. Berr, Esq

Diameter			<i>5</i>								
Height			<i>1. -</i>								
Altitude											
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January			<i>1.62</i>	<i>3.27</i>	<i>3.68</i>	<i>2.56</i>	<i>4.76</i>	<i>2.44</i>	<i>.78</i>	<i>.92</i>	
February			<i>2.19</i>	<i>3.96</i>	<i>1.87</i>	<i>3.66</i>	<i>.75</i>	<i>1.02</i>	<i>1.89</i>	<i>1.92</i>	
March			<i>1.84</i>	<i>1.11</i>	<i>2.52</i>	<i>1.14</i>	<i>1.95</i>	<i>2.10</i>	<i>3.87</i>	<i>3.49</i>	
April			<i>4.04</i>	<i>.54</i>	<i>1.55</i>	<i>2.03</i>	<i>1.89</i>	<i>1.20</i>	<i>2.12</i>	<i>2.61</i>	
May			<i>1.81</i>	<i>1.83</i>	<i>1.38</i>	<i>2.39</i>	<i>4.08</i>	<i>1.50</i>	<i>1.81</i>	<i>2.42</i>	
June			<i>4.44</i>	<i>3.40</i>	<i>3.48</i>	<i>1.88</i>	<i>.76</i>	<i>1.30</i>	<i>2.68</i>	<i>1.32</i>	
July			<i>3.37</i>	<i>3.23</i>	<i>2.63</i>	<i>.17</i>	<i>2.76</i>	<i>1.25</i>	<i>3.73</i>	<i>2.97</i>	
August			<i>2.33</i>	<i>1.37</i>	<i>1.63</i>	<i>2.53</i>	<i>1.68</i>	<i>2.59</i>	<i>2.17</i>	<i>2.48</i>	
September			<i>2.89</i>	<i>4.34</i>	<i>1.48</i>	<i>4.72</i>	<i>2.28</i>	<i>2.88</i>	<i>1.09</i>	<i>1.41</i>	
October			<i>6.11</i>	<i>2.27</i>	<i>.98</i>	<i>3.72</i>	<i>4.33</i>	<i>2.50</i>	<i>.90</i>	<i>2.30</i>	
November			<i>4.34</i>	<i>3.57</i>	<i>1.53</i>	<i>5.11</i>	<i>3.05</i>	<i>2.73</i>	<i>5.47</i>	<i>1.22</i>	
December			<i>3.64</i>	<i>.83</i>	<i>2.86</i>	<i>1.06</i>	<i>5.38</i>	<i>1.99</i>	<i>2.59</i>	<i>1.45</i>	
TOTALS			<i>38.62</i>	<i>29.72</i>	<i>25.59</i>	<i>30.97</i>	<i>33.67</i>	<i>23.50</i>	<i>29.10</i>	<i>24.51</i>	

RAINFALL AT Malmesbury The Priory

Lat. Lon. County of Wilts

Rain Gauge, by Observer A. W. Chubb Esq

L. 1000 - 1.

Diameter . . .											6	
Height											3.0	
Altitude												
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.	
January85		
February										1.85		
March										3.40		
April										3.09		
May										3.57		
June61		
July										2.68		
August										3.17		
September										1.74		
October										2.84		
November										1.60		
December										1.99		
TOTALS										27.39		

Malmesbury Abbey 1/2 mile N
Wall 8 ft high 24 ft NE

RAINFALL AT *Malmesbury Chert Cottage?*

Lat. Lon. County of *Wilt*

Rain Gauge, by Observer *Lady Victoria Howard*
Rev. T. A. Preston

L. avon - 1.

Diameter											
Height			<i>1. -</i>								
Altitude											
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January			<i>1.88</i>	<i>3.46</i>	<i>3.79</i>	<i>2.52</i>	<i>4.57</i>	<i>2.43</i>	<i>.94</i>	<i>.86</i>	
February			<i>2.12</i>	<i>3.57</i>	<i>1.74</i>	<i>3.75</i>	<i>1.01</i>	<i>.81</i>	<i>3.24</i>	<i>1.91</i>	
March			<i>1.92</i>	<i>1.17</i>	<i>2.52</i>	<i>1.04</i>	<i>2.22</i>	<i>2.06</i>	<i>3.93</i>	<i>3.29</i>	
April			<i>4.17</i>	<i>.60</i>	<i>1.56</i>	<i>2.15</i>	<i>2.88</i>	<i>1.29</i>	<i>1.86</i>	<i>2.55</i>	
May			<i>1.78</i>	<i>2.24</i>	<i>1.42</i>	<i>2.36</i>	<i>4.94</i>	<i>1.52</i>	<i>1.58</i>	<i>3.70</i>	
June			<i>2.74</i>	<i>3.32</i>	<i>3.48</i>	<i>1.81</i>	<i>.77</i>	<i>1.43</i>	<i>2.99</i>	<i>.69</i>	
July			<i>2.62</i>	<i>3.68</i>	<i>3.19</i>	<i>1.05</i>	<i>3.05</i>	<i>.79</i>	<i>5.45</i>	<i>3.17</i>	
August			<i>2.89</i>	<i>1.45</i>	<i>1.96</i>	<i>2.28</i>	<i>1.74</i>	<i>2.56</i>	<i>2.53</i>	<i>3.17</i>	
September			<i>3.35</i>	<i>3.79</i>	<i>1.91</i>	<i>4.84</i>	<i>2.58</i>	<i>3.16</i>	<i>1.06</i>	<i>1.60</i>	
October			<i>6.88</i>	<i>2.68</i>	<i>1.05</i>	<i>3.67</i>	<i>5.48</i>	<i>2.76</i>	<i>.82</i>	<i>2.60</i>	
November			<i>4.91</i>	<i>3.94</i>	<i>1.63</i>	<i>6.48</i>	<i>3.54</i>	<i>2.79</i>	<i>5.97</i>	<i>1.26</i>	
December			<i>3.74</i>	<i>.66</i>	<i>3.77</i>	<i>1.40</i>	<i>6.45</i>	<i>2.09</i>	<i>3.43</i>	<i>1.95</i>	
TOTALS			<i>39.00</i>	<i>30.56</i>	<i>28.02</i>	<i>33.35</i>	<i>39.23</i>	<i>23.69</i>	<i>33.80</i>	<i>26.75</i>	

RAINFALL AT *Malmesbury Charlton Park*

Lat. Lon. County of *Wilt*

Rain Gauge, by Observer *Earl of Suffolk and Berke*

L. num - 1.

Diameter		<i>5</i>									
Height		<i>0.11</i>									
Altitude	<i>300?</i>										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January	<i>.59</i>	<i>2.40</i>	<i>3.02</i>	<i>3.62</i>	<i>4.03</i>		<i>3.74</i>				
February	<i>(3.10)</i>	<i>3.62</i>	<i>2.07</i>	<i>3.67</i>	<i>1.57</i>		<i>.55</i>				
March	<i>2.18</i>	<i>1.97</i>	<i>1.79</i>	<i>1.04</i>	<i>2.07</i>		<i>2.52</i>				
April	<i>1.94</i>	<i>.68</i>	<i>3.81</i>	<i>.52</i>	<i>1.37</i>		<i>1.51</i>				
May	<i>.79</i>	<i>1.71</i>	<i>1.97</i>	<i>1.89</i>	<i>1.30</i>		<i>5.20</i>				
June	<i>2.41</i>	<i>2.99</i>	<i>3.67</i>	<i>3.30</i>	<i>3.04</i>		<i>.90</i>				
July	<i>5.28</i>	<i>2.87</i>	<i>4.90</i>	<i>3.21</i>	<i>3.32</i>		<i>3.01</i>				
August	<i>1.37</i>	<i>5.30</i>	<i>2.91</i>	<i>1.07</i>	<i>2.29</i>		<i>1.64</i>				
September	<i>4.17</i>	<i>2.11</i>	<i>3.64</i>	<i>3.70</i>	<i>1.52</i>		<i>2.54</i>				
October	<i>6.00</i>	<i>1.52</i>	<i>6.63</i>	<i>2.66</i>	<i>1.06</i>		<i>4.67</i>				
November	<i>2.78</i>	<i>4.15</i>	<i>4.77</i>	<i>3.85</i>	<i>1.70</i>		<i>2.76</i>				
December	<i>3.94</i>	<i>3.11</i>	<i>(3.65)</i>	<i>.60</i>	<i>3.70</i>		<i>4.61</i>				
TOTALS	<i>(34.55)</i>	<i>32.43</i>	<i>(42.83)</i>	<i>29.13</i>	<i>26.97</i>	<i>N.R.</i>	<i>33.65</i>				

1880 Feby 16th gauge blown over, amount computed

1882. Dec. estd for ^{West} Gloucesters Water 1912.

RAINFALL AT Lawborne Chase Larmer [Shaftesbury]

Lat. Lon. County of Dorset Wilts

Rain Gauge, by Observer Genl Pitt Rivers FRS

Stour - 2.

Diameter								5			
Height								30			
Altitude								500	500		
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January								3.66	1.58	1.00	
February								1.04	1.19	2.44	
March								1.54	3.94	3.51	
April								1.31	2.28	3.49	
May								1.82	2.18	1.63	
June								1.64	2.97	2.62	
July71	5.62	3.35	
August								3.26	1.91	3.10	
September								2.96	1.74	1.83	
October								2.12	2.43	5.03	
November								5.59	8.03	1.93	
December								3.17	3.69	2.96	
TOTALS								28.82	37.56	32.89	

St Peters Tollard Royal 3/4 mile NW
Shrub 5ft high 60 ft E+W

RAINFALL AT Cranborne Chase Rushmore [Shapsteadbury]

Lat.

Lon.

County of

Dorset Mils

Rain Gauge, by

Observer

Genl Pitt Rivers F.R.S

Stour - 2.

Diameter							5				
Height							3.0				
Altitude							500			500	
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January							3.64	3.90	1.59	.89	
February98	.68	.93	2.04	
March							3.09	1.34	3.53	3.15	
April							2.12	1.46	2.38	3.26	
May							4.40	1.35	2.05	1.40	
June90	1.72	2.55	3.68	
July							2.62	.63	5.65	3.12	
August							1.36	3.29	1.78	2.98	
September							2.88	2.57	1.56	1.65	
October							5.08	1.91	2.14	4.70	
November							4.21	4.85	7.18	1.74	
December							5.06	2.78	3.18	2.95	
TOTALS							36.34	26.48	34.52	31.56	

St Peters Tollard Royal 1½ miles W
Wall 12 ft high 90 ft W

RAINFALL AT Werre [°] near Home

Lat.

Lon. County of Willis

Rain Gauge, by

Observer Rev. T. A. Preston
J. F. Rutter, Esq.

Stems - 2.

Diameter			5								
Height			1.	-							
Altitude											
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January ...			2.08	3.45	4.10	3.94	4.20	3.36	1.59	1.02	
February ...			2.12	5.39	2.59	3.84	.65	.62	.70	2.78	
March			1.77	1.45	3.37	1.45	3.00	1.94	4.15	3.00	
April			5.26	.99	2.32	3.08	2.55	1.29	2.62	3.81	
May			1.98	1.95	1.88	4.14	4.59	2.11	1.47	2.41	
June			4.16	3.12	4.06	1.37	.80	1.01	2.69	1.91	
July			4.57	3.47	4.93	.27	2.55	.88	8.17	4.90	
August			3.01	1.65	1.76	1.69	1.48	1.67	2.48	3.82	
September ...		2.04	3.40	5.48	2.00	5.60	3.36	2.44	1.59	2.33	
October		1.72	7.64	4.07	1.14	4.73	5.95	2.41	2.02	4.14	
November		4.52	5.31	5.26	2.02	3.91	4.24	4.57	6.93	2.00	
December		5.80	4.82	1.45	4.44	1.89	6.12	3.06	3.48	2.53	
TOTALS			46.12	37.73	34.61	35.91	39.49	25.36	37.89	34.65	

Donhead St. Mary

RAINFALL AT *Malmesbury Charlton House*

[Shaftesbury]

Lat.

Lon.

County of *Wills*

Rain Gauge, by

Observer *Lt Col. G. Best*

S. ann - 3.

Diameter					5						
Height					6	7			8	- 9	
Altitude					600	514					
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January						2.84	3.78	4.80	1.63	.99	
February						4.59	.84	.74	1.41	2.51	
March						1.97	3.09	1.92	3.88	3.39	
April						3.06	2.68	1.22	2.33	3.44	
May						4.18	3.97	2.13	1.57	1.54	
June						1.50	1.36	1.04	2.91	1.39	
July ..						.21	2.64	.58	4.96	3.75	
August88	1.37	2.73	1.50	4.07	
September....						5.43	2.37	2.49	1.59	1.90	
October					# 89	4.76	5.42	1.95	1.70	5.22	
November....					1.52	4.08	3.97	4.33	7.93	1.59	
December					4.81	2.07	6.80	2.57	3.27	2.57	
TOTALS						35.57	38.29	26.50	34.68	32.36	

RAINFALL AT *Donhead St Andrews [Shaftesbury]*

Lat. Lon. County of *Wills*

Rain Gauge, by Observer *R. J. A. Preston*

E. noon - 3.

E. Dewey Esq. Junr.

Diameter			5								
Height			1. -								
Altitude											
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January				3.33	3.86	3.69					
February				6.62	2.66	4.11					
March			1.05	1.09	3.42	1.89					
April			5.48	1.33	2.46	2.95					
May			1.94	2.43	1.26	4.24					
June			4.39	2.41	3.29	1.73					
July			3.64	3.45	2.78	.16					
August			2.38	1.08	1.68	.96					
September....			3.49	5.46	1.42	5.81					
October			7.59	3.51	.66	(4.67)					
November....			5.73	4.46	1.93	4.17					
December			4.11	1.21	4.19	2.25					
TOTALS				36.38	29.61	36.57					

1885 Oct. 21st amount computed

RAINFALL AT *Broad Chalke Vicarage*

Lat.

Lon.

County of *Wilts*

Rain Gauge, by

Observer *Rev. C. G. Moore*

Baron - 3.

Diameter		<i>8</i>										
Height		<i>0.8</i>										
Altitude												
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.	
January	<i>.99</i>	<i>2.64</i>	<i>1.47</i>									
February	<i>3.71</i>	<i>3.59</i>	<i>1.91</i>									
March	<i>.71</i>	<i>2.24</i>	<i>1.21</i>									
April	<i>2.41</i>	<i>.68</i>	<i>4.23</i>									
May	<i>.61</i>	<i>1.25</i>	<i>2.78</i>									
June	<i>2.22</i>	<i>1.74</i>	<i>3.51</i>									
July	<i>4.13</i>	<i>2.04</i>	<i>3.77</i>									
August	<i>1.43</i>	<i>5.62</i>	<i>1.72</i>									
September	<i>2.99</i>	<i>2.10</i>	<i>2.90</i>									
October	<i>5.99</i>	<i>1.67</i>	<i>7.97</i>									
November	<i>2.81</i>	<i>4.43</i>										
December	<i>4.25</i>	<i>3.52</i>										
TOTALS	<i>32.25</i>	<i>31.52</i>										

*1881. Broad Chalke 200 yards N.N.E.
Trees 40ft high 40ft S.W.*

RAINFALL AT *Broad Chalke*

Lat.

Lon.

County of *Wills*

Rain Gauge, by

Observer *Rev J. N. Hutchinson*

Rev J. A. Preston

Evam - 3.

Diameter				8							
Height				8							
Altitude				315							
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January ...					3.44	2.93	3.33	3.76	1.14	.83	
February ...					2.63	3.66	.70	.62	1.41	2.11	
March					2.15	1.56	2.20	1.79	3.54	2.75	
April				1.23	1.91	1.88	2.18	.97	2.37	2.77	
May				2.01	1.22	3.49	4.79	1.80	1.92	1.57	
June				1.62	3.65	1.61	.38	1.02	2.07	1.15	
July				3.53	2.46	.14	1.93	.79	4.78	2.41	
August79	1.44	.95	1.13	1.94	1.71	2.50	
September ...				3.21	1.31	4.85	2.20	1.89	1.36	1.56	
October				2.71	.38	4.06	5.17	1.83	1.96	4.04	
November				4.13	1.82	4.53	3.43	4.25	6.26	1.35	
December				1.18	3.38	1.86	6.63	2.46	2.67	2.03	
TOTALS					25.79	31.52	34.07	23.12	31.19	25.07	

RAINFALL AT *Alderbury, Salisbury*

Lat. Lon. County of *Wilt*

Rain Gauge, by Observer *Rev R.S. Hutchings*

Avon 3.

Diameter	<i>5</i>										
Height	<i>8</i>							<i>1.0</i>			
Altitude	<i>263 ft</i>										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January	<i>.49</i>	<i>2.35</i>	<i>1.28</i>	<i>2.62</i>	<i>3.54</i>	<i>2.76</i>	<i>3.33</i>	<i>3.58</i>	<i>1.15</i>	<i>.71</i>	<i>2.181</i>
February	<i>4.15</i>	<i>3.63</i>	<i>1.87</i>	<i>4.89</i>	<i>2.35</i>	<i>3.77</i>	<i>.82</i>	<i>.71</i>	<i>1.09</i>	<i>1.65</i>	<i>2.493</i>
March	<i>.76</i>	<i>2.52</i>	<i>.87</i>	<i>1.12</i>	<i>2.49</i>	<i>1.47</i>	<i>2.09</i>	<i>1.39</i>	<i>3.41</i>	<i>2.11</i>	<i>1.823</i>
April	<i>1.90</i>	<i>.56</i>	<i>3.96</i>	<i>.96</i>	<i>1.73</i>	<i>1.81</i>	<i>1.79</i>	<i>1.13</i>	<i>1.99</i>	<i>2.16</i>	<i>1.799</i>
May	<i>.55</i>	<i>.98</i>	<i>2.10</i>	<i>1.83</i>	<i>.89</i>	<i>3.21</i>	<i>3.29</i>	<i>1.39</i>	<i>2.09</i>	<i>2.03</i>	<i>1.836</i>
June	<i>2.09</i>	<i>2.02</i>	<i>3.74</i>	<i>1.57</i>	<i>2.86</i>	<i>1.93</i>	<i>.87</i>	<i>.96</i>	<i>2.33</i>	<i>2.26</i>	<i>2.063</i>
July	<i>4.03</i>	<i>1.82</i>	<i>3.43</i>	<i>3.90</i>	<i>2.33</i>	<i>.16</i>	<i>2.10</i>	<i>.67</i>	<i>5.45</i>	<i>2.41</i>	<i>2.630</i>
August	<i>1.59</i>	<i>5.96</i>	<i>1.47</i>	<i>1.03</i>	<i>1.38</i>	<i>.82</i>	<i>1.01</i>	<i>1.26</i>	<i>1.40</i>	<i>1.96</i>	<i>1.788</i>
September	<i>3.57</i>	<i>1.59</i>	<i>2.88</i>	<i>3.76</i>	<i>1.32</i>	<i>4.99</i>	<i>2.17</i>	<i>2.23</i>	<i>1.69</i>	<i>1.16</i>	<i>2.536</i>
October	<i>5.16</i>	<i>1.34</i>	<i>6.57</i>	<i>2.66</i>	<i>.72</i>	<i>3.71</i>	<i>5.07</i>	<i>1.33</i>	<i>1.87</i>	<i>3.74</i>	<i>3.217</i>
November	<i>2.57</i>	<i>4.20</i>	<i>3.65</i>	<i>4.46</i>	<i>1.92</i>	<i>3.78</i>	<i>3.32</i>	<i>3.66</i>	<i>5.11</i>	<i>1.12</i>	<i>3.379</i>
December	<i>3.68</i>	<i>3.35</i>	<i>2.85</i>	<i>.88</i>	<i>2.81</i>	<i>1.42</i>	<i>6.15</i>	<i>1.83</i>	<i>2.45</i>	<i>2.15</i>	<i>2.757</i>
TOTALS	<i>30.54</i>	<i>30.32</i>	<i>34.67</i>	<i>29.68</i>	<i>24.34</i>	<i>29.83</i>	<i>32.01</i>	<i>20.14</i>	<i>30.03</i>	<i>23.46</i>	<i>28.502</i>

1880. Alderbury Ch. 300 yards. N.

House ²⁰/₃₀ ft high 25 ft W

1883 Feby 11th to (? 28) Avon valley flooded; the highest flood for 30 years.

RAINFALL AT Salisbury Britford

Lat.

Lon.

County of Wills

Rain Gauge, by

Observer Rev J. A. Preston

S. won - 3.

Rev. A. P. Morris

Diameter			5								
Height			1.	-							
Altitude											
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January... ..				3.12	3.54	3.11	3.34	3.88	.86	.78	
February			¹¹ 1.95	5.38	2.71	4.24	1.02	.74	.92	1.73	
March85	1.27	2.84	1.81	2.36	1.57	3.51	2.48	
April			4.65	1.02	1.59	1.99	2.10	1.17	1.96	2.50	
May			1.80	1.77	1.00	2.51	3.36	1.34	2.25	1.73	
June			4.11	1.49	2.83	1.98	.87	.96	2.71	2.69	
July			3.19	4.02	2.50	.13	1.93	1.42	5.72	2.57	
August			1.73	.90	1.29	.83	1.12	1.19	1.91	2.15	
September....			2.98	3.86	1.27	4.69	2.19	2.06	1.61	.72	
October			7.40	2.89	.88	3.96	5.28	1.58	1.95	3.60	
November....			3.92	3.80	1.99	4.07	3.42	3.66	5.44	1.21	
December			2.93	.92	3.07	1.66	6.22	2.25	2.32	2.23	
TOTALS				30.44	25.51	30.98	33.21	21.82	31.16	24.39	

RAINFALL AT Yisbury

Lat. Lon. County of Wilts

Rain Gauge, by Observer Cyrus Bomber Esq

6. avon - 3.

Diameter									5		
Height										1.3	
Altitude									400		
Year.....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January						3.01	3.74	2.76		.76	
February					^{ff} 3.20	4.22	.39	.51	6.03	1.32	
March					2.93	1.47	2.70	1.73		1.21	
April					2.16	2.76	2.20	1.45	1.66	1.73	
May					1.01	3.23	4.86	1.33	1.40	1.57	
June					3.99	1.32	1.00	1.37	2.33	.65	
July ..					2.95	.36	2.43	.55	5.41	3.52	
August					1.59	1.15	1.26	1.92	1.44	2.75	
September....					1.40	5.40	2.47	2.17	1.01	1.10	
October76	4.34	4.95	1.63	2.07	2.50	
November					2.06	3.20	3.41	4.46	4.64	1.70	
December					3.76	1.64	5.19	2.81	2.34	1.58	
TOTALS						32.10	34.60	22.69	28.28	20.39	

N.B. Annual values rejected from Survey 1929.

RAINFALL AT *Salisbury*

Lat.

Lon.

County of *Wilt*

Rain Gauge, by

Observer *W. Hussey, Esq*

S. am - 3.

Diameter	5										
Height	1.6		1.4					1.5			
Altitude	160T		150					150T			
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January48	1.91	1.26	3.09	3.63	3.14	3.47	3.71	1.12	.78	
February	4.01	3.85	1.94	5.44	2.84	(4.11)	.88	.73	.98	1.77	
March98	2.74	1.17	1.26	2.69	1.80	2.23	1.66	3.70	2.48	
April	1.83	.53	4.60	1.05	1.58	1.95	2.19	1.21	2.28	2.54	
May69	1.04	1.84	1.95	.92	3.16	3.40	1.31	2.19	1.91	
June	1.93	1.77	3.60	1.43	3.10	1.73	1.00	1.02	2.52	3.41	
July	4.75	2.03	3.39	4.04	2.52	.16	2.01	.90	5.38	2.42	
August	1.66	5.59	1.76	.94	1.28	.83	1.11	1.55	1.49	2.44	
September	3.67	1.77	2.61	3.46	1.26	4.38	2.27	2.08	1.58	1.42	
October	5.18	1.39	7.88	2.82	.88	3.51	4.70	1.59	1.88	3.94	
November	2.66	4.46	3.93	3.57	1.95	3.80	3.20	3.76	5.64	1.08	
December	3.77	3.41	2.98	.97	3.00	1.62	6.26	2.13	2.72	2.24	
TOTALS	31.61				(30.19)	32.71	21.65	31.48	26.43		

1881 Gauge moved on May 12th + Dec^r 16th

1882 May 11th and Dec^r 19th gauge moved

1883 July 13th " Dec^r 13th " "

1884 gauge moved twice.

1885 Feb 25 gauge moved to another locality.

RAINFALL AT *Milton House, Salisbury*

Lat.

Lon.

County of *Wilt*

Rain Gauge, by

Observer *Mr Challis*

E. avon - 3.

Diameter	<i>8</i>										
Height	<i>5</i>										
Altitude	<i>180 ft</i>										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January	<i>.56</i>	<i>2.89</i>	<i>1.48</i>	<i>3.17</i>	<i>3.96</i>	<i>2.94</i>	<i>3.50</i>	<i>2.93</i>	<i>1.06</i>	<i>.90</i>	<i>2.339</i>
February	<i>4.04</i>	<i>3.89</i>	<i>2.20</i>	<i>5.69</i>	<i>2.83</i>	<i>4.21</i>	<i>.87</i>	<i>.72</i>	<i>1.19</i>	<i>2.10</i>	<i>2.774</i>
March	<i>.73</i>	<i>2.68</i>	<i>1.32</i>	<i>1.27</i>	<i>3.01</i>	<i>1.87</i>	<i>2.40</i>	<i>1.93</i>	<i>3.55</i>	<i>2.61</i>	<i>2.137</i>
April	<i>1.79</i>	<i>.56</i>	<i>4.53</i>	<i>1.22</i>	<i>1.81</i>	<i>2.21</i>	<i>2.45</i>	<i>1.09</i>	<i>2.13</i>	<i>2.78</i>	<i>2.057</i>
May	<i>.40</i>	<i>1.11</i>	<i>2.20</i>	<i>1.92</i>	<i>.92</i>	<i>3.27</i>	<i>3.50</i>	<i>1.20</i>	<i>2.25</i>	<i>2.12</i>	<i>1.889</i>
June	<i>2.20</i>	<i>1.91</i>	<i>3.91</i>	<i>1.81</i>	<i>3.44</i>	<i>1.67</i>	<i>.63</i>	<i>.93</i>	<i>2.72</i>	<i>2.10</i>	<i>2.132</i>
July	<i>4.63</i>	<i>2.06</i>	<i>3.68</i>	<i>4.58</i>	<i>2.35</i>	<i>.15</i>	<i>1.93</i>	<i>.69</i>	<i>5.58</i>	<i>2.80</i>	<i>2.845</i>
August	<i>1.34</i>	<i>6.45</i>	<i>1.71</i>	<i>.91</i>	<i>1.65</i>	<i>1.00</i>	<i>1.21</i>	<i>1.42</i>	<i>1.65</i>	<i>2.29</i>	<i>1.963</i>
September	<i>2.88</i>	<i>1.82</i>	<i>2.74</i>	<i>3.69</i>	<i>1.19</i>	<i>4.29</i>	<i>2.31</i>	<i>2.10</i>	<i>1.43</i>	<i>1.48</i>	<i>2.393</i>
October	<i>5.59</i>	<i>1.51</i>	<i>8.04</i>	<i>3.06</i>	<i>.82</i>	<i>3.93</i>	<i>4.87</i>	<i>1.77</i>	<i>1.86</i>	<i>3.78</i>	<i>3.523</i>
November	<i>3.08</i>	<i>4.82</i>	<i>4.29</i>	<i>3.52</i>	<i>1.91</i>	<i>4.30</i>	<i>3.15</i>	<i>3.97</i>	<i>5.68</i>	<i>1.27</i>	<i>3.639</i>
December	<i>4.08</i>	<i>3.64</i>	<i>3.19</i>	<i>.98</i>	<i>3.27</i>	<i>1.72</i>	<i>6.81</i>	<i>2.38</i>	<i>2.87</i>	<i>2.10</i>	<i>3.104</i>
TOTALS	<i>31.32</i>	<i>33.34</i>	<i>39.29</i>	<i>32.22</i>	<i>27.16</i>	<i>31.56</i>	<i>33.63</i>	<i>21.13</i>	<i>31.97</i>	<i>26.33</i>	<i>30.795</i>

1881. Fugglestone St Peter 100 yards N.W.
1884 Fruit trees 6ft high 30ft E.

RAINFALL AT

Hindon, Chicklade

Lat.

Lon. County of *Wilts*

Rain Gauge, by

Observer *Rev T. A. Preston*

Miss Taylor

8. above - 3.

Diameter			<i>5</i>								
Height			<i>11</i>								
Altitude											
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January			<i>2.25</i>	<i>3.40</i>	<i>4.76</i>	<i>3.85</i>	<i>4.30</i>				
February			<i>2.31</i>	<i>6.37</i>	<i>2.74</i>	<i>4.33</i>	<i>.91</i>				
March			<i>1.87</i>	<i>1.40</i>	<i>3.12</i>	<i>1.59</i>	<i>3.02</i>				
April	<i>1.10</i>	<i>5.29</i>	<i>1.26</i>	<i>2.19</i>	<i>3.24</i>	<i>2.78</i>					
May	<i>2.20</i>	<i>3.79</i>	<i>2.84</i>	<i>1.34</i>	<i>4.44</i>	<i>5.86</i>					
June	<i>3.14</i>	<i>4.39</i>	<i>2.84</i>	<i>4.57</i>	<i>1.49</i>	<i>1.96</i>					
July	<i>2.64</i>	<i>3.87</i>	<i>4.09</i>	<i>4.20</i>	<i>.42</i>	<i>2.27</i>					
August	<i>7.06</i>	<i>2.06</i>	<i>1.22</i>	<i>1.70</i>	<i>1.45</i>						
September	<i>1.90</i>	<i>3.17</i>	<i>4.59</i>	<i>1.62</i>	<i>6.20</i>						
October	<i>1.70</i>	<i>7.80</i>	<i>3.79</i>	<i>1.03</i>	<i>5.03</i>						
November	<i>4.91</i>	<i>4.90</i>	<i>4.87</i>	<i>2.29</i>	<i>4.47</i>						
December	<i>4.31</i>	<i>4.78</i>	<i>1.60</i>	<i>4.71</i>	<i>2.06</i>						
TOTALS			<i>46.48</i>	<i>38.27</i>	<i>34.27</i>	<i>38.57</i>					

RAINFALL AT *More Down*

Lat.

Lon.

County of *Wilt*

Rain Gauge, by

Observer *Rev. T. A. Preston*

E. ann - 3.

T. H. Baker, Esq.

Diameter			<i>5</i>								
Height			<i>1. -</i>								
Altitude			<i>600?</i>						<i>702 ft</i>		
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January			<i>1.66</i>	<i>3.15</i>	<i>3.61</i>	<i>3.52</i>	<i>3.51</i>	<i>3.36</i>	<i>1.45</i>	<i>.95</i>	
February			<i>1.98</i>	<i>5.66</i>	<i>2.48</i>	<i>4.13</i>	<i>.85</i>	<i>.64</i>	<i>1.11</i>	<i>2.47</i>	
March			<i>1.73</i>	<i>1.34</i>	<i>2.99</i>	<i>1.37</i>	<i>2.97</i>	<i>2.11</i>	<i>3.81</i>	<i>3.23</i>	
April			<i>5.41</i>	<i>1.15</i>	<i>2.21</i>	<i>2.88</i>	<i>2.76</i>	<i>1.32</i>	<i>2.65</i>	<i>3.68</i>	
May			<i>2.28</i>	<i>1.73</i>	<i>1.58</i>	<i>3.97</i>	<i>5.01</i>	<i>2.11</i>	<i>1.75</i>	<i>2.52</i>	
June			<i>4.27</i>	<i>3.43</i>	<i>3.98</i>	<i>1.39</i>	<i>.76</i>	<i>1.08</i>	<i>3.05</i>	<i>1.57</i>	
July			<i>5.62</i>	<i>3.69</i>	<i>5.03</i>	<i>.40</i>	<i>2.83</i>	<i>.89</i>	<i>7.77</i>	<i>4.12</i>	
August			<i>2.48</i>	<i>1.21</i>	<i>1.83</i>	<i>1.78</i>	<i>1.63</i>	<i>1.92</i>	<i>2.43</i>	<i>3.53</i>	
September		<i>2.04</i>	<i>3.68</i>	<i>4.96</i>	<i>2.06</i>	<i>5.48</i>	<i>2.95</i>	<i>2.72</i>	<i>1.56</i>	<i>2.26</i>	
October		<i>1.72</i>	<i>6.79</i>	<i>3.86</i>	<i>.96</i>	<i>4.52</i>	<i>5.05</i>	<i>2.39</i>	<i>2.04</i>	<i>4.21</i>	
November		<i>4.52</i>	<i>4.61</i>	<i>4.54</i>	<i>1.80</i>	<i>3.75</i>	<i>4.09</i>	<i>4.17</i>	<i>6.95</i>	<i>1.99</i>	
December		<i>3.80</i>	<i>4.50</i>	<i>1.23</i>	<i>3.96</i>	<i>1.49</i>	<i>5.46</i>	<i>2.73</i>	<i>3.86</i>	<i>2.22</i>	
TOTALS			<i>45.01</i>	<i>35.95</i>	<i>32.49</i>	<i>34.68</i>	<i>37.87</i>	<i>25.44</i>	<i>38.43</i>	<i>32.75</i>	

1888 Kingstone Deverell 1 3/4 miles NE

Trees 45 ft high 120 ft W & 75 ft N

1889 More Church 2 miles SW

N.B. Annual values rejected from Survey 1929.

RAINFALL AT Capton, Oxford

Lat. Lon. County of Mills

Rain Gauge, by Observer J. Dean Wallis, Esq.
Rev. T. A. Preston.

Station - 3.

Diameter	<u>5</u>										
Height	<u>1.0</u>										
Altitude	<u>301 T</u>										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January	<u>.46</u>	<u>2.06</u>	<u>1.74</u>	<u>3.00</u>							
February	<u>4.64</u>	<u>3.96</u>	<u>2.14</u>	<u>5.13</u>							
March	<u>1.66</u>	<u>3.02</u>	<u>1.70</u>	<u>1.31</u>							
April	<u>2.10</u>	<u>.59</u>	<u>4.87</u>	<u>1.09</u>							
May	<u>.27</u>	<u>1.60</u>	<u>2.64</u>	<u>2.40</u>							
June	<u>2.01</u>	<u>2.54</u>	<u>3.90</u>	<u>2.35</u>							
July	<u>4.14</u>	<u>2.55</u>	<u>2.99</u>	<u>4.03</u>							
August	<u>1.22</u>	<u>6.59</u>	<u>2.13</u>	<u>1.33</u>							
September	<u>3.37</u>	<u>1.85</u>	<u>2.97</u>	<u>4.12</u>							
October	<u>5.49</u>	<u>2.12</u>	<u>6.60</u>	<u>2.85</u>							
November	<u>2.75</u>	<u>4.21</u>	<u>4.42</u>								
December	<u>4.10</u>	<u>3.53</u>	<u>3.99</u>								
TOTALS ...	<u>32.21</u>	<u>34.62</u>	<u>40.09</u>								

RAINFALL AT Maiden Bradley

Lat.

Lon. County of Wilt

Rain Gauge, by Observer Henry Eden, Esq.

E. avon - 3.

Diameter			8								
Height			10								
Altitude			630								
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January ...			2.21	3.69	5.17	4.31					
February ...			2.36	5.67	2.97	5.09					
March			1.51	1.76	4.04	1.45					
April			6.08	.95	2.07	3.25					
May			1.75	1.57	2.32	4.45					
June			5.43	3.48	4.32	1.34					
July			5.06	3.25	5.27	.30					
August			2.73	1.98	1.86	2.73					
September ...			3.93	5.61	2.60	5.91					
October			7.27	4.09	.73	5.24					
November ...			5.02	5.56	2.41	4.28					
December			5.54	1.60	5.70	1.83					
TOTALS			48.89	39.21	39.46	40.18					

1882 Maiden Bradley Church 180 yards FSE

RAINFALL AT Maiden Bradley

Lat.

Lon.

County of Wilt

Rain Gauge, by

Observer. E. B. Hewitt Esq

Sam - 3.

Diameter											
Height											
Altitude											
Year.....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January									1.44	1.25	
February									1.70	3.16	
March									4.68	3.63	
April									3.12	3.98	
May									1.78	2.64	
June									3.19	2.85	
July ..									7.05	3.59	
August									2.32	4.62	
September....									1.82	2.00	
October									2.22	4.71	
November....									7.65	2.07	
December									4.55	3.32	
TOTALS									41.52	37.82	

RAINFALL AT *Pipe Hill, Warrminster*

Lat.

Lon.

County of *Wills*

Rain Gauge, by

Observer *Rev. J. A. Preston*

E. avon - 3.

Diameter	<i>8</i>										
Height	<i>2.0</i>										
Altitude	<i>450</i>										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January	<i>.60</i>	<i>3.20</i>	<i>1.90</i>	<i>3.38</i>	<i>4.65</i>	<i>3.92</i>	<i>4.34</i>	<i>3.52</i>	<i>1.28</i>	<i>1.14</i>	<i>2.793</i>
February	<i>4.95</i>	<i>5.29</i>	<i>2.32</i>	<i>5.46</i>	<i>2.64</i>	<i>4.10</i>	<i>.76</i>	<i>.80</i>	<i>1.54</i>	<i>2.41</i>	<i>3.027</i>
March	<i>1.87</i>	<i>2.96</i>	<i>1.57</i>	<i>1.62</i>	<i>3.63</i>	<i>1.35</i>	<i>2.78</i>	<i>2.45</i>	<i>4.12</i>	<i>3.25</i>	<i>2.560</i>
April	<i>2.04</i>	<i>.63</i>	<i>4.99</i>	<i>1.20</i>	<i>2.21</i>	<i>2.77</i>	<i>3.23</i>	<i>1.50</i>	<i>2.99</i>	<i>3.58</i>	<i>2.514</i>
May	<i>1.13</i>	<i>1.89</i>	<i>1.88</i>	<i>2.06</i>	<i>1.99</i>	<i>4.75</i>	<i>5.15</i>	<i>2.29</i>	<i>1.93</i>	<i>1.77</i>	<i>2.484</i>
June	<i>2.13</i>	<i>3.15</i>	<i>4.52</i>	<i>2.86</i>	<i>4.53</i>	<i>1.30</i>	<i>.66</i>	<i>1.14</i>	<i>2.96</i>	<i>1.98</i>	<i>2.523</i>
July	<i>5.72</i>	<i>2.46</i>	<i>4.82</i>	<i>3.59</i>	<i>4.50</i>	<i>.29</i>	<i>2.57</i>	<i>1.03</i>	<i>6.55</i>	<i>3.76</i>	<i>3.529</i>
August	<i>1.12</i>	<i>6.89</i>	<i>2.17</i>	<i>1.74</i>	<i>1.72</i>	<i>1.70</i>	<i>1.38</i>	<i>3.40</i>	<i>2.17</i>	<i>3.79</i>	<i>2.608</i>
September	<i>3.72</i>	<i>1.56</i>	<i>3.31</i>	<i>5.19</i>	<i>1.97</i>	<i>6.23</i>	<i>3.02</i>	<i>2.70</i>	<i>1.56</i>	<i>1.80</i>	<i>3.116</i>
October	<i>5.93</i>	<i>2.01</i>	<i>6.58</i>	<i>3.86</i>	<i>1.02</i>	<i>4.85</i>	<i>5.25</i>	<i>2.81</i>	<i>2.11</i>	<i>4.61</i>	<i>3.903</i>
November	<i>3.69</i>	<i>4.61</i>	<i>4.49</i>	<i>5.33</i>	<i>2.29</i>	<i>4.37</i>	<i>4.40</i>	<i>4.11</i>	<i>7.17</i>	<i>2.04</i>	<i>4.250</i>
December	<i>4.42</i>	<i>4.17</i>	<i>4.49</i>	<i>1.47</i>	<i>5.01</i>	<i>1.66</i>	<i>6.36</i>	<i>3.26</i>	<i>4.68</i>	<i>2.45</i>	<i>3.797</i>
TOTALS ...	<i>39.32</i>	<i>38.82</i>	<i>43.04</i>	<i>37.76</i>	<i>36.16</i>	<i>37.29</i>	<i>39.90</i>	<i>29.01</i>	<i>39.16</i>	<i>32.58</i>	<i>37.104</i>

RAINFALL AT *Amesbury*

Lat.

Lon.

County of *Wilt*

Rain Gauge, by

Observer

Rev T. A. Preston

E. P. Hayward, Esq.

Avon - 3.

Diameter			<i>5</i>								
Height			<i>1. -</i>								
Altitude											
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January			<i>1.13</i>	<i>2.16</i>	<i>(2.23)</i>	<i>1.99</i>	<i>3.12</i>	<i>3.15</i>	<i>.81</i>	<i>.68</i>	
February			<i>1.49</i>	<i>4.08</i>	<i>1.68</i>	<i>3.17</i>	<i>.69</i>	<i>.62</i>	<i>.91</i>	<i>1.83</i>	
March			<i>1.21</i>	<i>.87</i>	<i>2.22</i>	<i>1.36</i>	<i>1.59</i>	<i>1.53</i>	<i>3.39</i>	<i>1.91</i>	
April			<i>3.86</i>	<i>.41</i>	<i>1.50</i>	<i>1.80</i>	<i>2.50</i>	<i>.89</i>	<i>1.92</i>	<i>2.63</i>	
May			<i>2.08</i>	<i>1.87</i>	<i>.97</i>	<i>2.23</i>	<i>3.73</i>	<i>1.24</i>	<i>1.61</i>	<i>1.77</i>	
June			<i>3.21</i>	<i>1.33</i>	<i>2.74</i>	<i>1.56</i>	<i>.83</i>	<i>1.64</i>	<i>2.87</i>	<i>1.52</i>	
July			<i>3.82</i>	<i>4.04</i>	<i>2.01</i>	<i>.21</i>	<i>2.06</i>	<i>.57</i>	<i>5.12</i>	<i>2.78</i>	
August			<i>1.58</i>	<i>1.04</i>	<i>1.45</i>	<i>.72</i>	<i>1.07</i>	<i>1.52</i>	<i>1.53</i>	<i>2.86</i>	
September			<i>2.16</i>	<i>3.23</i>	<i>.97</i>	<i>3.41</i>	<i>2.09</i>	<i>1.97</i>	<i>1.56</i>	<i>1.20</i>	
October			<i>6.25</i>	<i>2.23</i>	<i>.72</i>	<i>3.07</i>	<i>3.61</i>	<i>1.59</i>	<i>1.66</i>	<i>2.97</i>	
November			<i>3.10</i>	<i>2.94</i>	<i>1.56</i>	<i>3.65</i>	<i>2.68</i>	<i>2.61</i>	<i>4.24</i>	<i>1.02</i>	
December			<i>2.31</i>	<i>.66</i>	<i>2.64</i>	<i>1.03</i>	<i>5.04</i>	<i>1.91</i>	<i>2.08</i>	<i>1.66</i>	
TOTALS			<i>32.20</i>	<i>25.36</i>	<i>(20.69)</i>	<i>24.20</i>	<i>29.01</i>	<i>19.18</i>	<i>27.70</i>	<i>22.83</i>	

N.B. Annual values rejected from Survey 1929.

RAINFALL AT *Chitterne House, Salisbury Plain*

Lat.

Lon.

County of *Wills*

Rain Gauge, by

Observer *R. Hayward, Jun., Esq.*

Ex. am - 3.

Diameter	<i>11</i>										
Height	<i>14.0</i>										
Altitude	<i>380?</i>							<i>319T</i>			
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January	<i>.48</i>	<i>2.25</i>	<i>1.40</i>	<i>2.46</i>	<i>3.04</i>	<i>2.41</i>	<i>3.56</i>	<i>2.82</i>	<i>.69</i>	<i>.64</i>	<i>1.975</i>
February	<i>3.97</i>	<i>3.57</i>	<i>2.14</i>	<i>4.81</i>	<i>1.97</i>	<i>3.50</i>	<i>.64</i>	<i>.62</i>	<i>.96</i>	<i>1.78</i>	<i>2.396</i>
March	<i>1.73</i>	<i>2.33</i>	<i>1.29</i>	<i>1.26</i>	<i>2.45</i>	<i>1.06</i>	<i>1.74</i>	<i>1.73</i>	<i>3.72</i>	<i>2.17</i>	<i>1.948</i>
April	<i>1.87</i>	<i>.51</i>	<i>3.83</i>	<i>.93</i>	<i>1.40</i>	<i>2.24</i>	<i>2.33</i>	<i>1.06</i>	<i>1.87</i>	<i>3.08</i>	<i>1.912</i>
May	<i>.72</i>	<i>1.20</i>	<i>2.95</i>	<i>2.08</i>	<i>1.26</i>	<i>3.13</i>	<i>4.50</i>	<i>1.74</i>	<i>2.04</i>	<i>1.35</i>	<i>2.097</i>
June	<i>1.77</i>	<i>2.25</i>	<i>3.67</i>	<i>2.30</i>	<i>3.62</i>	<i>1.23</i>	<i>.29</i>	<i>.78</i>	<i>2.67</i>	<i>.63</i>	<i>1.921</i>
July	<i>3.68</i>	<i>1.88</i>	<i>3.36</i>	<i>4.13</i>	<i>2.11</i>	<i>.12</i>	<i>1.97</i>	<i>.59</i>	<i>4.14</i>	<i>3.44</i>	<i>2.542</i>
August	<i>1.02</i>	<i>5.78</i>	<i>1.66</i>	<i>1.31</i>	<i>1.43</i>	<i>.91</i>	<i>1.10</i>	<i>2.25</i>	<i>1.32</i>	<i>2.31</i>	<i>1.909</i>
September	<i>3.84</i>	<i>1.86</i>	<i>2.77</i>	<i>3.36</i>	<i>1.23</i>	<i>4.34</i>	<i>2.00</i>	<i>2.15</i>	<i>1.65</i>	<i>1.42</i>	<i>2.462</i>
October	<i>5.48</i>	<i>1.75</i>	<i>6.16</i>	<i>2.96</i>	<i>.61</i>	<i>3.48</i>	<i>4.42</i>	<i>2.37</i>	<i>1.44</i>	<i>2.98</i>	<i>3.165</i>
November	<i>2.48</i>	<i>3.48</i>	<i>3.58</i>	<i>3.50</i>	<i>1.75</i>	<i>3.87</i>	<i>3.50</i>	<i>3.14</i>	<i>5.46</i>	<i>1.33</i>	<i>3.209</i>
December	<i>3.49</i>	<i>3.45</i>	<i>3.16</i>	<i>.75</i>	<i>3.19</i>	<i>1.21</i>	<i>5.24</i>	<i>2.41</i>	<i>2.74</i>	<i>1.61</i>	<i>2.725</i>
TOTALS	<i>30.53</i>	<i>30.31</i>	<i>35.97</i>	<i>25.85</i>	<i>24.06</i>	<i>27.50</i>	<i>31.29</i>	<i>21.66</i>	<i>28.70</i>	<i>22.74</i>	<i>28.261</i>

RAINFALL AT Warminster Bagley Reformatory

Lon.

Wilt

Observer

Mr W. F. Harold

Lawn - 3.

[illegible]

RAINFALL AT *Warminster*

Lat.

Lon.

County of *Wilt*

Rain Gauge, by

Observer *E. Cruise, Esq.*

Lavon 3.

Diameter	<i>5</i>										
Height	<i>1.0</i>										
Altitude	<i>389 ft</i>										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January	<i>.59</i>	<i>3.54</i>	<i>1.60</i>	<i>3.17</i>	<i>3.77</i>	<i>3.22</i>	<i>4.03</i>	<i>3.00</i>	<i>.81</i>	<i>.72</i>	<i>2.445</i>
February	<i>4.57</i>	<i>4.44</i>	<i>2.13</i>	<i>5.12</i>	<i>2.61</i>	<i>4.22</i>	<i>.89</i>	<i>.64</i>	<i>1.79</i>	<i>2.28</i>	<i>2.863</i>
March	<i>1.90</i>	<i>2.43</i>	<i>1.61</i>	<i>1.70</i>	<i>3.09</i>	<i>1.16</i>	<i>2.33</i>	<i>2.87</i>	<i>3.57</i>	<i>2.82</i>	<i>2.348</i>
April	<i>1.70</i>	<i>.67</i>	<i>5.06</i>	<i>1.22</i>	<i>2.16</i>	<i>2.63</i>	<i>3.93</i>	<i>1.42</i>	<i>2.47</i>	<i>3.09</i>	<i>2.435</i>
May	<i>.84</i>	<i>1.43</i>	<i>2.18</i>	<i>2.42</i>	<i>1.53</i>	<i>3.33</i>	<i>5.23</i>	<i>2.21</i>	<i>2.21</i>	<i>1.66</i>	<i>2.304</i>
June	<i>2.01</i>	<i>2.92</i>	<i>4.41</i>	<i>2.48</i>	<i>3.90</i>	<i>1.21</i>	<i>1.23</i>	<i>.99</i>	<i>3.15</i>	<i>2.61</i>	<i>2.491</i>
July	<i>4.03</i>	<i>2.37</i>	<i>4.75</i>	<i>4.08</i>	<i>3.51</i>	<i>.18</i>	<i>2.42</i>	<i>.88</i>	<i>5.48</i>	<i>2.49</i>	<i>3.019</i>
August	<i>1.09</i>	<i>6.38</i>	<i>2.01</i>	<i>1.96</i>	<i>1.60</i>	<i>1.72</i>	<i>1.20</i>	<i>3.01</i>	<i>1.61</i>	<i>2.76</i>	<i>2.334</i>
September	<i>3.85</i>	<i>1.68</i>	<i>2.92</i>	<i>4.17</i>	<i>1.56</i>	<i>5.14</i>	<i>2.29</i>	<i>2.39</i>	<i>1.50</i>	<i>1.44</i>	<i>2.694</i>
October	<i>5.15</i>	<i>1.95</i>	<i>6.33</i>	<i>2.86</i>	<i>.87</i>	<i>3.96</i>	<i>4.27</i>	<i>2.26</i>	<i>1.54</i>	<i>3.67</i>	<i>3.286</i>
November	<i>3.17</i>	<i>4.41</i>	<i>4.14</i>	<i>4.52</i>	<i>1.85</i>	<i>4.19</i>	<i>3.71</i>	<i>3.93</i>	<i>6.20</i>	<i>1.63</i>	<i>3.775</i>
December	<i>3.62</i>	<i>3.66</i>	<i>3.69</i>	<i>1.00</i>	<i>3.84</i>	<i>1.27</i>	<i>6.07</i>	<i>2.52</i>	<i>3.71</i>	<i>2.01</i>	<i>3.139</i>
TOTALS	<i>32.46</i>	<i>35.88</i>	<i>40.83</i>	<i>34.70</i>	<i>30.29</i>	<i>32.23</i>	<i>37.60</i>	<i>26.12</i>	<i>34.04</i>	<i>27.18</i>	<i>33.133</i>

RAINFALL AT *Downside, Warminster*

Lat.

Lon.

County of *Wilt*

Rain Gauge, by

Observer *W. J. Stent, Esq.*

Sum - 3

Diameter	<i>8</i>										
Height	<i>3.0</i>	<i>4. -</i>									
Altitude	<i>439</i>	<i>393</i>									
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January ...	<i>4.5</i> <i>3.63</i>	<i>1.75</i>	<i>3.11</i>	<i>3.82</i>	<i>3.17</i>	<i>4.37</i>	<i>3.22</i>	<i>.92</i>	<i>1.04</i>		
February ...	<i>4.32</i> <i>4.65</i>	<i>2.44</i>	<i>5.08</i>	<i>2.75</i>	<i>4.48</i>	<i>.65</i>	<i>.73</i>	<i>1.93</i>	<i>2.46</i>		
March	<i>2.24</i> <i>2.63</i>	<i>1.79</i>	<i>1.76</i>	<i>3.34</i>	<i>1.20</i>	<i>2.55</i>	<i>1.58</i>	<i>3.84</i>	<i>2.97</i>		
April	<i>1.94</i> <i>.55</i>	<i>5.13</i>	<i>1.17</i>	<i>2.09</i>	<i>2.53</i>	<i>3.92</i>	<i>1.71</i>	<i>2.58</i>	<i>3.28</i>		
May	<i>.77</i> <i>1.68</i>	<i>2.25</i>	<i>2.42</i>	<i>1.66</i>	<i>3.52</i>	<i>5.41</i>	<i>2.43</i>	<i>2.30</i>	<i>1.93</i>		
June	<i>1.44</i> <i>2.92</i>	<i>4.64</i>	<i>2.57</i>	<i>3.86</i>	<i>1.33</i>	<i>1.24</i>	<i>1.02</i>	<i>3.26</i>	<i>2.85</i>		
July	<i>4.12</i> <i>2.49</i>	<i>5.31</i>	<i>4.25</i>	<i>3.62</i>	<i>.26</i>	<i>2.57</i>	<i>1.08</i>	<i>5.76</i>	<i>2.63</i>		
August	<i>1.12</i> <i>6.64</i>	<i>2.37</i>	<i>2.26</i>	<i>1.79</i>	<i>1.80</i>	<i>1.30</i>	<i>3.18</i>	<i>1.60</i>	<i>3.02</i>		
September ...	<i>4.44</i>	<i>3.26</i>	<i>4.78</i>	<i>1.79</i>	<i>5.64</i>	<i>2.32</i>	<i>2.77</i>	<i>1.53</i>	<i>1.51</i>		
October	<i>5.40</i> <i>1.98</i>	<i>6.64</i>	<i>3.16</i>	<i>1.06</i>	<i>4.43</i>	<i>5.13</i>	<i>2.36</i>	<i>1.73</i>	<i>4.32</i>		
November	<i>3.56</i> <i>4.49</i>	<i>4.55</i>	<i>4.69</i>	<i>1.97</i>	<i>4.58</i>	<i>4.13</i>	<i>4.15</i>	<i>6.65</i>	<i>1.74</i>		
December	<i>3.83</i> <i>3.96</i>	<i>3.90</i>	<i>1.12</i>	<i>4.25</i>	<i>1.44</i>	<i>6.38</i>	<i>2.73</i>	<i>3.86</i>	<i>2.16</i>		
TOTALS	<i>33.63</i>	<i>44.03</i>	<i>36.37</i>	<i>32.00</i>	<i>34.38</i>	<i>39.97</i>	<i>26.96</i>	<i>35.96</i>	<i>29.91</i>		

RAINFALL AT *Figheldean Syrencot*

Lat.

Lon.

County of *Wills*

Rain Gauge, by

Observer *Rev. J. A. Preston*

Baron - 3

G. Knowles Esq

Diameter			5								
Height			1								
Altitude			260								
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January... ..			(1.50) 2.94	(2.99)	2.23	3.52	3.86	.83	.70		
February			1.92	5.25	2.19	3.81	.75	.82	1.16	1.95	
March			1.49	1.08	2.32	1.42	2.01	1.87	3.78	2.15	
April			3.44	.56	1.66	2.35	2.56	1.02	1.67	3.43	
May			2.06	1.89	1.08	2.41	4.02	1.33	1.83	1.63	
June			3.66	2.27	3.41	1.61	.72	1.35	3.21	1.51	
July			4.30	5.17	2.10	.33	2.15	.54	4.64	3.23	
August			1.78	1.14	1.75	1.04	1.43	1.30	1.91	2.97	
September....			2.40	3.59	1.12	3.72	2.40	2.19	1.27	1.53	
October			6.41	2.55	.75	3.48	4.47	1.90	1.50	2.76	
November....			3.87	3.11	1.70	4.16	3.18	2.90	4.84	1.10	
December			3.04	.81	2.72	1.10	5.46	2.19	2.39	1.84	
TOTALS			(35.81)	30.80	(23.79)	27.66	32.67	21.27	29.03	24.80	

1889 Figheldean Church 1684 yards N N W

Milston Church 1111 " S S E

Trees 12 ft high 36 ft E S E

Rose Trees 5' 6" " 12 " N W

Jan 1882 estimated from Amesbury

RAINFALL AT *Ludgershall Everleigh*

Lat.

Lon. County of *Wills*

Rain Gauge, by

Observer *Rev T A Preston*
P. F. Curtis, Esq.

S. won - 3

Diameter			<i>5</i>								
Height			<i>1.2</i>								
Altitude			<i>590</i>								
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January....			<i>1.73</i>	<i>3.13</i>	<i>3.34</i>	<i>2.50</i>	<i>4.41</i>	<i>3.76</i>	<i>1.04</i>	<i>1.03</i>	
February....			<i>2.31</i>	<i>5.29</i>	<i>2.27</i>	<i>4.07</i>	<i>1.08</i>	<i>.88</i>	<i>1.88</i>	<i>2.71</i>	
March			<i>1.62</i>	<i>1.03</i>	<i>2.44</i>	<i>1.86</i>	<i>2.19</i>	<i>1.85</i>	<i>4.25</i>	<i>2.58</i>	
April		<i>.92</i>	<i>5.01</i>	<i>1.17</i>	<i>1.90</i>	<i>2.41</i>	<i>2.47</i>	<i>1.24</i>	<i>2.46</i>	<i>3.44</i>	
May		<i>1.69</i>	<i>2.59</i>	<i>2.18</i>	<i>1.14</i>	<i>2.57</i>	<i>4.21</i>	<i>1.65</i>	<i>1.68</i>	<i>2.37</i>	
June		<i>2.47</i>	<i>5.32</i>	<i>2.26</i>	<i>3.17</i>	<i>1.74</i>	<i>.86</i>	<i>1.57</i>	<i>3.31</i>	<i>2.44</i>	
July		<i>2.71</i>	<i>3.74</i>	<i>3.98</i>	<i>2.52</i>	<i>.29</i>	<i>2.80</i>	<i>1.05</i>	<i>5.32</i>	<i>4.04</i>	
August		<i>6.95</i>	<i>2.51</i>	<i>1.33</i>	<i>1.73</i>	<i>.94</i>	<i>1.52</i>	<i>1.49</i>	<i>1.93</i>	<i>3.31</i>	
September....		<i>1.65</i>	<i>3.38</i>	<i>4.09</i>	<i>1.47</i>	<i>4.67</i>	<i>2.81</i>	<i>2.74</i>	<i>1.72</i>	<i>2.18</i>	
October		<i>1.65</i>	<i>7.07</i>	<i>2.88</i>	<i>1.15</i>	<i>4.30</i>	<i>4.74</i>	<i>2.08</i>	<i>1.58</i>	<i>3.34</i>	
November....		<i>3.90</i>	<i>4.16</i>	<i>3.44</i>	<i>1.94</i>	<i>4.64</i>	<i>3.77</i>	<i>3.37</i>	<i>6.03</i>	<i>1.28</i>	
December		<i>4.00</i>	<i>3.88</i>	<i>1.02</i>	<i>3.52</i>	<i>1.10</i>	<i>5.38</i>	<i>2.23</i>	<i>2.96</i>	<i>2.30</i>	
TOTALS			<i>43.32</i>	<i>31.80</i>	<i>26.59</i>	<i>31.09</i>	<i>36.24</i>	<i>23.91</i>	<i>34.16</i>	<i>31.02</i>	

RAINFALL AT *Lugershall Collingbourne Kingston*

Lat.

Lon.

County of *Wilt*

Rain Gauge, by

Observer *Baldwin Latham, Esq., C.E.*

S. avon - 3.

Diameter		5									
Height		1.0									
Altitude		400?			470 π						
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January ...		3.01	1.60	3.19	3.32	2.76	4.02	3.53	.97	1.03	
February		3.44	2.19	4.81	2.17	3.83	.77	.81	1.12	2.33	
March		2.47	1.37	.96	2.67	1.49	2.00	1.62	3.60	2.20	
April77	4.84	1.15	1.89	2.32	2.30	1.23	2.21	3.36	
May		1.42	2.62	2.38	1.15	2.79	4.26	1.91	1.66	2.65	
June		2.24	5.14	3.21	2.88	1.66	.95	1.83	2.91	1.94	
July		2.63	5.10	3.79	2.64	.36	3.67	1.23	4.92	4.12	
August		6.79	2.72	1.41	1.69	.98	1.64	2.24	2.27	3.49	
September		1.52	3.32	4.18	1.83	4.63	2.65	2.68	1.70	2.10	
October		1.32	6.85	3.05	1.17	4.01	4.44	1.86	1.75	2.90	
November		3.58	4.42	3.86	2.03	4.66	3.58	3.35	5.54	1.21	
December		3.88	3.39	.86	3.29	1.08	5.27	2.49	2.69	2.00	
TOTALS		33.07	43.56	32.85	26.73	30.57	35.55	24.78	31.34	29.33	

RAINFALL AT *Pewsey*

Lat.

Lon.

County of *Wilt*

Rain Gauge, by

Observer *Mr L. P. Atkins*
W. J. Prince

E. won - 3.

Diameter	<i>5</i>											
Height	<i>1.0</i>											
Altitude												
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.	
January	<i>2.77</i>	<i>1.27</i>	<i>2.43</i>	<i>2.73</i>	<i>2.35</i>	<i>3.91</i>	<i>2.47</i>					
February	<i>3.31</i>	<i>3.01</i>	<i>1.97</i>	<i>4.52</i>	<i>1.94</i>	<i>3.57</i>	<i>.88</i>	<i>.73</i>				
March	<i>1.45</i>	<i>2.34</i>	<i>1.89</i>	<i>.95</i>	<i>2.37</i>	<i>1.26</i>	<i>2.16</i>	<i>1.65</i>				
April	<i>1.82</i>	<i>.72</i>	<i>4.38</i>	<i>.76</i>	<i>1.54</i>	<i>1.86</i>	<i>2.61</i>	<i>1.01</i>				
May	<i>.70</i>	<i>1.24</i>	<i>3.21</i>	<i>1.61</i>	<i>1.19</i>	<i>2.62</i>	<i>3.76</i>	<i>1.59</i>				
June	<i>2.02</i>	<i>2.03</i>	<i>4.86</i>	<i>1.37</i>	<i>3.70</i>	<i>1.68</i>	<i>.45</i>	<i>1.47</i>				
July	<i>4.43</i>	<i>1.77</i>	<i>2.44</i>	<i>3.51</i>	<i>2.57</i>	<i>.21</i>	<i>2.80</i>	<i>1.14</i>				
August	<i>1.17</i>	<i>5.96</i>	<i>2.45</i>	<i>1.12</i>	<i>1.29</i>	<i>.85</i>	<i>1.30</i>	<i>1.79</i>				
September	<i>3.49</i>	<i>1.33</i>	<i>2.52</i>	<i>3.76</i>	<i>1.78</i>	<i>3.90</i>	<i>2.23</i>					
October	<i>4.85</i>	<i>1.49</i>	<i>5.80</i>	<i>2.87</i>	<i>.75</i>	<i>3.78</i>	<i>4.17</i>					
November	<i>2.53</i>	<i>3.22</i>	<i>3.59</i>	<i>3.36</i>	<i>1.89</i>	<i>3.67</i>	<i>4.18</i>					
December	<i>3.40</i>	<i>3.42</i>	<i>3.15</i>	<i>.73</i>	<i>2.68</i>	<i>1.07</i>	<i>5.57</i>					
TOTALS	<i>29.68</i>	<i>29.30</i>	<i>37.53</i>	<i>26.99</i>	<i>24.43</i>	<i>26.76</i>	<i>34.02</i>					

1880. Pewsey Church 1/2 mile S.E.

RAINFALL AT Pewsey, Wilcot Vicarage

Lat. 51° 21' N.

Lon. 1° 45' W.

County of Wilts

S. amn - 3.

Rain Gauge, by

Observer Rev H. Smell

(per Rev W. Slater Sykes)

Diameter											
Height											
Altitude											
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January						2.04	3.53	2.91	.89	.78	
February						4.15	.63	.85	.68	2.09	
March						1.39	(2.30)	1.53	(3.24)	2.03	
April						1.79	2.77	1.11	2.61	2.95	
May						2.38	3.51	1.05	1.21	1.92	
June						1.70	.80	1.52	2.52	1.43	
July					2.75	.31	2.33	1.28	4.06	2.58	
August78	.84	1.10	1.38	2.04	2.27	
September					2.32	4.29	2.05	3.19	1.50	1.32	
October83	3.60	4.32	1.85	1.41	2.59	
November					1.39	3.66	3.85	3.14	4.71	1.20	
December					3.10	1.17	5.09	2.06	2.24	2.05	
TOTALS						27.32	32.28	21.87	27.11	23.21	

copied from old register lent by Rev W. S. Sykes (1.07) Ent? 14.XI.08

Mar 1886 .60 added for snow

1888

.15

RAINFALL AT Alton Barnes

Lat. Lon. County of Wilts
Rain Gauge, by Observer Rev. J. A. Preston

8. avn - 3.

Diameter					5						
Height					1.0						
Altitude						430?					
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January... ..					3.42	2.71					
February					2.23	4.22					
March					2.70	1.26					
April					1.86	2.39					
May					1.38	2.92					
June					3.81	1.62					
July					3.18	4.7					
August					1.26	1.15					
September....					1.70	5.37					
October97	4.17					
November....					1.82	4.52					
December					3.06	1.13					
TOTALS					27.39	31.93					

RAINFALL AT Quish Rectory

Lat. Lon. County of Wills

Home made Rain Gauge, by Observer R F Dartnell

Savon - 3.

Diameter			5								
Height			2								
Altitude			570								
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January... ..											
February											
March											
April											
May											
June											
July											
August											
September....			2.84								
October			6.16								
November....			3.95								
December			3.94								
TOTALS											

Quish Church 1/4 mile NW.

RAINFALL AT *Bishop's Cannings, Dorset*

Lat. _____ Lon. _____ County of *Wilt*
Rain Gauge, by _____ Observer *Rev. C. W. Arny*

Gauge - 3.

Diameter	<i>5</i>										
Height	<i>1.0</i>										
Altitude	<i>446 ft</i>										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January	<i>.66</i>	<i>2.05</i>	<i>1.45</i>	<i>2.61</i>	<i>3.33</i>	<i>2.59</i>	<i>3.93</i>	<i>2.53</i>	<i>1.10</i>	<i>.84</i>	<i>2.109</i>
February	<i>3.43</i>	<i>3.52</i>	<i>2.05</i>	<i>4.65</i>	<i>1.71</i>	<i>3.46</i>	<i>.78</i>	<i>.85</i>	<i>.88</i>	<i>1.90</i>	<i>2.323</i>
March	<i>1.79</i>	<i>2.14</i>	<i>1.98</i>	<i>1.00</i>	<i>2.23</i>	<i>1.11</i>	<i>2.05</i>	<i>2.20</i>	<i>3.60</i>	<i>2.42</i>	<i>2.052</i>
April	<i>2.08</i>	<i>.83</i>	<i>4.36</i>	<i>.90</i>	<i>1.86</i>	<i>2.18</i>	<i>3.43</i>	<i>1.16</i>	<i>2.31</i>	<i>3.24</i>	<i>2.235</i>
May	<i>.93</i>	<i>1.39</i>	<i>1.78</i>	<i>2.21</i>	<i>1.45</i>	<i>2.99</i>	<i>3.49</i>	<i>1.61</i>	<i>1.15</i>	<i>1.98</i>	<i>1.898</i>
June	<i>1.87</i>	<i>2.81</i>	<i>5.02</i>	<i>2.25</i>	<i>3.10</i>	<i>1.92</i>	<i>.60</i>	<i>1.31</i>	<i>4.60</i>	<i>1.23</i>	<i>2.471</i>
July	<i>3.86</i>	<i>2.15</i>	<i>3.74</i>	<i>3.08</i>	<i>3.10</i>	<i>.30</i>	<i>2.61</i>	<i>1.21</i>	<i>4.72</i>	<i>4.25</i>	<i>2.902</i>
August	<i>.87</i>	<i>5.42</i>	<i>3.39</i>	<i>1.63</i>	<i>1.41</i>	<i>1.97</i>	<i>1.36</i>	<i>2.01</i>	<i>1.95</i>	<i>3.51</i>	<i>2.352</i>
September	<i>3.39</i>	<i>2.28</i>	<i>3.59</i>	<i>5.00</i>	<i>1.76</i>	<i>5.16</i>	<i>2.17</i>	<i>2.71</i>	<i>1.94</i>	<i>1.35</i>	<i>2.935</i>
October	<i>5.04</i>	<i>1.34</i>	<i>6.41</i>	<i>2.46</i>	<i>.74</i>	<i>4.69</i>	<i>5.36</i>	<i>2.38</i>	<i>1.25</i>	<i>2.45</i>	<i>3.212</i>
November	<i>2.48</i>	<i>3.98</i>	<i>4.05</i>	<i>3.55</i>	<i>1.71</i>	<i>5.13</i>	<i>4.34</i>	<i>2.95</i>	<i>5.16</i>	<i>1.10</i>	<i>3.445</i>
December	<i>3.69</i>	<i>3.80</i>	<i>3.68</i>	<i>.92</i>	<i>2.88</i>	<i>1.20</i>	<i>5.94</i>	<i>2.02</i>	<i>3.13</i>	<i>1.82</i>	<i>2.908</i>
TOTALS	<i>30.09</i>	<i>31.71</i>	<i>41.50</i>	<i>30.26</i>	<i>25.28</i>	<i>32.70</i>	<i>36.06</i>	<i>22.94</i>	<i>31.79</i>	<i>26.09</i>	<i>30.842</i>

*1880. Bishop's Canning Ch. 160 yards. 15.
House 30ft-high 140ft-N.*

RAINFALL AT Landford Northlands

Lat. Lon. County of Northampton
 Rain Gauge, by Observer J. A. Mignam, Esq.

Test - 4.

Diameter	5										
Height	1. 10										
Altitude	165 ft							167			
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January63	2.45	1.33	2.82	3.24	2.93	3.50	2.93	1.01	.93	2.177
February	3.83	3.49	1.93	4.78	2.23	3.39	.83	.70	1.00	1.68	2.386
March79	2.48	.84	.93	2.50	1.99	2.31	1.22	3.05	2.26	1.837
April	1.83	.62	3.83	1.12	1.81	1.60	2.54	.94	2.10	2.08	1.847
May75	2.66	2.19	2.16	.71	3.58	3.48	1.22	1.77	2.90	2.142
June	1.72	1.66	3.61	1.73	2.76	1.73	.49	.97	2.19	2.76	1.962
July	4.09	2.01	2.80	3.56	2.39	.10	2.15	.51	5.42	2.51	2.554
August	1.77	6.24	1.52	.99	1.34	1.13	1.07	1.79	1.35	2.46	1.966
September	3.89	2.19	2.72	3.59	1.62	5.22	1.78	2.64	1.19	.97	2.581
October	5.61	1.52	7.69	2.90	.86	3.74	4.77	1.44	1.70	4.66	3.489
November	2.75	4.14	3.91	4.43	1.76	3.84	3.60	3.72	5.64	1.21	3.500
December	4.43	3.10	2.92	.86	3.63	1.85	5.86	1.95	2.16	1.77	2.853
TOTALS	32.09	32.56	35.29	29.87	24.85	31.10	32.38	20.03	28.58	26.19	29.294

1880. Landford Church, 3/4 mile distant - S

1889 Oak 66 ft high 120 ft W S W
 " 30 " " 90 " W N W
 Tree 4 " " 6 " W S W

RAINFALL AT *Winterslow*

Lat.

Lon.

County of *Wilt*

Rain Gauge, by

Observer *Rev T.A. Preston*
Rev F.A. Prosser

Test - 4

Diameter			<i>5</i>								
Height			<i>1. -</i>								
Altitude								<i>470</i>			
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January			<i>1.28</i>	<i>2.83</i>	<i>3.44</i>	<i>2.63</i>	<i>2.96</i>	<i>3.29</i>	<i>.87</i>	<i>.87</i>	
February			<i>1.72</i>	<i>4.41</i>	<i>2.11</i>	<i>3.72</i>	<i>.68</i>	<i>.77</i>	<i>.58</i>	<i>2.06</i>	
March			<i>.67</i>	<i>.89</i>	<i>2.45</i>	<i>1.29</i>	<i>1.86</i>	<i>1.35</i>	<i>2.88</i>	<i>2.27</i>	
April			<i>3.44</i>	<i>1.31</i>	<i>1.59</i>	<i>1.50</i>	<i>3.01</i>	<i>1.23</i>	<i>2.33</i>	<i>2.79</i>	
May			<i>2.02</i>	<i>1.50</i>	<i>.69</i>	<i>3.21</i>	<i>3.22</i>	<i>1.13</i>	<i>2.03</i>	<i>2.84</i>	
June			<i>3.93</i>	<i>2.08</i>	<i>2.70</i>	<i>1.34</i>	<i>.90</i>	<i>1.03</i>	<i>2.67</i>	<i>.95</i>	
July			<i>3.78</i>	<i>3.04</i>	<i>2.75</i>	<i>.16</i>	<i>2.16</i>	<i>.96</i>	<i>6.20</i>	<i>2.28</i>	
August			<i>1.48</i>	<i>1.15</i>	<i>1.49</i>	<i>1.18</i>	<i>1.14</i>	<i>1.08</i>	<i>1.36</i>	<i>2.63</i>	
September			<i>2.99</i>	<i>3.10</i>	<i>1.29</i>	<i>4.39</i>	<i>2.47</i>	<i>2.06</i>	<i>1.78</i>	<i>1.41</i>	
October			<i>6.53</i>	<i>2.68</i>	<i>.75</i>	<i>3.49</i>	<i>4.59</i>	<i>1.32</i>	<i>1.82</i>	<i>4.53</i>	
November			<i>3.40</i>	<i>3.50</i>	<i>1.91</i>	<i>3.61</i>	<i>3.01</i>	<i>3.18</i>	<i>5.71</i>	<i>1.32</i>	
December			<i>2.37</i>	<i>.92</i>	<i>2.55</i>	<i>1.48</i>	<i>4.59</i>	<i>2.13</i>	<i>2.41</i>	<i>2.51</i>	
TOTALS			<i>33.61</i>	<i>27.81</i>	<i>23.69</i>	<i>28.00</i>	<i>30.59</i>	<i>19.53</i>	<i>30.64</i>	<i>26.46</i>	

RAINFALL AT *Ludgershall* *Donholt Park*

Lat. Lon. County of *Wilts*

Rain Gauge, by Observer *Lady C Wellesley*
J. Smith

Test 4.

Diameter									5		
Height									1.0		
Altitude									750 T		
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January									1.11	1.02	
February									1.30	2.92	
March									4.29	2.42	
April									2.53	3.25	
May									1.71	3.20	
June									2.97	.98	
July									4.84	3.88	
August									2.18	3.62	
September									1.94	1.79	
October									1.82	3.45	
November									6.06	1.44	
December									2.59	2.33	
TOTALS									33.34	30.30	

1888 *White Church 2 Miles SW*
Green House 6 ft 2 x 14 ft high 25 ft 7 in N

RAINFALL AT *Ludgershall (Andover)*

Lat.

Lon.

County of *Wills*

Rain Gauge, by

Observer *Rev. W. A. Andrey*

Test - 4.

Diameter	<i>8</i>										
Height	<i>8</i>										
Altitude	<i>422 ft</i>										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January ...	<i>.51</i>	<i>2.72</i>	<i>1.61</i>	<i>3.04</i>	<i>3.38</i>	<i>2.63</i>	<i>3.91</i>	<i>4.15</i>	<i>1.05</i>	<i>1.01</i>	<i>2.401</i>
February ...	<i>4.36</i>	<i>3.85</i>	<i>2.01</i>	<i>5.12</i>	<i>1.83</i>	<i>3.44</i>	<i>.82</i>	<i>.85</i>	<i>1.56</i>	<i>2.62</i>	<i>2.646</i>
March	<i>1.65</i>	<i>2.72</i>	<i>1.25</i>	<i>1.11</i>	<i>2.33</i>	<i>1.76</i>	<i>2.29</i>	<i>1.94</i>	<i>4.13</i>	<i>2.19</i>	<i>2.137</i>
April	<i>2.02</i>	<i>.79</i>	<i>4.20</i>	<i>1.19</i>	<i>1.70</i>	<i>2.27</i>	<i>2.37</i>	<i>1.27</i>	<i>2.25</i>	<i>2.73</i>	<i>2.079</i>
May	<i>.62</i>	<i>1.32</i>	<i>2.14</i>	<i>1.82</i>	<i>.97</i>	<i>2.89</i>	<i>3.76</i>	<i>1.94</i>	<i>1.73</i>	<i>3.11</i>	<i>2.030</i>
June	<i>1.84</i>	<i>1.74</i>	<i>4.33</i>	<i>1.77</i>	<i>2.57</i>	<i>1.69</i>	<i>.72</i>	<i>1.29</i>	<i>4.57</i>	<i>.80</i>	<i>2.132</i>
July	<i>4.19</i>	<i>2.16</i>	<i>3.55</i>	<i>5.02</i>	<i>2.29</i>	<i>.22</i>	<i>2.88</i>	<i>.93</i>	<i>5.10</i>	<i>3.70</i>	<i>3.004</i>
August	<i>1.01</i>	<i>6.18</i>	<i>2.07</i>	<i>1.14</i>	<i>1.74</i>	<i>1.05</i>	<i>1.59</i>	<i>1.65</i>	<i>2.05</i>	<i>3.29</i>	<i>2.177</i>
September ...	<i>4.30</i>	<i>1.70</i>	<i>2.51</i>	<i>3.97</i>	<i>1.40</i>	<i>4.04</i>	<i>2.61</i>	<i>2.21</i>	<i>1.88</i>	<i>1.49</i>	<i>2.611</i>
October	<i>4.51</i>	<i>1.39</i>	<i>7.31</i>	<i>2.78</i>	<i>1.03</i>	<i>3.83</i>	<i>4.68</i>	<i>1.90</i>	<i>1.72</i>	<i>3.19</i>	<i>3.234</i>
November	<i>3.30</i>	<i>3.99</i>	<i>4.06</i>	<i>3.17</i>	<i>1.87</i>	<i>4.52</i>	<i>3.76</i>	<i>3.03</i>	<i>5.75</i>	<i>1.16</i>	<i>3.461</i>
December	<i>3.66</i>	<i>3.62</i>	<i>3.37</i>	<i>.95</i>	<i>3.11</i>	<i>1.19</i>	<i>5.91</i>	<i>2.42</i>	<i>2.21</i>	<i>2.25</i>	<i>2.859</i>
TOTALS	<i>31.87</i>	<i>32.18</i>	<i>38.41</i>	<i>34.08</i>	<i>24.22</i>	<i>29.53</i>	<i>35.30</i>	<i>23.58</i>	<i>34.00</i>	<i>27.54</i>	<i>30.771</i>

1881. Ludgershall 200 yards W.

RAINFALL AT Sturt Ludgershall

Lat. Lon. County of Wilts

Rain Gauge, by Observer Rev C. Soames

Test - 4.

C. E. B. Hewitt

Diameter											
Height											
Altitude											
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January									1.07	1.07	
February									1.26	2.75	
March									3.78	2.40	
April								1.18	2.34	3.39	
May								1.78	1.68	2.96	
June								1.23	2.93	.82	
July ..								.74	4.89	2.84	
August								1.57	1.91	3.57	
September....								2.09	1.83	1.76	
October								1.63	1.76	3.09	
November....								3.29	6.22	1.22	
December								2.40	2.47	2.18	
TOTALS									32.14	28.05	

RAINFALL AT Buttermere Preston

Lat. Lon. County of Wilt

Rain Gauge, by Observer Rev. T. A. Preston
Rev. W. E. Burkitt

Test - 4.

Diameter			5								
Height			4.9								
Altitude			847								
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January			1.57	3.04	2.96	3.02	3.92	3.73	1.09	.97	
February			2.10	5.42	1.96	3.79	.81	.90	1.08	2.46	
March			1.14	1.14	2.97	1.68	2.22	1.85	4.20	2.70	
April			4.99	1.09	1.94	2.45	2.19	1.27	2.12	3.34	
May			2.07	2.07	1.12	2.30	4.67	1.50	1.75	3.27	
June			4.26	3.33	3.07	1.62	1.10	2.52	2.58	1.61	
July			3.44	4.57	2.54	.29	3.19	1.33	5.38	3.62	
August			2.68	.78	1.53	.76	1.79	1.62	2.01	4.02	
September			2.75	4.41	1.90	4.45	2.69	2.79	1.96	1.92	
October	1.59	7.55	2.54	1.17	4.21	4.36	1.80	1.54	3.65		
November	3.70	3.54	3.93	2.10	5.23	3.87	3.83	5.90	1.75		
December	4.27	3.42	.72	3.37	1.11	5.15	2.49	3.02	2.06		
TOTALS			39.51	33.04	26.63	30.91	35.96	25.63	32.63	31.37	

RAINFALL AT *Burbage Welfhall*

Lat. Lon. County of *Wilt*

Rain Gauge, by Observer *Rev T. A. Preston*

Kennet 5.

Lord C. F. Brudenell Bruce

Diameter			<i>8</i>								
Height			<i>1. -</i>								
Altitude			<i>528</i>					<i>546</i>			
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January ...			<i>1.67</i>	<i>3.22</i>	<i>3.71</i>	<i>2.97</i>	<i>3.88</i>	<i>3.48</i>	<i>1.02</i>	<i>.94</i>	
February ...			<i>2.35</i>	<i>5.35</i>	<i>2.37</i>	<i>4.25</i>	<i>.96</i>	<i>.88</i>	<i>1.09</i>	<i>1.96</i>	
March			<i>1.34</i>	<i>1.07</i>	<i>2.68</i>	<i>1.41</i>	<i>1.92</i>	<i>1.93</i>	<i>3.76</i>	<i>2.58</i>	
April			<i>5.24</i>	<i>1.20</i>	<i>1.73</i>	<i>2.40</i>	<i>2.16</i>	<i>1.20</i>	<i>2.58</i>	<i>2.84</i>	
May			<i>2.98</i>	<i>2.17</i>	<i>1.10</i>	<i>2.52</i>	<i>4.31</i>	<i>1.71</i>	<i>1.70</i>	<i>2.32</i>	
June			<i>5.05</i>	<i>1.46</i>	<i>3.66</i>	<i>1.72</i>	<i>1.05</i>	<i>1.61</i>	<i>3.21</i>	<i>1.06</i>	
July			<i>3.39</i>	<i>3.86</i>	<i>2.74</i>	<i>.17</i>	<i>2.87</i>	<i>1.82</i>	<i>5.09</i>	<i>2.80</i>	
August		<i>7.77</i>	<i>3.08</i>	<i>1.07</i>	<i>1.41</i>	<i>.64</i>	<i>1.47</i>	<i>1.98</i>	<i>1.74</i>	<i>2.89</i>	
September ...		<i>1.78</i>	<i>2.94</i>	<i>4.07</i>	<i>1.96</i>	<i>4.97</i>	<i>2.35</i>	<i>3.20</i>	<i>1.41</i>	<i>1.56</i>	
October		<i>1.47</i>	<i>6.65</i>	<i>2.87</i>	<i>1.16</i>	<i>3.57</i>	<i>4.39</i>	<i>2.04</i>	<i>1.51</i>	<i>2.74</i>	
November		<i>3.97</i>	<i>3.76</i>	<i>3.56</i>	<i>1.85</i>	<i>4.10</i>	<i>3.82</i>	<i>3.49</i>	<i>5.25</i>	<i>1.35</i>	
December		<i>3.92</i>	<i>3.80</i>	<i>.69</i>	<i>3.30</i>	<i>(1.09)</i>	<i>5.14</i>	<i>2.65</i>	<i>2.47</i>	<i>1.60</i>	
TOTALS			<i>42.25</i>	<i>30.99</i>	<i>27.67</i>	<i>(29.81)</i>	<i>34.32</i>	<i>25.99</i>	<i>30.83</i>	<i>24.64</i>	

1885 Decr. 30 & 31 amounts computed.

RAINFALL AT *Shalbourne*

Lat. Lon. County of *Wills*
 Rain Gauge, by Observer *Rev. T. A. Preston*

Kennel - 5. *W. C. J. Humphries*

Diameter			<i>5</i>								
Height			<i>1 -</i>								
Altitude			<i>550?</i>								
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January....			<i>1.71</i>	<i>3.69</i>	<i>3.20</i>	<i>3.19</i>	<i>4.93</i>	<i>3.63</i>	<i>.93</i>	<i>1.00</i>	
February			<i>2.30</i>	<i>5.92</i>	<i>1.96</i>	<i>3.95</i>	<i>.89</i>	<i>.81</i>	<i>1.54</i>	<i>2.68</i>	
March			<i>1.35</i>	<i>1.00</i>	<i>2.93</i>	<i>1.63</i>	<i>2.06</i>	<i>1.99</i>	<i>4.14</i>	<i>2.69</i>	
April			<i>5.52</i>	<i>1.00</i>	<i>1.91</i>	<i>2.20</i>	<i>2.09</i>	<i>1.56</i>	<i>2.23</i>	<i>2.86</i>	
May		<i>1.35</i>	<i>2.58</i>	<i>2.09</i>	<i>.99</i>	<i>2.47</i>	<i>4.73</i>	<i>1.59</i>	<i>1.74</i>	<i>2.34</i>	
June		<i>1.96</i>	<i>4.35</i>	<i>2.50</i>	<i>3.56</i>	<i>1.55</i>	<i>1.14</i>	<i>2.06</i>	<i>2.22</i>	<i>1.02</i>	
July		<i>2.11</i>	<i>3.78</i>	<i>4.35</i>	<i>2.30</i>	<i>.22</i>	<i>3.19</i>	<i>1.23</i>	<i>4.90</i>	<i>2.79</i>	
August		<i>6.56</i>	<i>3.20</i>	<i>.96</i>	<i>1.37</i>	<i>.90</i>	<i>1.43</i>	<i>1.62</i>	<i>1.74</i>	<i>2.41</i>	
September....		<i>1.50</i>	<i>3.12</i>	<i>4.31</i>	<i>1.41</i>	<i>(4.42)</i>	<i>2.60</i>	<i>2.36</i>	<i>2.37</i>	<i>1.62</i>	
October		<i>1.51</i>	<i>6.99</i>	<i>2.54</i>	<i>1.68</i>	<i>4.14</i>	<i>4.19</i>	<i>1.90</i>	<i>1.50</i>	<i>2.81</i>	
November....		<i>3.83</i>	<i>4.32</i>	<i>3.98</i>	<i>1.91</i>	<i>4.56</i>	<i>3.64</i>	<i>3.60</i>	<i>5.67</i>	<i>1.43</i>	
December		<i>4.04</i>	<i>3.44</i>	<i>.76</i>	<i>3.09</i>	<i>1.24</i>	<i>5.76</i>	<i>2.46</i>	<i>2.94</i>	<i>1.97</i>	
TOTALS			<i>42.66</i>	<i>33.10</i>	<i>26.31</i>	<i>(30.47)</i>	<i>36.65</i>	<i>24.81</i>	<i>31.92</i>	<i>25.62</i>	

RAINFALL AT *Great Bedwyn*

Lat. Lon. County of *Wilt*

Rain Gauge, by Observer *Rev T. A. Preston*

Kennet - 5.

M^r C. S. Castell

Diameter			<i>5</i>								
Height			<i>1. -</i>								
Altitude											
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January			<i>1.79</i>	<i>3.42</i>	<i>3.71</i>	<i>3.39</i>	<i>4.00</i>	<i>2.82</i>	<i>.83</i>	<i>.90</i>	
February			<i>2.35</i>	<i>5.90</i>	<i>2.08</i>	<i>3.80</i>	<i>.90</i>	<i>.79</i>	<i>1.66</i>	<i>2.47</i>	
March			<i>1.43</i>	<i>1.10</i>	<i>2.70</i>	<i>1.48</i>	<i>2.11</i>	<i>2.12</i>	<i>3.77</i>	<i>2.38</i>	
April			<i>5.30</i>	<i>1.03</i>	<i>1.87</i>	<i>2.53</i>	<i>2.32</i>	<i>1.00</i>	<i>2.58</i>	<i>3.06</i>	
May			<i>3.11</i>	<i>2.33</i>	<i>.99</i>	<i>2.45</i>	<i>4.12</i>	<i>1.61</i>	<i>1.39</i>	<i>2.13</i>	
June			<i>4.83</i>	<i>1.74</i>	<i>3.74</i>	<i>1.57</i>	<i>1.22</i>	<i>1.73</i>	<i>2.48</i>	<i>.43</i>	
July	<i>1.96</i>	<i>3.04</i>	<i>4.61</i>	<i>2.62</i>	<i>.24</i>	<i>2.97</i>	<i>1.68</i>	<i>4.04</i>	<i>2.53</i>		
August	<i>6.62</i>	<i>3.09</i>	<i>1.05</i>	<i>1.52</i>	<i>.82</i>	<i>1.57</i>	<i>2.47</i>	<i>1.86</i>	<i>2.30</i>		
September	<i>1.78</i>	<i>2.87</i>	<i>4.22</i>	<i>1.84</i>	<i>4.61</i>	<i>2.49</i>	<i>3.20</i>	<i>1.87</i>	<i>1.43</i>		
October	<i>1.48</i>	<i>7.22</i>	<i>2.99</i>	<i>1.17</i>	<i>4.06</i>	<i>4.17</i>	<i>1.99</i>	<i>1.30</i>	<i>2.71</i>		
November	<i>3.82</i>	<i>4.29</i>	<i>3.98</i>	<i>1.94</i>	<i>4.83</i>	<i>3.37</i>	<i>3.18</i>	<i>5.46</i>	<i>1.22</i>		
December	<i>3.62</i>	<i>3.85</i>	<i>.94</i>	<i>3.21</i>	<i>1.13</i>	<i>5.47</i>	<i>2.19</i>	<i>2.59</i>	<i>1.41</i>		
TOTALS			<i>43.17</i>	<i>33.31</i>	<i>(27.39)</i>	<i>30.91</i>	<i>34.71</i>	<i>24.78</i>	<i>29.83</i>	<i>22.97</i>	

1884 Gauge moved.

1887 Record unreliable

RAINFALL AT *Durley*

Lat.

Lon.

County of *Wilt*

Rain Gauge, by

Observer *Per T. A. Preston*

Capt. Beauchamp, R.N.

Kennet - 5.

Diameter			5								
Height			4. -								
Altitude			600?								
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January ...			1.51	2.72	3.05	2.62					
February			1.75	4.38	1.88	3.83					
March			1.40	.78	2.27	.87					
April			4.31	.74	1.36	1.74					
May			3.19	1.97	.92	2.59					
June			5.33	1.27	3.16	1.32					
July			3.13	3.97	2.81	.23					
August			2.59	.41	1.47	.68					
September			2.34	3.42	1.90	4.29					
October			5.10	2.37	1.12	3.13					
November		3.50	3.10	3.31	1.50	(3.68)					
December			3.10	.84	2.82						
TOTALS			36.85	26.68	24.28						

1885 Nov. 28 a small quantity lost.

N.B. Annual values rejected from Survey 1929

RAINFALL AT Lye Hill (Leigh Hill)

Lat. Lon. County of Wilts

Rain Gauge, by Observer Rev T. A. Preston

Kennet - 5.

Mr H. Woolcott

Diameter			5								
Height			1. -								
Altitude											
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January... ..			1.59	2.76	2.86						
February			2.06	4.42	1.81						
March			1.67	.65	2.42						
April			4.16	.84	1.46						
May			3.13	2.14	1.01						
June			5.08	1.95	3.64						
July			2.83	4.30	2.49						
August			2.69	.77	1.32						
September....		1.45	2.51	3.66							
October		1.25	6.52	2.53							
November....		2.90	3.10	2.37	1.55						
December		3.17	3.40	1.00							
TOTALS			38.74	27.39							

RAINFALL AT *Bishops Canning Deverges W. Wks*

Lat.

Lon.

County of *Wilt**Shepherd's Shore*

Rain Gauge, by

Observer *Rev T. A. Preston**Kennet - 5.**M^r Carter*

Diameter		5										
Height		1	9	1	6							
Altitude						555						
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.	
January ...			1.33	2.72	3.68	2.58	4.41	2.50	.87	.94		
February ...		[#] 3.56	1.71	4.71	1.64	3.58	.92	.89	1.18	1.67		
March		2.42	1.80	1.04	2.28	1.18	2.23	2.10	3.17	2.50		
April75	4.50	.79	1.86	2.18	2.95	1.39	2.03	3.17		
May		1.52	2.16	2.05	1.34	2.55	3.56	1.47	.85	1.78		
June		2.94	5.30	2.28	3.14	1.82	.68	1.34	4.02	1.07		
July		2.18	3.53	2.98	3.59	.36	2.96	1.14	4.03	4.94		
August		5.59	3.30	1.57	1.46	2.12	1.44	1.70	1.89	2.96		
September ...		1.86	3.41	4.76	1.81	4.82	2.17	2.60	1.78	1.41		
October		1.46	6.26	2.51	.89	4.68	6.32	1.95	1.39	2.33		
November		3.74	4.25	3.97	1.83	5.48	4.18	2.55	5.31	1.01		
December		3.58	4.16	1.16	3.01	1.30	5.69	2.12	2.27	1.57		
TOTALS			41.71	30.48	26.53	32.65	37.57	21.75	28.79	25.35		

N.B. Annual values rejected from Survey 1929.

RAINFALL AT

AT

The Green, Marlborough

Lat.

Lon.

County of

Wills

Rain Gauge, by

Observer

Rev. T. A. Preston

Kennet - 5..

Diameter	<i>5</i>										
Height	<i>1.2</i>		<i>1. -</i>								
Altitude	<i>492 ft</i>										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January	<i>.51</i>	<i>2.68</i>	<i>1.67</i>	<i>3.79</i>	<i>3.57</i>	<i>3.06</i>					
February	<i>3.76</i>	<i>3.67</i>	<i>2.35</i>	<i>5.50</i>	<i>2.62</i>	<i>4.70</i>					
March	<i>1.84</i>	<i>2.77</i>	<i>1.86</i>	<i>1.29</i>	<i>2.57</i>	<i>1.34</i>					
April	<i>2.54</i>	<i>.87</i>	<i>5.00</i>	<i>.93</i>	<i>1.51</i>	<i>2.32</i>					
May	<i>.55</i>	<i>1.50</i>	<i>2.59</i>	<i>2.00</i>	<i>1.13</i>	<i>3.05</i>					
June	<i>1.73</i>	<i>2.29</i>	<i>5.84</i>	<i>1.74</i>	<i>3.51</i>	<i>1.68</i>					
July	<i>4.37</i>	<i>2.14</i>	<i>3.81</i>	<i>3.67</i>	<i>3.09</i>	<i>.31</i>					
August	<i>1.35</i>	<i>6.23</i>	<i>2.37</i>	<i>.97</i>	<i>1.25</i>	<i>.82</i>					
September	<i>3.93</i>	<i>1.84</i>	<i>3.20</i>	<i>4.20</i>	<i>1.81</i>	<i>4.71</i>					
October	<i>5.50</i>	<i>1.26</i>	<i>6.74</i>	<i>3.12</i>	<i>1.01</i>	<i>4.39</i>					
November	<i>3.24</i>	<i>3.82</i>	<i>4.30</i>	<i>4.17</i>	<i>1.94</i>	<i>4.64</i>					
December	<i>3.92</i>	<i>3.52</i>	<i>4.06</i>	<i>1.02</i>	<i>3.11</i>	<i>1.11</i>					
TOTALS	<i>33.24</i>	<i>32.59</i>	<i>43.79</i>	<i>32.40</i>	<i>27.12</i>	<i>32.13</i>					

RAINFALL AT *The Green, Marlborough*

Lat.

Lon.

County of *Wilts*

Monthly Rain Gauge, by

Observer *Rev. F. A. Preston*

Kennet - 5.

Diameter	<i>5"</i>										
Height	<i>1.2</i>										
Altitude	<i>472 ft</i>										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January	<i>.50</i>	<i>2.68</i>	<i>1.67</i>	<i>3.61</i>	<i>3.41</i>	<i>2.92</i>					
February	<i>3.64</i>	<i>3.64</i>	<i>2.33</i>	<i>5.33</i>	<i>2.50</i>	<i>4.44</i>					
March	<i>1.78</i>	<i>2.70</i>	<i>1.81</i>	<i>1.24</i>	<i>2.53</i>	<i>1.29</i>					
April	<i>2.42</i>	<i>.83</i>	<i>5.02</i>	<i>.88</i>	<i>1.47</i>	<i>2.23</i>					
May	<i>.50</i>	<i>1.48</i>	<i>2.52</i>	<i>1.92</i>	<i>1.06</i>	<i>2.90</i>					
June	<i>1.64</i>	<i>2.29</i>	<i>5.75</i>	<i>1.65</i>	<i>3.49</i>	<i>1.60</i>					
July	<i>4.24</i>	<i>2.10</i>	<i>3.72</i>	<i>3.54</i>	<i>3.09</i>	<i>.21</i>					
August	<i>5.20</i>	<i>6.25</i>	<i>2.38</i>	<i>.94</i>	<i>1.24</i>	<i>.55</i>					
September		<i>1.83</i>	<i>3.19</i>	<i>4.02</i>	<i>1.77</i>	<i>4.58</i>					
October	<i>5.45</i>	<i>1.26</i>	<i>6.69</i>	<i>3.05</i>	<i>.97</i>	<i>4.38</i>					
November	<i>3.19</i>	<i>3.77</i>	<i>4.11</i>	<i>4.00</i>	<i>1.90</i>	<i>4.55</i>					
December	<i>3.90</i>	<i>3.51</i>	<i>4.08</i>	<i>.95</i>	<i>2.97</i>	<i>1.08</i>					
TOTALS	<i>32.46</i>	<i>32.34</i>	<i>43.27</i>	<i>31.13</i>	<i>26.40</i>	<i>30.73</i>					

RAINFALL AT *Marlborough College*

1530

Lat.....

Lon.....

County of *Wills*

Rain Gauge, by.....

Observer *Rev C Soames*

Kennet - 5.

Diameter											
Height											
Altitude											
Year.....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January								3.50	.72	.99	
February79	1.47	2.87	
March							2.30	2.33	3.75	2.99	
April							2.21	1.04	1.77	2.90	
May							3.71	1.55	1.22	2.47	
June90	1.50	2.59	1.04	
July							2.76	1.10	4.52	3.78	
August							1.34	1.80	2.04	2.71	
September....							2.17	2.61	1.19	1.10	
October							5.06	2.07	1.17	2.65	
November							3.73	3.24	5.24	1.38	
December							5.70	2.21	2.45	1.98	
TOTALS								23.74	28.13	26.86	

RAINFALL AT Marlborough Mildenhall

Lat.

Lon.

County of Wilts

Rain Gauge, by

Observer Rev C. Soames

Kennet 5.

Diameter		5			10				5		
Height		1. 0									
Altitude		456 \uparrow						457			
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January49	2.55	1.65	3.35	3.20	2.93	4.04	3.53	.70	.96	2.340
February ...	2.54	2.46	2.40	5.07	2.65	4.40	.82	.68	1.36	2.22	2.460
March	1.13	2.69	1.51	1.20	2.54	1.24	2.20	2.03	3.15	2.83	2.052
April	1.41	.82	4.85	.91	1.53	2.73	2.41	1.06	1.72	2.90	2.034
May71	1.42	2.67	2.06	.91	3.09	3.61	1.58	1.59	2.43	2.007
June	2.81	2.62	5.17	1.60	3.45	1.61	.98	1.50	2.28	1.11	2.313
July	5.69	2.06	4.45	(3.32)	3.18	.36	2.81	1.11	4.70	3.06	3.074
August	1.77	5.94	2.43	.99	1.09	.70	1.39	1.41	2.13	2.53	2.038
September ...	4.33	1.72	3.18	3.90	1.78	4.28	2.23	2.80	1.19	1.13	2.654
October	5.84	1.32	6.40	2.94	.91	4.23	4.69	2.07	1.26	2.59	3.225
November	2.85	3.69	3.91	3.79	1.81	4.34	3.58	3.38	5.34	1.29	3.398
December	3.32	3.48	3.47	.79	2.88	1.03	5.03	1.85	2.34	1.67	2.586
TOTALS	32.89	30.77	42.09	(29.92)	25.93	30.94	33.79	23.00	27.76	24.72	30.181 22.89

1880. Not printed, unreliable

1881. Mildenhall 650 yards E.

26892

RAINFALL AT Ramsbury

Lat.

Lon.

County of Wilt

Rain Gauge, by

Observer Rev T. A. Preston

Kennet - 5.

A. Batson, Esq.

Diameter			5								
Height			1. -								
Altitude			411								
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January			1.59	3.52	3.18	2.57	3.55	3.03	.79	.98	
February			2.00	4.77	2.13	4.30	.86	.73	1.27	1.90	
March			1.20	.97	2.23	1.07	2.03	2.09	3.53	2.33	
April			4.82	.96	1.75	1.86	2.31	1.04	2.10	2.74	
May			2.96	1.79	1.17	2.46	3.94	1.86	1.44	3.01	
June			4.73	1.78	4.16	1.50	1.06	1.56	2.20	.71	
July			3.38	4.01	2.39	.41	2.80	1.17	4.78	2.82	
August			2.15	.98	1.14	.97	1.45	1.17	1.88	2.65	
September			2.86	4.00	1.64	4.66	2.37	2.95	1.73	1.12	
October			6.26	2.52	1.13	4.58	4.19	1.95	1.28	2.44	
November			4.24	2.92	1.61	4.36	3.04	3.21	5.45	1.21	
December			3.63	.68	2.68	1.10	5.12	1.99	2.18	1.92	
TOTALS			39.82	28.90	25.21	29.84	32.72	22.75	28.63	23.83	

RAINFALL AT Ogbourne Mairy

Lat. Lon. County of Wilt

Rain Gauge, by Observer Rev T. A. Preston
R. P. Tanner, Esq.

Kennet - 5.

Diameter			5								
Height			1. -								
Altitude											
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January ...			1.73	3.63	3.80	2.84	3.72	2.83	.64	1.05	
February ...			2.41	5.22	2.43	4.22	.64	.88	1.14	2.65	
March			1.94	1.37	2.69	1.39	2.16	2.29	4.09	3.05	
April			5.33	.89	1.56	2.49	2.63	1.15	1.71	2.79	
May			3.08	1.97	1.38	2.62	3.75	1.78	1.42	2.01	
June			6.02	2.14	3.31	1.61	.69	1.51	2.24	1.41	
July			3.77	2.99	3.21	.44	2.60	1.19	4.68	3.39	
August		5.80	2.48	1.05	1.30	.87	1.29	2.55	1.78	2.94	
September ...		1.69	3.41	3.92	1.62	4.47	2.24	2.25	1.13	1.22	
October		1.35	6.73	2.82	1.03	4.65	4.76	2.21	1.17	2.40	
November		4.24	4.71	4.07	1.82	4.77	3.59	3.06	5.17	1.19	
December		3.52	4.36	1.01	2.83	1.33	5.72	2.15	2.52	1.94	
TOTALS			45.97	31.08	26.98	31.70	33.79	23.85	27.69	26.04	

RAINFALL AT *Calne, Yatesbury.*

Lat.

Lon.

County of Wills

Rain Gauge, by

Observer

Rev. A. C. Smith

Rev. J. A. Preston

Kennet, 5.

[illegible]

RAINFALL AT Broad Hinton

Lat. Lon. County of Wilt

Rain Gauge, by Observer Rev J. A. Lloyd

Kennet - 5

Diameter	5										
Height	4		3.6		3.0						
Altitude	600		633		630 T				633 T		
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January	76	1.35	1.56	3.20	3.08	2.40	3.90	2.38	74	1.04	2.041
February	3.32	3.21	2.34	4.87	1.65	3.50	.93	.97	1.70	1.79	2.428
March	1.97	1.87	1.76	1.16	2.36	1.06	1.53	2.32	3.97	2.79	2.079
April	2.65	.86	4.49	.66	1.67	2.03	2.21	1.09	1.71	2.85	2.022
May93	1.15	2.27	2.15	1.08	2.53	3.42	2.08	1.57	2.82	2.000
June	1.26	2.46	4.71	1.88	3.37	1.83	.81	1.22	2.00	1.09	2.063
July	4.49	2.12	4.47	2.89	2.38	.39	2.14	1.06	5.23	3.35	2.952
August92	5.66	3.00	1.22	1.45	1.54	1.37	2.25	1.78	2.89	2.208
September	3.86	1.56	2.94	4.55	1.57	4.35	2.16	2.79	1.39	1.45	2.662
October	4.53	1.54	7.36	2.22	.83	4.40	4.65	2.48	1.11	2.27	3.139
November	2.21	4.20	3.85	3.44	1.77	4.69	3.34	2.79	5.61	1.09	3.299
December	3.50	3.78	3.60	.65	2.48	1.11	4.71	1.87	2.43	1.59	2.572
TOTALS	30.40	29.76	42.35	28.89	23.69	29.83	32.17	23.30	29.24	25.02	29.465

1880 Broad Hinton 40 yards E

Stone 30ft high 40ft E

Hedge 10ft. 30ft E

1887

Hedge 8ft 45ft E

RAINFALL AT New Swindon

Lat.

Lon.

County of Wilt

Rain Gauge, by

Observer A. H. Preece, Esq.F. G. O'Connor Esq.Core - 6.

Diameter	8										
Height	4								- 11		
Altitude	378										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January51	2.11	1.66	2.88	3.39	2.37	4.90	1.94	.74	.80	2.130
February	3.65	2.21	2.02	4.07	1.67	3.19	.76	.98	2.26	1.72	2.253
March	1.98	1.57	2.11	.96	1.73	1.12	1.92	1.99	3.82	2.64	1.984
April	1.95	.69	4.08	.80	1.62	1.65	1.87	1.17	2.09	2.69	1.861
May	1.08	2.32	2.20	2.03	1.14	2.30	3.97	1.53	1.57	2.55	2.069
June	3.11	2.49	4.54	2.30	3.18	2.01	.77	1.57	2.28	1.00	2.319
July	5.17	1.46	2.45	2.05	2.62	.22	3.06	.96	3.70	2.51	2.420
August	1.19	5.12	2.28	1.37	1.35	1.65	1.43	2.21	1.92	2.14	2.066
September	3.48	1.48	2.80	3.38	1.36	3.59	2.33	2.75	1.21	1.30	2.368
October	6.01	1.41	7.47	1.83	1.06	3.77	3.82	2.39	.90	2.33	3.099
November	2.82	3.96	4.43	3.13	1.41	4.71	3.04	2.54	5.40	.90	3.234
December	3.55	2.86	3.69	.73	2.65	1.20	5.46	1.73	2.51	1.40	2.578
TOTALS	34.50	27.68	39.73	25.53	23.18	27.78	33.33	21.70	28.40	21.98	28.381

1888 L Marks Swindon 100 yards NW
 Gauge moved 30 ft SW in Sept

RAINFALL AT *Pan Hill, Swindon*

Lat.

Lon.

County of *Wilts*

Rain Gauge, by

Observer *H. Arkell, Esq.*

Core + c - 6.

Diameter	<i>5</i>										
Height	<i>10</i>										
Altitude	<i>400</i>										
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January	<i>.57</i>	<i>2.02</i>	<i>1.66</i>	<i>2.99</i>	<i>3.13</i>	<i>2.22</i>	<i>4.20</i>	<i>1.64</i>	<i>.76</i>	<i>.69</i>	<i>1.982</i>
February	<i>3.20</i>	<i>3.37</i>	<i>1.69</i>	<i>3.51</i>	<i>1.70</i>	<i>2.69</i>	<i>.80</i>	<i>.81</i>	<i>.81</i>	<i>1.63</i>	<i>2.021</i>
March	<i>2.07</i>	<i>1.35</i>	<i>2.08</i>	<i>.98</i>	<i>1.76</i>	<i>1.07</i>	<i>1.62</i>	<i>1.90</i>	<i>3.68</i>	<i>2.30</i>	<i>1.881</i>
April	<i>2.05</i>	<i>.58</i>	<i>3.60</i>	<i>.77</i>	<i>1.41</i>	<i>1.68</i>	<i>2.02</i>	<i>.95</i>	<i>1.77</i>	<i>2.54</i>	<i>1.737</i>
May	<i>1.05</i>	<i>2.36</i>	<i>1.97</i>	<i>2.09</i>	<i>1.11</i>	<i>2.14</i>	<i>3.75</i>	<i>1.69</i>	<i>1.07</i>	<i>2.21</i>	<i>1.944</i>
June	<i>1.96</i>	<i>2.31</i>	<i>3.88</i>	<i>2.66</i>	<i>3.22</i>	<i>2.01</i>	<i>.97</i>	<i>1.44</i>	<i>2.48</i>	<i>.95</i>	<i>2.188</i>
July	<i>4.42</i>	<i>1.73</i>	<i>3.24</i>	<i>3.12</i>	<i>2.92</i>	<i>.19</i>	<i>3.14</i>	<i>.83</i>	<i>3.66</i>	<i>3.21</i>	<i>2.646</i>
August	<i>1.24</i>	<i>4.75</i>	<i>2.50</i>	<i>1.28</i>	<i>1.45</i>	<i>2.01</i>	<i>1.54</i>	<i>1.67</i>	<i>1.91</i>	<i>1.89</i>	<i>2.024</i>
September	<i>3.57</i>	<i>1.54</i>	<i>2.93</i>	<i>2.95</i>	<i>1.36</i>	<i>4.32</i>	<i>2.24</i>	<i>2.60</i>	<i>1.40</i>	<i>1.25</i>	<i>2.413</i>
October	<i>5.05</i>	<i>1.39</i>	<i>6.81</i>	<i>1.97</i>	<i>1.17</i>	<i>3.49</i>	<i>3.93</i>	<i>2.16</i>	<i>.96</i>	<i>2.50</i>	<i>2.943</i>
November	<i>2.34</i>	<i>3.50</i>	<i>4.20</i>	<i>3.04</i>	<i>1.35</i>	<i>4.88</i>	<i>2.66</i>	<i>2.47</i>	<i>5.22</i>	<i>1.00</i>	<i>3.066</i>
December	<i>3.53</i>	<i>2.65</i>	<i>3.17</i>	<i>.80</i>	<i>2.57</i>	<i>1.04</i>	<i>4.49</i>	<i>1.55</i>	<i>2.17</i>	<i>1.50</i>	<i>2.347</i>
TOTALS	<i>30.96</i>	<i>27.55</i>	<i>37.73</i>	<i>26.16</i>	<i>23.15</i>	<i>27.74</i>	<i>31.36</i>	<i>19.71</i>	<i>25.89</i>	<i>21.67</i>	<i>27.192</i>

RAINFALL AT *Malmesbury Minety House*

Lat.

Lon.

County of *Wilt*

Rain Gauge, by

Observer *Gen R Henley Eden*

see rc-b.

Diameter						8					
Height		<i>1.6</i>									
Altitude											
Year	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January		<i>3.04</i>	<i>1.75</i>	<i>3.12</i>	<i>(3.52)</i>	<i>2.38</i>					
February		<i>3.96</i>	<i>2.11</i>	<i>3.52</i>	<i>1.37</i>	<i>3.53</i>					
March		<i>1.49</i>	<i>1.51</i>	<i>.83</i>	<i>2.03</i>	<i>1.00</i>					
April		<i>.68</i>	<i>3.99</i>	<i>.56</i>	<i>1.39</i>	<i>1.95</i>					
May		<i>1.41</i>	<i>2.20</i>	<i>2.06</i>	<i>1.23</i>	<i>2.24</i>					
June		<i>2.49</i>	<i>4.18</i>	<i>4.24</i>	<i>2.83</i>	<i>1.93</i>					
July		<i>3.25</i>	<i>4.28</i>	<i>3.51</i>	<i>2.57</i>	<i>.35</i>					
August		<i>4.33</i>	<i>2.43</i>	<i>1.23</i>	<i>1.71</i>	<i>2.63</i>					
September		<i>2.13</i>	<i>3.39</i>	<i>2.86</i>	<i>1.40</i>	<i>4.37</i>					
October		<i>1.57</i>	<i>6.56</i>	<i>2.17</i>	<i>.83</i>	<i>3.15</i>					
November		<i>4.01</i>	<i>4.19</i>	<i>3.33</i>	<i>1.49</i>	<i>5.98</i>					
December		<i>2.91</i>	<i>3.42</i>	<i>.63</i>	<i>3.59</i>	<i>1.10</i>					
TOTALS		<i>31.27</i>	<i>(40.01)</i>	<i>28.06</i>	<i>(23.96)</i>	<i>30.61</i>					

Minety Church 300 yards N.W.

RAINFALL AT Highworth Hamington Hall

Lat.

Lon.

County of Wilt

Rain Gauge, by

Observer Rev A C. James

Cole & Co.

Diameter											
Height											
Altitude											
Year.....	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	MEANS.
January								(2.00)	.54	.67	
February								#.79	2.69	1.53	
March								1.72	3.38	2.43	
April96	1.67	2.17	
May								1.71	1.38	3.03	
June								1.59	2.81	.58	
July78	4.01	3.80	
August								1.83	2.03	2.14	
September....								2.90	1.33	1.61	
October								2.25	.82	2.42	
November....								2.41	5.16	1.13	
December								1.46	2.28	1.46	
TOTALS								(20.40)	28.10	22.97	

Jan &
rough
estimated