

5/1670
THE DAILY WEATHER REPORT

1st April to 30th June

1952



METEOROLOGICAL OFFICE

LONDON. W.C.2

INTRODUCTION

On 1st January, 1950, the present form of the Daily Weather Report replaced the British and International Sections of the former Report which had been issued in three sections since 1919. The third Section now appears as a separate publication under the name of the Daily Aerological Record. A brief history of changes in contents and format between 1st April, 1919, and December, 1949, will be found in the Introduction to the British Section for 1st October to 31st December, 1949.

The present revision has made it possible to include a selection of ships' reports for each of the main synoptic hours along with corresponding reports from most of the stations in Great Britain and Ireland which provide full reports. On page 2 will be found a weather chart for mid-day of the previous day covering most of the Northern Hemisphere, and on page 3 charts for 1800 h. of the preceding day and for 0000 h. and 0600 h. of the day of issue. By this arrangement the more valuable features of the former British and International Sections have been combined in a single publication.

Barometer Readings.—The readings are in millibars and tenths with the initial 9 or 10 omitted. Thus readings of 989.4 and 1021.5 are printed as 89.4 and 21.5 respectively.

Barometric Tendency.—(Columns 6 and 22). The Barometric tendency is expressed in tenths of a millibar.

Code for state of ground (E)—Column 33

- | | |
|--|---|
| 0 ... Ground dry. | 7 ... Ice, slush or firm or settled snow covering ground completely. |
| 1 ... " moist. | 8 ... Loose dry snow covering more than one half of surface (but not completely). |
| 2 ... " wet. | 9 ... Loose dry snow covering surface completely. |
| 3 ... " dry and frozen (not covered by ice or snow). | |
| 4 ... Glaze on ground but no slush or snow. | |
| 5 ... Ice, slush or snow covering less than one-half of ground. | |
| 6 ... Ice, slush or firm or settled snow covering more than one-half of ground (but not completely). | |

WIND SPEED AND DIRECTION

From 1st January, 1949, the speed of the wind is given in knots and the direction in degrees from true north, measured clockwise to nearest 10 degrees.

The following tables show (a) the approximate equivalents in knots, measured at 30–40 ft. above ground in an unobstructed situation, of the Beaufort numbers previously used for reporting wind force, (b) the equivalents in degrees of true wind direction expressed in compass points.

Table (a) Wind Speed

Beaufort number	Description	Speed in Knots
0	Calm	Less than 1
1	Light air	1–3
2	Light breeze	4–6
3	Gentle breeze	7–10
4	Moderate breeze	11–16
5	Fresh breeze	17–21
6	Strong breeze	22–27
7	Moderate gale	28–33
8	Fresh gale	34–40
9	Strong gale	41–47
10	Whole gale	48–55
11	Storm	56–63
12	Hurricane	64–71

Table (b) Wind Direction

Compass Points	Degrees (nearest 10)	Compass Points	Degrees (nearest 10)
Calm	00	SSW	200
NNE	20	SW	230
NE	50	WSW	250
ENE	70	W	270
E	90	WNW	290
ESE	110	NW	310
SE	130	NNW	340
SSE	160	N	360
S	180		

Form of Low Cloud* (C_L)—Columns 9 and 25

- No low cloud.
 - Cumulus with little vertical development.
 - Cumulus of considerable development with or without other Cumulus or Stratocumulus.
 - Cumulonimbus, tops not cirriform or anvil-shaped; with or without other forms of low cloud.
 - Stratocumulus formed by spreading out of Cumulus; Cumulus also often present.
 - Stratocumulus other than Type 4.
 - Stratus and/or Fractostratus but not of bad weather.
 - Fractostratus or Fractocumulus of bad weather ("scud") usually under Nimbostratus.
 - Cumulus and Stratocumulus other than Type 4.
 - Cumulonimbus, with cirriform top, often anvil-shaped. Other types of low cloud may be present.
- /or— Low cloud not visible owing to darkness, fog, sandstorm or other phenomena.

Form of Medium Cloud* (C_M)—Columns 10 and 26

- No medium cloud.
 - Semi-transparent Altostratus through which sun or moon is visible.
 - Thick Altostratus or Nimbostratus through which position of sun or moon is indicated by a light patch.
 - Semi-transparent Altopcumulus of unchanging elements; at a single level.
 - Semi-transparent Altopcumulus in patches; elements continually changing; possibly at more than one level.
 - Semi-transparent Altopcumulus in bands or in an increasing layer.
 - Altopcumulus formed by spreading out of Cumulus.
 - Any of the following:—
 - Double-layered Altopcumulus not increasing.
 - Thick layer of Altopcumulus not increasing.
 - Altopcumulus and Altopcumulus both present.
 - Altopcumulus tufted or turretted.
 - Altopcumulus at different levels giving chaotic appearance to the sky. (Patchy dense Cirrus usually present.)
- /or— Medium cloud not visible owing to darkness, fog, sandstorm, etc., or owing to existence of a complete layer of lower cloud.

Form of High Cloud* (C_H)—Columns 11 and 27

- No Cirriform Cloud.
 - Scattered Cirrus not increasing.
 - Dense Cirrus in patches; usually not increasing.
 - Cirrus often anvil-shaped; usually associated with Cumulonimbus.
 - Tufted Cirrus increasing and thickening.
 - Cirrus and/or Cirrostratus increasing but the continuous layer not reaching above 45° altitude.
 - Cirrus and/or Cirrostratus increasing with the continuous layer reaching above 45° altitude.
 - Complete layer of Cirrostratus covering the whole sky.
 - Cirrostratus not increasing and not a complete layer covering whole sky.
 - Cirrocumulus alone or with Cirrus or Cirrostratus where the Cirrocumulus predominates. (Cirrocumulus may also be present with C 1 and C 8.)
- /or— High cloud not visible owing to darkness, fog, sandstorm, etc., or owing to the existence of a complete layer of lower cloud.

CLOUD HEIGHT—Columns 14, 16, 30 and 32

Code figures 01–80 = cloud height in 100s of feet

CODE FIGURES 81–89

- 81 = 9,000 feet
- 82 = not used
- 83 = 10,000 feet
- 84 = 13,000 "
- 85 = 16,000 "
- 86 = 20,000 "
- 87 = 23,000 "
- 88 = 26,000 "
- 89 = 30,000 " or higher

CODE FIGURES 90–99*

- 90 = less than 150 feet
- 91 = 150–300 "
- 92 = 300–600 "
- 93 = 600–1,000 "
- 94 = 1,000–2,000 "
- 95 = 2,000–3,000 "
- 96 = 3,000–5,000 "
- 97 = 5,000–6,500 "
- 98 = 6,500–8,000 "
- 99 = 8,000 feet or higher or no clouds

*Only used when cloud height cannot be determined with greater accuracy.

Beaufort Notation and Symbols for Weather—

Columns 4, 20, 34 and 35 on page 1, and 4, 20, 39 and 40 on page 4.

- b, blue sky (not more than a quarter covered with cloud).
 bc, sky partly cloudy (one half covered). c, generally cloudy.
 d, drizzle. e, wet air.
 f, fog, visibility 220–1,100 yds.
 F, thick fog, visibility less than 220 yds.
 fs, low fog over sea (coast station).
 fl, low fog over land (inland station).
 g, gale.
 m, mist, visibility 1,100–2,200 yds.
 h, hail. i, intermittent.
 h(r), "hail" or "rain and hail."
 jf, fog in the vicinity but not at station.
 jp, precipitation within sight of station.
 ks, storm of drifting snow.
 kso, slight storm of drifting snow (generally low).
 kS, heavy storm of drifting snow (generally low).
 kzo, slight duststorm or sandstorm.
 kZ, severe duststorm or sandstorm.
- KQ, line squall. l, lightning.
 o, overcast. p, passing showers.
 q, squalls. r, rain. s, snow.
 rs, sleet. t, thunder.
 u, ugly, threatening sky.
 v, unusual visibility. w, dew.
 x, hoar frost. y, dry air.
 z, dust haze: the turbid atmosphere of dry weather.
- Capital letters indicate intense; suffixo indicates slight; repetition of letters indicates continuity: thus R, heavy rain. ro, slight rain.
 rr, continuous rain.
 <, less than (for cloud height).
 e, Solar halo. o, lunar halo. A, Aurora.
- With present weather is combined, whenever possible, the general character of the weather.
 A "solidus" divides actual existing weather from preceding conditions thus: bc/r, fair weather after rain; —, has decreased; +, has increased.

VISIBILITY—Column 3 and 19.

In the range 01 to 80 the figures give the actual visibility in fifths of kilometres or furlongs. Thus 20 = 4 kms. or 2½ miles. The following Table gives the visibility for the ranges X0 to X9 and 80 to 89:—

Second code figure

First code figure	0	1	2	3	4	5	6	7	8	9
X	22	22	44	66	88	110	132	154	176	198 yards
8	10	12½	25	37	50	62	93	125	187	310 miles

GALE WARNINGS

Details of gale warnings issued by the Meteorological Office are given below the Further Outlook on page 3 of the Report. The receipt of a gale warning at ports and fishing stations is indicated by the hoisting of a black canvas cone. The cones remain hoisted after the receipt of a warning telegram until danger of a gale has passed.

The *North Cone* (point upwards) is hoisted for gales commencing from a Northerly point.

For gales commencing from East or West the North Cone will be hoisted if the gale is expected to change to a Northerly direction.

The symbols ♠ (North Cone) and ♡ (South Cone) are appended to the details of warnings given on page 3 of the Report.

The *South Cone* (point downwards) is hoisted for gales commencing from a Southerly point. Such gales often veer, sometimes as far as Northwest.

For gales commencing from East or West the South Cone will be hoisted if the gale is expected to change to a Southerly direction.

* Abbreviated definitions. For full text see "Handbook of Weather Messages," Part II.M.O.510(b)

FORECAST DISTRICTS AND STATIONS IN GREAT BRITAIN AND IRELAND



Scale 1:5,000,000

FORECAST DISTRICTS and the Counties comprised within them

- | | | | | | | |
|---|--|--|--|--|---|--|
| 0. London. | 4. Midlands, W.
Gloucestershire.
Herefordshire.
Worcestershire.
Shropshire.
Staffordshire. | 8. England, N.W.
Cheshire.
Lancashire.
Westmorland.
Cumberland. | 11. Scotland, S.E.
(contd.)
West Lothian.
Clackmannanshire.
Kinross-shire.
Fife-shire.
Angus. | 13a. Scotland, N.W.
Hebrides.
Western parts
of Inverness,
Ross and
Cromarty,
Sutherland. | 16. Orkneys and
Shetlands. | 19. Ireland, S.E.
Waterford.
Wexford.
Kilkenny.
Carlow.
Wicklow.
Offaly.
Leix.
Kildare.
Dublin. |
| 1. England, S.E.
Kent.
Sussex.
Surrey.
Hampshire.
Berkshire.
Wiltshire. | 5. England, S.W.
Dorsetshire.
Somersetshire.
Devonshire.
Cornwall. | 9. Midlands, N.
Derbyshire.
Yorkshire, W. | 12. Scotland, S.W.,
and Isle of Man.
Isle of Man.
Dumfriesshire.
Kirkcudbright-
shire.
Wigtownshire.
Ayrshire.
Lanarkshire.
Renfrewshire.
Dumfriesshire.
Stirlingshire. | 14. Mid Scotland.
Perthshire. | 17. Ireland, N.W.
Galway.
Roscommon.
Mayo.
Sligo.
Leitrim. | 20. Ireland, S.W.
Cork.
Kerry.
Limerick.
Tipperary.
Clare. |
| 2. England, E.
Essex.
Middlesex.
Hertfordshire.
Bedfordshire.
Huntingdonshire.
Cambridgeshire.
Suffolk.
Norfolk.
Lincolnshire. | 6. Wales S. & Mon.
Monmouthshire.
Glamorganshire.
Brecknockshire.
Cardiganshire.
Pembrokeshire.
Radnorshire. | 10. England, N.E.
Yorkshire, N. & E.
Durham.
Northumberland. | 15. Scotland, N.E.
Kincardineshire.
Aberdeenshire.
Banffshire.
Moray.
Nairnshire.
Caithness.
Eastern parts
of Inverness,
Ross, Suther-
land. | 18. Ireland, N.E.
Meath.
West Meath.
Longford.
Cavan.
Fermanagh.
Monaghan.
Louth.
Armagh.
Down.
Antrim.
Londonderry.
Tyrone.
Donegal. | | |
| 3. Midlands, E.
Buckinghamshire.
Oxfordshire.
Northamptonshire.
Warwickshire.
Leicestershire.
Rutlandshire.
Nottinghamshire. | 7. Wales, N.
Montgomeryshire.
Merionethshire.
Flintshire.
Denbighshire.
Carnarvonshire.
Anglesey. | 11. Scotland, S.E.
Roxburghshire.
Selkirkshire.
Peeblesshire.
Berwickshire.
East Lothian.
Mid Lothian. | 13a. Scotland, W.
Argyll.
Bute. | | | † Boundary line runs
from Rannoch
Station through
Fort Augustus,
Beauly and Lairg
to Melich. |

NOTES ON THE INFORMATION CONTAINED IN THE DAILY WEATHER REPORT

Standard of Time.—Greenwich Mean Time is exclusively used throughout the Report.

Hours of Observation.—From 1st August, 1944, the times of the observations published in the Report were changed to 0000, 0600, 1200 and 1800 G.M.T., and from the same date until 31st December, 1944, the morning readings of minimum and grass minimum temperature and rainfall were made at 0600 G.M.T. instead of at 0700 G.M.T. From 1st January, 1945, minimum temperatures have been read at 0900 G.M.T., and maximum temperatures at 2100 G.M.T., and rainfall at 0900 and 2100 G.M.T.

Stations.—*Kew.*—Temperature readings at Kew are taken in a large louvered screen placed against the north wall of the observatory. The thermometer bulbs are at a height of 10 feet above the ground immediately surrounding the building. This ground is raised a few feet above the general level of the Old Deer Park in which the observatory stands.

Heights of Stations.—The heights of British Stations above M.S.L. refer to the plot of ground on which the rain gauge is situated.

Pressure.—The distribution of barometric pressure at Mean Sea Level is shown on the charts on Pages 2 and 3 of the Report by means of isobars drawn at intervals of 4 mb.

The wind at a height of 1,500–2,000 feet above the ground usually blows along the isobars and, for the same temperature, pressure and latitude, the speed of the wind is inversely proportional to the distance between the isobars, e.g., for isobars 1 inch apart for the charts on Page 3 the speed of the upper wind is about 10 knots in latitude 55°, with a temperature of 50° F. and a pressure of 1,000 mb; if, however, the isobars are $\frac{1}{2}$ inch apart the corresponding speed is 20 knots.

The scale below can be used to determine the theoretical wind as deduced from the pressure distribution on either chart. On the assumption that the path of the air is straight this theoretical wind is called the Geostrophic Wind.

If the distance between consecutive isobars is measured along the scale from the left-hand extremity the geostrophic wind is shown by the scale in knots.

GEOSTROPHIC WIND SCALE (Knots)

For 8 mb. isobars on 1:4 × 10⁷ Charts.

and for 4 mb. „ „ 1:2 × 10⁷ „



This scale applies under the following conditions:—

Pressure, 1,000 mb. Temperature, 50° F. Latitude, 55°.

Corrections.—For an increase of 10 mb. pressure, subtract 1% from velocity; for an increase of 10° F. add 2%. From Latitude 55° to Latitude 65° subtract 1% for each degree above 55°. From Latitude 55° to Latitude 45° add 1½% for each degree below 55°.

Temperature.—Temperature is specified in degrees Fahrenheit, and is shown on the charts by means of figures written alongside the positions of the stations.

Dew Point.—The values of Dew Point given in columns 8 and 24 are derived from the original readings of dry-bulb and wet-bulb temperature and are correct to 1° F. Prior to 1st January, 1949, values below 32° F. gave the "Hoar Frost Point" that is to say the temperature for which the actual vapour pressure is equal to the saturation pressure over ice. Since 1st January, 1949, the true Dew Point and not the Hoar Frost Point has been included in synoptic reports in circumstances where the actual vapour pressure is lower than the saturated water vapour pressure of 32° F., in accordance with Washington, 1947, Resolution No. 184.

Rainfall.—Columns 38, 42.—Tr = rain has fallen, but amount less than 0.1 mm.

Wind.—All wind directions specified in the reports are "true," as distinguished from "magnetic." The arrows indicating wind direction are drawn to fly with the wind. Each feather denotes two steps on the Beaufort Scale; thus force 5 is indicated by two whole feathers and one half feather.

Adjusted Readings.—Where an instrumental reading is found to be in error and some adjustment is necessary, such adjusted reading is published in brackets thus (59).

Particulars of Codes and Specifications which were adopted on 1st January, 1949, will be found in "Handbook of Weather Messages, Codes and Specifications," Part II, obtainable from H.M. Stationery Office, price 1s. 8d. post free.

N.B.—Readers of the Report who are unacquainted with the method of construction and the use of weather charts are recommended to read "The Weather Map. An introduction to Modern Meteorology," (3rd Edition, 1939), to be purchased from H.M. Stationery Office, York House, Kingsway, W.C.2, price 3s. 8d. post free.

Warm; thundery rains; very sunny in second half.

Up till 11th there was an unsettled southeasterly type of weather. There were large outbreaks of thundery rain on 1st, 4th, 5th, 8th and 11th; with various local falls of about 20mm or more in 12 hours; Bristol had 36mm in 24 hours on 1st. On some other days there were thunderstorms or showers, but also bright intervals. On 12th a depression which had been persistent to westward of Ireland filled up, and a wedge developed over Great Britain. A warm front on 13th gave rain only in North Scotland (Lerwick 30mm on 13th and 12mm on 14th) and the rise of pressure continued in the warm damp air behind it, till on 15th there was an anticyclone over England. Temperatures became very high for the time of year on 16th-18th, with the peak figures mostly on 18th, when Kensington Palace recorded a maximum of 84° on all four days 80° occurred locally and most of England and Wales, including some places on the coast, had a temperature up to 80° on at least one day. As the anticyclone declined a flat thundery situation developed, and owing to the high temperatures and humidity there were some severe thunderstorms. There were local storms in N.E. England and East Anglia late on 17th, and over much of Great Britain later on 18th and 19th, and over parts of S. Wales and S.W. England on 20th. There was flooding in


places but the heavy rain was very local and many places had no rain. At Tibshelf, Derbyshire, damage was done by what appears to have been a minor tornado on 19th. An anticyclone over Scandinavia brought cooler east winds on 20th, but weather remained mostly fine till 27th and is some drier till 30th. The anticyclone moved slowly S.W. to the British Isles and then W.S.W. into the Atlantic. Temperatures were mainly above normal and reached 76° at Kensington Palace on 24th and 25th and at some places in the S.W. on 25th. A cooler N.W. air stream prevailed on 28th-29th with light showers. Ground frost occurred locally and early on 30th Eskdalemuir had a screen minimum of 28°F and a grass minimum of 23°F.

On 30th-31st a depression off S.W. Ireland gave the first general rain since 11th. Rainfall for the month as a whole was variable. Sunshine was mostly above average.

Maximum temperatures were exceptionally high. It was the warmest May at Kew since records began in 1871 and at Greenwich since 1848.


With a minimum of 57°F on 15th Ross-on-Wye reported the highest minimum on record for the first half of May. Kew 55°F reported the highest minimum on record for second half of May.

Daily Rainfall at KEW Observatory.




RAINFALL. Total for Month. 59 mm.

Daily Sunshine at KEW Observatory.



SUNSHINE. Total for Month. 226 hrs.

Daily Range of Temperature at KEW Observatory.




TEMPERATURE. The pecked curves indicate the maximum temperature recorded each day, and the minimum temperature each night throughout the month. The chain lines show normal values.

MEAN VALUES FOR THE MONTH.*

STATIONS.	PRESSURE		TEMPERATURE	
	Mean	Difference from average	Mean	Difference from average
Kew	mb.	mb.	°F.	°F.
Lyce	1016.5	+0.9	58.4	+3.5
Valentia	1016.1	+1.8	50.7	+3.4
	1014.8	-0.0	54.2	+1.9

* Pressure—The mean is for the 24 hours duly corrected. Temperature—mean at 08h and 16h.

WIND FREQUENCIES at 6 hr.



"RUN" of WIND, or total displacement of air, relative to the anemograph.

Kew	4649
Lerwick	3440

Forces 1-3 — ; forces 4-7 — ; force 8 or above — . Scale: 10mm. to 10 observations. The figure in the center of the circle gives the number of calms.

SUMMARY OF RECORDS OF TEMPERATURE, LOW CLOUD, VISIBILITY.

District.	STATIONS.	TEMPERATURE.														LOW CLOUD.						FOG, MIST and GOOD VISIBILITY.																			
		Number of daily readings within fixed limits.										Extremes—Warmest and Coldest				Number of observations within fixed limits.						Number of observations within fixed limits.																			
		Maximum.					Average Maximum.	Minimum.					Days.		Nights.		Number of Ground Frosts	9 h.			15 h.			21 h.			9 h.				15 h.										
		42° to 50°	51° to 59°	60° to 66°	67° to 77°	78° to 86°		24° to 32°	33° to 41°	42° to 50°	51° to 59°	60° to 66°	Average Minimum.	Highest Max. Date.	Lowest Max. Date.	Highest Min. Date.		Lowest Min. Date.	Below 1,000 ft.	1,000-5,000 ft.	5,000-8,000 ft.	Below 1,000 ft.	1,000-5,000 ft.	5,000-8,000 ft.	Below 1,000 ft.	1,000-5,000 ft.	5,000-8,000 ft.	Dense fog.	Thick fog.	Fog.	Mist.	Good Visibility.	Dense fog.	Thick fog.	Fog.	Mist.	Good Visibility.				
1	London (Kew Obsy.)	0	5	17	6	3	62.5	0	0	15	16	0	46.6	81	18	57	11	59	19	43	13	0	2	17	2	0	28	0	1	16	2	0	0	0	5	13	0	0	0	2	20
1	Croydon	0	4	17	8	2	61.7	0	2	20	9	0	45.3	83	18	57	6	58	15	39	22	0	4	18	0	1	28	0	1	16	2	0	0	0	3	14	0	0	0	0	21
1	Calshot	0	12	15	4	0	60.1	0	0	17	14	0	46.7	77	18	55	3	56	16	45	29	0	4	15	1	2	21	1	4	10	2	0	0	0	1	15	0	0	0	0	23
1	Lymington	0	6	18	7	0	58.5	0	1	21	9	0	44.5	73	18	53	13	56	28	41	23	0	3	14	1	1	18	0	3	10	1	0	0	2	0	20	0	0	1	0	25
2	Shoeburyness	0	4	21	5	1	60.7	0	3	15	13	0	44.5	82	18	56	3	56	28	41	23	2	3	14	1	17	0	0	0	12	1	0	0	0	6	18	0	0	0	0	22
2	Gorleston	0	20	10	1	0	56.8	0	1	21	9	0	45.8	69	27	51	2	56	15	41	30	0	1	19	0	0	14	1	1	13	1	0	3	0	0	17	0	1	1	0	14
2	Waddington	0	7	17	5	2	60.2	0	4	26	1	0	42.4	79	17	54	5	54	15	39	22	0	2	16	2	1	27	1	2	12	0	0	0	2	0	14	0	0	0	0	19
3	Birmingham (Edgbaston)	0	12	9	7	3	58.7	0	1	21	9	0	44.1	80	18	52	3	59	18	40	7	0	11	9	0	5	19	0	3	14	1	0	0	1	4	14	0	0	0	2	20
4	Ross-on-Wye	0	9	12	8	2	60.3	0	2	21	8	0	44.4	79	18	51	3	57	15	39	13	2	6	16	0	3	24	0	8	16	0	0	0	0	1	19	0	0	0	2	23
5	Gulldrese	0	15	14	2	0	*	0	1	17	13	0	*	71	25	52	6	54	20	39	7	1	5	13	1	8	14	0	5	11	1	0	1	1	0	23	0	0	0	2	22
7	Holyhead (Valley)	1	13	15	2	0	54.8	0	0	26	5	0	46.5	76	16	50	5	54	17	42	9	0	6	19	1	3	24	0	4	20	1	0	0	0	3	15	0	0	2	0	21
8	Hawarden 1	0	11	14	3	3	59.6	0	6	20	5	0	43.5	81	17	55	20	55	18	38	8	1	3	19	0	2	22	2	1	19	1	0	0	1	0	18	0	0	0	1	17
10	Tynemouth	4	19	8	0	0	53.3	0	3	24	4	0	44.1	67	18	46	3	54	27	40	31	0	0	23	0	3	16	0	2	17	0	0	1	2	11	0	0	2	3	14	
11	Leuchars	3	13	9	4	0	55.4	0	4	24	3	0	41.3	73	15	43	3	54	26	36	30	1	13	18	0	14	16	0	12	15	1	0	0	3	1	14	0	0	0	2	14
12	Renfrew	0	14	12	5	0	57.6	0	6	18	7	0	41.6	77	18	51	1	53	21	34	31	5	10	19	1	2	28	0	1	24	1	0	0	0	3	8	0	0	0	0	13
12	Esksdalemuir	1	17	8	5	0	55.4	2	10	17	2	0	38.7	77	18	48	4	53	20	28	31	4	10	16	0	7	22	0	8	16	2	0	0	2	1	24	0	0	0	0	26
13a	Stornoway	5	17	8	1	0	52.8	0	6	20	5	0	42.2	71	18	48	4	52	17	36	31	1	9	17	1	4	24	0	7	17	1	0	0	0	0	21	0	0	0	0	27
15	Dyce	5	16	10	0	0	54.0	0	5	24	2	0	40.6	66	15	47	3	52	14	35	8	1	16	15	0	11	18	1	11	15	2	0	0	0	4	17	0	0	1	1	20
18	Aldergrove	1	13	11	5	1	58.5	1	7	20	3	0	42.9	79	17	48	4	54	14	30	30	2	5	20	0	2	27	0	2	19	0	0	0	0	19	0	0	0	0	23	
19	Birr Castle	0	12	9	9	1	58.9	0	3	22	5	1	43.2	78	17	52	30	62	27	36	7	0	0	26	0	0	20	0	0	24	0	0	0	0	31	0	0	0	0	31	
20	Valentia (Cabirciveen)	1	14	14	2	0	56.9	0	3	19	8	1	46.7	71	15	50	6	60	16	37	3	0	6	21	0	0	27	0	5	22	0	0	0	1	0	26	0	0	0	0	30

UPPER AIR TEMPERATURE.

UPPER WINDS

No. of records of Velocity (knots) within fixed limits.

Pressure.	Mean Height.	UPPER AIR TEMPERATURE.										UPPER WINDS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
		LERWICK	STORNOWAY	LEUCHARS	ALDERGROVE	LIVERPOOL	HEMSBY	LARKHILL	CAMBORNE	VALENTIA		LARKHILL					HEMSBY					CAMBORNE					LERWICK																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
		(3 Reports)	(3 Reports)	(3 Reports)	(3 Reports)	(3 Reports)	(3 Reports)	(3 Reports)	(3 Reports)	(3 Reports)		(28 Reports)					(18 Reports)					(21 Reports)					(30 Reports)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
		Mean Temp. °F.	Mean Temp. °F.	Mean Temp. °F.	Mean Temp. °F.	Mean Temp. °F.	Mean Temp. °F.	Mean Temp. °F.	Mean Temp. °F.	Mean Temp. °F.		0 to 15	16 to 35	36 to 55	56 to 75	76 to 95	> 95	0 to 15	16 to 35	36 to 55	56 to 75	76 to 95	> 95	0 to 15	16 to 35	36 to 55	56 to 75	76 to 95	> 95	0 to 15	16 to 35	36 to 55	56 to 75	76 to 95	> 95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
mb.	feet										knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots	knots</

† The readings used are the maximum for the period 09 h-21 h and the minimum for the period 21 h-09 h. Averages are for periods 07 h-18 h and 18 h-07 h, and are based on data covering at least 10 years (see M.O. 244).

METEOROLOGICAL OFFICE, AIR MINISTRY, KINGSWAY, LONDON, W.C.2
NELSON K. JOHNSON, K.C.B., D.Sc., Director

1952

* Extreme values are those for Aberdeen about 6 miles from Dyce.

†† Based in part on reports made by telegraph in which the day and night measurements are rounded off to the nearest whole millimetre. Small discrepancies may arise between these totals and those given in the Monthly Weather Report which are based on readings taken to 0.1 mm.

†† Based in part on reports made by telegraph in which the day and night measurements are rounded off to the nearest whole millimetre. Small discrepancies may arise between these totals and those given in the Monthly Weather Report which are based on readings taken to 0.1 mm.

PRESSURE: ICELAND TO GULF OF LIONS

MAY

1952.

ISOPLETHS BASED ON SIX-HOURLY OBSERVATIONS.



* The diagram is obtained by drawing a line from Akureyri in Iceland to the south of France near Marseilles. The points at which the isobars drawn for 4 mb. pressure intervals intersect this line at 0h., 6h., 12h. and 18h. are plotted consecutively and joined to show the variation of pressure from day to day at any point in the line. The line terminates at Lat. 60° N., Long 18° W., in the north; at Lat. 44° N., Long. 4° E., in the south.

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, LONDONDate of issue Thursday 1st May 1952


No 33033

OBSERVATIONS at 12h. G.M.T. 30th April 1952OBSERVATIONS at 18h. G.M.T. 30th April 1952

OBSERVATIONS during DAY

STATIONS (For heights see p. 4)	Wind		†	Pressure		Temp.		Cloud								Wind		†	Pressure		Temp.		Cloud								24 h †	Weather.		Max. Temp. 09h- 21h. °F	Sun- shine. (%)	Rain 09h- 21h. mm.																		
	Direction (degrees)	Speed (kts.)		Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form								Direction (degrees)	Speed (kts.)		Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form									09h to 15h (34)	15h to 21h (35)																					
								Low	Medium	High	Total 0-8	Main 0-8	Ht. 0-8	† Ht.									Low	Medium	High	Total 0-8	Main 0-8	Ht. 0-8	† Ht.																									
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)																	
Kew	140	08	72	03.7	-0.7	72	56	5	8	1	2	1	20	-	240	02	72	03.5	+0.2	68	53	-	7	6	7	4	83	-	2	02.00	bcycrofo	74	9.7	1																				
London Airport	120	12	80	03.7	-0.7	71	52	1	1	1	0	0	70	-	190	06	81	03.6	+0.3	68	50	-	4	2	5	3	83	-	1	02.00	bcycrofo	74	9.7	1																				
Lymington	130	07	80	03.2	-1.0	67	54	-	-	-	0	0	70	-	110	07	81	04.6	-0.2	68	52	8	-	-	6	6	30	-	0	02.00	bcycrofo	73	11.9	-																				
Tangmere	130	05	80	04.6	-0.4	63	51	-	-	-	0	0	80	-	210	08	40	05.0	+0.8	58	52	3	9	-	7	7	75	2	40	02.00	bcycrofo	66	2.3	2																				
Calshot	110	13	48	03.2	+0.1	56	56	-	-	-	1	1	80	-	230	09	16	05.3	+1.3	54	52	7	2	-	8	8	50	4	10	02.00	bcycrofo	56	1.3	2																				
Boscombe Down	180	10	40	03.2	-0.3	57	55	5	8	-	1	1	80	-	220	07	13	05.3	+1.5	54	54	5	-	-	8	8	45	6	20	02.00	bcycrofo	64	1.2	10																				
Felixstowe	070	12	24	07.1	-1.4	51	47	-	-	-	0	0	0	-	060	05	20	05.9	-0.8	57	49	-	-	-	1	1	-	-	0	02.00	bcycrofo	53	13.2	-																				
Gorleston	110	10	14	08.1	-1.5	53	45	-	-	-	0	0	0	-	090	13	16	06.2	-0.8	52	45	-	-	-	0	0	-	-	0	02.00	bcycrofo	53	12.7	-																				
West Raynham	110	15	80	07.3	-1.5	63	42	-	-	-	1	1	-	-	100	15	32	06.2	-0.6	62	47	-	-	-	0	0	-	-	0	02.00	bcycrofo	53	13.0	-																				
Mildenhall	120	15	80	04.7	-2.2	72	42	-	-	-	1	1	-	-	110	09	48	04.6	+0.2	69	51	-	-	-	1	1	-	-	0	02.00	bcycrofo	73	12.3	-																				
Cranfield	130	17	64	04.0	-1.2	51	51	5	8	-	4	4	80	-	220	03	80	03.6	+0.6	66	53	-	3	4	6	4	81	-	2	02.00	bcycrofo	72	6.8	3																				
Elmdon	110	17	40	03.1	-2.4	54	50	8	3	-	4	3	70	-	210	07	56	02.9	+0.5	63	55	5	6	3	7	4	70	1	35	02.00	bcycrofo	72	4.4	3																				
Cottesmore	120	19	40	05.2	-1.7	59	43	-	-	-	1	1	80	-	120	12	40	04.4	+0.3	68	50	-	3	1	2	1	81	-	0	02.00	bcycrofo	73	10.0	-																				
Watnall	100	10	32	05.6	-1.5	65	47	-	-	-	1	1	70	-	110	12	64	03.5	+0.3	68	49	5	3	8	5	2	80	2	25	02.00	bcycrofo	74	5.9	-																				
Boss-on-Wye	120	10	34	02.2	-0.7	64	50	8	-	-	1	1	80	-	230	13	34	04.5	+1.7	55	53	7	2	-	8	3	10	-	1	02.00	bcycrofo	65	1.7	3																				
Shawbury	120	10	40	02.5	-0.6	57	50	2	7	-	6	6	30	-	130	15	36	02.6	+0.7	64	54	5	2	-	8	8	70	3	50	02.00	bcycrofo	68	1.9	3																				
Bristol	120	13	56	01.0	-0.7	61	56	5	7	-	8	7	80	-	240	07	48	02.1	+1.8	53	53	5	2	-	8	6	45	3	25	02.00	bcycrofo	65	1.7	2																				
Plymouth	120	07	32	00.4	+1.5	56	51	5	9	-	8	8	80	-	180	07	48	03.7	+1.2	53	51	7	3	8	0	1	03	-	1	02.00	bcycrofo	56	0.5	4																				
Chivenor	150	12	72	09.7	+0.9	50	54	5	7	-	8	7	20	-	150	12	81	03.2	+1.7	56	50	2	7	8	7	6	80	2	15	02.00	bcycrofo	60	0.1	2																				
St Eval	170	18	80	08.8	+1.0	55	51	7	2	-	8	7	08	-	180	11	81	02.8	+1.6	55	47	2	-	2	5	3	16	-	0	02.00	bcycrofo	57	2.6	0.3																				
Coldrose	180	10	60	08.6	+1.8	58	52	5	7	-	6	3	20	-	210	07	80	02.3	+2.2	54	48	2	3	5	3	1	25	-	1	02.00	bcycrofo	57	4.7	0.3																				
Scilly, St. Mary's	180	17	48	06.5	+2.5	56	52	5	4	6	6	1	16	-	170	13	80	01.4	+2.1	56	48	-	3	5	3	1	25	-	1	02.00	bcycrofo	58	7.8	-																				
Guernsey	160	09	56	01.9	+1.1	59	53	5	2	-	1	7	7	-	160	05	81	05.6	+1.4	52	50	5	9	-	8	8	-	3	50	02.00	bcycrofo	59	1.2	2																				
Aberporth	130	11	64	08.9	+0.5	56	52	5	2	-	1	7	80	-	170	13	80	02.5	+2.1	53	51	7	2	-	8	8	80	2	17	02.00	bcycrofo	59	1.0	5																				
Pembroke Dock	120	12	36	08.6	+0.6	54	50	5	9	-	8	8	80	-	150	03	80	02.1	+1.8	54	50	5	7	-	7	5	18	2	09	02.00	bcycrofo	56	0.0	2																				
Holyhead (Valley)	120	17	48	09.2	+0.3	63	52	5	7	-	8	8	80	-	170	11	24	01.9	+1.0	52	50	8	7	-	8	8	50	2	25	02.00	bcycrofo	65	0.4	4																				
Manchester	110	17	56	03.9	-1.4	61	43	8	2	-	1	1	30	-	090	10	24	03.8	+1.5	58	56	9	-	-	8	8	30	3	25	02.00	bcycrofo	71	3.9	14																				
Squires Gate	120	16	20	04.0	+0.3	57	47	5	7	-	8	8	80	-	100	17	32	02.8	+0.4	60	46	2	7	6	7	5	80	3	45	02.00	bcycrofo	67	3.0	2																				
Silloth	070	20	36	05.6	-0.9	61	43	5	7	-	8	8	80	-	070	20	24	04.6	-0.2	55	45	5	7	-	8	5	45	-	1	02.00	bcycrofo	62	0.0	4																				
Finnigley	110	18	64	06.0	-1.3	68	44	-	7	8	6	4	80	-	110	18	80	04.7	-0.3	62	43	-	4	1	4	1	83	-	0	02.00	bcycrofo	71	7.4	-																				
Spurn Head	110	18	24	08.6	-1.0	56	48	-	2	5	-	7	-	-	110	22	24	07.6	+0.5	53	45	-	-	8	4	-	-	-	0	02.00	bcycrofo	58	10.0	-																				
Dishforth	110	15	64	07.1	-0.8	63	46	2	4	-	7	5	-	-	100	13	64	06.3	-0.1	58	43	2	4	6	6	1	40	-	0	02.00	bcycrofo	65	4.9	Tr																				
Tynemouth	110	14	40	10.1	-0.1	51	45	-	6	5	-	6	5	-	090	10	56	09.3	-0.2	47	43	-	7	-	6	6	-	-	0	02.00	bcycrofo	53	3.8	-																				
Leuchars	080	16	32	10.5	-0.6	48	45	6	-	8	7	08	-	-	080	17	24	10.2	-0.1	47	46	6	7	-	8	7	05	2	04	02.00	bcycrofo	50	0.8	Tr																				
Eskdalemuir	080	15	80	07.5	-0.5	59	36	2	-	7	5	26	-	-	040	12	64	07.1	+0.1	51	42	2	7	-	7	5	30	-	1	02.00	bcycrofo	61	2.0	Tr																				
Prestwick	080	17	40	05.6	-0.7	62	41	3	-	7	8	5	80	-	100	23	80	04.4	+0.7	60	44	5	7	-	8	6	40	-	0	02.00	bcycrofo	65	0.5	Tr																				
West Freugh	100	20	40	03.2	-0.6	61	46	5	2	-	1	8	6	-	080	27	32	02.4	-0.4	57	51	5	2	1	7	6	25	-	1	02.00	bcycrofo	62	0.1	2																				
Ronaldsway	070	18	16	02.2	-0.1	58																																																

Chart of Weather in the Northern Hemisphere.




All times are GMT. Add one hour to get summer time

GENERAL INFERENCE.

A depression west of Ireland is moving south and easterly winds are becoming established over the British Isles. Many parts of England, Wales and northern Ireland will have cloudy weather today with rain at times. However, fine weather has already reached the extreme east of east Anglia from the east and is likely to have spread to most places by tomorrow morning. In eastern Scotland and later also in northeast England it will be mainly cloudy or dull with a little drizzle in places. In western Scotland it will be cloudy at first but it will become bright during the afternoon. Temperatures will be about normal for the time of year.

FURTHER OUTLOOK.

Probably cloudy or dull in many eastern districts with a little drizzle often fine in the West.



THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

OBSERVATIONS at 00hr. G.M.T. 1st May 1952OBSERVATIONS at 06hr. G.M.T. 1st May 1952

OBSERVATIONS during NIGHT

OBSERVATIONS at 06hr. G.M.T. 1st May 1952																OBSERVATIONS at 06hr. G.M.T. 1st May 1952																OBSERVATIONS at 06hr. G.M.T. 1st May 1952																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
STATIONS	Height above M.S.L.	Wind				Pressure	Temp.		Cloud								Wind				Pressure	Temp.		Cloud								9 h.	Weather		Temperature																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
		Direction (degrees)	Speed (kts.)	+ Visibility	Bar at M.S.L.		Change in 3 hrs.	Dry Bulb	Dew point	Form			Main layer	Lowest layer	Direction (degrees)	Speed (kts.)	+ Visibility	Present Weather	Bar at M.S.L.	Change in 3 hrs.		Dry Bulb	Dew point	Form			Main layer	Lowest layer	Min. °F.	Max. °F.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
										Low	Medium	High												0-8	0-8	0-8					0-8		0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

 Date of issue Friday 2nd May 1952

No. 33034

OBSERVATIONS at 12h. G.M.T. 1st May 1952OBSERVATIONS at 18h. G.M.T. 1st May 1952

OBSERVATIONS during DAY

STATIONS (For heights see p. 4)	Wind		+	Present Weather	Pressure		Temp.		Cloud						Wind		+	Present Weather	Pressure		Temp.		Cloud						24 h State of ground	Weather.		Max Temp 09h- 21h °F (36)	Sun- shine (%) (37)	Rain 09h- 21h mm. (38)				
	Direction (degrees)	Speed (kts.)			Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form			Main layer Ht. + 0-8	Lowest layer Ht. + 0-8	Direction (degrees)	Speed (kts.)	Bar at M.S.L. mb			Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form			Main layer Ht. + 0-8	Lowest layer Ht. + 0-8	09h to 15h (34)	15h to 21h (35)										
									Low	Medium	High											Low	Medium	High						Total amount	Main layer Ht. + 0-8				Lowest layer Ht. + 0-8			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	
Kew	230	01	09	c	08.0	-0.1	64	55	5	1	1	7	7	45	4	30	030	08	30	0	05.8	-10	66	54	9	8	7	5	20	1	crr pR	crr pR	66	1.4	0.6			
London Airport	230	01	09	c	08.1	-0.2	65	55	1	1	1	7	7	81	2	20	010	06	20	0	06.0	-10	63	56	9	8	7	5	4	30	1	crr pR	crr pR	67	1.4	0.6		
Lymington	230	01	09	c	07.3	-0.2	66	55	1	8	1	4	3	30	1	1	040	10	24	0	06.3	-05	61	57	8	3	7	3	1	1	crr pR	crr pR	69	5.8	2			
Tangmere	230	01	09	c	08.1	-0.1	63	45	1	1	1	7	3	80	4	20	250	10	09	0	07.1	-03	53	52	6	1	8	8	15	4	10	1	crr pR	crr pR	65	1.7	2	
Calshot	170	03	02	c	07.9	-0.2	57	51	5	7	1	7	7	81	4	18	230	06	11	0	07.1	-02	53	53	5	1	8	5	30	1	2	crr pR	crr pR	59	1.7	2		
Boscombe Down	350	02	10	c	08.4	-0.3	62	53	1	3	1	7	7	83	3	25	-	0	28	0	06.9	-10	58	57	8	1	8	8	30	2	18	0	crr pR	crr pR	64	1.9	23	
Felixstowe	350	02	10	c	08.0	-0.3	59	51	1	3	1	7	7	81	3	25	060	12	32	0	07.5	-10	55	49	1	1	3	0	1	0	0	0	crr pR	crr pR	60	6.2	-	
Gorleston	350	02	10	c	08.6	-0.4	57	47	1	1	1	0	0	1	1	1	070	23	24	0	08.5	-01	51	45	1	1	0	0	1	0	0	0	crr pR	crr pR	57	11.3	-	
West Raynham	350	02	10	c	08.1	-0.3	65	50	1	3	1	2	2	1	1	1	070	15	32	0	08.5	-04	54	46	1	1	3	1	1	1	1	1	crr pR	crr pR	66	9.6	-	
Mildenhall	360	01	08	c	08.1	-0.3	61	51	5	1	1	7	7	40	1	1	070	11	32	0	07.8	-03	60	49	1	8	6	5	1	80	1	0	crr pR	crr pR	69	4.3	0.6	
Cranfield	360	01	08	c	08.5	-0.2	59	54	6	1	1	7	5	08	1	1	360	10	40	0	07.4	-06	59	51	1	3	8	7	2	81	1	0	crr pR	crr pR	64	5.4	0.2	
Elmdon	360	01	08	c	08.8	-0.3	52	51	6	1	1	8	8	36	6	04	030	16	22	0	08.6	-08	58	51	2	3	9	7	4	81	2	40	1	crr pR	crr pR	61	1.3	2
Cottesmore	360	01	08	c	08.0	-0.3	52	48	5	1	1	8	3	60	1	1	040	16	20	0	09.4	-01	52	47	1	8	2	6	2	60	1	1	crr pR	crr pR	60	2.6	2	
Watnall	360	01	08	c	08.9	-0.6	52	49	5	2	1	8	5	65	1	1	040	16	40	0	09.9	-02	53	46	1	8	5	7	4	80	1	1	crr pR	crr pR	59	1.4	2	
Ross-on-Wye	360	01	08	c	08.9	-0.6	59	51	2	1	8	5	4	25	1	1	020	04	12	0	08.1	-01	58	52	6	1	8	8	06	1	1	1	crr pR	crr pR	63	2.6	1	
Shawbury	360	01	08	c	08.6	-0.5	52	51	1	1	1	8	8	12	4	06	030	05	18	0	08.8	-07	57	53	1	3	1	2	1	83	1	2	crr pR	crr pR	58	0.0	6	
Bristol	350	02	08	c	08.0	-0.4	60	52	1	3	8	7	2	20	1	1	100	05	11	0	06.9	-02	57	57	7	2	1	8	6	07	1	2	crr pR	crr pR	64	2.5	18	
Plymouth	120	02	08	c	08.0	-0.4	61	51	1	7	2	7	2	20	1	1	0	056	0	08.2	-01	53	52	6	2	1	8	4	12	1	1	crr pR	crr pR	61	5.1	1		
Chivenor	140	10	08	c	07.9	-0.2	64	52	1	7	1	7	6	80	3	20	090	03	64	0	08.0	-03	55	52	5	2	1	8	8	0	3	18	1	crr pR	crr pR	64	4.6	9
St Eval	120	10	08	c	07.6	-0.2	58	41	2	3	2	7	6	83	1	16	170	03	82	0	08.0	-03	55	41	8	9	1	8	5	40	1	22	1	crr pR	crr pR	60	6.7	11
Culdrose	160	16	08	c	07.3	-0.8	57	48	1	3	6	5	3	20	1	1	120	08	81	0	07.6	-07	52	48	5	3	1	7	6	81	3	40	0	crr pR	crr pR	58	8.1	-
Silly, St Mary's	110	15	06	c	06.0	-0.1	58	52	1	1	5	5	2	20	1	1	110	13	64	0	06.3	-01	54	50	5	1	1	6	8	70	3	20	0	crr pR	crr pR	58	7.5	-
Guernsey	110	15	06	c	08.1	-0.1	58	50	6	7	1	7	1	10	1	02	020	08	24	0	07.6	-05	52	50	5	7	1	7	6	40	2	02	1	crr pR	crr pR	57	3.2	11
Aberporth	050	08	07	c	08.5	-0.6	53	47	2	1	5	4	2	22	1	1	0	0	80	0	08.3	-02	53	49	2	7	1	8	8	83	6	18	2	crr pR	crr pR	57	8.4	3
Pembroke Dock	050	04	08	c	08.2	-0.8	58	48	1	3	8	6	1	22	1	1	350	06	64	0	08.8	-01	57	51	5	2	1	8	6	22	1	1	1	crr pR	crr pR	62	6.3	4
Holyhead (Valley)	030	02	08	c	09.0	-0.2	60	51	1	4	2	7	2	81	5	18	050	12	04	0	09.0	-02	56	51	5	1	1	7	7	50	4	30	1	crr pR	crr pR	57	6.6	-
Manchester	070	02	08	c	09.8	-0.9	52	48	5	2	1	8	5	22	1	1	040	10	32	0	09.9	-01	56	45	2	7	1	7	6	83	5	45	2	crr pR	crr pR	58	0.2	5
Squires Gate	070	10	24	c	10.2	-1.0	50	48	7	2	1	8	8	46	6	18	090	11	48	0	10.9	-01	57	47	8	3	2	6	3	30	1	1	1	crr pR	crr pR	59	0.1	6
Silloth	040	18	02	c	12.0	-0.9	53	45	1	1	1	8	6	80	1	1	060	23	64	0	12.9	-06	52	44	1	7	2	7	5	84	1	1	1	crr pR	crr pR	57	0.0	0.3
Finnigley	070	10	40	c	10.4	-0.6	58	46	5	3	1	7	6	50	1	1	050	15	56	0	11.4	-06	52	42	1	3	1	3	1	81	1	1	0	crr pR	crr pR	62	3.0	-
Spurn Head	090	12	16	c	10.8	-1.0	54	46	1	1	8	6	1	1	1	1	070	18	16	0	11.1	-02	50	43	1	7	8	6	2	81	1	1	0	crr pR	crr pR	55	8.6	-
Dishforth	030	11	08	c	11.7	-0.6	58	46	1	1	8	6	1	1	1	1	070	08	80	0	12.9	-09	54	42	1	1	8	6	1	1	1	1	0	crr pR	crr pR	61	6.3	-
Tynemouth	080	09	40	c	14.3	-0.4	49	45	1	1	5	7	1	1	1	1	050	09	32	0	16.0	-05	47	40	5	1	7	7	28	1	1	0	crr pR	crr pR	49	8.1	-	
Leuchars	090	10	32	c	16.2	-0.9	47	43	6	1	1	8	7	07	1	1	090	08	80	0	17.3	-05	48	43	6	1	8	8	12	1	08	1	crr pR	crr pR	50	0.6	-	

Chart of Weather in the Northern Hemisphere.






GENERAL INFERENCE.
 A depression between Ireland and the Azores is moving South-southeast or South-east and becoming less deep. Associated troughs of low pressure are affecting our southern districts. In most places South of about the Mersey to the Wash the weather will be cloudy and there will be rain in Southwest England and South Wales this afternoon and occasional rain or showers elsewhere with a chance of local thunders in Southeast England later today. There is a possibility of an area of thundery rain moving westwards from the Continent into Southeast England and parts of East Anglia later tonight or tomorrow morning and continuing to move westwards subsequently. North of about the Wash to Mersey and in Northern Ireland it will be dry with bright periods in most places, but clouds

FURTHER OUTLOOK.
 will persist in many parts of Eastern Scotland and may spread to Northeast England tonight and tomorrow. Temperatures will be mostly in the fifties this afternoon but may reach the lower sixties in the Southeast of England.

FURTHER OUTLOOK.
 Dry in most places but there may be rain at times in Southern England, probably chiefly in the West.

Mean Sea surface isotherms for MAY are shown thus 10° 20° 30° 40° 50°

SCALE: 1 inch = 100 Nautical Miles
 1 inch = 150 Statute Miles



0600h. TODAY. Friday 2nd May 1952

All times are GMT. Add one hour to get summer time.

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

OBSERVATIONS at 00hr. G.M.T. 2nd May 1952																OBSERVATIONS at 06hr. G.M.T. 2nd May 1952																OBSERVATIONS during NIGHT									
STATIONS	Height above M.S.L.	Wind		+ Visibility	Present Weather	Pressure		Temp.		Cloud						Wind	+ Visibility	Present Weather	Pressure		Temp.		Cloud						9h.	Weather		Temperature									
		Direction (degrees)	Speed (kts.)			Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form			Total amount	Main layer	Lowest layer				Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form			Total amount	Main layer	Lowest layer		21h to 03h (39)	03h to 09h (40)	Min. °F. (41)	Min. °C (42)								
										Low	Medium	High											Low	Medium	High																
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)							
Kew	18							55										06.9	03	07	c	08.9	+0.1	54	52	5	-	-	7	7	25	-	-	1	cm.cir.m	crf.m	52	51			
London Airport	82	070	02	11	C	01.6	+0.2	55	51	5	1	1	7	7	80	1	47	07.0	02	11	c	08.4	+0.2	53	51	5	7	-	6	5	50	-	-	1	cm.cir.m	cr.m.c.m.	52	49			
Lymington	341	090	08	40	C	01.9	+0.5	55	52	1	1	1	6	6	80	1	47	09.0	03	04	c	08.3	+0.9	54	52	5	7	-	8	3	55	-	-	0	bcw.bcc	cpr.c	51	47			
Tangmere	53	070	02	32	C	01.2	+0.5	55	52	1	1	1	7	7	80	1	47	07.0	03	06	c	07.5	-0.3	54	54	7	2	-	8	8	50	5	15	1	cm.	ccr.cir.m	53	49			
Calshot	12	070	02	16	C	01.2	+0.1	55	55	6	1	1	8	8	24	1	47	07.0	03	10	c	07.0	-0.3	54	54	6	-	-	8	8	15	-	-	2	crf.m.c.m.	ORR.m.c.m.	53	52			
Boscombe Down	414	070	02	24	C	01.6	+0.3	54	54	6	1	1	8	8	11	1	47	09.0	03	04	c	07.8	+0.2	53	53	6	-	-	8	8	03	-	-	2	rr.m.c.m.	m.cir.m	53	49			
Felixstowe	10	060	11	32	C	01.6	+0.1	50	49	1	1	1	2	2	10	1	47	05.0	09	24	c	09.6	+1.0	52	50	5	7	-	8	8	81	2	70	1	b.c.m.l	m.cir.m	51	46			
Gorleston	5	090	18	40	C	01.1	+0.5	50	46	1	1	1	2	2	10	1	47	08.0	14	20	c	10.4	+0.1	49	46	1	7	-	7	7	-	-	0	bcz.bm.l	bc.m.cir.m	49	40				
West Raynham	250	060	13	32	C	01.1	+0.5	49	44	1	1	1	0	0	1	1	47	09.0	14	20	bc	10.3	+0.5	49	46	1	3	-	4	4	80	2	55	1	bm.	bc.m.	47	43			
Mildenhall	15	080	08	24	C	01.1	+0.3	51	47	1	1	1	0	0	1	1	47	09.0	05	28	c	09.9	+1.1	51	47	5	7	-	8	8	81	2	55	1	bm.w	bc.m.cir.	49	43			
Cranfield	340	040	13	40	bc	09.0	+1.0	48	46	5	1	1	4	4	48	1	47	04.0	13	20	c	10.7	+0.5	47	45	6	-	-	8	8	10	-	55	2	bc.m.bc	cir.m.cir.m	46	44			
Elmdon	326	030	13	40	bc	10.3	+0.8	47	43	5	1	1	4	4	51	3	47	04.0	11	16	c	11.2	+0.4	47	45	6	7	-	7	5	50	4	05	1	cir.c	ccrrr.c	45	43			
Collesmore	452	040	20	28	bc	11.4	+0.8	48	43	5	1	1	6	6	50	1	47	01.0	15	24	c	11.7	+0.3	46	44	6	-	-	8	6	15	-	-	1	cm.bcm.	cm.cir.m	45	43			
Watnall	366	030	20	28	bc	11.4	+0.8	48	43	5	1	1	6	6	50	1	47	05.0	03	24	c	09.7	+0.5	48	46	1	2	-	8	6	06	-	-	1	cm.cir.prbc	cm.cir.c	48	47			
Ross-on-Wye	223																																								
Shawbury	235	040	14	32	C	10.6	+0.7	52	41	5	1	1	8	8	25	1	47	09.0	11	36	c	11.1	+0.7	48	45	6	-	-	8	8	25	4	12	2	cm.c	cm.cir.c	48	44			
Bristol	192	040	08	16	C	07.6	+0.3	52	48	2	1	1	8	8	30	1	47	01.0	10	16	c	08.2	+0.4	49	48	6	-	-	8	8	08	-	-	2	cr.cir.c	cir.cir.c	47	43			
Plymouth	90	070	02	32	C	07.9	+0.5	52	48	2	1	1	8	8	60	1	47	34.0	02	56	c	08.2	+0.2	50	49	5	1	-	8	6	60	-	-	1	cm.c	bc.cir.crrm	49	49			
Chivenor	20	070	02	32	C	08.1	+0.4	51	50	4	1	1	8	8	10	1	47	07.0	04	80	c	08.5	+0.4	51	49	5	2	-	8	8	80	1	10	1	cr.cir.c	ccrrm	49	44			
St. Eval	336	070	02	32	C	08.4	+0.2	50	47	5	1	1	8	8	50	1	47	04.0	04	80	c	08.8	+0.5	49	47	5	-	2	6	5	60	-	-	1	cr	ccm	48	44			
Culdrose	260	070	03	40	C	07.8	+0.3	48	43	5	1	1	4	4	20	1	47	05.0	03	80	c	08.2	+0.6	45	43	6	7	-	7	4	25	-	-	1	bc	bc	42	38			
Scilly, St. Mary's	163	090	07	80	C	07.4	+0.3	48	43	5	1	1	1	1	1	1	47	14.0	07	52	bc	07.7	+0.4	49	47	5	1	1	5	3	20	-	-	0	bc	bc	47	44			
Guernsey	340	350	02	08	C	08.1	+0.3	43	43	1	1	1	2	2	6	1	47	07.0	05	11	c	07.8	-0.3	50	48	5	7	-	7	4	60	4	03	1	bc.cir	cm.cir	48	46			
Aberporth	375	020	07	08	C	08.7	+0.3	51	50	1	1	1	8	8	5	1	47	08.0	05	32	c	09.0	+1.3	50	47	5	9	-	7	7	80	-	-	1	cm.crrm	cm.cir.c	49	49			
Pembroke Dock	40	300	07	48	C	08.1	+0.2	50	48	7	2	1	8	8	16	3	09	07.0	05	20	c	09.0	+1.0	51	50	6	-	-	8	8	15	6	07	1	cm.crrm	cm.cir.c	49	49			
Holyhead (Valley)	32	070	17	24	C	08.8	+0.4	50	42	5	7	1	8	8	3	30	47	09.0	18	11	c	09.3	+0.5	49	44	8	3	2	7	2	30	4	22	1	cm.c	cm.cir	48	46			
Manchester	230	060	19	40	C	11.0	+0.5	43	40	2	2	1	8	8	5	1	47	06.0	18	40	bc	11.3	+0.5	48	43	8	3	1	5	3	45	1	35	1	cz.cir	bc.cir	46	42			
Squires Gate	33	080	12	32	C	11.6	+0.8	47	43	2	2	1	6	6	5	1	47	08.0	09	64	bc	11.9	+0.7	48	43	5	3	1	5	2	30	-	-	1	cz.m.	cm.cir	46	42			
Silloth	25	070	12	40	C	15.0	+0.3	45	43	3	5	1	6	6	13	1	47	06.0	23	32	c	15.2	+0.4	45	42	6	-	1	7	6	11	-	-	1	bc.m.	bc.m.	43	43			
Finnigley	52	010	10	40	C	12.7	+0.3	46	43	3	5	1	6	6	20	1	47	36.0	07	40	c	13.1	+0.5	47	43	5	5	-	7	6	25	2	10	0	cm.cir	bc.m.cir	45	43			
Spurn Head	29	050	16	32	C	12.5	+0.8	46	44	1	1	1	8	8	1	0	47	18.0	21	24	bc	12.4	+0.3	47	43	3	-	-	5	5	20	-	-	1	bpr.	cpr.cir	45	40			
Dishforth	106	350	10	64	C	15.6	+0.2	46	43	1	1	1	8	8	14	1	47	35.0	07	48	bc	15.3	+0.1	46	44	1	3	9	3	7	84	-	-	0	bc	bc	44	45			
Tynemouth	108	090	10	56	C	17.6	+0.1	43	41	1	1	1	8	8	25	1	47	05.0	13	32	bc	17.0	-0.3	46	44	1	-	-	3	3	32	-	-	0	c	bc.m.	44	45			
Leuchars	36	090	08	48	C	18.4	+0.1	46	44	1	1	1	8	8	15	1	47	10																							

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue Saturday 3rd May 1952

OBSERVATIONS at 12h. G.M.T. 2nd May 1952

OBSERVATIONS at 18h. G.M.T. 2nd May 1952

OBSERVATIONS during DAY

STATIONS (For heights see p. 4)	Wind		+ Visiblty	Present Weather	Pressure		Temp.		Cloud						Wind	+ Visiblty	Present Weather	Pressure		Temp.		Cloud						24 h State of ground	Weather.			Max. Temp. 08h- 21h (°F)	Sun- shine (%)	Rain 09h- 21h (mm)																						
	Direction (degrees)	Speed (kts.)			Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form						Direction (degrees)			Speed (kts.)			Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form						09h to 15h. (34)				15h. to 21h. (35)																					
									Low	Medium	High	Total amount	Main layer	Lowest layer											Low	Medium	High	Total amount	Main layer	Lowest layer																										
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)																			
Kew ...	090	2	7	pc	29.8	+0.7	62	56	3	1	1	8	7	6	25	110	06	47	09.1	+0.2	61	54	2	7	7	7	7	3	40	1	cm, fog, m.	cm, fog, m.	63	0.7	Tr																					
London Airport	100	2	7	pc	29.8	+0.7	62	56	3	1	1	8	7	6	25	120	05	48	09.2	+0.2	61	56	2	7	7	7	7	3	40	1	cm, fog, m.	cm, fog, m.	63	0.7	Tr																					
Lymington	100	2	7	pc	29.8	+0.7	62	56	3	1	1	8	7	6	25	130	05	48	09.3	+0.2	61	56	2	7	7	7	7	3	40	1	cm, fog, m.	cm, fog, m.	63	0.7	Tr																					
Tangmere	100	2	7	pc	29.8	+0.7	62	56	3	1	1	8	7	6	25	140	05	48	09.4	+0.2	61	56	2	7	7	7	7	3	40	1	cm, fog, m.	cm, fog, m.	63	0.7	Tr																					
Calshot	110	2	7	pc	29.8	+0.7	62	56	3	1	1	8	7	6	25	150	05	48	09.5	+0.2	61	56	2	7	7	7	7	3	40	1	cm, fog, m.	cm, fog, m.	63	0.7	Tr																					
Boscombe Down	160	10	05	pc	29.4	+0.2	55	53	5	1	1	8	8	04	190	01	20	08.9	+0.1	59	54	2	7	7	7	7	3	29	1	cm, fog, m.	cm, fog, m.	62	2.2	6																						
Felixstowe	080	10	24	pc	29.9	+0.9	53	49	5	1	1	8	8	04	030	09	24	10.0	+0.8	54	50	2	7	7	7	7	3	29	1	cm, fog, m.	cm, fog, m.	56	0.1	0.1																						
Corkeston	090	10	24	pc	29.9	+0.9	53	49	5	1	1	8	8	04	060	10	24	11.1	+0.8	54	50	2	7	7	7	7	3	29	1	cm, fog, m.	cm, fog, m.	51	3.5	0.1																						
West Raynham	080	14	28	pc	29.7	+0.7	51	49	5	1	1	8	8	04	060	10	24	11.2	+0.8	54	50	2	7	7	7	7	3	29	1	cm, fog, m.	cm, fog, m.	56	2.6	0.2																						
Mildenhall	080	14	28	pc	29.7	+0.7	51	49	5	1	1	8	8	04	070	10	24	11.2	+0.8	54	50	2	7	7	7	7	3	29	1	cm, fog, m.	cm, fog, m.	56	2.6	0.2																						
Grainfield	080	14	28	pc	29.7	+0.7	51	49	5	1	1	8	8	04	070	10	24	11.2	+0.8	54	50	2	7	7	7	7	3	29	1	cm, fog, m.	cm, fog, m.	56	2.6	0.2																						
Elmston	060	15	18	pc	29.7	+0.1	57	54	6	1	1	8	6	08	070	14	32	09.8	+0.2	58	54	6	1	1	8	6	12	2	01	1	cm, fog, m.	cm, fog, m.	62	2.1	0.1																					
Collesmore	080	15	20	pc	29.9	+0.2	53	51	6	1	1	8	8	03	080	14	32	10.5	+0.9	53	51	6	1	1	8	6	12	2	01	1	cm, fog, m.	cm, fog, m.	56	0.0	Tr																					
Watnall	080	15	20	pc	29.9	+0.2	53	51	6	1	1	8	8	03	090	12	32	11.5	+0.9	54	50	6	1	1	8	6	12	2	01	1	cm, fog, m.	cm, fog, m.	54	0.3	0.5																					
Ross-on-Wye	080	14	20	pc	29.9	+0.3	54	50	6	1	1	8	8	03	090	12	32	11.5	+0.9	54	50	6	1	1	8	6	12	2	01	1	cm, fog, m.	cm, fog, m.	56	0.0	Tr																					
Shawbury	070	08	06	pc	29.8	+0.2	50	49	2	1	1	8	7	04	080	09	05	09.0	+0.0	56	55	6	1	1	8	6	12	2	01	1	cm, fog, m.	cm, fog, m.	57	0.0	Tr																					
Bristol	080	08	13	pc	29.8	+0.2	53	50	2	1	1	8	8	08	090	13	25	10.7	+0.6	54	49	6	1	1	8	6	12	2	01	1	cm, fog, m.	cm, fog, m.	58	0.0	Tr																					
Plymouth	030	09	09	pc	29.8	+0.8	51	51	1	2	1	8	7	03	250	08	08	08.3	+0.8	51	51	1	2	1	8	6	12	2	01	1	cm, fog, m.	cm, fog, m.	62	0.5	7																					
Chivenor	340	07	08	pc	29.9	+0.2	54	50	5	1	1	8	8	08	260	08	08	08.7	+0.1	57	51	2	1	1	8	6	12	2	01	1	cm, fog, m.	cm, fog, m.	59	4.4	6																					
St Eval	380	10	24	pc	29.9	+0.2	51	51	1	2	1	8	8	08	270	08	08	09.5	+0.4	52	50	2	1	1	8	6	12	2	01	1	cm, fog, m.	cm, fog, m.	53	0.0	Tr																					
Culdrose	350	08	06	pc	29.9	+0.2	51	49	6	1	1	8	8	08	020	08	08	09.1	+0.3	55	51	2	1	1	8	6	12	2	01	1	cm, fog, m.	cm, fog, m.	57	5.6	1																					
Scilly, St. Mary's	360	08	06	pc	29.7	+0.1	56	50	1	1	1	8	7	04	230	06	08	08.8	+0.6	58	46	2	1	1	8	6	12	2	01	1	cm, fog, m.	cm, fog, m.	58	5.1	Tr																					
Guernsey	080	08	24	pc	29.9	+0.6	57	53	5	1	1	8	7	08	080	06	08	08.4	+0.2	58	50	2	1	1	8	6	12	2	01	1	cm, fog, m.	cm, fog, m.	64	8.3	Tr																					
Aberporth	260	10	32	pc	29.9	+0.6	55	48	1	1	1	8	7	08	360	08	08	09.0	+0.5	56	50	2	1	1	8	6	12	2	01	1	cm, fog, m.	cm, fog, m.	59	8.1	Tr																					
Pembroke Dock	080	08	24	pc	29.9	+0.2	50	49	6	1	1	8	8	06	0	0	40	08.6	+0.2	52	50	2	1	1	8	6	12	2	01	1	cm, fog, m.	cm, fog, m.	54	0.0	Tr																					
Holyhead (Valley)	0	0	12	pc	29.9	+0.0	51	50	6	1	1	8	8	04	0	0	40	09.3	+0.5	55	51	2	1	1	8	6	12	2	01	1	cm, fog, m.	cm, fog, m.	57	1.5	10																					
Manchester	030	21	09	pc	29.2	+0.7	51	49	5	1	1	8	8	03	060	15	11	09.4	+0.2	55	50	5	1	1	8	6	12	2	01	1	cm, fog, m.	cm, fog, m.	57	0.0	Tr																					
Squires Gate	030	11	40	pc	29.1	+0.2	57	45	5	1	1	8	8	03	060	14	40	11.5	+0.6	54	45	5	1	1	8	6	12	2	01	1	cm, fog, m.	cm, fog, m.	58	0.4	Tr																					
Silloth	030	19	64	pc	29.1	+0.1	62	47	2	3	1	6	2	30	080	16	56	11.5	+0.1	56	44	5	1	1	8	6	12	2	01	1	cm, fog, m.	cm, fog, m.	64	5.2	Tr																					
Finningley	060	21	40	pc	29.4	+0.1	60	43	4	2	3	1	8	1	060	23	64	13.3	+0.4	55	41	2	3	1	8	6	12	2	01	1	cm, fog, m.	cm, fog, m.	62	8.3	Tr																					
Spurn Head	070	12	40	pc	29.4	+0.0	57	47	6	3	1	7	5	20	070	16	48	13.3	+0.2	53	43	5	1	1	8	6	12	2	01	1	cm, fog, m.	cm, fog, m.	59	0.0	Tr																					
Dishforth	090	20	24	pc	29.3	+0.7	51	47	5	1	1	8	8	03	070	22	24	13.3	+0.2	50	43	5	1	1	8	6	12	2	01	1	cm, fog, m.	cm, fog, m.	53	5.4	Tr																					
Tynemouth	090	14	64	pc	29.3	+0.3	56	49	5	3	1	4	4	50	080	15	80	14.9	+0.3	54	44	5	1	1	8	6	12	2	01	1	cm, fog, m.	cm, fog, m.	60	8.7	Tr																					
Leuchars	090	09	32	pc	29.0	+0.4	50	44	1	1	1	8	3	32	070	11	40	17.4	+0.2	48	44	1	1	1	8	6	12	2	01	1	cm, fog, m.	cm, fog, m.	50	12.7	Tr																					
Esdailemuir	090	15	40	pc	29.7	+0.7	47	43	6	1	1	8	8	08	080	11	32	19.0	+0.4	46	44	1	1	1	8	6	12	2	01	1	cm, fog, m.	cm, fog, m.	50	0.3	Tr																					
Prentwick	080	20	81	pc	29.6	+0.9	58	46	5	3																																														

Chart of Weather in the Northern Hemisphere.



EXPLANATION OF CHART

BAROMETER. Isobars are drawn for intervals of four millibars.

WIND. Arrows fly with wind. A full length feather indicates two steps on the Beaufort Scale, and a short feather one step. Calm is indicated by circle outside weather symbol.

TEMPERATURE is given in degrees F.

CLOUD SYMBOLS ○ Clear sky ○ Sky 1/8 covered ○ Sky 1/4 covered ○ Sky 1/2 covered ○ Sky 3/4 covered ○ Sky obscured. **WEATHER SYMBOLS** ● Rain falling * Snow * Sleet △ Hail ≡ Fog = Mist T Thunder ⚡ Thunderstorm

FRONTS or boundaries between masses of air of different origin are indicated, wherever their characteristics are well pronounced in the following way—
 — Warm Front on the surface
 — Warm Front above the ground
 — Cold Front on the surface
 — Cold Front above the ground
 — Occluded Front (or Occlusion)
 — Lines of Frontogenesis
 Short strokes across the frontal line indicate Frontolysis.

NOTE—The symbols are placed on the side of the line towards which the front is moving. When the front is stationary the symbols are placed alternately on both sides of the line. Identification letters are inserted on fronts and in systems.


All times are G.M.T. Add one hour to get summer time.

GENERAL INFERENCE.

A depression centred off Northwest Spain is expected to move slowly northeast and an associated trough across North France and the low countries is swinging northwest into the British Isles. The weather will be mainly cloudy and outbreaks of thundery rain now occurring in many parts of England and Wales will spread north or northwest. Afternoon temperatures will be mostly in the fifties except in East Scotland, but may reach 60° or rather over in parts of Southern England today.

FURTHER OUTLOOK.

Periods of rain in most places - some bright periods chiefly in the South.



THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

OBSERVATIONS at 00hr. G.M.T. 3rd May 1952																OBSERVATIONS at 06hr. G.M.T. 3rd May 1952																OBSERVATIONS during NIGHT																																																																																																																																																																																																																																																																																																																																																																																											
STATIONS	Height above M.S.L.	Wind		+ Visibility	Present Weather	Pressure		Temp.		Cloud						Wind	+ Visibility	Present Weather	Pressure		Temp.		Cloud						9 h.	Weather		Temperature		Rain																																																																																																																																																																																																																																																																																																																																																																																									
		Direction (degrees)	Speed (kts.)			Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb				Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer		Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb		Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue Sunday 4th May 1952

OBSERVATIONS at 12h. G.M.T. 3rd May 1952

OBSERVATIONS at 18h. G.M.T. 3rd May 1952

OBSERVATIONS during DAY


STATIONS (For heights see p. 4)	Wind		+ Visiblty	Present Weather	Pressure		Temp.		Cloud						21 h + State of ground	Weather.		Max. Temp. 09h.- 21h. °F	Sun- shine. °F	Rain 09h.- 21h. mm.																	
	Direction (degrees)	Speed (kts.)			Bar at M.S.L.	Change in 3 hrs.	°F	Dry Bulb	Dew point	Form																											
										Main layer																											
										Low	Medium	High	Total 0-8	0-8 Ht.		0-8 Ht.																					
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	09h. to 15h. (34)	15h. to 21h. (35)	(36)	(37)	(38)
Kew	020	01	07	60	02.5	-20	54	52	7	2	-	8	8	15	08	070	04	07	0	99.3	-05	58	53	6	-	-	8	7	50	4	15	1	09h. to 15h. (34)	15h. to 21h. (35)	59	0.4	2
London Airport	060	05	08	60	03.0	-17	55	52	6	1	-	8	8	10	-	110	05	16	0	99.3	-15	53	54	5	7	1	7	6	15	-	-	1	09h. to 15h. (34)	15h. to 21h. (35)	59	0.4	2
Lymington	330	05	09	60	02.8	-14	54	54	7	1	-	8	8	10	06	110	05	24	0	99.3	-07	55	55	5	3	1	7	5	30	-	-	1	09h. to 15h. (34)	15h. to 21h. (35)	60	0.2	1
Tangmere	020	10	09	60	02.3	-20	53	51	6	2	-	8	8	60	06	120	10	48	0	99.9	-15	56	53	6	3	1	7	1	80	1	08	1	09h. to 15h. (34)	15h. to 21h. (35)	60	1.5	9
Calshot	020	07	20	60	02.4	-18	52	51	7	2	-	8	8	6	06	140	08	10	0	99.0	-14	53	52	6	-	-	8	8	02	-	-	1	09h. to 15h. (34)	15h. to 21h. (35)	55	0.1	4
Boscombe Down	040	11	13	60	04.0	-22	50	50	7	2	-	8	8	25	03	200	01	16	0	00.1	-17	55	54	6	-	-	8	8	08	-	-	1	09h. to 15h. (34)	15h. to 21h. (35)	55	0.0	6
Felixstowe	040	13	40	60	04.2	-14	51	50	7	2	-	8	8	70	03	100	02	08	0	01.5	-16	52	41	6	-	-	8	8	25	-	-	2	09h. to 15h. (34)	15h. to 21h. (35)	55	0.1	2
Orleston	060	10	36	60	05.1	-12	50	48	6	1	-	8	8	8	02	080	12	20	0	00.9	-25	50	47	6	-	-	7	7	30	-	-	2	09h. to 15h. (34)	15h. to 21h. (35)	52	0.3	0.5
West Raynham	080	18	32	60	05.5	-20	51	47	7	1	-	8	8	80	-	080	12	32	0	01.2	-22	51	48	5	7	-	8	4	50	1	10	0	09h. to 15h. (34)	15h. to 21h. (35)	54	0.2	Tr
Mildenhall	080	12	28	60	04.3	-14	56	48	5	-	-	8	8	25	-	090	05	32	0	00.6	-14	55	51	5	-	-	8	8	30	-	-	1	09h. to 15h. (34)	15h. to 21h. (35)	60	1.1	1
Gransfield	050	11	32	60	03.7	-17	55	53	6	7	-	8	8	08	-	090	08	07	0	99.9	-13	53	52	6	-	-	8	8	05	-	-	1	09h. to 15h. (34)	15h. to 21h. (35)	56	0.1	0.4
Elmdon	040	15	32	60	05.0	-23	51	47	6	1	-	8	8	25	06	070	09	16	0	00.7	-17	48	48	6	-	-	8	8	05	-	-	2	09h. to 15h. (34)	15h. to 21h. (35)	53	0.0	10
Collesmore	040	18	32	60	06.1	-17	49	47	6	1	-	8	8	05	07	050	13	08	0	02.1	-12	48	48	6	-	-	8	8	05	-	-	1	09h. to 15h. (34)	15h. to 21h. (35)	51	0.4	1
Watnall	050	15	30	60	06.4	-21	51	49	6	1	-	7	7	45	2	050	13	08	0	02.1	-12	48	48	6	-	-	8	8	05	-	-	1	09h. to 15h. (34)	15h. to 21h. (35)	52	0.0	3
Ross-on-Wye	360	09	08	60	04.7	-29	50	47	6	1	-	8	8	06	-	070	05	07	0	00.1	-15	50	49	-	2	-	8	8	04	-	-	2	09h. to 15h. (34)	15h. to 21h. (35)	51	0.0	8
Shawbury	090	12	32	60	05.2	-23	56	47	6	2	-	8	8	20	2	080	06	17	0	00.8	-21	50	48	7	2	-	8	8	15	4	09	2	09h. to 15h. (34)	15h. to 21h. (35)	57	0.4	5
Bristol	030	11	09	60	03.5	-23	49	49	6	1	-	8	8	03	-	050	07	08	0	99.3	-15	52	52	6	-	-	8	8	02	-	-	2	09h. to 15h. (34)	15h. to 21h. (35)	52	0.0	10
Plymouth	090	02	12	60	02.1	-22	55	52	6	1	-	8	8	10	-	100	12	48	0	98.3	-18	54	51	6	-	-	7	7	12	-	-	1	09h. to 15h. (34)	15h. to 21h. (35)	57	0.2	3
Chivenor	080	07	06	60	02.4	-27	55	51	7	1	-	8	8	30	4	090	08	16	0	98.7	-18	54	51	6	-	-	8	8	10	-	-	1	09h. to 15h. (34)	15h. to 21h. (35)	56	0.0	1
St Eval	030	12	20	60	02.9	-29	53	51	6	1	-	8	8	03	-	020	05	13	0	98.1	-21	54	52	6	-	-	8	8	10	7	04	1	09h. to 15h. (34)	15h. to 21h. (35)	54	0.0	0.5
Coldrose	090	06	60	60	01.2	-30	61	50	8	-	-	6	5	2	40	080	09	25	0	98.2	-10	53	47	7	-	-	8	8	15	5	08	1	09h. to 15h. (34)	15h. to 21h. (35)	63	2.9	Tr
Scilly, St. Mary's	040	14	24	60	02.1	-18	53	49	6	1	-	7	7	1	06	030	09	16	0	98.3	-18	54	48	6	-	-	8	8	06	-	-	0	09h. to 15h. (34)	15h. to 21h. (35)	56	5.4	-
Guernsey	150	04	05	60	01.4	-22	53	50	6	1	-	8	8	1	4	110	03	56	0	98.0	-17	58	51	5	8	6	6	4	-	1	50	0	09h. to 15h. (34)	15h. to 21h. (35)	60	5.4	0.2
Aberporth	050	03	16	60	03.7	-21	50	50	7	2	-	8	8	15	5	0	12	0	0	99.2	-22	49	49	6	-	-	8	8	04	-	02	1	09h. to 15h. (34)	15h. to 21h. (35)	51	0.0	5
Pembroke Dock	070	05	20	60	04.1	-21	52	50	6	1	-	8	8	15	3	0	12	0	0	99.5	-20	52	51	7	-	-	8	8	06	-	-	2	09h. to 15h. (34)	15h. to 21h. (35)	54	0.0	4
Holyhead (Valley)	050	16	24	60	04.4	-18	52	46	5	7	-	8	8	83	4	050	15	09	0	00.1	-22	51	48	5	7	1	8	8	60	2	30	1	09h. to 15h. (34)	15h. to 21h. (35)	56	0.6	4
Manchester	040	19	28	60	06.4	-17	51	45	2	7	-	8	8	35	30	040	15	32	0	00.9	-29	49	45	5	7	1	8	8	80	1	10	1	09h. to 15h. (34)	15h. to 21h. (35)	53	0.7	0.5
Squires Gate	080	14	44	60	06.8	-17	52	46	5	7	-	8	8	30	1	080	16	32	0	01.9	-21	50	47	5	-	-	8	8	70	2	18	2	09h. to 15h. (34)	15h. to 21h. (35)	56	0.4	3
Silloth	060	22	40	60	08.3	-24	52	44	5	7	-	8	8	60	28	080	22	28	0	08.9	-17	48	43	5	7	-	8	8	35	-	-	1	09h. to 15h. (34)	15h. to 21h. (35)	56	3.4	2
Finnigley	040	09	52	60	07.2	-21	53	44	5	7	-	8	8	28	-	040	14	52	0	02.2	-25	50	45	5	7	-	8	8	07	-	-	1	09h. to 15h. (34)	15h. to 21h. (35)	54	0.0	0.2
Spurn Head	070	21	32	60	08.2	-15	47	45	3	-	-	7	5	25	2	090	18	32	0	04.9	-17	49	45	3	-	-	8	5	25	4	20	1	09h. to 15h. (34)	15h. to 21h. (35			

Chart of Weather in the Northern Hemisphere.



All times are G.M.T. Add one hour to get summer time.

Probably little change.



Sunday 4th May 1952

All times are GMT. Add one hour to get summer time.

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

OBSERVATIONS at 00hr. G.M.T. 4 th May 1952																OBSERVATIONS at 06hr. G.M.T. 4 th May 1952																OBSERVATIONS during NIGHT									
STATIONS	Height above M.S.L.	Wind		+ Visibility	Present Weather	Pressure		Temp.		Cloud						Wind Direction (degrees)	Speed (kts.)	+ Visibility	Present Weather	Pressure		Temp.		Cloud						9 h. State of ground	Weather		Temperature 21 h.-03 h.								
		Direction (degrees)	Speed (kts.)			Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Bar at M.S.L.	Change in 3 hrs.					Dry Bulb °F.	Dew point °F.	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	21h to 03h (39)	03h to 09h (40)	Min. °F.	Max. °F.												
																															Low	Medium	High	Low	Medium	High	Low	Medium	High	Low	Medium
Kew ...	18							51	51							050	04	03	02	94.1	-17	53	52	6				8	8	05	1	1	cmofw	ofcmow	50	41					
London Airport	82							52	51							030	05	05	0	94.1	-12	53	52	6				8	8	03	1	1	cmofw	ofcmow	49	43					
Lympne ...	341	100	05	32	bf	97.4	-1.2	52	51							100	07	07	C	95.2	-17	54	51	9	7	7	7	7	7	35	1	1	bcwsw	ec	52	42					
Tangmere ...	53	090	02	16	bc	97.1	-1.9	47	47							040	08	08	C	93.6	-14	53	51	12	9	9	9	9	9	40	1	1	bmofcm	ec	46	46					
Calshot ...	12	080	02	04	bf	96.9	-1.3	47	47								040	08	08	C	93.1	-14	51	50	12	9	9	9	9	9	80	2	2	cmofcm	ec	46	46				
Boscombe Down	414	130	05	24	0	97.9	-1.3	51	51							090	07	07	C	94.5	-16	49	49	11	9	9	9	9	9	1	1	1	cmof	ec	49	45					
Felixstowe ...	10	060	06	06	bc	99.7	-1.3	51	51							060	06	02	bc	96.7	-19	51	50	6	9	9	9	9	9	1	1	1	bcfcm	bcfcm	49	43					
Gorleston ...	5	160	03	12	0	97.3	-1.7	49	49							110	06	02	0	96.0	-12	50	49	6	9	9	9	9	9	1	1	1	ofcm	ofcm	49	43					
West Raynham	250	120	04	04	0	97.4	-1.7	49	49							320	06	02	0	96.9	-19	49	49	6	9	9	9	9	9	1	1	1	ofcm	ofcm	46	46					
Mildenhall ...	15	110	04	12	0	97.9	-1.5	52	52							080	06	02	0	95.4	-19	50	50	6	9	9	9	9	9	1	1	1	cmof	ofcm	49	46					
Cranfield ...	340	140	06	06	0	97.6	-1.3	52	52							080	04	04	0	94.6	-19	52	52	6	9	9	9	9	9	1	1	1	ofcm	ofcm	51	48					
Elmdon ...	326	060	06	03	0	97.8	-1.3	50	50							060	07	04	0	95.3	-19	50	50	6	9	9	9	9	9	1	1	1	ofcm	ofcm	49	47					
Collesmore ...	452	070	08	01	0	95.2	-1.8	48	48							040	05	01	0	96.8	-19	45	45	6	9	9	9	9	9	1	1	1	ofcm	ofcm	45	36					
Watnall ...	366	040	05	06	0	97.5	-1.5	47	47							1	0	04	0	94.7	-12	47	47	6	9	9	9	9	9	1	1	1	cmof	ofcm	45	45					
Ross-on-Wye ...	223																																								
Shawbury ...	235	070	05	09	id	97.6	-1.7	48	47							110	06	04	0	95.1	-17	48	48	6	9	9	9	9	9	1	1	1	err	err	48	47					
Bristol ...	192	080	06	06	0	96.3	-1.8	51	51							020	06	06	0	93.7	-12	51	51	6	9	9	9	9	9	1	1	1	idom	idom	49	47					
Plymouth ...	90	080	06	11	0	97.0	-1.8	50	50							090	06	06	0	93.0	-11	50	49	6	9	9	9	9	9	1	1	1	omob	omob	49	48					
Chivenor ...	20	090	05	16	0	95.3	-1.8	50	50							090	04	04	0	92.7	-11	52	49	6	9	9	9	9	9	1	1	1	cm	cm	58	47					
St. Eval ...	336	1	0	32	0	95.4	-1.7	50	49							1	0	24	0	92.9	-10.8	49	49	7	9	9	9	9	9	1	1	1	omob	err	48	47					
Culdrose ...	260	080	08	02	0	97.3	-1.6	49	49							100	08	10	0	92.2	-12	50	50	6	9	9	9	9	9	1	1	1	ofcm	ofcm	49	48					
Scilly, St. Mary's	163	060	06	06	0	97.3	-1.6	51	51							080	13	16	0	91.0	-16	51	49	6	9	9	9	9	9	1	1	1	ofcm	ofcm	50	49					
Guernsey ...	340	180	04	06	0	97.3	-1.6	51	51							1	0	02	0	92.7	-10	51	49	6	9	9	9	9	9	1	1	1	ofcm	ofcm	50	49					
Aberporth ...	375	1	0	24	0	95.3	-1.9	50	49							080	02	04	0	93.6	-10.6	51	49	6	9	9	9	9	9	1	1	1	ofcm	ofcm	49	48					
Pembroke Dock	40	100	06	10	id	95.9	-1.5	51	51							080	02	02	0	93.6	-10.6	52	49	6	9	9	9	9	9	1	1	1	ofcm	ofcm	49	48					
Holyhead (Valley)	32	060	14	09	0	97.3	-1.2	48	47							090	04	09	0	93.8	-10.7	49	48	6	9	9	9	9	9	1	1	1	ofcm	ofcm	47	47					
Manchester ...	230	080	05	32	0	97.8	-1.8	47	46							040	08	20	0	95.6	-10.7	48	46	6	9	9	9	9	9	1	1	1	err	err	47	46					
Squires Gate ...	33	020	11	10	0	97.3	-1.2	47	46							080	10	32	0	95.1	-10.8	48	46	6	9	9	9	9	9	1	1	1	err	err	47	45					
Silloth ...	25	050	26	24	0	97.0	-1.6	45	43							060	23	40	0	96.1	-12	45	43	6	9	9	9	9	9	1	1	1	err	err	45	43					
Finningley ...	52	050	10	32	0	99.1	-1.6	47	45							340	07	14	0	97.1	-12	47	45	6	9	9	9	9	9	1	1	1	err	err	46	45					
Spurn Head ...	29	070	17	24	0	96.6	-1.5	47	45							110	06	16	0	97.2	-16	48	48	6	9	9	9	9	9	1	1	1	oprm	oprm	46	45					
Dishforth ...	106	040	09	08	0	96.1	-1.6	47	45							340	08	16	0	97.2	-16	48	48	6	9	9	9	9	9	1	1	1	oprm	oprm	46	45					
Tynemouth ...	108	050	12	56	0	92.7	-1.1	46	44							080	08	32	0	98.4	-15	46	44	6	9	9	9	9	9	1	1	1	om	om	45	42					
Leuchars ...	36	090	08	24	0	94.4	-1.8	45	44							080	08	24	0	96.6	-12	46	44	6	9	9	9	9	9	1	1	1	ofcm	ofcm	44	41					
Eskdalemuir ...	794															080	10	04	0	96.6	-12	46	44	6	9	9	9	9	9	1	1	1	ofcm	ofcm	44	41					
Prestwick ...	30	060	14	20	0	91.9	-1.6	46	43							060	19	56	0	98.1	-20	46	43	6	9	9	9	9	9	1	1	1	ofcm	ofcm	45	43					
West Freugh ...	52	070	12	24	0	90.7	-1.7	46	46							090	10	40	0	97.5	-10.3	45	45	6	9	9	9	9	9	1	1	1	err	err	43	43					
Ronaldsway ...	55	060	20	24	0	97.3	-1.8	48	45																																

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue Monday 5th May 1952


No. 33037

OBSERVATIONS at 12h. G.M.T. 4th May 1952OBSERVATIONS at 18h. G.M.T. 4th May 1952

OBSERVATIONS during DAY



STATIONS (For heights see p. 4)	Wind		†	Present Weather	Pressure		Temp.		Cloud						Wind		†	Pressure		Temp.		Cloud						21 h †	Weather.		Max. Temp. 09h. 21h. °F (36)	Sun- shine. (37)	Rain 09h. 21h. mm. (38)					
	Direction (degrees)	Speed (kts.)			Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form			Direction (degrees)	Speed (kts.)	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F		Dew point °F	Form			Direction (degrees)	Speed (kts.)	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F		Form					09h to 15h (34)		15h. to 21h. (35)		
									Low +	Medium +	High +								Low +	Medium +	High +								Low +	Medium +				High +	Low +	Medium +	High +	Low +
																	0-8											0-8			0-8	0-8	0-8					
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	
Kew ...	080	04	07	H/c	92.2	-0.6	58	54	9	-	-	8	5	40	6	30	250	04	08	51.8	-0.2	55	53	6	-	-	8	8	25	6	15	1	ducltrio	cir p Rr.	59	0.4	11	
London Airport	100	01	13	o/c	92.3	-0.7	57	54	6	-	-	8	8	15	-	-	240	06	20	51.5	-0.1	55	53	2	-	-	8	8	15	-	-	2	metlrmn	cir p Rr.	59	0.4	20	
Lymington	220	04	20	o/c	93.4	-0.8	54	54	7	-	-	8	7	02	-	-	210	06	01	50.0	-0.1	52	52	2	-	-	8	8	01	-	-	2	cir p Rr.	cir p Rr.	59	0.4	24	
Tangmere	160	04	24	o/c	93.1	+0.1	55	54	7	-	-	8	7	06	-	-	210	08	40	52.8	-0.2	54	52	6	-	-	8	8	15	-	-	2	cir p Rr.	cir p Rr.	59	0.4	24	
Calshot	130	04	32	o/c	92.5	-0.1	53	54	6	-	-	8	8	08	-	-	220	07	81	52.4	-0.2	55	51	5	-	-	8	7	15	-	-	2	cir p Rr.	cir p Rr.	59	0.4	24	
Boscombe Down	130	06	20	o/c	93.5	-0.4	54	54	7	-	-	8	8	25	5	12	310	09	56	52.6	-0.3	55	54	2	-	-	8	6	20	2	10	2	cir p Rr.	cir p Rr.	55	0.0	7	
Farnborough	110	05	28	o/c	93.9	-0.9	54	52	5	-	-	8	8	50	-	-	140	05	16	52.3	-0.3	55	51	2	-	-	8	6	20	2	10	2	cir p Rr.	cir p Rr.	55	0.0	7	
Gorleston	120	07	32	o/c	94.0	-1.0	52	48	-	-	-	7	7	80	-	-	140	05	16	52.3	-0.3	55	51	2	-	-	8	6	20	2	10	2	cir p Rr.	cir p Rr.	55	0.0	7	
West Raynham	080	09	56	o/c	93.5	-1.6	58	54	5	-	-	8	3	45	-	-	120	07	32	52.1	-0.1	56	52	6	-	-	8	5	15	3	14	2	cir p Rr.	cir p Rr.	55	0.0	7	
Mildenhall	080	06	64	o/c	92.9	-1.4	63	54	5	-	-	8	6	30	-	-	130	06	40	51.4	-0.6	57	54	5	-	-	8	5	20	2	10	2	cir p Rr.	cir p Rr.	55	0.0	7	
Cranfield	060	11	13	c	93.0	-0.7	55	53	6	-	-	8	7	20	4	06	270	01	32	51.4	-0.8	54	53	5	-	-	8	4	20	2	12	2	metlrmn	cir p Rr.	57	0.0	12	
Elmdon	040	11	20	c	93.7	-0.8	53	51	6	-	-	8	8	15	7	11	350	06	32	51.8	-0.5	54	54	5	-	-	8	6	22	2	12	2	cir p Rr.	cir p Rr.	56	0.0	8	
Collesmore	030	09	13	o	94.6	-1.0	53	52	6	-	-	8	8	05	-	-	050	09	24	52.0	-0.5	56	52	5	-	-	8	6	15	6	10	2	metlrmn	cir p Rr.	58	0.0	0.2	
Watnall	040	06	11	o	95.5	-0.6	53	51	7	-	-	8	8	12	-	-	060	07	20	52.5	-0.7	55	53	5	-	-	8	7	12	-	-	2	metlrmn	cir p Rr.	55	0.0	0.2	
Ross-on-Wye	050	09	24	o	93.1	-0.7	55	52	7	-	-	8	7	08	-	-	280	01	24	52.6	-0.1	53	52	7	-	-	8	7	08	-	-	2	metlrmn	cir p Rr.	55	0.0	14	
Shawbury	120	05	36	c	93.6	-1.0	58	50	5	-	-	7	6	15	5	-	140	02	13	52.1	-0.6	53	52	5	-	-	8	5	20	-	-	1	cir p Rr.	cir p Rr.	60	0.4	10	
Bristol	020	04	16	c	92.7	-0.3	55	55	6	-	-	8	8	15	5	-	310	02	24	52.5	-0.1	54	54	5	-	-	8	5	12	2	08	2	cir p Rr.	cir p Rr.	55	0.0	10	
Plymouth	200	08	82	c	92.4	+0.1	58	50	8	-	-	7	5	80	4	20	240	06	24	52.3	-0.3	54	50	5	-	-	7	7	15	1	15	2	cir p Rr.	cir p Rr.	55	0.0	5	
Chivenor	170	03	48	o	92.4	-0.4	57	53	2	-	-	8	8	61	20	-	360	02	51	52.1	-0.3	57	50	2	-	-	7	7	15	1	15	2	cir p Rr.	cir p Rr.	55	0.0	5	
St. Eval	160	07	81	o	91.8	-0.4	59	51	2	-	-	8	7	12	-	-	02	51	52.1	-0.3	57	50	2	-	-	7	7	15	1	15	2	cir p Rr.	cir p Rr.	55	0.0	5		
Coldrose	120	10	81	c	91.7	+0.0	55	51	8	-	-	7	7	25	6	15	210	10	81	52.7	+0.0	54	51	8	-	-	7	6	20	1	01	1	cir p Rr.	cir p Rr.	60	0.4	10	
Seilly, St. Mary's	100	12	48	c	91.0	+0.2	59	54	6	-	-	7	7	06	-	-	120	05	20	52.3	+0.2	55	51	8	-	-	7	5	16	1	01	0	cir p Rr.	cir p Rr.	62	0.4	0.2	
Guernsey	170	07	82	c	92.6	+0.4	56	52	6	-	-	7	3	08	-	-	170	06	52	52.8	+0.3	53	51	8	-	-	7	5	15	2	08	1	cir p Rr.	cir p Rr.	60	0.4	0.2	
Aberporth	050	02	80	c	92.8	-0.5	55	49	8	-	-	8	7	30	4	20	-	06	52	52.8	-0.5	55	49	8	-	-	8	5	15	2	08	1	cir p Rr.	cir p Rr.	60	0.4	0.2	
Pembroke Dock	110	05	32	dod.	93.0	-0.2	54	51	7	-	-	8	8	30	4	15	-	02	52	52.8	-0.2	55	51	7	-	-	8	5	15	2	08	1	cir p Rr.	cir p Rr.	60	0.4	0.2	
Holyhead (Valley)	330	05	40	o	93.3	-0.5	58	51	8	-	-	8	8	40	4	22	010	05	32	92.5	-0.1	58	50	-	-	-	7	5	-	-	-	1	cir p Rr.	cir p Rr.	62	0.4	10	
Manchester	040	07	40	c	83.7	-1.3	62	51	1	-	-	8	6	25	-	-	080	05	18	92.0	-0.6	60	50	-	-	-	7	7	20	-	-	1	cir p Rr.	cir p Rr.	63	0.4	10	
Squires Gate	070	08	40	o	93.9	-1.0	57	51	5	-	-	8	8	22	3	-	250	10	20	92.4	-0.5	54	48	-	-	-	7	7	20	-	-	1	cir p Rr.	cir p Rr.	60	0.4	10	
Silloth	080	13	40	o	95.5	-1.3	50	48	6	-	-	8	8	30	-	-	030	14	40	93.8	-0.8	51	47	-	-	-	7	7	20	-	-	1	cir p Rr.	cir p Rr.	60	0.4	10	
Finnigley	350	06	24	o	94.6	-1.0	54	49	6	-	-	8	8	10	-	-	070	12	32	92.2	-0.8	56	51	-	-	-	7	5	25	2	20	1	cir p Rr.	cir p Rr.	62	0.4	10	
Spurn Head	070	02	00	o/c	96.0	-0.8	53	49	-	-	-	9	9	-	9	-	050	08	08	92.5	-0.3	49	47	-	-	-	8	8	20	-	-	2	cir p Rr.	cir p Rr.	55	0.0	0.1	
Dishforth	340	10	15	o	95.0	-1.2	53	47	6	-	-	8	8	12	-	-	340	10	15	93.1	-1.0	54	49	-	-	-	8	8	20	-	-	0	cir p Rr.	cir p Rr.	55	0.0	0.1	
Tynemouth	360	14	16	o	96.0	-1.3	47	44	6	-	-	8	8	18	-	-	360	10	15	94.8	-1.3	47	46	-	-	-	8	8	20	-	-	0</						

Chart of Weather in the Northern Hemisphere.



GENERAL INFERENCE.
A complex depression covers the British Isles and is moving slowly Northeast. Bright periods and Showers are expected in Southern England, and this weather will spread slowly North. A belt of rain extending from Southern Ireland across Wales, the Midlands and East England will move slowly North, and will probably begin to die out later today. Further North it will be mainly cloudy with a little light rain or drizzle in places, and with some coastal fogs in East Scotland.

FURTHER OUTLOOK.
Somewhat brighter weather is likely to spread to most districts, though with some showers. Temperatures will remain about normal. North coasts are flying on North coasts of Scotland between Rudh Re and Inverness, also in Orkneys and Shetlands.



THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

OBSERVATIONS at 00hr. G.M.T. 5th May, 1952																OBSERVATIONS at 06hr. G.M.T. 5th May, 1952																OBSERVATIONS during NIGHT					
STATIONS	Height above M.S.L.	Wind				Present Weather	Pressure		Temp.		Cloud						9h.	State of ground	Weather		Temperature		Rain														
		Direction (degrees)	Speed (kts.)	Visibility	mb		Change in 3 hrs.	Dry Bulb	Dew point	Form	Total amount	Main layer	Lowest layer	21h to 03h (19)	03h to 09h (20)	Min. (21)			Max. (22)																		
																			Ht.	Ht.	Min. (21)	Max. (22)															
Kew	18																																				
London Airport	82	230	03	32	bc	93.0	+0.4	53	51	-	-	-	-	-	-	-	200	08	40	c	94.5	+12	51	49	6	1	7	6	20	7	08	1	crcmo	cbcmoc	51	49	1
Lymington	341	220	05	11	bc	94.5	+0.7	49	49	-	-	-	-	-	-	-	210	08	07	c	95.7	+13	49	49	6	1	8	8	02	-	-	1	gbcsm	oFomoFis	47	44	1
Tangmere	53		0	14	bc	94.6	+0.8	48	48	-	-	-	-	-	-	-	240	08	08	c	95.8	+11	50	49	6	1	8	8	02	-	-	1	cm, wfcmo	cm, wfcmo	46	43	1
Calshot	12	210	06	13	bc	94.0	+0.5	50	50	-	-	-	-	-	-	-	240	08	15	c	95.3	+12	50	49	6	1	8	8	01	-	-	1	cm, wfcmo	cm, wfcmo	50	47	1
Boscombe Down	414	200	03	40	bc	94.3	+0.6	50	50	-	-	-	-	-	-	-	220	01	13	c	94.1	+0.6	50	50	6	1	8	8	08	-	-	1	crcdodmo	cmoc	48	47	1
Felixstowe	10	130	13	16	bc	92.3	+0.3	53	53	-	-	-	-	-	-	-	210	13	24	c	91.8	+1.0	50	50	6	2	7	4	12	-	-	2	cm, wfcmo	cm	50	50	1
Gorleston	5	200	10	24	bc	91.8	-0.3	52	51	-	-	-	-	-	-	-	210	12	32	c	91.8	+0.4	50	50	6	2	8	8	7	7	08	2	cm, wfcmo	cm, wfcmo	50	48	1
West Raynham	250	200	04	12	bc	92.1	-0.0	53	52	-	-	-	-	-	-	-	240	11	12	c	92.0	+0.1	50	49	6	1	8	8	03	-	-	2	cm, wfcmo	cm, wfcmo	50	48	1
Mildenhall	15	230	06	28	bc	91.2	-0.2	53	52	-	-	-	-	-	-	-	230	08	13	c	92.5	+0.3	52	51	7	2	8	8	06	5	03	2	cm, wfcmo	cm, wfcmo	52	50	1
Cranfield	340	250	03	12	bc	91.9	+0.0	51	51	-	-	-	-	-	-	-	240	12	16	c	93.0	+0.9	51	51	7	2	8	7	04	-	-	2	cm, wfcmo	cm, wfcmo	50	48	1
Elmdon	326	250	06	14	bc	92.4	+0.0	51	50	-	-	-	-	-	-	-	240	08	14	c	92.7	+0.8	51	49	5	2	8	7	25	2	08	2	cm, wfcmo	cm, wfcmo	50	47	1
Cottesmore	452	300	05	08	bc	92.2	+0.0	49	49	-	-	-	-	-	-	-	260	06	05	c	92.6	+0.4	49	49	6	1	8	8	02	-	-	1	cm, wfcmo	cm, wfcmo	47	48	1
Watnall	366	010	03	05	bc	92.6	-0.1	50	50	-	-	-	-	-	-	-	270	02	05	c	92.5	+0.3	49	49	6	1	8	8	08	-	-	2	cm, wfcmo	cm, wfcmo	48	47	1
Ross-on-Wye	223																240	04	09	c	93.5	+0.4	51	50	-	2	8	8	06	-	-	2	cm, wfcmo	cm, wfcmo	51	50	1
Shawbury	235		0	11	bc	92.0	-0.4	53	51	-	-	-	-	-	-	-	270	04	15	c	92.5	+0.3	51	51	7	2	8	8	26	4	09	2	cm, wfcmo	cm, wfcmo	51	48	1
Bristol	192	240	07	08	bc	92.8	+0.0	52	52	-	-	-	-	-	-	-	230	12	24	c	93.9	+0.7	51	51	6	1	8	8	06	-	-	2	cm, wfcmo	cm, wfcmo	50	48	1
Plymouth	90		0	48	bc	95.1	+0.6	52	50	-	-	-	-	-	-	-	270	02	40	c	95.7	+0.6	51	49	6	1	7	6	18	1	06	1	cm, wfcmo	cm, wfcmo	50	49	1
Chivenor	20		0	16	bc	93.9	-0.1	50	50	-	-	-	-	-	-	-	260	03	32	c	94.9	+0.7	52	51	6	1	8	8	20	3	08	1	cm, wfcmo	cm, wfcmo	50	48	1
St. Eval	336	210	04	03	bc	95.0	+0.7	49	49	-	-	-	-	-	-	-	190	06	36	c	95.6	+0.6	49	47	6	3	7	4	10	-	-	2	cm, wfcmo	cm, wfcmo	48	44	1
Culdrose	260	220	04	03	bc	94.6	+0.8	48	48	-	-	-	-	-	-	-	250	05	15	c	95.2	+0.2	52	52	6	1	8	8	30	6	15	1	cm, wfcmo	cm, wfcmo	42	48	1
Scilly, St. Mary's	163	170	05	01	bc	94.3	+0.7	50	49	-	-	-	-	-	-	-	240	07	01	c	94.8	+0.2	50	50	6	1	7	2	25	1	09	1	cm, wfcmo	cm, wfcmo	41	44	1
Guernsey	340	270	03	02	bc	93.5	+0.3	49	48	-	-	-	-	-	-	-	250	04	01	c	96.7	+0.6	51	50	5	7	7	2	25	1	09	1	cm, wfcmo	cm, wfcmo	41	47	1
Aberporth	375	230	06	16	bc	93.5	+0.2	50	49	-	-	-	-	-	-	-	240	04	07	bc	94.1	+1.0	48	48	6	1	8	8	02	-	-	1	cm, wfcmo	cm, wfcmo	47	49	1
Pembroke Dock	40		0	24	bc	94.0	-0.1	51	50	-	-	-	-	-	-	-		0	09	bc	94.2	+0.0	50	49	6	1	8	8	03	-	-	2	cm, wfcmo	cm, wfcmo	49	49	1
Holyhead (Valley)	32		0	11	bc	92.9	-0.2	48	47	-	-	-	-	-	-	-	340	05	10	bc	92.8	-0.2	48	47	5	1	8	8	26	3	03	1	cm, wfcmo	cm, wfcmo	49	45	1
Manchester	230	030	05	16	bc	92.1	-0.3	52	49	-	-	-	-	-	-	-	250	07	06	c	92.0	+0.0	50	48	6	1	8	8	15	-	-	1	cm, wfcmo	cm, wfcmo	48	50	1
Squires Gate	33	030	04	16	bc	91.8	-0.5	53	50	-	-	-	-	-	-	-	290	10	20	c	91.7	+0.0	49	48	6	3	7	2	12	1	06	1	cm, wfcmo	cm, wfcmo	49	45	1
Silloth	25	030	04	16	bc	92.9	-0.7	47	45	-	-	-	-	-	-	-	360	03	06	c	91.8	-0.4	48	46	6	7	8	6	22	-	-	1	cm, wfcmo	cm, wfcmo	47	48	1
Finningley	52		0	10	bc	92.0	-0.4	50	47	-	-	-	-	-	-	-	310	06	06	bc	91.4	-0.4	49	47	6	2	8	8	03	-	-	2	cm, wfcmo	cm, wfcmo	49	48	1
Spurn Head	29	050	04	24	bc	92.9	-0.5	48	48	-	-	-	-	-	-	-	350	09	16	bc	91.4	-0.5	48	48	7	1	8	8	15	-	-	2	cm, wfcmo	cm, wfcmo	46	47	1
Dishforth	106	350	10	01	bc	92.9	-0.3	48	48	-	-	-	-	-	-	-	340	08	09	c	91.4	-0.7	48	47	6	1	8	8	06	-	-	1	cm, wfcmo	cm, wfcmo	46	48	1
Tynemouth	108	360	05	16	bc	94.0	-0.3	46	46	-	-	-	-	-	-	-	340	10	12	c	92.0	-0.7	46	45	6	1	8	8	12	-	-	0	cm, wfcmo	cm, wfcmo	46	45	1
Leuchars	36		0	13	bc	93.7	-1.2	46	46	-	-	-	-	-	-	-		0	00	bc	91.8	-0.8	46	46	6	1	9	9	9	-	-	1	cm, wfcmo	cm, wfcmo	45	43	1
Eskdalemuir	794																	0	00	bc	91.5	-0.9	45	45	6	2	8	4	08	-	-	1	cm, wfcmo	cm, wfcmo	44	45	1
Prestwick	30	050	06	32	bc	93.8	-0.7	48	45	-	-	-	-	-	-	-	130	02	22	c	92.3	-0.7	48	46	6	1	8	8	15	2	05	1	cm, wfcmo	cm, wfcmo	46	45	1
West Freugh	52	310	05	24	bc	93.6	-1.0	48	47	-	-	-	-	-	-	-	310	07	24	c	92.6	+0.6	47	46	5	1	7	6	25	1	10	0	cm, wfcmo	cm, wfcmo	45	37	1
Ronaldsway	55	280	07	24	bc	93.2	-1.0	48	46	-																											

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue Tuesday 6th May 1952

OBSERVATIONS at 12h. G.M.T. 5th May 1952

OBSERVATIONS at 18h. G.M.T. 5th. May. 1952

OBSERVATIONS during DAY

1952

STATIONS (For heights see p. 4)	Wind				Pressure		Temp.		Cloud			Wind				Pressure		Temp.		Cloud			21 h State of ground	Weather.	Max. Temp. 09h. 21h. °F (36)	Sun- shine. (37)	Rain 09h to 21h. mm. (38)												
	Direction (degrees)	Speed (kts.)	† Visibility	Present Weather	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form			Direction (degrees)	Speed (kts.)	† Visibility	Present Weather	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form																			
									Low	Medium	High									Total amount	Main layer	Lowest layer						Low	Medium	High									
																															0-8	0-8	0-8						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	09h to 15h. (34)	15h. to 21h. (35)					
Kew ...	230	13	81	C	96.7	+0.9	58	49	2	7	2	7	5	3	2	210	16	81	b	99.1	+0.8	56	48	2	4	1	2	2	2	1	1	cpbc	cbbcw	60	8.3	1			
London Airport	240	12	81	C	96.3	+1.3	58	47	2	7	2	7	5	2	1	210	16	81	bc	99.0	+1.3	58	47	1	4	1	3	2	2	2	1	1	cpbc	cbbcw	62	7.3	0.3		
Lymington	220	12	48	C	98.4	+0.9	57	52	2	4	2	6	5	1	1	230	13	81	bc	91.0	+1.5	53	51	1	3	1	4	2	1	1	1	1	0	0	bc	cbbcw	60	7.3	-
Tangmere	210	18	80	C	98.9	+1.8	57	51	6	6	1	7	5	0	1	220	16	48	c	90.5	+1.1	54	50	6	1	8	6	2	0	4	1	1	1	1	1	1	1	1	
Calshot	230	14	81	C	97.9	+1.1	57	51	5	7	1	7	4	0	1	220	09	40	bc	99.8	+1.1	54	50	1	4	1	3	1	1	1	1	1	1	1	1	1	1		
Boscombe Down	230	16	56	C	96.3	+0.8	58	52	8	1	1	6	5	4	4	230	14	80	jp	98.5	+1.0	54	50	2	6	1	6	5	1	1	1	1	1	1	1	1	1		
Feistow	200	12	40	C	96.7	+0.9	57	51	2	7	2	7	5	2	2	190	16	80	bc	99.1	+1.7	57	51	2	3	2	1	1	1	1	1	1	1	1	1	1	1		
Gorleston	220	14	56	C	95.3	+1.6	59	50	7	7	2	7	5	2	2	170	11	56	c/tlr	98.0	+1.9	56	49	3	3	2	1	1	1	1	1	1	1	1	1	1	1		
West Raynham	210	10	32	pc	95.0	+1.6	56	50	8	1	1	7	5	2	2	220	12	40	c/pr	97.6	+1.6	53	49	3	7	1	7	4	1	1	1	1	1	1	1	1	1		
Mildenhall	240	12	56	C	95.9	+1.5	60	51	5	1	1	7	5	2	4	220	04	56	pr	98.1	+1.6	56	50	3	6	1	7	2	2	2	2	2	2	2	2	2	2		
Cranfield	240	16	81	C	95.4	+1.1	58	49	8	2	1	7	5	4	3	230	06	62	pr	97.6	+1.5	53	49	9	6	3	7	5	3	2	1	1	1	1	1	1	1		
Elmton	240	09	16	rr	95.2	+1.3	52	51	6	7	2	7	5	2	1	200	10	56	pr	96.3	+0.5	55	49	8	7	1	7	7	4	2	2	2	2	2	2	2	2		
Collesmore	230	12	16	rr	95.5	+1.7	52	50	7	7	2	7	5	2	1	200	06	32	pr	97.2	+0.7	55	49	8	7	1	7	5	4	3	1	1	1	1	1	1	1		
Watnall	240	05	05	rr	94.8	+1.3	52	52	7	1	1	7	5	2	1	230	05	11	clr	96.7	+1.1	54	51	5	1	1	7	6	3	4	2	2	2	2	2	2	2		
Ross-on-Wye	260	10	24	C	95.6	+0.9	56	50	8	1	1	7	5	2	1	170	10	81	C	96.8	+0.9	55	49	8	3	1	7	5	3	1	1	1	1	1	1	1	1		
Shawbury	260	12	18	fa	94.5	+1.2	55	52	7	2	1	7	5	2	1	250	13	80	C	95.7	+0.6	55	50	8	4	2	7	1	2	1	1	1	1	1	1	1	1		
Bristol	250	12	80	C	96.0	+0.9	58	52	2	3	1	7	5	2	1	260	03	56	pr	97.0	+0.4	53	51	3	7	1	7	7	1	1	1	1	1	1	1	1	1		
Plymouth	240	06	81	C	97.3	+1.0	56	52	2	3	1	7	5	2	1	240	12	48	rr	96.7	+0.4	53	51	5	7	1	7	7	9	1	1	1	1	1	1	1	1		
Chivenor	260	16	82	C	96.8	+0.9	59	53	2	7	1	7	5	2	1	250	09	82	C	97.2	+0.5	54	50	2	7	1	7	6	5	3	2	2	2	2	2	2	2		
St Eval	260	10	81	bc	96.7	+0.2	56	49	2	3	1	7	5	2	1	230	14	81	c/pr	97.7	+0.3	53	50	8	1	1	7	5	1	1	1	1	1	1	1	1	1		
Culdrose	240	15	80	c/pr	97.3	+1.0	55	52	5	3	1	7	5	2	1	230	12	30	C	97.6	+0.2	53	51	5	1	1	7	7	2	5	3	1	1	1	1	1	1		
Selly, St. Mary's	230	11	81	C	96.3	+0.6	56	50	8	1	1	7	5	2	1	210	13	48	c/pr	96.6	+0.1	53	51	8	1	1	7	7	2	5	3	1	1	1	1	1	1		
Guernsey	240	18	80	C	90.1	+1.4	52	50	6	7	1	7	5	2	1	200	10	16	pr	91.5	+0.8	52	50	9	1	1	8	8	1	5	0	8	2	2	2	2	2		
Aberporth	240	08	28	rr	94.0	+0.7	51	50	6	6	1	7	5	2	1	1	0	09	b/r	95.3	-0.1	50	49	6	1	1	8	8	0	2	1	1	1	1	1	1			
Pembroke Dock	230	10	24	rr	95.3	+0.7	52	51	6	6	1	7	5	2	1	360	02	64	o/r	96.3	+0.1	50	48	6	2	1	8	8	0	2	1	1	1	1	1	1			
Holyhead (Valley)	230	08	04	id	94.2	+0.8	49	49	1	1	1	7	5	2	1	190	11	24	id	94.7	+0.1	50	49	6	1	1	8	8	1	4	0	3	1	1	1	1			
Manchester	290	08	12	0	93.7	+0.6	54	49	1	1	1	7	5	2	1	250	06	10	rr	95.0	+0.4	52	49	6	1	1	8	8	4	5	0	4	2	2	2	2			
Squires Gate	260	11	12	0	93.9	+0.8	51	48	6	6	1	7	5	2	1	210	06	13	o/r	95.1	+0.7	49	48	6	1	1	8	8	2	4	0	7	1	1	1	1			
Silth	220	13	32	C	92.3	+0.2	49	47	7	7	1	7	5	2	1	210	14	24	C	94.1	+0.9	50	47	6	3	1	7	5	2	1	0	5	1	1	1	1			
Finningley	270	08	11	rr	93.1	+0.7	56	52	7	7	1	7	5	2	1	200	10	10	rr	95.7	+1.2	54	52	7	1	1	8	8	1	6	1	0	2	2	2	2	2		
Spurn Head	240	06	09	rr	93.7	+1.7	53	51	6	6	1	7	5	2	1	220	09	09	rr	96.0	+0.9	54	52	7	1	1	8	8	0	1	1	1	1	1	1	1	1		
Dunfrolth	240	12	48	C	92.2	+0.4	58	48	2	1	1	7	5	2	1	250	10	32	0	94.8	+1.5	56	48	5	7	1	8	6	2	1	1	1	1	1	1	1			
Tynemouth	160	08	16	C	92.0	+0.0	52	48	5	1	1	7	5	2	1	200	02	06	C	93.7	+1.5	50	48	7	1	1	7	7	1	1	1	1	1	1	1	1			
Leuchars	1	0	16	0	91.2	-0.3	49	47	6	6	1	7	5	2	1	260	06	16	C	91.6	+0.3	54	48	6	7	1	6	6	0	1	1	1	1	1	1	1	1		
Eskailemuir	240	14	80	C	90.9	-0.3	54	46	5	1	1	7	5	2	1	220	09	64	0	93.3	+1.3	48	44	6	7	1	8	7	0	1	1	1	1	1	1	1			
Frestwick	230	11	22	0	92.6	+0.4	49	47	5	6	1	7	5	2	1	220	08	80	0	93.0	+0.3	50	45	5	1	1	8	8	3	1	2	1	1	1	1	1			
West Freugh	270	06	20	0	93.3	+0.4	49	46	5	6	1	7	5	2	1	200	08	48	C	93.8	+0.1	51	46	5	3	1	7	6	4	2	3	1	1	1	1	1			
Ronaldsway	260	09	64	C	93.5	+0.5	51	47	2	3	1	7	5	2	1	210	08	80	C	94.5	+0.7	49	47	5	1	1	7	7	4	1	0	5	0	0	0	0			
Tiree	030	03	20	dod	90.0	-0.6	47	47	5	1	1	7	5	2	1	260	06	80	C	90.6	-0.1	48	46	6	1	1	7	7	2	1	1	0	1	1	1	1			
Denbecula	060	09	80	rr	91.0	-0.5	50	47	5	1	1	7	5	2	1	360	12	08	drr	91.1	+0.2	46	46	6	1	1	8	8	0	2	0	1	1	1	1	1			
Stornoway	060	03	40	0	91.0	-0.4	49	47	6	6	1	7	5	2	1	280	03	80	o/r	90.5	-0.1	49	47	6	1	1	8	8	1	6	0	9	1	1	1	1			
Cape Wrath	270	02	82	C	91.7	-0.5	47	45	6	6	1	7	5	2	1	090	02	82	o/r	91.1	-0.2	49	45	6	1	1	7	7	1	5	0	5	1	1	1	1			
Sule Skerry	140	02	01	ft	90.7	-0.9	47	47	1	1	1	7	5	2	1	140	02	80	0	89.6	+0.0	48	48	6	1	1	8	8	1	1	1	1	1	1	1	1			
Renfrew	230	06	18	0	91.4	+0.0	51	47	5	1	1	7	5	2	1	240	08	40	0	92.4	+0.6	50	45	6	1	1	8	8	2	4	1	0	1	1	1	1			
Dyce	1	0	07	id	91.5	-0.4	48	47	6	6	1	7	5	2	1	170	08	20	0	91.5	+0.2	51	49	6	1	1	8	7	0	5	1	0	1	1	1	1			
Wick	150	04	01	of+	91.5	-0.1	47	47	1	1	1	7	5	2	1	150	05	01	f	90.7	-0.1																		

12h. Ships' Reports

Ship	Lat. N	Long. W	Bar. mb.	Change in 3 hours 0.1 mb.	Wind		Weather		Temp.			Visibility	Cloud					Height of waves ft.	
					Direc.	Speed	Pres.	Part	Air °F	Sea °F	Dew °F		Point	Form			Amount		
														Low	Med	High	Low		Total
WEATHER OBSERVER	52° 36'	13° 54'	1005	-02	340	24	jp	pr	46	50	35	99	8	-	-	3	7	8	
WEATHER WATCHER	52° 42'	13° 30'	1011	+00	030	21	jp	pr	39	47	29	98	9	6	3	4	6	6 1/2	
LEBRIX	45° 00'	16° 00'	1003	+13	360	14	bc	c	59	57	50	98	2	4	1	2	5	6 1/2	
U.S. SHIP "C"	52° 48'	35° 30'	1026	+03	320	05	do do	r	41	44	40	64	5	-	-	8	8	1 1/2	
BALANTIA	46° 24'	07° 18'	1002	+10	210	13	bc	bc	59	53	53	99	5	-	4	3	5	3 1/2	
CLAN MACRAE	42° 44'	10° 30'	1001	+16	220	13	c	bs	55	57	49	99	1	4	-	6	7	6 1/2	
LAURENTIA	50° 48'	37° 6'	1026	+03	340	08	c	c	52	55	46	98	5	-	-	8	8	6 1/2	
PACIFIC FORTUNE	47° 12'	26° 24'	1020	-	360	24	c	c	51	57	42	99	5	-	-	8	8	6 1/2	
AURICULA	46° 24'	21° 42'	1013	+30	360	24	c	c	52	54	46	80	5	6	-	6	6	6 1/2	
U.S. SHIP "A"	63° 00'	23° 00'	1032	+00	020	15	c	c	40	41	27	80	5	-	-	8	8	5	

18h. Ships' Reports

Ship	Lat. N	Long. W	Bar. mb.	Change in 3 hours 0.1 mb	Wind		Weather		Temp.			Visibility	Cloud					Height of waves ft.
					Direc.	Speed	Pres.	Part.	Air °F	Sea °F	Dew point		Form Amount					
													Low	Med.	High	Low	Total	
WEATHER WATCHER	59° 0'	18° 30'	1010	-0.9	020	33	ph.	pr	43	48	35	98	9	-	-	2	5	11
WEATHER OBSERVER	52° 36'	20° 0'	1008	-0.4	330	21	c/ph	pr	43	49	39	99	3	6	-	5	6	8
SUN ROVER	50° 42'	10° 54'	998	+0.1	LvV	13	bc	c	50	53	41	98	2	-	-	3	3	3
BALANTIA	44° 36'	08° 0'	1002	+0.5	210	24	c	bc	57	54	51	99	5	-	-	6	6	5
AURICULA	46° 0'	23° 6'	1015	+2.0	350	18	c	c	52	54	54	97	3	1	-	6	7	8
POLAR FRONT	66° 6'	01° 54'E	1003	-1.6	070	16	c	bc	46	45	44	98	-	7	7	2	7	5
LE BRIX	45° 0'	16° 0'	1007	+2.4	360	34	c/pr	pr	57	55	48	98	3	4	-	4	6	6
U. S. SHIP 'C'	52° 48'	35° 30'	1026	-0.2	360	06	c	d	42	43	35	81	2	-	6	6	7	11
INISHOWEN HEAD	51° 12'	14° 18'	1002	-3.0	340	18	bc	bc	48	55	39	98	3	-	-	4	4	4
NORFOLK	44° 54'	24° 30'	1019	-0.4	340	25	o	c	54	58	46	99	6	-	-	8	8	6

† CLOUD AMOUNT in eighths (9=sky obscured). CLOUD HEIGHT 01—80 in 100's of feet. VISIBILITY 01—80 in eighths of a mile, X1—X9 in 1/80ths of a mile. For higher numbers and codes for cloud form and state of ground see Introduction.

* Information not usually received

NELSON K. JOHNSON K.C.B., D.Sc., Director,
Meteorological Office, Air Ministry, Kingway, London, W.C.2.




Chart of Weather in the Northern Hemisphere.



All times are GMT. Add one hour to get summer time.

GENERAL INFERENCE.
A depression to the northwest of Scotland will move south. Occasional rain or showers are expected in all parts of the country, but there will be some bright intervals. There is a risk of thundery outbreaks this evening and tonight in southeastern districts. Slight ground frost is possible late tonight in parts of the Midlands and eastern districts of England, with some fog patches. Temperatures generally will be rather below normal.

FURTHER OUTLOOK.
Probably similar



All times are GMT. Add one hour to get summer time.

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

OBSERVATIONS at 00hr. G.M.T. 6 th May 1952																OBSERVATIONS at 06hr. G.M.T. 6 th May 1952																OBSERVATIONS during NIGHT									
STATIONS	Height above M.S.L.	Wind		+ Visiblty	Present Weather	Pressure		Temp.		Cloud						Wind	Direction (degrees)	Speed (kts.)	+ Visiblty	Present Weather	Pressure		Temp.		Cloud						9 h.	Weather		Temperature							
		Direction (degrees)	Speed (kts.)			Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form			Main layer	Lowest layer	Bar at M.S.L.						Change in 3 hrs.	Dry Bulb	Dew point	Form			Main layer	Lowest layer	State of ground	21h to 03h (19)		03h to 08h (40)	Min. °F. (41)	Max. °F. (42)							
										Low	Medium	High												Low	Medium	High									Low	Medium	High				
Kew	18																																								
London Airport	82	180	07	66	C	01.4	+0.3	51	47	6	1	1	7	5	15	1	180	07	36	C	01.7	+0.3	52	48	5	3	1	6	1	5	25	1	bcepr	cmo	51	46					
Lymington	341	210	10	48	C	03.2	+0.3	50	45	1	1	1	7	5	15	1	180	07	36	C	01.7	+0.3	52	48	5	3	1	6	1	5	12	1	bcepr	bce	51	46					
Tangmere	53	210	15	32	C	02.3	+0.6	51	49	1	1	1	7	5	15	1	180	07	36	C	02.1	+0.1	52	48	5	3	1	7	1	80	1	1	48	49							
Calshot	12	210	14	64	C	00.8	+0.2	52	49	1	1	1	7	5	15	1	180	07	36	C	00.7	+0.1	53	48	5	3	1	7	1	81	1	1	51	46							
Boscombe Down	414	220	14	40	C	00.4	+0.9	50	50	2	1	1	8	8	18	2	200	15	80	C	00.4	+0.3	51	48	8	1	1	7	1	50	2	18	1	ecpr	ccir	50	48				
Felixstowe	10	190	11	40	C	02.1	+1.2	51	50	1	1	1	8	8	18	1	190	13	80	C	03.7	+1.3	52	49	6	1	1	7	1	10	1	1	50	47							
Gorleston	5	190	12	36	C	01.1	+0.9	50	46	1	1	1	8	8	18	1	190	12	56	C	02.8	+0.7	51	49	5	1	1	7	1	20	1	1	49	42							
West Raynham	250	190	12	40	C	00.1	+1.0	51	45	1	1	1	8	8	18	1	170	13	40	C	01.3	+0.9	49	47	3	2	4	1	1	1	1	1	47	43							
Mildenhall	15	190	06	40	C	00.8	+1.3	51	47	1	1	1	8	8	18	1	170	07	56	C	01.7	+0.7	52	48	1	1	1	1	1	1	1	1	49	43							
Cranfield	340	180	12	40	C	02.8	+1.0	50	46	1	1	1	8	8	18	1	180	12	80	C	00.3	+0.3	51	48	5	3	2	6	5	35	3	22	1	bcepr	ccir	48	44				
Elmdon	326	200	08	56	C	02.2	+0.7	50	48	1	1	1	7	7	17	1	160	12	81	C	02.4	+0.5	50	48	4	2	7	7	5	35	1	18	1	ccir	ccir	49	46				
Collesmore	452	190	11	48	C	02.2	+0.7	50	48	1	1	1	7	7	17	1	180	09	48	C	00.6	+0.5	50	47	6	1	1	7	1	08	1	1	48	45							
Watnall	366	190	06	40	C	02.1	+0.7	50	48	1	1	1	7	7	17	1	180	09	32	C	00.1	+0.5	51	48	5	3	1	7	5	35	1	08	1	cmo	cmo	54	42				
Ross-on-Wye	223	190	06	40	C	02.1	+0.7	50	48	1	1	1	7	7	17	1	180	09	32	C	00.1	+0.5	51	48	5	3	1	7	5	35	1	08	1	cmo	cmo	54	42				
Shawbury	235	210	06	80	C	02.2	+0.5	51	47	1	1	1	6	3	43	3	180	12	72	C	02.5	+0.4	51	49	6	1	2	7	12	3	08	1	cmo	ccir	49	44					
Bristol	192	180	10	48	C	03.1	+0.2	51	49	1	1	1	7	7	17	1	200	12	48	C	02.1	+0.1	52	49	2	1	1	7	1	20	8	11	1	cmo	ccir	47	45				
Plymouth	90	190	16	24	C	02.0	+0.6	52	45	1	1	1	6	3	43	1	310	02	48	C	02.1	+0.8	47	42	1	1	1	8	6	25	3	08	1	cmo	ccir	45	46				
Chivenor	20	110	08	80	C	02.0	+0.6	51	50	1	1	1	6	3	43	1	240	08	64	C	02.0	+0.3	46	44	5	2	1	8	6	18	1	1	46	42							
St. Eval	336	200	18	48	C	02.6	+0.8	51	49	1	1	1	7	7	17	1	200	06	80	C	02.1	+0.4	46	42	5	2	1	8	6	18	1	1	45	42							
Culdrose	260	280	15	50	C	02.7	+0.2	49	48	1	1	1	8	8	18	1	260	08	82	C	02.1	+0.8	46	41	7	1	1	8	8	30	3	10	1	ccir	ccir	48	45				
Scilly, St. Mary's	163	280	19	80	C	02.8	+0.3	48	46	1	1	1	7	7	17	1	270	13	82	C	02.1	+0.4	47	43	8	1	1	7	1	14	1	1	46	48							
Guernsey	340	180	16	80	C	02.1	+0.2	49	48	1	1	1	7	7	17	1	190	13	81	C	00.6	+0.4	48	45	7	1	1	8	4	40	2	15	1	ccir	ccir	48	48				
Aberporth	375	170	08	64	C	02.4	+0.4	49	48	1	1	1	7	7	17	1	220	10	81	C	02.1	+0.6	45	43	6	1	1	7	1	81	3	12	1	ccir	ccir	45	44				
Pembroke Dock	40	180	06	24	C	02.5	+1.1	51	49	1	1	1	8	8	18	1	200	02	81	C	02.3	+0.9	46	46	2	1	1	8	8	33	3	15	2	ccir	ccir	46	46				
Holyhead (Valley)	32	170	10	80	C	02.1	+0.1	49	47	1	1	1	7	7	17	1	210	14	32	C	02.3	+0.5	49	47	6	1	1	8	6	05	1	1	47	45							
Manchester	230	150	06	32	C	02.4	+0.3	50	48	1	1	1	7	7	17	1	160	14	32	C	02.3	+0.2	51	47	5	1	1	7	6	35	1	12	1	cmo	ccir	49	45				
Squires Gate	33	110	04	26	C	02.1	+0.4	49	48	1	1	1	7	7	17	1	140	14	36	C	02.8	+0.0	50	48	5	3	1	7	6	45	1	1	48	45							
Silloth	25	190	12	48	C	02.6	+0.5	48	45	1	1	1	7	7	17	1	090	09	40	C	02.9	+0.1	49	47	1	1	1	7	1	1	1	1	44	42							
Finningley	52	170	09	12	C	02.4	+0.6	51	49	1	1	1	7	7	17	1	160	10	32	C	02.6	+0.8	49	47	5	1	1	7	40	1	30	1	cmo	ccir	47	44					
Spurn Head	29	190	12	32	C	02.7	+0.8	51	49	1	1	1	7	7	17	1	190	08	24	C	02.8	+0.5	48	48	5	1	1	4	4	25	1	0	1	ccir	ccir	47	46				
Dishforth	106	150	03	24	C	02.0	+0.3	51	49	1	1	1	7	7	17	1	180	08	24	C	02.8	+0.6	49	47	5	1	1	7	1	22	1	1	48	45							
Tynemouth	108	250	02	32	C	02.3	+0.9	50	48	1	1	1	7	7	17	1	180	08	24	C	02.3	+0.8	46	45	5	1	1	7	4	40	1	1	46	40							
Leuchars	36	270	02	24	C	02.3	+1.6	50	44	1	1	1	7	7	17	1	0	0	32	C	02.6	+0.6	44	42	6	1	1	7	4	11	1	1	43	40							
Eskdalemuir	794																																								
Prestwick	30	250	07	64	C	02.2	+1.1	47	43	1	1	1	8	8	25	6	110	14	18	C	02.1	+0.0	46	43	8	3	1	5	4	35	1	20	0	ccir	ccir	44	41				
West Freugh	52	160	05	40	C	02.3	+0.9	47	46	1	1	1	8	8	25	2	110	12																							

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue Wednesday 7th May 1952

No. 33039


OBSERVATIONS at 12h. G.M.T. 6th May 1952

OBSERVATIONS at 18h. G.M.T. 6th May 1952

OBSERVATIONS during DAY

Stations (For heights see p. 4)	Wind		+ Visibility	Present Weather	Pressure		Temp.		Cloud						24 h State of ground	Weather.		Max. Temp. 09h. °F	Sun- shine. °F	Rain 09h. 21h. mm.																		
	Direction (degrees)	Speed (kts.)			Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form																													
									Amount																													
									Low	Med.	High	Total	Low	Med.	High	Total																						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	
Kew	170	08	72	62	01.1	-0.9	57	48	1	7	-	8	8	3	25	190	10	72	c	99.4	-0.2	57	31	2	3	-	6	3	20	3	15	1	cpr.r	cpr.bc	59	2.4	1	
London Airport	170	10	80	62	00.8	-1.0	57	48	5	7	-	8	8	2	20	170	09	81	pr	99.2	-0.3	58	50	2	6	2	7	3	20	2	12	1	cpr	cpr.bc	58	1.7	0.1	
Lympne	130	08	80	62	02.8	-1.0	55	51	2	2	-	8	8	50	-	150	05	81	pr	01.1	-0.1	54	51	5	7	2	7	3	4	45	-	-	1	cir	cir	59	0.2	0.2
Tangmere	120	14	40	62	01.1	-0.9	52	50	5	7	-	8	8	60	10	190	12	40	pr	00.0	-0.2	53	52	2	7	-	7	6	10	2	07	1	cir	cir	57	0.2	2	
Calshot	130	06	56	62	03.7	-1.2	52	50	7	2	-	8	8	40	10	200	09	80	cpr	99.3	+0.3	53	50	2	-	-	6	6	20	1	15	1	cir	cir	57	0.8	3	
Boscombe Down	160	09	32	72	00.3	+0.0	50	50	7	2	-	8	8	25	6	320	07	80	cpr	99.6	+0.6	46	45	6	-	-	8	8	15	4	08	1	cir	cir	54	0.3	5	
Fairlight	110	08	56	72	03.6	-0.3	55	50	7	2	-	7	7	83	-	140	08	48	c	02.0	-0.4	56	50	5	7	2	7	6	40	-	-	2	cir	cir	58	3.5	0.3	
Corston	170	12	40	72	04.2	+0.1	52	49	2	7	-	7	7	45	1	160	13	48	c	01.6	-0.6	52	48	5	7	2	7	6	15	1	10	1	cir	cir	53	5.9	1	
West Raynham	150	14	87	72	02.3	+0.2	57	48	1	7	-	7	7	20	-	130	12	40	c	00.3	-0.9	57	51	5	7	1	7	2	60	-	-	1	cir	cir	59	4.6	0.3	
Mildenhall	140	09	87	72	01.9	-0.5	60	46	1	7	-	7	7	80	1	150	09	87	c	99.8	-0.4	60	51	5	2	-	8	8	80	6	15	1	cir	cir	51	3.1	0.3	
Griffith	160	14	81	72	00.6	-0.3	57	47	2	7	-	8	4	20	-	160	11	80	c	98.7	-1.1	55	51	2	-	-	7	7	22	-	-	1	cir	cir	58	2.2	1	
Edmon	180	15	56	72	09.5	+0.4	54	46	1	2	-	8	5	20	-	140	11	24	c	97.8	-1.4	53	50	6	7	-	7	7	20	1	04	2	cpr	cpr	57	1.9	6	
Chilham	180	11	87	72	01.1	+0.1	57	47	2	7	-	7	7	83	3	140	12	40	c	99.3	-1.4	54	50	5	7	-	7	7	15	1	10	1	cir	cir	57	1.5	1	
Watnall	170	14	64	72	00.1	+0.3	57	46	5	7	-	8	6	20	-	130	09	24	c	99.0	-0.9	53	50	7	2	-	8	6	10	-	-	2	cir	cir	59	2.1	3	
Ross-on-Wye	250	06	80	72	09.0	+0.4	51	47	7	2	-	8	7	15	-	320	02	81	cpr	98.8	+0.1	46	43	7	2	-	8	-	-	-	-	1	cir	cir	53	0.2	3	
Shawbury	200	08	87	72	08.6	+1.2	55	47	8	-	-	7	5	20	-	250	06	56	cpr	98.4	+0.6	46	44	5	-	-	8	8	30	2	07	2	cpr	cpr	56	0.4	8	
Bristol	320	04	48	72	08.8	-1.2	49	47	8	-	-	8	5	10	2	240	08	52	cpr	98.8	+0.0	46	44	6	2	-	8	8	45	1	14	2	cpr	cpr	51	0.1	4	
Plymouth	1	0	87	72	09.8	+0.0	47	40	7	2	-	8	8	40	4	170	04	81	pr	99.9	+0.2	47	43	5	-	-	8	8	20	-	-	1	cir	cir	49	1.1	3	
Chivenor	170	10	82	72	08.8	+0.1	49	43	6	2	-	8	8	50	2	160	13	82	c	98.7	+0.0	46	42	5	7	-	7	5	25	-	-	1	cir	cir	50	0.5	1	
St Eval	170	08	82	72	08.7	+0.2	48	41	5	2	-	7	7	80	-	190	09	80	cpr	99.0	+0.3	45	42	2	-	-	7	7	15	2	08	1	cpr	cpr	49	0.1	6	
Childrose	210	12	82	72	08.6	+0.1	46	43	8	7	-	8	5	15	2	220	07	81	c	98.7	+0.2	45	42	9	3	-	6	5	20	2	10	1	cpr	cpr	52	0.8	7	
Scilly, St. Mary's	240	13	82	72	08.1	+0.2	53	40	8	-	-	8	3	24	-	220	11	81	cpr	98.3	+0.1	45	42	9	3	-	7	7	24	-	-	1	cir	cir	54	3.6	5	
Guernsey	190	12	81	72	09.1	-1.0	55	50	8	7	2	5	5	22	2	260	08	82	bc	00.9	+0.9	48	40	1	7	-	5	3	2	10	-	-	1	cpr	cpr	56	3.6	3
Aberporth	190	10	82	72	08.4	+0.5	49	43	2	1	-	8	5	18	-	180	05	82	c	97.4	-0.2	47	40	2	-	-	6	5	12	-	-	1	cpr	cpr	49	1.7	0.4	
Pembroke Dock	190	09	82	72	08.6	+0.6	51	43	2	1	-	8	5	18	-	210	06	83	c	97.6	-0.4	47	41	2	-	-	7	6	18	-	-	1	cpr	cpr	54	2.1	2	
Holyhead (Valley)	170	11	82	72	08.5	+0.5	50	46	8	-	-	7	7	60	3	160	12	81	cpr	97.2	+0.0	47	43	5	7	-	7	6	40	4	20	1	bc	cir	52	1.7	0.1	
Manchester	170	18	64	72	08.0	+0.5	56	47	8	1	-	8	6	15	-	100	02	36	cpr	97.3	-1.2	50	48	6	2	-	8	8	40	4	12	2	cir	cir	58	1.2	6	
Squires Gate	240	09	64	72	08.1	+1.5	50	46	2	7	-	8	7	20	2	290	11	12	cpr	97.5	-0.5	49	45	3	2	-	8	7	22	1	04	1	cir	cir	55	0.6	9	
Silloth	210	09	80	72	09.3	+1.0	53	46	2	7	-	8	6	80	2	280	02	64	cpr	98.5	-0.2	49	45	5	7	-	8	7	25	1	18	1	cir	cir	57	2.0	6	
Finningley	170	23	81	72	09.5	+0.3	61	46	1	7	-	7	4	25	-	120	16	81	pr	98.4	-1.2	55	49	5	7	-	8	6	25	2	18	2	cpr	cpr	64	2.7	2	
Spurn Head	180	16	40	72	01.9	+0.2	59	49	3	-	-	7	7	25	-	120	18	32	pr	01.6	+0.0	51	48	3	-	-	8	8	25	-	-	1	cpr	cpr	60	5.5	0.2	
Dunfermline	170	17	64	72	09.0	+0.3	58	48	8	-	-	7	6	20	-	120	09	56	cpr	98.9	-0.9	53	51	5	2	-	8	8	25	-	-	2	cpr	cpr	59	1.2	3	
Tynemouth	140	10	32	72	09.1	+0.7	51	46	2	-	-	7	4	18	-	160	12	32	cpr	00.4	+0.6	50	45	6	-	-	8	8	18	-	-	1	cpr	cpr	59	3.1	4	
Leuchars	100	09	24	72	08.0	+0.5	55	49	5	-	-	7	4	50	-	110	01	20	bcpr	99.1	+0.8	55	51	6	7	2	5	3	40	3	05	2	cir	cir	55	4.4	2	
Exdalemuir	1																																					

Chart of Weather in the Northern Hemisphere.






GENERAL INFERENCE.

A depression to the west of Ireland is moving South, and pressure is rising over the Continent. Bright periods and showers are expected in most districts this afternoon. The showers will probably be scattered in the east, but may become rather frequent and of a thundery type in parts of the Midlands and West. There will be extensive clearances in the cloud inland and in the East tonight, and there may be slight ground frost in a few sheltered places. In Northeast Scotland the cloudy, rainy weather will continue for a time, moving slowly away to the North. Temperatures will remain rather below normal in all parts of the country.

FURTHER OUTLOOK.

Bright periods in most places. Some showers, perhaps with thunder here and there. Temperatures normal or rather below.



All times are GMT. Add one hour to get summer time.

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

OBSERVATIONS at 00hr. G.M.T. 7th May, 1952.																OBSERVATIONS at 06hr. G.M.T. 7th May, 1952.																OBSERVATIONS during NIGHT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
STATIONS	Height above M.S.L.	Wind		+ Visibility	Present Weather	Pressure		Temp.		Cloud							Wind Direction (degrees)	Speed (kts.)	+ Visibility	Present Weather	Pressure		Temp.		Cloud							9 h. State of ground	Weather		Temperature																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
		Direction (degrees)	Speed (kts.)			Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form			Total amount	Main layer	Lowest layer	Bar at M.S.L.					Change in 3 hrs.	Dry Bulb	Dew point	Form			Total amount	Main layer	Lowest layer	21h. to 03h. (39)	03h. to 09h. (40)		Min. °F. (41)	Max. °F. (42)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
										Low	Medium	High												Low	Medium	High																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Kew	18							48																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue Thursday 8th May 1952


No. 33040

OBSERVATIONS at 12h. G.M.T. 7th May 1952OBSERVATIONS at 18h. G.M.T. 7th May 1952

OBSERVATIONS during DAY

STATIONS (For heights see p. 4)	Wind		†	Present Weather	Pressure		Temp.		Cloud						Wind		†	Present Weather	Pressure		Temp.		Cloud						24 h State of ground	Weather.		Max. Temp. 09h.-21h. °F (36)	Sun- shine. 21h. mm. (37)	Rain 09h.-21h. mm. (38)																			
	Direction (degrees)	Speed (kts.)			Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form						Direction (degrees)	Speed (kts.)			Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form							State of ground	09h. to 15h. (34)				15h. to 21h. (35)																		
									Low	Medium	High	Total amount 0-8	Main layer Amt.	Ht. +		Lowest layer Amt.							Ht. +								Low								Medium	High	Total amount 0-8	Main layer Amt.	Ht. +	Lowest layer Amt.	Ht. +								
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)			(36)	(37)	(38)															
Kew	210	16	81	bc	12.6	+25	55	40	2	-	-	5	5	25	-	20	180	06	81	b	15.4	+11	58	41	1	1	2	1	35	-	0	bcwy	bcy	59	13.8	-																	
London Airport	190	20	82	bc	12.1	+20	58	36	2	-	-	5	5	25	-	-	180	09	82	b	15.2	+13	57	37	1	1	2	1	35	-	0	bcwy	bcy	59	13.8	-																	
Lymington	200	14	83	b	14.2	+21	54	43	1	-	-	2	2	25	-	-	150	03	83	b	15.8	+06	54	40	1	1	1	1	35	-	0	bcwy	bcy	58	14.4	-																	
Tangmere	190	16	82	bc	13.2	+24	56	46	2	-	-	5	5	25	-	-	120	08	82	b	15.1	+01	54	43	1	1	1	1	35	-	0	bcwy	bcy	57	13.1	-																	
Calshot	200	18	82	bc	12.1	+22	55	39	1	-	-	3	3	20	-	-	120	10	82	b	14.4	+04	53	44	1	1	2	1	25	-	0	bcwy	bcy	57	13.5	-																	
Boscombe Down	210	19	81	bc	11.0	+18	53	44	2	-	-	5	5	20	-	-	210	04	81	b	14.3	+11	52	41	1	1	2	1	25	-	0	bcwy	bcy	56	12.0	TR																	
Felixstowe	170	13	81	bc	12.7	+24	54	45	1	-	-	3	3	25	-	-	140	07	81	b	16.3	+08	56	45	1	1	1	1	30	-	0	bcwy	bcy	59	13.3	-																	
Corleston	170	19	81	bc	13.2	+20	53	46	5	-	-	1	1	20	-	-	160	19	80	b	16.9	+12	52	46	1	1	1	1	30	-	0	bcwy	bcy	57	13.4	0.2																	
West Raynham	200	11	80	bc	11.6	+16	55	38	2	-	-	5	5	25	-	-	190	14	80	b	14.9	+17	57	35	1	1	2	2	30	-	0	bcwy	bcy	61	13.6	-																	
Mildenhall	190	09	81	c	12.1	+18	53	37	2	-	-	7	7	30	-	-	190	07	81	b	15.7	+18	58	34	1	1	1	1	30	-	0	bcwy	bcy	61	13.2	-																	
Griffith	230	20	82	bc	10.8	+14	56	37	2	-	-	5	5	30	-	-	210	07	82	b	14.8	+19	55	36	1	1	1	1	25	-	0	bcwy	bcy	56	13.0	-																	
Embsay	170	11	81	bc	10.2	+21	54	44	3	-	-	5	5	20	-	-	190	09	81	b	13.8	+20	54	41	1	1	2	2	20	-	0	bcwy	bcy	56	11.8	0.3																	
Collesmore	210	12	82	bc	11.1	+20	50	42	3	-	-	3	3	18	-	-	200	12	82	b	14.6	+19	55	37	1	1	1	1	20	-	0	bcwy	bcy	58	11.8	0.6																	
Watnall	190	12	80	bc	10.7	+26	49	40	3	-	-	7	7	20	-	-	190	11	81	b	14.3	+24	55	37	1	1	2	2	24	-	0	bcwy	bcy	57	12.3	0.2																	
Ross-on-Wye	230	10	81	bc	10.5	+30	48	41	3	-	-	7	7	25	-	-	180	10	82	b	13.6	+21	54	35	1	1	2	2	25	-	0	bcwy	bcy	57	12.1	1																	
Shawbury	170	10	82	bc	08.8	+16	53	40	9	-	-	3	3	20	-	-	130	10	81	b	12.7	+14	55	40	1	1	3	3	20	-	0	bcwy	bcy	56	10.1	1																	
Bristol	240	12	81	bc	09.3	+19	53	43	2	-	-	6	6	20	-	-	170	10	83	b	13.2	+16	54	38	1	1	2	2	27	-	0	bcwy	bcy	57	10.2	1																	
Plymouth	190	12	82	bc	10.4	+23	53	43	2	-	-	6	6	20	-	-	110	07	82	b	11.2	+01	52	41	1	1	6	6	30	-	0	bcwy	bcy	58	10.2	TR																	
Chivenor	230	12	83	bc	09.0	+30	54	47	3	-	-	5	5	20	-	-	150	11	83	b	11.2	+05	56	40	1	1	6	6	30	-	0	bcwy	bcy	57	11.6	2																	
St Eval	200	10	82	bc	08.5	+27	50	43	2	-	-	4	4	20	-	-	160	12	81	b	09.7	+03	51	39	1	1	3	3	20	-	0	bcwy	bcy	54	10.4	0.5																	
Childrose	190	16	82	bc	08.1	+18	50	39	3	-	-	6	6	25	-	-	160	16	81	c	09.2	+01	51	40	1	1	3	3	20	-	0	bcwy	bcy	54	10.5	0.5																	
Scilly, St. Mary's	170	12	82	bc	07.1	+13	51	42	8	-	-	5	5	18	-	-	140	20	82	c	07.2	-07	51	41	1	1	7	7	18	-	0	bcwy	bcy	53	6.6	3																	
Guernsey	190	09	82	bc	12.0	+17	54	45	2	-	-	2	2	18	-	-	130	08	83	c	12.5	-02	55	43	1	1	3	3	20	-	0	bcwy	bcy	57	13.1	-																	
Aberporth	190	10	83	bc	06.8	+17	51	39	3	-	-	3	3	14	-	-	170	10	84	bc	10.9	+14	51	37	1	1	3	3	20	-	0	bcwy	bcy	54	11.1	-																	
Pembroke Dock	180	09	82	bc	08.3	+25	53	42	9	-	-	6	6	14	-	-	130	05	83	bc	11.0	+03	51	42	1	1	3	3	18	-	0	bcwy	bcy	55	10.1	0.5																	
Holyhead (Valley)	190	11	83	bc	07.4	+30	51	43	1	-	-	5	5	25	-	-	180	09	83	b	11.3	+27	51	42	1	1	3	3	20	-	0	bcwy	bcy	53	11.7	-																	
Manchester	180	13	81	c	08.5	+16	53	30	2	-	-	7	7	40	-	-	180	12	81	bc	12.7	+18	54	37	1	1	3	3	35	-	0	bcwy	bcy	57	11.3	0.5																	
Squires Gate	190	13	86	bc	08.2	+20	55	43	8	-	-	2	2	25	-	-	160	10	84	b	13.0	+23	50	41	1	1	2	2	30	-	0	bcwy	bcy	57	7.9	2																	
Silloth	220	12	81	bc	08.4	+28	50	42	8	-	-	2	2	20	-	-	230	01	81	bc	12.7	+21	50	41	1	1	3	3	20	-	0	bcwy	bcy	53	7.1	3																	
Pinningley	180	14	80	c	09.9	+20	58	41	2	-	-	8	8	20	-	-	180	11	81	bc	13.8	+13	58	42	1	1	4	4	25	-	0	bcwy	bcy	62	10.0	TR																	
Spurn Head	180	13	86	bc	10.8	+30	59	42	2	-	-	4	4	25	-	-	160	16	80	bc	13.6	+13	57	47	1	1	3	3	30	-	0	bcwy	bcy	60	12.5	-																	
Dunfirth	190	14	84	c	09.3	+25	56	41	2	-	-	6	6	30	-	-	180	09	80	b	13.1	+17	56	41	1	1	2	2	30	-	0	bcwy	bcy	60	12.2	0.2																	
Tynemouth	230	16	80	bc	08.5	+20	57	37	2	-	-	5	5	30	-	-	190	16	80	bc	13.0	+21	56	35	1	1	4	4	28	-	0	bcwy	bcy	58	11.7	-																	
Leuchars	220	07	80	bc	07.0	+26	55	42	1	-	-	4	4	20	-	-	220	05	81	b	11.9	+22	57	40	1	1	2	2	25	-	0	bcwy	bcy	59	10.8	-																	
Eskdalemuir	200	12	81	c	07.4	+30	48	41	2	-	-	7	7	19	-	-	160	04	83	c/f	12.9	+25	45	44	1	1	6	6	05	-	0	bcwy	bcy	54	5.2	0.6																	
Westwick	160	14	82	bc	07.0	+28	52	40	3	-	-	6	6	28	-	-	170	11	84	bc	11.4	+18	54	35	1	1	3	3	30	-	0	bcwy	bcy	57																			

Chart of Weather in the Northern Hemisphere.



All times are GMT. Add one hour to get summer time.

GENERAL INFERENCE.


An anticyclone over Finland is moving south and tending to intensify and another south of Greenland is declining a little. A slow moving depression is centred southwest of Ireland and weak troughs of low pressure moving round it are affecting the British Isles. Most parts of the country will have outbreaks of thundery rain with scattered thunderstorms though there will also be bright intervals in many districts. The rain is however unlikely to reach the extreme north of Scotland, and this area will have variable cloud with sea fog here and there on the east coast. Day maximum temperatures will be about normal for early May, ranging from about 60° in Southern England to 50° in Northern Scotland.

FURTHER OUTLOOK.

Little general change.

Mean Sea surface isotherms for MAY are shown thus — 50° —

SCALE 1 : 5000
Nautical Miles
Statute Miles



THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

OBSERVATIONS at 00hr. G.M.T. 8th May 1952																OBSERVATIONS at 06hr. G.M.T. 8th May 1952																OBSERVATIONS during NIGHT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
STATIONS	Height above M.S.L.	Wind		+ Visibility	Present Weather	Pressure		Temp.		Cloud						Wind	Direction (degrees)	Speed (kts.)	+ Visibility	Present Weather	Pressure		Temp.		Cloud						9 h.	State of ground	Weather	Temperature		Rain																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
		Direction (degrees)	Speed (kts.)			mb	Change in 3 hrs.	°F.	Dry Bulb	Dew point	Form			mb	Change in 3 hrs.						°F.	Dry Bulb	Dew point	Form			0-8	0-8	0-8	0-8				0-8	0-8		21h to 03h (19)	03h to 09h (20)	Min. °F. (41)	Max. of 24h (42)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
											Low	Medium	High											Low	Medium	High															Low	Medium	High																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Kew	18																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue: Friday 9th May 1952

No. 33041

OBSERVATIONS at 12h. G.M.T. 8th May 1952

OBSERVATIONS at 18h. G.M.T. 8th May 1952

OBSERVATIONS during DAY




STATIONS (For heights see p. 4)	Wind		† Present Weather	Pressure		Temp.		Cloud						Wind		† Present Weather	Pressure		Temp.		Cloud						24 h † State of ground	Weather.		Max. Temp. 09h-21h °F	Sun- shine (%)	Rain (09h-21h) mm.					
	Direction (degrees)	Speed (kts.)		Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form			Total amount	Main layer	Lowest layer	Direction (degrees)	Speed (kts.)		Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form			Total amount	Main layer	Lowest layer											
								Low	Medium	High											Low	Medium	High					Low	Medium				High				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)
Kew	160	06	46	0	13.2	+0.0	62	52	8	7	1	8	1	4	55	190	09	81	c/pr	12.6	+0.8	56	49	9	1	7	2	60	7	40	1	1	0.4	66	1.9	0.4	
London Airport	150	06	80	0	13.0	-0.1	61	53	8	7	1	8	1	1	30	200	09	81	c/pr	12.6	+0.6	56	49	8	1	7	5	45	1	30	2	1	0.5	65	2.6	0.5	
Lymington	140	08	64	0	12.8	-0.1	64	55	8	7	1	8	1	1	1	270	09	81	c/pr	12.7	+2.0	56	51	1	2	1	7	10	1	1	2	1	6	68	5.6	6	
Tangmere	100	08	48	0	13.4	+0.1	56	54	5	5	1	8	80	2	35	160	09	56	c	12.8	-0.2	53	49	8	7	1	6	7	83	2	20	1	1	1.2	60	1.2	3
Calshot	120	12	64	0	12.3	+0.0	53	51	8	8	1	8	80	3	15	10	0	82	c	12.2	+0.0	56	50	1	4	8	6	1	30	1	1	0	0	57	2.6	0	
Boscombe Down	160	10	48	0	13.0	+0.3	55	53	6	1	1	8	8	5	10	210	05	81	c	12.5	-0.0	55	51	1	6	3	6	3	83	1	19	1	1	2	55	9.0	2
Feixstowe	080	11	24	0	14.8	-1.3	59	50	1	1	1	6	1	1	1	090	16	24	c	12.1	-0.6	51	53	2	6	2	7	4	81	4	22	2	2	55	2.0	4	
Corleston	110	21	40	0	16.6	-1.5	53	47	1	1	1	3	1	1	1	100	20	48	bc	12.6	+0.9	54	47	2	8	3	2	2	1	1	11.0	3	13	55	11.0	3	
West Raynham	100	24	64	0	15.2	-1.1	65	47	1	1	1	2	1	1	1	180	09	32	tlr	13.3	-0.2	56	52	1	1	8	8	18	6	10	2	2	67	9.8	13		
Mildenhall	110	17	80	0	13.6	-1.2	69	46	1	1	1	4	1	1	20	140	04	32	t	11.8	-0.1	60	56	1	9	1	8	8	80	1	1	1	70	8.1	6		
Griffiths	160	15	56	0	12.8	-1.5	62	51	5	3	1	7	6	30	1	180	12	81	jp	11.7	+0.2	59	47	3	9	3	8	3	22	1	18	1	1	64	1.7	0.4	
Edmond	120	10	24	0	12.7	-0.5	53	52	6	2	1	8	7	30	10	170	08	56	c	11.5	+0.0	56	50	8	2	8	7	5	83	2	20	1	1	58	1.2	7	
Collesmore	110	16	64	0	13.0	-2.0	63	49	6	7	2	7	8	30	1	060	06	48	0	12.3	+0.3	57	53	8	1	8	5	30	1	1	1	1	66	1.2	6		
Watnall	070	05	18	0	13.3	-2.5	55	53	6	7	2	7	12	1	1	050	03	36	c	12.2	-0.6	54	52	2	7	1	7	7	2	20	2	2	61	0.0	15		
Ross-on-Wye	140	09	20	0	11.3	-0.5	54	51	7	1	1	8	7	15	1	190	09	81	bc	11.2	+0.2	57	47	2	1	2	5	2	25	1	1	1	1	59	2.9	3	
Shawbury	110	15	09	RR	11.8	-0.7	53	51	7	2	1	8	6	6	7	170	06	40	c/pr	10.7	-0.1	53	49	9	7	8	6	6	18	1	16	2	1	59	1.4	6	
Bristol	150	12	81	0	10.4	-0.2	57	52	2	7	1	7	18	1	1	210	09	81	bc	11.2	+0.4	56	48	2	4	1	3	1	20	1	1	1	1	59	3.2	2	
Plymouth	190	14	81	0	10.5	+1.0	55	48	3	3	1	7	8	1	15	140	08	81	bc	10.9	-0.1	53	47	1	1	2	3	1	25	1	1	1	1	57	7.5	1	
Clivenor	120	09	82	0	10.0	+0.1	54	49	5	1	1	8	20	1	1	180	16	83	bc	10.7	+0.8	54	40	1	7	1	4	2	30	1	1	1	1	58	5.2	1	
St Eval	170	14	82	0	09.3	+0.9	53	40	2	6	3	6	20	1	1	170	14	82	b	09.1	-0.3	52	41	2	6	2	1	20	1	1	0	0	56	8.9	1		
Culdrose	200	16	82	0	08.9	+0.6	54	41	2	2	6	5	18	1	1	180	16	81	bc	08.4	-0.6	54	45	4	7	2	3	2	81	1	20	1	1	56	10.2	1	
Scilly, St. Mary's	160	22	82	0	07.3	-0.1	55	41	1	1	1	5	21	1	1	150	27	80	c/pr	05.3	-1.5	52	45	4	7	2	3	2	81	1	1	1	1	56	8.5	0.2	
Guernsey	180	06	82	0	12.0	+1.1	54	47	8	7	1	7	40	1	12	160	03	82	bc	12.2	+0.1	56	46	2	6	1	3	2	25	1	1	1	1	56	6.5	1	
Aberporth	160	06	81	0	09.8	-0.1	53	46	5	7	1	7	6	3	20	170	10	82	bc	09.5	-0.2	53	44	2	6	2	3	3	20	1	1	1	1	55	3.7	2	
Pembroke Dock	120	13	81	0	10.1	+0.0	55	46	2	1	1	7	60	3	20	120	06	83	bc	10.3	+0.2	54	45	2	6	2	3	1	20	1	1	1	1	57	5.0	0.3	
Holyhead (Valley)	070	06	18	0	10.0	-0.5	53	51	5	2	1	8	70	1	30	190	12	82	jp	10.2	+0.6	52	48	8	1	7	7	35	3	20	1	1	1	55	0.6	5	
Manchester	100	15	40	0	12.6	-1.3	54	41	5	1	1	8	30	1	6	130	08	56	0	11.2	-0.5	57	49	8	7	7	3	60	2	25	1	1	57	1.4	6		
Squires Gate	110	21	16	0	12.1	-1.4	53	51	5	1	1	8	40	2	25	120	12	16	pr	11.0	+0.4	54	50	9	7	8	6	20	2	12	1	1	56	2.9	7		
Silloth	120	13	48	0	14.8	-0.9	54	49	4	9	1	8	25	1	1	100	06	50	c/pr	12.3	+0.2	52	49	5	7	1	8	6	30	1	18	2	1	55	1.1	19	
Enniscorthy	130	24	80	0	13.8	-1.6	65	50	1	5	1	6	1	4	40	090	10	56	c/pr	12.9	+1.0	53	52	2	6	3	7	5	25	1	1	2	1	67	1.6	14	
Spurn Head	030	22	32	0	16.2	-0.6	59	43	1	4	1	2	81	1	1	090	27	32	0	12.5	+1.4	53	46	2	1	8	8	20	1	1	2	1	60	5.7	10		
Dunforth	110	20	81	0	14.5	-2.2	61	49	4	7	1	7	40	1	1	140	13	13	tlr	14.2	+1.6	53	49	9	1	8	4	20	2	15	1	1	64	2.4	8		
Tynemouth	140	14	56	0	18.0	-0.6	52	44	5	5	1	7	30	1	1	140	18	56	c	15.5	-0.7	50	42	1	7	5	4	1	1	1	1	1	53	4.7	3		
Leuchars	120	10	48	0	19.2	-0.3	51	47	5	5	1	7	30	1	1	110	10	48	c	16.7	-1.2	50	44	1	7	1	7	1	1	1	1	1	53	6.7	1		
Eskaletun	110	17	80	0	15.9	-1.2	53	39	8	7	1	8	2	35	1	120	20	40	rr	13.0	+0.9	48	45	6	2	1	8	7	12	1	1	1	54	1.4	4		
Prestwick	030	18	56	0	14.8	-0.6	58	44	5	1	1	8	28	1	1	100	14	40	pr	11.7	-1.2	52	48	5	2</												

Chart of Weather in the Northern Hemisphere.



GENERAL INFERENCE
 Anticyclone over the Baltic is moving southeast. A depression centred near southwest Ireland is moving slowly north. Most Midland and western districts of the British Isles will have some bright periods, with scattered showers this afternoon and perhaps isolated thunderstorms this evening. Near the east coast it will be mainly cloud with rain at times but a clearance will probably spread northwards tonight. Tomorrow morning bright periods are expected in most districts but there may be showers or outbreaks of rain in a few places. Temperatures will be about or rather above normal for early May.

FURTHER OUTLOOK.
 Bright periods and showers.



HMSO Press MO, Dunstable

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue: Saturday 10th May 1952

No. 33092


OBSERVATIONS at 12h. G.M.T. 9th May 1952

OBSERVATIONS at 18h. G.M.T. 9th May 1952

OBSERVATIONS during DAY

STATIONS (For heights see p. 4)	Wind		† Present Weather	Pressure		Temp.		Cloud						Wind		† Present Weather	Pressure		Temp.		Cloud						21 h † State of ground	Weather.		Max. Temp. 21h. °F. (36)	Sun- shine. 21h. (%) (37)	Rain 21h. mm. (38)							
	Direction (degrees)	Speed (kts.)		Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form			Main layer Amt.	Lowest layer Amt.	Direction (degrees)	Speed (kts.)	Bar at M.S.L. mb		Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form			Main layer Amt.	Lowest layer Amt.															
		Low						Medium	High	Low										Medium	High	Total amount			Main layer Amt.	Lowest layer Amt.													
																												0-8	0-8				0-8	0-8	0-8	0-8	0-8	0-8	0-8
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)		
Kew ...	200	13	82	bc	15.4	+04	59	45	2	-	-	5	5	25	-	-	210	10	81	bc	15.6	-02	60	46	8	-	-	4	25	-	-	1	1	bccyc	obcbw	61	10.7	-	
London Airport ...	210	12	81	b	15.5	+04	60	43	2	-	-	6	6	30	-	-	180	11	82	b	15.7	-03	59	44	1	4	1	2	25	-	-	1	1	bccpr.c	cycbbc	62	-	TR	
Lymington ...	230	12	82	b	16.1	+05	60	48	2	4	-	6	1	25	-	-	210	01	83	b	16.4	-05	57	45	-	8	-	1	-	-	0	0	obbbv	bvbw	61	10.2	-		
Tangmere ...	180	10	82	bc	16.6	+06	58	50	8	4	-	6	4	45	2	20	160	14	82	c	16.5	-01	55	45	2	7	-	6	5	80	1	25	1	1	bcc	bc	60	10.8	-
Calshot ...	200	15	83	c	15.6	+06	60	46	8	8	1	6	5	83	1	25	150	10	81	bc	15.4	-02	56	48	6	-	-	6	50	-	-	1	0	bccvcy	bccrb	63	8.9	-	
Boscombe Down ...	200	18	80	c	14.8	+05	57	48	8	-	-	6	6	40	3	25	200	10	81	c/pr	15.3	+03	54	47	8	-	2	6	35	2	25	0	0	cpr.c	bccpr.bc	61	8.7	TR	
Folkestone ...	190	08	84	b	16.0	+07	56	52	2	-	-	6	1	25	-	-	170	03	80	c	15.9	-03	60	50	-	-	0	0	-	0	-	2	2	cir.b	b	61	7.7	TR	
Corlestone ...	230	08	86	c	15.8	+02	57	51	7	7	-	6	6	81	3	25	160	12	56	b	16.0	-02	53	49	-	-	0	0	-	0	-	1	1	omc	b	58	5.7	2	
West Raynham ...	190	06	84	bc	15.0	+00	59	49	2	3	1	5	4	22	-	-	180	10	64	bc	14.9	+10	59	47	8	-	4	4	40	2	20	1	0	cir.c, m, bc	bc	61	5.5	0.2	
Mildenhall ...	200	05	84	c	15.4	+01	61	49	3	3	-	7	6	30	3	25	220	08	64	b	15.3	+06	61	46	2	-	4	2	30	-	-	0	0	cir. m, c, cy	beybyb	64	6.7	TR	
Cranfield ...	210	11	82	bc	14.6	+00	60	44	2	-	-	7	4	28	-	-	170	12	82	b	14.8	+01	59	45	2	-	2	1	80	2	30	1	1	cbccbcyc	cb	62	8.3	-	
Elmdon ...	180	11	81	c	13.7	+02	57	47	8	-	-	7	6	22	-	-	190	12	64	jp	13.6	+00	57	47	9	-	3	3	25	1	18	1	1	cpr.c	cprbc	62	7.3	0.3	
Collesmore ...	190	11	81	c	14.4	+01	59	41	1	-	-	6	6	25	-	-	190	10	81	bc	14.4	+00	58	43	-	3	-	4	83	-	-	0	0	cycbcyc	cycbcyc	61	7.0	-	
Watnall ...	180	08	80	bc	13.8	-01	60	44	1	-	-	5	5	25	-	-	180	12	56	bc	14.1	+01	58	44	3	3	-	5	3	25	4	15	1	1	cir. m, pr, bc	cir. m, pr, bc	62	5.7	1
Ross-on-Wye ...	190	15	81	c	13.1	+05	54	46	8	-	-	7	7	30	-	-	150	15	81	pr	13.4	+04	57	46	8	-	1	7	25	-	-	1	1	bccprbcyc	bccprbcyc	62	9.0	-	
Shawbury ...	160	12	81	c	12.3	-04	59	47	8	-	2	7	5	25	2	18	180	15	81	jp	12.0	+04	58	45	3	6	3	6	3	25	-	-	1	1	cir. m, pr, bc	cpr.c	66	7.2	TR
Bristol ...	200	17	82	c	12.7	+03	59	50	2	-	9	7	6	21	-	-	190	11	82	c	13.3	+06	56	48	8	7	2	6	1	20	-	-	1	1	cpr.bc	bccpr.bc	62	8.4	0.1
Plymouth ...	180	17	81	c	11.9	+08	57	50	5	3	2	7	2	15	-	-	190	17	80	c, pr	13.2	+07	52	48	7	2	-	8	7	20	4	12	1	1	cpr.	cir. c, r, c, r	57	6.86	TR
Chivenor ...	180	21	84	pr	11.1	+08	56	50	3	2	6	7	6	20	4	15	160	14	81	pr	11.7	+01	54	49	3	7	-	7	6	15	1	10	1	1	cpr.	cpr.	59	3.9	1
St Eval ...	170	21	81	c/pr	09.6	+11	54	49	3	2	6	7	5	18	-	-	170	14	81	pr	10.9	+03	52	50	2	7	-	8	7	12	2	10	1	1	cpr.	cpr.c	56	2.1	0.2
Culdrose ...	200	20	70	c	09.1	+09	58	50	5	6	2	7	2	15	-	-	190	17	81	c/pr	10.3	+04	51	50	8	-	7	7	30	2	10	0	0	cir.c	cpr.c	55	1.3	TR	
Scilly, St. Mary's ...	190	21	56	c	07.3	+13	56	48	5	-	6	6	3	17	-	-	180	18	64	c	08.9	+05	54	50	5	-	6	6	3	20	-	-	1	1	c	c	57	8.7	-
Guernsey ...	180	16	82	c	14.6	+03	57	49	2	3	6	6	3	30	-	-	130	10	82	c	14.6	+04	55	47	8	4	8	6	3	30	1	16	0	0	bccpr.	cbcb	57	9.6	TR
Aberporth ...	160	15	84	pr	09.6	+12	51	48	3	6	2	7	6	14	-	-	170	11	82	c/pr	10.2	+06	54	47	9	6	3	6	2	20	1	12	2	2	bccpr.	bccpr.	58	8.2	3
Pembroke Dock ...	170	16	81	c	10.1	+12	57	49	1	7	2	6	1	20	-	-	190	08	80	c	10.9	+03	54	49	3	7	-	8	5	16	3	08	1	1	cbcc	cpr.c	58	6.6	0.3
Holyhead (Valley) ...	160	21	81	bc	09.2	+02	59	48	5	4	3	5	4	30	-	-	160	13	81	bc	10.0	+03	55	48	8	6	3	5	2	50	2	20	1	1	bccpr.	bcc	60	9.0	4
Manchester ...	170	11	40	c	12.7	-01	58	44	2	-	-	7	7	30	-	-	180	15	80	c/pr	11.9	+00	59	45	8	6	-	7	6	45	4	25	1	1	c, cycpr, bc	bccprbc	62	5.5	0.3
Squires Gate ...	160	16	56	bc	12.3	-02	61	49	2	4	8	4	3	20	-	-	240	07	56	pr	11.9	+10	53	49	9	-	7	7	20	2	15	1	1	c, cyc	cpr, c, m.	63	4.5	3	
Silloth ...	150	12	81	c	12.0	-02	58	43	1	7	-	7	1	24	-	-	190	06	48	pr	11.6	+04	51	50	9	7	-	7	6	20	-	-	1	1	c, cyc	cyc, r, m, pr, c	62	2.8	2
Finningley ...	180	10	84	c	14.1	+02	58	45	2	7	-	7	2	25	-	-	180	10	81	bccpr	13.5	+02	58	50	8	-	3	2	35	2	25	2	2	2	c, cpr.	cpr. b, c	64	4.6	1
Spurn Head ...	120	07	16	o	14.9	+08	55	55	2	-	-	8	8	15	-	-	110	15	24	pr	14.2	+00	54	50	3	-	6	3	30	3	25	0	0	pr, r, p	bccprb	62	5.5	2	
Dishforth ...	120	10	24	o	13.5	+00	57	52	6	2	-	8	5	40	3	15	160	15	64	bc	12.3	-04	60	49	2	3	-	4	1	35	-	-	1	1	cir. c, o	cb	63	4.8	-
Tynemouth ...	160	07	08	o/r	14.2	-03	51	48	6	2	-	8	4	28	-	-	140	14	16	c	12.8	-10	51	48	-	2	-	6	6	-	-	-	1	1	om, m, r, o	om, b, m.	52	2.2	1
Leuchars ...	100	05	06	o, b	13.7	-05	49	48	6	-	-	8	8	02	-	-	090	05	16	o	12.1	-10	48	48	6	-	8	8	03	2	01	1	1	cir. c, r, o	cir. r, p, f, r, m	49	0.0	5	
Esksdalemuir ...	140	10	80	bc	12.0	-03	55	44	2	7	-	4	4	15	-	-	180	08	81	c	10.2	-07	56	43	2	-	6	6	18	-	-	1	1	cay	cycprc	58	2.4	2	
Prestwick ...	120	12	82	c	11.6	-06	59	37	2	7	2	7	1	25	-	-	170	11	81	c	10.7	-05	57	47	8	-	7	7	35	3	20	1	1	cay	cycpr, b, bc, jp	61	1.5	0.1	
West Freugh ...	120	18	48	c	10.9	-02	54	47	8	7	2	6	3	30	1	25	140	12	56	c	10.0	-05	53	49	8	3	-	7	1	20	-	-	1	1	bccpr.	cpr. b, c	56	8.0	0.4
Ronaldsaway ...	120	18	56	c	10.3	+00	52	47	8	-	-	7	7	28	-	-	170	13	82	c	10.3	-02	52	48	8	-	2	7	6	35	1	20	1	1	cir. c	r, o, c	54	5.6	-
Tiree ...	110	20	64	c	10.1	-07	56	47	1	-	6	7	1	25	-	-	130	13	64	c	09.7	-17	54	46	5	7	8	7	4	55	2	30	1	1	cir. c	cb	59	7.2	TR
Benbecula ...	130	18	82	c	10.7	-05	59	47	1	3	7	7	1	50	-	-	120	17	81	c	08.0	-14	55	45	-	2	-	7	7	83	-	-	1	1	cbcc	cbcc	61	4.3	-
Stornoway ...	120	26	88	c	12.6	+01	53	45	2	7	-	7	1	50	-	-	130	18	84	o	09.9	-12	51	47	5	-	8	3	30	-	-	0	0	c	c	55	2.4	-	
Cape Wrath ...	140	09	83	c	13.6	+00	49	40	5	-	-	6	6	30	-	-	140	15	83	c	10.8	-19	49	45	5	-	6	6	20	-	-	1	1	ir.	r, n	52	-	0.4	
Sule Skerry ...	140	19	80	c	15.2	-06	47	47	6	-	-	7	7	10	-	-	140	19	30	id.	12.6	-18	47	47	6	-	8												

Chart of Weather in the Northern Hemisphere.






GENERAL INFERENCE.

An anticyclone over Russia is moving South and a depression is forming over the South Baltic. A depression centred west of Ireland is almost stationary. All parts of the British Isles will have showers and bright periods this afternoon and evening. The showers may be heavy in places with risk of hail and thunder. Tomorrow morning there will again be bright periods and some showers, but perhaps rather fewer than today. Temperatures will reach about the same levels as of late and will be about or rather above the normal for mid-May.

FURTHER OUTLOOK.

Little general change.



No 33043

THE DAILY WEATHER REPORT

OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue Sunday 11 May 1952


OBSERVATIONS at 12h. G.M.T. 10th May 1952

OBSERVATIONS at 18h. G.M.T. 10th May 1952

OBSERVATIONS during DAY


STATIONS (For heights see p. 4)	Wind			† Present Weather	Pressure		Temp.		Cloud						Wind			† Present Weather	Pressure		Temp.		Cloud						State of ground	Weather.		Max. Temp. 09h-21h. °F	Sun- shine.	Rain 09h-21h. mm.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	Direction (degrees)	Speed (kts.)	Visibility		Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form			Direction (degrees)	Speed (kts.)	Visibility	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F		Dew point °F	Form			Direction (degrees)	Speed (kts.)	Visibility	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F		Dew point °F	Form				09h to 15h. (34)	15h. to 21h. (35)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
									Low	Medium	High									Total amount	Main layer	Lowest layer									Low					Medium	High	Total amount	Main layer	Lowest layer	Low	Medium	High	Total amount	Main layer	Lowest layer																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
																																															0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8

Chart of Weather in the Northern Hemisphere.



GENERAL INFERENCE

FURTHER OUTLOOK



THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

OBSERVATIONS at 00hr. G.M.T. 11th May 1952																OBSERVATIONS at 06hr. G.M.T. 11th May 1952																OBSERVATIONS during NIGHT					
STATIONS	Height above M.S.L.	Wind		+ Visiblty	Present Weather	Pressure		Temp.		Cloud						Wind	+ Visiblty	Present Weather	Pressure		Temp.		Cloud						9 h.	Weather		Temperature		Rain			
		Direction (degrees)	Speed (kts.)			Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form			Total amount 0-8	Main layer Ht.	Lowest layer Ht.				Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form			Total amount 0-8	Main layer Ht.	Lowest layer Ht.		State of ground	21h. to 03h. (19)	03h. to 09h. (20)	Min. °F. (21)		Max. °F. (22)		
										Low	Medium	High											Low	Medium	High												
Kew	18							53								190	08	81	07.3	-08	53	48	5	3	1	6	6	1	20	1	c, cpr	cpr	49	46	2		
London Airport	82	240	07	81	o	10.3	-16	53	44	5	7	7	7	7	7	140	09	82	07.3	-06	51	48	5	7	7	7	7	12	1	c, cpr	c, cpr	49	47	1			
Lymington	341	130	05	64	ic	11.1	-19	54	50	5	1	1	1	1	1	200	10	81	07.3	-02	51	49	1	8	1	1	1	1	1	2	c, cpr	c, cpr	49	47	1		
Tangmere	53		05	48	ic	10.6	-18	51	49	5	1	1	1	1	1	210	12	81	07.4	-02	51	47	1	2	1	1	1	1	1	1	c, cpr	c, cpr	48	45	0.1		
Calshot	12	120	10	81	o	09.5	-20	53	48	5	1	1	1	1	1	200	12	81	07.2	-02	51	47	1	1	1	1	1	1	1	1	c	c	49	47	0.1		
Boscombe Down	414	140	06	48	o/r	10.6	-12	49	49	5	3	3	3	3	3	220	15	56	06.8	-09	48	46	6	7	2	2	2	6	08	1	c, cpr	c, cpr	48	44	0.1		
Felixstowe	10	100	01	40	c	11.5	-14	54	51	5	2	2	2	2	2	160	07	48	09.4	-05	54	53	1	7	7	7	7	1	1	1	c, cpr	c, cpr	49	45	0.1		
Gorleston	5	120	04	48	bc	11.5	-14	51	49	5	3	3	3	3	3	200	16	32	08.8	-06	52	50	3	8	8	8	8	1	1	1	c, cpr	c, cpr	49	44	0.1		
West Raynham	250	120	04	28	bc	11.1	-18	48	47	5	3	3	3	3	3	200	03	32	08.1	-12	50	49	7	7	7	7	7	10	1	c, cpr	c, cpr	49	41	0.1			
Mildenhall	15	140	04	56	bc	10.6	-16	51	49	5	7	7	7	7	7	130	03	28	07.6	-12	51	49	5	7	7	7	7	20	1	c, cpr	c, cpr	49	43	0.1			
Cranfield	340	170	02	80	ic	10.2	-14	51	48	5	1	1	1	1	1	130	09	32	06.8	-12	50	48	5	8	1	1	1	60	1	c, cpr	c, cpr	49	45	0.1			
Elmdon	326	150	07	64	c, c	10.3	-16	50	46	5	7	7	7	7	7	120	17	56	05.1	-23	49	47	1	1	1	1	1	1	1	1	c, cpr	c, cpr	49	45	0.1		
Cottesmore	452	170	06	64	c, c	10.3	-16	51	46	5	7	7	7	7	7	100	11	56	05.1	-21	48	47	1	1	1	1	1	1	1	1	c, cpr	c, cpr	49	47	0.1		
Watnall	366	160	04	80	c/d	10.5	-06	51	46	5	4	4	4	4	4	090	06	81	06.4	-30	47	46	5	1	1	1	1	1	1	1	c, cpr	c, cpr	49	47	0.1		
Ross-on-Wye	223															160	13	81	04.3	-16	49	44	6	7	7	7	7	1	1	1	c, cpr	c, cpr	45	45	0.1		
Shawbury	235	150	09	80	c	08.5	-03	51	46	5	1	1	1	1	1	130	11	32	05.9	-23	49	47	6	7	7	7	7	1	1	1	c, cpr	c, cpr	49	47	0.1		
Bristol	192	140	08	80	c	08.3	-11	50	49	5	7	7	7	7	7	200	12	81	05.7	-14	48	46	6	7	7	7	7	1	1	1	c, cpr	c, cpr	49	44	0.1		
Plymouth	90	150	07	56	ic	05.4	-32	49	47	6	1	1	1	1	1	200	01	80	05.5	-18	48	44	7	7	7	7	7	1	1	1	c, cpr	c, cpr	49	43	0.1		
Chivenor	20	120	08	82	o	06.2	-18	50	48	2	7	7	7	7	7	260	10	48	05.9	-21	45	43	7	7	7	7	7	1	1	1	c, cpr	c, cpr	49	43	0.1		
St. Eval	336		0	24	ic	05.6	-18	47	45	7	2	2	2	2	2	250	05	80	05.4	-11	46	46	6	7	7	7	7	1	1	1	c, cpr	c, cpr	49	43	0.1		
Culdrose	260		0	60	c, c	04.9	-19	46	45	6	2	2	2	2	2	270	15	82	04.9	-11	48	45	5	7	7	7	7	1	1	1	c, cpr	c, cpr	49	43	0.1		
Scilly, St. Mary's	163	180	10	82	c, c	04.7	-12	49	45	8	1	1	1	1	1	270	14	82	05.3	-16	48	45	5	7	7	7	7	1	1	1	c, cpr	c, cpr	49	46	0.1		
Guernsey	340	180	12	82	c, c	03.1	-27	51	49	8	7	7	7	7	7	210	18	81	05.4	-10	49	45	8	7	7	7	7	1	1	1	c, cpr	c, cpr	49	43	0.1		
Aberporth	375	170	05	82	c, c	06.0	-06	46	44	3	6	6	6	6	6	310	04	40	01.2	-16	45	44	7	7	7	7	7	1	1	1	c, cpr	c, cpr	49	43	0.1		
Pembroke Dock	40	140	05	81	c	06.3	-12	49	47	8	1	1	1	1	1	350	05	56	03.5	-08	45	44	7	7	7	7	7	1	1	1	c, cpr	c, cpr	49	46	0.1		
Holyhead (Valley)	32	160	11	80	bc	05.7	-05	50	48	5	7	7	7	7	7	040	04	56	03.2	-13	47	47	8	7	7	7	7	1	1	1	c, cpr	c, cpr	49	45	0.1		
Manchester	230	150	11	64	c	08.7	-08	51	44	5	7	7	7	7	7	080	08	56	05.5	-25	49	48	5	7	7	7	7	1	1	1	c, cpr	c, cpr	49	47	0.1		
Squires Gate	33	150	12	64	c, c	07.5	-04	51	47	8	1	1	1	1	1	100	09	56	04.9	-16	49	48	7	7	7	7	7	1	1	1	c, cpr	c, cpr	49	45	0.1		
Silloth	25	210	15	48	pr	08.0	-02	48	46	8	7	7	7	7	7	110	04	48	05.6	-10	48	47	5	7	7	7	7	1	1	1	c, cpr	c, cpr	49	44	0.1		
Finningley	52	180	10	80	c	10.0	-05	51	45	5	1	1	1	1	1	130	11	56	05.3	-12	49	45	5	7	7	7	7	1	1	1	c, cpr	c, cpr	49	43	0.1		
Spurn Head	29	140	19	24	c	10.0	-03	50	47	5	1	1	1	1	1	140	18	16	05.9	-10	51	50	7	7	7	7	7	1	1	1	c	c	49	47	0.1		
Dishforth	106	160	10	40	ic	09.2	-07	53	45	5	1	1	1	1	1	130	10	32	07.2	-10	49	49	5	7	7	7	7	1	1	1	c, cpr	c, cpr	49	46	0.1		
Tynemouth	108	180	13	56	c, c	09.2	-03	50	45	2	7	7	7	7	7	160	09	32	07.8	-06	48	48	1	1	1	1	1	1	1	1	c, cpr	c, cpr	49	45	0.1		
Leuchars	36	160	03	64	ic	08.2	-13	47	47	5	7	7	7	7	7	0	40	c	06.6	-05	49	49	5	7	7	7	7	1	1	1	c, cpr	c, cpr	49	43	0.1		
Eskdalemuir	794															0	40	d, d, 05.7	-07	46	44	5	7	7	7	7	1	1	1	c, cpr	c, cpr	49	43	0.1			
Prestwick	30	120	11	81	c	06.6	-07	50	46	5	7	7	7	7	7	110	05	81	06.0	-10	47	45	8	7	7	7	7	1	1	1	c, cpr	c, cpr	49	43	0.1		
West Freugh	52	130	15	64	c	06.1	-05	48	46	5	7	7	7	7	7	160																					

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue Monday 12th May, 1952

OBSERVATIONS at 12h. G.M.T. 11th May 1952OBSERVATIONS at 18h. G.M.T. 11th May, 1952

OBSERVATIONS during DAY

1952

[illegible]

12h. Ships' Reports

Ship	Lat. N.	Long. W.	Bar. mb.	Change in 9 hours 0-1 mb.	Wind		Weather		Temp.			Visibility.	Cloud					Height of waves ft.	
					Direc.	Speed	Pres.	Fast	Air °F	Sea °F	Dew °F		Point	Form			Amount		
														Low	Med	High	Low		Total
Weather Explorer	60°36'	15°36'	1001	-04	090	16	nb	r	48	48	47	96	7	1	-	6	8	6	
Weather Observer	54°6'	13°42'	1000	+13	270	10	c	c	58	52	49	98	8	-	-	6	6	2	
Polar Front	66°6'	1°26'E	1020	+06	100	18	1/2	r	45	48	43	97	6	-	-	8	8	3	
Cumulus	52°26'	20°0'	1005	+21	290	20	c	pr	50	50	43	98	2	4	4	5	7	9 1/2	
Mermaz	45°0'	16°0'	1020	+12	280	16	c	c	59	55	48	98	6	5	-	1	7	8	
U.S. Ship "A"	63°0'	33°0'	1009	+08	050	25	pb	pr	43	42	42	55	-	2	-	8	8	7	
U.S. Ship "C"	52°48'	35°30'	1011	-07	320	09	pb	pr	41	41	39	46	7	-	7	5	8	3	
U.S. Ship "D"	44°0'	41°0'	1006	-05	180	12	pb	r	63	62	56	74	2	7	-	3	7	5	
Apapa	39°30'	11°18'	1015	+22	290	09	b	pr	61	60	54	99	1	-	-	1	1	5	
Nova Scotia	50°36'	31°12'	1012	-02	210	09	c	c	45	53	40	99	8	6	-	6	8	3	

18h. Ships' Reports

Ship	Lat. ° N	Long. ° W	Bar. mb.	Change in 3 hours 0.1 mb.	Wind		Weather		Temp.			Visibility	Cloud					Height of waves ft.
					Direc.	Speed	Pres.	Part	Air ° F	Sea ° F	Dew- point ° F		Form Amount					
													+	+	+	+	Total	
													Low	Med.	High	Low	Total	
WEATHER EXPLORER	60°42'	15°30'	1002	+00	110	25	1/2	r	49	49	45	96	5	-	-	5	8	8
CUMULUS	52°36'	20°0'	1007	+03	260	18	bc	pr	48	49	43	98	9	4	4	3	5	8
WEATHER OBSERVER	54°24'	12°12'	1003	+14	200	11	c	c	55	52	49	98	5	-	-	7	7	21
POLAR FRONT	66°0'	02°0'E	1020	+00	090	16	ir	r	43	46	37	99	5	-	-	8	8	3
MERMOZ	45°0'	16°0'	1017	+24	210	13	bd.	d	55	55	55	96	6	-	-	8	8	5
U.S. SHIP "C"	52°48'	35°30'	1010	+07	350	06	bc	c	43	40	37	80	2	3	-	2	3	3
U.S. SHIP "D"	44°0'	41°0'	1004	+15	090	07	bc	pr	62	62	58	74	2	3	-	2	4	5
ARGYLE	43°48'	22°42'	1014	+04	290	18	c	c	59	57	59	97	4	2	1	6	6	-
SACRAMENTO	59°18'	15°24'	1000	+04	170	10	bc	bc	51	49	47	98	4	6	9	8	5	5
MANCHESTER SHIPPER	55°18'	18°12'	1001	+20	270	13	c	bc	50	52	48	98	4	7	-	5	7	3

↑ CLOUD AMOUNT in eighths (9=sky obscured). CLOUD HEIGHT 01-80 in 100's of feet. VISIBILITY 01-80 in eighths of a mile, X1-X9 in 1/80ths of a mile. For higher numbers and codes for cloud form and state of ground see Introduction.

* Information not usually received.

NELSON K. JOHNSON, K.C.B., D.Sc., Director,
Meteorological Office, Air Ministry, Kingsway, London, W.C.2.

Chart of Weather in the Northern Hemisphere.





GENERAL INFERENCE.

Pressure will remain relatively low in a belt across the Atlantic extending into Scandinavia and moister air will spread across the British Isles in the south westerly stream.
 After rain at first in the extreme North there will be scattered showers and bright intervals today. Cloudy weather with light rain or drizzle will reach the Southwest during the day and may extend to other areas tonight.
 Temperatures will be about the normal.

FURTHER OUTLOOK.

Rain may spread from the West across many areas tomorrow though amounts are doubtful and may be small in the South and East of England. It is likely to become rather warm and close.



0600h. TODAY.

Monday 12th May. 1952

LOW

All times are GMT. Add one hour to get summer time.

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

OBSERVATIONS at 00hr. G.M.T. 12 th May 1952.																OBSERVATIONS at 06hr. G.M.T. 12 th May 1952.																OBSERVATIONS during NIGHT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
STATIONS	Height above M.S.L.	Wind		+ Visibility	Present Weather	Pressure		Temp.		Cloud						Wind Direction (degrees)	Speed (kts.)	+ Visibility	Present Weather	Pressure		Temp.		Cloud						9 h. State of ground	Weather		Temperature		21 h. - 03 h.	Min. °F.	Max. °F.	21 h. - 03 h.	Min. °F.	Max. °F.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
		Direction (degrees)	Speed (kts.)			Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Wet Bulb °F.	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.					Wet Bulb °F.	Form	Main layer	Lowest layer	21 h. to 03 h. (19)	03 h. to 09 h. (20)	Min. °F.	Max. °F.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
																												(1)	(2)		(3)	(4)	(5)	(6)							(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)	(42)	(43)	(44)	(45)	(46)	(47)	(48)	(49)	(50)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
Kew	18																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue Tuesday 13th May 1952

No 33095

OBSERVATIONS at 12h. G.M.T. 12th May 1952OBSERVATIONS at 18h. G.M.T. 12th May 1952

OBSERVATIONS during DAY


STATIONS (For heights see p. 4)	Wind		+ Present Weather	Pressure		Temp.		Cloud						24 h State of ground	Weather.		Max. Temp. 09h- 21h. °F	Sun- shine. 09h- 21h. h.m.	Rain 09h- 21h. mm.																				
	Direction (degrees)	Speed (kts.)		Bar at M.S.L.	Change in 3 hrs.	°F	°C	Form	Total amount	Main layer	Lowest layer	Ht.																											
												Low	Medium							High	Total	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8								
																																+	+	+	+	+	+	+	+
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)		(35)	(36)	(37)	(38)	
Kew	260	10	81	pr	17.2	107	54	48	5	7	3	7	4	25	2	12	230	07	81	c	18.4	107	59	40	5	4	3	6	3	60	2	25	1	cpr 0.0	cybcw	61	8.7	0.4	
London Airport	250	10	81	cpr	17.2	106	54	48	5	7	3	7	4	25	2	18	240	12	81	c	18.4	107	59	40	2	6	-	6	4	30	-	-	1	ccpr 0.0	cyb	62	4.1	0.2	
Lymington	220	14	81	cpr	17.2	106	55	50	2	2	1	7	5	15	-	-	240	09	81	c	18.6	105	54	49	1	3	-	7	7	70	1	20	0	ccpr 0.0	cbcc	59	4.1	Tr	
Tangmere	230	18	81	bc	17.9	104	59	49	8	2	2	5	2	10	4	22	210	31	80	c/pr	19.5	105	56	49	8	-	-	7	7	60	2	30	0	bccpr 0.0	cpr 0.0	61	4.7	Tr	
Calshot	220	17	64	bc	17.7	103	58	48	2	3	-	4	2	20	-	-	260	09	56	c	19.5	106	55	50	5	-	-	7	7	65	-	-	0	bccpr 0.0	c	59	3.8	0.1	
Boscombe Down	240	15	80	c	17.3	107	56	43	2	3	2	7	4	20	6	20	280	08	81	c	19.1	110	55	45	5	3	-	7	6	80	14	20	1	bccpr 0.0	cbc	57	5.6	0.1	
Felixstowe	240	10	80	c	16.5	103	56	50	3	-	-	7	7	20	-	-	210	08	81	bc/pr	17.4	104	57	49	8	3	-	5	4	40	3	25	1	ccpr 0.0	ccpr 0.0	61	8.8	0.6	
Corleston	250	12	56	bc	15.6	106	60	41	1	-	-	3	3	14	-	-	260	08	64	c	16.8	110	49	47	2	6	-	6	5	85	3	30	1	bc bc tr	betc	62	8.6	1	
West Raynham	230	07	40	bc	14.9	104	55	46	2	-	-	5	5	14	-	-	230	12	64	c	16.2	110	55	45	8	-	-	7	7	40	1	15.8	2	cmo bmo zo	ccpr 0.0	60	6.1	1	
Mildenhall	250	10	81	c	15.4	101	61	44	5	3	1	7	5	45	3	25	270	06	81	c	17.3	110	56	48	8	6	-	7	6	40	2	20	1	cbcc	cMr bc	62	9.5	3	
Cranfield	260	06	80	cpr	16.3	113	54	43	9	6	3	6	3	80	4	25	260	10	82	c	18.1	114	55	44	8	-	-	7	7	50	1	25	1	ccpr 0.0	cy	59	5.0	1	
Elmsdon	240	11	56	cpr	15.1	106	56	45	9	6	3	7	5	22	-	-	230	10	80	c	17.3	107	55	44	8	-	-	7	7	60	1	25	1	cpr 0.0	pr hpr	59	5.4	3	
Collesmore	240	14	48	pr	14.9	106	56	45	3	3	1	7	2	45	1	18	250	10	81	c	16.4	106	54	45	2	6	2	7	5	30	-	-	1	cpr 0.0	cmo	57	5.0	Tr	
Watnall	300	12	64	pr	14.3	111	53	44	3	6	1	7	6	18	-	-	290	08	80	c	16.2	111	56	43	2	-	2	6	5	20	-	-	1	cpr 0.0	cmo	58	5.0	0.3	
Ross-on-Wye	250	06	80	cpr	16.4	108	53	45	8	6	1	6	4	25	-	-	250	09	82	c	18.5	108	55	43	8	-	-	7	7	30	-	-	1	ccpr 0.0	ccpr 0.0	56	2.0	1	
Shawbury	260	13	82	c	14.8	112	61	46	8	4	2	7	4	25	-	-	260	16	82	b	17.1	115	59	43	8	4	2	2	1	25	-	-	1	cpr 0.0	cy	64	9.4	0.1	
Bristol	240	14	81	c	16.8	112	57	49	2	3	1	7	7	20	2	20	260	11	81	bc	18.7	109	55	47	1	4	-	4	1	25	-	-	1	cpr 0.0	cbc	59	7.9	Tr	
Plymouth	250	13	81	c	14.9	108	53	47	2	3	-	7	7	20	-	-	220	07	56	bc	20.1	106	55	52	6	3	-	3	1	06	-	-	1	cbc	bb cccmo	56	5.3	-	
Chivenor	240	13	81	c	15.2	113	58	50	2	3	-	6	5	80	2	20	280	10	81	b	19.5	106	56	47	1	-	1	1	1	20	-	-	1	cbc	bb	59	9.2	-	
St Eval	240	12	64	c	19.0	115	55	50	2	3	-	7	6	16	-	-	250	06	80	bc	19.2	101	55	47	2	4	-	3	3	83	1	20	0	cbcc	bybcc	58	8.2	-	
Coldrose	260	12	64	bc	15.6	110	56	50	8	1	-	3	1	40	3	25	200	09	50	c	18.9	101	55	50	8	3	-	7	6	80	1	05	1	cbc	cdo	57	6.5	-	
Scilly, St. Mary's	240	11	48	bc	15.0	108	55	50	8	1	-	3	1	25	-	-	180	12	40	c	17.9	102	54	51	6	3	-	8	8	12	-	-	0	ccbb cc	ccfe	60	6.4	-	
Guernsey	270	13	64	c	21.1	113	55	52	6	3	-	6	1	18	1	08	210	03	81	c	21.1	100	53	49	8	7	-	7	5	35	2	20	1	ccbb	bbccir	57	8.6	Tr	
Aberporth	260	16	80	pr	16.0	112	55	45	3	1	-	6	6	60	2	20	350	15	81	bc	17.9	112	53	44	2	3	1	5	5	80	1	25	1	ccpr 0.0	bb	57	7.3	-	
Pembroke Dock	240	10	80	bc	17.4	114	55	49	2	3	-	7	3	12	-	-	250	09	80	b	17.3	111	56	50	1	-	1	2	2	25	-	-	1	cbc	bbbw	59	9.0	-	
Holyhead (Valley)	220	16	81	c	14.3	113	53	48	8	1	-	7	7	40	3	20	240	12	82	c/pr	16.5	109	52	48	5	4	-	7	6	81	1	28	1	cbc	bcc	55	6.0	-	
Manchester	240	13	64	bc	13.9	111	56	44	8	1	-	7	5	50	3	22	260	07	48	c	16.1	109	55	42	8	-	-	7	7	60	3	25	2	cpr 0.0	cpr 0.0	59	2.4	1	
Squires Gate	250	13	82	c	14.1	111	58	50	2	2	-	7	7	80	1	22	260	13	81	b	16.2	110	55	48	8	3	1	1	1	25	-	-	1	ccpr 0.0	bc	57	8.8	Tr	
Silloth	220	13	64	bc	11.8	111	53	48	3	6	1	4	3	25	1	10	230	13	82	bc	14.7	115	53	47	8	3	-	4	3	50	2	25	1	bccbc	bcc	55	8.3	-	
Enniscorthy	250	10	80	cpr	14.0	108	53	45	8	5	1	7	5	30	4	25	230	10	48	c	15.8	114	57	43	4	5	-	7	6	40	1	30	0	czpr 0.0	cybczo bz	60	5.1	0.2	
Spurn Head	280	10	48	c	13.8	106	59	46	2	-	-	6	4	20	2	25	230	05	32	c	14.9	106	58	46	8	-	-	6	3	30	3	25	0	bc	bc	63	8.4	-	
Dishforth	260	14	48	c	13.1	103	54	47	2	-	-	7	5	25	1	15	270	14	82	bc	14.9	111	57	44	8	-	-	4	4	50	1	30	1	cpr 0.0	cybc	60	4.7	0.1	
Tynemouth	270	09	56	pr	11.5	111	57	48	2	-	-	7	7	28	-	-	270	14	90	bc	13.4	112	59	40	2	4	-	5	3	32	-	-	1	bccbc	bc bmo	60	9.1	-	
Leuchars	290	11	81	c	08.8	113	57	44	8	7	-	7	5	40	3	25	260	13	81	b	10.9	114	60	45	8	-	-	2	1	35	1	25	1	cir 0.0	cbcyb	61	5.7	Tr	
Eskdalemuir	250	10	82	c	10.3	111	53	40	2	-	-	7	7	10	-	-	230	12	81	c	13.7	118	53	43	8	-	-	7	2	35	5	24	1	cpr 0.0	cpr 0.0	57	5.3	Tr	
Prestwick	210	13	82	c	11.7	113	55	46	2	3	-	7	3	25	-	-	230	15	82	c	14.3	116	51	47	8	-	-	7	7	50	1	18	1	cbcc	cbcmow	58	7.3	Tr	
West Freugh	240	13	82	c	12.3	113	56	43	8	1	-	6	3	23	-	-	310	08	81	c	15.8	119	52	45	8	7	-	7	5	35	1	25	1	cpr 0.0	bc	58	7.3	Tr	
Ronaldsway	250	14	81	c	13.1	116	53	48	8	2	-	7	5	60	1	18	230	12	84	c	15.5	115	52	45	1	3	6	6	1	25	-	-	1	cbc	bcc	56	5.8	-	
Treherbert	260	15	82	c	09.9	112	56	49	2	3	-	6	4	16	1	10	280	16	81	c	13.6	119	53	48	2	-	6	6	2	15	-	-	1	bcc	ccw	59	11.3	-	
Denlucula	290	09	83	b	09.3	112	54	48	8	1	-	7	5	1	25	-	260	14	84	bc	12.3	117	54	48	2	-	-	6	5	4	20	-	-	1	cbcc	bc bcc	57	7.9	-
Stornoway	330	13	81	pr	07.6	111	52	47	1	-	-	8	2	4	16	-	270	18	82	b	10.9	120	53	45	2	-	-	1	1	32	-	-	1	cd, d, c	cpr 0.0	54	1.9	Tr	
Cape Wrath	270	08	48	pr	06.3	111	49	47	1	-	-	5	2	10	-	-	270	09	80	id	09.3	113	47	47	6	-	-	8	8	09	-	-	1	cd	c	51	1.9	Tr	
Sale Skerry	140	02	48	c	05.9	110	49	47	6	1	-	4	8	10	-	-	270	05	80	c	09.1	115	49	47	6	-	-	7	7	10	-	-	1	ccpr 0.0	ccpr 0.0	51	0.2	0.2	
Renfrew	230	17	81	c	10.3	118	57</																																

12h. Ships' Reports

18h. Ships' Reports

Ship	Lat. N	Long. W	Bar. mb.	Change in 3 hours 0-1 mb.	Wind		Weather		Temp.			Visibility	Cloud					Height of waves ft.	Ship	Lat. N	Long. W	Bar. mb.	Change in 3 hours 0-1 mb.	Wind		Weather		Temp.			Visibility	Cloud					Height of waves ft.								
					Dir.	Speed	Pres.	Fast	Air °F	Sea °F	Dew °F		Point	Form			Amount							Dir.	Speed	Pres.	Fast	Air °F	Sea °F	Dew °F		Point	Form			Amount									
														+	-	+	-																Low	Total	+	-		Low	Total	+	-	+	-	Low	Total
Cumulus	52°24'	20°0'	1008	-01	160	10	16	pr	50	49	46	58	8	2	-	5	8	3	CUMULUS	52°30'	20°0'	1003	-29	190	16	d, d, r	52	50	52	92	6	-	-	8	8	3									
Weather Explorer	60°42'	15°30'	1001	+11	090	15	6	bc	51	48	45	98	1	4	-	1	2	0	WEATHER EXPLORER	60°42'	15°30'	1009	+03	100	13	bc	48	49	46	97	7	7	-	6	8	3									
Araby	44°12'	12°24'	1013	+07	250	13	c	c	56	56	54	93	2	-	-	7	7	X	POLAR FRONT	66°18'	01°24'	1020	+04	070	22	c	41	46	30	99	4	-	-	7	7	5									
Britannic	49°0'	16°30'	1004	-30	070	05	c	c	52	57	48	78	2	-	-	8	8	X	WEATHER OBSERVER	55°24'	06°36'	1015	+15	270	12	c	53	58	47	98	5	-	7	1	8	3									
Mermoz	45°0'	16°0'	1014	+14	250	11	c	c	51	55	55	97	3	-	-	8	8	S	MERMOZ	45°0'	16°0'	1021	-05	180	10	c	57	56	57	92	6	-	-	8	8	3									
U.S. Ship "A"	63°0'	30°0'	1017	+14	050	31	c	r	43	42	39	64	7	2	7	5	8	16	U.S. SHIP "A"	62°48'	32°18'	1017	+00	050	35	c	43	42	37	64	7	2	-	5	8	17									
U.S. Ship "B"	52°48'	35°30'	1008	+02	310	08	bc	c	45	42	40	74	1	-	-	5	5	S	U.S. SHIP "C"	52°48'	35°30'	1007	-08	360	16	c	45	42	40	80	5	1	-	6	8	6									
U.S. Ship "D"	44°6'	41°12'	999	-07	340	08	d, d, r	c	57	62	54	74	7	2	-	5	8	3	U.S. SHIP "D"	44°6'	41°12'	997	-20	340	13	c	63	63	57	74	8	3	-	2	7	1									
Polar Front	66°12'	13°15'	1019	-03	060	22	c	c	41	46	27	99	8	-	-	6	6	S	CILICIA	42°30'	09°30'E	1024	+05	190	09	b	60	60	56	99	-	-	-	0	0	1									
Manchester Shipper	54°24'	25°30'	1005	+10	270	13	bc	pr	46	49	39	98	1	8	1	5	5	3	NOVA SCOTIA	51°30'	18°36'	1007	+15	190	14	o/f	pr	53	51	52	94	6	-	-	8	8	8								

Chart of Weather in the Northern Hemisphere.




GENERAL INFERENCE.

The depression over the Atlantic is likely to be slow moving and the anticyclone south of the British Isles will continue slowly northwards. Most southwesterlies will extend across the British Isles giving mainly cloudy weather in the west with occasional drizzle in places and hill and coastal fog. In eastern districts and much of the Midlands low cloud may develop during the night dispersing tomorrow morning but otherwise weather will be fine and warm.

FURTHER OUTLOOK.

Similar conditions may continue for several days.



THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue Wednesday 14th May, 1952

No. 33046

OBSERVATIONS at 12h. G.M.T. 13th May, 1952.OBSERVATIONS at 18h. G.M.T. 13th May, 1952.

OBSERVATIONS during DAY

STATIONS (For heights see p. 4)	Wind		+ Visiblty	Present Weather	Pressure		Temp.		Cloud						Wind	+ Visiblty		Present Weather	Pressure		Temp.		Cloud						24 h State of ground	Weather.	Max. Temp. 09h-21h °F (36)	Sun- shine. (37)	Rain 09h-21h mm. (38)									
	Direction (degrees)	Speed (kts.)			Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form						Direction (degrees)	Speed (kts.)			Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form						State of ground													
									Low	Medium	High	Total amount	Main layer	Lowest layer									Low	Medium	High	Total amount	Main layer	Lowest layer														
														0-8														9-19						20-39	40-100	0-8	9-19	20-39	40-100	0-8	9-19	20-39
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)					
Kew	200	03	81	bc	22.7	+00	62	43	1	3	-	4	3	-	35	210	10	81	c	22.7	+02	61	50	5	7	2	7	6	-	2	50	0	bc, ycy	cy, w	65	9.8	-					
London Airport	-	0	81	bc	22.7	+02	65	37	1	3	-	4	1	35	-	-	200	09	81	c	23.0	+05	62	49	8	6	1	6	4	45	1	30	0	beycy	cyc	66	-	-				
Lymington	160	11	81	bc	22.8	+01	61	49	2	4	-	4	3	25	-	-	200	05	82	bc	23.2	+05	56	50	5	5	1	3	1	45	-	0	beycy	cyc	63	12.2	-					
Tangmere	180	09	81	bc	23.2	+01	60	46	8	7	-	5	4	70	1	25	220	07	81	c	23.5	+00	58	53	5	5	7	1	15	-	0	cm, beycy	beycy	61	8.9	-						
Caishot	120	07	81	c	23.2	+05	56	52	5	3	-	7	6	15	-	-	230	06	80	bc	23.7	+01	57	51	4	-	6	1	30	-	0	cm, beycy	cm, w	61	4.6	-						
Boscombe Down	200	05	81	c	22.2	+01	59	50	5	-	-	8	8	22	-	-	230	05	81	bc	22.7	+02	59	52	2	-	2	5	3	25	-	0	c	rcbc	62	2.6	-					
Felixstowe	250	03	81	bc	22.2	+00	61	44	2	-	-	5	5	28	-	-	180	08	64	bc	22.3	+03	59	50	5	7	1	3	1	50	-	0	beycy	bc	63	10.4	-					
Corleston	050	09	40	c	22.0	+06	57	48	2	-	-	7	7	29	-	-	130	07	32	bc	22.7	+01	54	49	-	4	-	1	1	-	-	0	beycy	bc, bc	61	9.0	-					
West Raynham	250	05	80	bc	21.6	+06	59	44	8	-	-	5	5	35	3	25	180	01	72	bc	21.5	+00	60	46	-	1	5	2	25	-	1	beycy	beycy	63	10.6	-						
Mildenhall	250	05	81	bc	22.0	+00	61	44	1	-	-	5	5	30	-	-	250	03	81	c	21.7	+03	65	46	5	-	6	1	35	-	0	beycy	cy, bc	63	10.0	-						
Cranfield	240	07	81	bc	22.4	+01	62	43	1	4	-	4	1	84	4	30	250	05	81	c	22.2	+00	62	48	2	3	2	6	3	35	-	0	beycy	beycy	64	12.8	-					
Elmsford	230	08	72	b	21.8	+01	61	43	1	-	-	2	1	30	-	-	230	08	56	c	21.7	+01	61	53	8	4	1	7	6	40	1	25	0	beycy	rcbc	64	9.9	-				
Collesmore	260	08	80	c	21.5	+00	61	45	2	-	-	7	7	30	-	-	220	07	82	c	21.3	+03	61	47	1	4	6	7	1	40	-	0	beycy	cy, bc	64	10.4	-					
Watnall	250	07	81	bc	21.4	+03	61	44	2	-	-	4	4	25	-	-	240	05	72	c	21.1	+03	62	45	-	2	8	6	5	-	-	1	beycy	cy, bc	65	10.1	-					
Ross-on-Wye	250	07	80	c	22.3	+01	61	46	8	3	-	6	3	30	-	-	240	09	81	c	22.5	+01	60	51	5	-	7	7	30	-	1	beycy	cy, bc	65	6.9	-						
Shawbury	180	04	82	c	21.4	+02	65	43	5	-	-	6	6	35	-	-	190	14	81	bc	21.3	+03	64	51	8	-	2	5	54	30	-	1	beycy	cb, cbc	67	10.5	-					
Bristol	200	07	80	c	21.9	+00	60	52	8	3	-	7	6	35	3	22	280	09	80	c	21.9	+02	60	55	8	-	7	5	30	3	20	0	c	cb, cbc	62	3.1	-					
Plymouth	230	04	36	c	23.2	+10	56	54	7	-	-	8	8	35	1	01	210	07	64	bc	24.2	+03	54	53	6	-	8	8	30	3	15	1	cm, c	cid, m, cm	57	0.0	TR					
Chivenor	290	06	82	c	22.5	+05	60	55	5	-	-	7	7	35	-	10	270	12	81	bc	23.1	+02	56	53	5	-	4	4	10	-	-	1	c	cb, cbc	60	4.5	TR					
St Eval	190	12	82	c	22.5	+09	55	51	5	-	-	8	8	12	-	-	240	10	80	bc	23.4	+01	54	49	5	-	5	5	20	-	-	1	c	cm, id	56	3.1	TR					
Coldrose	220	12	80	id	22.3	+09	55	51	5	-	-	8	7	15	2	08	230	10	40	c	23.2	+01	53	51	6	-	8	8	15	4	06	1	id, id, id	id, id, id	57	0.6	TR					
Seilly, St. Mary's	240	11	16	id	21.7	+05	54	53	6	-	-	8	8	06	-	-	220	11	56	c	22.5	+01	53	51	6	-	8	8	06	-	-	1	id, id	id, id	56	0.4	0.1					
Guernsey	280	08	40	id	23.9	+09	56	56	8	3	-	6	3	12	1	02	290	06	85	c	25.0	+06	52	52	-	-	9	9	-	9	-	0	id, id	id, id	60	4.4	-					
Aberporth	170	11	81	c	21.1	+03	57	51	8	-	-	8	8	35	4	22	180	10	82	bc	21.4	+01	54	50	5	-	4	4	20	-	-	1	c	cb, cbc	59	6.1	-					
Pembroke Dock	220	09	48	id	22.1	+11	58	55	6	-	-	7	7	06	-	-	200	09	48	id	23.0	+09	53	51	6	-	8	8	06	3	04	1	cm, id, id, id	cm, id, id, id	62	1.2	TR					
Holyhead (Valley)	200	07	81	bc	20.9	+02	55	50	2	-	-	5	1	30	1	06	200	15	80	c	20.9	+01	53	51	5	-	7	7	20	2	10	1	cb, cbc	cb, cbc	57	5.7	-					
Manchester	180	08	81	bc	21.0	+01	62	48	1	-	-	4	4	35	-	-	180	08	81	c	20.4	+01	62	46	8	-	6	6	60	1	45	0	bc, ycy	cy, bc, bc	65	9.5	-					
Squires Gate	300	10	80	bc	21.6	+15	53	48	1	3	1	4	1	25	1	04	330	02	56	bc	20.9	+01	59	48	-	4	8	4	1	80	-	0	bc, ycy	bc	59	11.4	-					
Silloth	220	18	24	bc	20.4	+02	53	49	2	6	1	3	1	25	-	-	210	11	81	c	20.5	+01	53	46	2	4	8	7	1	25	-	1	bc, cm	cb, cbc	57	11.0	-					
Finningley	180	07	28	c	20.8	+00	64	47	8	-	-	7	7	35	2	25	280	10	80	bc	20.6	+01	63	45	-	2	5	-	-	-	-	0	cy, bc	beycy	67	7.1	-					
Spurn Head	-	0	24	c	20.9	+04	65	43	-	7	-	6	6	81	-	-	110	10	32	c	20.7	+03	58	50	1	7	1	4	83	3	25	0	bc, cbc	cb, cbc	66	6.0	-					
Dishforth	270	13	82	bc	20.5	+02	62	47	8	-	-	5	4	30	-	-	290	09	81	c	20.3	+02	63	46	-	4	6	7	1	83	-	0	beycy	cy	66	10.0	-					
Tynemouth	360	04	80	bc	19.7	-01	62	37	2	-	-	3	3	36	-	-	320	09	24	c	20.2	+02	56	45	-	7	1	8	8	-	-	0	bc, ycy	cy	62	8.8	-					
Leuchars	290	05	81	bc	18.3	+01	59	45	2	-	-	1	4	3	25	-	-	250	11	80	bc	17.2	+01	63	49	5	4	3	30	-	-	0	beycy	beycy	64	11.6	-					
Esdailemuir	220	15	83	bc	19.3	+03	60	48	2	-	-	5	5	20	-	-	240	09	83	bc	19.7	+02	54	46	2	6	8	5	2	24	1	12	1	beycy	cy	61	9					

Chart of Weather in the Northern Hemisphere.






GENERAL INFERENCE.

An anticyclone is centred over France and a humid southwest to west stream of air covers the British Isles. In Western and some Southern coastal areas of Great Britain and Ireland and in the North of Scotland it will continue cloudy with rain or drizzle at times and some coast and hill fog. Inland to the East clouds are expected to break to give a warm sunny afternoon in many places, but clouds will probably return again tonight giving hill fog and perhaps a little drizzle here and there in the early morning.

FURTHER OUTLOOK.

Probably little change in most places, but there may be outbreaks of heavier rain in parts of Ireland and some western coastal areas of Great Britain later.



Wednesday 14th May, 1952

All times are GMT. Add one hour to get summer time.

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

OBSERVATIONS at 00hr. G.M.T. 14th May 1952.OBSERVATIONS at 06hr. G.M.T. 14th May 1952.

OBSERVATIONS during NIGHT

STATIONS	Height above M.S.L.	Wind		+ Visiblty	Present Weather	Pressure		Temp.		Cloud						Wind		+ Visiblty	Present Weather	Pressure		Temp.		Cloud						9 h. State of ground	Weather		Temperature		Rain				
		Direction (degrees)	Speed (kts.)			Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form			Main layer	Lowest layer	Direction (degrees)	Speed (kts.)	Bar at M.S.L.			Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form			Main layer	Lowest layer	21h to 03h (19)	03h to 08h (20)		Min. °F.	Max. °F.							
										Low	Medium	High											Total amount	Ht. ft.	Ht. ft.								Low	Medium		High	Total amount	Ht. ft.	Ht. ft.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)			
Kew	18															270	04	30	0	23.7	+0.1	52	50	6	-	-	8	8	03	1	1	1	1	1	1	1			
London Airport	82	220	03	56	b	23.7	+0.3	52	50	-	-	-	0	0	-	230	03	19	dod	23.5	+0.3	51	50	6	-	-	8	8	03	1	1	1	1	1	1	1			
Lymington	341	220	03	01	bft	23.9	+0.0	49	49	-	-	-	0	0	-	260	02	47	p.	23.6	+0.1	46	46	6	-	-	9	9	03	1	1	1	1	1	1	1			
Tangmere	53	280	08	11	o/f	24.5	+0.5	51	51	6	-	-	8	8	01	230	03	32	o	24.2	+0.3	51	49	6	-	-	8	8	08	1	1	1	1	1	1	1			
Calshot	12	240	05	20	o	24.4	+0.5	51	51	6	-	-	8	8	02	250	02	31	o	24.0	+0.0	52	49	6	-	-	8	8	08	1	1	1	1	1	1	1			
Boscombe Down	414	240	01	01	ft	24.0	+0.4	47	47	-	-	-	9	9	0	260	02	24	o	23.3	-0.1	51	50	6	-	-	8	8	03	1	1	1	1	1	1	1			
Felixstowe	10	230	03	48	b	22.9	+0.0	56	48	-	-	-	0	0	-	240	03	14	b	22.9	-0.3	53	51	6	-	-	2	2	1	1	1	1	1	1	1	1			
Gorleston	5	230	05	56	b	22.0	+1.1	52	48	-	-	-	0	0	0	240	05	24	b	21.7	+0.0	53	49	6	-	-	2	2	1	1	1	1	1	1	1	1			
West Raynham	250	220	07	64	b	22.1	+0.2	48	44	-	-	-	1	1	0	220	09	20	c	21.3	+0.0	51	51	6	-	-	7	7	1	1	1	1	1	1	1	1			
Mildenhall	15	210	05	40	b	22.8	+0.4	53	49	-	-	-	0	0	0	230	06	11	o	22.3	+0.4	51	51	6	-	-	8	8	06	1	1	1	1	1	1	1			
Cranfield	840	230	05	24	b	23.1	+0.2	52	50	-	-	-	0	0	0	260	11	40	o	22.4	-0.1	52	49	6	-	-	8	8	15	1	1	1	1	1	1	1			
Elmdon	326	220	06	32	b	22.6	+0.4	52	50	-	-	-	0	0	0	200	07	48	c	22.2	+0.1	50	47	6	-	-	7	7	1	1	1	1	1	1	1	1			
Coltshire	452	220	08	32	bc	22.3	+0.3	52	49	-	-	-	0	0	0	250	07	40	bc	21.7	+0.1	49	47	6	-	-	7	7	1	1	1	1	1	1	1	1			
Watnall	366	260	05	24	b	21.8	+0.2	51	49	-	-	-	0	0	0	260	07	20	bc	21.4	+0.0	49	46	6	-	-	7	7	1	1	1	1	1	1	1	1			
Ross-on-Wye	223															250	03	34	c	23.6	-0.2	50	47	6	-	-	7	7	25	1	1	1	1	1	1	1			
Shawbury	235	200	09	80	bc	22.6	+0.7	52	46	5	-	2	4	1	50	230	03	81	c	21.6	-0.3	52	48	6	-	-	7	7	08	1	1	1	1	1	1	1			
Bristol	182	240	10	48	o	23.5	+0.6	53	53	6	-	-	8	8	10	240	07	64	o	22.9	+0.1	52	51	6	-	-	8	8	14	1	1	1	1	1	1	1			
Plymouth	90	260	02	13	ido	24.8	+0.1	51	51	6	-	-	8	8	03	130	06	05	ido	23.9	+0.0	51	51	6	-	-	8	8	04	1	1	1	1	1	1	1			
Chivenor	20		0	81	o	24.4	+0.5	53	49	6	-	-	8	8	15	180	06	24	o	23.2	-0.2	53	51	6	-	-	8	8	03	1	1	1	1	1	1	1			
St. Eval	336	160	05	16	dod	24.2	+0.1	51	51	6	-	-	8	8	04		09	01	o	23.4	+0.0	53	53	6	-	-	9	9	1	1	1	1	1	1	1	1			
Culdrose	260	210	04	X3	ft	24.1	+0.8	53	53	-	-	-	9	9	-	200	08	X5	o	22.9	-0.8	53	53	6	-	-	9	9	1	1	1	1	1	1	1	1			
Scilly, St. Mary's	163	200	13	X6	ft	23.4	+0.5	52	52	-	-	-	9	9	-	200	08	X6	o	22.3	-0.0	54	53	6	-	-	9	9	1	1	1	1	1	1	1	1			
Guernsey	340		0	82	o	25.8	+0.1	52	50	6	7	-	8	6	11	270	03	80	o	25.1	+0.1	50	49	6	-	-	8	8	10	1	1	1	1	1	1	1			
Aberporth	375	200	10	81	o	22.9	+0.1	50	47	6	-	-	8	8	08	190	12	82	o	21.6	-0.4	51	51	6	-	-	8	8	03	1	1	1	1	1	1	1			
Pembroke Dock	40	200	08	24	ido	23.4	+0.0	52	51	6	-	-	8	8	11	210	06	02	o	22.6	-0.2	52	52	6	-	-	9	9	1	1	1	1	1	1	1	1			
Holyhead (Valley)	32	180	20	11	o	20.9	-0.2	50	50	4	-	-	8	8	09	180	15	05	o	20.2	-0.9	51	51	6	-	-	8	8	01	1	1	1	1	1	1	1			
Manchester	230	170	08	28	b	21.3	+0.2	51	48	5	-	-	6	6	18	150	07	80	o	21.2	+0.1	50	47	6	-	-	8	8	25	1	1	1	1	1	1	1			
Squires Gate	33	270	08	80	c	21.3	+0.2	51	49	5	-	-	6	6	18	170	05	64	o	20.6	+0.4	52	50	6	-	-	8	8	15	1	1	1	1	1	1	1			
Silloth	25	210	15	80	o	20.0	-0.3	51	47	6	-	-	8	8	12	200	08	64	o	19.2	-0.3	51	49	6	-	-	8	8	08	1	1	1	1	1	1	1			
Finnigley	52	230	08	24	b	21.1	+0.2	54	49	6	-	-	0	0	0	180	04	24	o	20.9	+0.0	50	48	6	-	-	8	8	08	1	1	1	1	1	1	1			
Spurn Head	29	200	08	32	b	21.3	+0.6	53	47	-	-	-	0	0	0	230	07	24	c	20.2	-0.2	51	49	6	-	-	7	7	81	1	1	1	1	1	1	1			
Dishforth	106	220	03	64	bc	20.8	+0.1	51	46	-	-	-	3	3	81	200	06	82	c	19.8	-0.1	53	49	6	-	-	7	7	20	1	1	1	1	1	1	1			
Tynemouth	108	250	07	40	bc	20.1	-0.1	52	46	-	-	-	4	4	-	230	02	24	o	18.8	-0.3	52	48	6	-	-	7	7	28	1	1	1	1	1	1	1			
Leuchars	36	260	05	56	o	16.8	-0.4	53	48	5	7	-	8	4	35	270	10	40	o	15.1	-0.6	55	53	6	-	-	8	8	4	15	1	1	1	1	1	1			
Eskdalemuir	794															220	10	01	o	18.4	-0.4	47	47	6	-	-	9	9	1	1	1	1	1	1	1	1			
Prestwick	30	170	12	81	o	17.9	-0.5	54	49	5	-	-	8	8	26	130	12	80	o	17.2	-0.3	56	52	6	-	-	8	6	12	2	08	1	1	1	1	1			
West Freugh																																							

THE DAILY WEATHER REPORT

OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue: Thursday 15th May, 1952

No 33047

OBSERVATIONS at 12h. G.M.T. 14th May, 1952OBSERVATIONS at 18h. G.M.T. 14th May, 1952

OBSERVATIONS during DAY

STATIONS (For heights see p. 4)	Wind		†	Present Weather	Pressure		Temp.		Cloud						Wind		†	Present Weather	Pressure		Temp.		Cloud						24 h † State of ground	Weather.		Max Temp 09h. 21h. °F (36)	Sun-shine 09h. 21h. num. (37)	Rain 09h. 21h. num. (38)				
	Direction (degrees)	Speed (kts.)			Bar at M.S.L. mb	Change in 3 hrs.	°F	°C	Low	Medium	High	Total amount	Main layer	Lowest layer		Direction (degrees)			Speed (kts.)	Bar at M.S.L. mb	Change in 3 hrs.	°F	°C	Low	Medium	High	Total amount	Main layer		Lowest layer					09h. to 15h. (34)	15h. to 21h. (35)		
														0-8	0-8															0-8	0-8						0-8	0-8
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	
Kew	240	04	20	C	23.6	-0.1	59	52	3	-	-	6	2	-	4	35	270	04	46	C	22.4	-0.5	64	55	6	7	-	8	6	40	4	20	0	cmoc	cmoc	66	2.3	-
London Airport	200	08	56	C	23.7	+0.2	60	52	3	-	-	7	6	-	-	-	270	05	72	C	22.6	-0.6	65	56	5	7	-	7	7	30	-	-	0	cmoc	cmoc	66	-	-
Lymington	220	03	20	C	23.8	+0.3	58	52	3	-	-	7	6	-	-	-	210	06	64	C	22.9	-0.3	53	51	7	7	-	5	5	-	-	-	0	cmoc	cmoc	60	2.4	-
Tangmere	220	07	20	C	24.1	+0.8	57	51	1	-	-	4	9	15	6	-	210	06	56	C	22.9	-0.3	58	53	5	7	-	7	3	28	-	-	0	cmoc	cmoc	61	4.9	-
Calshot	200	08	56	C	24.3	+0.2	60	51	5	-	-	4	4	26	10	-	240	06	32	C	23.0	-0.3	57	53	5	7	-	7	7	25	-	-	0	cmoc	cmoc	62	1.9	-
Boscombe Down	290	02	56	C	23.8	+0.2	57	53	5	-	-	8	8	15	-	-	210	01	56	C	22.8	-0.6	62	57	5	7	-	8	8	6	5	25	0	cmoc	cmoc	62	0.0	-
Felixstowe	260	06	28	C	22.7	+0.1	58	53	6	2	-	6	3	12	-	-	200	07	24	C	21.7	+0.8	59	56	5	7	-	7	7	25	-	-	0	cmoc	cmoc	62	4.7	-
Gravelly	270	08	32	C	22.1	+0.3	62	51	1	-	-	7	2	26	-	-	190	02	16	C	21.2	+0.9	57	51	5	7	-	7	7	20	-	-	0	cmoc	cmoc	66	7.2	-
West Ravnham	240	06	28	C	21.4	+0.3	62	51	1	-	-	7	2	26	-	-	200	02	16	C	20.8	-0.6	66	56	5	7	-	7	4	20	-	-	0	cmoc	cmoc	66	6.0	-
Mildenhall	270	09	64	C	22.3	+0.4	63	51	5	-	-	8	8	25	-	-	250	05	40	C	21.4	-0.6	66	56	6	7	-	8	7	25	-	20	1	cmoc	cmoc	67	1.2	-
Gravelly	250	05	56	C	21.6	+0.1	62	53	3	2	-	7	6	53	3	22	250	05	48	C	22.1	-0.2	62	56	8	7	-	8	8	32	3	20	0	cmoc	cmoc	65	3.5	-
Embsay	260	08	48	C	22.3	+0.1	61	53	3	2	-	7	6	53	3	22	250	10	28	C	21.9	-0.3	63	56	5	7	-	7	7	45	1	30	0	cmoc	cmoc	64	0.7	-
Colchester	260	07	32	C	21.6	+0.2	63	54	3	2	-	8	8	30	1	40	260	08	40	C	21.3	-0.2	65	57	5	7	-	8	7	20	-	-	1	cmoc	cmoc	65	2.3	-
Watnall	240	08	32	C	21.8	+0.4	63	54	3	2	-	8	8	30	1	40	260	08	40	C	21.1	-0.5	64	57	5	7	-	8	8	60	-	46	1	cmoc	cmoc	67	4.3	-
Ross-on-Wye	240	09	50	C	22.9	-0.1	63	55	5	-	-	8	8	26	2	15	230	06	32	C	22.7	-0.4	63	57	5	7	-	8	8	15	-	-	1	cmoc	cmoc	64	1.8	-
Shawbury	230	13	82	C	22.4	+1.1	63	55	6	-	-	7	5	15	-	-	270	13	82	C	22.3	+0.4	63	54	5	7	-	7	7	30	-	-	0	cmoc	cmoc	68	6.1	-
Bristol	240	08	64	C	23.1	+0.8	60	56	6	-	-	7	5	12	-	-	240	08	48	C	22.5	+0.2	61	58	5	7	-	7	7	30	2	22	0	cmoc	cmoc	62	0.0	-
Plymouth	200	06	48	C	24.6	+0.3	64	56	6	-	-	8	8	25	-	-	200	02	56	0	23.2	-0.9	59	52	6	7	-	8	8	10	-	-	1	cmoc	cmoc	56	0.1	TR
Chivenor	-	0	48	C	23.8	+0.0	63	56	6	-	-	8	8	25	-	-	210	06	56	0	23.0	-0.8	59	56	5	7	-	8	8	18	-	-	1	cmoc	cmoc	60	0.0	-
St. Eval	250	03	24	C	24.1	+0.3	53	53	6	-	-	8	8	26	-	-	160	06	81	C	22.7	-0.9	58	56	6	7	-	8	8	15	5	09	1	cmoc	cmoc	59	0.0	TR
Coldrose	220	07	08	C	23.6	+0.1	55	54	6	-	-	8	8	26	-	-	120	09	81	bc	22.0	-1.2	58	54	5	7	-	8	2	20	14	05	0	floc	cmoc	59	2.9	-
Sally, St. Mary's	180	10	16	C	23.0	+0.3	58	56	6	-	-	8	8	26	-	-	120	10	24	C	21.3	-1.5	58	51	6	7	-	8	8	08	-	-	1	cmoc	cmoc	58	0.0	-
Guernsey	270	04	81	C	25.3	+0.2	58	55	6	-	-	8	8	26	-	-	-	0	32	C	23.4	-1.3	58	54	6	7	-	8	8	06	1	03	0	cmoc	cmoc	58	1.2	-
Aberporth	240	07	81	C	23.6	+0.3	58	55	6	-	-	8	8	26	-	-	-	0	82	C	23.4	-0.3	58	54	6	7	-	8	8	20	1	14	1	cmoc	cmoc	60	0.0	TR
Pembroke Dock	190	06	40	C	23.6	+0.6	60	56	6	-	-	8	8	26	-	-	180	01	40	C	23.0	-0.6	59	56	6	7	-	8	8	10	3	06	1	cmoc	cmoc	63	0.4	TR
Holyhead (Valley)	200	16	24	C	21.4	+0.3	57	52	6	-	-	6	4	02	1	20	200	15	80	bc	21.3	-0.4	55	52	8	7	-	8	2	50	1	20	1	cmoc	cmoc	57	5.9	-
Manchester	190	08	72	C	20.3	+0.1	57	53	6	-	-	7	5	40	1	20	290	09	48	C	20.9	-0.1	61	56	5	7	-	8	8	35	3	25	0	cmoc	cmoc	68	0.7	-
Squires Gate	160	10	80	C	21.2	+0.1	57	53	6	-	-	7	5	40	1	20	240	12	81	bc	21.1	-0.5	59	54	2	7	-	8	1	25	-	-	0	cmoc	cmoc	60	4.8	-
Silth	220	13	64	C	20.2	+0.6	52	52	6	-	-	7	5	25	7	8	250	11	48	C	20.2	-0.3	56	53	5	7	-	7	7	80	4	40	1	cmoc	cmoc	58	1.0	TR
Finningley	240	03	40	C	20.8	+0.3	54	54	6	-	-	7	5	26	-	-	290	06	28	C	20.6	-0.2	67	57	5	7	-	7	7	20	-	-	0	cmoc	cmoc	67	0.4	-
Spurn Head	250	14	16	C	20.3	+0.3	54	54	6	-	-	7	5	26	-	-	270	08	16	C	20.0	-0.3	63	56	5	7	-	7	7	20	-	-	0	cmoc	cmoc	69	4.4	-
Dishforth	220	09	81	C	19.4	+0.3	53	53	6	-	-	7	5	26	-	-	260	12	64	bc	20.5	+0.8	63	54	5	7	-	7	7	25	-	-	0	cmoc	cmoc	67	4.4	-
Tynemouth	270	11	56	C	18.6	+0.1	64	53	6	-	-	7	5	26	-	-	270	14	40	bc	19.0	-0.4	64	54	2	7	-	7	7	30	-	-	1	cmoc	cmoc	65	3.8	-
Leuchars	260	15	40	C	16.0	+0.8	57	56	6	-	-	7	5	26	-	-	280	15	81	C	16.6	+0.6	65	54	5	7	-	7	6	34	2	35	1	cmoc	cmoc	67	1.1	-
Eskaletunir	250	12	02	ds	19.0	+0.3	51	51	6	-	-	7	5	26	-	-	280	12	80	C	19.2	-0.1	57	55														

Chart of Weather in the Northern Hemisphere.




GENERAL INFERENCE:

An anticyclone is centred over Eastern England. It will maintain dry weather almost everywhere but there will be drizzle and fog in some exposed coastal areas today chiefly along the south coast of England the Northern Irish Sea and in the Orkneys and Shetlands. There is a good deal of cloud in many inland areas but it is thin and may break in many places during the period. There will be fog in parts of England later tonight and early tomorrow morning, and it will be widespread if the cloud breaks.

FURTHER OUTLOOK

Fine and warm in many places. Fresh easterly winds in the West and South.



THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, LONDON

OBSERVATIONS at 00hr. G.M.T. 15 th May 1952.																OBSERVATIONS at 06hr. G.M.T. 15 th May 1952.																	OBSERVATIONS during day							
STATIONS	Height above M.S.L.	Wind		+ Visibility	Present Weather	Pressure		Temp.		Cloud						Wind		+ Visibility	Present Weather	Pressure		Temp.		Cloud						State of ground	Weather		Temperature							
		Direction (degrees)	Speed (kts.)			Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form			Main layer	Lowest layer	Direction (degrees)	Speed (kts.)	Bar at M.S.L.			Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form			Main layer	Lowest layer	21h-03h (19)	03h-09h (20)		Min. °F.	Max. of Grass °F. (42)								
										Low	Medium	High											Low	Medium	High								Low	Medium	High					
Kew	18					22.4	-02	59	56						200	02	09	0	22.1	-03	59	57	6					1	cmow	cmow	58	51								
London Airport	82	260	01	48	c	22.4	-02	60	56	5					0	16	0	21.9	+01	60	56	6					0	cmo	cmo	59	57									
Lymington	341	-	0	x4	f	22.9	-01	51	51	1					0	20	cif	21.8	-04	52	52	2					0	cifwofe	cifco	47	46									
Tangmere	53	-	0	01	f	23.0	-02	51	51						0	07	jf	21.8	-02	61	50	1					1	bcmobc	bcmobc	49	50									
Calshot	12	-	0	16	bc	22.9	-01	52	51	6					120	05	01	f	21.8	-01	50	50	1				0	bcmobc	bcmobc	50	50									
Boscombe Down	414	-	0	48	b	22.6	-02	58	56	5					0	16	0	22.0	+00	57	56	6					0	cwmobm	cwmobm	56	56									
Felixstowe	10	220	01	24	b	22.0	+01	57	55						0	10	c	21.8	+01	56	55	6					0	cwmobm	cwmobm	55	52									
Gorleston	5	260	06	24	b	21.6	+05	53	55						330	02	10	c	21.6	+03	57	55	4				0	bcmobm	cwmobm	56	43									
West Raynham	250	250	03	16	b	21.3	+02	54	54						0	16	0	21.2	-01	56	56	5					0	bcmobm	cwmobm	54	43									
Mildenhall	15	270	02	16	o	21.7	-02	58	56	5					0	14	0	21.6	+01	57	55	5					0	cwmobm	cwmobm	57	49									
Cranfield	340	-	0	32	c	22.3	-01	57	54	5					0	32	0	22.2	+03	57	53	3					0	cmo	cmo	57	49									
Elmdon	326	250	04	32	c	22.4	+03	58	55	5					0	32	0	22.1	-01	56	54	3					0	c	c	56	47									
Collesmore	452	280	07	24	b	22.3	+05	54	52						280	05	24	0	21.7	-04	55	53	3				0	bcmobm	cm.	51	42									
Watnall	366	270	06	48	b	22.0	+03	54	52						320	04	07	0	21.9	-01	54	53	3				0	bcmobm	cm	50	56									
Ross-on-Wye	223	-	-	-	-	-	-	-	-	-					250	01	34	0	22.9	-02	57	56	6				0	cmo	cmo	57	56									
Shawbury	235	250	01	81	b	22.4	+01	55	51						160	01	81	0	22.0	-03	54	52	3				1	bcbcc	cwmobm	48	50									
Bristol	192	-	0	32	o	22.2	+03	57	55	5					030	05	20	0	21.2	-01	57	55	3				0	bcmobm	bcmobm	55	41									
Plymouth	90	-	0	x5	f	22.3	-06	50	50						0	05	b	20.8	-03	49	49					1	bcmobm	bcmobm	52	48										
Chivenor	20	-	0	24	b	22.4	-04	55	54	6					090	06	32	0	20.8	-03	54	53	6				1	bcmobm	bcmobm	52	46									
St. Eval	336	150	08	16	o	22.2	-04	53	53	6					130	10	13	0	19.8	-08	51	51	6				1	cmo	cmo	49	47									
Culdrose	260	100	15	02	id	21.6	-05	54	54						100	13	01	id	19.8	-05	50	50					1	offid	offid	49	47									
Scully, St. Mary's	163	130	13	x3	f	20.6	-02	51	51						110	16	x3	id	17.8	-14	50	50					1	offid	offid	30	44									
Guernsey	340	050	06	24	jf	23.5	-05	51	50						180	08	09	id	20.5	-06	50	50					0	FFbjf	cifbcbj	52	47									
Aberporth	375	-	0	80	b	22.1	-04	55	53	5					0	06	64	c	20.8	-09	56	53	6				1	cbcc	cwmobm	52	49									
Pembroke Dock	40	100	02	24	o	22.3	-08	54	53	6					0	14	b	21.1	-03	54	53	6				0	cmow	cmow	53	52										
Holyhead (Valley)	32	190	11	24	o	21.7	+00	53	51	6					160	05	80	o	20.7	-04	55	53	5				1	cmo	cmo	53	53									
Manchester	230	180	03	40	o	21.8	+04	55	53	5					0	24	o	21.6	+01	56	52	5				1	cmo	cmo	52	48										
Squires Gate	33	270	09	82	c	21.8	+03	54	52	5					0	81	o	21.8	+00	54	52	5				1	bcc	cmo	52	51										
Silloth	25	210	14	56	c	21.0	+05	53	51	5	3				200	08	22	dod	21.4	+05	54	52	6			1	cmo	cmo	52	54										
Finningley	52	350	04	13	o	21.5	+03	59	55	5					280	03	14	c	21.6	+01	57	53	5				0	cmom	cmom	56	54									
Spurn Head	29	270	05	32	o	21.3	+05	57	54	5					270	06	24	bc	21.1	-03	53	52	5	3			0	bc	bc	52	49									
Dishforth	106	270	07	56	b	21.5	+03	55	52	5					0	80	bc	21.4	+00	55	52	5		6		1	bc	bc	53	47										
Tynemouth	108	270	04	56	c	20.3	+04	58	54	8					250	05	08	bc	20.8	+03	54	51	5		7		1	bcmobm	bcmobm	53	46									
Leuchars	36	270	04	56	c	20.3	+04	58	54	8					290	01	40	bc	19.3	+05	52	51	5		6		1	bc	bc	51	49									
Eskdalemuir	794	260	02	80	b	18.6	+05	53	51						200	06	02	of	21.1	+05	50	50				1	cmo	cmo	49	49										
Prestwick	30	-	0	64	b	19.8	+00	50	49						120	02	48	c	19.3	+01	50	48		3	2		0	bcmow	cmo	47	41									
West Freugh	52	110	05	48	b	21.1	+05	49	48	5					110	04	16	c	20.9	+01	51	51					0	bcc	bcc	47	46									
Ronaldsway	55	250	05	64	bc	21.3	-01	50	50	6					140	05	56	jf	21.2	+02	51	50	6				0	bcc	bcc	49	42									
Tiree	29	180	08	81	c	19.4	+06	50	49	6					170	03	84	bc	19.0	-02	50	49	5		2		1	bcc	bcc	47	47									
Benbecula	16	210	12	64	c	17.4	+06	52	51	6					200	09	81	c	18.1	+02	52	51	9				1	cmobc	bcc	49	47									
Stornoway	10	230	10	64	c	16.6	+05	52	51	6					200	10	80	c	17.3	+01	51	49	6	7	6		1	cidoc	c	50	47									
Cape Wrath	367	230	18	x5	dd	15.7	+12	50	50						230	13	82	c	16.8	+03	50	48	6				2	ddf	c	48	48									
Sule Skerry	43	270	13	82	id	14.9	+01	49	49	6					270	13	48	c	16.4	+02	50	40	6				1	c	c	48	39									
Renfrew	80	260	02	40	b	19.5	-02	50	48						200	02	22	o	20.0	+04	55	53	6				0	bc	bc	49	40									
Dyce	234	-	0	80	c	17.8	+10	54	50	5	7				0	81	bc	18.7	+04	51	49		4	2	4		1	bc	bc	46	40									
Wick	119	270	14	82	c	16.7	+13	54	51	5	7				0	83	o	17.3	+05	55	50		7	7		1	cid	cid	53	51										
Lerwick	269	140	05	32	id	15.7	+07	43	43	6					110	03	01	of	15.3	+03	44	44					2	cid	cid	40	40									
Blackod Point	18	180	04	81	bc	16.9	-09	55	51	8					150	04	81	b	15.4	-08	53	52	8				0	bc	b	52	49									
Malin Head	84	-	-	-	-	-	-	-	-	-					180	02	81	c	18.6	-06	54	51	5	3	4		0	c	c	51	45									
Aldergrove	220	200	09	81	b	19.9	+06	55	52		3				170	05	56	o	19.9	+02	53	51	5				1	cbbc	cm	53	45									
Castle Archdale	225	-	-	-	-	-	-	-	-	-					110	02	82	o	18.3	-02	53	52	5				0	c	cmobc	52	52									
Birr Castle	187	180	09	81	o	19.0	+03	56	51	6					0	28	c	20.4	-07	51	50	6				0	c	c	48	39										
Collinstown	226	200	03	81	b	21.2	+04	52	50	6					120	11	82	c	17.7	-06	53	50	6				0	c	c	52	51									
Rineanna	10	150	16	81	o/d	19.1	-06	55	52	5					140	10	82	b	15.9	-08	54	48	6				1	pr	b	52	51									
Valentia	30	160	04	81	bc	17.9	-08	55	50	5					0	82	b	15.9	-08	54	48	6					1	pr	b	52	51									
Middleton	30	170	10	16	dod	20.6	-03	53	53	6					130	15	24	dod	19.1	-03	51	50	6				1	d	d	51	50									

00h. Ships' Reports																	06h. Ships' Reports																				
Ship	Lat. N	Long W	Bar. mb.	Change in 3 hours 0-1 mb	Wind		Weather		Temp.			Visibility	Cloud					Height of waves ft.	Ship	Lat. N	Long W	Bar. mb.	Change in 3 hours 0-1 mb	Wind		Weather		Temp.			Visibility	Cloud					
					Direc.	Speed	Pres.	Past	Air °F	Sea °F	Dew Point		Form	Amount			Direc.							Speed	Pres.	Past	Air °F	Sea °F	Dew Point	Form		Amount					
														Low	Med.	High																Low	Med.	High	Low	Med.	High
CUMULUS	52°36'	20°0'	1000	-05	150	22	ir	d	54	51	52	95	7	2	-	6	8	19	CUMULUS	52°30'	20°0'	998	-09	140	24	id	r	52	49	50	96	6	-	-	8	8	8
POLAR FRONT	65°48'	01°54'	1022	+09	040	08	cjp	bc	39	48	34	99	8	-	-	7	7	3	WEATHER EXPLORER	59°42'	10°18'	1013	+06	220	20	ir	d	50	50	50	93	6	-	-	0	0	0
MEEMOZ	45°0'	16°0'	1007	-16	150	25	o	c	57	57	54	97	5	-	-	8	8	5	DURBAN CASTLE	47°18'	06°18'	1015	+00	010	10	b	b	57	56	50	99	-	-	-	0	1	8
GOTHIC	41°24'	36°18'	1015	-02	310	15	bc	bc	52	55	50	98	8	-	-	4	4	11	CAPTAIN COOK	49°18'	12°30'	1009	-40	150	13	b	b	50	54	50	97	-	-	-	8	8	9
LOCH GARTH	46°54'	11°42'	1012	-41	130	11	c	bc	55	49	53	97	5	-	-	7	7	1	U.S. SHIP "A"	63°0'	33°0'	1016	-02	050	21	o	pr	40	42	33	64	5	-	-	8	8	3
CAMERONIA	38°18'	09°30'	1013	+00	330	09	b	b	61	62	59	98	-	-	-	0	0	1	U.S. SHIP "C"	52°48'	35°30'	996	-35	320	14	o	pr	41	43	39	74	5	-	-	6	8	6
ARABIA	50°48'	39°0'	1008	-10	350	05	o	c	47	54	43	98	2	-	-	8	8	1	U.S. SHIP "D"	44°0'	41°0'	1010	-36	140	02	o	c	53	62	41	74	5	-	-	8	8	3
RANGITATA	41°48'	32°0'	1011	-02	300	20	bcjp	b	48	51	48	99	3	-	-	4	4	1	MEEMOZ	45°0'	16°0'	1004	-26	140	23	o	r	57	56	55	97	6	-	-	7	7	0
DEERPOOL	45°42'	30°54'	1003	+08	340	13	bc	pr	52	56	50	99	2	-	-	4	4	11	POLAR FRONT	65°48'	01°48'	1022	+06	360	10	jp	pr	37	47	34	99	8	-	-	8	8	9
U.S. SHIP "C"	52°48'	35°30'	1002	-18	290	14	bc	c	42	44	37	74	5	-	-	3	3	9	SCYTHIA	50°18'	14°36'	1006	+08	150	24	o	c	54	55	52	97	7	-	-	-	-	received

RATES of SUBSCRIPTION: Single copy 2½d. or post free 4d. One calendar month 8/- One quarter 23/- One year 90/-
For special arrangements for supply to schools and colleges, see Form 2452.

* Information not usually received.

No 33048

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue Friday 16th May 1952

OBSERVATIONS at 12h. G.M.T. 15th May 1952.

OBSERVATIONS at 18h. G.M.T. 15th May, 1952

OBSERVATIONS during DAY

1952

[illegible]

12h. Ships' Reports

Ship	Lat. N.	Long. W.	Bar. mb.	In Change in 3 hours 0.1 mb.	Wind		Weather		Temp.			Visibility.	Cloud			Height of waves ft.		
					Direc.	Speed	Pres.	Part	Air °F	Sea °F	Dew Point		Form				Amount	
													+ Low	Med.	+ High		Low	Total
Weather Explorer	60°6'	11°54'	1014	+06	190	13	0	c	50	50	49	97	5	-	-	8	8	8
Polar Front	65°45'	11°18'E	1022	+06	050	06	jp	pc	29	42	32	99	8	-	-	7	7	12
Marmor	45°0'	16°0'	1009	+00	140	23	for.	r	53	53	55	96	5	2	-	5	8	6
Comales	52°24'	26°0'	998	-02	130	24	dod.	r	54	51	50	95	6	-	-	8	8	19
U.S. Ship "A"	63°0'	33°0'	1016	-02	050	26	c	c	42	43	33	64	5	-	-	7	7	13
U.S. Ship "B"	57°4'	51°34'	1021	-03	250	06	o	c	40	46	31	80	5	-	-	8	8	13
U.S. Ship "C"	52°48'	25°30'	991	-17	240	30	m	r	45	42	42	37	7	2	-	6	8	9
U.S. Ship "D"	44°18'	40°26'	1003	-19	200	14	for.	c	55	53	33	55	-	2	-	8	8	5
Deer Pool	46°18'	27°18'	1003	+08	290	11	bc	bc	55	56	53	79	3	-	-	4	4	8
Gothic	43°30'	31°42'	1005	-08	300	15	c	c	52	53	45	98	8	4	9	4	6	11

18h. Ships' Reports


Ship	Lat N	Long. W	Bar. mb.	Change in 3 hours 0.1 mb	Wind Weather				Temp.			Visiblity	Cloud					Height of waves ft
					Direc.	Speed	Pres.	Part.	Air °F	Sea °F	Dew - °F		Form Amount					
													+	+	+	+	+	
WEATHER EXPLORER	60°24'	130°36'	101.4	-0.9	170	10	0	c	50	50	48	97	5	7	-	6	8	5
CUMULUS	52°18'	20°0'	100.1	+1.4	230	14	60	d	52	52	48	96	7	2	-	6	8	19
POLAR FRONT	65°48'	08°24'	102.5	+0.6	010	10	c	c	39	46	30	99	5	-	-	7	7	3
MERMOZ	45°0'	16°0'	100.6	+1.0	180	15	c	r	59	56	54	97	5	4	2	4	6	6
U.S. SHIP "A"	63°0'	33°0'	101.4	-0.8	360	29	c	c	41	43	32	74	5	-	2	4	6	13
U.S. SHIP "C"	52°48'	35°30'	98.9	-0.8	360	25	r	r	44	42	44	37	7	2	-	6	8	9
U.S. SHIP "D"	44°6'	40°48'	99.0	-2.4	250	19	c	r	64	62	61	64	-	7	-	7	7	6
BEAVERFORD	50°0'	26°24'	99.7	+0.0	240	24	c	bc	54	52	41	98	1	-	8	4	7	-
BEAVERDELL	50°18'	15°0'	100.6	-3.1	150	18	0	c	55	55	54	97	5	-	-	8	8	9
CAPTAIN COOK	47°48'	16°0'	100.3	-1.2	160	21	0	c	55	56	55	98	5	-	-	8	8	-

↑ CLOUD AMOUNT in eighths (9 = sky obscured). CLOUD HEIGHT 01—80 in 100's of feet. VISIBILITY 01—80 in eighths of a mile, X1—X9 in 1/80ths of a mile. For higher numbers and codes for cloud form and state of ground see Introduction.

* Information not usually received

NELSON K. JOHNSON, K.C.B., D.Sc., Director,
Meteorological Office, Air Ministry, Kingsway, London, W.C.

Chart of Weather in the Northern Hemisphere.




GENERAL INFERENCE.

A ridge of high pressure is almost stationary over the North Sea and an anticyclone continues to the Northeast of Iceland is expected to move south-southeast. Fine warm weather will continue in almost all areas of the British Isles but there will be a good deal of cloud on parts of the East coast of Scotland with some fog patches. Afternoon temperatures will be in the seventies in many places.

FURTHER OUTLOOK.

Probably little change



THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, LONDON

[illegible]

00h. Ships' Reports														06h. Ships' Reports																							
Ship	Lat. ° N	Long ° W	Bar. mb.	Change in 3 hours 0.1 mb	Wind		Weather		Temp.			Visibility	Cloud					Height of waves ft.	Ship	Lat. ° N	Long ° W	Bar. mb.	Change in 3 hours 0.1 mb	Wind		Weather		Temp.			Visibility	Cloud					Height of waves ft.
					Direc.	Speed	Pres.	Past	Air ° F	Sea ° F	Dew ° F		Point	Form			Amount							Direc.	Speed	Pres.	Past	Air ° F	Sea ° F	Dew ° F		Point	Form			Amount	
														Low	Med.	High																	Low	Total	Low		
WEATHER EXPLORER	60°36'	150°6'	1014	-05	160	11	0	c	50	50	48	97	5	-	-	8	8	5	CUMULUS	52°30'	20°0'	1005	+12	180	15	b	bc	52	51	46	98	2	-	-	2	2	8
CUMULUS	52°18'	20°6'	1003	+10	180	12	0/r	r	52	52	46	97	5	-	-	8	8	13	WEATHER EXPLORER	60°42'	15°30'	1012	-11	130	23	0	r	49	49	49	95	6	-	-	8	8	5
POLAR FRONT	66°0'	01°48'E	1026	+07	010	11	c/ps	pr	37	46	28	99	8	-	-	7	7	3	POLAR FRONT	66°0'	02°0'E	1028	+08	350	06	jp	pr	39	46	25	99	8	-	-	7	7	6
HERMOZ	45°0'	16°0'	1013	-00	290	15	b	b	55	56	48	97	-	-	-	0	0	6 1/2	HERMOZ	45°0'	16°0'	1016	+17	280	08	bc	b	55	54	48	97	6	5	5	2	3	-
RANGITATA	44°18'	24°6'	1010	+08	230	18	0	c	57	57	49	99	2	-	7	3	8	EMPIRE BRENT	46°12'	19°30'	1011	+20	220	13	bc	b	56	57	56	98	2	1	-	8	8	-	
EMPERESS OF SCOTLAND	54°6'	22°6'	999	-10	200	15	bc/pr	r	49	49	47	98	7	8	-	4	4	WORCESTER SHIRE	44°06'	08°54'	1014	+12	300	05	DD	r	57	60	55	97	7	-	-	2	2	-	
MATINA	46°24'	27°6'	1003	+00	200	13	bc	c	55	56	55	98	8	-	-	4	4	RANGITATA	44°54'	22°6'	1011	+03	330	18	b	b	57	57	49	99	5	-	-	6	7	8	
CAPTAIN COOK	47°0'	17°30'	1010	+41	250	13	bc	bc	54	56	46	98	8	-	-	3	3	EMPERESS OF SCOTLAND	53°36'	26°18'	999	-40	180	24	c	bc	50	49	40	98	3	1	-	8	8	-	
U.S. SHIP 'A'	63°0'	32°36'	1009	-27	040	38	0/0	r	40	42	38	46	7	2	-	5	8	17 1/2	U.S. SHIP 'C'	52°48'	35°30'	985	-10	320	17	0/0	r	43	42	42	64	-	2	-	4	8	-
U.S. SHIP 'C'	52°48'	35°30'	988	-11	340	26	0/0	r	45	44	43	46	-	2	-	8	8	9 1/2	U.S. SHIP 'A'	63°0'	32°36'	999	-47	050	39	0/0	r	41	43	40	55	7	2	-	4	8	-

RATES of SUBSCRIPTION: Single copy 2½d. or post free 4d. One calendar month 8/- One quarter 23/- One year 90/-
For special arrangements for supply to schools and colleges, see Form 2452.

* Information not usually received.

† Code figure (see Introduction)

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue Saturday 17th May 1952

OBSERVATIONS at 12h. G.M.T. 16th May 1952

OBSERVATIONS at 18h. G.M.T. 16th May 1952

OBSERVATIONS during DAY


STATIONS (For heights see p. 4)	Wind		+ Visiblty	Present Weather	Pressure		Temp.		Cloud							Wind Direction (degrees)	Speed (kts.)	+ Visiblty	Present Weather	Pressure		Temp.		Cloud							21 h State of ground	+ State of ground	Weather.		Max. Temp. 09h- 21h °F	Sun- shine	Rain 09h- 21h mm.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	Direction (degrees)	Speed (kts.)			Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form			Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.					Dry Bulb °F	Dew point °F	Form			Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F			Low + Medium + High + Total amount	Main layer Ht.				Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer Ht.	Lowest layer Ht.	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Low + Medium + High + Total amount	Main layer

12h. Ships' Reports

18h. Ships' Reports

Ship	Lat. N	Long. W	Bar. mb.	Change in 3 hours 0-1 mb.	Wind		Weather	Temp.		Visiblty.	Cloud					Height of waves ft.					
					Direc.	Speed		Pres.	Fast		Air °F	Sea °F	Dew °F	Point	Form		Amount				
															Low			Med.	High	Low	Total
Ship	Lat. N	Long. W	Bar. mb.	Change in 3 hours 0-1 mb.	Direc.	Speed	Pres.	Fast	Air °F	Sea °F	Dew °F	Point	Visiblty.	Low	Med.	High	Low	Total	Height of waves ft.		
Cumulus	52°30'	20°30'	1008	+12	160	20	c	c	52	50	48	98	-	-	-	6	0	7	9 1/2		
Weather Explorer	60°28'	15°36'	1011	-06	110	25	b	b	51	50	49	97	-	3	2	0	3	9 1/2			
Polar Front	66°30'	23°15'	1030	+12	240	06	c	c	39	46	28	99	5	-	-	6	6	3			
Memoz	45°30'	16°00'	1020	+16	260	06	b	c	59	57	52	98	5	-	-	2	1	5	5		
Beaverford	49°36'	30°42'	990	+38	180	09	o	d	51	53	45	97	6	2	-	2	8	8			
Irish Pine	50°54'	21°00'	988	-42	150	25	m	c	51	53	51	96	7	-	-	8	8	8			
Arabia	54°00'	26°00'	1002	+53	180	30	c	c	51	52	51	97	3	-	-	7	7	17 1/2			
Captain Cook	45°24'	21°30'	1012	+02	200	22	b	c	58	57	52	98	1	4	8	1	4	x			
Comales	45°30'	19°34'	1016	+05	200	16	b	b	57	57	53	99	-	-	5	1	1	x			
Deerpole	47°36'	20°18'	1011	+16	180	18	b	b	58	55	58	99	5	-	-	1	1	3			
WEATHER EXPLORER	60°54'	15°42'	1011	+04	160	20	c	c	50	49	49	96	1	2	-	1	8	9 1/2			
CUMULUS	52°20'	19°48'	1007	-08	160	31	c	c	55	51	48	98	1	5	6	4	8	14			
POLAR FRONT	66°00'	02°00'	1031	+03	080	05	ph	c	37	46	32	97	8	-	-	1	7	3			
MERMOR	45°00'	16°00'	1021	+06	190	10	b	c	59	61	52	98	5	-	-	2	2	5	3		
U.S. SHIP "C"	52°48'	35°30'	985	-03	320	08	p	c	44	42	42	74	2	-	-	5	1	5			
U.S. SHIP "D"	43°48'	40°54'	998	+24	290	13	i	c	56	60	54	55	1	2	-	1	1	6			
HURUNUI	41°12'	09°36'	1016	+00	...	17	b	b	62	62	59	99	-	9	-	0	4	3			
SAN YELINO	48°06'	19°48'	1011	+15	170	26	c	b	56	55	53	97	-	2	1	0	1	8			
DEERPOOL	48°19'	18°36'	1014	+15	180	18	b	b	57	56	57	99	-	6	5	0	3	5			
ARABIA	54°18'	24°12'	993	-20	150	44	o	c	50	48	50	97	3	-	-	8	8	-			

Chart of Weather in the Northern Hemisphere.




GENERAL INFERENCE.

Pressure is high over the North Sea and a weak southeasterly airstream covers the British Isles. Many places will have fine very warm weather though a few scattered thunderstorms are likely in places in Northern England and in Scotland. In some eastern coastal districts however, it may be dull or foggy at times.

FURTHER OUTLOOK.

Probably little change.



THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

OBSERVATIONS at 00hr. G.M.T. 17th May 1952																	OBSERVATIONS at 06hr. G.M.T. 17th May 1952																	OBSERVATIONS during NIGHT				
STATIONS	Height above M.S.L.	Wind		+	Present Weather	Pressure		Temp.		Cloud						Wind		+	Present Weather	Pressure		Temp.		Cloud						9 h.	Weather		Temperature		Rain			
		Direction (degrees)	Speed (kts.)			Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form			Main layer		Lowest layer	Direction (degrees)	Speed (kts.)			Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form			Main layer		Lowest layer		21h. to 03h. (19)	03h. to 09h. (40)	Min. °F. (41)	Max. °F. (42)				
				Low	Medium					High	0-8	0-8	Ht.	0-8	Ht.			Low	Medium					High	0-8	0-8	Ht.	0-8	Ht.	State of ground								
Kew ...	18							57																														
London Airport	82	080	02	16	b	25.1	+0.8	57	52				0	0					110	06	64	b	24.7	+0.3	53	51				b2, wmo	bmo	51	40					
Lymington	341	060	08	64	b	24.6	+0.7	57	50				0	0					030	06	56	b	24.3	+0.5	58	54				b2, wmo	bmo	53	48					
Tangmere	53	070	08	48	b	24.0	+0.6	56	50				0	0					030	06	56	b	24.3	+0.5	58	53				b2, wmo	bmo	52	47					
Calshot	12	110	05	40	b	23.7	+0.6	57	54				0	0					130	05	56	b	24.2	+0.5	56	53				b2, wmo	bmo	55	46					
Boscombe Down	414	120	08	56	b	23.6	+0.9	53	51				0	0					200	02	56	b	24.1	+0.7	55	51				b2, wmo	bmo	53	46					
Felixstowe	10	070	03	32	b	25.5	+0.6	54	53				2						050	01	43	b	24.9	+0.2	55	53				b2, wmo	bmo	48	39					
Gorleston	5	100	06	16	b	25.8	+0.9	53	51				0	0					100	08	24	b	25.4	+0.1	52	49				b2, wmo	bmo	48	39					
West Raynham	250	140	07	48	b	25.0	+1.0	52	50				0	0					150	01	24	b	25.7	+0.5	52	50				b2, wmo	bmo	47	37					
Mildenhall	15	140	02	56	b	25.2	+0.9	53	51				0	0																								
Cranfield	340	130	05	48	b	24.6	+0.8	56	49				0	0					140	07	40	b	25.4	+0.9	54	49				b2, wmo	bmo	50	43					
Elmdon	326				b	23.8	+1.0	58	54				0	0					210	06	40	b	25.0	+0.9	55	50				b2, wmo	bmo	52	45					
Cottesmore	452	160	09	56	b	24.6	+1.1	56	50				0	0					200	02	20	bc	24.2	+0.3	55	50				b2, wmo	bmo	53	45					
Watnall	366	120	02	56	b	23.9	+0.7	58	52				0	0					090	02	24	b	24.7	+0.5	55	52				b2, wmo	bmo	51	43					
Ross-on-Wye	223																																					
Shawbury	235		0	28	b	22.9	+0.9	59	55				1	40						0	20	b	23.3	+0.4	54	52				b2, wmo	bmo	52	44					
Bristol	192	100	05	48	b	22.5	+0.7	57	50				0	0					070	05	24	b	23.7	+1.5	54	52				b2, wmo	bmo	50	42					
Plymouth	90	100	13	40	b	21.5	+0.5	60	53				0	0					080	14	44	b	22.0	+0.7	59	53				b2, wmo	bmo	57	54					
Chivenor	20	100	08	32	b	22.6	+0.7	59	54				0	0					100	06	64	b	22.5	+0.1	57	53				b2, wmo	bmo	56	49					
St. Eval	336	070	04	32	b	21.9	+1.2	60	52				0	0					120	07	40	b	21.1	+0.2	61	54				b2, wmo	bmo	56	49					
Culdrose	260	090	15	20	b	21.1	+0.9	56	53				0	0					090	17	50	b	20.5	+0.0	56	53				b2, wmo	bmo	54	51					
Scilly, St. Mary's	163	100	14	24	b	20.3	+0.6	55	53				0	0					120	14	20	b	19.6	+0.2	53	53				b2, wmo	bmo	53	55					
Guernsey	340	110	06	40	b	21.5	+0.6	63	58				0	0					140	06	40	b	22.4	+0.7	61	56				b2, wmo	bmo	60	48					
Aberporth	375		0	48	b	22.4	+0.3	61	56				0	0					160	10	81	b	22.0	+0.1	61	50				b2, wmo	bmo	58	52					
Pembroke Dock	40	090	02	32	b	22.2	+0.2	58	54				0	0					100	09	32	b	22.4	+0.0	60	52				b2, wmo	bmo	56	50					
Holyhead (Valley)	32		0	11	b	21.8	+0.1	58	55				0	0						0	14	b	22.5	+0.5	57	55				b2, wmo	bmo	54	56					
Manchester	230	160	09	48	b	22.3	+0.8	66	55				0	0					080	02	40	b	23.2	+0.6	61	58				b2, wmo	bmo	53	48					
Squires Gate	33		0	28	b	22.3	+0.8	61	57				2	2						0	13	b	23.4	+0.8	58	56				b2, wmo	bmo	55	41					
Silloth	25	100	05	32	b	22.2	+0.3	55	52				1	1						0	24	b	23.3	+0.6	56	54				b2, wmo	bmo	51	47					
Finnigley	52	160	06	16	b	23.8	+0.9	54	51				0	0					160	09	32	b	23.8	+0.0	56	50				b2, wmo	bmo	49	47					
Spurn Head	29	140	10	32	b	24.2	+0.2	53	52				0	0					150	08	32	b	24.1	+0.1	53	52				b2, wmo	bmo	50	51					
Dishforth	105	120	06	24	b	23.6	+0.8	56	53				0	0					140	05	11	c	23.7	+0.2	53	52				b2, wmo	bmo	48	47					
Tynemouth	108	110	04	16	b	23.0	+0.6	53	50				0	0					360	14	02	of	24.5	+1.7	50	46				b2, wmo	bmo	49	41					
Leuchars	36	060	04	24	id.	24.0	+0.2	50	50				8	8						0	08	did	23.7	+0.1	51	51				b2, wmo	bmo	46	41					
Eskdalemuir	794																			0	80	b	23.6	+0.0	51	49				b2, wmo	bmo	46	41					
Prestwick	30	020	16	20	b	22.6	+1.6	54	50				1	80					040	10	32	c	22.9	+0.2	52	50				b2, wmo	bmo	51	49					
West Freugh	52		0	12	b	22.6	+0.9	52	50				0	0						0	24	b	23.4	+0.4	53	51				b2, wmo	bmo	47	38					
Ronaldsway	55	360	04	56	b	22.2	+0.9	54	51				0	0					010	04	43	b	22.5	+0.2	56	54				b2, wmo	bmo	50	45					
Tiree	29	170	09	40	c	21.0	+0.9	54	51				7	60					180	09	24	c	21.8	+0.6	53	51				b2, wmo	bmo	52	48					
Benbecula	16	160	06	40	c	20.2	+0.2	56	53				8	60					250	03	09	c	21.5	+1.0	53	51				b2, wmo	bmo	50	45					
Stornoway	10	190	06	80	c	20.9	+0.3	53	51				3	40					180	07	48	c	21.0	+0.1	55	53				b2, wmo	bmo	52	46					
Cape Wrath	367		0	83	bc	21.1	+0.8	57	51				3	30						0	82	c	20.6	+0.5	61													

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue Sunday 18th May 1952


OBSERVATIONS at 12h. G.M.T. 17th May 1952

OBSERVATIONS at 18h. G.M.T. 17th May 1952

OBSERVATIONS during DAY

STATIONS (For heights see p. 4)	Wind		† Present Weather	Pressure		Temp.		Cloud						Wind		† Present Weather	Pressure		Temp.		Cloud						24 h State of ground	Weather.		Max. Temp. 09h- 21h °F	Sun- shine. (%)	Rain 09h- 21h. mm.					
	Direction (degrees)	Speed (kts.)		Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form			Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)		Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form			Total amount 0-8	Main layer 0-8	Lowest layer 0-8											
								Low	Medium	High											Low	Medium	High					Total amount 0-8	Main layer 0-8				Lowest layer 0-8				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	09h to 15h. (34)	15h. to 21h. (35)	(36)	(37)	(38)
Kew	080	06	46	b	24.0	-11	72	68	-	-	0	0	-	200	05	81	21.0	-10	73	58	-	-	8	6	-	1	35	0	bby	cybc	79	14.3	-				
London Airport	090	02	64	b	24.2	-12	75	68	-	-	0	0	-	210	07	80	21.6	-07	77	55	-	-	1	5	1	40	-	0	bmo bcy	bcyc	79	13.9	-				
Lymington	110	07	48	b	24.9	-02	68	60	-	-	5	2	1	130	03	80	22.1	-12	68	54	-	-	4	5	-	-	-	0	bby	bcybz	72	14.6	-				
Tangmere	140	09	40	b	24.3	-05	71	58	-	-	0	0	-	130	03	80	22.1	-12	68	54	-	-	4	5	-	-	-	0	bz	bcybz	63	14.0	-				
Calshot	120	08	40	b	24.3	-05	62	57	-	-	0	0	-	120	07	64	22.1	-09	59	54	-	-	1	-	-	-	-	0	bmo b	bcybz	63	14.0	-				
Boscombe Down	170	09	56	b	23.1	-11	74	57	-	-	1	1	-	170	07	81	22.0	-06	69	51	-	-	1	1	-	-	-	0	bby	cybc	75	13.8	-				
Felixstowe	140	03	03	b	25.6	-06	56	64	-	-	2	9	-	120	03	03	22.3	-15	54	52	-	-	8	8	03	-	-	1	of	bcybm	56	13.0	-				
Gorleston	150	14	02	b	26.6	-06	53	49	-	-	1	2	-	170	15	03	22.1	-16	51	50	-	-	9	9	-	-	-	0	febf	bcy	57	8.5	TR				
West Raynham	190	08	80	b	23.8	-11	72	51	-	-	2	4	-	230	06	81	20.5	-13	73	56	-	-	2	3	-	-	-	0	bby	bcybc	76	13.3	-				
Mildenhall	210	08	80	b	24.1	-12	75	55	-	-	2	4	-	180	05	81	20.7	-11	75	54	-	-	6	4	-	-	-	0	bby	bcy	79	12.2	-				
Cranfield	160	05	80	b	23.8	-12	74	56	-	-	1	1	-	260	06	81	20.8	-09	75	56	-	-	2	2	-	-	-	0	bby	cybc	78	13.7	-				
Elmdon	170	06	64	b	23.4	-08	73	58	-	-	1	1	-	210	08	81	20.3	-11	75	56	-	-	1	2	-	-	-	0	bby	cybc	78	13.7	-				
Cottesmore	220	07	64	b	23.5	-09	73	58	-	-	6	4	-	230	07	80	20.3	-12	75	57	-	-	2	5	-	-	-	0	bby	cybc	77	14.0	-				
Watnall	210	07	40	b	23.0	-10	76	56	-	-	4	1	-	210	06	56	20.2	-09	75	56	-	-	1	4	-	-	-	0	bby	cybc	79	11.1	-				
Ross-on-Wye	230	09	64	b	23.0	-11	75	55	-	-	1	1	-	210	09	81	21.0	-08	76	57	-	-	2	3	1	30	-	0	bby	cybc	79	14.1	-				
Shawbury	160	08	64	b	22.5	-11	77	57	5	-	1	1	45	230	02	64	20.3	-07	73	61	3	8	3	6	1	30	-	0	bby	cybc	80	10.8	TR				
Bristol	140	10	80	b	22.5	-12	75	60	-	-	9	1	-	200	09	81	20.6	-07	75	55	-	-	6	2	-	-	-	0	bby	cybc	79	13.9	-				
Plymouth	100	11	56	b	22.0	-01	71	60	-	-	0	0	-	120	06	64	21.0	-05	70	57	-	-	1	4	-	-	-	0	b	bcybz	74	13.4	-				
Chivenor	110	15	64	b	21.8	-03	76	61	-	-	0	0	-	110	14	64	20.6	-06	72	58	-	-	1	1	-	-	-	0	bby	cybc	78	13.7	-				
St Eval	130	16	40	b	21.5	-02	71	59	-	-	0	0	-	150	13	64	20.2	-08	69	55	-	-	2	2	-	-	-	0	bz	bcybz	71	12.9	-				
Coldrose	090	12	30	b	21.7	-02	62	54	-	-	0	0	-	090	08	50	20.6	-06	63	58	-	-	2	3	3	-	-	0	b	bcybz	65	13.9	-				
Scilly, St. Mary's	120	13	24	b	20.3	-02	66	56	-	-	5	1	-	130	13	24	19.6	-07	62	57	-	-	5	2	-	-	-	0	b	bcybz	67	14.0	-				
Guernsey	140	10	40	b	22.5	-06	72	59	-	-	0	0	-	100	04	48	21.0	-05	72	62	-	-	1	0	-	-	-	0	b	bcybz	76	13.7	-				
Aberporth	080	03	80	b	21.1	-03	73	60	-	-	1	1	40	250	07	80	20.8	-06	71	58	-	-	1	0	-	-	-	0	bby	cybc	78	13.0	-				
Pembroke Dock	140	14	48	b	22.3	-03	70	57	-	-	2	1	-	250	07	48	20.8	-05	73	62	-	-	1	0	-	-	-	0	bz	bcybm	75	13.8	-				
Holyhead (Valley)	310	03	48	b	21.4	-09	74	61	-	-	0	0	-	330	04	32	19.7	-11	69	59	-	-	1	1	-	-	-	0	bz	bcybm	74	13.6	-				
Manchester	190	03	36	b	21.8	-12	77	49	-	-	1	1	50	200	07	80	20.0	-05	76	58	3	4	5	3	2	30	-	0	bz	bcybm	80	11.9	-				
Squires Gate	270	07	28	b	22.2	-09	77	61	-	-	5	3	0	310	05	32	19.9	-08	76	60	9	3	1	1	20	-	0	bz	bcybm	80	12.7	-					
Silloth	240	08	40	b	22.9	-12	80	57	2	-	1	1	30	230	06	64	20.6	-11	70	55	9	3	3	3	25	-	0	bz	bcybm	73	14.0	-					
Finnigley	230	08	40	b	22.5	-12	80	57	2	-	1	1	30	200	07	40	19.5	-10	77	59	2	-	4	4	40	-	0	bz	bcybm	91	9.9	-					
Spurn Head	110	08	24	b	23.9	-01	65	54	5	-	3	3	25	140	08	40	20.3	-11	61	54	3	-	6	6	25	-	1	bcm	bcybm	68	10.1	2					
Dishforth	110	06	40	b	22.2	-13	78	61	1	-	1	2	1	130	07	56	20.3	-01	72	60	3	6	-	6	5	50	-	0	bcm	bcybm	81	8.6	-				
Tynemouth	050	05	02	f	23.9	-02	61	49	-	-	9	9	-	020	05	02	22.2	-08	50	48	-	-	9	9	-	-	-	0	mo	bcybm	52	0.6	-				
Leuchars	-	0	20	e	22.9	-07	62	57	6	-	7	7	12	090	05	02	22.1	-10	51	49	-	-	9	9	-	-	-	1	cm	bcybm	65	4.0	-				
Eskdalemuir	250	05	81	b	21.9	-01	73	55	-	-	1	4	-	300	02	81	20.0	-05	71	55	9	6	3	5	2	17	-	1	bby	bcybm	76	11.8	-				
Prestwick	260	08	40	o	22.4	-09	71	57	-	-	7	8	-	270	04	48	20.2	-14	71	55	2	-	6	3	1	30	-	0	bcm	bcybm	72	12.6	-				
West Freugh	160	04	36	b	23.3	-01	64	54	-	-	1	1	-	150	05	40	20.8	-12	68	57	2	-	2	1	1	30	-	0	b	bcybm	69	13.9	-				
Ronaldsway	100	06	48	b	22.6	-04	68	58	-	-	1	2	-	090	03	64	20.2	-12	69	57	-	-	1	1	-	-	-	0	b	bcybm	71	13.9	-				
Three	180	09	40	b	22.5	-01	61	54	-	-	1	2	-	140	02	32	20.4	-10	63	56	-	-	2	2	-	-	-	0	bby	bcybm	64	12.4	-				
Benbecula	290	0																																			

Chart of Weather in the Northern Hemisphere.



EXPLANATION OF CHART

BAROMETER. Isobars are drawn for intervals of four millibars.

WIND. Arrows fly with wind. A full length feather indicates two steps on the Beaufort Scale, and a short feather one step. Calm is indicated by circle outside weather symbol.

TEMPERATURE is given in degrees F.

CLOUD SYMBOLS ○ Clear sky ○ Sky 1/8 covered ○ Sky 2/8 covered ○ Sky 3/8 covered ○ Sky 4/8 covered ○ Sky 5/8 covered ○ Sky 6/8 covered ○ Sky 7/8 covered ○ Sky obscured.

WEATHER SYMBOLS ● Rain falling * Snow * Sleet △ Hail ≡ Fog ≡ Mist T Thunder R Thunderstorm

FRONTS or boundaries between masses of air of different origin are indicated, wherever their characteristics are well pronounced in the following way:

- Warm Front on the Surface
- Warm Front above the ground
- Cold Front on the surface
- Cold Front above the ground
- Occluded Front (or Occlusion)
- Cold Occlusion
- Line of Frontogenesis
- Short strokes across the frontal line indicates Frontolysis.

NOTE.—The symbols are placed on the side of the line towards which the front is moving. When the front is stationary the symbols are placed alternately on both sides of the line. Identification letters are inserted on fronts and in systems.

All times are GMT. Add one hour to get summer time.

Most parts of the British Isles will have predominantly fine weather though thunderstorms will occur in places today and tonight. There will be fog or very low cloud in some places on the coasts more especially in Eastern Scotland and Northeast England.


GENERAL INFERENCE

FURTHER OUTLOOK

Very warm but thunderstorms probably becoming more widespread.

Mean sea surface isotherms for MAY are shown thus — 50°—

SCALE 1:200,000
Nautical Miles
Statute Miles



THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

OBSERVATIONS at 00hr. G.M.T. 18 th May 1952.																OBSERVATIONS at 06hr. G.M.T. 18 th May 1952.																OBSERVATIONS during NIGHT					
STATIONS	Height above M.S.L.	Wind		+ Visiblty	Present Weather	Pressure		Temp.		Cloud						Wind	Speed (kts.)	+ Visiblty	Present Weather	Pressure		Temp.		Cloud						9 h.	Weather		Temperature		State of ground		
		Direction (degrees)	Speed (kts.)			Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form			Total amount	Main layer	Lowest layer					Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form			Total amount	Main layer	Lowest layer		21h to 03h (33)	03h to 09h (40)	Mgn. °F. (41)	Mia. of Grass °F. (42)			
										Low	Medium	High												Low	Medium	High											
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)
Kew	18							58									230	01	50	bc	19.3	-02	58	52		8	8	4	3			0	bcw	bc 20W.Y	52	41	
London Airport	82					21.0	-06	59	53			2	1					0	32	bc	19.5	-02	54	51		3	1	5	3			0	bcbbw	bcbbw	52	46	
Lymington	341	090	08	48	b	21.1	-09	55	53			2	2				100	09	20	c	19.8	-02	57	55		1	2	6	1	85		0	bcbbw	bcbbw	52	47	
Tangmere	53					21.4	-04	50	48									0	26	b	19.8	-02	55	52		1	1	1	70			0	bcbbw	bcbbw	49	43	
Calshot	12					21.1	-06	56	54								360	05	24	b	19.8	+01	55	51		1	1	0	0			0	bcbbw	bcbbw	53	38	
Boscombe Down	414					22.0	-05	57	47									0	80	b	20.8	-03	55	49		1	1	1	1			0	bcbbw	bcbbw	52	50	
Felixstowe	10	140	05	16	b	21.1	-06	57	53			4					200	03	40	c	19.4	-08	59	54		4	6	7	7	83		0	bcbbw	bcbbw	54	50	
Gorleston	5	230	10	56	b	20.0	-25	55	58			1	1				200	06	36	c	19.7	-06	58	54		8	1	7	7	83		0	bcbbw	bcbbw	50	45	
West Raynham	250	160	06	80	b	20.3	-04	57	54			7	7					0	32	bc	19.1	+01	54	52		3	2	4	4	84		0	bcbbw	bcbbw	51	50	
Mildenhall	15	170	05	56	b	20.2	-03	58	53			3	2	3	2	83	230	02	32	b	18.8	+02	58	54		2	2	3	1	80		0	bcbbw	bcbbw	55	50	
Cranfield	340	230	03	64	b	20.8	-01	60	54			1	1				250	02	56	bc	19.1	-02	57	51		8	1	4	2	80		0	bcbbw	bcbbw	55	51	
Elmdon	326	220	07	64	c	20.4	-01	64	55			3	1	7	6	80		05	12	bc	19.4	-01	59	53		1	8	1	5	83		0	bcbbw	bcbbw	56	51	
Cottesmore	452	270	07	40	b	19.9	-02	63	56			3	1	1	1	84	050	03	06	bc	19.4	+01	56	54		3	1	3	2	80		0	bcbbw	bcbbw	53	48	
Watnall	366	360	03	24	b	19.9	-04	61	57								030	03	06	bc	19.4	+01	56	54		3	1	3	2	80		0	bcbbw	bcbbw	52	45	
Ross-on-Wye	223																090	02	80	b	19.9	-10	55	52				0	0			0	bcbbw	bcbbw	52	45	
Shawbury	235					20.2	-01	61	59				1	1	42			0	28	b	19.0	-01	60	58		2	1	1	1	45		0	bcbbw	bcbbw	53	51	
Bristol	192					20.4	-03	57	52									0	64	b	19.0	-06	61	49				0	0			0	bcbbw	bcbbw	48	47	
Plymouth	90	090	07	56	b	20.7	-05	58	53								090	03	64	c	19.2	-04	55	51				7	1			0	bcbbw	bcbbw	51	48	
Chivenor	20	090	07	40	b	20.7	+02	59	51									0	32	b	19.6	+02	58	51				1	1			0	bcbbw	bcbbw	54	42	
St. Eval	336	150	10	32	b	20.2	-03	58	52									0	30	of	19.7	-03	51	51				9	9			0	bcbbw	bcbbw	50	40	
Culdrose	260	090	08	40	b	20.6	+02	53	52				1	1				0	30	bc	18.8	-05	52	51		3	6	4	1	80		0	bcbbw	bcbbw	49	40	
Scully, St. Mary's	163	290	13	45	b	20.0	-03	53	53				9	9			350	06	45	f	18.9	-03	52	52				9	9			1	bcbbw	bcbbw	51	47	
Guernsey	340	120	08	48	b	20.3	-06	65	57									0	40	b	19.3	+02	60	59				1	1			0	bcbbw	bcbbw	56	48	
Aberporth	375					20.5	+02	58	56								180	05	40	b	18.8	-02	58	54				1	1			0	bcbbw	bcbbw	52	45	
Pembroke Dock	40					20.8	-01	57	56									0	32	b	19.7	+00	55	52		4	1	2	2	81		0	bcbbw	bcbbw	52	48	
Holyhead (Valley)	32					19.4	-06	57	54								170	08	24	b	18.5	-02	57	55				0	0			1	bcbbw	bcbbw	53	53	
Manchester	230	090	06	40	b	19.5	-04	64	57			5	1	1	83			0	32	b	18.9	+00	61	56		8	1	2	2	80		0	bcbbw	bcbbw	55	47	
Squires Gate	33	090	08	16	b	19.5	-03	61	57									0	16	b	18.9	-01	58	56				1	1	50		0	bcbbw	bcbbw	51	45	
Silloth	25	050	07	24	b	20.0	-03	55	53								050	06	16	b	19.3	+01	55	53				1	1	25		0	bcbbw	bcbbw	51	47	
Finnigley	52	310	03	24	b	20.1	+01	59	54									0	07	b	19.3	-02	52	49				9	1			0	bcbbw	bcbbw	51	47	
Spurn Head	29					20.6	+01	52	51								360	10	24	bc	19.1	-04	49	49		3		5	5	80		0	bcbbw	bcbbw	47	47	
Dishforth	106	320	08	06	b	20.8	-05	51	49								330	09	45	f	20.0	+05	49	49				9	9			0	bcbbw	bcbbw	46	45	
Tynemouth	108	360	07	01	f	21.4	-06	46	45								360	06	02	of	20.9	+00	48	47				9	9			0	bcbbw	bcbbw	47	47	
Leuchars	36	010	02	01	f	22.0	-01	49	49									0	08	0	20.8	-03	49	48		6		8	8	02		0	bcbbw	bcbbw	47	46	
Eskdalemuir	794																300	02	64	b	19.8	-02	52	51				1	1			1	bcbbw	bcbbw	50	48	
Prestwick	30					19.9	-03	58	54								040	11	20	b	19.1	-01	53	49				1	1			0	bcbbw	bcbbw	51	44	
West Freugh	52					20.4	-02	53	51									0	40	b	19.2	-03	52	51				0	0			0	bcbbw	bcbbw	48	46	
Ronaldsway	55					19.8	-02	54	52									0	18	b</																	

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue Monday 19th May 1952

No. 33051


OBSERVATIONS at 12h. G.M.T. 18th May 1952.

OBSERVATIONS at 18h. G.M.T. 18th May 1952.

OBSERVATIONS during DAY

STATIONS (For heights see p. 4)	Wind		†	Present Weather	Pressure		Temp.		Cloud						Wind	†		Present Weather	Pressure		Temp.		Cloud						21 h	Weather.		Max Temp 09h-21h. °F. (36)	Sun-shine. (37)	Rain 09h-21h. num. (38)					
	Direction (degrees)	Speed (kts.)			Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form						Direction (degrees)	Speed (kts.)			Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form						State of ground	09h. to 15h. (34)	15h. to 21h. (35)								
		Low	Medium						High	Total amount	Main layer	Lowest layer				Low	Medium						High	Total amount	Main layer	Lowest layer													
												0-8	0-8	0-8												0-8	0-8	0-8							0-8	0-8			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)		
Kew	230	05	81	b	18.1	-14	71	51	-	8	1	2	1	-	290	06	81	bc	16.4	-07	80	47	2	-	1	3	1	2	25	0	b20wbbcy	b20wbbcy	81	13.8	TR				
London Airport	240	08	81	bc	18.3	-12	77	50	-	8	1	3	1	-	300	02	82	b	16.3	-09	80	49	2	-	2	3	1	4	35	0	b20wbbcy	b20wbbcy	82	13.8	TR				
Lymington	160	05	48	c	18.7	-07	67	61	-	8	8	1	2	3	65	-	0	64	bc	16.4	-09	70	63	1	-	1	5	1	80	-	c	bcsw	73	13.5	-				
Tangmere	150	05	24	b	19.3	-05	70	62	-	-	-	2	1	30	-	220	06	81	b	17.5	-03	70	58	1	-	1	0	0	-	0	0	0	0	0	73	13.4	-		
Cairn Robin	130	06	32	b	18.9	-06	65	59	-	-	-	1	1	-	-	220	05	80	b	16.9	-13	72	57	1	-	1	0	0	-	0	0	0	0	0	77	13.9	-		
Boscombe Down	-	0	80	c	19.3	-08	76	55	-	-	-	2	1	30	-	250	01	81	b	17.0	-05	62	45	-	-	-	0	0	-	0	0	0	0	0	79	14.1	-		
Felixstowe	160	01	40	bc	18.0	-09	66	59	-	-	-	4	2	83	-	060	08	40	b	17.1	-01	64	57	2	-	1	2	1	30	-	0	0	0	0	0	70	13.7	-	
Gorleston	150	08	32	bc	18.4	-04	60	55	-	-	-	6	4	84	-	020	08	56	b	17.0	-09	57	51	-	-	-	0	0	-	0	0	0	0	0	61	11.0	-		
West Raynham	360	08	48	bc	18.8	-05	65	57	-	-	-	9	3	-	-	030	09	40	b	17.6	-07	63	54	-	-	-	0	0	-	0	0	0	0	0	67	10.5	-		
Mildenhall	330	01	48	bc	18.0	-08	74	58	-	-	-	3	-	-	-	020	04	72	b	16.9	-02	72	58	1	-	1	2	1	28	-	0	0	0	0	0	78	12.7	-	
Cranfield	-	0	80	b	18.2	-09	74	59	-	-	-	1	1	-	-	040	05	80	b20wbbcy	16.4	-07	75	59	2	-	1	4	3	30	-	1	0	0	0	0	79	10.8	3	
Elmdon	060	02	48	b	18.1	-10	75	61	-	-	-	1	1	40	-	360	07	56	bc	17.1	-02	71	56	2	-	1	3	3	5	2	40	0	0	0	0	0	78	7.9	1
Collesmore	080	03	56	b	18.4	-09	72	59	-	-	-	1	1	81	-	070	09	32	b	16.9	-01	72	62	3	-	3	3	3	81	3	40	0	0	0	0	0	78	9.3	-
Watnall	120	04	32	b	18.4	-13	75	57	-	-	-	2	1	25	-	300	01	40	c	17.2	+00	71	55	-	-	3	6	6	80	-	0	0	0	0	0	79	9.6	-	
Ross-on-Wye	020	04	64	b	18.2	-10	76	61	-	-	-	3	1	30	-	260	02	81	b	17.5	-03	77	49	2	-	1	2	1	30	-	0	0	0	0	0	79	11.9	-	
Shawbury	-	0	40	b	18.0	-08	73	65	-	-	-	1	1	30	-	350	10	32	c	17.6	+06	73	63	3	-	3	6	1	35	-	0	0	0	0	0	82	10.9	-	
Bristol	270	08	80	b	17.9	-06	73	59	-	-	-	1	1	30	-	270	08	81	b	16.8	-04	74	57	-	-	3	1	1	81	-	0	0	0	0	0	77	13.7	-	
Plymouth	210	12	32	b	19.6	+03	63	56	-	-	-	2	0	-	-	220	04	64	c	17.8	-05	65	57	3	-	7	7	1	25	-	0	0	0	0	0	67	12.6	-	
Chivenor	120	12	16	bc	19.3	-06	60	57	-	-	-	6	4	01	-	290	06	07	bc	19.0	+01	55	55	-	-	-	8	8	02	-	1	0	0	0	0	65	9.2	-	
St. Eval	270	04	08	o	20.1	+01	56	54	-	-	-	8	8	01	-	320	05	02	bc	19.5	-01	54	53	-	-	-	3	3	-	9	-	0	0	0	0	0	58	0.9	-
Culdrose	320	08	20	c	19.1	+01	61	58	-	-	-	6	7	-	-	350	12	20	c	18.7	-02	56	54	1	-	3	6	4	81	2	15	0	0	0	65	8.5	-		
Silly, St. Mary's	350	01	56	o	20.0	+06	56	54	-	-	-	8	8	08	-	340	11	48	o	19.2	+00	56	52	5	-	5	6	8	06	-	0	0	0	0	0	59	0.1	-	
Guernsey	210	06	40	bc	19.3	+00	71	60	-	-	-	6	4	-	-	010	03	48	b	18.0	-07	68	60	2	-	1	1	1	35	-	0	0	0	0	0	72	14.0	-	
Aberporth	070	02	20	f	19.4	+04	56	54	-	-	-	9	9	-	-	-	0	45	bc	18.9	-00	52	52	-	-	-	9	9	-	9	-	1	0	0	62	5.6	TR		
Pembroke Dock	280	05	24	c	19.9	-01	59	55	-	-	-	7	7	03	-	250	05	32	c	19.0	-07	60	55	1	-	6	6	1	25	-	0	0	0	0	0	60	8.7	-	
Holyhead (Valley)	230	06	02	f	19.1	+01	54	52	-	-	-	9	9	-	-	210	05	01	ft	18.6	+03	51	50	-	-	-	9	9	-	9	-	1	0	0	68	5.7	-		
Manchester	100	05	16	b	17.7	-09	77	59	-	-	-	2	1	45	-	330	02	40	bc	16.7	-01	74	56	-	-	3	5	1	83	-	0	0	0	0	0	80	9.1	-	
Squires Gate	310	10	40	o	18.5	+04	63	58	-	-	-	1	1	25	-	310	09	40	b	18.0	-01	64	55	-	-	1	1	1	25	-	0	0	0	0	0	71	13.3	-	
Silloth	230	10	40	o	18.7	-04	67	56	-	-	-	1	1	30	-	220	10	64	b	17.7	-04	66	55	3	-	4	3	1	25	-	0	0	0	0	0	70	13.7	-	
Finningley	140	05	32	b	18.5	-12	73	59	-	-	-	0	0	-	-	070	11	56	bc	16.8	-02	73	60	-	-	-	3	1	30	-	0	0	0	0	0	79	10.7	-	
Spurn Head	360	07	04	f	19.2	+00	54	50	-	-	-	9	9	-	-	050	06	04	of	18.1	-04	52	48	-	-	-	9	9	-	9	-	0	0	0	56	9.3	-		
Dishforth	120	07	40	f	18.7	-13	71	58	-	-	-	1	1	30	-	350	09	16	bc	16.9	-03	68	57	2	-	3	5	2	40	-	0	0	0	0	0	78	6.9	TR	
Tynemouth	050	10	10	f	20.5	-01	50	49	-	-	-	9	9	-	-	090	07	19	bc	19.1	-08	50	49	-	-	-	9	9	-	9	-	0	0	0	51	0.0	-		
Leuchars	-	0	16	o	19.9	-05	53	51	-	-	-	8	8	07	-	100	09	01	ft	18.3	-05	51	51	-	-	-	9	9	-	9	-	1	0	0	56	1.7	-		
Eskdalemuir	210	10	81	b	17.2	-08	76	57	-	-	-	1	1	25	-	240	08	81	bc	16.3	-02	73	51	9	-	6	3	2	25	-	0	0	0	0	0	77	13.0	-	
Prestwick	350	05	32	b	17.8	-10	73	59	-	-	-	1	1	35	-	240	10	32	b	17.8	+00	63	53	2	-</														

Chart of Weather in the Northern Hemisphere.




Pressure is almost uniform over the British Isles. Many places will have fine very warm weather though there may be some scattered thunderstorms today. In many coastal districts however it will be relatively cool and foggy or dull. This foggy weather is likely to spread to most eastern districts of Great Britain tonight and will be slow to clear tomorrow morning especially in Southeast England.

GENERAL INFERENCE

FURTHER OUTLOOK

Mainly fine and warm or very warm.



THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

OBSERVATIONS at 00hr. G.M.T. 19 th May 1952																OBSERVATIONS at 06hr. G.M.T. 19 th May 1952																OBSERVATIONS during NIGHT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
STATIONS	Height above M.S.L.	Wind		+ Visibility	Present Weather	Pressure		Temp.		Cloud						Wind Direction (degrees)	Speed (kts.)	+ Visibility	Present Weather	Pressure		Temp.		Cloud						9 h. State of ground	Weather		Temperature		Rain																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		Direction (degrees)	Speed (kts.)			Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.					Dew point °F.	Form	Main layer	Lowest layer	21h. to 03h. (19)	03h. to 08h. (20)	Min. °F.	Max. °F.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
																												Low	Medium		High	Total	0-8	0-8		0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue Tuesday 20th May

1952

OBSERVATIONS at 12h. G.M.T. 19th May 1952

OBSERVATIONS at 18h. G.M.T. 19th May 1952

OBSERVATIONS during DAY

STATIONS (For heights see p. 4)	Wind			Present Weather	Pressure		Temp.		Cloud						Wind			Temp.			Cloud						24 h State of ground	Weather		Max Temp 09h-21h °F (36)	Sun-shine (37)	Rain 09h-21h. mm. (38)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
	Direction (degrees)	Speed (kts.)			Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)		Viability	Present Weather				Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Viability	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form

Chart of Weather in the Northern Hemisphere.




GENERAL INFERENCE.

Pressure is high to the northeast and southwest of the British Isles, and a shallow trough of low pressure over the country is moving slowly west. Variable cloud is expected in all parts of the country with a few bright periods, but there will be outbreaks of rain in many places during the day with a few thunderstorms developing in the west. Brighter, somewhat cooler weather is spreading westwards over the eastern half of the country.

FURTHER OUTLOOK.

Brighter, cooler weather probably spreading from the east to most places.



THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

OBSERVATIONS at 00hr. G.M.T. 20 th May 1952																OBSERVATIONS at 06hr. G.M.T. 20 th May 1952																OBSERVATIONS during NIGHT									
STATIONS	Height above M.S.L.	Wind		+ Visiblity	Present Weather	Pressure		Temp.		Cloud						Wind Direction (degrees)	Speed (kts.)	+ Visiblity	Present Weather	Pressure		Temp.		Cloud						9 h. State of ground	Weather		Temperature		Rain						
		Direction (degrees)	Speed (kts.)			Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form			Total amount	Main layer	Lowest layer					Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form			Total amount	Main layer	Lowest layer		21 h. to 03 h.	03 h. to 09 h.	Min. °F.	Max. °F.							
										Low	Medium	High												Low	Medium	High										Low	Medium	High			
Kew	18																																								
London Airport	82	250	02	24	o/r	20.1	-08	60	57	-	7	-	8	8	83	-																									
Lympe	341	060	06	48	b	20.8	+05	53	43	-	7	8	2	8	80	-																									
Tangmere	53		02	32	o/r	20.5	+03	58	56	-	7	-	8	8	80	-																									
Caishot	12	140	04	20	o	20.5	+05	58	56	-	8	-	8	8	80	-																									
Boscombe Down	414		0	24	o	20.4	-04	59	57	5	7	-	8	8	83	5	35																								
Felixstowe	10	020	01	64	bc	21.7	+00	52	47	-	7	2	5	2	81	-																									
Gorleston	5		06	56	bc	22.3	+05	52	49	5	-	3	3	3	4	5	-																								
West Raynham	250	100	08	80	b	21.2	+04	50	45	-	-	-	0	0	0	-																									
Mildenhall	15	130	04	48	b	21.1	+02	55	51	-	-	-	0	0	0	-																									
Cranfield	340	300	04	48	o/r	20.0	-15	58	56	-	7	-	8	8	83	-																									
Elmdon	326	300	07	40	b	21.8	+02	54	50	-	-	-	0	0	0	-																									
Cottesmore	452		0	6	b	20.8	+06	56	55	-	-	2	1	-	-	-																									
Watnall	366	310	01	16	bc	21.1	+04	56	54	-	-	8	3	-	-	-																									
Ross-on-Wye	223																																								
Shawbury	235	360	06	64	bc	22.2	+03	52	50	-	-	2	3	-	-	-																									
Bristol	192	010	09	64	bc	20.6	+11	59	54	-	4	2	5	1	81	-																									
Plymouth	90		0	80	b	20.6	-03	57	50	-	-	-	0	0	-	-																									
Chivenor	20	240	06	80	bc	21.1	-02	52	51	-	-	2	3	-	-	-																									
St. Eval	326	360	07	64	bc	21.6	-05	52	50	-	4	2	3	3	-	-																									
Culdrose	260	360	08	80	b	21.0	-03	55	51	-	4	-	1	1	80	-																									
Scilly, St. Mary's	183	340	07	80	b	22.4	+01	54	53	5	-	-	2	2	18	-																									
Guernsey	340	160	03	16	jf	20.5	-04	58	55	-	2	1	-	-	-	-																									
Aberporth	375	280	02	80	jf	22.4	+04	48	47	5	-	2	2	1	25	-																									
Pembroke Dock	40	360	03	81	b	22.2	+01	53	48	-	-	1	1	-	-	-																									
Holyhead (Valley)	32		0	40	b	22.5	+03	50	49	-	-	-	0	0	-	-																									
Manchester	230	300	06	24	o	21.6	+02	53	51	6	-	-	8	8	09	-																									
Squires Gate	33	300	09	44	bc	21.7	+03	55	53	6	-	4	1	06	-	-																									
Silloth	25	220	04	13	o	21.5	+03	55	53	5	-	-	8	8	33	-																									
Finnigley	52	090	06	48	c	21.2	+07	56	51	5	-	7	7	55	2	30																									
Spurn Head	29	090	12	48	b	21.6	+05	52	47	5	-	-	2	2	25	-																									
Dishforth	106	090	04	80	o	21.7	+09	55	51	5	-	-	8	8	20	-																									
Tynemouth	108	140	05	50	o	21.8	+02	51	47	6	-	-	8	8	20	-																									
Leuchars	36		07	07	o/r	22.3	+07	50	50	6	-	-	8	8	02	-																									
Eskdalemuir	794																																								
Prestwick	30	280	05	80	o	22.3	+05	55	51	5	-	-	8	8	20	2	10																								
West Freugh	52	320	08	40	o	23.2	+05	53	51	6	-	-	8	5	15	1	02																								
Ronaldsway	55		0	82	bc	22.3	+04	55	51	6	-	2	5	13	1	06																									
Tiree	29	310	08	11	o/d	22.8	+03	52	52	6	-	-	8	8	02	-																									
Benbecula	16	290	08	80	o/d	22.7	+05	54	52	6	-	-	8	8	16	4	08																								
Stornoway	10		0	24	id	22.1	+01	51	51	6	-	-	8	8	10	4	05																								
Cape Wrath	367		0	15	ft	22.3	+05	50	50	-	-	-	9	9	00	-																									
Sule Skerry	43	340	02	01	ft	22.3	+06	48	48	-	-	-	9	9	00	-																									
Rearfrew	80	250	01	24	o	21.9	+08	56	52	6	-	-	8	8	18	-																									
Dyce	234		0	48	o	22.6	+05	51	47	6	-	-	8	8	17	4	13																								
Wick	119	330	03	24	o/d	22.4	+01	47	47	6	-	-	8	8	04	-																									
Lerwick	269		0	02	ft	21.2	+02	48	48	-	-	-	9	9	-	9	-																								
Blackod Point	18		0	81	b	24.7	+02	48	46	8	-	-	1	1	35	-																									

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue Wednesday 21st May 1952OBSERVATIONS at 12h. G.M.T. 20th May 1952.OBSERVATIONS at 18h. G.M.T. 20th May 1952.

OBSERVATIONS during DAY

STATIONS (For heights see p. 4)	Wind		+ Visibility	Present Weather	Pressure		Temp.		Cloud						21 h State of ground	Weather.		Max. Temp. 09h- 21h °F	Sun- shine.	Rain 09h- 21h mm.																			
	Direction (degrees)	Speed (kts.)			Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form			Total amount 0-8	Main layer 0-8	Lowest layer 0-8																									
									Low	Medium	High																												
																Low	Medium				High																		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)		
Kew	-	0	17	pc	24.0	+0.9	57	53	7	7	-	8	8	-	4	30	090	12	46	c	24.8	+0.8	57	56	5	7	-	6	6	-	2	45	1	cr rmo	cy rls	66	2.0	2	
London Airport	080	15	28	pc	23.7	+0.9	60	44	5	5	-	8	8	80	2	30	080	12	72	o	24.4	+0.3	58	55	5	7	-	8	8	80	2	35	0	cr rmo	cy rls	67	1.2	0.2	
Lymington	040	11	81	bc	23.1	+0.8	64	47	2	2	-	3	3	81	-	-	040	15	81	bc	24.3	+0.3	55	44	-	-	1	3	-	-	-	-	0	bc	by bc	65	13.1	-	
Tangmere	010	05	81	pc	22.8	+0.4	56	36	9	9	-	8	8	83	2	60	060	11	81	c	22.8	-0.2	62	46	2	-	8	7	4	50	-	-	0	cy rls	cr rmo	63	6.7	0.3	
Woburn	130	02	64	pc	22.3	+0.3	60	48	1	1	-	7	7	80	-	-	120	04	56	c/r	22.6	-0.2	58	54	-	7	-	7	7	80	-	-	1	cr rmo	cy rls	62	0.3	0.6	
Boscombe Down	080	02	24	pc	21.4	-0.4	66	61	2	2	-	8	8	40	7	25	110	11	56	ir	23.0	+0.2	58	53	5	7	-	8	8	81	2	35	1	cr rmo	cy rls	66	0.0	15	
Felixstowe	080	15	80	bc	26.0	+1.4	57	41	1	1	-	3	3	83	-	-	060	12	80	bc	26.0	-0.1	55	42	-	-	1	3	-	-	-	-	0	bc	by bc	59	11.2	-	
Gravelly	120	20	64	c	27.0	+1.0	53	40	6	6	-	6	6	-	3	30	080	24	64	b	27.3	+0.5	52	44	-	-	3	2	2	-	-	-	0	bc	bc	54	8.5	-	
West Raynham	100	12	64	c	25.4	+1.1	55	43	1	1	-	6	6	80	-	-	080	12	81	b	26.6	+0.6	53	39	-	-	3	1	-	-	-	-	0	vir. rls	bc	59	5.3	1	
Mildenhall	100	07	64	ir	25.5	+1.6	58	48	5	5	-	8	8	80	3	50	090	09	82	bc	26.0	+0.6	56	38	-	3	1	3	1	83	-	-	0	cy rls	bc	63	4.1	0.1	
Cranfield	110	15	80	o	24.2	+1.3	57	49	5	5	-	8	8	83	2	28	090	15	80	bc	25.3	+0.8	56	38	5	3	-	5	5	83	1	65	1	cc rls	cc rls	59	0.6	TR	
Elton	020	07	10	o	23.3	+0.5	58	55	6	6	-	8	8	12	-	-	110	08	56	ir	24.9	+0.9	59	49	5	-	-	8	7	25	-	-	0	cc rls	cc rls	59	0.0	TR	
Colchester	140	13	48	c	23.7	+0.2	60	44	1	1	-	6	6	20	2	15	100	12	80	bc	25.2	+0.3	57	41	5	3	2	4	1	50	-	-	1	cr rmo	cc rls	61	1.6	0.1	
Watnall	130	03	11	o	24.2	+1.0	53	50	7	7	-	8	8	15	4	06	120	06	16	c	25.5	+0.2	55	49	5	7	-	6	6	70	3	20	1	cr rmo	cc rls	55	0.0	13	
Ross-on-Wye	060	04	03	o	23.3	+0.2	57	56	6	6	-	8	8	06	-	-	100	04	34	o	23.8	+0.9	55	51	5	1	-	8	7	20	-	-	1	cr rmo	cc rls	62	0.0	2	
Shawbury	350	06	32	c	23.5	+0.2	61	58	7	7	-	7	7	15	2	10	100	14	40	c	24.4	+0.7	57	51	5	-	-	7	7	35	2	15	1	cr rmo	cc rls	63	0.0	1	
Bristol	060	08	32	c	21.8	-0.4	61	58	2	2	-	7	7	80	2	40	090	08	64	ir	22.9	+0.5	58	52	-	7	-	8	8	81	2	80	1	cr rmo	cc rls	63	0.2	1	
Plymouth	030	08	80	c	20.4	-0.2	67	56	5	5	-	7	7	81	1	30	090	10	81	bc	21.2	+0.6	60	42	-	8	2	2	1	83	-	-	0	cr rmo	cc rls	63	3.4	-	
Chivenor	120	12	64	o	20.8	-0.3	68	57	2	2	-	8	8	80	4	25	120	12	81	b	21.5	+0.7	65	51	1	6	3	2	1	30	-	-	1	cr rmo	cc rls	72	6.0	TR	
St Eval	310	02	40	c	20.2	-0.1	66	59	2	2	-	7	7	60	2	25	130	15	56	c	20.4	+0.0	62	52	-	8	-	6	6	83	-	-	0	bc	bc	67	9.6	-	
Coldrose	060	08	50	bc	20.0	+0.0	65	57	8	8	-	5	5	60	1	35	090	15	40	bc	20.2	-0.2	57	54	5	3	-	4	1	81	3	40	0	bc	bc	65	3.3	-	
Scilly, St. Mary's	010	09	80	b	20.9	-0.1	62	57	-	4	-	1	1	75	-	-	010	11	56	b	19.6	-0.2	60	50	-	4	1	1	75	-	-	0	b	bc	62	13.7	-		
Guernsey	070	10	32	c	20.9	+0.4	63	56	-	3	8	7	3	80	-	-	090	16	64	bc	20.5	-0.5	60	50	-	8	1	4	5	80	-	-	0	c	bc	62	7.0	-	
Aberporth	040	04	80	bc	22.5	-0.0	69	54	8	8	-	5	5	1	25	-	-	0	64	rs	22.2	+0.2	56	56	9	9	-	8	5	20	2	10	2	b	bc	60	4.3	13	
Pembroke Dock	110	03	81	c	22.1	+0.1	69	55	2	2	-	7	7	21	-	-	070	05	64	c	22.0	+0.4	60	58	5	9	-	8	8	80	2	30	2	b	bc	70	5.4	3	
Holyhead (Valley)	310	10	82	bc	23.0	+0.1	60	53	1	1	-	4	4	25	-	-	030	10	82	bc	22.5	+0.0	59	51	5	-	-	4	4	30	-	-	0	b	bc	64	10.4	-	
Manchester	-	0	24	o	22.8	-0.0	62	51	6	6	-	8	8	20	4	15	130	08	48	ir	24.5	+0.7	55	51	6	-	-	8	8	35	1	09	2	cr rmo	cc rls	62	0.1	0.5	
Squires Gate	300	09	64	c	23.7	+0.7	57	53	5	5	-	6	6	30	-	-	130	16	36	o/r	24.4	+0.7	57	51	5	-	-	8	6	22	1	10	0	cr rmo	cc rls	59	4.1	TR	
Silloth	300	06	64	c	23.2	+0.4	60	54	8	8	-	6	6	70	2	28	210	08	80	o	23.7	+0.4	57	52	5	7	-	8	6	60	-	-	0	bc	bc	63	3.9	-	
Finningley	130	15	81	o	24.1	+0.6	61	50	5	5	-	8	8	35	2	30	110	17	81	c	26.0	+0.6	56	44	5	4	-	7	5	30	-	-	0	cc rls	cc rls	61	0.0	TR	
Spurn Head	100	25	32	c	24.6	+1.0	54	47	5	5	-	7	7	25	-	-	100	20	40	bc	27.1	+0.5	54	43	-	3	-	3	3	81	-	-	0	bc	bc	56	2.6	0.2	
Dunfermline	130	12	80	o	24.2	+0.5	64	51	8	8	-	8	8	40	2	25	140	13	81	c	26.4	+0.2	55	44	5	7	-	7	5	45	-	-	0	c	c	63	0.4	-	
Tynemouth	160	13	50	o	24.9	+1.2	51	48	5	5	-	8	8	24	-	-	180	13	56	o	26.0	+0.7	50	45	6	-	-	8	8	25	-	-	0	cr rmo	cc rls	53	0.0	-	
Leuchars	160	12	80	o	24.3	+0.7	53	49	5	5	-	8	8	35	3	20	140	08	32	c	24.3	+0.0	55	50	5	7	-	7	6	50	3	35	1	c	cc rmo	53	0.0	-	
Exeter	180	08	32	c	24.3	+0.0	55	50	5	5	-	8	8	05	-	-	240	16	64	o	23.4	+0.6	58	51	5	-	-	8	8	14	-	-	1	cc rmo	cc rls	63	0.1	TR	
Prestwick	230	09	64	o	23.4	+0.3	57	53	6	6	-	8	8	20	2	06	310	07	20	c	23.0	-0.4	60	54	5	3	2	7	4	30	2	15	0	cc rmo	cc rls	61	1.3	-	
West Wreath	320	13	80	c	24.1	+0.5	58	53	6	6	-	7	7	25	2	10	130	03	81	b	23.5	-0.4	60	52	2	-	-	1	1	15	-	-	0	cc rmo	cc rls	62	8.8	TR	
Ronaldsway	360	07	83	cd	23.4	+0.1	55	53	6	6	-	7	7	14	1	06	090	03	84	b	23.3	-0.1	54	52	1	4	1	1	1	20	-	-	0	cc rmo	cc rls	58	1.2	TR	
Tiree	330	03	40	cd	24.2	+0.7	52	50	6	6	-	8	8	07	3	03	340	02	83	bc	23.9	+0.2	54	48	5	-	-	1	5	32	1	12	0	cc rmo	cc rls	56	1.2	TR	
Benbecula	270	06	84	c	23.9	+0.3	55	47	5	5	-	7	7	20	-	-	260	06	84	c	23.9	+0.3	53	46	5	-	-	7	7	23	1	20	1	c	cc rmo	cc rls	57	1.7	TR
Stornoway	050	05	80	old	23.5	+0.5	56	52	6	6	-	8	8	12	3	05	030	05	81	c	23.4	+0.0	54	52	5	-	-	7	7	30	-	-	2	cc rmo	cc rls	58	1.2	TR	
Cape Wrath	140	02	83	c	23.6	+0.2	53	49	5	5	-	6	6	20	-	-	240	05	84	bc	23.5	+0.0	54	50	5	3	-	5	3	20	-	-	0	c	bc	56	0.0	-	
Sale Skerry	140	02	82	o	23.4	+0.5	50	50	5	5	-	8	8	10	-	-	140	05	82	o	23.0	+0.0	51	51	5	-	3	8	8	10	-	-	0	c	cc rmo	53	0.0	-	
Reefreew	080	05	12	o	23.5	+2.0	57	54	6																														

12h. Ships' Reports

18h. Ships' Reports


Ship	Lat. N	Long. W	Bar. mb.	Change in 3 hours	Wind		Weather	Temp.		Visibility	Cloud				Height of waves ft.	Ship	Lat. N	Long. W	Bar. mb.	Change in 3 hours	Wind		Weather	Temp.		Visibility	Cloud				Height ft.								
					Direc.	Speed		Air	Sea		New Point	Form		Amount							Direc.	Speed		Pres.	Past		Air	Sea	New Point	Form		Amount							
												Low	Med.																	High			Low	Total	Low	Med.	High	Low	Total
CUMULUS	52°30'	10°54'	101.7	+1.0	210	14	bc	52	51	50	57	5	7	-	5	8	92	WEATHER EXPLORER	60°42'	15°42'	101.2	+1.3	170	26	o	c	52	49	50	55	6	-	-	8	8	11			
WEATHER EXPLORER	60°48'	15°42'	101.0	-0.4	170	26	o	50	49	48	36	6	-	-	8	8	13	CUMULUS	52°24'	20°6'	101.7	+2.0	270	28	bc	r	54	45	52	58	2	4	-	2	3	15			
POLAR FRONT	66°6'	02°30'E	102.2	+0.7	220	11	c	c	46	46	45	36	6	-	-	8	7	3	HERMOZ	45°0'	16°0'	102.5	-0.6	220	08	bc	b	59	57	52	58	5	4	2	1	3	2		
HERMOZ	45°0'	16°0'	102.6	+0.0	08	bc	c	53	53	48	38	5	3	2	1	5	*	POLAR FRONT	66°6'	02°24'E	102.3	+0.9	240	12	o	c	48	47	45	38	5	-	-	8	8	5			
U.S. SHIP "A"	45°0'	33°0'	98.3	-0.3	240	15	o	44	44	*	4	-	2	-	8	8	5	DURHAM	42°0'	20°6'	102.4	+0.1	220	03	c	b	63	62	60	38	8	-	-	7	7	-			
U.S. SHIP "C"	63°0'	33°0'	98.3	-0.3	240	15	o	44	44	*	4	-	2	-	8	8	5	PHILOMEL	57°24'	09°6'	101.8	-1.0	320	09	c	b	63	63	61	38	1	-	-	7	7	3			
U.S. SHIP "D"	52°48'	35°30'	101.7	+2.6	320	05	bc	c	46	45	37	80	-	7	-	5	5	92	LAURENTIA	53°18'	33°30'	101.6	+2.0	300	15	c	bc	44	47	35	38	9	6	-	4	6	8		
MANCHESTER MERCHANT	43°54'	41°0'	101.6	-2.2	230	18	bc	c	54	60	51	55	-	2	-	8	8	13	INISHOWEN HEAD	54°30'	24°24'	101.8	+2.2	280	18	bc	bc	51	54	42	38	1	-	-	4	4	-		
LAURENTIA	51°48'	38°30'	101.6	+2.0	280	10	bc	c	44	45	34	38	5	-	-	0	3	*	UMTALI	35°24'	14°42'	102.0	+0.0	340	15	jp	d	61	64	57	57	5	-	-	8	8	-		
RANGITANE	53°36'	31°18'	101.1	+4.9	280	25	bc	44	45	37	38	1	-	-	4	4	8	JOHN HOLT	44°42'	09°0'	102.1	-0.2	010	14	o	c	56	58	52	81	2	-	-	8	8	3			
	42°54'	22°0'	102.3	+0.2	210	05	c	bc	62	60	53	37	4	-	-	7	7	6 1/2																					

Chart of Weather in the Northern Hemisphere.



GENERAL INFERENCE.
 Pressure is high over the North Sea and the Eastern Atlantic, and a shallow trough of low pressure over Wales and western districts of England and Scotland is moving slowly west. Fine weather will continue in Midland and Eastern districts of England and will spread slowly to Wales, Western England and Southern and Eastern Scotland. In Ireland and West Scotland and at first in Wales and Western districts of England, it will be mainly cloudy with some outbreaks of blunderly rain and perhaps thunderstorms here and there. Temperatures will be about normal.

FURTHER OUTLOOK.
 Becoming fine in most places, and probably continuing mainly fine for the next two or three days.



THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

OBSERVATIONS at 00hr. G.M.T. 21 st May 1952																																	OBSERVATIONS at 06hr. G.M.T. 21 st May 1952																																	OBSERVATIONS during NIGHT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
STATIONS	Height above M.S.L.	Wind		+ Visibility	Present Weather	Pressure		Temp.		Cloud						Wind	Direction (degrees)	Speed (kts.)	+ Visibility	Present Weather	Pressure		Temp.		Cloud						9 h.	Weather		Temperature		Rain																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
		Direction (degrees)	Speed (kts.)			Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb						Dew point	Form	Main layer	Lowest layer	State of ground	21h to 03h (19)	03h to 09h (20)	Min. °F.	Max. °F.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
																														Low		Med	High	Total	0-8		0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue Thursday 22nd May 1952

No 33054

OBSERVATIONS at 12h. G.M.T. 21st May 1952

OBSERVATIONS at 18h. G.M.T. 21st May 1952

OBSERVATIONS during DAY

STATIONS (For heights see p. 4)	Wind		+ Visiblty	Present Weather	Pressure		Temp.		Cloud						Wind		+ Visiblty	Present Weather	Pressure		Temp.		Cloud						21 h State of ground	+ Weather.	Max. Temp. 09h- 21h °F	Sun- shine. 09h- 21h num.	Rain 09h- 21h num.										
	Direction (degrees)	Speed (kts.)			Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form			Main layer	Lowest layer	Direction (degrees)	Speed (kts.)	Bar at M.S.L.			Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form			Main layer	Lowest layer																	
									Low +	Medium +	High +											Low +	Medium +	High +			Total amt.	0-8						0-8	0-8	Total amt.	0-8	0-8	0-8	Total amt.	0-8	0-8	0-8
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)						
Kew	150	10	81	b	28.7	-0.2	63	34	-	-	2	2	-	-	-	090	12	81	b	28.7	+0.6	61	30	-	-	1	2	2	-	-	0	bc	bc	65	14.0	-							
London Airport	100	12	81	b	28.5	+0.2	65	35	-	-	1	1	-	-	-	100	11	80	b	28.6	+0.6	62	35	-	-	1	1	1	-	-	0	bc	bc	68	14.0	-							
Lymington	060	09	81	b	28.8	+0.1	61	30	-	-	1	1	-	-	-	040	14	81	b	28.3	-0.1	57	37	-	-	6	3	-	-	-	0	bc	bc	63	14.0	-							
Tangmere	120	11	81	bc	28.3	+0.6	60	41	-	-	2	5	-	-	-	130	16	81	b	27.7	-0.1	60	46	-	-	1	1	-	-	-	0	bc	bc	63	15.0	-							
Calshot	130	14	80	b	27.8	+0.7	56	45	-	-	1	1	-	-	-	130	97	81	b	27.6	+0.1	58	47	-	-	1	1	-	-	-	0	bc	bc	53	13.5	-							
Boscombe Down	160	10	81	b	26.9	+0.3	62	45	-	-	2	2	-	-	-	190	02	82	b	27.0	+0.5	61	47	-	-	1	2	-	-	-	1	bc	bc	65	14.2	18							
Felixstowe	090	11	64	b	31.0	+0.6	59	43	-	-	1	1	-	-	-	050	12	80	b	29.8	+0.3	57	43	-	-	1	1	-	-	-	0	bc	bc	59	14.7	-							
Corleston	130	13	40	b	31.1	+0.7	58	44	-	-	1	1	-	-	-	070	02	64	bc	30.7	-0.1	54	45	-	-	1	3	-	-	-	0	bc	bc	55	14.0	-							
West Raynham	150	11	82	b	29.4	-0.1	62	37	-	-	1	1	-	-	-	120	13	81	b	29.4	+0.2	58	33	-	-	1	1	-	-	-	0	bc	bc	63	14.7	-							
Mildenhall	140	05	81	b	29.4	+0.1	65	37	-	-	1	1	-	-	-	090	04	81	b	29.5	+0.4	61	36	-	-	1	1	-	-	-	0	bc	bc	67	14.3	-							
Cranfield	120	08	80	b	29.1	+0.1	62	36	-	-	1	1	-	-	-	130	08	81	b	28.7	+0.3	61	38	-	-	1	2	-	-	-	0	bc	bc	64	14.3	-							
Elmston	120	11	80	b	28.5	-0.1	61	44	-	-	2	2	-	-	-	130	06	81	b	28.2	+0.2	63	42	-	-	1	1	-	-	-	0	bc	bc	65	13.8	-							
Collesmore	160	06	80	b	29.4	+0.1	62	37	-	-	1	1	-	-	-	060	11	81	b	28.7	-0.2	62	41	-	-	1	1	-	-	-	0	bc	bc	65	14.6	-							
Watnal	140	09	80	b	29.3	-0.4	61	42	-	-	1	1	-	-	-	120	06	81	b	28.6	+0.1	63	42	-	-	1	1	-	-	-	0	bc	bc	65	14.0	-							
Ross-on-Wye	160	09	80	b	27.6	+0.0	62	44	-	-	4	1	-	-	-	110	04	81	b	27.5	+0.1	65	43	-	-	1	1	-	-	-	0	bc	bc	66	14.3	-							
Shawbury	110	09	48	b	28.5	+0.3	65	44	-	-	1	1	-	-	-	170	01	64	b	27.7	+0.2	67	40	-	-	1	1	-	-	-	0	bc	bc	68	12.6	-							
Bristol	110	12	80	b	27.1	+0.2	63	46	-	-	1	1	-	-	-	110	07	82	b	26.9	+0.4	65	44	-	-	1	1	-	-	-	0	bc	bc	67	14.0	-							
Plymouth	070	18	80	b	28.6	+0.7	61	43	-	-	4	1	-	83	-	050	12	81	b	27.3	+1.3	59	31	-	-	1	2	-	-	-	0	bc	bc	64	10.4	-							
Chivenor	100	10	81	b	28.8	-0.1	66	43	-	-	4	1	-	80	-	150	10	81	b	27.1	+1.0	63	39	-	-	2	8	1	-	-	0	bc	bc	69	13.1	-							
St Eval	090	12	80	bc	28.1	+0.5	63	39	-	-	4	-	-	5	5	100	08	81	b	27.3	+0.7	61	30	-	-	2	1	-	-	-	0	bc	bc	67	9.0	-							
Culdrose	090	24	70	bc	24.6	+0.7	58	56	-	-	4	-	-	3	3	090	17	80	b	25.8	+1.1	55	44	-	-	1	2	2	-	-	0	bc	bc	61	9.1	-							
Scilly, St. Mary's	110	18	40	bc	23.4	+0.4	63	54	-	-	5	-	-	5	0	110	16	40	bc	25.1	+1.3	60	51	-	-	5	5	1	12	-	0	bc	bc	64	11.7	-							
Guernsey	090	18	81	b	24.6	+0.5	63	46	-	-	4	-	-	0	-	080	16	81	b	25.4	+0.3	58	48	-	-	1	2	-	-	-	0	bc	bc	61	14.2	-							
Aberporth	050	08	81	bc	27.0	+0.2	56	48	-	-	4	-	-	3	3	060	04	82	b	27.3	+0.9	58	45	-	-	1	0	0	-	-	0	bc	bc	61	9.8	-							
Pembroke Dock	120	07	80	bc	26.8	+0.7	62	44	-	-	7	-	-	4	84	110	10	80	b	27.3	+0.5	64	44	-	-	1	1	84	-	-	0	bc	bc	60	9.3	-							
Holyhead (Valley)	330	05	32	b	27.6	+0.3	57	53	-	-	7	7	-	45	1	350	09	48	c	27.6	+0.3	60	47	-	-	5	7	80	4	56	0	omoc	omoc	65	2.8	TR							
Manchester	110	08	64	b	28.3	-0.3	63	29	-	-	1	1	-	83	-	160	06	81	b	27.8	-0.1	65	40	-	-	1	1	-	-	-	0	bc	bc	67	13.7	-							
Squires Gate	230	06	56	b	28.9	+0.1	64	34	-	-	2	1	-	83	-	320	06	36	b	28.0	-0.2	65	43	-	-	0	0	-	-	-	0	bc	bc	68	3.3	-							
Silloth	340	07	81	c	29.2	+0.3	60	49	-	-	7	6	-	83	-	250	05	64	b	29.1	+0.2	61	46	-	-	3	2	81	0	-	0	bc	bc	63	3.2	-							
Finnigley	130	08	80	b	29.8	-0.1	64	38	-	-	0	0	-	0	-	130	12	82	b	28.8	-0.1	64	44	-	-	0	0	-	-	-	0	bc	bc	67	13.9	-							
Spurn Head	100	12	48	b	30.5	+0.3	64	49	-	-	0	0	-	0	-	100	15	48	b	30.0	-0.5	59	47	-	-	2	2	25	-	-	0	bc	bc	61	13.7	-							
Dishforth	130	08	81	b	29.9	-0.4	64	47	-	-	0	0	-	0	-	110	22	81	b	29.0	+0.0	62	46	-	-	0	0	-	-	-	0	bc	bc	68	13.9	-							
Tynemouth	170	10	56	b	30.1	+0.3	60	47	-	-	1	1	-	30	3	160	14	56	bc	29.4	-0.5	50	41	-	-	3	3	-	-	-	0	bc	bc	53	12.1	-							
Leuchars	230	03	24	o	29.1	+0.6	56	46	-	-	8	5	-	28	15	120	05	32	c	28.7	+0.1	57	51	-	-	7	7	45	2	18	1	cm	cm	59	0.0	-							
Eskdalemuir	150	05	81	o	28.3	+0.0	54	44	-	-	7	-	-	5	25	250	05	81	c	27.9	-0.3	62	41	-	-	3	6	3	28														

Chart of Weather in the Northern Hemisphere.




Pressure remains high over the British Isles, though a weak trough of relatively low pressure lies across Northern England. In the southern half of England and in Wales the fine weather will continue, though there will be some rather variable amounts of high cloud, particularly in the east. In Northern England and in Scotland and North Ireland it will be mainly cloudy, with only a few breaks and some light showers may occur in places. Temperatures will be about normal.

GENERAL INFERENCE

Little material change.

FURTHER OUTLOOK



THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, LONDON

[illegible]

00h. Ships' Reports																	06h. Ships' Reports																					
Ship	Lat. N	Long W	Bar. mb.	Change in 3 hours 0-1 mb	Wind		Weather		Temp.			Visibility	Cloud					Height of waves ft.	Ship	Lat. N	Long W	Bar. mb.	Change in 3 hours 0-1 mb	Wind		Weather		Temp.			Visibility	Cloud						
					Direc.	Speed	Pres.	Past	Air °F	Sea °F	Dew °F		Point	Form			Amount							Direc.	Speed	Pres.	Past	Air °F	Sea °F	Dew °F		Point	Form			Amount		
														Low	Med	High																	Low	Total	Low		Med	High
CUMULUS	52°30'	19°54'	1032	+0.6	140	03	b	bc	50	51	41	98	2	-	1	1	1	6 1/2	Cumulus	52°30'	19°48'	1032	+0.3	130	11	bc	bc	50	51	45	98	5	4	1	4	4	6 1/2	
WEATHER EXPLORER	60°42'	15°24'	1029	+1.4	260	15	b	bc	47	50	38	99	4	-	-	2	2	-	Weather Explorer	60°48'	15°26'	1031	+0.8	250	13	c	c	47	50	36	99	8	1	1	5	6	6	6 1/2
POLAR FRONT	66°0'	01°48'	1024	-0.4	200	09	o	f	46	47	46	94	6	-	-	8	8	3	Polar Front	66°0'	02°0'	1023	-0.4	240	11	c	bc	46	46	45	98	5	-	1	2	4	11	6 1/2
MERMIOZ	45°0'	16°0'	1030	+0.7	010	16	bc	c	59	59	55	98	5	-	-	4	4	3	Mermioz	45°0'	16°0'	1029	+0.0	040	12	bc	d	57	62	52	98	8	4	2	7	7	15	
U.S. SHIP "C"	52°48'	35°30'	1013	-2.5	090	18	o	f	48	45	47	64	-	2	-	8	8	6 1/2	U.S. Ship "A"	61°46'	20°18'	1013	+1.4	210	27	c	c	40	42	35	80	5	-	1	8	8	15	
U.S. SHIP "D"	44°0'	40°48'	999	+2.2	340	26	bc	r	61	61	57	74	1	-	-	4	4	19	U.S. Ship "C"	52°34'	25°26'	1007	+1.5	110	14	of	r	49	45	49	09	5	2	-	8	8	14	
U.S. SHIP "A"	62°30'	33°18'	1010	-0.3	230	31	pr	pr	43	43	38	74	2	2	-	5	8	8	U.S. Ship "D"	44°0'	41°12'	1003	+1.0	270	26	nm	bc	60	60	55	58	-	-	-	8	8	5	
EMPRESS OF FRANCE	55°0'	20°0'	1033	+1.5	180	09	c	b	49	52	38	98	5	-	-	7	7	-	New Amsterdam	49°44'	12°48'	1030	+0.3	040	13	o	pr	55	55	50	98	8	-	-	1	1	x	
BARON MURRAY	55°48'	12°12'	1032	+4.5	330	09	bc	c	51	52	42	97	-	6	9	0	4	3	Livorno	47°48'	5°48'	1027	+1.0	120	05	b	b	60	57	54	81	-	-	1	7	7		
GRACIA	40°36'	37°12'	1007	+2.0	190	25	bc	b	62	64	55	98	2	-	-	4	4	-	Warwick Castle	36°6'	12°20'	1019	-0.5	010	24	c	c	60	62	52	98	5	-	-	7	7		

RATES of SUBSCRIPTION: Single copy 2½d. or post free 4d. One calendar month 8/- One quarter 23/- One year 90/-

For special arrangements for supply to schools and colleges, see Form 2452.

* Information not usually received.

† Code figure (see Introduction)

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue Friday 23rd May 1952

OBSERVATIONS at 12h. G.M.T. 22nd May 1952

OBSERVATIONS at 18h. G.M.T. 22nd May 1952

OBSERVATIONS during DAY

STATIONS (For heights see p. 4)	Wind		+ Visiblty	Present Weather	Pressure		Temp.		Cloud						Wind	+ Visiblty		Present Weather	Pressure		Temp.		Cloud						21 h + State of ground	Weather.		Max Temp 09h- 21h. °F	Sun- shine 21h. mm.	Rain 09h- 21h. mm.											
	Direction (degrees)	Speed (kts.)			Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form			Direction (degrees)	Speed (kts.)	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F		Form			Direction (degrees)	Speed (kts.)	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form			09h to 15h (34)				15h to 21h. (35)										
									Low	Medium	High								Total amt.	Main layer	Lowest layer							Low		Medium						High	Total amt.	Main layer	Lowest layer	Low	Medium	High	Total amt.	Main layer	Lowest layer
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)								
Kew	140	04	72	b	31.5	-0.5	64	33	-	-	1	5	-	-	-	350	01	81	b	30.7	-0.5	67	34	-	-	-	1	1	-	-	0	bcb	bcb	68	13.1	-									
London Airport	010	05	72	b	31.5	-0.2	66	37	-	-	-	-	-	-	-	020	08	81	b	30.9	-0.3	68	37	-	-	-	1	1	-	-	0	bcb	bcb	70	13.7	-									
Lymington	040	10	81	b	31.4	-0.1	62	39	-	-	2	6	-	-	-	060	07	81	b	31.3	-0.2	57	38	-	-	-	2	2	-	-	0	bcb	bcb	63	15.1	-									
Tangmere	060	11	81	b	31.0	-0.4	66	42	-	-	8	1	-	-	-	150	07	81	b	31.4	-0.2	58	44	-	-	-	2	1	-	-	0	bcb	bcb	67	14.5	-									
Calshot	170	04	80	b	31.5	-0.1	62	48	-	-	1	1	-	-	-	140	07	81	b	31.6	-0.5	59	45	-	-	-	1	-	-	-	0	bcb	bcb	68	14.5	-									
Boscombe Down	050	06	82	b	31.0	-0.1	64	43	-	-	1	-	-	-	-	050	03	82	b	30.4	-0.4	65	43	-	-	-	1	1	-	-	0	bcb	bcb	68	13.5	-									
Felixstowe	100	06	80	b	32.4	-0.1	57	43	-	-	7	6	-	-	-	090	03	81	b	32.1	-0.3	57	43	-	-	-	2	3	-	-	0	bcb	bcb	60	13.5	-									
Corkeston	110	08	72	b	32.8	+0.8	57	47	-	-	2	7	-	-	-	110	07	72	b	32.9	-0.2	52	45	-	-	-	2	4	-	-	0	bcb	bcb	57	15.0	-									
West Raynham	-	0	81	b	31.6	-0.2	64	44	-	-	-	3	-	-	-	050	06	81	b	31.5	-0.4	62	42	-	-	-	1	1	-	-	0	bcb	bcb	66	12.5	-									
Mildenhall	-	0	81	b	31.6	-0.6	61	47	-	-	8	-	-	-	-	040	05	80	b	31.2	-0.0	66	47	-	-	-	2	1	40	-	0	bcb	bcb	69	13.4	-									
Grainfield	030	08	80	b	32.0	-0.2	63	42	-	-	-	2	-	-	-	060	05	81	b	31.1	-0.4	65	47	-	-	-	9	3	-	-	0	bcb	bcb	67	13.1	-									
Elmston	-	0	48	b	31.4	-0.2	66	47	-	-	-	-	-	-	-	070	07	48	b	31.2	-0.2	65	52	-	-	-	8	8	80	5	40	bcb	bcb	70	9.8	0.1									
Collesmore	-	0	80	b	31.5	-0.7	66	45	-	-	-	4	-	-	-	330	10	46	c	31.4	-0.1	63	47	-	-	-	7	5	83	4	50	bcb	bcb	68	6.5	0.1									
Watnall	-	0	24	c	31.2	-0.8	66	46	-	-	-	6	-	-	-	0	24	c	31.6	-0.0	60	52	-	-	-	1	1	6	3	25	bcb	bcb	68	3.6	0.1										
Roseton-Wye	360	04	81	b	31.8	-0.0	67	43	-	-	-	-	-	-	-	270	02	50	b	31.1	-0.3	68	47	-	-	-	7	1	25	-	0	bcb	bcb	70	12.5	-									
Shawbury	160	05	72	b	31.3	-0.4	71	44	-	-	1	-	-	-	-	340	10	32	c	31.7	-0.5	63	52	-	-	-	7	7	80	-	0	bcb	bcb	73	10.1	-									
Bristol	060	07	81	b	31.4	-0.1	66	48	-	-	-	0	-	-	-	350	05	31	b	30.5	-0.7	63	49	-	-	-	1	1	-	-	0	bcb	bcb	70	12.5	-									
Plymouth	100	02	81	b	31.4	-0.1	67	43	-	-	-	0	-	-	-	220	02	81	b	31.8	-0.2	58	43	-	-	-	0	0	-	-	0	bcb	bcb	67	14.0	-									
Chivenor	360	13	80	b	31.7	-0.2	67	43	-	-	-	-	-	-	-	310	07	80	b	32.0	-0.3	63	48	-	-	-	-	-	-	-	0	bcb	bcb	70	14.0	-									
St Eval	130	08	64	b	31.5	-0.0	67	35	-	-	2	-	-	-	-	360	11	80	b	32.0	-0.1	60	45	-	-	-	1	1	-	-	0	bcb	bcb	68	14.1	-									
Culdrose	060	10	80	b	31.3	-0.5	62	50	-	-	8	-	-	-	-	240	05	70	b	31.4	-0.1	61	47	-	-	-	1	1	-	-	0	bcb	bcb	67	14.2	-									
Scilly, St. Mary's	110	14	40	b	30.6	-0.1	62	55	-	-	5	-	-	-	-	080	03	56	b	31.6	-0.0	62	55	-	-	-	1	1	-	-	0	bcb	bcb	67	14.2	-									
Guernsey	070	14	64	b	30.9	-0.0	62	50	-	-	-	-	-	-	-	070	10	64	b	31.3	-0.2	59	47	-	-	-	1	1	-	-	0	bcb	bcb	63	14.0	-									
Aberporth	290	02	80	b	32.2	-0.7	59	51	-	-	-	-	-	-	-	300	04	40	b	32.2	-0.3	56	50	-	-	-	1	1	83	-	0	bcb	bcb	62	12.8	-									
Pembroke Dock	240	09	81	b	32.5	-0.7	65	49	-	-	-	-	-	-	-	550	04	89	b	32.3	-0.3	65	52	-	-	-	0	0	-	-	0	bcb	bcb	68	13.9	-									
Holyhead (Valley)	360	08	32	b	31.9	-0.7	65	50	-	-	5	-	-	-	-	320	05	48	b	32.3	-0.0	61	51	-	-	-	2	2	83	-	0	bcb	bcb	68	8.4	-									
Manchester	260	06	48	b	30.8	-0.8	68	46	-	-	3	4	-	-	-	120	03	32	b	31.0	-0.4	67	48	-	-	-	1	3	2	83	-	0	bcb	bcb	71	9.4	-								
Squires Gate	300	06	20	b	32.4	-0.5	61	51	-	-	3	3	-	-	-	320	07	36	b	31.7	-0.2	61	49	-	-	-	0	0	-	-	0	bcb	bcb	64	7.7	0.4									
Silloth	250	06	80	b	32.2	-0.1	65	48	-	-	2	3	-	-	-	050	13	56	b	32.5	-0.1	64	54	-	-	-	3	3	80	-	0	bcb	bcb	68	10.2	-									
Pinningley	310	04	16	c	31.5	-0.0	66	50	-	-	5	5	-	-	-	350	04	24	c	31.5	-0.2	66	51	-	-	-	7	6	80	3	40	bcb	bcb	66	1.5	0.1									
Spurn Head	170	12	64	b	31.7	-0.0	54	51	-	-	3	-	-	-	-	100	08	48	b	32.1	-0.3	59	51	-	-	-	6	6	25	-	1	bcb	bcb	63	4.8	-									
Dishforth	340	06	56	c	31.7	-0.2	63	50	-	-	5	7	-	-	-	350	10	40	b	32.0	-0.1	64	52	-	-	-	1	1	80	-	0	bcb	bcb	63	5.8	-									
Lymington	360	09	24	b	32.2	-0.5	57	48	-	-	6	-	-	-	-	260	11	32	b	32.8	-0.5	50	47	-	-	-	0	0	-	-	0	bcb	bcb	58	7.2	-									
Leuchars	110	16	48	b	33.4	-0.2	59	51	-	-	3	9	-	-	-	110	08	82	b	35.1	-0.4	53	47	-	-	-	8	4	35	-	0	bcb	bcb	62	6.9	-									
Exkalemuir	070	09	80	c	31.1	-0.4	66	54	-	-	3	-	-	-	-	050	04	48	c	33.4	-0.8	57	51	-	-</																				

Chart of Weather in the Northern Hemisphere.




GENERAL INFERENCE.

There is a complex depression in the western Atlantic while an anticyclone covering the British Isles is intensifying. In most parts of the country it will be sunny and rather warm, but in some eastern coastal districts of England it will be mainly cloudy and rather cool.

FURTHER OUTLOOK.

Fine and rather warm in almost all parts of the country.



THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

OBSERVATIONS at 00hr. G.M.T. 23 rd May 1952.																OBSERVATIONS at 06hr. G.M.T. 23 rd May 1952.																OBSERVATIONS during NIGHT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
STATIONS	Height above M.S.L.	Wind		†	Present Weather	Pressure		Temp.		Cloud						Wind	Speed (kts.)	†	Present Weather	Pressure		Temp.		Cloud						9 h.	Weather		Temperature		Rain																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		Direction (degrees)	Speed (kts.)			Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form			Total amount	0-8	0-8					Low	Med.	High	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form				Total amount	0-8	0-8	Low		Med.	High	State of ground	21h to 03h (19)	03h to 09h (20)	Min. (21)	Max. (22)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
										0-8	0-8	0-8															0-8	0-8	0-8													0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue, Saturday 24th May 1952

OBSERVATIONS at 12h. G.M.T. 23rd May 1952.

OBSERVATIONS at 18h. G.M.T. 23rd May 1952.

OBSERVATIONS during DAY

STATIONS (For heights see p. 4)	Wind			Present Weather	Pressure		Temp.		Cloud						Wind			Temp.			Cloud						24 h ↑ State of ground	Weather.		Max. Temp 09h-21h °F (36)	Sun- shine (37)	Rain 09h-21h num. (38)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	Direction (degrees)	Speed (kts.)			Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form			Total amount 0-8	Main layer 0-8	Lowest layer 0-8	Direction (degrees)	Speed (kts.)	Visiblity	Present Weather	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form			Total amount 0-8		Main layer 0-8	Lowest layer 0-8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
		↑	↓	↑					↓	↑	↓												↑	↓	↑		↓						↑	↓																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
		(1)	(2)	(3)					(4)	(5)	(6)												(7)	(8)	(9)		(10)						(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
Kew	050	04	46	b	33.8	-0.8	65	35	-	-	-	0	0	0	-	-	030	08	81	b	33.0	-0.5	68	47	2	-	-	2	2	40	1	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Chart of Weather in the Northern Hemisphere.




GENERAL INFERENCE.

A depression southwest of Iceland is moving northeast and a large anticyclone is centred just west of Ireland. In most parts of the British Isles the fine rather warm weather will continue while in Scotland north of the Moray Firth it will be mainly cloudy but dry in most places.

Little change.

FURTHER OUTLOOK.



THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

OBSERVATIONS at 00hr. G.M.T. 24th May 1952.OBSERVATIONS at 06hr. G.M.T. 24th May 1952.

OBSERVATIONS during NIGHT

STATIONS	Height above M.S.L.	Wind		+ Visibility	Present Weather	Pressure		Temp.		Cloud						Wind		+ Visibility	Present Weather	Pressure		Temp.		Cloud						9 h. State of ground	Weather		Temperature		Rain												
		Direction (degrees)	Speed (kts.)			Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form			Direction (degrees)	Speed (kts.)	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb			Dew point	Form			Total amount	Main layer			Lowest layer	21h-03h (38)		03h-09h (40)	Min. °F.	Max. °F.														
										Low	Medium	High									Total amount	0-8	0-8		0-8	0-8	0-8							0-8													
																																				0-8	0-8	0-8									
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)	(42)	(43)	(44)	(45)			
Kew ...	18															210	01	17	6	34.0	+01	52	50																								
London Airport	82	100	03	13	b	34.7	+06	52	49	-	-	-	0	0	-	351	00	13	6	34.4	+00	52	49																								
Lymington	341	010	05	32	c	33.9	+01	50	46				7	7	29					33.8	+01	51	47																								
Tangmere	53	010	02	64	b	34.4	+02	44	43				0	0	0					34.1	+01	50	47																								
Calshot	12	050	02	56	b	34.3	+01	43	47				0	0	0					34.1	+01	50	47																								
Boscombe Down	414	100	01	80	b	33.7	+04	56	52				0	0	0					33.9	+03	50	50																								
Felixstowe	10	-	0	64	b	34.3	+02	48	44				0	0	0					34.2	+02	49	44																								
Gorleston	5	330	07	72	bc	34.4	+02	49	43				3	3	28					33.7	+01	49	46																								
West Raynham	250	-	0	64	b	34.4	+00	45	43				0	0	0					34.2	+00	49	46																								
Mildenhall	15	070	01	48	b	34.5	-01	45	45				3	1	1					34.3	+01	45	45																								
Cranfield	340	070	05	32	bc	34.5	-01	51	48				4	4	83					34.2	+00	51	49																								
Elmdon	326	130	03	56	b	34.5	+06	54	52				0	0	0					34.2	+03	50	48																								
Collesmore	452	-	0	64	b	35.0	+00	49	47				2	2	50					35.6	+03	50	49																								
Watnall	366	040	02	64	bc	34.3	+01	53	50				5	5	30					34.9	+03	50	48																								
Ross-on-Wye	223																																														
Shawbury	235	330	05	16	b	34.4	+03	54	49				1	1	83					34.6	+03	48	47																								
Bristol	192	050	02	48	b	33.7	+04	58	53				1	2	1					33.7	+03	52	50																								
Plymouth	90	-	0	32	b	34.6	+01	50	45				0	0	0					34.6	+03	51	45																								
Chivenor	20	090	04	20	bc	34.2	+03	57	54				5	5	80					35.0	+04	54	48																								
St. Eval	336	170	02	64	b	35.0	+04	54	48				0	0	0					35.0	+04	54	48																								
Culdrose	260	-	0	82	b	34.8	+03	54	48				0	0	0					34.1	+00	52	46																								
Scilly, St. Mary's	163	090	05	81	b	34.0	+07	53	51				0	0	0					34.7	+06	53	49																								
Guernsey	340	050	14	82	b	34.5	+06	49	47				0	0	0					34.6	+05	51	47																								
Aberporth	375	270	05	64	b	34.5	+01	51	49				0	0	0					34.8	+03	53	49																								
Pembroke Dock	40	-	0	56	b	34.7	+03	53	50				0	0	0					34.8	+03	53	49																								
Holyhead (Valley)	32	340	05	36	b	34.5	+03	50	48				0	0	0					34.8	+03	49	47																								
Manchester	230	150	06	12	b	33.7	+06	54	50				0	0	0					33.9	+02	52	50																								
Squires Gate	33	270	06	56	b	33.8	+01	55	53				0	0	0					34.1	+03	52	46																								
Silloth	25	320	07	64	b	34.0	+01	57	49				1	1	0					34.1	+03	52	46																								
Finnigley	52	160	07	64	b	34.5	+02	49	46				0	0	0					33.8	+03	47	44																								
Spurn Head	29	-	0	56	b	34.6	-04	48	47				2	2	30					33.8	+00	50	48																								
Dishforth	106	130	04	64	b	35.0	+05	51	48				1	1	81					34.6	+00	49	46																								
Tynemouth	108	180	05	56	b	34.5	-02	50	45				0	0	0					34.1	+00	49	46																								
Leuchars	36	060	08	64	b	34.2	+01	48	47				1	1	28					34.1	+01	47	46																								
Eskailemuit	794																																														
Prestwick	30	130	02	81	b	34.3	-04	48	44				0	0	0					34.6	+01	48	47																								
West Freugh	52	300																																													

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue Sunday 25th May 1952

OBSERVATIONS at 12h. G.M.T. 24th May 1952

OBSERVATIONS at 18h. G.M.T. 24th May 1952

OBSERVATIONS during DAY

STATIONS (For heights see p. 4)	Wind		+ Visiblty	Present Weather	Pressure		Temp.		Cloud						24 h + State of ground	Weather.		Max. Temp. 09h- 21h °F	Sun- shine 09h- 21h min.	Rain 09h- 21h mm.																	
	Direction (degrees)	Speed (kts.)			Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Main layer	Lowest layer	Total amount	Ht. + Amt.	Ht. + Amt.		Direction (degrees)	Speed (kts.)				Visiblty	Present Weather	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Main layer	Lowest layer	Total amount	Ht. + Amt.	Ht. + Amt.	State of ground	09h to 15h (34)	15h to 21h (35)		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(36)	(37)	(38)		
Kew	270	02	30	b	32.3	-13	68	52	9	-	-	3	0	6	-	010	08	30	b	30.3	-10	71	53	2	-	-	4	0	35	-	-	0	bca wca	epca	74	10.4	TR
London Airport	250	04	30	b	32.6	-13	68	53	-	-	-	0	0	0	-	020	06	30	b	30.2	-10	71	53	4	-	-	6	0	35	-	45	0	bca	bca	74	10.4	-
Lymington	130	08	30	b	32.7	-07	68	53	-	-	-	2	0	1	-	140	03	30	b	31.3	-03	64	49	0	-	-	1	0	35	-	-	0	bca	bca	60	8.9	-
Langmere	210	08	30	b	32.7	-14	68	53	-	-	-	0	0	1	-	250	04	30	b	31.2	-07	63	58	0	-	-	1	0	35	-	-	0	bca	bca	66	9.9	-
Calshot	230	08	30	b	32.5	-10	68	52	-	-	-	0	0	1	-	240	10	30	b	31.4	-11	69	58	0	-	-	1	0	35	-	-	0	bca	bca	67	9.9	-
Boscombe Down	040	04	48	b	32.3	-08	69	53	-	-	-	4	2	30	-	060	03	48	b	30.4	-08	69	59	-	-	-	0	0	0	-	-	0	bca bca	bca	72	11.3	-
Felixstowe	110	08	64	b	32.3	-06	69	53	-	-	-	2	1	30	-	050	08	60	b	31.8	-04	69	59	-	-	-	0	0	0	-	-	0	b	b	59	13.7	-
Gravelton	030	08	64	b	32.2	-09	69	53	-	-	-	0	0	1	-	020	07	72	b	31.9	-10	68	56	-	-	-	0	0	0	-	-	0	bca	bca	59	11.6	-
West Raynham	050	08	64	b	32.4	-07	69	53	-	-	-	0	0	1	-	040	07	88	b	31.2	-07	68	56	-	-	-	0	0	0	-	-	0	bca	bca	66	14.6	-
Mildenhall	310	02	80	b	32.3	-14	68	53	-	-	-	-	30	-	100	07	80	b	31.0	-02	67	58	-	-	-	0	0	0	-	-	0	bca	bca	71	12.2	-	
Cratfield	250	01	32	b	32.4	-10	68	56	-	-	-	0	0	1	-	310	06	30	b	30.4	-07	71	50	2	-	-	6	0	0	-	-	0	bca bca	bca	71	9.9	-
Elmston	320	12	64	b	32.7	-09	68	52	-	-	-	0	0	1	-	310	04	30	b	31.5	-04	66	43	-	-	-	6	0	0	-	-	0	bca	bca	71	12.8	-
Colchester	360	06	16	b	32.3	-13	67	57	-	-	-	20	1	40	-	100	08	64	b	31.2	-03	66	58	-	-	-	6	0	0	-	-	0	bca	bca	70	7.2	-
Watnall	310	06	16	b	31.9	-13	67	57	-	-	-	20	1	30	-	310	08	64	b	30.8	-14	69	48	-	-	-	6	0	0	-	-	0	bca	bca	72	9.3	-
Ross-on-Wye	360	08	34	b	33.4	-10	69	54	-	-	-	30	1	30	-	350	08	64	b	32.0	-06	69	40	-	-	-	6	0	0	-	-	0	bca bca	bca	71	12.2	-
Shawbury	340	15	81	b	33.6	-07	68	50	-	-	-	4	1	30	-	340	15	80	b	32.6	-08	66	49	-	-	-	6	0	0	-	-	0	bca bca	bca	71	12.6	-
Bristol	350	06	40	b	32.6	-10	68	50	-	-	-	0	0	1	-	360	08	60	b	31.1	-06	71	54	-	-	-	6	0	0	-	-	0	bca	bca	71	11.8	-
Plymouth	200	06	64	b	33.5	-11	68	53	-	-	-	0	0	1	-	340	10	64	b	31.9	-07	70	51	-	-	-	6	0	0	-	-	0	bca	bca	71	12.8	-
Chivenor	270	12	64	b	34.0	-06	68	56	-	-	-	0	0	1	-	340	12	80	b	32.1	-08	67	50	-	-	-	6	0	0	-	-	0	bca	bca	71	13.6	-
St Eval	360	09	48	b	34.4	-04	66	47	-	-	-	1	1	1	-	350	12	48	b	33.3	-06	67	54	-	-	-	6	0	0	-	-	0	bca	bca	67	13.2	-
Coldrose	050	12	80	b	33.8	-05	69	47	-	-	-	2	1	1	-	360	16	80	b	32.7	-08	69	53	-	-	-	6	0	0	-	-	1	bca	bca	71	12.6	-
Sally, St Mary's	300	07	64	b	34.2	-01	68	49	-	-	-	2	1	1	-	220	09	56	b	33.4	-05	69	50	-	-	-	6	0	0	-	-	0	bca	bca	69	13.6	-
Guernsey	020	08	72	b	34.4	+00	63	43	-	-	-	2	1	1	-	0	0	72	b	33.8	-10	66	50	-	-	-	6	0	0	-	-	0	bca	bca	65	14.0	-
Aberporth	330	05	40	b	34.6	-08	61	53	-	-	-	3	1	1	-	0	0	80	b	33.8	-02	68	51	-	-	-	6	0	0	-	-	0	bca	bca	64	13.5	-
Pembroke Dock	010	10	80	b	34.7	-01	71	53	-	-	-	2	1	20	-	360	16	80	b	33.0	-03	68	52	-	-	-	6	0	0	-	-	0	bca	bca	71	14.7	-
Holyhead (Valley)	340	08	80	b	34.7	+00	51	51	-	-	-	2	1	1	-	320	18	80	b	32.7	-07	68	50	-	-	-	6	0	0	-	-	0	b	b	63	14.4	-
Manchester	340	08	80	b	32.8	-09	57	48	-	-	-	2	1	1	-	280	14	80	b	31.6	-08	68	50	-	-	-	6	0	0	-	-	0	bca	bca	61	14.1	-
Squires Gate	300	14	82	b	33.8	-03	57	49	-	-	-	2	1	1	-	300	14	80	b	32.5	-04	67	52	-	-	-	6	0	0	-	-	0	bca	bca	61	12.1	-
Silloth	230	12	82	b	33.8	-04	57	49	-	-	-	2	1	25	-	320	11	80	b	32.1	-06	67	49	-	-	-	6	0	0	-	-	0	bca	bca	70	12.0	-
Finningley	020	08	40	b	32.0	-11	69	52	-	-	-	2	1	30	-	130	11	80	b	30.8	-02	68	44	-	-	-	6	0	0	-	-	0	bca	bca	74	11.6	-
Spurn Head	080	05	64	b	33.1	-07	64	51	-	-	-	0	0	1	-	100	07	70	b	33.9	-03	68	48	-	-	-	6	0	0	-	-	0	bca	bca	66	11.6	-
Dishforth	100	06	44	b	32.4	-12	71	56	-	-	-	0	0	1	-	110	09	70	b	30.8	-07	67	55	-	-	-	6	0	0	-	-	0	bca	bca	75	12.1	-
Tynemouth	110	08	56	b	33.4	-05	57	48	-	-	-	0	0	1	-	080	09	80	b	32.0	-06	68	50	-	-	-	6	0	0	-	-	0	bca	bca	57	11.2	-
Leuchars	130	09	81	b	32.7	-10	60	49	-	-	-	0	0	1	-	100	08	80	b	31.6	-08	68	51	-	-	-	6	0	0	-	-	0	bca	bca	61	12.7	-
Esdailemuir	040	08	83	b	31.8	-04	68	37	-	-	-	1	1	1	-	310	15	80	b	31.6	-02	68	50	-	-	-	6	0	0	-	-	0	bca	bca	71	12.1	-
Prestwick	260	11	82	b	34.3	-02	60	48	-	-	-	1	1	1	-	280	15	80	b	33.1	-02	68	49	-	-	-	6	0	0	-	-	0	bca	bca	64	14.1	-
West Freugh	330	13	82	b	35.0	-07	61	48	-	-	-	1	1	1	-	330	12	80	b	33.9	-02	69	50	-	-	-	6	0	0	-	-	0	bca	bca	63	13.9	-
Ronaldsway	340	10	83	b	34.4	+00	63	50	-	-	-	2	1	1	-	360	11	80	b	33.2	-02	68	43	-	-	-	6	0	0	-	-	0	bca	bca	66	13.9	-
Tiree	270	08	83	b	35.5	+00	50	47	-	-	-	7	2	26	-	310	15	80	b	34.8	-01	68	48	-	-	-	6	0	0	-	-	0	bca	bca	60	8.4	-
Bentocula	280	10	81	b	34.6	-03	50	48	-	-	-	6	2	25	-	260	12	80	b	33.8	-03	68	48	-	-	-	6	0	0	-	-	0	bca	bca	58	11.9	-
Stornoway	230	14	82	b	33.0	-05	60	47	-	-	-	5	2	30	-	280	13	80	b	32.0	-08	68	48	-	-	-	6	0	0	-	-	0	bca	bca	66	13.8	-
Cape Wrath	230	09	83	b	32.5	-08	52	48	-	-	-	7	2	13	-	270	13	80	b	31.2	-09	61	49	-	-	-	6	0	0	-	-	0	bca	bca	63	12.9	-
Sole Skerry	270	09	82	b	31.8	-02	54	48	-	-	-	7	2	10	-	270	09	80	b	30.9	-03	63	49	-	-	-	6	0	0	-	-	0	bca	bca	60	12.9	-
Renfrew	330	10	82	b	32.5	-10	61	49	-	-	-	8	2	24	-	300	08	80	b	32.3	-08	66	48	-	-	-	6	0	0	-	-	0	bca	bca	61	12.9	-
Dyce	030	08	80	b	32.5	-10	61	49	-	-	-	8	2	24	-	270	08	80	b	31.6	-08	67	48	-	-	-	6	0	0	-	-	0	bca	bca	61	12.9	-
Wick	310	12	83	b	32.2	-04	55	48	-	-	-	7	2	40	-	310	16	81	b	31.2	-02	68	46	-	-	-	6	0	0	-	-	0	bca	bca	66	13.8	-
Lerwick	280	12	81	b	32.6	-04	55	47	-	-	-	7	2	15	-	280	21	82	b	30.6	-06	61	46	-	-	-	6										

12h. Ships' Reports

18h. Ships' Reports


Ship	12h. Ships Report												Height of waves ft.	Ship	Lat. N	Long. W	Bar. mb.	Change in 3 hours 0-1 mb.	Wind			Weather		Temp.			Visibility	Cloud					Height ft.					
	Lat. N	Long. W	Bar. mb.	Change in 3 hours 0-1 mb.	Dir.	Speed	Pres.	Part.	Air °F	Sea °F	Dew °F	Point							Visiblty	Form			Amount	Cloud														
																				Low	Med.	High		Low	Total	Low		Med.	High	Low	Total							
CUMULUS	52°42'	20°0'	1035	+07	160	05	96	c	50	52	50	93	5	-	-	8	8	6	WEATHER EXPLORER	59°12'	18°36'	1027	+03	220	20	c	d	50	50	49	97	5	-	-	7	7	9	
WEATHER EXPLORER	52°48'	20°0'	1035	+03	210	22	0	L	50	50	48	26	6	-	-	8	8	6	CUMULUS	52°48'	20°0'	1035	+03	160	07	c	bc	55	54	52	97	-	-	2	0	2	5	
HEMLOCK	53°06'	18°54'	1026	+03	210	22	0	L	50	50	48	26	6	-	-	8	8	6	MERMIOZ	45°0'	16°0'	1027	-05	070	21	bc	b	63	57	56	98	-	-	2	0	4	9 1/2	
POLAR FRONT	45°0'	16°0'	1028	+03	070	28	0	b	61	53	54	28	1	-	2	0	1	19	POLAR FRONT	66°00'	01°54'E	1012	-25	230	08	cc	d	45	52	43	97	6	-	-	8	8	3	
U.S. SHIP "A"	65°54'	02°18'E	1017	-23	240	02	46	b	46	48	45	24	6	-	-	8	8	19	U.S. SHIP "A"	62°0'	33°0'	1020	+11	250	04	bc	bc	49	44	41	80	5	-	1	0	4	19	
CONSUERO	62°0'	33°0'	1017	-04	230	07	0	b	46	42	38	20	5	-	-	1	2	5	U.S. SHIP "C"	52°48'	35°36'	1019	+00	160	14	0	r	50	45	48	74	-	7	-	8	8	6 1/2	
U.S. SHIP "C"	58°42'	21°12'	1027	-04	230	15	0	b	51	52	51	24	1	-	-	0	0	5	U.S. SHIP "D"	52°48'	35°36'	1019	+00	160	14	0	r	50	45	48	74	-	7	-	8	8	6 1/2	
WOODFORD	53°18'	36°36'	1016	+23	180	24	0	b	50	51	48	35	1	-	0	0	6	5	FANAD HEAD	44°0'	40°48'	1011	+02	160	08	c	c	68	62	62	74	5	3	-	3	7	3	
MAHSEER	54°0'	23°18'	1024	+00	160	18	0	b	49	50	49	23	1	-	-	0	0	3	3	CASLON	50°48'	25°18'	1032	-10	160	05	bc	b	56	56	54	97	-	5	-	0	4	7
NVA SCOTIA	47°18'	17°24'	1031	+08	070	15	0	b	53	53	53	28	1	-	-	0	0	3	3	AUREOL	47°36'	07°42'	1032	+10	060	15	b	b	58	57	54	98	-	-	-	0	0	6 1/2
	51°30'	28°12'	1027	-06	120	16	0	b	54	53	52	26	6	2	-	6	8	6																				

↑ CLOUD AMOUNT in eighths (9=sky obscured). CLOUD HEIGHT 01-80 in 100's of feet. VISIBILITY 01-80 in eighths of a mile, X1-X9 in 1/80ths of a mile. For higher numbers and codes for cloud form and state of ground see Introduction.

* Information not usually received

NELSON K JOHNSON KCB, DSc, Director
Meteorological Office, Air Ministry, Kingsway, London, W.C.2

Chart of Weather in the Northern Hemisphere.




GENERAL INFERENCE.

A depression just west of Norway is moving east and a large anticyclone remains centred west of Ireland. In most parts of the British Isles it will continue fine and warm, but in much of Northern Scotland it will be mainly cloudy with slight drizzle in a few places.

FURTHER OUTLOOK.

Continuing generally fine and warm with long sunny periods in most places.



THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

OBSERVATIONS at 00hr. G.M.T. 25 th May 1952.																																	OBSERVATIONS at 06hr. G.M.T. 25 th May 1952.																																	OBSERVATIONS during NIGHT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
STATIONS	Height above M.S.L.	Wind		+ Visibility	Present Weather	Pressure		Temp.		Cloud						Wind Direction (degrees)	Speed (kts.)	+ Visibility	Present Weather	Pressure		Temp.		Cloud						9 h. State of ground	Weather		Temperature		Rate																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		Direction (degrees)	Speed (kts.)			Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Wet Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.					Change in 3 hrs.	Dry Bulb °F.	Wet Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	21h. to 03h. (35)	03h. to 09h. (40)		Min. °F. (43)	Max. °F. (42)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
																																	Low	Medium		High	Low	Medium	High	Low	Medium	High	Low	Medium	High																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
Kew	18																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												</

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue Monday 26th May 1952


OBSERVATIONS at 12h. G.M.T. 25th May 1952

OBSERVATIONS at 18h. G.M.T. 25th May 1952

OBSERVATIONS during DAY

STATIONS (For heights see p. 4)	Wind		† Visibility	Present Weather	Pressure		Temp.		Cloud							24 h State of ground	Weather.		Max. Temp. 09h 21h °F	Sun- shine (%)	Rain 09h- 21h inches																
	Direction (degrees)	Speed (kts.)			Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form			Total amount	Main layer		Lowest layer		09h to 15h (34)	15h to 21h (35)																			
									Low	Medium	High		Amount	Ht.																							
																						Low	Medium	High	Amount	Ht.											
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)
Kew	160	02	30	b	29.0	-0.9	66	54	1	-	8	2	1	45	-	340	07	81	b	26.3	-0.8	71	43	1	4	2	2	2	1	40	0	browy	blybcy	74	11.6	-	
London Airport	200	04	16	bc	29.0	-1.1	70	54	5	-	2	3	3	35	-	320	07	70	bc	26.4	-0.8	72	46	1	2	2	2	1	40	-	0	browy	blybcy	75	12.3	-	
Lymington	120	08	82	bc	29.6	-0.6	60	49	5	-	2	4	1	35	-	220	07	56	bc	27.3	-1.2	57	45	1	2	2	3	1	40	-	0	browy	blybcy	61	11.6	-	
Tangmere	140	09	40	b	30.1	+0.0	63	54	8	-	-	2	1	35	-	220	07	56	bc	27.8	-1.0	60	46	5	5	4	1	35	-	0	browy	blybcy	63	11.6	-		
Calshot	110	11	40	b	29.6	-0.3	58	52	1	-	-	1	1	30	-	230	04	40	b	27.6	-0.8	62	53	5	2	2	1	40	-	0	browy	blybcy	66	13.6	-		
Boscombe Down	010	08	64	bc	28.7	-1.0	72	59	1	-	1	3	3	30	-	020	06	60	bc	26.9	-0.8	70	56	1	4	4	1	20	-	0	browy	blybcy	74	13.7	-		
Felixstowe	100	08	80	bc	29.4	-1.2	60	44	5	-	1	5	1	40	-	140	05	51	c	27.3	-0.6	58	46	1	2	2	-	-	-	0	browy	blybcy	62	12.3	-		
Gorleston	020	04	56	c	29.3	-1.2	59	48	5	-	1	6	6	-	-	150	13	64	c	27.3	-0.8	58	49	1	2	2	-	-	-	0	browy	blybcy	60	11.3	-		
West Raynham	250	06	64	c	28.2	-1.1	65	51	5	-	1	7	6	35	-	040	11	45	bc	27.1	-0.3	60	47	1	3	3	-	-	-	0	browy	blybcy	67	10.7	-		
Mildenhall	240	02	80	bc	28.8	-0.7	69	53	1	3	1	5	2	40	-	030	08	70	c	26.5	-0.3	67	55	1	3	8	6	2	80	1	40	0	browy	blybcy	73	9.1	-
Cratfield	320	05	40	bc	28.8	-1.3	69	57	2	-	1	5	4	30	-	310	05	51	b	27.0	-0.3	67	59	1	2	2	-	-	-	0	browy	blybcy	71	12.0	-		
Elmston	310	15	72	bc	29.5	-1.1	69	53	1	-	2	5	1	40	-	310	14	56	c	28.9	-0.1	59	49	1	2	2	-	-	-	0	browy	blybcy	70	13.4	-		
Collesmore	290	07	28	bc	28.8	-1.4	69	53	1	-	2	5	1	30	-	350	07	56	c	27.4	-0.1	64	53	1	2	2	1	83	1	35	0	browy	blybcy	71	9.7	-	
Watnall	330	12	64	c	29.7	-1.2	68	50	1	-	8	7	1	25	-	290	08	56	c	27.3	-0.7	64	52	1	8	7	1	83	1	35	0	browy	blybcy	70	12.2	-	
Ross-on-Wye	320	09	81	b	30.2	-0.7	71	51	-	-	1	1	-	-	-	260	10	51	bc	28.6	-0.1	67	42	5	8	6	3	1	35	-	0	browy	blybcy	73	12.8	-	
Shawbury	330	11	82	bc	30.7	-0.7	66	53	-	-	2	3	-	-	-	340	15	64	c	29.8	-0.3	59	47	1	6	7	-	-	-	0	browy	blybcy	69	14.0	-		
Bristol	010	08	81	b	29.3	-1.0	71	55	-	-	1	1	-	-	-	320	04	51	bc	27.2	-0.4	71	53	1	1	4	3	30	-	0	browy	blybcy	75	13.2	-		
Plymouth	040	13	81	b	30.0	-1.0	75	46	5	-	1	1	1	30	-	030	06	51	b	27.8	-0.3	70	43	1	1	1	-	-	-	0	browy	blybcy	76	14.9	-		
Clivenor	270	12	82	b	31.3	-0.2	66	55	-	-	4	1	-	-	-	350	16	51	b	29.3	-0.3	65	50	1	4	1	-	-	-	0	browy	blybcy	69	14.6	-		
St Eval	020	08	72	b	31.8	-0.4	65	50	-	-	2	1	-	-	-	350	12	50	b	30.4	-0.6	61	52	1	2	1	-	-	-	0	browy	blybcy	67	14.6	-		
Culdrose	010	15	81	b	30.7	-0.5	70	50	-	-	1	1	-	-	-	360	13	50	b	29.5	-0.6	64	54	1	1	1	-	-	-	0	browy	blybcy	71	14.5	-		
Scilly, St Mary's	050	13	56	b	31.3	-0.3	64	53	-	-	1	0	0	-	0	010	13	56	b	30.1	-0.6	63	56	1	1	0	-	-	-	0	browy	blybcy	67	14.2	-		
Guernsey	360	10	48	b	30.1	-0.6	62	50	-	-	1	1	-	-	-	350	08	48	b	28.6	-0.7	61	51	1	1	0	-	-	-	0	browy	blybcy	65	14.2	-		
Aberporth	300	04	80	bc	32.6	-0.1	58	51	-	-	4	3	-	-	-	300	02	80	bc	30.9	-0.6	63	50	1	2	3	-	-	-	0	browy	blybcy	59	14.5	-		
Pembroke Dock	350	15	81	bc	32.1	-0.3	67	49	-	-	4	4	-	-	-	260	02	81	bc	30.9	-0.6	63	50	1	2	3	-	-	-	0	browy	blybcy	69	14.5	-		
Holyhead (Valley)	340	10	56	b	32.6	-0.5	60	46	5	-	2	2	1	40	-	340	09	56	bc	30.5	-1.2	58	47	1	8	6	-	-	-	0	browy	blybcy	60	13.6	-		
Manchester	290	12	72	bc	30.4	-0.7	60	46	5	-	2	5	1	30	-	290	11	64	c	28.8	-0.7	58	48	1	3	6	6	1	85	-	0	browy	blybcy	63	8.8	-	
Squires Gate	020	20	80	bc	31.0	-0.3	58	49	1	-	2	5	1	25	-	300	13	48	bc	29.1	-0.9	57	50	1	2	3	1	85	-	0	browy	blybcy	59	12.2	-		
Silloth	210	11	81	b	30.6	-1.0	60	50	5	-	8	5	1	28	-	310	11	51	b	28.4	-0.8	66	54	8	4	2	3	1	40	1	35	0	browy	blybcy	68	10.4	-
Finningley	340	05	48	b	28.3	-1.3	70	50	5	-	2	2	25	-	-	090	09	56	b	27.6	-0.3	65	52	1	1	2	-	-	-	0	browy	blybcy	73	10.4	-		
Spurn Head	360	03	48	c	29.3	-0.6	67	55	5	7	6	4	83	2	30	360	10	40	bc	28.3	-1.0	67	49	5	4	1	2	1	40	-	0	browy	blybcy	65	13.1	-	
Dunbar	360	11	81	c	28.9	-0.8	66	45	1	-	8	7	1	35	-	360	08	51	b	27.2	-1.0	67	49	5	4	1	2	1	40	-	0	browy	blybcy	69	13.0	-	
Tynemouth	050	04	56	bc	30.1	-1.4	57	47	1	-	3	3	-	-	-	170	02	56	bc	27.3	-1.3	60	50	5	5	1	2	2	28	-	0	browy	blybcy	66	14.8	-	
Leith	330	17	81	c	28.5	-1.2	69	50	5	4	1	6	5	35	-	330	13	81	c	26.5	-0.9	65	50	5	5	1	8	7	20	-	0	browy	blybcy	71	9.5	-	
Eskaletunir	090	03	81	bc	28.8	-0.8	65	47	-	-	2	5	-	-	-	290	09	51	bc	27.2	-0.5	64	51	1	2	4	2	18	-	-</							

Chart of Weather in the Northern Hemisphere.




GENERAL INFERENCE.

The anticyclone west of the British Isles will be maintained while wave depressions will move southeastward from Iceland towards Europe with the fronts skirting the north and east of the British Isles. In the relatively moist northwesterlies over most of the country there will be a good deal of cloud but there will be long sunny periods in the South and in some inland areas in the afternoon and evening. There will be drizzle in places near the west coast and occasional rain in the North of Scotland. There is also a chance of rain in places near the east coast. Rather warm in the South. Normal temperatures elsewhere.

FURTHER OUTLOOK

Mostly dry with variable cloud.



THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

OBSERVATIONS at 00hr. G.M.T. 26th May 1952.

OBSERVATIONS at 06hr. G.M.T. 26th May 1952.

OBSERVATIONS during NIGHT

STATIONS	Height above M.S.L.	Wind				Present Weather	Pressure		Temp.		Cloud						Wind	Speed (kts.)	Visibility	Present Weather	Pressure		Temp.		Cloud						9h.	Weather		Temperature		Rain																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		Direction (degrees)	Speed (kts.)	+/-	Bar at M.S.L.		Change in 3 hrs.	Dry Bulb	Dew point	Form	Amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb					Dew point	Form	Amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form		Amount	Main layer	Lowest layer	State of ground		21h to 03h (19)	03h to 09h (20)	Min. °F. (21)	Max. °F. (22)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
																																									Low	Medium	High	Total	0-8	0-8	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.	Ht.

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue Today 27th May 1952

OBSERVATIONS at 12h. G.M.T. 26th May 1952.

OBSERVATIONS at 18h. G.M.T. 26th May 1952.

OBSERVATIONS during DAY



Stations (For heights see p. 4)	Wind		† Present Weather	Pressure		Temp.		Cloud							Wind		† Present Weather	Pressure		Temp.		Cloud							21 h State of ground	Weather.			Max. Temp. 09h. °F	Sun- shine. 09h- 21h. min.	Rain 09h- 21h. mm.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
	Direction (degrees)	Speed (kts.)		Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form	Amount	Main layer	Lowest layer	Direction (degrees)	Speed (kts.)	Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F		Dew point °F	Form	Amount	Main layer	Lowest layer	09h. to 15h. (34)	15h. to 21h. (35)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
																									Low	Medium	High	Total		0-8	0-8	0-8				0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8	0-8

Chart of Weather in the Northern Hemisphere.



GENERAL INFERENCE.
The deep depression near Iceland is expected to move southeastward while the high west of the British Isles will link with a developing anticyclone over Greenland. Rain over Northern districts of the British Isles will spread southwards, reaching the South tomorrow, but it will continue fine and warm in the South today. Markedly colder showery weather will soon reach the North of Scotland and spread southward behind the rain.

FURTHER OUTLOOK.
Colder generally. Scattered showers and bright periods in the South. Frequent showers in Northern districts.



THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

OBSERVATIONS at 00hr. G.M.T. 27th May 1952OBSERVATIONS at 06hr. G.M.T. 27th May 1952

OBSERVATIONS during NIGHT

STATIONS	Height above M.S.L.	Wind				+ Present Weather	Pressure		Temp.		Cloud						Wind	+ Speed (kts.)	+ Visiblty	Present Weather	Pressure		Temp.		Cloud						9 h.	Weather		Temperature		Rain																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		Direction (degrees)	Speed (kts.)	Visiblty	Bar at M.S.L.		Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.					Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form		Total amount	Main layer	Lowest layer	Bar at M.S.L.		Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.</

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue Wednesday 28th May, 1952


OBSERVATIONS at 12h. G.M.T. 27th May, 1952

OBSERVATIONS at 18h. G.M.T. 27th May, 1952

OBSERVATIONS during DAY

STATIONS (For heights see p. 4)	Wind		†	Present Weather	Pressure		Temp.		Cloud							Wind		†	Present Weather	Pressure		Temp.		Cloud							24 h † State of ground	Weather.		Max Temp 09h-21h °F	Sun- shine (%)	Rain 09h-21h mm.		
	Direction (degrees)	Speed (kts.)			Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form			Total amount 0-8	Main layer 0-8	Lowest layer		Direction (degrees)	Speed (kts.)			Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form			Total amount 0-8	Main layer 0-8	Lowest layer									
									Low	Medium	High			Low	Medium									High	Low	Medium			High	Low		Medium	High					
			(1)	(2)					(3)	(4)	(5)			(6)	(7)									(8)	(9)	(10)			(11)	(12)		(13)	(14)				(15)	(16)
Kew	260	08	72	c	21.7	-12	67	43	-	4	6	7	1	-	-	270	10	91	c	18.2	-16	69	40	-	7	8	6	5	-	-	0	cwy	cy	71	8.5	-		
London Airport	280	10	80	c	21.7	-11	67	49	-	8	6	7	1	84	-	270	10	81	c	18.4	-18	69	41	-	7	5	6	4	83	-	0	cy	cy	71	8.4	-		
Lymington	310	09	80	bc	20.5	-15	70	45	-	6	8	5	1	81	-	270	10	80	c	17.4	-20	67	48	-	7	2	1	6	-	-	0	cy	cy	73	8.4	-		
Langmere	260	10	48	c	21.5	-21	68	53	-	3	4	7	1	84	-	310	05	81	c	19.5	-12	69	45	-	7	4	1	5	83	-	0	cy	cy	73	6.9	-		
Calshot	320	10	64	bc	22.9	-09	70	47	-	-	2	5	-	-	-	310	09	80	c	19.6	-13	69	48	-	8	2	7	1	80	-	0	cy	cy	72	8.2	-		
Boscombe Down	320	10	80	c	22.9	-08	69	53	-	2	6	-	-	-	-	310	12	80	c	20.6	-11	68	52	-	3	8	6	4	83	-	0	cy	cy	72	13.3	-		
Felixstowe	280	14	48	c	20.0	-08	64	44	-	7	2	7	6	81	50	300	22	48	c	17.0	-07	66	47	-	7	1	7	80	-	0	cmcy	cy	68	4.4	TR			
Corlestone	290	11	48	c	18.9	-10	64	37	-	7	2	7	7	-	-	290	16	48	c	15.3	-18	65	41	-	7	1	8	68	-	0	cy	cy	69	8.0	-			
West Raynham	270	11	28	c	18.7	-16	66	41	-	7	2	8	4	83	-	270	12	26	c	15.5	-20	64	44	-	7	1	8	81	-	0	cy	cy	67	2.4	-			
Mildenhall	310	13	80	c	19.4	-13	68	45	-	3	2	6	2	83	-	260	14	64	c	16.1	-16	66	46	-	7	6	7	3	81	-	0	cy	cy	70	5.4	-		
Cratfield	310	12	64	bc	21.0	-11	68	42	-	4	2	5	2	83	-	250	07	80	c	17.8	-13	62	46	-	7	1	8	83	-	0	bcy	bcy	69	7.0	-			
Elmston	290	14	64	c	21.9	-12	64	46	-	7	2	8	7	83	-	270	18	80	c	17.7	-14	68	45	-	7	1	8	83	-	0	cy	cy	67	4.5	-			
Collesmore	280	16	48	c	20.1	-11	62	43	-	7	2	7	7	85	-	270	11	86	c	16.8	-14	61	45	-	7	1	8	81	-	50	cy	cy	65	7.6	-			
Watnall	260	08	56	c	20.4	-15	59	45	-	4	8	7	5	50	-	280	10	56	c	16.7	-17	61	45	-	7	1	8	4	70	-	1	cy	cy	63	1.1	0.4		
Ross-on-Wye	300	13	81	c	23.6	-06	67	41	-	3	8	-	-	-	-	260	08	81	c	20.0	-18	64	43	-	7	2	7	-	-	-	0	bcy	bcy	69	5.5	-		
Shawbury	280	12	81	c	21.8	-14	64	47	-	8	6	4	83	-	-	280	12	81	c	17.9	-14	66	47	-	7	1	7	83	-	0	cy	cy	72	4.9	-			
Bristol	280	10	80	c	22.5	-13	69	45	-	1	6	7	2	85	-	250	15	80	c	19.8	-14	67	49	-	7	1	7	83	-	0	cy	cy	72	6.6	-			
Plymouth	320	12	81	c	25.1	-10	70	46	-	-	5	6	-	-	-	300	14	82	bc	22.3	-13	67	45	-	8	4	-	-	-	-	0	bcy	bcy	72	13.3	-		
Chivenor	270	12	81	c	25.5	-06	63	55	-	-	8	6	-	-	-	270	12	80	c	22.2	-17	62	51	-	8	6	-	-	-	-	0	bcy	bcy	72	11.8	-		
St Eval	330	07	56	bc	26.5	-05	64	53	-	-	6	5	-	-	-	270	10	56	bc	23.2	-20	60	54	-	2	4	-	-	-	-	0	bcy	bcy	64	12.6	TR		
Childress	320	10	80	bc	26.2	-04	66	51	-	-	6	4	-	-	-	320	10	70	c	23.1	-14	63	48	-	-	6	7	-	-	-	0	bcy	bcy	68	14.3	-		
Seilly St Mary's	360	09	40	b	27.0	-03	65	55	-	-	1	1	-	-	-	300	12	64	bc	23.7	-18	64	54	-	-	6	7	-	-	-	0	bcy	bcy	68	13.6	-		
Guernsey	300	09	64	c	25.2	-10	63	50	-	-	6	7	-	-	-	300	13	64	c	22.6	-16	61	54	-	-	8	7	-	-	-	0	bcy	bcy	65	15.3	-		
Aberporth	260	10	81	bc	24.2	-15	63	43	-	-	9	3	-	-	-	260	14	81	c	19.8	-24	62	46	-	2	6	1	60	-	1	bcy	bcy	66	8.7	TR			
Pembroke Dock	280	06	80	c	25.3	-12	64	49	-	-	8	7	-	-	-	280	12	64	c	21.6	-22	61	54	-	-	8	1	-	-	-	0	bcy	bcy	66	11.2	-		
Holyhead (Valley)	210	12	80	c	22.9	-16	60	48	-	4	2	6	2	83	-	250	09	64	c	18.2	-27	56	50	-	6	2	-	8	8	80	1	15	0	cy	cy	62	4.6	TR
Manchester	300	13	48	c	21.2	-10	62	46	-	2	9	6	4	83	-	270	19	81	c	16.8	-26	63	45	-	7	1	8	83	-	0	cy	cy	66	4.5	TR			
Squires Gate	260	19	80	bc	20.8	-17	59	53	-	7	1	3	81	-	-	270	15	56	c	16.2	-25	63	50	-	7	1	8	81	2	60	0	cy	cy	60	3.6	TR		
Silloth	240	18	80	c	18.4	-19	57	50	-	7	1	8	3	81	25	260	15	80	c	15.0	-10	56	50	-	7	1	8	4	22	3	12	0	cy	cy	61	0.8	-	
Finningley	290	13	48	c	18.7	-15	65	43	-	7	-	4	81	-	-	290	14	48	c	15.3	-21	63	45	-	7	1	4	80	-	-	0	cy	cy	67	3.3	TR		
Spurn Head	280	24	32	c	17.7	-21	62	49	-	8	8	25	-	-	-	260	24	24	c	15.0	-12	63	50	-	5	3	-	7	4	80	-	0	cy	cy	66	2.3	TR	
Dunforth	270	17	81	c	16.9	-21	63	47	-	7	5	80	-	35	-	280	20	80	c	13.8	-08	61	47	-	8	-	7	7	8	-	1	cy	cy	66	1.0	0.2		
Lynmouth	270	15	32	c	15.9	-19	60	47	-	7	5	25	-	-	-	270	18	56	c	12.8	-10	60	49	-	6	6	28	-	-	0	cy	cy	65	2.5	TR			
Leuchars	280	22	81	c/r	12.5	-18	60	51	-	7	5	45	-	10	-	280	28	82	bc	09.4	-14	62	46	-	9	5	2	35	3	25	1	cy	cy	66	4.8	-		
Edinburgh	270	11	80	c	16.2	-20	56	48	-	7	7	12	-	-	-	250	10	80	c	13.6	-10	53	49	-	5	3	8	7	11	2	07	1	cy	cy	59	0.3	0.2	
Prestwick	240	15	40	c	18.1	-16	56	50	-	8	7	55	2	25	-	260	14	40	c	15.0	-18	52	51	-	-	8	8	08	4	05	1	cy	cy	58	0.1	1		
West Freugh	250	16	64	c	19.7	-18	63	52	-	3	2	6	5	83	1	290	20	48	c	16.7	-15	54	50	-	-	8	8	23	4	164	1	cy	cy	63	0.9	TR		
Ronaldsway	260	15	80																																			

Chart of Weather in the Northern Hemisphere.



GENERAL INFERENCE.


The depression off West Norway is expected to move southeastward. A relatively cold north northwest airstream will cover the British Isles giving scattered showers and bright periods in most areas and fairly frequent showers in the North. Ground frost will occur in places at night, first in the South and it will be cloudy with occasional slight rain.

FURTHER OUTLOOK.

Probably similar.

Gale warning.

North coasts are facing on coasts of Great Britain. Aberystwyth - Clyde - Whiten Head - Dornoch Firth - Berwick, in Orkneys and Shetlands, Isle of Man and in Ireland. Hawth - Loch Foyle.



THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

OBSERVATIONS at 00hr. G.M.T. 28th May 1952

OBSERVATIONS at 06hr. G.M.T. 28th May 1952

OBSERVATIONS during NIGHT

STATIONS	Height above M.S.L.	Wind		†	Present Weather	Pressure		Temp.		Cloud						Wind	†	Present Weather	Pressure		Temp.		Cloud						9 h.	Weather	Temperature		Rain										
		Direction (degrees)	Speed (kts.)			Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form									Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form								State of ground	21 h.-03 h.		03 h.-09 h.	Min. °F.	Max. on Grass °F.							
			Low	Medium						High	Total amount	Main layer	Lowest layer										Low	Medium	High	Total amount	Main layer	Lowest layer															
													0-8	9-16	17-24													25-32	0-8								9-16	17-24	25-32	0-8	9-16	17-24	25-32
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)	(42)	(43)	
Kew	18															220	11	72	0	13.3	-00	56	43	9	7	-	8	8	-	1	30	0	cy	-	57	55	-	-	-	-	-	-	-
London Airport	82	260	09	90	0	15.9	-19	59	45	-	2	-	8	8	83	-	-	-	170	10	0	13.5	-06	58	49	9	7	7	8	8	57	52	-	-	-	-	-	-	-	-	-	-	-
Lymington	341	260	08	20	0	15.6	-15	60	45	-	7	2	8	8	80	-	-	-	270	07	0	13.0	-08	57	49	9	7	7	8	8	56	51	-	-	-	-	-	-	-	-	-	-	-
Tangmere	53	260	07	64	0	17.3	-17	58	45	-	7	2	8	8	83	-	-	-	270	04	0	14.8	-08	57	49	9	7	7	8	8	55	51	-	-	-	-	-	-	-	-	-	-	-
Caishot	12	270	05	64	0	17.1	-20	56	45	-	7	2	8	8	83	-	-	-	310	10	0	14.3	-04	57	51	9	7	7	8	8	55	52	-	-	-	-	-	-	-	-	-	-	-
Boscombe Down	414	290	07	64	0	17.3	-24	56	49	5	7	2	7	6	83	2	40	-	320	08	0	15.4	-06	55	52	8	2	-	8	8	50	6	50	0	cy	-	57	55	50.6	50.6	50.6	50.6	50.6
Felixstowe	10	230	10	40	0	13.8	-23	60	49	5	7	-	8	8	80	-	-	-	270	10	0	12.7	+02	55	51	5	-	-	8	8	25	-	-	1	cy	-	57	50	50.6	50.6	50.6	50.6	50.6
Gorleston	5	260	08	50	0	12.9	-20	61	44	5	7	-	8	8	40	-	-	-	300	10	0	10.8	-05	55	50	7	-	-	8	8	12	-	-	1	cy	-	53	50	50.6	50.6	50.6	50.6	50.6
West Raynham	250	270	14	32	0	13.2	-09	59	44	5	-	-	8	8	45	-	-	-	300	15	0	11.7	-03	52	41	6	-	1	2	1	12	-	-	1	cy	-	51	51	50.6	50.6	50.6	50.6	50.6
Mildenhall	15	250	09	56	0	13.1	-19	60	49	5	-	-	8	8	43	-	-	-	300	12	0	11.7	-06	56	51	1	3	1	5	3	18	-	-	1	cy	-	53	53	50.6	50.6	50.6	50.6	50.6
Cranfield	340	250	12	64	0	14.2	-23	57	49	5	7	-	8	8	91	4	62	-	300	10	0	12.9	-02	55	49	5	2	-	7	5	25	-	-	0	cy	-	51	50	50.6	50.6	50.6	50.6	50.6
Eimdon	326	290	16	80	0	14.9	-14	59	49	5	7	-	8	6	29	-	-	-	320	18	0	14.2	+02	51	43	5	-	8	3	2	30	-	-	0	cy	-	51	50	50.6	50.6	50.6	50.6	50.6
Cottesmore	452	250	12	40	0	14.1	-11	57	47	5	-	-	8	8	43	2	25	-	300	15	0	12.4	-02	50	43	5	-	4	2	-	-	-	0	cy	-	49	49	50.6	50.6	50.6	50.6	50.6	
Watnall	366	270	10	56	0	13.5	-16	55	49	5	7	-	8	6	82	4	40	-	230	11	0	13.1	+04	49	40	5	-	-	5	5	15	-	-	1	cy	-	47	47	50.6	50.6	50.6	50.6	50.6
Ross-on-Wye	223	270	10	56	0	13.5	-16	55	49	5	7	-	8	6	82	4	40	-	280	09	0	15.6	-06	56	47	6	4	8	7	6	30	-	-	0	cy	-	51	51	50.6	50.6	50.6	50.6	50.6
Shawbury	235	250	12	64	0	15.7	-07	55	50	5	-	-	8	8	29	-	-	-	340	17	0	14.8	+08	51	40	8	-	2	5	2	20	-	-	0	cy	-	51	51	50.6	50.6	50.6	50.6	50.6
Bristol	192	250	11	48	0	16.6	-17	56	52	-	7	8	5	4	80	-	-	-	300	09	0	15.1	+02	57	49	5	-	-	7	6	35	2	20	0	cy	-	55	55	50.6	50.6	50.6	50.6	50.6
Plymouth	90	300	11	48	0	19.8	-19	57	52	-	-	1	2	-	-	-	-	-	310	12	0	17.4	-07	56	51	6	7	2	7	5	81	2	15	0	cy	-	55	55	50.6	50.6	50.6	50.6	50.6
Chivenor	20	270	06	64	0	19.3	-14	57	53	5	7	-	8	8	80	3	60	-	230	12	0	17.7	-07	55	53	5	-	-	8	8	60	6	35	1	cy	-	54	54	50.6	50.6	50.6	50.6	50.6
St. Eval	336	270	07	32	0	20.8	-16	54	52	-	3	6	7	-	-	-	-	-	320	08	0	18.4	-09	53	53	5	-	-	8	8	20	-	-	0	cy	-	54	54	50.6	50.6	50.6	50.6	50.6
Culdrose	260	290	07	60	0	21.0	-15	54	50	-	-	-	0	-	-	-	-	-	330	10	0	18.0	-11	55	53	3	5	7	4	54	3	40	0	cy	-	53	53	50.6	50.6	50.6	50.6	50.6	
Scilly, St. Mary's	183	300	13	80	0	21.8	-11	55	51	5	-	-	3	3	20	-	-	-	310	13	0	18.0	-09	56	52	5	-	-	7	7	10	-	-	0	cy	-	54	54	50.6	50.6	50.6	50.6	50.6
Guernsey	340	320	10	48	0	20.5	-14	53	47	-	-	2	5	6	30	-	-	-	230	10	0	18.1	-03	54	53	5	-	-	7	2	40	-	-	0	cy	-	48	48	50.6	50.6	50.6	50.6	50.6
Aberporth	375	270	15	80	0	18.0	-10	54	49	5	7	-	8	6	30	-	-	-	310	11	0	16.3	-07	52	51	-	-	-	9	5	-	-	-	1	cy	-	51	51	50.6	50.6	50.6	50.6	50.6
Pembroke Dock	40	300	17	80	0	19.7	-09	56	50	5	7	-	8	6	30	-	-	-	230	13	0	17.6	-09	54	52	5	-	-	8	6	17	-	-	1	cy	-	51	51	50.6	50.6	50.6	50.6	50.6
Holyhead (Valley)	32	290	11	56	0	16.3	-08	55	50	5	-	-	8	8	23	-	-	-	310	15	0	15.5	-00	51	43	5	7	2	3	1	31	1	25	0	cy	-	49	49	50.6	50.6	50.6	50.6	50.6
Manchester	230	280	08	16	0	13.5	-21	53	51	6	-	-	8	8	08	3	02	-	230	12	0	13.9	+02	49	40	8	-	-	4	3	25	1	18	1	cy	-	46	46	50.6	50.6	50.6	50.6	50.6
Squires Gate	33	290	20	56	0	13.7	-18	55	49	5	-	-	8	8	25	5	18	-	310	22	0	13.8	+03	51	39	8	-	-	7	7	25	1	20	0	cy	-	49	49	50.6	50.6	50.6	50.6	50.6
Silloth	25	240	13	81	0	12.8	-08	51	41	5	3	1	3	1	80	1	25	-	290	16	0	12.2	-03	50	39	5	-	-	7	6	30	2	12	0	cy	-	48	48	50.6	50.6	50.6	50.6	50.6
Finnigley	52	270	12	32	0	11.8	-21	56	49	5	7	-	8	6	50	-	-	-	230	07	0	11.8	+06	51	38	5	-	-	4	4	25	-	-	0	cy	-	49	49	50.6	50.6	50.6	50.6	50.6

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue Thursday 29th May 1952


OBSERVATIONS at 12h. G.M.T. 28th May 1952.

OBSERVATIONS at 18h. G.M.T. 28th May 1952.

OBSERVATIONS during DAY

STATIONS (For heights see p. 4)	Wind		†	Present Weather	Pressure		Temp.		Cloud						Wind		†	Pressure		Temp.		Cloud						21 h State of ground	Weather.		Max. Temp. 09h-21h. °F	Sun- shine. 09h-21h. num.	Rain. 09h-21h. num.				
	Direction (degrees)	Speed (kts.)			Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form						Direction (degrees)	Speed (kts.)		Bar at M.S.L. mb	Change in 3 hrs.	Dry Bulb °F	Dew point °F	Form															
									Total amount	Main layer Ht.	Lowest layer Ht.	Total amount	Main layer Ht.	Lowest layer Ht.								Total amount	Main layer Ht.	Lowest layer Ht.													
																									Low	Medium	High		Low	Medium				High	Low	Medium	High
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)
Kew	270	12	81	c	12.4	-0.7	63	44	2	-	5	6	5	25	-	320	06	82	c	10.7	-0.6	62	41	4	6	-	6	6	25	-	-	0	cy	do ay	61	5.5	-
London Airport	320	13	81	bc	12.2	-0.9	66	45	1	-	8	5	4	25	-	350	08	81	bc	10.7	-0.7	62	39	1	1	-	5	5	30	-	-	0	cybcy	cybcy	61	5.5	-
Lymington	290	10	80	bc	11.9	-0.4	65	48	2	-	4	5	4	30	-	250	13	40	c	10.3	-0.5	59	53	1	6	-	3	3	35	-	-	0	cybcy	cybcy	61	5.5	-
Tangmere	300	10	81	c	13.7	-0.2	64	51	1	-	1	1	1	6	-	240	09	64	c	12.0	-1.1	60	59	1	4	-	4	6	30	-	-	0	c	cybcy	65	6.1	-
Caishot	300	14	80	c	13.8	-0.7	64	51	8	-	1	1	1	20	-	200	09	80	bc	11.7	-1.3	61	49	1	4	-	4	6	30	-	-	0	c	cybcy	65	6.1	-
Boscombe Down	300	11	81	bc	15.1	+0.0	58	54	5	-	7	7	81	5	-	310	15	81	bc	12.7	-0.8	59	43	4	4	-	3	3	25	-	-	0	cybcy	cybcy	62	5.9	-
Felixstowe	300	12	80	bc	11.8	-0.2	59	42	1	-	1	4	4	30	-	300	10	64	bc	10.7	-0.3	61	43	5	1	-	1	1	45	-	-	0	bcy	byb	71	11.4	-
Corleston	340	13	56	c	11.0	-0.3	52	46	2	-	1	5	5	30	-	260	10	56	bc	09.5	-1.1	57	52	1	1	-	2	2	34	-	-	0	c	cybcy	59	10.9	-
West Raynham	280	14	80	bc	11.0	-0.5	56	36	2	-	1	5	5	30	-	270	10	64	bc	09.6	-1.1	57	52	1	1	-	2	2	34	-	-	0	cy	cybcy	59	10.9	-
Mildenhall	280	12	72	c	11.7	-0.5	58	42	1	-	1	5	5	35	-	280	11	80	b	10.4	-0.6	57	42	1	1	-	4	1	35	-	-	0	bcy	cybcy	62	11.9	-
Griffith	310	11	81	bc	12.4	-0.8	59	41	1	-	2	4	3	35	-	330	08	80	bc	11.5	-0.3	56	39	1	1	-	4	4	35	-	-	0	do ay	byb	61	13.3	-
Elmston	290	17	81	c	13.3	-1.1	58	41	1	-	9	5	5	25	-	310	20	81	bc	12.1	-0.9	55	38	1	1	-	3	2	25	-	-	0	bcy	cybcy	59	13.2	-
Collesmore	290	17	80	bc	12.2	-0.6	55	37	5	-	1	5	5	25	-	290	15	80	bc	11.6	-0.4	57	38	1	1	-	5	1	40	-	-	0	bcy	cybcy	59	13.2	-
Watnall	300	16	80	c	12.4	-0.7	54	40	2	-	3	6	6	23	-	290	15	80	bc	11.5	-0.4	53	37	1	1	-	6	6	20	-	-	0	bcy	cybcy	59	13.2	-
Ross-on-Wye	270	12	81	bc	14.3	-1.0	60	42	8	-	2	3	1	30	-	300	13	81	b	10.3	-0.2	56	38	8	-	-	1	1	30	-	-	0	cybcy	byb	62	9.4	-
Shawbury	330	18	81	bc	13.7	-1.1	58	39	5	-	9	3	3	25	-	280	19	82	c	13.2	-0.1	55	39	1	-	-	7	7	40	-	-	1	bcy	cybcy	59	16.0	-
Bristol	270	11	80	c	13.4	-1.1	59	43	6	-	7	6	30	3	-	290	11	80	b	12.6	-0.1	57	40	1	-	-	1	1	35	-	-	0	cybcy	byb	62	5.3	-
Plymouth	290	12	81	c	16.5	-0.7	60	53	5	-	1	8	8	15	-	330	10	81	b	15.4	-0.1	56	46	1	-	-	2	2	25	-	-	0	cybcy	byb	60	5.3	-
Chivenor	330	09	56	o/r	16.1	-0.6	54	52	6	-	1	8	8	15	-	280	12	81	b	15.6	-0.3	54	48	1	-	-	1	1	35	-	-	1	cybcy	byb	59	4.4	-
St Eval	290	10	89	f	17.0	-0.7	56	56	-	-	3	9	-	9	-	310	14	80	c	16.0	-0.3	53	48	6	-	-	6	6	08	-	-	0	cybcy	byb	59	4.4	-
Coldrose	330	14	80	o/d	16.9	-0.9	59	54	5	-	8	8	20	5	-	340	09	80	cy	16.0	-0.1	55	53	5	1	-	6	4	15	-	-	1	cybcy	byb	59	2.0	-
Scilly, St. Mary's	310	16	64	o	17.8	-0.6	59	58	5	-	8	8	77	-	-	310	14	80	cy	16.0	-0.1	55	53	5	1	-	6	4	15	-	-	1	cybcy	byb	59	2.0	-
Guernsey	290	16	40	c	17.2	-0.5	61	54	1	-	2	7	14	-	-	280	12	81	cy	15.3	-1.1	55	53	6	-	-	7	9	05	-	-	0	cybcy	byb	60	2.3	-
Aberporth	340	08	82	c	16.2	-0.1	52	41	9	-	7	7	24	3	-	270	08	82	c	14.8	-0.8	51	41	5	1	-	6	6	55	-	-	0	cybcy	byb	59	2.3	-
Pembroke Dock	340	10	64	o	17.1	-0.4	53	46	6	-	8	8	18	3	-	250	06	81	bc	16.4	-0.3	56	44	2	3	-	3	1	30	-	-	0	cybcy	byb	59	5.1	-
Holyhead (Valley)	300	13	81	c	15.1	-0.1	54	41	8	-	7	7	45	3	-	280	12	81	bc	13.5	-0.7	55	54	8	1	-	5	4	35	-	-	0	cybcy	byb	59	8.2	-
Manchester	300	21	80	c	13.1	+0.3	53	35	8	-	7	7	35	3	-	280	14	81	bc	12.4	-0.7	54	54	1	1	-	5	4	25	-	-	0	cybcy	byb	59	8.2	-
Squires Gate	300	22	81	c	13.1	+0.3	54	38	8	-	6	6	40	1	-	300	17	82	bc	12.1	-0.3	54	41	1	1	-	2	2	25	-	-	0	cybcy	byb	59	8.2	-
Silloth	300	16	81	c	11.4	-0.4	58	37	8	-	7	6	30	1	-	310	11	83	bc	10.1	-0.7	54	38	1	1	-	5	1	25	-	-	0	cybcy	byb	59	8.2	-
Finningley	300	12	80	bc	10.7	-0.7	60	35	1	-	4	4	25	-	-	290	08	80	b	09.7	-0.8	58	33	1	-	-	1	1	25	-	-	0	cybcy	byb	61	14.0	-
Spurn Head	270	17	64	c	10.4	-0.2	59	40	5	-	7	7	30	-	-	180	16	48	c	09.6	-0.5	60	42	1	-	-	6	6	30	-	-	0	cybcy	byb	64	11.1	-
Dishforth	320	18	83	c	09.6	-0.9	60	38	1	-	8	7	2	35	-	310	12	83	bc	08.7	-0.1	59	36	1	-	-	3	3	40	-	-	0	cybcy	byb	64	11.1	-
Tynemouth	290	16	80	c	08.4	-1.0	56	33	5	-	7	5	32	-	-	270	16	80	bc	07.3	-0.6	59	33	1	-	-	3	3	22	-	-	0	cybcy	byb	59	10.9	-
Leuchars	320	15	82	c	07.1	-0.4	54	35	5	-	7	5	28	-	-	340	16	82	cy	06.2	-0.3	54	36	2	-	-	6	6	25	-	-	0	cybcy	byb	58	10.9	-
Esksdalemuir	290	15	82	c	09.6	-0.2	50	37	1	-	7	7	23	-	-	280	12	83	cy	09.1	-0.5	49	35	2	-	-	6	6									

Chart of Weather in the Northern Hemisphere.



GENERAL INFERENCE.



A depression over the Northern North Sea is almost stationary. All districts will have bright periods though there will also be some showers chiefly in the north where hail and thunder may occur. In many parts of England and Wales, the showers will be light and well scattered. It will be mainly rather cool with slight ground frost in places tonight.

FURTHER OUTLOOK.

Showers and bright periods. Rather cool with ground frost in places at night.

Gale warning.

North coasts are flying on coasts of England and Scotland, Wash - Dornoch Firth, Ruck Re' and in Orkneys and Shetlands.



† Code figure (see Introduction)

THE DAILY WEATHER REPORT
OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue, Friday 30th May 1952

OBSERVATIONS at 12h. G.M.T. 29th May 1952.

OBSERVATIONS at 18h. G.M.T. 29th May 1952

OBSERVATIONS during DAY	
-------------------------	--

1952

[illegible]

12h. Ships' Reports

Ship	Lat. N.	Long. W.	Bar. mb.	Change in 5 hours 0-1 mb.	Wind		Weather		Temp.			Visibility	Cloud					Height ft. of waves
					Direc.	Speed	Pres.	Part	Air °F	Sea °F	Dew point		Form			Amount		
													Low	Med.	High	Low	Total	
WEATHER EXPLORER	59°30'	17°54'	1020	+02	010	15	jp	pr	42	51	35	97	3	3	-	4	7	8
CUMULUS	52°24'	20°12'	1017	-10	260	18	o	d	54	54	52	97	5	-	-	8	8	6 1/2
POLAR FRONT	66°18'	01°24'E	997	+18	040	38	c	r	46	46	41	97	6	-	-	7	7	9 1/2
U.S. SHIP 'D'	44°00'	41°00'	1023	+02	140	02	b	bc	63	63	55	74	1	1	-	1	2	19
TORR HEAD	53°24'	31°00'	1022	-09	340	09	o	c	46	50	44	98	5	-	-	8	8	5
WENDOVER	50°42'	22°36'	1021	-10	270	15	o	c	55	57	50	98	5	-	-	8	8	1 1/2
U.S. SHIP 'C'	52°48'	35°30'	1024	-03	320	09	c	c	46	46	40	80	5	-	-	7	7	3
CAVINA	48°48'	14°48'	1020	+02	310	10	c	c	59	59	59	98	5	7	-	2	7	3
EMPERESS OF FRANCE	54°42'	23°18'	1017	+00	060	15	ido	c	48	52	48	97	6	1	-	6	8	
HUNTINGDON	46°06'	10°36'	1023	+00	350	05	c	c	60	62	48	99	6	4	-	6	6	

18h. Ships' Reports

Ship	Lat. N	Long. W	Bar. mb.	Change in 3 hours 0-1 mb	Wind				Weather		Temp.			Visibility	Cloud					Height clouds ft
					Direc.	Speed	Pres.	Past	Air °F	Sea °F	Dew °F	Point	Form			Amount				
													Low		Med	High	Low	Total		
Workworth	49°30'	34°12'	1022	-09	010	09	0	C	57	58	51	98	6	-	-	8	8	8	3	
Cumulus	52°30'	40°12'	1014	-10	280	12	pr	d	52	53	50	82	8	-	-	5	8	8	2	
Weather Explorer	59°48'	17°5'	1020	+00	030	11	b	pr	49	51	50	99	5	6	-	2	2	14	14	
Polar Front	66°55'	18°15'E	999	+05	030	37	C	C	45	45	38	97	8	6	9	6	7	9 1/2	9 1/2	
U.S. Ship "A"	62°0'	33°0'	1031	-20	260	05	b	pr	47	45	37	80	2	6	-	1	3	17 1/2	17 1/2	
Weather Watcher	54°48'	10°24'	1018	+03	050	11	C	C	47	54	38	98	4	1	-	4	7	6 1/2	6 1/2	
Delain	51°42'	16°42'	1014	-20	260	20	C	C	56	56	50	98	4	-	-	8	8	8	8	
U.S. Ship "C"	52°48'	35°30'	1023	-20	360	06	C	pr	48	46	44	74	5	-	-	7	7	3	3	
U.S. Ship "D"	44°3'	40°48'	1022	+05	090	03	C	b	66	63	56	74	2	-	-	7	6	19	19	
Weather Observer	56°10'	6°30'	1013	+04	330	15	b	b	46	52	36	99	2	-	-	3	3	9 1/2	9 1/2	

CLOUD AMOUNT in eighths (9=sky obscured). CLOUD HEIGHT 01—80 in 100's of feet. VISIBILITY 01—80 in eighths of a mile, X1—X9 in 1/80ths of a mile. For higher numbers and codes for cloud form and state of ground see Introduction.

* Information not usually received

NELSON K JOHNSON KCB, DSc, Director,
Meteorological Office, Air Ministry Kingsway, London, W.C.

Chart of Weather in the Northern Hemisphere.



THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

OBSERVATIONS at 00hr. G.M.T. 30th May 1952

OBSERVATIONS at 06hr. G.M.T. 30th May 1952

OBSERVATIONS during NIGHT

STATIONS	Height above M.S.L.	OBSERVATIONS at 00hr. G.M.T. 30th May 1952																OBSERVATIONS at 06hr. G.M.T. 30th May 1952														OBSERVATIONS during NIGHT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
		Wind				Pressure		Temp.		Cloud						Wind				Pressure		Temp.		Cloud						9 h.	Weather		Temperature 21 h.-03 h.		Rain 21 h.-03 h.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		Direction (degrees)	Speed (kts.)	Visibility	Present Weather	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Total amount	Ht. of main layer	Ht. of lowest layer	Direction (degrees)	Speed (kts.)	Visibility	Present Weather	Bar at M.S.L.	Change in 3 hrs.	Dry Bulb	Dew point	Form	Main layer	Lowest layer	Total amount	Ht. of main layer	Ht. of lowest layer																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
																													Low							Medium	High	0-8	0-8	0-8	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

Date of issue Saturday 31st May 1952

No 33063.

OBSERVATIONS at 12h. G.M.T. 30th May 1952.

OBSERVATIONS at 18h. G.M.T. 30th May 1952.

OBSERVATIONS during DAY

STATIONS (For heights see p. 4)	Wind		†	Present Weather	Pressure		Temp.		Cloud						21 h † State of ground	Weather.		Max. Temp. 09h. 21h. °F (36)	Sun-shine. 09h. 21h. num. (37)	Rain 09h. 21h. num. (38)																			
	Direction (degrees)	Speed (kts.)			Bar at M.S.L. mb (5)	Change in 3 hrs. (6)	Dry Bulb °F. (7)	Dew point °F. (8)	Form			Main layer Amt. (13)	Lowest layer Amt. (15)	09h to 15h (34)		15h. to 21h. (35)																							
									Low †	Medium †	High †																												
																	Total amount 0-8 (12)				Main layer Amt. (13)	Lowest layer Amt. (15)																	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)		
Kew	230	11	81	c	14.0	-10	59	52	5	-	7	7	60	1	30	230	08	82	c	12.5	-03	62	48	8	-	5	7	4	60	3	30	0	cidoc	cyc	64	1.9	Tr		
London Airport	210	12	81	c	14.0	-07	61	51	8	-	-	7	7	30	2	15	270	08	81	c	12.5	-01	61	52	6	2	5	7	2	15	-	-	0	cc	cyc	66	-	Tr	
Lymington	210	13	80	c	15.3	-06	58	53	5	-	-	8	7	11	-	-	220	09	81	c	12.8	-02	59	51	8	2	5	7	2	35	1	15	0	ccroc	bc	62	4.6	Tr	
Tangmere	220	16	64	ir	15.5	-04	60	55	8	-	-	7	7	30	6	15	230	11	81	c	13.8	-02	60	51	8	2	5	7	3	30	1	20	1	cmopr	bc	64	5.6	0.1	
Calshot	210	11	80	bc	15.0	-04	63	54	8	-	-	2	4	2	15	-	-	230	06	82	c	12.2	-10	60	52	8	2	5	7	4	25	1	25	1	bc	bcprc	64	5.1	Tr
Boscombe Down	230	14	80	c	14.1	-07	58	55	8	-	-	7	7	25	2	22	240	12	82	c	13.8	-04	58	53	5	-	6	7	5	25	2	15	1	cidoc	c	61	1.6	Tr	
Felixstowe	200	15	64	c	14.4	-11	58	50	5	-	-	7	7	20	-	-	200	11	64	c	12.4	-04	62	53	5	-	7	7	6	20	-	-	0	cyc	ccprbc	63	2.5	Tr	
Greston	180	20	56	pr	14.3	-07	54	43	5	-	-	8	8	44	-	-	180	09	32	c	11.3	-12	57	53	3	7	-	7	6	20	3	30	1	cycoprbc	ccroc	58	2.0	Tr	
West Raynham	180	08	32	ir	13.1	-10	51	41	5	-	-	8	7	40	-	-	210	11	32	pr	11.2	-09	58	53	3	7	-	7	6	20	3	30	1	cirroc	cc	60	0.8	4	
Mildenhall	240	12	40	c	12.8	-15	59	51	5	-	-	8	8	50	2	20	210	07	48	c	11.2	-04	58	56	5	-	7	7	5	25	-	-	0	cirroc	cc	66	0.8	0.6	
Griffiths	220	08	81	pr	12.9	-09	55	51	2	7	-	7	6	25	1	18	240	08	81	c	11.6	-02	57	49	5	-	8	7	2	30	-	-	1	cirroc	cc	62	0.4	1	
Elmdon	230	03	32	c	12.3	-10	56	52	5	7	-	7	2	10	-	-	210	12	72	c	10.7	-01	60	50	5	-	7	7	2	30	-	-	0	cirroc	cc	63	2.0	1	
Coltsmore	160	07	13	id	13.3	-09	49	48	6	2	-	8	7	03	-	-	-	0	40	id	11.7	-03	57	52	5	-	7	7	2	30	-	-	1	cirroc	cc	60	0.6	3	
Watnall	180	06	18	ir	12.9	-09	50	48	6	2	-	8	8	-	-	-	240	08	56	c	10.6	-07	59	52	2	2	5	6	2	25	-	-	1	cirroc	cc	60	2.0	1	
Ross-on-Wye	230	12	80	c	12.8	-03	60	47	5	1	-	8	6	25	-	-	230	10	81	c	12.0	-03	59	48	5	3	6	7	2	30	-	-	0	cc	cc	63	1.5	-	
Shawbury	140	01	40	ir	12.1	-05	53	51	7	1	-	8	7	10	-	-	270	10	82	c	10.8	-02	56	48	5	-	9	7	6	50	2	25	1	cidoc	cc	66	3.9	1	
Bristol	250	05	28	id	13.2	+03	55	52	5	2	-	8	6	12	-	-	220	10	80	id	11.8	-02	56	52	5	-	9	7	6	50	2	25	0	c	cirroc	65	1.9	0.4	
Plymouth	220	07	81	c	14.7	-04	59	55	2	7	-	7	6	20	-	-	210	10	80	c	13.1	-02	56	50	5	-	7	7	2	30	-	-	0	ccroc	c	60	2.1	Tr	
Chivenor	250	19	81	c	13.9	+02	64	56	1	7	-	7	6	80	2	18	240	10	82	c	12.4	-08	60	53	5	-	7	7	2	30	-	-	1	cirroc	cc	64	1.1	2	
St. Eval	210	14	24	id	14.3	-03	55	52	6	2	-	8	6	04	-	-	250	10	82	c	12.4	-07	56	51	5	-	7	7	2	30	-	-	1	cirroc	cc	60	0.8	Tr	
Culdrose	250	13	81	c	13.9	-06	57	55	5	-	-	7	6	40	5	15	240	12	82	c	12.1	-10	58	54	5	-	7	7	4	50	3	18	1	ccroc	cc	61	1.5	1	
Sully, St. Mary's	270	12	82	c	13.9	-03	57	53	5	-	-	7	7	18	-	-	260	10	82	c	11.9	-11	59	53	5	-	7	7	7	18	-	-	0	c	ccroc	62	1.2	Tr	
Guernsey	200	10	81	c	16.6	-06	58	50	8	7	-	6	5	40	1	20	230	02	82	c	14.3	-03	59	51	8	-	7	7	6	30	1	16	0	c	ccroc	63	3.6	Tr	
Aberporth	270	16	81	c	11.2	-02	56	51	2	-	-	8	8	25	5	16	300	08	81	c	10.8	-03	50	50	5	-	7	7	6	30	3	17	0	cirroc	cc	60	2.2	Tr	
Pembroke Dock	240	12	81	c	12.8	-01	60	52	8	7	-	7	5	35	3	22	230	05	81	c	11.7	-07	60	54	2	3	6	7	2	30	3	17	0	c	ccroc	64	6.1	Tr	
Holyhead (Valley)	010	04	48	ro	11.6	-05	49	45	7	2	-	8	6	08	-	-	060	07	80	c	11.0	-01	49	43	7	2	-	8	8	40	2	10	1	cirroc	cc	51	0.3	1	
Manchester	170	04	40	c	12.2	-06	52	41	5	-	-	8	8	40	3	20	230	02	32	id	10.2	-03	55	51	5	-	7	7	5	40	2	18	1	cirroc	cc	56	0.0	1	
Squires Gate	300	08	80	c	12.2	-05	51	39	5	7	-	7	7	45	1	20	320	03	32	id	10.3	-03	55	49	40	6	7	7	8	24	1	03	1	cirroc	cc	52	0.0	1	
Silloth	230	15	82	c	11.7	-07	50	35	1	7	-	7	2	25	-	-	220	10	32	id	10.5	-03	50	46	6	7	7	7	5	30	1	20	0	ccroc	cc	53	9.6	Tr	
Pinningley	230	07	40	c	12.1	-11	57	43	5	7	-	8	6	30	-	-	1	0	24	c	10.1	-03	50	48	6	7	7	7	5	30	1	20	0	ccroc	cc	59	0.2	Tr	
Spurn Head	230	07	40	c	12.5	-09	55	42	5	-	-	7	7	25	-	-	100	06	24	c	10.7	-10	59	51	5	-	6	2	26	4	20	1	cc	ccroc	60	0.9	Tr		
Dishforth	260	08	82	c	11.5	-10	55	40	1	3	-	7	6	30	-	-	200	06	81	ro	10.2	-06	53	47	5	-	8	8	30	4	20	1	cyc	ccroc	58	2.0	0.5		
Tynemouth	270	13	40	c	11.0	-09	55	29	1	4	-	8	6	3	28	-	-	270	04	80	bc	10.3	-03	56	51	1	4	-	8	8	36	3	25	0	bc				

Chart of Weather in the Northern Hemisphere.



THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, LONDON

OBSERVATIONS at 00hr. G.M.T. 31st May 1952																OBSERVATIONS at 06hr. G.M.T. 31st May 1952																OBSERVATIONS during NIGHT									
STATIONS	Height above M.S.L.	Wind		+ Visiblty	Present Weather	Pressure		Temp.		Cloud						Wind	+ Visiblty	Present Weather	Pressure		Temp.		Cloud						9 h.	Weather		Temperature		Rain							
		Direction (degrees)	Speed (kts.)			Bar at M.S.L.	Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer		Bar at M.S.L.				Change in 3 hrs.	Dry Bulb °F.	Dew point °F.	Form	Total amount	Main layer	Lowest layer		State of ground	21h to 03h (19)		03h to 09h (20)	Min. °F.	Max. °F.									
													Low	High											Low	High							Low		High	Min.	Max.				
Kew	18							56								200	02	30	0	09.9	-12	56	53	6	7	8	8	1	25	1	prmo	cmoc	55	52	0.5						
London Airport	82	200	07	64	o/r	12.3	-05	55	52	9	2	8	8	6	2	150	01	32	0	09.8	-14	55	53	6	7	8	8	18	1	1	crmo	cidmo	54	46	2						
Lymington	341	210	01	82	c	13.3	-05	52	51	2	2	8	8	5	2	110	05	24	0	10.2	-18	53	52	5	2	8	8	6	8	20	1	ccwcpo	cpoRRioc	52	50	1					
Tangmere	53		0	48	1/c	13.4	-04	55	53	2	2	8	8	27	2		0	64	0	10.4	-08	54	53	5	2	8	8	28	1	10	1	ccwcpo	ccwcpo	53	54	0.5					
Calshot	12	200	03	81	c	12.5	-10	54	54	2	2	8	8	30	2		0	86	0	09.6	-11	56	53	5	2	8	8	30	1	25	1	ccwcpo	ccwcpo	53	50	5					
Boscombe Down	414	210	03	64	o	13.1	-11	53	53	2	2	8	8	13	2		0	20	0	10.6	-09	54	54	6	7	8	8	6	1	25	1	c	c	53	50	5					
Felixstowe	10	240	14	64	o/r	12.2	-03	57	55	2	2	8	8	30	2		03	64	0	11.2	-02	57	54	5	7	8	8	8	1	20	2	ccwcpo	ccwcpo	53	47	0.5					
Gorleston	5	220	03	56	o	11.4	-05	55	50	2	2	8	8	34	2		05	24	0	10.3	+00	54	51	5	7	8	8	8	1	25	1	cobc	cmocpomo	49	44	TR					
West Raynham	250	210	10	40	c	11.3	+00	53	50	2	2	8	8	6	2		0	16	0	09.9	-04	53	53	5	7	8	8	6	1	25	1	c.b.cmo	cismo	34	49	TR					
Mildenhall	15	220	05	56	c	11.7	+02	55	54	2	2	8	8	30	2		01	40	0	10.0	-04	55	53	5	7	8	8	8	1	25	1	ccwcpo	ccwcpo	53	47	0.5					
Cranfield	340	230	06	80	c	11.8	+01	54	52	2	2	8	8	30	2		03	48	0	09.7	-04	53	51	5	7	8	8	8	4	30	1	cpoc	ccwcpo	49	43	0.6					
Elmston	326	090	02	80	b	11.3	+01	57	49	2	2	8	8	30	2		04	48	0	09.7	-06	52	50	5	7	8	8	8	1	25	1	ccwcpo	ccwcpo	47	43	TR					
Cottesmore	452	220	07	64	b	11.6	+03	50	48	2	2	8	8	30	2		0	32	0	10.2	-05	51	49	5	7	8	8	8	1	25	1	ccwcpo	ccwcpo	46	35	TR					
Watnall	366	240	04	16	bc	11.1	+04	50	48	2	2	8	8	30	2		0	09	0/f	09.8	-09	50	50	5	7	8	8	8	1	25	1	ccwcpo	ccwcpo	53	52	TR					
Ross-on-Wye	223															190	02	34	0	09.5	-08	54	52	6	7	8	8	8	1	25	1	ccwcpo	ccwcpo	53	52	TR					
Shawbury	235		0	11	bc	11.2	+00	45	43	2	2	8	8	30	2		0	05	0/f	09.0	-09	49	48	6	7	8	8	8	1	25	1	ccwcpo	ccwcpo	44	38	1					
Bristol	192	170	05	48	o	11.1	-07	54	51	2	2	8	8	30	2		0	40	0	08.7	-07	54	53	6	7	8	8	8	1	25	1	ccwcpo	ccwcpo	53	51	0.5					
Plymouth	90	190	02	64	c	11.8	-11	55	53	2	2	8	8	30	2		03	16	0	08.6	-12	55	54	6	7	8	8	8	1	25	1	c	c	54	52	TR					
Chivenor	20	100	04	81	c	11.2	-13	55	53	2	2	8	8	30	2		04	81	0	08.2	-10	55	54	6	7	8	8	8	1	25	1	c	c	53	52	TR					
St. Eval	336	190	04	81	c	11.2	-11	54	52	2	2	8	8	30	2		05	81	0	08.2	-09	54	52	2	7	8	8	8	1	25	1	ccwcpo	ccwcpo	53	52	TR					
Culdrose	260	210	05	82	o	10.9	-18	54	54	2	2	8	8	30	2		03	81	0	07.7	-12	54	54	5	7	8	8	8	1	25	1	c	ccwcpo	53	52	TR					
Scilly, St. Mary's	163	230	07	82	c	10.6	-06	55	53	2	2	8	8	30	2		0	81	0	07.8	-17	55	53	5	7	8	8	8	1	25	1	c	c	54	53	0.4					
Gurnsey	340		0	82	c	12.7	-12	55	52	2	2	8	8	30	2		0	81	0	09.8	-08	56	52	5	7	8	8	8	1	25	1	c	c	51	45	0.1					
Aberporth	375	200	07	81	bc	10.3	-08	51	49	2	2	8	8	30	2		06	81	0	07.8	-08	52	50	5	7	8	8	8	4	35	1	c	ccwcpo	53	51	TR					
Pembroke Dock	40	210	03	80	c	10.9	-05	54	53	2	2	8	8	30	2		0	82	0	08.4	-11	55	54	5	7	8	8	8	1	25	1	c	ccwcpo	53	51	TR					
Holyhead (Valley)	32	060	04	32	1/c	09.6	-11	47	46	2	2	8	8	30	2		08	40	0	07.2	-07	53	51	5	7	8	8	8	1	25	1	ccwcpo	ccwcpo	47	46	TR					
Manchester	230	160	06	08	bc	11.1	+03	46	43	2	2	8	8	30	2		05	18	0	09.2	-06	50	47	5	7	8	8	8	1	25	1	ccwcpo	ccwcpo	50	38	TR					
Squires Gate	33		0	16	o	10.5	-04	47	44	2	2	8	8	30	2		05	13	0	08.5	-06	47	43	5	7	8	8	8	4	40	1	ccwcpo	ccwcpo	44	40	TR					
Silloth	25	040	02	82	bc	10.5	+01	44	43	2	2	8	8	30	2		04	07	0	09.3	-02	48	40	5	7	8	8	8	1	25	1	ccwcpo	ccwcpo	38	34	TR					
Finningley	52	230	04	10	b	10.6	+02	48	46	2	2	8	8	30	2		03	02	0	09.3	-06	44	43	6	7	8	8	8	1	25	1	ccwcpo	ccwcpo	48	46	TR					
Spurn Head	29	190	04	16	c	10.7	+02	51	49	2	2	8	8	30	2		01	09	0	10.0	-04	50	49	5	7	8	8	8	4	25	1	ccwcpo	ccwcpo	47	46	TR					
Dishforth	106	230	05	64	c	10.2	-01	49	45	2	2	8	8	30	2		0	48	0	08.9	-08	55	49	5	7	8	8	8	1	25	1	c	ccwcpo	40	38	TR					
Tynemouth	108	270	07	56	c	10.5	+00	48	36	2	2	8	8	30	2		04	32	0	08.8	+02	48	38	5	7	8	8	8	1	25	1	ccwcpo	ccwcpo	39	32	TR					
Leuchars	36		0	81	c	09.6	+07	45	42	2	2	8	8	30	2		0	32	0	08.8	+00	46	42	8	5	8	8	8	1	25	1	ccwcpo	ccwcpo	28	23	TR					
Eskdalemuir	794																0	81	0	09.9	-06	48	38	5	7	8	8	8	1	25	1	ccwcpo	ccwcpo	28	23	TR					
Prestwick	30	090	07	82	b	10.9	+00	40	35	2	2	8	8	30	2		07	81	0	10.0	-01	41	36	5	7	8	8	8	1	25	1	b	ccwcpo	35	30	TR					
West Freugh	52	270	01	80	b	10.9	-03	40	36	2	2																														