


10

Lubay



85672

H Y D R O L O G I C A L M E M O R A N D A No. 10

Rainfall over the area of the Trent River Board 1916-1950



3 8078 0002 7093 6

M.O.D.V.P. 2A

HYDROGOGICAL MEMORANDA NO. 10

Rainfall over the area of the Trent River Board 1916-1950

1. Rainfall, 1916-1950:

1.1. Introduction. The estimation of standard-period averages for the months or for the year, is carried out in three stages; the selection of sound, homogeneous records complete for the 35 years, 1916-1950, which provide arithmetic means of monthly and annual rainfall, the basic values for all other work; the estimation of standard-period, monthly averages for stations in the second group, where these are needed for special purposes.

A detailed account of the methods developed and used in the Meteorological Office (M.O.3) to estimate standard-period averages from short-period records, is given in Hydrological Memoranda No. 5.

It is possible to process the data in a number of ways but the maps and tables are presented here in the simplest, most precise forms in order to be of use to a wide range of enquirers.

1.2. The Primary Survey, for Great Britain and Northern Ireland, of stations with complete records during 1916-1950, included some cases where the site had been changed to one with a better exposure and observations from both sites had been recorded for a few years. Attempts were made to amend the earlier readings by comparison of the data during a period of overlap, in order to have a set of values from 1916, to the date of the change, which would be representative of the 3 later, and better, record. But since the earlier exposures were usually unsatisfactory (being over-exposed or over-sheltered), the results were mostly erratic and the amended sets of values were not homogeneous. In a few cases, small breaks in a long record were completed by using estimated values, based on a nearby station, with or without the use of a modifying factor.

Of the many records examined, monthly and annual averages were accepted for 53 stations. The accepted values (in inches), together with the proportions (per cent) of each monthly average to the annual average, are given in Table I together with the altitude and the National Grid reference for each station. Most of these averages were included in H.M.S.O. publication, M.O.635, "Averages of Rainfall for Great Britain and Northern Ireland, 1916-1950", some were omitted because other stations were so near.

The percentage proportion of monthly averages to the annual averages for the long-period stations were used to draw a series of twelve monthly maps from which it is possible to estimate the percentage of average annual rainfall, for any place, for each month of the year. These maps are shown as Figure 1. Values estimated for a few points between the isopercental lines have been added to give a clearer indication of the variations from place to place. The points chosen are not necessarily the same for each map.

1.3. The Secondary Survey of short-period stations was undertaken next, using records up to the time of the survey, usually into the late 1950's. Long-period stations, whose averages had been rejected from the Primary Survey because the record was not homogeneous, were examined again and averages were estimated for the later (and usually improved) part of the series of observations. Averages based on data for less than 5 years were not usually accepted for publication. A list of the accepted averages, for the short-period stations, is given in Table II together with the altitude and National Grid reference for each. The stations are listed in an order based on natural drainage areas which will be used for the first time in British Rainfall, 1961.

/These

These averages, together with the long-period averages listed in Table I, were plotted on Ordnance Survey Maps (scale 4 miles to the inch), and used to draw the lines of average annual rainfall, 1916-1950. The map is shown as Figure 2. The Secondary Survey is frequently revised for special areas using the most up-to-date observations for relatively new stations and the map is subject to revision from time to time. The redrawing of the isohyets usually results in greater detail and perhaps a clearer definition of a wet area as more and more observations become available from improved River Board networks of rain-gauges. Drastic changes are not expected. In Tables I, II and III with a few exceptions the average quoted are for records still being maintained in 1963.

1.4. Monthly Averages for a further group of stations were next estimated for use in the Monthly Weather Report and for enquiries. For the purpose some stations were chosen from those listed in Table II to supplement those listed in Table I. To find the monthly averages, the monthly proportions (per cent of annual average) were chosen from the equipercental maps (see Fig. 1) so that the total for the twelve months was 100. These monthly percentages were then used to apportion the annual average (in inches) amongst the months. The results are given in Table III.

1.5. Daily Rainfall, 1916-1950. Five of the initial 53 records which were accepted for the Primary Survey (1.2.) were analysed further. These records had regular daily entries, for the 24-hour period 0900 to 0900, for each of the 35 years, 1916-1950. Table IVa gives for each of the stations the 35-year totals for each day of the year (in inches for each of the stations). Table IVb gives 1/35 of all possible totals from .17 in. to 24.67 in., thus providing a reduction table for the values in IVa to give average daily falls from "trace" to .70 in. For 29 February the reduction factor is, of course, 1/9.

These daily averages can be re-grouped as 5-day means, 7-day means, consecutive or sliding means or in whatever form suits a specific requirement.

2. Frequencies of Daily Rainfall, 1916-1950. The same set of daily values used for Table IVa were re-grouped to give frequency tables with intervals of .01 inch. These have been re-arranged in Table V, to give accumulated frequencies with intervals of .10 in. up to 2.50 in. and a wider grouping above this.

3. Extremes of Rainfall. The records for the 35-year period, 1916-1950, for the stations used in Tables IV and V were also used to find maximum and minimum values for the year and for each month and also maximum daily values for each month. These maxima and minima are given in Table VI and Table VII. Additional extremes are given in these tables to cover the 50-year period, 1911-1960.

Appendix I.

Intense Falls. Falls of 2 hours or less, which have been recorded in British Rainfall and rank as "noteworthy", "remarkable" or "very rare", are listed in Appendix I.

E. H. ROWSELL

Meteorological Office, M.O.3a,
Bracknell, Berkshire.

TABLE I. Monthly and Annual averages of Rainfall, 1916-1950
Trent River Board Area

| County | Name | Alt. ft. | N.G.R. | Jan | Feb | Mar | Apr | May | June | Jly | Aug | Sep | Oct | Nov | Dec | Year |
|---------|---------------------------|-------------|--------------|--------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|-------------|--------------|--------------|----------------|----------------|
| Staffs. | Hatton W.Wks. | 355 | SJ(33)329370 | 3.18 10.0 | 2.31 7.3 | 1.97 6.2 | 2.09 6.6 | 2.27 7.2 | 1.94 6.1 | 3.07 9.7 | 2.98 9.4 | 2.60 8.2 | 3.27 10.3 | 3.14 9.9 | 2.87 9.1 | 31.69 100.0 |
| " | Stafford | 247 | SJ(33)921229 | 2.87 9.6 | 2.44 7.2 | 1.89 6.3 | 1.98 6.6 | 2.32 7.8 | 2.04 6.9 | 2.93 9.8 | 2.77 9.3 | 2.43 8.2 | 2.86 9.9 | 2.62 9.6 | 2.86 9.4 | 29.79 100.0 |
| " | Milford W.Wks | 246 | SJ(33)975212 | 2.74 9.5 | 2.12 7.3 | 1.84 6.3 | 1.95 6.7 | 2.24 7.7 | 1.94 6.7 | 2.92 10.1 | 2.30 9.7 | 2.35 8.1 | 2.86 9.9 | 2.72 9.4 | 2.49 8.6 | 28.97 100.0 |
| " | Rugeley, Brindley Bank | 254 | SK(43)037195 | 2.65 9.7 | 1.99 7.3 | 1.71 6.3 | 1.87 6.9 | 2.08 7.6 | 1.82 6.7 | 2.79 10.2 | 2.52 9.3 | 2.17 8.0 | 2.65 9.7 | 2.60 9.5 | 2.40 8.8 | 27.25 100.0 |
| " | Meir | 617 | SJ(33)941418 | 3.20 | 2.47 | 1.94 | 2.14 | 2.34 | 2.18 | 3.22 | 3.26 | 2.68 | 3.20 | 3.30 | 3.02 | 32.95 100.0 |
| Wores. | Dudley Shevers End | 745 | SO(32)933912 | 2.63 9.2 | 1.79 6.2 | 1.62 5.6 | 2.06 7.2 | 2.47 8.6 | 1.97 6.9 | 2.90 10.1 | 2.78 9.7 | 2.40 8.4 | 2.83 9.9 | 2.88 10.0 | 2.35 6.2 | 28.68 100.0 |
| Staffs. | West Bromwich | 543 | SP(42)011915 | 2.69 9.4 | 1.99 7.0 | 1.70 6.0 | 2.40 7.4 | 2.43 8.5 | 1.84 6.4 | 2.78 9.7 | 2.65 9.3 | 2.33 8.2 | 2.70 9.5 | 2.87 10.1 | 2.45 8.5 | 28.51 100.0 |
| Wors. | Frankley | 571 | SF(42)008801 | 3.14 9.7 | 2.27 7.0 | 2.01 6.2 | 2.44 7.6 | 2.60 8.1 | 2.01 6.2 | 3.08 9.6 | 2.92 9.1 | 2.60 8.1 | 3.08 9.6 | 3.18 9.9 | 2.88 8.9 | 32.21 100.0 |
| " | Sutton Coldfield | 370 | SP(42)116964 | 2.69 9.5 | 2.04 7.4 | 1.76 6.2 | 2.12 7.5 | 2.29 8.1 | 1.81 6.4 | 2.63 9.3 | 2.65 9.4 | 2.24 8.0 | 2.72 9.7 | 2.82 10.0 | 2.45 8.7 | 28.22 100.0 |
| " | Minworth Greaves | 258 | SP(42)165923 | 2.37 9.2 | 1.84 7.2 | 1.60 6.2 | 1.94 7.5 | 1.76 8.5 | 1.39 6.8 | 2.55 9.3 | 2.46 9.6 | 2.09 8.1 | 2.40 9.3 | 2.45 9.5 | 2.11 8.2 | 25.76 100.0 |
| Staffs. | Cannock Res. | 475 | SK(43)040074 | 2.64 9.3 | 1.92 6.7 | 1.74 6.1 | 2.07 7.3 | 2.35 8.2 | 1.95 6.8 | 2.77 9.7 | 2.84 10.0 | 2.32 8.1 | 2.70 9.5 | 2.84 10.0 | 2.38 8.3 | 28.52 100.0 |
| " | Shobnall | 157 | SK(43)234231 | 2.36 9.2 | 1.89 7.4 | 1.58 6.2 | 1.79 7.0 | 2.08 8.2 | 1.60 6.3 | 2.55 10.0 | 2.58 10.1 | 2.05 8.0 | 2.38 9.3 | 2.48 9.7 | 2.19 8.6 | 25.53 100.0 |
| " | Leek | 680 | SJ(33)998571 | 3.67 9.7 | 2.85 7.5 | 2.16 5.7 | 2.52 6.6 | 2.67 7.0 | 3.66 9.6 | 3.53 9.3 | 3.25 8.6 | 3.74 9.8 | 3.84 10.1 | 3.47 9.1 | 38.03 100.0 | |

TABLE I. Monthly and Annual Averages of Rainfall, 1916-1950
Trent River Board Area Continued

| County | Name | Alt. ft. | N.G.R. | Jan | Feb | Mar | Apr | May | June | Jly | Aug | Sep | Oct | Nov | Dec | Year |
|--------|------------------|-------------|--------------|------|------|------|------|------|------|------|------|------|------|------|-------|--------|
| Derby | Blakeley Lodge | 189 | SK(43)268304 | 2.41 | 1.83 | 1.53 | 1.74 | 2.10 | 1.68 | 2.73 | 2.56 | 2.09 | 2.51 | 2.49 | 2.22 | 25.89 |
| " | Mickleover Hosp. | 320 | SK(43)297332 | 2.44 | 1.96 | 1.65 | 1.88 | 2.07 | 1.70 | 2.63 | 2.70 | 2.18 | 2.58 | 2.56 | 2.27 | 26.62 |
| " | Broadhead Clough | 1010 | SK(43)169962 | 6.24 | 4.95 | 3.75 | 3.85 | 3.43 | 3.04 | 4.05 | 4.46 | 4.25 | 5.73 | 6.19 | 5.41 | 55.35 |
| " | Slippery Stone | 908 | SK(43)169951 | 6.04 | 4.66 | 3.43 | 3.66 | 3.20 | 2.93 | 3.88 | 4.14 | 4.04 | 5.49 | 6.02 | 5.18 | 52.67 |
| " | Blacklow Cote | 970 | SK(43)145936 | 6.24 | 4.80 | 3.57 | 3.73 | 3.28 | 3.31 | 4.26 | 4.56 | 4.25 | 5.72 | 6.09 | 5.43 | 55.24 |
| " | Howden Dam | 845 | SK(43)168924 | 5.75 | 4.38 | 3.24 | 3.53 | 3.10 | 2.95 | 3.79 | 4.00 | 3.93 | 5.23 | 5.66 | 5.05 | 50.61 |
| " | Hirchinlee | 890 | SK(43)165918 | 6.12 | 4.63 | 3.38 | 3.69 | 3.18 | 3.01 | 3.98 | 4.12 | 4.07 | 5.50 | 5.89 | 5.32 | 52.89 |
| " | Killhill Bridge | 560 | SK(43)171838 | 4.66 | 3.70 | 2.72 | 2.96 | 2.56 | 2.45 | 3.16 | 3.17 | 4.14 | 4.51 | 4.33 | 41.53 | Inch % |
| " | Bamford | 509 | SK(43)202829 | 4.41 | 3.42 | 2.52 | 2.80 | 2.53 | 2.30 | 3.10 | 3.19 | 3.08 | 4.06 | 4.32 | 4.06 | 39.79 |
| " | Buxton | 1007 | SK(43)059738 | 5.49 | 3.96 | 2.88 | 3.34 | 2.89 | 3.17 | 3.90 | 4.14 | 3.94 | 4.98 | 4.83 | 4.50 | Inch % |
| " | Whitstandwell | 245 | SK(43)325555 | 3.61 | 2.78 | 2.17 | 2.34 | 2.26 | 1.99 | 2.99 | 3.01 | 2.61 | 3.32 | 3.44 | 3.25 | 33.77 |
| " | Press Res. | 810 | SK(43)354657 | 3.22 | 2.41 | 2.05 | 2.27 | 2.53 | 2.05 | 2.89 | 3.03 | 2.57 | 3.20 | 3.54 | 2.97 | 32.11 |
| " | Brackenfield | 595 | SK(43)357584 | 3.53 | 2.63 | 2.13 | 2.28 | 2.37 | 1.96 | 2.98 | 3.21 | 3.40 | 3.10 | 3.15 | 3.0 | Inch % |
| | | | | 10.6 | 7.9 | 6.4 | 6.9 | 7.1 | 5.9 | 9.0 | 9.7 | 10.3 | 9.4 | 10.0 | 100.0 | |

TABLE I. Monthly and Annual Averages of Rainfall, 1916-1950
Trent River Board Area Continued

| County | Name | Alt. ft. | N.G.R. | Jan | Feb | Mar | Apr | May | June | Jly | Aug | Sep | Oct | Nov | Dec | Year |
|--------|------------------------------|-------------|--------------|------|------|------|------|------|------|------|------|------|------|------|-----------------------|-----------------------|
| Derby. | Derby Royal Infirmary | 211 | SK(43)357355 | 2.81 | 2.11 | 1.79 | 2.02 | 2.32 | 1.83 | 2.80 | 2.78 | 2.42 | 2.72 | 2.77 | 2.43 | 28.80 Inch 100.0 % |
| Leics. | Wistow Hall | 310 | SP(42)642957 | 9.8 | 7.3 | 6.2 | 7.0 | 8.1 | 6.4 | 9.7 | 9.4 | 8.4 | 9.6 | 8.4 | 25.50 Inch 100.0 % | |
| " | Leicester, De Montfort Sq. | 250 | SK(43)593037 | 2.19 | 1.70 | 1.47 | 1.82 | 1.96 | 2.02 | 2.57 | 2.45 | 2.07 | 2.30 | 2.51 | 2.11 | 24.12 Inch 100.0 % |
| " | Leicester Gilroes Cemetery | 294 | SK(43)562064 | 2.48 | 1.96 | 1.69 | 2.03 | 1.75 | 1.99 | 1.65 | 2.41 | 2.49 | 1.96 | 2.27 | 1.90 | 26.90 Inch 100.0 % |
| " | Leicester Towers | 267 | SK(43)623042 | 2.37 | 1.77 | 1.59 | 2.00 | 2.16 | 1.78 | 2.70 | 2.62 | 2.15 | 2.50 | 2.57 | 2.23 | 26.39 Inch 100.0 % |
| " | Waltham-on-the-Wolds | 570 | SK(43)804252 | 2.29 | 1.95 | 1.60 | 1.89 | 2.06 | 1.64 | 2.85 | 2.40 | 2.08 | 2.25 | 2.48 | 2.17 | 26.00 Inch 100.0 % |
| " | Melt on Mowbray, White Lodge | 237 | SK(43)756187 | 2.27 | 1.83 | 1.52 | 1.91 | 1.97 | 1.66 | 2.58 | 2.37 | 2.04 | 2.32 | 2.45 | 2.14 | 25.49 Inch 100.0 % |
| " | Barkby Hall | 227 | SK(43)637098 | 2.36 | 1.80 | 1.62 | 2.02 | 2.17 | 1.81 | 2.78 | 2.65 | 2.19 | 2.42 | 2.42 | 2.06 | 24.98 Inch 100.0 % |
| " | Thornton Res. | 369 | SK(43)473072 | 2.66 | 2.10 | 1.85 | 2.18 | 2.28 | 1.81 | 2.73 | 2.62 | 2.32 | 2.68 | 2.76 | 2.42 | 28.41 Inch 100.0 % |
| " | Swithland Res. | 171 | SK(43)556748 | 2.68 | 2.03 | 1.77 | 2.10 | 2.35 | 1.80 | 2.68 | 2.65 | 2.18 | 2.68 | 2.76 | 2.36 | 28.04 Inch 100.0 % |
| " | Prestwold Hall | 209 | SK(43)579215 | 2.42 | 1.91 | 1.66 | 1.89 | 2.15 | 1.66 | 2.81 | 2.51 | 2.05 | 2.45 | 2.67 | 2.20 | 26.39 Inch 100.0 % |
| " | Nanpantan Res. | 269 | SK(43)508171 | 2.72 | 2.05 | 1.79 | 2.08 | 2.28 | 1.80 | 2.76 | 2.68 | 2.16 | 2.65 | 2.76 | 2.40 | 28.13 Inch 100.0 % |
| Derby | Codnor Park | 243 | SK(43)442517 | 3.07 | 2.36 | 1.93 | 2.09 | 2.30 | 1.92 | 2.89 | 2.69 | 2.54 | 2.92 | 3.07 | 2.77 | 30.55 Inch 100.0 % |
| Notts | Papplewick P. Sta. | 317 | SK(43)583521 | 2.72 | 2.02 | 1.79 | 2.15 | 2.15 | 1.68 | 2.62 | 2.56 | 2.17 | 2.78 | 2.40 | 2.71 | 27.51 Inch 100.0 % |

TABLE I. Monthly and Annual Averages of Rainfall, 1916-1950
Trent River Board Area Continued

| County | Name | Alt. Ft. | N.G.R. | Jan | Feb | Mar | Apr | May | June | Jly | Aug | Sep | Oct | Nov | Dec | Year |
|--------|--------------------|-------------|--------------|------|------|------|------|------|------|------|------|------|------|------|------|--------------|
| Notts. | Bullwell Hall | 252 | SK(43)532468 | 2.74 | 2.05 | 1.73 | 1.93 | 2.08 | 1.72 | 2.58 | 2.56 | 2.19 | 2.54 | 2.74 | 2.40 | 27.26 Inch % |
| " | Basford W. Wks | 168 | SK(43)565429 | 2.45 | 1.88 | 1.58 | 1.86 | 2.05 | 1.55 | 2.58 | 2.51 | 2.01 | 2.34 | 2.46 | 2.16 | 25.43 Inch % |
| " | Nottingham | 192 | SK(43)568395 | 2.28 | 1.76 | 1.47 | 1.79 | 1.98 | 1.47 | 2.52 | 2.37 | 1.98 | 2.24 | 2.30 | 2.03 | 24.19 Inch % |
| " | Ramsdale Hill Res. | 503 | SK(43)596843 | 2.56 | 1.98 | 1.68 | 1.94 | 2.23 | 1.73 | 2.78 | 2.71 | 2.21 | 2.59 | 2.72 | 2.57 | 27.50 Inch % |
| Lincs. | Gate Burton | 97 | SK(43)838831 | 2.12 | 1.66 | 1.43 | 1.60 | 1.84 | 1.72 | 2.40 | 2.23 | 1.90 | 2.19 | 2.31 | 2.01 | 23.41 Inch % |
| Notts. | Sutton-in-Ashfield | 455 | SK(43)510595 | 2.82 | 2.14 | 1.85 | 2.08 | 2.25 | 1.75 | 2.79 | 2.57 | 2.25 | 2.84 | 2.99 | 2.61 | 28.94 Inch % |
| " | Clipstone W.Wks | 228 | SK(43)603643 | 2.39 | 1.91 | 1.65 | 1.84 | 2.00 | 1.47 | 2.52 | 2.38 | 2.01 | 2.47 | 2.65 | 2.26 | 25.55 Inch % |
| " | Reinworth W. Wks | 349 | SK(43)587586 | 2.62 | 2.01 | 1.70 | 1.93 | 2.08 | 1.61 | 2.61 | 2.60 | 2.18 | 2.60 | 2.76 | 2.42 | 25.55 Inch % |
| " | Doughton P. Sta. | 141 | SK(43)667692 | 2.33 | 1.83 | 1.56 | 1.70 | 2.02 | 1.58 | 2.33 | 2.42 | 1.93 | 2.34 | 2.58 | 2.17 | 27.12 Inch % |
| " | Elkesley P. Sta. | 120 | SK(43)664760 | 2.15 | 1.80 | 1.56 | 1.69 | 2.03 | 1.62 | 2.29 | 2.45 | 1.89 | 2.29 | 2.43 | 2.05 | 24.79 Inch % |
| " | Wigthorpe Hill | 100 | SK(43)594835 | 2.21 | 1.80 | 1.56 | 1.70 | 1.91 | 1.71 | 2.27 | 2.44 | 1.95 | 2.28 | 2.36 | 2.05 | 24.24 Inch % |
| Lincs. | Crowle P. Sta. | 10 | SK(44)755108 | 2.11 | 1.69 | 1.44 | 1.57 | 1.96 | 1.76 | 2.33 | 2.46 | 1.89 | 2.17 | 2.24 | 1.98 | 23.26 Inch % |
| Derbys | Swineshaw | 733 | SK(43)045958 | 4.58 | 3.63 | 2.75 | 2.82 | 3.04 | 3.04 | 3.84 | 3.82 | 3.53 | 4.35 | 4.00 | 4.31 | 43.81 Inch % |
| | | | | 10.5 | 8.3 | 6.3 | 6.4 | 6.7 | 6.7 | 8.8 | 8.1 | 9.9 | 10.3 | 9.1 | 10.0 | 100.0 |

TABLE II Estimated Annual Averages of Rainfall, 1916-1950, for
Short-period stations.
Trent River Board Area

| County | Station | N.G.R. | Alt. (ft.) | Av. (in) |
|---------|---------------------------------|---------------|---------------|-------------|
| Staffs. | Hanley S. Wks. | SJ(33)886461 | 386 | 30.89 |
| " | Etruria | SJ(33)875470 | 423 | 33.02 |
| " | Keele | SJ(33)820446 | 587 | 31.59 |
| " | Yarlet Hall | SJ(33)913293 | 402 | 29.96 |
| " | Codsall | SJ(33)870028 | 410 | 29.14 |
| " | Slade Heath P. Sta. | SJ(33)917071 | 340 | 27.81 |
| " | Gt. Wyrley | SJ(33)991076 | 420 | 28.74 |
| " | Pye Green | SJ(33)989143 | 768 | 30.47 |
| " | Bilvide Res. | SJ(33)861105 | 367 | 29.85 |
| " | Slitting Mill | SK(43)033173 | 299 | 29.05 |
| " | Wallmires P. Sta. | SJ(33)950463 | 761 | 34.88 |
| " | Hulme | SJ(33)934454 | 710 | 33.10 |
| " | Crosswell P. Sta. | SJ(33)974394 | 538 | 34.53 |
| " | Middleton Green | SJ(33)995354 | 597 | 32.70 |
| " | Fradswell | SK(43)007334 | 450 | 31.21 |
| " | Gratwich | SK(43)040315 | 381 | 30.53 |
| " | Booth | SK(43)042272 | 360 | 29.19 |
| " | Kingston | SK(43)063295 | 420 | 29.18 |
| " | Blithfield | SK(43)071226 | 273 | 28.67 |
| " | Port Fields | SK(43)067237 | 316 | 28.54 |
| " | Hamstall, Ridware No. 2 | SK(43)103193 | 240 | 26.27 |
| " | Gentleshaw | SK(43)099123 | 744 | 31.28 |
| " | Hanch Res. | SK(43)103136 | 259 | 26.92 |
| " | Alrewas | SK(43)168148 | 200 | 26.09 |
| " | Darlaston S. Wks. | SO(32)985978 | 393 | 26.43 |
| " | Bilston, The Lunt Outfall | SO(32)963958 | 410 | 27.72 |
| Worcs. | Dudley, Tipton | SO(32)950916 | 490 | 27.89 |
| " | Oldbury, Bamford Hill Park | SO(32)997876 | 607 | 30.84 |
| Staffs. | Tividale S. Wks. | SO(32)973910 | 432 | 29.07 |
| " | Toll End, S. Wks. | SO(32)978931 | 400 | 28.29 |
| " | Brownhills, Coombe House | SK(43)038058 | 491 | 28.58 |
| " | Goscote S.Wks. | SK(43)015025 | 435 | 28.43 |
| " | Bescot S. Wks. | SP(42)007966 | 387 | 28.31 |
| Warws. | Handsworth, Howard Road | SP(42)059909 | 368 | 29.70 |
| " | Edgbaston | SP(42)046864 | 536 | 30.70 |
| " | Handsworth, Vistoria Road | SP(42)042892 | 469 | 29.35 |
| " | Handsworth Park | SP(42)048900 | 424 | 29.67 |
| " | Erdington | SP(42)102917 | 442 | 28.63 |
| " | Bartley Res. | SP(42)0010812 | 600 | 32.78 |
| " | Bromwich Wood | SO(32)999810 | 611 | 32.90 |
| " | Birmingham, K. Edward's School | SP(42)051836 | 450 | 30.28 |
| " | Saltley S. Wks. | SP(42)125888 | 292 | 28.17 |
| " | Erdington, Spring Lane | SP(42)113911 | 386 | 28.52 |
| " | Perry Bar Res. | SP(42)084953 | 515 | 28.98 |
| " | Coleshill | SP(42)195913 | 238 | 25.53 |
| " | Solehull, Station Road | SP(42)148796 | 424 | 29.67 |
| " | Balsall Common | SP(42)235769 | 385 | 28.10 |
| " | Hampton-in-Arden | SP(42)197791 | 500 | 29.48 |
| " | Highters Heath Res. | SP(42)087793 | 517 | 29.98 |
| " | Stechfcrd | SP(42)135886 | 302 | 27.65 |
| " | Elmdon | SP(42)171837 | 319 | 26.76 |
| " | Whiteacre W. Wks. | SP(42)227909 | 269 | 26.48 |
| Staffs. | Sandhills | SK(43)067048 | 407 | 28.44 |
| " | Little Hay | SK(43)123030 | 298 | 27.79 |
| Leics. | Hinckley, Bowling Green Road | SP(42)434941 | 400 | 27.55 |
| Warws. | Nuneaton P. Sta. | SP(42)361923 | 269 | 26.00 |
| " | Hartshill | SP(42)325952 | 304 | 27.97 |
| Leics. | Osbaston Hall | SK(43)425045 | 390 | 27.87 |
| Staffs. | Tamworth S. Wks. | SK(43)200041 | 182 | 25.55 |
| Derbys. | Church Gresley, Maurice Lee Pk. | SK(43)305189 | 400 | 25.95 |
| Staffs | Outwoods | SK(43)227240 | 310 | 27.27 |
| " | Outwoods Hospital | SK(43)232248 | 220 | 26.94 |

TABLE II Estimated Annual Averages of Rainfall, 1916-1950, for
Short-period stations.
Trent River Board Area (Continued)

| County | Station | N.G.R. | Alt. (ft.) | Av. (in) |
|------------|--------------------------|--------------|---------------|-------------|
| Staffs. | Leek, Mermaid Inn | SK(43)038608 | 1471 | 45.47 |
| " | Onecole | SK(43)035576 | 1350 | 42.14 |
| " | Ellastone Vicarage | SK(43)117434 | 410 | 33.70 |
| " | Middle Hills | SK(43)030639 | 1840 | 45.51 |
| " | Leek, The Hollies | SK(43)005602 | 694 | 39.48 |
| " | Alder Lee | SJ(33)989606 | 685 | 37.99 |
| " | Lower Haddon | SJ(33)476606 | 875 | 38.56 |
| " | Tittesworth | SJ(33)990589 | 657 | 37.92 |
| " | Dilhorne | SJ(33)968470 | 919 | 35.10 |
| " | Hardwick Farm | SJ(33)956442 | 810 | 32.49 |
| " | Uttoxeter | SK(43)089340 | 295 | 30.60 |
| Derbys. | Rodsley P. Sta. | SK(43)194401 | 415 | 31.27 |
| " | Etwall S. Wks. | SK(43)274298 | 201 | 26.72 |
| " | Repton | SK(43)302267 | 230 | 25.44 |
| " | Stanton-by-Bridge W.Wks. | SK(43)375272 | 144 | 26.57 |
| Yorks W.R. | Barrow Clough | SK(43)142976 | 1330 | 62.49 |
| Derbys. | Sandy Lee | SK(43)180953 | 1320 | 56.40 |
| " | Ronksley Moor | SK(43)147951 | 1660 | 62.18 |
| " | Deep Grain | SK(43)123951 | 1360 | 61.81 |
| " | Ridge Farm | SK(43)161931 | 883 | 55.49 |
| Yorks W.R. | Howden Clough No. 64A | SK(43)177936 | 1010 | 49.91 |
| " | Howden Dean | SK(43)185926 | 960 | 51.02 |
| Derbys. | Ouzleden Clough | SK(43)160907 | 885 | 53.55 |
| " | Fairholmes | SK(43)173893 | 685 | 50.67 |
| " | Mill Brook | SK(43)188894 | 770 | 48.61 |
| " | Crook Hill | SK(43)185870 | 1100 | 47.53 |
| " | Sandy Heys | SK(43)075894 | 2040 | 58.89 |
| " | Nether Red Clough | SK(43)084903 | 1370 | 61.13 |
| " | Middle Seal Clough | SK(43)111897 | 1320 | 64.37 |
| " | Blackdean Brook | SK(43)127890 | 1070 | 62.99 |
| " | Ashop Weir | SK(43)140895 | 795 | 57.64 |
| " | Alport Moor | SK(43)106943 | 1790 | 66.62 |
| " | Hogg Farm | SK(43)160885 | 700 | 50.97 |
| " | Grimbocar | SK(43)172872 | 700 | 50.04 |
| " | Ladybower | SK(43)205869 | 985 | 45.91 |
| " | Yorkshire Bridge Weir | SK(43)198850 | 560 | 41.31 |
| " | Bamford Filters | SK(43)212830 | 660 | 40.17 |
| " | Jacob's Ladder | SK(43)090860 | 1115 | 59.84 |
| " | Upper Booth | SK(43)104854 | 950 | 49.87 |
| " | Dalehead | SK(43)101841 | 1030 | 52.58 |
| " | Mam Nick | SK(43)123837 | 1368 | 49.49 |
| " | Grindslow | SK(43)119867 | 940 | 55.57 |
| " | Edale Mill | SK(43)134854 | 725 | 49.97 |
| " | Nether Moor | SK(43)143875 | 1460 | 55.89 |
| " | Edale End | SK(43)162863 | 632 | 45.15 |
| " | Moss Rake Head | SK(43)144799 | 1435 | 47.00 |
| " | Bradwell | SK(43)162811 | 1060 | 45.11 |
| Yorks W.R. | Higger Lodge | SK(43)273816 | 1225 | 38.02 |
| " | Parsons House | SK(43)271810 | 1307 | 37.30 |
| Derbys. | Lower Burbage | SK(43)258802 | 924 | 37.15 |
| " | Chatsworth Gardens | SK(43)262701 | 436 | 32.60 |
| " | Portobello Bar | SK(43)032712 | 1606 | 54.87 |
| " | Burbage Edge | SK(43)035728 | 1400 | 54.92 |
| " | Stanley Moor | SK(43)041712 | 1340 | 53.26 |
| " | Ashwood Dale S. Wks. | SK(43)072728 | 917 | 48.39 |
| " | Green Fairfield | SK(43)007747 | 1120 | 45.36 |
| " | Ruship Edge | SK(43)103824 | 1245 | 49.58 |
| " | Eldon Hill | SK(43)121806 | 1350 | 46.36 |
| " | Peak Forest | SK(43)111792 | 1050 | 44.63 |
| " | Wheston | SK(43)129768 | 1140 | 42.14 |
| " | Hargate Hall | SK(43)117752 | 1140 | 44.01 |
| " | Whiterake | SK(43)143781 | 1220 | 43.61 |
| " | Tideswell | SK(43)149752 | 1000 | 40.31 |

TABLE II Estimated Annual Averages of Rainfall, 1916-1950, for
Short-period stations.
Trent River Board Area Continued

| County | Station | N.G.R. | A.H. (ft.) | Av. (in) |
|------------|--------------------------------|--------------|---------------|-------------|
| Derbys. | Ambergate Res. | SK(43)350526 | 646 | 34.54 |
| " | Belper | SK(43)346458 | 203 | 28.79 |
| " | Wirksworth, Wash Green | SK(43)295538 | 738 | 33.57 |
| " | Wirksworth | SK(43)285538 | 560 | 35.45 |
| " | Morley | SK(43)385401 | 350 | 29.46 |
| " | Breadsall Priory | SK(43)381414 | 370 | 28.44 |
| " | Markeaton Park | SK(43)331377 | 190 | 28.74 |
| " | Derby S. Wks. | SK(43)389351 | 135 | 26.22 |
| Leics. | Frolesworth | SP(42)506903 | 370 | 25.59 |
| " | Wigston S. Wks. | SP(42)597968 | 257 | 24.98 |
| " | Leicester, Arnsdale Road | SK(43)564040 | 200 | 25.22 |
| " | Leicester, Stoughton Drive, N. | SK(43)609031 | 240 | 25.53 |
| " | Scalford | SK(43)764241 | 343 | 27.30 |
| " | Lewesby Hall | SK(43)723076 | 517 | 26.42 |
| " | Ulverscroft | SK(43)496118 | 640 | 30.57 |
| " | Cropston Res. | SK(43)549114 | 245 | 28.85 |
| " | Loughborough | SK(43)520180 | 210 | 26.21 |
| " | Loughborough S. Wks. | SK(43)529209 | 135 | 26.78 |
| " | Blackbrook Res. | SK(43)457178 | 379 | 27.91 |
| Notts. | Kingston Hall | SK(43)508277 | 130 | 25.76 |
| " | Sutton Bonington | SK(43)503262 | 157 | 22.95 |
| " | Moorgreen Res. | SK(43)468474 | 301 | 28.29 |
| " | Eastwood Hall | SK(43)462477 | 240 | 27.84 |
| " | Ilkeston S. Wks. | SK(43)482395 | 133 | 25.75 |
| Derbys. | New Stanton | SK(43)475386 | 150 | 25.29 |
| " | Breaston, Woodland Ave. | SK(43)469336 | 115 | 25.21 |
| Notts. | Brancote Res. | SK(43)507375 | 327 | 25.39 |
| " | Beeston Lab. | SK(43)542364 | 85 | 25.22 |
| " | Lenton | SK(43)573381 | 160 | 24.83 |
| " | Watnall | SK(43)506454 | 366 | 27.22 |
| " | Woodthorpe | SK(43)580440 | 225 | 26.46 |
| " | Sneinton P. Sta. | SK(43)592393 | 83 | 23.96 |
| " | Colwick Hill Res. | SK(43)596399 | 314 | 24.18 |
| " | West Bridgford | SK(43)592372 | 80 | 24.28 |
| " | Colwick | SK(43)617341 | 70 | 23.58 |
| " | Stoke Bardolph | SK(43)647416 | 66 | 24.68 |
| " | Blidworth | SK(43)563554 | 400 | 28.52 |
| " | Southwell | SK(43)697542 | 125 | 26.38 |
| " | Kelham | SK(43)780550 | 40 | 22.32 |
| Leics. | Whitmore P. Sta. | SJ(33)799400 | 396 | 30.47 |
| Notts. | Newark, The Friary | SK(43)802540 | 48 | 24.03 |
| Lincs. | Torksey | SK(43)836780 | 16 | 22.94 |
| Notts. | Mansfield | SK(43)543618 | 362 | 27.48 |
| " | Edwinstowe | SK(43)524671 | 215 | 25.21 |
| " | Rushley P. Sta. | SK(43)547578 | 425 | 29.45 |
| " | Rufford P. Sta. | SK(43)632611 | 275 | 26.11 |
| " | Lound Hall | SK(43)700731 | 50 | 24.54 |
| " | Warsop | SK(43)591699 | 150 | 23.10 |
| Derbys. | Whaley Well | SK(43)509718 | 337 | 25.74 |
| Notts. | Babworth Hall | SK(43)687811 | 98 | 23.09 |
| " | Sunnyside W. Wks. | SK(43)589806 | 245 | 24.77 |
| " | Bracebridge S. Wks. | SK(43)597790 | 97 | 24.82 |
| " | Osberton Hall | SK(43)629798 | 85 | 25.35 |
| " | Finningley | SK(43)658995 | 34 | 22.27 |
| Yorks W.R. | Austerfield P. Sta. | SK(43)661962 | 32 | 22.97 |
| Lincs. | West Butterwick | SE(44)835065 | 20 | 24.73 |
| Yorks W.R. | Tickhill, Dodsley Road | SK(43)891935 | 60 | 24.13 |
| " | Rossington Colliery | SK(43)602984 | 22 | 24.09 |
| " | Balby S. Wks. | SE(44)569010 | 29 | 23.47 |
| " | Low Pasture P. Sta. | SE(44)589022 | -24 | 23.44 |
| Lincs. | Wroot P. Sta. | SE(44)730017 | 7 | 22.88 |
| " | Keadby P. Sta. | SE(44)835112 | 20 | 24.60 |

TABLE III. Monthly Averages of Rainfall (in inches) 1916-1950, estimated from Short-period stations

Trent River Board Area

| County | Station | Jan | Feb | Mar | Apr | May | June | Jly | Aug | Sep | Oct | Nov | Dec | Year |
|----------|------------------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| Staffs. | Keele | 2.97 | 2.24 | 1.86 | 2.02 | 2.40 | 2.09 | 3.03 | 3.06 | 2.69 | 3.22 | 3.10 | 2.91 | 31.59 |
| Warws. | Edgbaston | 2.98 | 2.21 | 1.87 | 2.30 | 2.58 | 1.90 | 2.86 | 2.76 | 2.49 | 2.89 | 3.16 | 2.70 | 30.70 |
| " | Elmdon | 2.51 | 1.90 | 1.69 | 1.98 | 2.22 | 1.66 | 2.60 | 2.43 | 2.17 | 2.51 | 2.68 | 2.41 | 26.76 |
| Derby's. | Belper | 2.82 | 2.22 | 1.81 | 1.96 | 2.22 | 1.81 | 2.74 | 2.65 | 2.39 | 2.73 | 2.94 | 2.50 | 28.79 |
| " | Marley | 2.33 | 2.03 | 2.15 | 1.89 | 2.21 | 2.42 | 2.68 | 3.01 | 1.97 | 3.12 | 2.56 | 3.09 | 29.46 |
| Notts | Sutton Bonington | 2.18 | 1.68 | 1.42 | 1.68 | 1.86 | 1.45 | 2.36 | 2.20 | 2.86 | 2.13 | 2.20 | 1.93 | 22.95 |
| " | Watnall | 2.69 | 2.01 | 1.72 | 1.93 | 2.07 | 1.72 | 2.72 | 2.59 | 2.23 | 2.53 | 2.67 | 2.34 | 27.22 |
| " | Mansfield | 2.66 | 2.03 | 1.76 | 1.98 | 2.14 | 1.65 | 2.67 | 2.50 | 2.14 | 2.67 | 2.83 | 2.45 | 27.48 |
| " | Warsop | 2.13 | 1.71 | 1.48 | 1.59 | 1.80 | 1.50 | 2.22 | 2.26 | 1.80 | 2.20 | 2.40 | 2.01 | 23.10 |

TABLE IVa 35-Year Totals of Daily Rainfall, 1916-1950 (in inches)

* Swineshaw

| Day | Jan | Feb | Mar | Apr | May | June | Jly | Aug | Sep | Oct | Nov | Dec |
|-----|------|------|------|------|-------|------|------|------|------|------|------|------|
| 1 | 8.17 | 6.34 | 2.93 | 4.03 | 2.12 | 4.17 | 2.79 | 3.78 | 6.67 | 2.74 | 6.39 | 6.01 |
| 2 | 6.34 | 6.25 | 2.88 | 5.08 | 1.80 | 4.70 | 2.33 | 4.30 | 4.16 | 2.67 | 3.74 | 5.00 |
| 3 | 4.68 | 5.06 | 2.38 | 3.14 | 2.06 | 3.76 | 4.00 | 3.04 | 4.91 | 4.05 | 4.62 | 5.82 |
| 4 | 5.07 | 4.94 | 3.74 | 4.32 | 3.23 | 2.16 | 4.15 | 3.69 | 4.24 | 4.75 | 3.83 | 7.96 |
| 5 | 5.64 | 4.49 | 2.77 | 3.08 | 4.13 | 3.42 | 3.61 | 4.16 | 2.57 | 5.05 | 4.84 | 5.10 |
| 6 | 6.93 | 6.24 | 2.58 | 4.07 | 4.17 | 3.18 | 3.60 | 4.97 | 3.37 | 4.28 | 4.04 | 4.11 |
| 7 | 5.13 | 5.38 | 4.30 | 2.68 | 3.07 | 4.24 | 3.62 | 7.63 | 5.34 | 4.98 | 6.08 | 4.82 |
| 8 | 4.68 | 5.69 | 3.77 | 3.06 | 1.79 | 3.14 | 3.46 | 4.15 | 2.88 | 5.80 | 3.89 | 4.70 |
| 9 | 6.47 | 8.22 | 2.99 | 4.10 | 2.30 | 2.73 | 5.16 | 4.38 | 2.90 | 7.90 | 7.81 | 3.86 |
| 10 | 4.68 | 4.18 | 3.54 | 2.55 | 3.59 | 2.00 | 4.84 | 4.30 | 3.11 | 6.15 | 3.99 | 4.07 |
| 11 | 6.76 | 4.46 | 2.73 | 2.46 | 2.90 | 2.04 | 5.08 | 5.32 | 3.06 | 3.58 | 9.41 | 2.83 |
| 12 | 5.71 | 3.73 | 5.16 | 3.63 | 2.55 | 3.41 | 6.02 | 4.32 | 4.66 | 4.87 | 6.67 | 2.62 |
| 13 | 4.05 | 2.40 | 1.78 | 4.13 | 2.82 | 4.31 | 3.56 | 2.64 | 4.89 | 5.59 | 5.82 | 3.58 |
| 14 | 5.54 | 3.26 | 2.00 | 2.88 | 2.83 | 4.79 | 2.83 | 2.89 | 5.13 | 2.57 | 5.41 | 4.60 |
| 15 | 6.30 | 4.76 | 4.35 | 2.56 | 3.05 | 2.81 | 5.89 | 2.30 | 4.04 | 3.33 | 4.95 | 2.88 |
| 16 | 3.23 | 4.09 | 2.97 | 3.93 | 3.38 | 2.25 | 4.94 | 4.29 | 4.84 | 2.76 | 6.54 | 4.05 |
| 17 | 4.97 | 3.34 | 3.94 | 5.25 | 4.48 | 2.95 | 3.91 | 5.23 | 3.90 | 7.59 | 7.20 | 2.86 |
| 18 | 5.75 | 3.24 | 2.27 | 3.69 | 2.81 | 9.82 | 5.57 | 4.14 | 4.83 | 5.48 | 7.54 | 3.30 |
| 19 | 3.85 | 4.94 | 3.34 | 3.67 | 3.53 | 3.67 | 5.39 | 5.89 | 6.40 | 3.88 | 4.34 | 3.35 |
| 20 | 2.86 | 3.27 | 3.24 | 2.89 | 2.53 | 2.75 | 5.76 | 5.39 | 5.23 | 2.89 | 4.00 | 2.24 |
| 21 | 5.33 | 1.98 | 3.00 | 1.51 | 1.85 | 3.30 | 3.40 | 5.39 | 2.87 | 6.25 | 4.32 | 3.89 |
| 22 | 4.49 | 5.38 | 2.08 | 2.45 | 2.84 | 5.53 | 7.55 | 4.45 | 6.60 | 4.88 | 4.72 | 4.13 |
| 23 | 4.02 | 2.19 | 3.79 | 3.87 | 3.61 | 2.84 | 5.33 | 3.87 | 3.81 | 5.28 | 5.51 | 4.65 |
| 24 | 5.93 | 3.24 | 2.75 | 2.72 | 2.33 | 2.55 | 3.86 | 4.47 | 4.93 | 5.81 | 4.66 | 5.11 |
| 25 | 3.19 | 3.95 | 3.79 | 4.03 | 3.14 | 3.05 | 3.68 | 2.50 | 5.15 | 6.46 | 5.29 | 4.41 |
| 26 | 4.22 | 5.97 | 2.80 | 2.88 | 6.06 | 2.72 | 4.32 | 5.43 | 2.80 | 7.11 | 5.96 | 5.32 |
| 27 | 4.47 | 4.97 | 2.64 | 3.67 | 4.33 | 4.01 | 3.66 | 4.31 | 5.56 | 4.48 | 5.27 | 4.84 |
| 28 | 6.11 | 3.90 | 2.60 | 1.96 | 2.39 | 3.26 | 5.39 | 5.77 | 1.85 | 4.03 | 4.81 | 5.30 |
| 29 | 4.73 | 1.17 | 3.60 | 2.68 | 10.09 | 3.45 | 5.07 | 4.46 | 2.18 | 7.33 | 3.44 | 7.40 |
| 30 | 4.29 | - | 1.77 | 1.80 | 3.65 | 3.49 | 2.42 | 2.87 | 3.51 | 4.47 | 3.74 | 5.44 |
| 31 | 7.23 | - | 3.83 | - | 2.59 | - | 3.08 | 3.35 | - | 5.01 | - | 5.81 |

* Just within the Mersey Catchment

TABLE IVa Contd. 35-Year Totals of Daily Rainfall, 1916-1950 (in inches)

Worksop, Wigthorpe Hall

| Day | Jan | Feb | Mar | Apr | May | June | Jly | Aug | Sep | Oct | Nov | Dec |
|-----|------|------|------|------|------|------|------|------|------|------|------|------|
| 1 | 3.33 | 1.84 | 1.50 | 2.27 | 1.70 | 2.22 | 1.50 | 1.77 | 3.20 | 1.64 | 4.07 | 1.35 |
| 2 | 1.70 | 2.91 | 1.80 | 2.90 | 1.91 | 3.05 | 1.14 | 2.43 | 2.29 | 0.96 | 2.66 | 3.63 |
| 3 | 2.67 | 2.60 | 1.12 | 2.62 | 1.39 | 2.33 | 1.98 | 1.91 | 3.96 | 2.95 | 2.22 | 1.68 |
| 4 | 0.97 | 1.12 | 2.67 | 2.85 | 1.79 | 0.88 | 1.65 | 2.50 | 1.88 | 1.78 | 2.09 | 4.23 |
| 5 | 1.54 | 1.86 | 1.47 | 1.74 | 3.73 | 2.97 | 2.62 | 3.49 | 1.09 | 2.76 | 2.70 | 2.78 |
| 6 | 2.08 | 1.97 | 0.77 | 2.25 | 3.13 | 1.75 | 3.28 | 4.05 | 3.11 | 1.78 | 1.78 | 2.15 |
| 7 | 1.93 | 1.80 | 2.15 | 2.30 | 1.17 | 1.60 | 2.15 | 5.44 | 0.63 | 2.20 | 3.05 | 2.03 |
| 8 | 2.14 | 2.88 | 1.90 | 2.49 | 1.13 | 1.39 | 1.51 | 4.45 | 1.52 | 2.05 | 1.65 | 2.10 |
| 9 | 3.43 | 2.99 | 2.27 | 2.93 | 1.00 | 1.55 | 3.01 | 3.86 | 2.29 | 4.17 | 3.45 | 1.36 |
| 10 | 2.84 | 1.75 | 1.86 | 2.28 | 1.52 | 0.71 | 3.48 | 2.56 | 1.37 | 3.80 | 1.79 | 1.57 |
| 11 | 3.09 | 1.95 | 2.74 | 1.68 | 2.64 | 1.65 | 1.33 | 3.23 | 0.82 | 2.91 | 3.84 | 2.70 |
| 12 | 2.27 | 2.37 | 3.01 | 1.66 | 2.29 | 2.64 | 2.23 | 2.85 | 2.70 | 1.52 | 1.87 | 0.75 |
| 13 | 1.83 | 0.96 | 0.82 | 1.67 | 0.95 | 5.37 | 3.76 | 1.65 | 3.47 | 1.52 | 2.72 | 2.14 |
| 14 | 3.00 | 0.69 | 1.73 | 1.32 | 1.26 | 2.61 | 4.24 | 1.61 | 3.28 | 1.53 | 3.40 | 3.11 |
| 15 | 2.54 | 1.37 | 2.56 | 1.59 | 2.24 | 1.92 | 6.00 | 1.33 | 1.35 | 1.03 | 3.15 | 2.36 |
| 16 | 1.37 | 2.94 | 2.07 | 1.87 | 2.62 | 2.57 | 2.94 | 1.20 | 2.00 | 2.14 | 3.85 | 1.70 |
| 17 | 2.33 | 2.00 | 2.43 | 3.05 | 1.94 | 0.75 | 4.85 | 1.48 | 2.85 | 3.63 | 2.69 | 0.84 |
| 18 | 3.68 | 1.66 | 1.42 | 2.71 | 1.52 | 4.01 | 2.46 | 2.18 | 3.58 | 2.20 | 6.26 | 1.03 |
| 19 | 1.68 | 3.69 | 2.00 | 1.50 | 1.70 | 2.89 | 2.59 | 3.64 | 3.44 | 2.28 | 3.13 | 2.03 |
| 20 | 1.67 | 1.42 | 1.89 | 1.53 | 3.03 | 1.40 | 4.70 | 5.06 | 2.13 | 1.00 | 3.27 | 2.24 |
| 21 | 1.98 | 1.46 | 1.08 | 0.98 | 5.54 | 2.69 | 2.97 | 2.51 | 1.49 | 3.58 | 3.50 | 2.41 |
| 22 | 3.08 | 1.84 | 1.62 | 0.99 | 2.49 | 2.07 | 1.66 | 2.47 | 3.69 | 4.01 | 1.75 | 2.45 |
| 23 | 2.01 | 0.65 | 1.11 | 2.10 | 2.99 | 1.22 | 1.55 | 2.67 | 2.84 | 3.27 | 2.68 | 2.82 |
| 24 | 2.16 | 4.27 | 1.52 | 1.24 | 1.51 | 2.16 | 1.02 | 1.87 | 3.85 | 3.05 | 2.81 | 2.59 |
| 25 | 2.77 | 2.64 | 2.57 | 2.81 | 1.78 | 0.57 | 1.57 | 1.70 | 2.40 | 3.51 | 1.75 | 1.25 |
| 26 | 2.89 | 3.37 | 1.31 | 1.71 | 3.56 | 1.13 | 3.49 | 2.48 | 1.30 | 3.46 | 2.04 | 2.26 |
| 27 | 1.87 | 3.66 | 1.29 | 2.27 | 2.71 | 1.39 | 2.15 | 2.78 | 1.41 | 3.64 | 2.20 | 3.67 |
| 28 | 4.67 | 3.23 | 0.92 | 0.94 | 1.35 | 0.90 | 3.27 | 4.21 | 1.02 | 1.42 | 2.94 | 2.14 |
| 29 | 3.35 | 0.92 | 1.11 | 1.95 | 3.16 | 1.91 | 1.86 | 3.91 | 1.38 | 3.85 | 1.96 | 3.50 |
| 30 | 2.40 | - | 1.36 | 1.45 | 1.08 | 1.44 | 1.23 | 2.36 | 2.93 | 2.24 | 1.38 | 5.27 |
| 31 | 4.10 | - | 2.60 | - | 1.99 | - | 1.97 | 1.73 | - | 3.83 | - | 1.79 |

TABLE IVa Contd. 35-Year Totals of Daily Rainfall, 1916-1950 (in inches)

Nottingham

| Day | Jan | Feb | Mar | Apr | May | June | Jly | Aug | Sep | Oct | Nov | Dec |
|-----|------|------|------|------|------|------|------|------|------|------|------|------|
| 1 | 3.95 | 1.89 | 1.41 | 3.03 | 1.49 | 1.84 | 1.24 | 1.91 | 2.53 | 1.31 | 3.85 | 2.05 |
| 2 | 2.28 | 2.68 | 1.57 | 3.29 | 1.53 | 2.24 | 2.11 | 3.23 | 2.19 | 1.11 | 2.46 | 2.66 |
| 3 | 2.90 | 2.97 | 0.87 | 2.90 | 2.03 | 1.76 | 2.81 | 2.33 | 3.47 | 3.27 | 2.18 | 1.53 |
| 4 | 1.43 | 1.34 | 3.24 | 3.14 | 1.76 | 1.46 | 1.71 | 2.76 | 1.59 | 1.98 | 1.70 | 3.96 |
| 5 | 2.01 | 2.41 | 1.70 | 1.91 | 3.15 | 2.75 | 2.28 | 3.39 | 1.27 | 2.07 | 2.76 | 1.71 |
| 6 | 2.29 | 2.35 | 0.89 | 1.72 | 2.58 | 2.25 | 3.03 | 3.98 | 2.93 | 1.86 | 2.59 | 1.80 |
| 7 | 2.61 | 2.34 | 2.24 | 2.33 | 1.19 | 1.24 | 3.87 | 3.35 | 0.72 | 2.31 | 2.94 | 2.21 |
| 8 | 1.69 | 1.89 | 0.95 | 2.36 | 1.39 | 1.26 | 1.60 | 2.96 | 2.25 | 3.08 | 2.48 | 2.22 |
| 9 | 3.55 | 3.49 | 1.83 | 2.38 | 1.84 | 1.66 | 3.44 | 3.17 | 1.54 | 3.68 | 2.45 | 1.81 |
| 10 | 2.86 | 1.49 | 1.64 | 1.75 | 2.58 | 1.01 | 4.21 | 2.31 | 1.84 | 2.78 | 2.13 | 1.31 |
| 11 | 2.80 | 1.85 | 2.38 | 1.74 | 2.19 | 0.80 | 1.18 | 1.95 | 1.18 | 1.44 | 4.17 | 1.97 |
| 12 | 2.62 | 2.57 | 2.50 | 1.25 | 2.10 | 1.86 | 3.33 | 1.87 | 3.77 | 2.17 | 1.62 | 0.69 |
| 13 | 1.68 | 1.03 | 0.92 | 2.09 | 0.92 | 3.36 | 3.19 | 0.63 | 1.60 | 1.08 | 2.46 | 1.96 |
| 14 | 3.14 | 0.96 | 1.59 | 1.41 | 1.29 | 3.02 | 4.74 | 2.88 | 5.58 | 1.30 | 3.04 | 3.17 |
| 15 | 2.68 | 1.65 | 2.31 | 1.99 | 2.13 | 1.25 | 6.30 | 1.54 | 1.30 | 1.27 | 2.60 | 1.75 |
| 16 | 1.28 | 3.21 | 2.26 | 2.27 | 2.24 | 1.72 | 2.80 | 1.62 | 1.51 | 2.82 | 3.86 | 1.35 |
| 17 | 1.69 | 1.96 | 2.63 | 2.81 | 2.56 | 0.90 | 3.42 | 2.22 | 3.55 | 3.98 | 2.32 | 0.80 |
| 18 | 3.12 | 1.60 | 0.69 | 1.79 | 2.86 | 3.07 | 2.36 | 1.46 | 2.10 | 2.01 | 5.32 | 1.30 |
| 19 | 2.35 | 3.10 | 2.31 | 2.06 | 1.55 | 2.18 | 3.15 | 4.97 | 3.26 | 2.43 | 3.03 | 2.09 |
| 20 | 1.94 | 1.76 | 1.64 | 1.65 | 3.03 | 1.22 | 2.51 | 3.53 | 2.81 | 2.01 | 2.70 | 1.63 |
| 21 | 2.48 | 1.54 | 1.70 | 0.97 | 4.12 | 2.13 | 2.38 | 3.33 | 1.45 | 2.24 | 3.66 | 2.46 |
| 22 | 2.54 | 1.74 | 1.73 | 1.22 | 2.75 | 1.64 | 3.50 | 1.76 | 3.69 | 3.54 | 2.15 | 2.34 |
| 23 | 2.13 | 0.78 | 1.04 | 2.33 | 3.79 | 1.15 | 1.92 | 3.19 | 2.91 | 4.45 | 2.29 | 2.48 |
| 24 | 1.77 | 3.42 | 1.26 | 1.42 | 1.51 | 1.02 | 2.64 | 2.86 | 3.75 | 2.96 | 1.87 | 1.82 |
| 25 | 2.95 | 2.53 | 1.80 | 3.15 | 1.92 | 0.86 | 1.73 | 2.08 | 1.38 | 3.29 | 1.64 | 2.07 |
| 26 | 2.96 | 2.08 | 1.04 | 2.42 | 2.98 | 1.45 | 3.43 | 1.98 | 1.66 | 3.26 | 1.48 | 2.78 |
| 27 | 2.57 | 3.38 | 1.28 | 2.50 | 1.82 | 1.19 | 2.51 | 3.15 | 2.35 | 2.88 | 3.15 | 3.90 |
| 28 | 3.84 | 2.32 | 1.11 | 1.29 | 1.43 | 0.90 | 3.06 | 4.19 | 1.16 | 1.49 | 3.78 | 3.12 |
| 29 | 3.22 | 0.91 | 1.38 | 1.73 | 4.74 | 1.43 | 2.02 | 3.39 | 1.70 | 3.84 | 1.97 | 2.97 |
| 30 | 2.18 | - | 1.28 | 0.95 | 1.48 | 2.33 | 2.03 | 2.36 | 2.09 | 1.89 | 1.55 | 5.34 |
| 31 | 3.35 | - | 1.93 | - | 2.07 | - | 2.93 | 1.80 | - | 3.77 | - | 2.29 |

TABLE IVa Contd. 35-Year Totals of Daily Rainfall, 1916-1950 (in inches)

Longton, The Meir

| Day | Jan | Feb | Mar | Apr | May | June | Jly | Aug | Sep | Oct | Nov | Dec |
|-----|------|------|------|------|------|------|------|------|------|------|------|------|
| 1 | 5.13 | 3.89 | 2.16 | 3.53 | 1.34 | 2.19 | 1.76 | 4.54 | 5.08 | 1.66 | 5.77 | 3.60 |
| 2 | 3.73 | 4.18 | 1.33 | 3.76 | 1.16 | 2.71 | 2.28 | 3.54 | 2.79 | 1.89 | 3.29 | 4.22 |
| 3 | 3.65 | 2.95 | 1.98 | 2.12 | 2.05 | 3.62 | 3.20 | 2.86 | 5.34 | 4.74 | 2.40 | 3.40 |
| 4 | 2.40 | 2.56 | 3.22 | 2.41 | 2.42 | 2.30 | 3.59 | 2.52 | 4.63 | 3.15 | 2.38 | 5.42 |
| 5 | 3.75 | 3.73 | 2.32 | 2.56 | 5.01 | 2.96 | 3.65 | 4.72 | 2.98 | 4.18 | 3.98 | 4.13 |
| 6 | 3.73 | 3.88 | 2.16 | 2.68 | 2.19 | 3.28 | 3.71 | 3.40 | 2.73 | 3.46 | 4.10 | 2.83 |
| 7 | 3.79 | 5.78 | 2.86 | 2.70 | 1.35 | 2.91 | 3.04 | 5.77 | 1.90 | 3.84 | 4.12 | 4.12 |
| 8 | 2.81 | 3.15 | 1.88 | 2.37 | 1.75 | 1.57 | 3.03 | 3.44 | 1.92 | 5.05 | 3.17 | 2.30 |
| 9 | 4.34 | 3.77 | 1.32 | 1.95 | 1.83 | 2.37 | 4.90 | 4.98 | 1.80 | 4.93 | 3.55 | 2.03 |
| 10 | 4.00 | 2.06 | 2.30 | 1.86 | 2.75 | 1.53 | 4.24 | 3.30 | 1.62 | 5.05 | 3.36 | 3.17 |
| 11 | 4.29 | 3.68 | 1.81 | 2.47 | 2.32 | 1.34 | 3.18 | 4.16 | 1.34 | 2.08 | 6.26 | 3.03 |
| 12 | 3.85 | 3.21 | 1.85 | 3.17 | 3.36 | 4.13 | 5.74 | 4.84 | 5.41 | 2.38 | 3.44 | 0.92 |
| 13 | 2.52 | 1.21 | 1.77 | 3.16 | 1.47 | 2.00 | 3.86 | 2.90 | 4.18 | 2.31 | 4.47 | 2.81 |
| 14 | 3.78 | 2.28 | 2.20 | 2.30 | 2.17 | 4.68 | 3.58 | 3.68 | 3.35 | 2.13 | 4.41 | 3.74 |
| 15 | 3.89 | 2.55 | 1.77 | 2.45 | 3.16 | 2.23 | 6.81 | 2.35 | 1.95 | 2.05 | 2.47 | 3.43 |
| 16 | 2.51 | 2.36 | 2.81 | 4.25 | 2.22 | 3.71 | 2.97 | 2.61 | 2.87 | 3.87 | 5.67 | 2.29 |
| 17 | 3.19 | 2.12 | 2.87 | 3.73 | 3.52 | 1.50 | 3.48 | 3.30 | 4.19 | 4.43 | 4.98 | 1.72 |
| 18 | 5.44 | 2.31 | 1.46 | 3.08 | 3.21 | 4.17 | 4.45 | 3.47 | 3.00 | 2.70 | 5.88 | 2.67 |
| 19 | 2.79 | 4.15 | 2.57 | 2.40 | 2.09 | 2.80 | 4.34 | 2.95 | 4.45 | 3.25 | 3.99 | 2.34 |
| 20 | 2.63 | 2.24 | 2.48 | 1.87 | 2.31 | 1.73 | 3.66 | 5.52 | 4.07 | 2.92 | 3.40 | 3.31 |
| 21 | 5.48 | 2.00 | 1.97 | 1.28 | 2.34 | 3.13 | 4.62 | 4.07 | 2.64 | 3.97 | 4.22 | 3.58 |
| 22 | 4.11 | 2.55 | 3.37 | 1.17 | 2.75 | 2.70 | 3.64 | 3.09 | 3.94 | 4.54 | 3.60 | 3.91 |
| 23 | 2.30 | 1.27 | 2.14 | 3.35 | 4.64 | 1.51 | 3.16 | 3.96 | 3.62 | 4.39 | 3.14 | 3.96 |
| 24 | 2.06 | 4.09 | 2.09 | 1.29 | 1.91 | 1.57 | 2.44 | 3.13 | 3.74 | 4.96 | 3.52 | 2.36 |
| 25 | 3.14 | 2.88 | 2.29 | 3.18 | 4.51 | 1.42 | 3.12 | 2.86 | 1.93 | 4.78 | 3.46 | 2.75 |
| 26 | 2.76 | 4.14 | 2.26 | 2.00 | 3.12 | 2.17 | 3.27 | 2.40 | 2.47 | 3.32 | 3.37 | 3.79 |
| 27 | 2.65 | 4.39 | 1.80 | 2.62 | 3.80 | 2.86 | 3.59 | 5.31 | 2.64 | 3.37 | 4.91 | 4.07 |
| 28 | 5.01 | 2.39 | 2.02 | 1.08 | 2.00 | 1.72 | 4.03 | 4.84 | 1.27 | 2.90 | 3.77 | 4.80 |
| 29 | 4.20 | 0.73 | 2.34 | 2.10 | 4.16 | 2.36 | 4.04 | 4.28 | 1.95 | 5.62 | 2.10 | 4.75 |
| 30 | 3.04 | - | 2.04 | 1.97 | 1.73 | 3.03 | 2.72 | 3.00 | 3.98 | 3.33 | 2.32 | 5.83 |
| 31 | 5.19 | - | 2.67 | - | 3.16 | - | 2.64 | 2.17 | - | 4.67 | - | 4.32 |

TABLE IVa 35-Year Totals of Daily Rainfall, 1916-1950 (in inches)

Edgbaston

| Day | Jan | Feb | Mar | Apr | May | June | Jly | Aug | Sep | Oct | Nov | Dec |
|-----|------|------|------|------|------|------|------|------|------|------|------|------|
| 1 | 4.35 | 3.32 | 1.71 | 3.19 | 3.28 | 2.80 | 1.97 | 3.57 | 3.07 | 1.23 | 4.76 | 3.08 |
| 2 | 2.12 | 4.09 | 1.27 | 4.02 | 2.42 | 2.15 | 3.43 | 3.45 | 3.36 | 1.75 | 3.56 | 1.99 |
| 3 | 3.31 | 3.66 | 1.48 | 2.75 | 2.06 | 1.69 | 2.27 | 2.75 | 4.99 | 3.67 | 2.52 | 1.68 |
| 4 | 1.92 | 1.38 | 3.53 | 3.53 | 2.57 | 1.38 | 2.60 | 2.03 | 2.33 | 2.31 | 4.13 | 4.49 |
| 5 | 2.63 | 3.53 | 2.48 | 3.76 | 4.70 | 2.81 | 3.61 | 2.82 | 2.30 | 3.80 | 4.43 | 2.13 |
| 6 | 2.79 | 2.20 | 1.45 | 2.50 | 3.17 | 2.90 | 2.46 | 4.17 | 2.73 | 2.88 | 4.77 | 2.44 |
| 7 | 2.33 | 3.85 | 1.93 | 2.18 | 1.90 | 1.59 | 2.34 | 3.98 | 1.93 | 2.53 | 2.47 | 3.36 |
| 8 | 2.92 | 2.48 | 0.87 | 2.28 | 2.45 | 1.77 | 2.90 | 4.34 | 2.32 | 5.61 | 3.19 | 2.43 |
| 9 | 3.17 | 3.31 | 1.56 | 2.07 | 1.83 | 3.16 | 2.68 | 4.20 | 1.96 | 3.74 | 3.59 | 2.95 |
| 10 | 3.86 | 1.94 | 2.46 | 1.89 | 3.13 | 2.37 | 2.58 | 3.57 | 1.21 | 3.75 | 2.95 | 2.16 |
| 11 | 4.44 | 2.11 | 1.61 | 1.87 | 2.50 | 1.70 | 2.43 | 2.63 | 1.44 | 1.51 | 4.94 | 3.02 |
| 12 | 3.31 | 3.09 | 1.80 | 2.19 | 2.54 | 3.12 | 3.44 | 3.15 | 4.37 | 1.77 | 2.15 | 1.17 |
| 13 | 1.98 | 1.22 | 2.00 | 3.75 | 0.80 | 2.47 | 3.85 | 1.85 | 2.17 | 1.36 | 3.45 | 3.22 |
| 14 | 3.98 | 1.65 | 2.87 | 2.32 | 2.70 | 3.45 | 4.75 | 3.05 | 4.29 | 1.57 | 4.26 | 3.43 |
| 15 | 3.58 | 1.65 | 2.09 | 2.37 | 3.34 | 1.66 | 5.64 | 1.88 | 1.50 | 2.05 | 2.69 | 2.41 |
| 16 | 2.06 | 2.74 | 3.18 | 3.33 | 1.88 | 2.02 | 1.94 | 1.76 | 2.50 | 3.35 | 4.48 | 2.57 |
| 17 | 2.48 | 2.59 | 2.18 | 2.13 | 2.78 | 1.78 | 4.10 | 2.33 | 3.99 | 4.23 | 3.05 | 1.43 |
| 18 | 4.61 | 2.04 | 1.46 | 1.94 | 2.99 | 3.18 | 2.75 | 2.01 | 3.71 | 2.25 | 6.22 | 2.03 |
| 19 | 2.68 | 2.83 | 3.26 | 2.69 | 2.19 | 1.99 | 4.77 | 2.94 | 4.63 | 3.78 | 4.35 | 2.63 |
| 20 | 2.40 | 2.20 | 2.03 | 2.46 | 3.44 | 0.96 | 2.60 | 4.89 | 3.69 | 2.67 | 4.12 | 1.83 |
| 21 | 3.02 | 1.84 | 1.72 | 1.71 | 3.95 | 2.72 | 4.09 | 3.00 | 4.98 | 3.31 | 4.26 | 3.80 |
| 22 | 3.73 | 2.97 | 2.00 | 1.00 | 2.42 | 1.70 | 4.33 | 3.12 | 3.24 | 5.01 | 2.42 | 3.84 |
| 23 | 2.43 | 1.04 | 2.12 | 2.20 | 3.70 | 1.21 | 3.54 | 3.54 | 3.98 | 4.26 | 3.46 | 3.58 |
| 24 | 2.27 | 3.24 | 1.69 | 1.18 | 2.20 | 2.02 | 1.11 | 1.43 | 3.25 | 4.56 | 3.41 | 2.88 |
| 25 | 3.54 | 2.78 | 2.05 | 4.25 | 2.71 | 1.56 | 2.62 | 2.19 | 2.47 | 4.28 | 2.25 | 2.35 |
| 26 | 4.17 | 3.46 | 1.79 | 2.68 | 3.17 | 1.73 | 2.61 | 1.87 | 1.14 | 4.04 | 2.78 | 3.41 |
| 27 | 2.78 | 3.08 | 1.73 | 3.93 | 3.94 | 1.52 | 2.43 | 4.18 | 1.35 | 3.06 | 2.90 | 4.15 |
| 28 | 5.23 | 2.87 | 1.36 | 2.03 | 3.42 | 1.82 | 3.16 | 4.55 | 0.88 | 1.63 | 3.57 | 3.37 |
| 29 | 3.26 | 0.67 | 2.72 | 2.39 | 3.96 | 1.71 | 3.01 | 4.30 | 2.24 | 4.19 | 2.13 | 3.32 |
| 30 | 2.96 | - | 1.57 | 2.21 | 1.17 | 3.06 | 2.92 | 2.35 | 3.70 | 2.87 | 2.81 | 6.91 |
| 31 | 5.51 | - | 2.48 | - | 3.16 | - | 2.91 | 1.28 | - | 4.23 | - | 3.47 |

Table IVb Rainfall totals in inches, divided by 35, thus giving
35-year means ranging from 'trace' to .70 in., for use
with table IVa.

| Totals in inches <i>x</i> | 35 yr means <i>X/35</i> | | Totals in inches <i>x</i> | 35 yr means <i>X/35</i> |
|------------------------------|----------------------------|---------|------------------------------|----------------------------|
| | | 'trace' | | |
| .18 | .17 | | 12.43 | .36 |
| .53 | .52 | .01 | 12.78 | .37 |
| .88 | .87 | .02 | 13.13 | .38 |
| 1.23 | 1.22 | .03 | 13.48 | .39 |
| 1.58 | 1.57 | .04 | 13.83 | .40 |
| 1.93 | 1.92 | .05 | 14.18 | .41 |
| 2.28 | 2.27 | .06 | 14.53 | .42 |
| 2.63 | 2.62 | .07 | 14.88 | .43 |
| 2.98 | 2.97 | .08 | 15.23 | .44 |
| 3.33 | 3.32 | .09 | 15.58 | .45 |
| 3.68 | 3.67 | .10 | 15.93 | .46 |
| 4.03 | 4.02 | .11 | 16.28 | .47 |
| 4.38 | 4.37 | .12 | 16.63 | .48 |
| 4.73 | 4.72 | .13 | 16.98 | .49 |
| 5.08 | 5.07 | .14 | 17.33 | .50 |
| 5.43 | 5.42 | .15 | 17.68 | .51 |
| 5.78 | 5.77 | .16 | 18.03 | .52 |
| 6.13 | 6.12 | .17 | 18.38 | .53 |
| 6.48 | 6.47 | .18 | 18.73 | .54 |
| 6.83 | 6.82 | .19 | 19.08 | .55 |
| 7.18 | 7.17 | .20 | 19.43 | .56 |
| 7.53 | 7.52 | .21 | 19.78 | .57 |
| 7.88 | 7.87 | .22 | 20.13 | .58 |
| 8.23 | 8.22 | .23 | 20.48 | .59 |
| 8.58 | 8.57 | .24 | 20.83 | .60 |
| 8.93 | 8.92 | .25 | 21.18 | .61 |
| 9.28 | 9.27 | .26 | 21.53 | .62 |
| 9.63 | 9.62 | .27 | 21.88 | .63 |
| 9.98 | 9.97 | .28 | 22.23 | .64 |
| 10.33 | 10.32 | .29 | 22.58 | .65 |
| 10.68 | 10.67 | .30 | 22.93 | .66 |
| 11.03 | 11.02 | .31 | 23.28 | .67 |
| 11.38 | 11.37 | .32 | 23.63 | .68 |
| 11.73 | 11.72 | .33 | 23.98 | .69 |
| 12.08 | 12.07 | .34 | 24.33 | .70 |
| | 12.42 | .35 | | |

TABLE V. Accumulated Frequencies of Daily Rainfall Amounts 1916-1950

Swineshaw

| Daily Totals (in inches) | Jan | Feb | Mar | Apr | May | June | Jly | Aug | Sep | Oct | Nov | Dec | All months |
|-----------------------------|------|-----|------|------|------|------|------|------|------|------|------|------|---------------|
| 4.50 | | | | | 1 | | | | | | | | 1 |
| 4.10 | | | | | 1 | 1 | | | | | | | 2 |
| 2.50 | | | | | 1 | 1 | | | | | | | 2 |
| 2.40 | | | | | 1 | 1 | | | | | | | 3 |
| 2.30 | | | | | 1 | 1 | 1 | | | | | | 4 |
| 2.20 | | | | | 1 | 1 | 1 | | | | | | 4 |
| 2.10 | | | | | 1 | 1 | 1 | | | | | | 4 |
| 2.00 | | | | 1 | 1 | 2 | 1 | 1 | | | | | 7 |
| 1.90 | | | 1 | | 1 | 2 | 3 | 1 | | | | | 9 |
| 1.80 | | | 1 | | 1 | 2 | 3 | 1 | | | | | 10 |
| 1.70 | | | 1 | | 1 | 3 | 4 | 1 | | | | | 13 |
| 1.60 | 2 | | 1 | | 1 | 3 | 4 | 1 | | | | | 16 |
| 1.50 | 5 | 3 | 2 | 1 | 2 | 3 | 4 | 2 | 3 | 2 | 5 | | 32 |
| 1.40 | 6 | 5 | 4 | 1 | 2 | 3 | 5 | 3 | 5 | 5 | 7 | 1 | 46 |
| 1.30 | 6 | 6 | 4 | 1 | 2 | 3 | 5 | 5 | 5 | 7 | 8 | 1 | 53 |
| 1.20 | 6 | 8 | 5 | 2 | 4 | 5 | 5 | 6 | 7 | 11 | 11 | 1 | 71 |
| 1.10 | 9 | 12 | 7 | 2 | 4 | 7 | 7 | 7 | 8 | 14 | 14 | 3 | 94 |
| 1.00 | 16 | 14 | 8 | 3 | 7 | 8 | 11 | 9 | 12 | 18 | 17 | 6 | 129 |
| 0.90 | 21 | 21 | 8 | 5 | 12 | 10 | 16 | 13 | 18 | 21 | 22 | | 175 |
| 0.80 | 33 | 26 | 10 | 9 | 19 | 17 | 24 | 19 | 26 | 25 | 34 | 13 | 255 |
| 0.70 | 47 | 34 | 17 | 13 | 27 | 26 | 34 | 30 | 31 | 41 | 42 | 26 | 368 |
| 0.60 | 71 | 48 | 26 | 23 | 37 | 34 | 60 | 45 | 38 | 62 | 65 | 46 | 558 |
| 0.50 | 96 | 73 | 40 | 37 | 55 | 49 | 82 | 69 | 64 | 95 | 89 | 70 | 814 |
| 0.40 | 124 | 102 | 59 | 63 | 74 | 73 | 114 | 118 | 99 | 121 | 121 | 114 | 1182 |
| 0.30 | 181 | 147 | 103 | 109 | 101 | 121 | 166 | 163 | 148 | 170 | 183 | 162 | 1754 |
| 0.20 | 280 | 219 | 175 | 194 | 163 | 174 | 241 | 239 | 214 | 262 | 269 | 247 | 2677 |
| 0.10 | 432 | 339 | 277 | 312 | 272 | 279 | 355 | 362 | 319 | 402 | 408 | 417 | 4174 |
| 0.005 | 704 | 561 | 552 | 545 | 493 | 516 | 579 | 604 | 577 | 656 | 688 | 704 | 7179 |
| * 0.004 | 381 | 428 | 533 | 505 | 592 | 534 | 506 | 481 | 473 | 429 | 362 | 381 | 5605 |
| Total No: of days | 1085 | 989 | 1085 | 1050 | 1085 | 1050 | 1085 | 1085 | 1050 | 1085 | 1050 | 1085 | 12784 |

* Including Rainless days.

TABLE V. Contd. Accumulated Frequencies of Daily Rainfall Amounts 1916-1950

Worksop

| Daily Totals (in inches) | Jan | Feb | Mar | Apr | May | June | Jly | Aug | Sep | Oct | Nov | Dec | All Months |
|-----------------------------|------|-----|------|------|------|------|------|------|------|------|------|------|---------------|
| 3.00 | | | | | | | | 1 | | | | | 1 |
| 2.60 | | | | | | | | 1 | | | | | 2 |
| 2.50 | | | | | | | | 1 | | | | | 2 |
| 2.40 | | | | | | | | 1 | | | | | 2 |
| 2.30 | | | | | | | | 1 | | | | | 2 |
| 2.20 | | | | | | | | 1 | | | | | 2 |
| 2.10 | | | | | | | | 1 | | | | | 2 |
| 2.00 | | | | | | | | 1 | | | | | 3 |
| 1.90 | | | | | | | | 2 | | | | | 5 |
| 1.80 | | | | | | | | 2 | | | | | 5 |
| 1.70 | | 1 | | | | | | 2 | | | | | 6 |
| 1.60 | | 1 | | | | | | 3 | 4 | | | | 12 |
| 1.50 | | 1 | | | | | | 3 | 4 | | | | 13 |
| 1.40 | | 1 | | | | | | 3 | 4 | 1 | | | 13 |
| 1.30 | | 1 | | | | | | 3 | 4 | 1 | | | 13 |
| 1.20 | | 1 | | | | | | 5 | 5 | 1 | | | 23 |
| 1.10 | 1 | 2 | 1 | 1 | 1 | 3 | 3 | 6 | 7 | 3 | 3 | 1 | 30 |
| 1.00 | 4 | 3 | 1 | 1 | 2 | 4 | 10 | 8 | 4 | 6 | 1 | 3 | 47 |
| 0.90 | 4 | 5 | 6 | 1 | 4 | 8 | 11 | 14 | 6 | 10 | 5 | 3 | 77 |
| 0.80 | 7 | 6 | 8 | 1 | 7 | 12 | 15 | 18 | 9 | 14 | 9 | 4 | 110 |
| 0.70 | 10 | 8 | 11 | 2 | 9 | 13 | 20 | 24 | 19 | 20 | 12 | 6 | 154 |
| 0.60 | 12 | 15 | 17 | 4 | 20 | 16 | 25 | 29 | 26 | 27 | 20 | 12 | 223 |
| 0.50 | 23 | 19 | 18 | 13 | 31 | 20 | 36 | 38 | 37 | 41 | 27 | 19 | 322 |
| 0.40 | 38 | 32 | 29 | 30 | 41 | 30 | 54 | 59 | 50 | 52 | 45 | 35 | 505 |
| 0.30 | 73 | 57 | 48 | 54 | 72 | 57 | 89 | 86 | 75 | 70 | 88 | 62 | 831 |
| 0.20 | 125 | 112 | 86 | 96 | 105 | 97 | 141 | 115 | 113 | 120 | 148 | 123 | 1381 |
| 0.10 | 239 | 193 | 162 | 210 | 190 | 182 | 235 | 201 | 191 | 234 | 252 | 232 | 2521 |
| 0.005 | 554 | 459 | 408 | 491 | 421 | 401 | 460 | 453 | 423 | 514 | 561 | 542 | 5687 |
| 0.004 | 531 | 530 | 677 | 559 | 664 | 649 | 625 | 632 | 627 | 571 | 489 | 543 | 7097 |
| Total No: of days | 1085 | 989 | 1085 | 1050 | 1085 | 1050 | 1085 | 1085 | 1050 | 1085 | 1050 | 1085 | 12784 |

* Including rainless days.

TABLE V Contd. Accumulated Frequencies of Daily Rainfall Amounts 1916-1950

Nottingham, The Castle

| Daily Totals (in inches) | Jan | Feb | Mar | Apr | May | June | Jly | Aug | Sep | Oct | Nov | Dec | All Months |
|-----------------------------|------|-----|------|------|------|------|-----|------|------|------|------|------|---------------|
| 2.60 | | | | | | | | 1 | | | | | 1 |
| 2.30 | | | | | | | | 1 | | | | | 1 |
| 2.20 | | | | | | | | 1 | | | | | 1 |
| 2.10 | | | | | | | | 1 | | | | | 1 |
| 2.00 | | | | | | | | 1 | | | | | 2 |
| 1.90 | | | | | | | | 2 | | | | | 3 |
| 1.80 | | | | | | | | 2 | | | | | 3 |
| 1.70 | | | | | | | | 2 | | | | | 3 |
| 1.60 | | | | | | | | 1 | 2 | | | | 4 |
| 1.50 | | | | | | | | 1 | 2 | 1 | | | 5 |
| 1.40 | | | | | | | | 1 | 2 | 2 | | 1 | 7 |
| 1.30 | | | | | | | | 2 | 2 | 1 | | 1 | 9 |
| 1.20 | | | 1 | | | | | 6 | 4 | 3 | | 1 | 19 |
| 1.10 | | | 1 | | 3 | | | 8 | 4 | 4 | 3 | 2 | 26 |
| 1.00 | | | 2 | | 4 | 1 | | 10 | 4 | 4 | 4 | 2 | 32 |
| 0.90 | 1 | 1 | 4 | | 4 | 2 | | 14 | 7 | 9 | 12 | 3 | 58 |
| 0.80 | 1 | 5 | 4 | 1 | 5 | 3 | | 16 | 8 | 13 | 14 | 6 | 80 |
| 0.70 | 8 | 6 | 5 | 3 | 11 | 5 | | 25 | 13 | 17 | 20 | 10 | 128 |
| 0.60 | 20 | 10 | 9 | 7 | 18 | 6 | | 29 | 25 | 19 | 24 | 14 | 191 |
| 0.50 | 28 | 14 | 14 | 15 | 25 | 11 | | 39 | 36 | 31 | 37 | 25 | 283 |
| 0.40 | 46 | 23 | 25 | 26 | 39 | 26 | | 60 | 58 | 43 | 54 | 47 | 479 |
| 0.30 | 80 | 57 | 42 | 50 | 75 | 54 | | 88 | 86 | 74 | 76 | 78 | 679 |
| 0.20 | 139 | 106 | 77 | 103 | 124 | 83 | | 151 | 133 | 113 | 111 | 144 | 1411 |
| 0.10 | 242 | 206 | 155 | 217 | 197 | 174 | | 244 | 227 | 186 | 216 | 262 | 2555 |
| 0.005 | 622 | 498 | 461 | 499 | 454 | 403 | | 482 | 474 | 460 | 533 | 557 | 6031 |
| 0.0004 | 463 | 491 | 624 | 551 | 631 | 647 | | 603 | 611 | 590 | 552 | 493 | 497 |
| Total No: of Days | 1085 | 989 | 1085 | 1050 | 1085 | 1050 | | 1085 | 1085 | 1050 | 1085 | 1050 | 12784 |

* Including rainless days.

TABLE V Contd. Accumulated Frequencies of Daily Rainfall Amount 1916-1959

Longton, The Meir

| Daily Totals (in inches) | Jan | Feb | Mar | Apr | May | June | Jly | Aug | Sep | Oct | Nov | Dec | All Months |
|-----------------------------|------|-----|------|------|------|------|------|------|------|------|------|------|---------------|
| 2.50 | | | | | | | | | | 1 | | | 1 |
| 2.40 | | | | | | | | | | 1 | | | 1 |
| 2.30 | | | | | | | | | | 1 | | | 2 |
| 2.20 | | | | | | | | | | 1 | | | 4 |
| 2.10 | | | | | | | | | | 1 | | | 5 |
| 2.00 | | 1 | | | | | | | | 1 | | | 6 |
| 1.90 | | 2 | | | | | | | | 1 | | | 8 |
| 1.80 | | 2 | | | | | | | | 1 | | | 13 |
| 1.70 | | 2 | | | | | | | | 2 | | | 16 |
| 1.60 | | 2 | | | | | | | | 1 | | | 24 |
| 1.50 | | 2 | | | 1 | | 2 | 2 | | 1 | | | 31 |
| 1.40 | | 3 | | | 1 | 1 | 2 | 3 | 1 | 2 | | | 43 |
| 1.30 | 1 | 3 | | | 1 | 3 | 5 | 3 | 1 | 3 | | | 58 |
| 1.20 | 1 | 3 | 1 | 1 | 3 | 3 | 5 | 5 | 2 | 4 | | | 86 |
| 1.10 | 3 | 3 | 1 | 1 | 3 | 3 | 7 | 5 | 5 | 6 | | | 130 |
| 1.00 | 4 | 5 | 1 | 1 | 4 | 3 | 10 | 6 | 6 | 9 | | | 190 |
| 0.90 | 5 | 6 | 1 | 2 | 7 | 7 | 13 | 12 | 8 | 14 | | | 306 |
| 0.80 | 7 | 11 | 2 | 3 | 8 | 8 | 19 | 18 | 15 | 18 | | | 464 |
| 0.70 | 14 | 12 | 6 | 3 | 12 | 13 | 27 | 23 | 21 | 27 | | | 774 |
| 0.60 | 30 | 19 | 9 | 11 | 19 | 17 | 38 | 40 | 32 | 38 | | | 1138 |
| 0.50 | 50 | 27 | 17 | 21 | 34 | 29 | 56 | 63 | 39 | 49 | | | 2049 |
| 0.40 | 79 | 54 | 33 | 36 | 55 | 44 | 87 | 88 | 66 | 77 | | | 345 |
| 0.30 | 132 | 92 | 59 | 72 | 89 | 76 | 123 | 139 | 87 | 126 | | | 3468 |
| 0.20 | 201 | 154 | 121 | 139 | 148 | 128 | 188 | 194 | 163 | 201 | | | 672 |
| 0.10 | 343 | 257 | 240 | 249 | 237 | 244 | 318 | 312 | 271 | 312 | | | 6770 |
| 0.005 | 680 | 531 | 514 | 528 | 479 | 484 | 566 | 576 | 521 | 599 | 620 | | 12784 |
| 0.004 | 405 | 458 | 571 | 522 | 606 | 566 | 519 | 509 | 529 | 486 | 430 | 413 | 6014 |
| Total No: of days | 1085 | 989 | 1085 | 1050 | 1085 | 1050 | 1085 | 1085 | 1050 | 1085 | 1050 | 1085 | |

* Including rainless days.

TABLE V Contd. Accumulated Frequencies of Daily Rainfall Amounts 1916-1950

Edgbaston

| Daily Totals (in inches) | Jan | Feb | Mar | Apr | May | June | Jly | Aug | Sep | Oct | Nov | Dec | All Months |
|-----------------------------|------|-----|------|------|------|------|------|------|------|------|------|------|------------|
| 2.5 | | | | | | | | 1 | | | | | 1 |
| 2.4 | | | | | | | | 1 | | | | | 1 |
| 2.3 | | | | | | | | 1 | | | | | 1 |
| 2.2 | | | | | | | | 1 | | | | | 1 |
| 2.1 | | | | | | | | 1 | | | | | 1 |
| 2.0 | | | | | | | | 1 | | | | | 1 |
| 1.9 | | | | | | | | 1 | | | | | 1 |
| 1.8 | | | | | | | | 1 | | | | | 2 |
| 1.7 | | | | | | | | 1 | | | | | 2 |
| 1.6 | | | | | | | | 1 | | | | | 5 |
| 1.5 | | | | | | | | 2 | | | | | 8 |
| 1.4 | | | | | | | | 5 | | | | | 15 |
| 1.3 | | | | | | | | 8 | | | | | 23 |
| 1.2 | 3 | | | 1 | | | | 8 | | | | | 28 |
| 1.1 | 3 | | | 1 | 4 | | | 10 | | | | | 40 |
| 1.0 | 7 | 1 | 1 | 1 | 7 | 3 | 12 | 8 | 5 | 7 | 4 | 2 | 58 |
| 0.9 | 8 | 2 | 1 | 2 | 8 | 5 | 13 | 12 | 8 | 10 | 7 | 3 | 79 |
| 0.8 | 11 | 3 | 2 | 6 | 9 | 8 | 17 | 15 | 10 | 22 | 11 | 3 | 117 |
| 0.7 | 12 | 6 | 4 | 10 | 12 | 10 | 22 | 19 | 12 | 24 | 16 | 7 | 154 |
| 0.6 | 20 | 15 | 10 | 13 | 24 | 12 | 28 | 30 | 24 | 35 | 18 | 12 | 241 |
| 0.5 | 38 | 21 | 16 | 20 | 37 | 15 | 39 | 39 | 35 | 45 | 32 | 24 | 361 |
| 0.4 | 64 | 42 | 30 | 35 | 67 | 35 | 63 | 66 | 56 | 72 | 54 | 53 | 637 |
| 0.3 | 96 | 65 | 56 | 58 | 93 | 54 | 92 | 89 | 82 | 81 | 84 | 86 | 936 |
| 0.2 | 168 | 135 | 106 | 134 | 149 | 110 | 161 | 155 | 177 | 149 | 190 | 171 | 1745 |
| 0.1 | 273 | 220 | 174 | 219 | 217 | 173 | 239 | 228 | 208 | 234 | 266 | 262 | 2713 |
| 0.005 | 674 | 532 | 514 | 550 | 518 | 469 | 544 | 539 | 535 | 597 | 626 | 633 | 6731 |
| 0.004 | 411 | 457 | 571 | 500 | 567 | 581 | 541 | 546 | 515 | 488 | 424 | 452 | 6053 |
| Total No; of days | 1085 | 989 | 1085 | 1050 | 1085 | 1050 | 1085 | 1085 | 1050 | 1085 | 1050 | 1085 | 12784 |

* Including rainless days.

TABLE VI Maximum and Minimum Monthly and Annual Totals of Rainfall
 (in inches), 1916-1950, with supplementary list covering
 extremes for the 50-year period, 1911-1960

| | Jan | Feb | Mar | Apr | May | June | Jly | Aug | Sep | Oct | Nov | Dec | Year |
|--------------------------------|---------------------|--------------|--------------|--------------|--------------|--------------|--------------|-----------------|--------------|--------------|--------------|--------------|---------------|
| Swineshead 1916-50 | (Max) 1948 10.65 | 1946 7.05 | 1947 6.03 | 1949 5.36 | 1944 9.48 | 1930 7.09 | 1939 7.40 | 1931 7.07 | 1927 7.16 | 1938 7.35 | 1929 8.94 | 1919 8.03 | 1944 55.73 |
| Other Extremes | (Min) 1929 2.35 | 1935 0.29 | 1931 0.30 | 1938 0.54 | 1935 0.75 | 1925 0.11 | 1943 1.43 | 1947 0.41 | 1941 0.71 | 1946 0.86 | 1945 0.61 | 1933 0.31 | 1933 33.74 |
| Worksop 1916-50 | (Max) 1939 4.72 | 1923 4.08 | 1916 3.83 | 1920 3.70 | 1932 6.88 | 1936 4.62 | 1930 5.18 | 1922 6.52 | 1927 4.32 | 1933 4.14 | 1946 4.69 | 1929 4.26 | 1930 32.77 |
| Other Extremes | (Min) 1916 0.37 | 1921 0.21 | 1929 0.07 | 1938 0.10 | 1935 0.37 | 1925 0.10 | 1921 0.35 | 1937 0.22 | 1928 0.23 | 1931 0.67 | 1945 0.35 | 1933 0.35 | 1921 17.47 |
| Nottingham 1916-50 | (Max) 1928 4.29 | 1916 4.16 | 1947 4.86 | 1920 4.03 | 1932 6.15 | 1937 4.26 | 1930 4.69 | 1922 5.81 | 1935 4.79 | 1949 4.37 | 1940 5.69 | 1934 3.89 | 1930 30.77 |
| Other Extremes | (Min) 1935 0.94 | 1921 0.35 | 1929 0.08 | 1938 0.09 | 1935 0.38 | 1937 0.33 | 1935 0.28 | 1947 0.23 | 1941 0.34 | 1947 0.25 | 1945 0.21 | 1933 0.23 | 1943 17.92 |
| Longton The Meir 1916-50 | (Max) 1948 6.45 | 1937 5.91 | 1947 4.76 | 1920 5.21 | 1925 5.11 | 1927 5.20 | 1936 7.16 | 1931 6.51 | 1918 5.78 | 1932 5.89 | 1940 8.13 | 1934 5.93 | 1931 40.90 |
| Other Extremes | (Min) 1951 1.19 | 1932 0.20 | 1931 0.15 | 1938 0.13 | 1936 0.53 | 1925 0.11 | 1935 0.93 | 1947 0.74 | 1941 0.46 | 1922 0.48 | 1945 0.39 | 1933 0.33 | 1921 22.10 |
| Edgbaston 1916-50 | (Max) 1939 5.81 | 1923 5.88 | 1947 6.79 | 1940 4.80 | 1932 6.81 | 1927 4.15 | 1936 6.59 | 1917/46 5.66 | 1918 6.51 | 1949 5.42 | 1929 7.12 | 1927 5.34 | 1927 35.71 |
| Other Extremes | (Min) 1950 0.74 | 1921 0.17 | 1929 0.16 | 1938 0.10 | 1928 0.46 | 1942 0.17 | 1935 0.40 | 1940 0.22 | 1928 0.65 | 1947 0.40 | 1920 0.69 | 1926 0.41 | 1921 17.93 |

TABLE VII Maximum Daily Rainfall (in inches), 1916-1950, with additional maxima for the 50-year period, 1911-1960

| | Jan | Feb | Mar | Apr. | May | June | Jly | Aug | Sep | Oct | Nov | Dec |
|---------------------------------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Swineshaw 1916-50 { Max | | 1918 | | | | | | | | | | |
| | 1941 | 1946 | 1919 | 1949 | 1944 | 1930 | 1946 | 1922 | 1931 | 1945 | 1947 | 1947 |
| | 1.68 | 1.50 | 2.00 | 1.50 | 4.50 | 4.10 | 2.36 | 2.08 | 1.55 | 1.61 | 2.47 | 1.40 |
| 1911-60 { Max | | | 1953 | 1952 | | | | | 1957 | | | |
| | 1954 | | 2.20 | 1.64 | | | | | 1.62 | | | 1.95 |
| Worksop 1916-50 { Max | | | | | | 1930 | | | | | | |
| | 1937 | 1920 | 1941 | 1949 | 1923 | 1937 | 1918 | 1922 | 1931 | 1933 | 1916 | 1937 |
| | 1.12 | 1.75 | 1.01 | 1.01 | 2.68 | 1.25 | 1.64 | 3.08 | 1.63 | 2.00 | 1.13 | 1.98 |
| 1911-60 { Max | | | 1955 | 1959 | | 1952 | | | | | | |
| | | | 1.08 | 1.02 | | 1.80 | | | | | | 1.95 |
| Nottingham 1916-50 { Max | | | 1947 | 1940 | 1932 | 1931 | 1937 | 1922 | 1931 | 1940 | 1916 | 1948 |
| | 1919 | 1920 | 1.26 | 0.80 | 2.08 | 1.00 | 1.69 | 2.60 | 1.53 | 1.33 | 1.11 | 1.40 |
| | 0.93 | 0.98 | | | | | | | | | | |
| 1911-60 { Max | | 1960 | | | | 1953 | 1915 | | | | | |
| | 1.15 | | | | | 1.40 | 2.58 | | | | | 1.96 |
| Longton, The Meir 1916-50 { Max | | | 1941 | 1923 | 1930 | 1931 | 1937 | 1948 | 1931 | 1933 | 1929 | 1922 |
| | 1936 | 1946 | 1.16 | 1.22 | 1.58 | 1.42 | 1.55 | 1.93 | 1.56 | 2.28 | 1.88 | 1.62 |
| | 1.37 | 2.05 | | | | | | | | | | |
| 1911-60 { Max | | | 1955 | | | | | | | | | |
| | | | 1.31 | | | | | | | | | |
| Edgbaston 1916-50 { Max | | | 1919 | 1940 | 1924 | 1931 | 1925 | 1932 | 1925 | 1929 | 1940 | 1948 |
| | 1923 | 1950 | 1.00 | 1.24 | 1.51 | 1.10 | 1.66 | 2.20 | 1.58 | 1.64 | 1.48 | 1.86 |
| | 1.29 | 1.02 | | | | | | | | | | |
| 1911-60 { Max | | 1960 | | 1953 | 1959 | | 1958 | 1915 | | | | |
| | 1.67 | | | 1.35 | 1.48 | | 1.28 | 1.85 | | | | |

* Taken from Worksop (Bracebridge S. Wks.)

Appendix I

Intense falls of Rain in 2 hours or less, 1865-1960
Extracted from British Rainfall

(Arranged chronologically, in county order).

| Year | Class | Station | Riv. Div. | Date | Amt. in. | D'r'n min. | Rate in/hr. |
|------|-------|------------------------------------|--------------|---------|-------------|---------------|----------------|
| 1905 | R | Rutland Market Overton | 3 | Jly. 9 | 2.07 | 60 | 2.07 |
| | | <u>Staffordshire</u> | | | | | |
| 1865 | R | Leek | 5 | Aug. 7 | 0.80 | 18 | 2.67 |
| 1880 | R | Cheadle (Oakmoor) | 5 | Aug. 27 | 1.72 | 60 | 1.72 |
| 1880 | R | Cheadle (Heath House) | 5 | May 3 | 1.00 | 12 | 5.00 |
| 1891 | N | Burton (Derby Road) | 4 | June 25 | 1.50 | 120 | 0.75 |
| 1893 | R | Cheadle (Heath House) | 5 | Jly. 3 | 1.97 | 60 | 1.97 |
| 1893 | R | Brewood (Belvide Res.) | 3 | June 14 | 2.38 | 120 | 1.19 |
| 1897 | N | Salt Vicarage | 3 | Apr. 28 | 1.04 | 60 | 1.04 |
| 1905 | R | Hoar Cross | 4 | Jly. 9 | 1.52 | 60 | 1.52 |
| 1905 | R | Salt Vicarage | 3 | June 27 | 1.52 | 60 | 1.52 |
| 1905 | N | Mayfield House | 5 | Jly. 9 | 1.14 | 60 | 1.14 |
| 1905 | N | Lichfield (St. John Street) | 3 | Jly. 9 | 1.63 | 90 | 1.09 |
| 1914 | N | Mayfield House | 5 | Jly. 2 | 0.58 | 13 | 2.68 |
| 1914 | N | Ipstones (Sharpcliffe Hall) | 5 | Jly. 20 | 1.11 | 45 | 1.48 |
| 1915 | R | Leek (Hillesdon) | 5 | May 7 | 1.78 | 60 | 1.78 |
| 1918 | VR | Stafford (Rising Brook) | 3 | May 17 | 2.27 | 60 | 2.27 |
| 1927 | R | Uttoxeter (The Gendalls) | 5 | Jly. 11 | 2.00 | 75 | 1.60 |
| 1931 | R | Walsall (Gorway) | 3 | June 14 | 1.80 | 50 | 2.16 |
| 1931 | N | Brereton | 3 | June 5 | 1.34 | 90 | 0.89 |
| 1931 | VR | Cannock S. Wks. | 3 | June 14 | 2.35 | 398 | 3.71 |
| 1935 | R | Aldridge (Bourne Vale) | 3 | Aug. 8 | 1.50 | 45 | 2.00 |
| 1936 | R | Lichfield (Hanch Res.) | 3 | June 21 | 1.50 | 60 | 1.50 |
| 1936 | N | Yarlet Hall | 3 | June 21 | 1.36 | 120 | 0.68 |
| 1940 | N | Brownhills | 3 | Apr. 26 | 1.10 | 42 | 1.57 |
| 1946 | R | Stafford (Newport Road) | 3 | Aug. 19 | 1.75 | 60 | 1.75 |
| 1947 | N | Stafford (Newport Road) | 3 | May 30 | 0.91 | 45 | 1.21 |
| 1952 | N | Willenhall S. Wks. | 3 | Aug. 15 | 0.90 | 24 | 2.25 |
| 1953 | N | Hanley (Etruria) | 3 | June 25 | 0.91 | 45 | 1.21 |
| 1954 | N | Hanley S. Wks. | 4 | Aug. 21 | 1.05 | 50 | 1.26 |
| 1957 | N | Keele (Univ. Coll. of N. Staffs.) | 3 | Jly. 6 | 0.80 | 22 | 2.18 |
| 1957 | N | " | 3 | Jly. 6 | 0.84 | 37 | 1.36 |
| 1957 | N | " | 3 | Aug. 11 | 1.08 | 40 | 1.62 |
| 1957 | N | " | 3 | Aug. 11 | 1.18 | 58 | 1.22 |
| 1958 | N | " | 3 | Aug. 10 | 0.70 | 15 | 2.80 |
| 1959 | N | " | 3 | Aug. 21 | 1.13 | 60 | 1.13 |
| | | <u>Worcestershire</u> | | | | | |
| 1910 | N | Sparkhill | 5 | June 12 | 0.96 | 30 | 1.92 |
| 1957 | N | Dudley (Tipton Road) | 5 | Jly. 4 | 0.96 | 40 | 1.32 |
| | | <u>Warwickshire</u> | | | | | |
| 1872 | N | Bickenhill Vicarage | 4 | June 19 | 0.99 | 20 | 2.97 |
| 1884 | N | Willey Rectory | 4 | Jly. 27 | 1.30 | 75 | 1.04 |
| 1884 | N | Solihul Cemetery | 4 | May 7 | 1.48 | 90 | 0.99 |
| 1931 | R | Northfield (Wych Elm) | 4 | June 14 | 1.61 | 45 | 2.15 |
| 1941 | N | Selly Oak (Wesley Hill) | 4 | Jly. 12 | 1.35 | 120 | 0.67 |
| 1946 | VR | Sutton Coldfield (Wyld Green) | 4 | June 23 | 2.85 | 60 | 2.85 |
| 1946 | VR | " (The Park) | 4 | June 23 | 2.74 | 85 | 1.93 |
| 1949 | N | Minworth Greeves | 4 | Jly. 13 | 1.39 | 70 | 1.19 |
| 1949 | R | Birmingham Airport (Elmdon) | 4 | Jly. 13 | 1.38 | 35 | 2.37 |
| 1952 | N | Birmingham (Walsall Road) | 4 | Jly. 1 | 1.11 | 45 | 1.48 |
| 1952 | N | Handsworth (Howard Road) | 4 | Jly. 1 | 1.32 | 50 | 1.58 |
| 1952 | R | Birmingham (Edington, Spring Lane) | 4 | Jly. 1 | 1.63 | 60 | 1.63 |
| 1952 | N | " (Handsworth Park) | 4 | Jly. 1 | 0.95 | 30 | 1.90 |
| 1952 | N | " " | 4 | Jly. 4 | 0.81 | 20 | 2.43 |

/Leics.

Appendix I (Contd.)

| Year | Class | Station | Riv. Div. | Date | Amt. in. | D'rn min. | Rate in/hr. |
|------------------------|-------|---------------------------------|--------------|---------|-------------|--------------|----------------|
| <u>Leicestershire</u> | | | | | | | |
| 1867 | N | Leicester | 4 | Jly. 13 | 0.88 | 30 | 1.76 |
| 1869 | N | Wigston | 4 | Apr. 14 | 1.00 | 60 | 1.00 |
| 1872 | N | Leicester (Belmont Villas) | 4 | Jly. 11 | 0.90 | 40 | 1.35 |
| 1873 | N | Melton Mowbray (Soston Rectory) | 4 | Aug. 19 | 1.00 | 60 | 1.00 |
| 1880 | N | Ashby Magna | 4 | Aug. 30 | 1.72 | 120 | 0.86 |
| 1891 | N | Thurcaston | 4 | Jly. 8 | 0.51 | 5 | 6.12 |
| 1891 | R | Loughborough | 4 | June 25 | 2.00 | 90 | 1.33 |
| 1893 | N | Rotherby Hall | 4 | Aug. 3 | 1.47 | 90 | 0.98 |
| 1898 | N | Leicester | 4 | Aug. 19 | 1.05 | 35 | 1.80 |
| 1913 | N | Belvoir Castle | 4 | June 17 | 0.84 | 25 | 2.02 |
| 1921 | N | Ratcliffe-on-Wreake College | 4 | Aug. 17 | 1.04 | 60 | 1.04 |
| 1925 | N | Barkby Hall | 4 | May 18 | 1.20 | 90 | 0.80 |
| 1932 | N | " | 4 | June 11 | 1.00 | 30 | 2.00 |
| 1936 | R | Market Bosworth (Senior School) | 4 | June 21 | 2.47 | 120 | 1.23 |
| 1937 | VR | Ashfordby Hill (Iron Works) | 4 | Jly. 15 | 3.50 | 120 | 1.75 |
| 1937 | R | Melton Mowbray (White Lodge) | 4 | Jly. 15 | 2.11 | 120 | 1.05 |
| 1941 | R | Frolesworth | 4 | Jly. 12 | 0.85 | 10 | 5.10 |
| 1947 | R | Leicester (Woodville Road) | 4 | Jly. 19 | 0.98 | 15 | 3.92 |
| 1949 | N | Barkby Hall | 4 | Jly. 15 | 0.98 | 45 | 1.31 |
| 1949 | R | Ullverscroft (Chittermann) | 4 | Jly. 15 | 1.75 | 75 | 1.40 |
| 1953 | R | Melton Mowbray (White Lodge) | 4 | Jn. 26 | 1.98 | 75 | 1.58 |
| 1956 | R | Leicester Woodville Road | 4 | Jly. 16 | 1.05 | 60 | 1.05 |
| 1954 | VR | Netherseal (Chilcote) | 4 | Jly. 6 | 3.36 | 85 | 2.37 |
| <u>Lincolnshire</u> | | | | | | | |
| 1905 | N | Burton-on-Stather | 6 | Aug. 28 | 0.84 | 25 | 2.02 |
| 1956 | R | Torksey P. Sta. | 6 | Jly. 17 | 1.54 | 45 | 2.05 |
| <u>Nottinghamshire</u> | | | | | | | |
| 1876 | N | Mansfield (Grove House) | 5 | Jly. 22 | 0.61 | 10 | 3.66 |
| 1883 | R | Newark (East Stoke) | 2 | Jly. 3 | 1.45 | 30 | 2.90 |
| 1884 | N | Thrumpton Hall | 2 | Jly. 9 | 0.70 | 15 | 2.80 |
| 1884 | N | Worksop (Hodsock Priory) | 5 | Jly. 9 | 1.34 | 80 | 1.01 |
| 1890 | N | Southwell (Grants) | 5 | June 12 | 0.89 | 50 | 1.78 |
| 1891 | N | Retford (W. Retford House) | 5 | June 15 | 0.83 | 25 | 1.99 |
| 1891 | N | Nottingham (Breston Fields) | 5 | Jly. 1 | 1.10 | 90 | 0.73 |
| 1894 | R | Newark (Averham Rectory) | 5 | Aug. 10 | 1.30 | 22 | 3.55 |
| 1896 | R | Worksop (Hodsock Priory) | 5 | June 4 | 1.85 | 110 | 1.01 |
| 1912 | N | " " " | 5 | Jly. 27 | 0.80 | 24 | 2.00 |
| 1912 | N | Mansfield (West Bank) | 5 | May 30 | 1.26 | 40 | 1.89 |
| 1912 | R | " (High Oakham) | 5 | May 30 | 1.46 | 55 | 1.59 |
| 1912 | N | " (Berry Hill) | 5 | May 30 | 1.43 | 55 | 1.56 |
| 1912 | R | " (West Bank) | 5 | May 30 | 1.54 | 60 | 1.54 |
| 1918 | N | Nottingham | 5 | May 21 | 1.02 | 20 | 3.06 |
| 1918 | R | Worksop (Clinton Villa) | 5 | Jly. 20 | 1.79 | 88 | 1.22 |
| 1925 | N | " (Hodsock Priory) | 5 | Jly. 13 | 1.09 | 50 | 1.31 |
| 1930 | N | Retford (Babworth Hall) | 5 | Aug. 29 | 0.90 | 20 | 2.70 |
| 1930 | N | " " " | 5 | June 18 | 0.98 | 30 | 1.96 |
| 1930 | VR | Langold (Council School) | 5 | June 18 | 2.02 | 35 | 3.46 |
| 1930 | VR | Welbeck Abbey | 5 | June 17 | 2.78 | 60 | 2.78 |
| 1930 | N | Harworth Colliery | 5 | June 17 | 1.37 | 60 | 1.37 |
| 1931 | R | " " | 5 | Jly. 14 | 1.66 | 50 | 1.99 |
| 1934 | R | Worksop (Osberton Gardens) | 5 | Aug. 2 | 1.53 | 60 | 1.53 |
| 1936 | N | Sutton Bonington (Agr. College) | 2 | Jly. 9 | 1.26 | 60 | 1.26 |
| 1937 | N | Southwell (The Residence) | 2 | Jly. 15 | 1.44 | 60 | 1.44 |
| 1939 | N | Ruddington (Westlands) | 2 | Jly. 21 | 0.80 | 15 | 3.20 |
| 1940 | N | " " | 2 | May 23 | 0.91 | 50 | 1.09 |
| 1941 | N | Mansfield (Crow Hill) | 5 | Jly. 12 | 0.80 | 30 | 1.60 |
| 1946 | N | Nottingham (Mansfield House) | 5 | Aug. 25 | 1.03 | 60 | 1.03 |
| 1952 | R | " (Aspley) | 5 | Jly. 1 | 1.23 | 15 | 4.92 |
| 1952 | R | Hunchell (Watnall Road) | 5 | Jly. 1 | 1.56 | 30 | 3.12 |
| 1952 | R | Watnall | 5 | Jly. 1 | 1.19 | 18 | 3.97 |
| 1953 | R | Nottingham (Sneinton P. Sta.) | 5 | June 26 | 1.74 | 100 | 1.04 |
| 1957 | N | Retford (Babworth Hall) | 5 | Aug. 6 | 1.19 | 60 | 1.19 |

/ Notts. contd.

Appendix I Contd.

| Year | Class | Station | Riv. Div. | Date | Amt. in. | D'rn min. | Rate in/hr. |
|------|-------|---------------------------------|--------------|---------|-------------|--------------|----------------|
| | | <u>Nottinghamshire contd.</u> | | | | | |
| 1958 | N | Kegworth (Kingston Hall) | 2 | Aug. 10 | 0.90 | 20 | 2.70 |
| 1958 | N | Nottingham (The Castle) | 5 | Aug. 10 | 0.93 | 45 | 1.04 |
| 1958 | N | Beeston (Bramcote Drive) | 5 | Aug. 10 | 1.11 | 60 | 1.11 |
| | | <u>Derbyshire</u> | | | | | |
| 1867 | R | Duffield | 6 | Aug. 20 | 2.34 | 120 | 1.17 |
| 1871 | N | Trent College | 7 | June 14 | 1.27 | 120 | 0.63 |
| 1878 | N | Derby (Findern) | 5 | June 26 | 1.08 | 60 | 1.08 |
| 1878 | R | Matlock Bath | 6 | Aug. 6 | 2.59 | 120 | 1.25 |
| 1879 | N | Derby (Spondon) | 6 | Jn. 11 | 1.24 | 40 | 1.86 |
| 1880 | N | " (Findern) | 5 | Jly. 13 | 1.05 | 60 | 1.05 |
| 1884 | R | " (Duffield) | 6 | Aug. 9 | 1.75 | 27 | 3.89 |
| 1884 | R | Milford | 6 | Aug. 9 | 1.30 | 35 | 2.23 |
| 1891 | N | Willington | 5 | June 25 | 1.20 | 60 | 1.20 |
| 1891 | N | Derby (Findern) | 5 | June 3 | 1.37 | 70 | 1.17 |
| 1891 | N | " (Elvaston) | 5 | June 25 | 1.50 | 120 | 0.75 |
| 1900 | N | Ashbourne W. Wks. | 4 | Jly. 12 | 1.58 | 90 | 1.05 |
| 1909 | N | Chellaston | 5 | Aug. 16 | 0.92 | 25 | 2.21 |
| 1912 | R | Wirksworth (Manor House) | 6 | Jly. 22 | 1.00 | 10 | 6.00 |
| 1912 | N | Darley Hall | 6 | Jly. 27 | 0.80 | 20 | 2.40 |
| 1912 | VR | Baslow (The Beeches) | 6 | Jly. 12 | 2.20 | 40 | 3.30 |
| 1912 | R | Chesterfield S. Wks. | 8 | Jly. 27 | 1.35 | 40 | 2.02 |
| 1914 | N | Ashbourne W. Wks. | 4 | Jly. 1 | 1.24 | 90 | 0.83 |
| 1915 | N | Littleover (The Knoll) | 5 | June 30 | 1.75 | 120 | 0.88 |
| 1917 | N | Alderwasley | 6 | May 29 | 1.22 | 75 | 0.98 |
| 1918 | N | Wirksworth (Manor House) | 6 | May 13 | 0.58 | 8 | 4.10 |
| 1925 | R | Derby (Royal Infirmary) | 6 | May 19 | 1.63 | 60 | 1.64 |
| 1926 | N | " (Hill House) | 7 | June 8 | 0.51 | 5 | 6.12 |
| 1933 | N | Burbage (Lower Burbage) | 6 | June 22 | 0.75 | 10 | 4.50 |
| 1933 | N | Derby (Royal Infirmary) | 6 | June 20 | 0.90 | 30 | 1.80 |
| 1936 | R | Hognaston Vicarage | 4 | June 25 | 2.33 | 90 | 1.55 |
| 1937 | N | Derby (Royal Infirmary) | 6 | Sep. 17 | 0.92 | 15 | 3.68 |
| 1938 | N | " " " | 6 | Jly. 1 | 1.47 | 105 | 0.84 |
| 1952 | R | Ilkeston S. Wks. | 7 | Jly. 1 | 1.72 | 30 | 3.44 |
| 1952 | R | Morely Hall | 7 | Jly. 1 | 1.49 | 30 | 2.98 |
| 1952 | R | Derby (Littleover Crescent) | 6 | Jly. 1 | 1.43 | 35 | 2.45 |
| 1952 | N | Ilkeston (New Stanton) | 7 | Jly. 1 | 1.16 | 35 | 1.99 |
| 1952 | N | Wirksworth (West End) | 6 | Jly. 1 | 1.10 | 45 | 1.47 |
| 1952 | N | Chesterfield (Linacre Filter) | 8 | Jly. 1 | 1.18 | 30 | 2.36 |
| 1952 | N | Burbage (Lower Burbage) | 6 | Jly. 1 | 1.08 | 30 | 2.16 |
| 1952 | N | Chesterfield S. Wks. | 8 | Jly. 1 | 1.25 | 75 | 1.00 |
| 1957 | VR | Church Gresley Maurice Lea Park | 3 | Jly. 6 | 2.79 | 90 | 1.86 |
| 1958 | N | Burbage (Lower Bridge) | 6 | Jly. 2 | 1.33 | 54 | 1.48 |
| 1958 | N | Breaston (Woodland Ave) | 7 | Aug. 10 | 0.84 | 25 | 2.02 |
| 1958 | N | Monyash Rectory | 6 | Aug. 22 | 1.61 | 85 | 1.14 |
| | | <u>Yorkshire (West Riding)</u> | | | | | |
| 1872 | R | Tickhill | 6 | Jly. 6 | 1.30 | 35 | 2.23 |
| 1884 | N | Doncaster (Hatfield) | 6 | Aug. 9 | 1.29 | 45 | 1.72 |
| 1894 | N | Tickhill (Sandbeck Park) | 6 | Jly. 25 | 1.00 | 30 | 2.00 |
| 1894 | VR | " " " | 6 | Jly. 25 | 1.82 | 30 | 3.64 |
| 1897 | N | Tickhill | 6 | June 30 | 2.60 | 80 | 1.95 |
| 1899 | N | Doncaster (Wadworth Hall) | 6 | Jly. 12 | 0.77 | 30 | 1.54 |
| 1944 | N | Burbage (Lower Burbage) | 6 | May 29 | 0.44 | 5 | 5.28 |
| 1949 | N | Tickhill (Dadsley Road) | 6 | Jly. 25 | 1.24 | 30 | 2.48 |
| 1952 | N | Finningley Airfield | 6 | Jly. 1 | 0.75 | 15 | 3.00 |


Trent:- Rutland 3
 Staffs. 3, 4, 5
 Worcs. 5
 Warws. 4
 Leics. 4
 Lincs. 6, 7
 Notts. 2, 3, 4, 5
 Derbys. 3, 4, 5, 6, 7
 Yorks W.R. 5, 6

Key:

N = Noteworthy


R = Remarkable

VR = Very Rare



Average Monthly Rainfall as percentage of
Average Annual Rainfall 1916-1950.

fig. 21



AVERAGE ANNUAL RAINFALL 1916–1950,(in inches)
over the Trent River Board area.

Fig 2

- 19 -
 Averages of rainfall 1916-1950, D.W.R. stations (millimetres)

| | Jan. | Feb. | Mar. | Apr. | May | June | J. & ly | Aug. | Sep. | Oct. | Nov. | Dec. | Year |
|-----------------|------|------|------|------|-----|------|---------|------|------|------|------|------|------|
| KEW | 55 | 39 | 37 | 46 | 46 | 44 | 62 | 57 | 50 | 57 | 63 | 52 | 608 |
| THORNEY ISLAND | C | 76 | 52 | 44 | 45 | 44 | 52 | 54 | 53 | 53 | 80 | 72 | 681 |
| GORLESTON | A | 56 | 41 | 34 | 42 | 38 | 42 | 59 | 51 | 62 | 70 | 55 | 607 |
| CARDINGTON | C | 45 | 34 | 33 | 40 | 46 | 36 | 53 | 48 | 47 | 53 | 43 | 527 |
| BOSCOMBE DOWN | A | 74 | 52 | 45 | 50 | 47 | 41 | 63 | 59 | 60 | 74 | 77 | 723 |
| ROSS ON WYE | C | 74 | 51 | 49 | 50 | 55 | 56 | 58 | 61 | 58 | 71 | 69 | 708 |
| RHOOS (CARDIFF) | A | 94 | 61 | 52 | 56 | 59 | 48 | 75 | 87 | 85 | 99 | 89 | 899 |
| PLYMOUTH | C | 110 | 79 | 69 | 61 | 56 | 51 | 65 | 73 | 73 | 97 | 114 | 963 |
| ELDON VALLEY | C | 64 | 48 | 43 | 50 | 57 | 42 | 66 | 62 | 55 | 64 | 68 | 680 |
| MANCHESTER | C | 91 | 58 | 53 | 48 | 57 | 51 | 59 | 64 | 80 | 98 | 91 | 855 |
| WATNALL | C | 76 | 60 | 45 | 48 | 57 | 57 | 79 | 81 | 68 | 82 | 77 | 802 |
| DISHFORTH | C | 68 | 51 | 44 | 49 | 53 | 53 | 53 | 66 | 56 | 64 | 59 | 691 |
| TYNEMOUTH | C | 61 | 45 | 42 | 49 | 45 | 45 | 63 | 63 | 53 | 60 | 56 | 635 |
| ESKDALEMURR | C | 59 | 42 | 39 | 41 | 41 | 41 | 75 | 77 | 59 | 63 | 61 | 675 |
| RENFREW | A | 192 | 117 | 101 | 96 | 64 | 61 | 101 | 127 | 140 | 166 | 152 | 1582 |
| LEUCHARS | B | 63 | 43 | 41 | 39 | 56 | 43 | 72 | 68 | 72 | 62 | 65 | 678 |
| DYCE | C | 80 | 60 | 54 | 58 | 71 | 55 | 87 | 79 | 80 | 95 | 93 | 895 |
| STORNOWAY | C | 106 | 68 | 58 | 59 | 58 | 65 | 78 | 85 | 77 | 95 | 112 | 1002 |
| ALDERGROVE | C | 93 | 61 | 54 | 56 | 63 | 57 | 84 | 77 | 77 | 91 | 81 | 881 |