

Met 0 8b 10-YEAR SUMMARY SHEETS

Governed by Public Records Acts

I M P O R T A N T

1. These sheets are a VITAL part of the permanent data archives of the Office, and are stored in Met08 for all decades for practical and historical reasons, including ready access, rather than be stored in Technical Archives.
2. For many old stations these sheets are the ONLY record of available data.


ENTRIES

3. All entries must invariably be made in permanent ink (nowadays normally in black waterproof ink), be perfectly legible and comments sufficiently intelligible to those reading them decades after the event.
4. Every attempt should be made to ensure that any follow-up action is adequately cross-referenced to a previous entry.
5. Retrospectively effective comments MUST be entered on the station's 10-year sheets for all relevant previous decades, not just on the latest decade's sheet.

BORROWING OF 10-YEAR SHEETS PROHIBITED

6. On no account whatsoever are the original sheets to be lent to other branches, and care is to be exercised if sheets are wanted by sections other than Met08b within Met08.
7. These sheets may only be extracted from their binders for the very short periods required during any manuscript updating, or whilst actually being photocopied. It is important that temporarily extracted sheets are returned to their correct numerical position by station number; and if more than one decade's sheets for a station are extracted at the same time, very special care needs to be taken to ensure that each decadal sheet is returned to the correct decadal binder.

The discovery of any station's sheet missing from the binder must be reported personally to HSO-in-charge RAINMASTER.



Head of Hydrometeorological  
Data Systems

KEEP as top enclosure of each binder





RAINFALL at Castle Kennedy (Lochinich)

County of Wigtownshire Observer <sup>R.W.</sup> M<sup>r</sup> Rye for the  
River Basin Loch Ryan Earl of Stair  
8" Rain Gauge, by Glaisher

Diameter	....	....	....	....	....	....	....	....	....	....	....	8"
Height	....	....	....	....	....	....	....	....	....	....	....	1' 0"
Altitude	....	....	....	....	....	....	....	....	....	....	....	85
Year	....	....	....	....	....	....	....	....	....	....	....	1930
	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930	
January	....	....	....	....	5.90	3.52	5.20	5.01	8.54	2.83	6.62	
February	....	....	....	....	1.13	4.98	4.86	2.15	3.37	3.12	.39	
March	....	....	....	....	1.85	1.63	2.09	4.85	4.39	1.23	2.83	
April	....	....	....	....	2.82	3.82	1.50	2.25	1.99	1.10	2.06	
May	....	....	....	....	3.60	4.49	3.73	2.38	1.62	4.35	1.93	
June	....	....	....	....	3.23	.73	2.27	4.82	5.23	2.45	2.43	
July	....	....	....	....	4.51	2.97	3.79	2.95	2.40	2.09	2.70	
August	....	....	....	....	4.90	2.38	3.92	3.56	4.95	6.17	5.95	
September	....	....	....	....	6.83	4.59	3.41	6.27	2.40	1.24	4.20	
October	....	....	....	....	2.95	4.49	5.13	5.31	7.67	6.55	7.41	
November	....	....	....	....	4.83	2.82	5.28	4.89	8.21	6.97	5.77	
December	....	....	....	....	8.06	4.82	2.28	1.83	5.30	8.83	5.15	
TOTALS	....	....	....	....	50.51	41.14	43.46	46.27	56.07	47.93	47.44	D.
					<del>47.44</del>	<del>56.07</del>	<del>46.27</del>	<del>43.46</del>	<del>41.14</del>	<del>50.51</del>		

1930. S.W. House 40' high 40 yards distant.  
NE. House 25' " 50 yards "  
E Wood 40-50' " 150 " "  
No trees below level of "g" 60 yards distant. N.B. the steep slope away to the NW.

22. xii. 36. Monthly values 1924-1929 received from Edinburgh.  
Annual totals 1924-1929 corrected. (f. 497819/36)

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1930.			Castle Kennedy	1 mile	S.W.	Inch	1 1/4 m. W.



*Rain Gauge, by*

(\*1383) Wt. 1671—6044. 10,000. 4/21. J. T. & S., Ltd. 160.



RAINFALL at Mull of Galloway, Lighthouse

County of Western Observer Board of Northern Lights.

River Basin 2, Western Galloway

Rain Gauge, by

Diameter ...				7							
Height .....				3 10							
Altitude ...	327			245							
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.
January ...	2.32	2.83	4.66	2.17?	4.07	2.02		1.79	4.49	2.37	4.49
February ...	.58	.87	2.90	3.94?	.54	2.58		1.28	2.26	1.53	.22
March .....	1.18	2.61	.90	.87	1.99	.75		2.18	4.26	.38	1.64
April .....	1.86	.64	2.36	2.28	1.72	2.05		1.23	1.65	1.31	1.72
May .....	2.58	1.51	1.58	.94	2.32	2.18		1.57	.94	2.85	1.57
June .....	1.22	.20	2.05	.75	2.68	.11		2.48	4.35	2.29	1.93
July .....	2.47	2.61	2.32	3.04	2.98	.55		3.79	2.30	2.16	2.67
August .....	2.37	3.01	2.28	5.53	2.68	1.95		3.03	5.02	4.70	4.36
September...	1.97	1.82	2.75	2.75	4.67	2.93		5.39	2.45	.35	4.59
October .....	3.18	2.65	1.10	3.54	1.36	2.08		5.78	5.20	4.52	4.47
November...	1.96	3.49	2.09	2.17	2.45	1.15		3.81	3.98	4.43	3.50
December...	2.90	2.49	2.40	5.83	2.58	3.03		2.00	3.81	5.54	3.67
TOTALS...	25.59	24.73	27.39	33.81	30.04	21.38	N.R.	32.33	40.71	32.43	34.83

low.

1925. n.p. - low. Old gauge with a "run off" tap.  
Baleichan 1926 ls. on fairly level ground with slight rise to NE. Lighthouse tower nearest object + to SSE, 35 yds.  
G. 1/2 tube with tap + graduated scale enclosed in box, 4 ft. above ground.  
Tube graduated up to 2-8 in. only.  
1927. N. P.  
1928. Low N.P.  
1929. Low N.P.  
1930 low n.p.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction



RAINFALL at Logan House

County of Wiltshire Observer R. McC Donnell Esq.

River Basin 2 Western Falloway. 1922, J. Mc. Brul, Gardiner

Shadon Rain Gauge, by \_\_\_\_\_

Diameter ...	8											
Height .....	1.0							0.10				
Altitude ...	80											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS	
January ...	5.03	5.49	6.77	3.09	5.81	3.26	4.80	4.90	6.62	2.34	5.41	Totals 53.52
February ...	2.46	.69	4.44	5.93	1.09	4.03	4.07	2.18	3.34	2.64	.86	31.23
March .....	3.67	3.78	1.39	14.4	2.53	1.18	1.81	4.49	4.46	.89	2.15	27.79
April .....	2.92	1.12	2.77	2.86	2.41	2.75	1.75	1.95	2.33	1.04	1.59	23.49
May .....	3.95	1.88	2.34	2.11	3.47	3.93	2.53	2.27	1.28	3.33	1.51	28.60
June .....	4.23	.48	2.14	1.25	2.72	.39	1.68	3.30	5.86	2.24	2.14	26.43
July .....	3.60	3.97	3.49	3.40	4.34	2.73	3.08	3.09	3.83	3.48	2.38	37.39
August .....	2.27	3.91	3.23	6.87	3.91	2.03	3.64	4.31	3.68	5.64	6.68	47.17
September...	3.25	2.30	3.38	3.75	6.03	4.69	2.55	5.86	2.11	.93	4.26	39.11
October .....	4.80	3.73	2.15	3.79	2.27	3.66	5.21	4.75	7.90	5.39	7.53	51.18
November...	3.01	4.57	2.40	4.02	3.82	2.57	6.23	4.84	6.55	6.13	5.11	49.25
December...	4.72	3.73	2.92	7.44	4.16	4.07	1.73	1.99	4.44	8.48	4.85	48.53
TOTALS...	44.9	35.65	37.42	45.95	42.56	35.29	39.08	43.93	52.40	42.53	43.97	463.69
	D		D	D	D	D	D	D	D	D	D	246

1921. "gauge den jobsite."

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1920.			Stentay.			Kirkmolden	5m.	
1925			Dunragit	11m.	N	Kirkmaiden	4½m.	S



# RAINFALL at *Copewall*

County of Wigtown

Observer Board of Northern Lights

River Basin..... 2. western falloway.

*Rain Gauge, by*

Diameter ...				8								
Height .....	3.4			4 0								
Altitude ...	112			40			48					
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.	20-30
January ...	8.40	5.95	6.70	3.37	3.61	4.36	5.84	5.95	7.50	2.19	6.07	60 24
February ...	1.72	.68	4.42	6.51	1.76	4.17	5.36	2.18	2.68	1.91	.56	32 95
March .....	4.66	4.28	1.26	1.85	2.37	1.93	2.38	3.16	5.30	.81	2.75	22 78
April .....	5.03	1.21	3.94	3.01	2.66	3.06	1.94	2.13	1.78	.88	2.50	28 14
May .....	3.19	2.51	2.58	1.90	2.95	6.35	2.30	2.24	1.78	4.62	2.27	32 69
June .....	2.68	.34	2.44	1.17	3.45	.60	1.81	6.37	3.99	2.84	3.59	22 22
July .....	7.09	4.32	3.56	2.76	2.73	1.50	3.61	2.90	2.65	2.82	2.69	36 63
August .....	3.30	2.66	4.34	6.11	3.57	2.81	3.26	3.72	4.65	5.58	6.52	48 52
September...	3.59	.97	2.85	4.54	6.18	6.43	4.74	6.13	2.45	1.71	3.16	42 75
October .....	4.31	3.45	1.96	4.85	3.98	4.86	4.87	4.46	7.98	5.11	6.51	52 34
November...	4.37	4.49	3.50	3.20	5.61	3.80	4.70	3.74	6.73	6.78	5.97	51 89
December...	6.05	4.95	3.06	4.15	7.03	4.07	2.00	1.49	5.21	10.66	5.80	50 47
TOTALS...	54.39 <sup>3</sup>	35.81	40.61	43.42	45.90	43.94	42.81	44.47	52.70	45.91	48.39	

Catechism 1926. Ls. U-tube with tap, 4 ft l. above ground. Ls. surrounded by bft. wells 50-70 ft. away. Sun-dial 5 ft high 3 ft. to N.W. of gauge.

*Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series*

No. of Map.....

Reference No. ....

[illegible]



County of Winston

Observer Board of Northern Lights.

River Basin. 2 western falloway.

*Rain Gauge, by*

1920. Bad. not published.

1920. Bad. not published.  
1925. Jan. March, July, Sept. & Nov. rejected as too small.  
Gauge overexposed. M. O. Edin.

Catechism 1926 Standard. 9 in. above ground, on narrow promontory about  
60 ft. wide & then falling away on W + E steeply to sea. S. about 25 ft.  
above high water marks. Some shelter to N only — exposure base 15 ft. high  
25 yds NW.

1927. N. 10.

1929 low n.p.  
1930 low n.p.

1928. N.P.

{ 80/686 M.O. Edinburgh. Returns on form 1090 to be omitted  
in future at least until such time as there is an  
improvement of site or otherwise.

*Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series*

No. of Map

Reference No. ....

**METEOROLOGICAL OFFICE, AIR MINISTRY.**

**BRITISH RAINFALL ORGANIZATION, 62, CAMDEN SQUARE, LONDON, N.W.1.**



RAINFALL at Whitburn, Phyllis Hill House

County of Wigtown Observer Frank B. Hopkins  
River Basin 3. - Luce Bay  
1. - Gair & Wigtown Bay  
Snoudon Rain Gauge, by \_\_\_\_\_

Diameter ...				5							
Height .....				10							
Altitude ...				170							
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...				(3.00)	4.89	2.76	4.46	3.73	7.04	2.13	5.00
February ...				4.68	.90	3.83	5.00	2.31	3.40	2.28	.48
March .....				1.02	1.85	1.25	1.79	3.74	4.37	1.03	1.60
April .....				2.21	1.87	2.60	1.62	1.85	1.38	1.11	1.56
May .....				2.13	3.36	4.73	2.46	2.32	2.19	2.66	1.38
June .....				1.33	2.57	.36	2.50	3.06	5.71	1.78	2.02
July .....				3.50	4.20	2.12	3.88	2.45	3.16	3.75	2.88
August .....				7.88	3.94	3.76	3.91	5.05	4.38	5.11	4.81
September...				3.59	5.84	3.28	3.38	5.86	1.90	.88	4.43
October .....				4.37	3.25	3.75	4.35	4.20	8.30	5.95	6.95
November...				3.92	2.46	2.63	5.87	4.41	6.31	5.31	4.67
December...				5.37	3.94	4.60	1.44	2.01	3.68	6.88	4.45
TOTALS...				(43.00) d	39.07 D	35.67 D	40.66 D	40.99 D	51.82 D	38.87 D	40.23 D

1923 Jan. estimated. Ht. 40ft. Dis. 29 yds. Dir. N.E.  
House about 45" 18" W.  
Tree (ash) " 40" 30" S.W.  
Wood " 45" 26" S.E.  
Tree (ash) " 30" 17" E.  
Site inspected by H. Glasspool 11.9.29.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1923.	54° 42'	4° 26' 4"	Whitburn	2m 7 1/2	N.E.	Glosserton	1 m	N.W.



RAINFALL at Whichorn, Glaserton

County of Weymouth Observer R. Johnston Lewis C.B.  
Isle Bay 3  
River Basin Isle Bay 3  
Isle Bay 3  
Isle Bay 3  
Rain Gauge, by N 275

Diameter ...		5									
Height .....		1	0								
Altitude ...		225									
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...		6.15	4.37	3.00	5.60	2.78	4.86	4.09	7.63	2.36	5.42
February ...		5.2	5.28	5.37	9.2	4.22	5.58	2.57	3.47	2.75	4.8
March .....		4.63	1.45	1.10	2.05	1.21	1.84	4.03	4.62	1.14	2.02
April .....		1.10	2.51	2.22	1.86	2.68	1.55	1.96	1.36	1.12	1.83
May .....		1.67	2.47	1.90	3.58	5.14	2.50	2.52	(2.19)	2.83	1.47
June .....		35	2.14	1.13	2.65	35	2.55	3.36	5.85	1.92	2.30
July .....		4.00	3.91	3.79	4.45	2.24	3.70	2.71	3.34	3.82	2.90
August .....		5.46	3.11	7.99	4.09	4.01	3.91	4.89	4.65	5.53	5.11
September...		2.26	2.78	3.81	6.15	3.58	3.56	5.89	1.91	.89	4.75
October .....		3.75	2.38	4.67	3.22	4.09	4.55	4.45	9.35	6.08	7.26
November...		5.17	3.13	4.25	2.56	2.64	6.03	4.77	6.86	5.92	5.23
December...		3.97	3.53	5.70	4.44	4.70	1.63	2.12	4.03	7.44	4.96
TOTALS...		37.03	37.06	44.93	41.57	37.64	42.26	43.36	55.26	41.80	43.73

1921. Location of site 16ft. N.N.W.  
Shrub 12ft. 20ft. ESE.  
1930 Shrub 14ft. 16ft. ESE.

Site inspected by Dr. Glasspoole 14.9.29.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long. W	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1921	54°42'30"	4°27'15"	Whichorn	2 1/2 mi	ENE	Glaserton	1 1/2 mi



RAINFALL at Monreith

County of Higton

Observer R. F. Brebner

River Basin Luce Bay 3

1929 L. R. Younger

London Type Rain Gauge, by

Diameter ...		5									
Height .....		.5							1.0		
Altitude ...		145									
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...		6.20	5.05	3.57	5.49	3.20	5.60	4.27	7.75	2.88	5.64
February ...		.56	5.30	5.82	.92	4.78	5.19	2.66	3.33	2.72	.36
March .....		4.43	1.49	1.49	1.86	1.20	1.80	4.09	5.44	1.14	2.28
April .....		1.08	2.56	2.68	1.90	3.16	1.69	1.94	1.85	.91	1.79
May .....		1.05	2.26	1.71	3.31	4.30	2.14	2.71	2.28	3.22	1.18
June .....		.46	2.36	1.37	2.84	.43	2.24	3.43	5.31	1.94	2.16
July .....		4.03	3.84	3.51	4.21	2.57	3.03	2.28	3.25	3.53	2.59
August .....		5.56	3.19	7.74	4.02	3.20	3.36	3.64	4.41	5.53	5.00
September...		2.15	3.06	4.04	6.07	3.27	2.97	6.30	1.89	.74	4.44
October .....		3.82	2.32	5.00	2.89	3.88	5.02	4.59	9.71	6.65	7.22
November...		3.16	3.53	4.98	2.67	2.47	6.16	5.13	7.13	6.36	5.19
December...		4.00	3.56	6.41	4.78	4.57	1.65	2.42	4.50	7.77	5.18
TOTALS...		36.50	38.52	48.32	40.96	37.03	40.85	43.46	56.85	43.39	43.03

1921. Hedge 6ft high 8ft. W  
Bush 8ft , 4ft. ENE.  
Wall 12ft , } 32ft. E  
Building 20ft , }  
1930 Hedge 5½ ft " 9ft. S.E.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1921	54° 43' 30"	4° 33'	Whamhill	direct 4 1/2 mi	NNE	Kirkcubrecht	direct 2 1/2 mi
							NNW



RAINFALL at Stonefish (Hedwell House)

County of Wiltshire Observer Lieut. Col. L. Stewart Bart <sup>died 1923</sup>  
W. H. Morgan  
River Basin 3, Luce Bay Sir E. Orde Stewart, Bart.  
Rain Gauge, by \_\_\_\_\_

Diameter ...	8											
Height .....	2.4	3.0										
Altitude ...	65											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.	
January ...	5.02	5.40	6.11	2.91	5.50	3.08	4.50	4.31	7.05	2.42	5.80	Totals. 16-19. 52.10
February ...	2.58	.71	4.72	5.87	1.03	4.14	4.19	2.13	3.34	2.27	.82	31.30
March .....	3.49	3.77	1.44	1.45	2.15	1.38	1.76	4.33	4.73	.73	2.04	27.27
April .....	2.95	1.12	2.81	2.87	2.67	2.88	1.50	1.98	2.38	1.13	1.74	24.03
May .....	4.32	1.93	2.52	1.94	3.31	3.70	2.69	1.55	1.44	3.57	1.57	28.54
June .....	3.60	.28	2.14	1.29	2.69	.42	1.59	3.26	5.47	2.29	2.20	25.23
July .....	3.91	4.20	3.71	3.34	4.31	2.51	3.16	3.46	1.60	3.45	(2.69)*	36.34
August .....	3.40	4.43	3.26	7.15	3.64	1.79	3.62	4.17	3.51	5.47	6.61	47.05
September...	3.43	1.82	3.24	3.95	5.86	4.66	2.56	5.97	2.12	.94	4.21	38.76
October .....	5.12	4.28	2.20	4.02	1.94	3.49	4.76	5.08	7.79	5.47	7.47	51.62
November...	3.02	4.24	2.21	4.43	3.97	2.57	6.20	4.71	6.52	6.58	5.35	49.80
December...	4.68	3.59	2.98	8.00	4.45	4.08	1.86	1.79	4.44	8.45	4.70	49.02
TOTALS...	45.52	35.77	37.34	47.22	41.52	34.70	38.39	42.74	50.39	42.77	(44.70)	461.06
	D	D	D	D	D	D	D	D	D	D	D	488

\* July value amended by surrounding stations. Concurrence by M.O. Edin. ref. 30/686 of 11/7/31. f7657/30.

Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
			Dunnet	9 m.	N.	Hedwell	1/4 m.	N



RAINFALL at Glenluce (Gleno) (Ladyburn) - 1922

County of Wigtown Observer Peter Taylor Esq.

River Basin 3 Lne Bay

Inverdon Rain Gauge, by

Diameter ...	5		5.								
Height .....	19		1.0								
Altitude ...	218		15								
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	5.21	5.20	6.87	4.68	6.78						
February ...	4.14	(1.05)	6.16	8.03	9.8						
March .....	3.24	(5.40)	2.00	1.69	1.83						
April .....	4.57	(1.56)	3.89	2.92	2.72						
May .....	3.50	2.80	2.83	3.05	3.73						
June .....	4.19	4.6	2.70	1.90	3.15						
July .....	4.58	4.40	4.02	4.00	4.96						
August .....	3.35	2.30	3.47	8.34	4.17						
September...	3.68	2.45	3.08	4.68	6.12						
October .....	4.26	3.84	2.70	4.63	3.16						
November...	3.40	3.40	4.22	3.02	2.88						
December...	7.58	4.46	3.28	8.28	5.22						
TOTALS...	51.64	37.38	45.22	57.22	45.70	NO	NO	NO	NO	NO.	

1919. Small bushes 6ft. high. Dff, E.

1 1/2 miles north of the Bay of Luce.  
1921. 1/2 mile. apl. proportion for inst. station.  
Jan. 1922. gauge moved from Gleno to Ladyburn after taking reading.

Position of Station on reduced Ordnance Survey } Map, 2 miles to 1 inch Series					No. of Map	Reference No.		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1911			Glenluce	3 miles	S.E.	Old Luce	3 miles	



RAINFALL at New-Luce, Public School

County of Wigtown Observer J. Wallace, Esq.

River Basin Luce Bay, - 3 (1927) J. Mackay Esq.

Howard Rain Gauge, by \_\_\_\_\_

Diameter ...					- 3"	5"						
Height .....					1 - 1	11"	12	1 - 0				
Altitude ...					180	180'	172	180	200			
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.	
January ...					6.83	4.34	7.62	3.81	9.66	3.08	6.43	
February ...					1.51	5.78	6.16	2.03	3.55	2.92	4.40	
March .....					1.72	1.86	2.20	4.63	5.72	1.54	2.47	
April .....					2.91	4.07	1.94	1.99	2.05	1.35	2.42	
May .....					3.85	4.80	4.41	(1.97)	1.58	4.46	1.61	
June .....					3.44	.53	2.51	(3.30)	5.52	2.40	2.42	
July .....					4.45	2.79	4.66	(3.00)	4.52	3.54	2.19	
August .....					5.77	3.25	5.18	(4.50)	6.76	6.04	(6.75)*	
September...					6.76	4.53	6.75	(6.00)	2.38	1.46	4.04	
October .....					3.03	4.98	6.10	3.62	7.80	6.27	7.49	
November...					4.32	2.93	6.03	5.71	8.36	7.64	5.58	
December...					5.80	4.84	2.43	1.99	6.24	9.50	5.22	
TOTALS...					50.44	44.70	55.99	(42.55)	64.14	50.20	(47.02)	

1924. Bonewood Bush 30" high 36" to 6 1/2' N.  
1925. Gauge moved 1. July to 16. Sept. 1/4 mile WNW. 160' above M.S.L.  
1927. not printed.  
1928. Holly Tree 12 ft. high 3 yds. N.  
Chestnut 36 " " 17 " S.W.  
House 24 " " 15 " E.  
Ash 55 " " 35 " N.  
\* 1930. August incomplete owing to holidays. 1st-15th estimated satisfactorily.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1924	54° 56' 30"	4° 50' 20"	New Luce	2 m	W	Established	50 yds	W'S.
1926						New Luce	50 yds 25 yds	W S.



RAINFALL at Whithorn, Culspach.

County of Wigtown. Observer J. G. Martin. Esq.

River Basin 4, Cree & Wigtown Bay.

Rain Gauge, by \_\_\_\_\_

Diameter ...	5										
Height .....	0.6										
Altitude ...	120										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	4.54										
February ...	1.97										
March .....	3.27										
April .....	3.37										
May .....	3.78										
June .....	2.64										
July .....	3.85										
August .....	2.92										
September...	3.52										
October .....	3.37										
November...	2.98										
December...	3.32										
TOTALS...	39.67										

Position of Station on reduced Ordnance Survey } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_  
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1911	54°43'	4°23'	Whithorn	5 m.	N.	Whithorn	4 1/2 m.	N.



Diameter ...						5					
Height .....						1' 6"					
Altitude ...						30'					
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...						3.13	5.35	4.55	8.19	2.99	
February ...						4.75	5.93	2.51	3.45	3.51	
March .....						1.04	2.00	4.25	5.96	1.41	
April .....						3.32	1.57	1.71	1.87	2.14	
May .....						4.81	2.31	2.64	2.04	2.85	
June .....						.29	2.03	3.50	4.42	2.45	
July .....						1.95	2.76	2.47	3.52	3.75	
August .....						3.58	3.80	5.55	5.91	5.25	
September...						2.66	2.20	7.21	2.56	.64	
October .....						4.18	5.05	4.27	9.99	7.48	
November...						1.41	6.22	6.56	8.37	6.96	
December...						4.47	1.49	1.71	5.25	8.00	
TOTALS...						35.59	40.71	46.93	61.53	47.43	

1925. Cottage 20' 42' N  
Garden wall 16' 30' E  
Trees 50' 90' W

Site inspected by Dr. Glanville  
10.9.29.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1925	54° 43'	4° 22'	Lillisle	1 m.	N.W.	Loobie	1 m. N.W.



RAINFALL at Kirkcovan (Craighlaugh)

County of Wigtown Observer Major W. G. Hamilton  
R. M. Reid

River Basin 4 Cree Wigtown Bay

M.O. Rain Gauge, by N 2 1/2

Diameter ...	8	5				5					
Height .....	1.3	1 0 0 9				8.9					
Altitude ...	250 (offshore)	220	300			300					
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	6.26	6.78	6.82	5.17	6.81	4.64	7.65	5.99	11.57	3.45	7.20
February ...	4.30	.75	5.94	7.31	1.09	5.49	6.52	3.47	4.17	2.86	.35
March .....	4.57	5.08	2.10	2.30	1.72	1.92	3.25	5.57	4.73	1.86	2.92
April .....	3.66	1.89	2.99	3.24	2.51	4.48	2.01	2.60	2.03	1.17	2.63
May .....	4.37	2.93	3.72	2.54	4.40	5.95	3.05	3.08	1.70	4.95	1.86
June .....	3.87	1.02	2.73	1.79	3.39	.59	2.36	4.48	5.66	3.43	2.83
July .....	3.15	5.93	4.42	4.07	5.38	2.96	3.50	4.17	3.13	4.33	3.76
August .....	3.02	5.30	3.50	9.72	5.10	3.16	3.91	5.62	6.30	7.24	6.36
September...	3.38	2.57	3.88	6.01	8.61	3.68	3.62	6.53	2.73	1.08	4.76
October .....	5.40	4.84	3.45	7.39	3.61	5.76	6.37	6.14	9.55	7.79	9.18
November...	2.93	5.17	4.84	6.55	4.08	2.27	6.96	6.16	9.26	9.59	5.94
December...	5.04	6.08	3.81	8.09	6.85	5.59	2.40	2.01	5.33	10.47	7.05
TOTALS...	49.95 D	48.34 D	48.20 D	64.18 D	53.55 D	46.49 D	51.60 D	55.82 D	66.16 D	58.22 D	54.84 D

1921. Camel Hedge 9 ft. high 120 ft. E  
1930 Hedge 14' high 16 yards NE.

Position of Station on reduced Ordnance Survey } No. of Map..... Reference No.....  
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1920	54°53'	4°38' W.	Kirkcovan	3/4 mile	S.E.	Kirkcovan	1 mile	S.E.



RAINFALL at Newton Stewart, Little Barraer.

County of Wigton

Observer Brig. Gen. G. M. P. Hawthorn, C.B.E., D.S.O.

River Basin Gree & Wigton Bay 4.

Rain Gauge, by \_\_\_\_\_

Diameter ...								5			
Height .....								1 0			
Altitude ...								180			
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...									11.09	3.51	7.16
February ...									4.06	2.97	.32
March .....									5.07	1.73	2.68
April .....									1.83	1.06	2.45
May .....									1.44	4.49	1.64
June .....									5.89	2.98	2.77
July .....									2.95	4.21	4.35
August .....									5.28	6.17	6.34
September...									2.52	.73	4.79
October .....								X 5.88	9.59	6.65	8.41
November...								5.66	8.27	8.83	5.13
December...								1.08	5.80	10.12	6.10
TOTALS...								imp D	63.79 D	53.45 D.	52.14 D.

1927 3 miles S.W. & S. from Newton Stewart.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map .....		Reference No. ....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge



RAINFALL at Newton Stewart, Dumfries

County of Wigtown

Observer Major General Sir Keith Stewart K.C.B., D.S.O.

River Basin Base of Wigtown Bay, 4

Square Rain Gauge, by

Diameter	.....										Square 8"	
Height	.....										5 5	
Altitude	.....										2125.	
Year	.....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930
January	.....										3.33	6.51
February	.....										3.21	16
March	.....										1.82	2.85
April	.....										1.14	2.31
May	.....										4.60	170
June	.....										2.73	2.86
July	.....										3.66	3.28
August	.....										6.23	6.99
September	.....										94	4.09
October	.....										6.12	8.61
November	.....										8.54	5.23
December	.....										10.65	6.34
TOTALS	.....										52.97 D.	51.03 D.

1929 house 26' high 75' NW.  
Tues 45' " 80' SSW.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
			Newton Stewart	1580 yds	S.	Monkoff	500 yds N.E.







RAINFALL at Borgue, Senneck House

County of Kirkcudbrightshire Observer Lewis D Wigan Esq B Gloss, gardener

River Basin Bree & Wigtown Bay 2.

Rain Gauge, by \_\_\_\_\_

Diameter ...			8								
Height .....			1 2								
Altitude ...			150								
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...			3.80	3.25	4.89						
February ...			3.90	5.42	.83						
March .....			1.57	1.76	1.28						
April .....			2.29	2.88	2.03						
May .....			2.41	1.58	4.38						
June .....			1.97	1.29	# moved						
July .....			4.73	3.56							
August .....			3.02	8.77							
September...			2.82	4.41							
October .....			1.87	5.46							
November...			1.77	4.80							
December...			3.63	5.28							
TOTALS...			33.78	48.46							

1923 Jan-June entered back

Position of Station on reduced Ordnance Survey }  
Map, 2 miles to 1 inch Series

No. of Map \_\_\_\_\_

Reference No. \_\_\_\_\_

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction



RAINFALL at Knockbrye 1929. Borgue (Conceyara).

County of Kirkcaldyshire

Observer J. Douglas Brown

River Basin Breswilton Bay 2

W. H. G. Southcomb  
R. Mitchell (1924)  
(1928) J. Palmer

Howdon Rain Gauge, by

Newglas, No. 4. 3/22

Diameter ...		5				5				5		
Height .....		1	0			1	0			1	0	
Altitude ...		10'	15'			10'				50'		
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.	
January ...	(570)	6.74	4.52	3.57	5.62	(4.50)	4.90	4.36	9.20	3.03	5.44	Totals. 57.52
February ...	(310)	.52	4.28	6.14	.93	5.22	5.50	2.88	3.46	2.12	.28	34.43
March .....	(430)	5.23	1.43	1.49	.73	1.43	2.44	4.12	5.12	1.06	1.84	29.19
April .....	(260)	1.46	2.61	2.53	2.31	3.51	1.87	2.29	1.47	1.25	1.72	23.34
May .....	(350)	1.81	2.28	1.83	4.44	4.40	2.03	2.26	1.87	2.75	1.38	28.25
June .....	(280)	.61	1.78	1.54	2.26	.19	2.15	3.77	6.23	2.04	1.80	24.87
July .....	(390)	4.22	4.40	3.44	4.24	2.29	2.52	3.27	3.60	4.27	3.93	40.08
August .....	(270)	5.64	3.16	8.57	5.43	4.54	4.38	5.08	5.83	4.94	5.61	55.88
September...	(280)	2.55	2.80	4.42	5.96	3.40	2.59	5.31	2.15	.77	4.78	37.53
October .....	(390)	3.20	1.81	5.20	3.90	4.76	4.61	4.44	8.05	5.61	6.45	51.93
November...	(280)	2.43	3.06	5.12	(2.83)	1.75	6.97	5.20	7.78	6.11	5.67	49.72
December...	(390)	4.38	3.95	5.61	(6.41)	4.44	1.52	1.47	4.24	7.92	5.16	49.00
TOTALS...	(4140)	38.79	36.08	49.42	(44.76)	40.43	41.48	44.45	59.00	41.87	44.06	481.74
		D	D	D	D	d	D	D	D	D.	d	481.74

1921 fir trees 15 ft. High 50 yds. N.  
stone archway 12 ft. 20 yds. E.  
1922 Trees from 20 to 40 ft. high 22 to 43 yds. N. N.E. E. S.E.  
1924 Nov. & Dec. partly noted.  
1929. Feb 2<sup>nd</sup> gauge moved to Conceyara. Readings are same as Knockbrye.

Ref. Breckon Cairn gauge. 1921  
44.99 : 38.79 100 : 86.2

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920	54° 49'	4° 12'	Kirkcaldy	9 mi	N. E	Borgue	4 mi E
2/2/29.			Kirkcaldy	8 m	N. E	- do -	3 miles E







RAINFALL at Greeton (Cassington)

County of Rutland Observer J. A. Harrison - Cassington, Eng.

River Basin 2 Cretan River

Rain Gauge, by N.E.S.

Diameter ...	5.0										
Height .....	0.8										
Altitude ...	50										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	6.59	6.77									
February ...	3.55	7.3									
March .....	5.00	5.29									
April .....	2.99	1.33									
May .....	3.76	2.23									
June .....	2.86	4.2									
July .....	4.48	5.67									
August .....	3.08	5.48									
September...	3.20	3.86									
October .....	4.47	3.79									
November...	3.26	3.76									
December...	4.56	5.66									
TOTALS...	47.80	44.99									

Position of Station on reduced Ordnance Survey } No. of Map..... Reference No.....  
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long. W.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
	52° 54' 1/2	4° 22'	Greeton		N.	Greeton	1/2 m.	N.



*Rain Gauge, by*

1925. Record terminated - estate changed hands on death of Mr. Edwin Stewart on 4. 3. 1925.

Reference No. ....







RAINFALL at Wiskudbright (Balmae).

County of Wiskudbright Observer the late Countess of Selkirk.

River Basin See - 3

Harold Rain Gauge, by

Diameter ...	5										
Height .....	0.8										
Altitude ...	150										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	6.26										
February ...	2.11										
March .....	5.15										
April .....	3.43										
May .....	3.19										
June .....	4.07										
July .....	4.93										
August .....	4.51										
September...	3.47										
October .....	3.18										
November...											
December...											
TOTALS...											

1918 was soft wet.  
Spec.

Position of Station on reduced Ordnance Survey } No. of Map  
Map, 2 miles to 1 inch Series

Reference No.

Date.	Lat. N.	Long. W.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1911	54° 46'	4° 3'	Wiskudbright	4 1/4 m.	N.	Wiskudbright	4 m.	N.



RAINFALL at Threave

County of West Lothian      Observer Major C. H. Gordon

River Basin 3 - Dee

Square recorder Rain Gauge, by

Diameter	....	....											8" square
Height	....	....											3' 0"
Altitude	....	....											280.
Year	....	....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930
January	....	....											10.14
February	....	....											52
March	....	....											3.87
April	....	....											3.07
May	....	....											2.31
June	....	....											4.08
July	....	....											4.69
August	....	....											11.52
September	....	....											5.03
October	....	....											10.98
November	....	....											7.60
December	....	....											7.32
TOTALS	....	....											71.13. Big up.

1930. Gauge situated on open level ground.  
Gauge has a square top & is of the tipping bucket gauge 3' above ground.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				} No. of Map.....		Reference No.....		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1930.			Castle Douglas	1/2 m	E	Keilton	1/2 m.	S.E.



RAINFALL at Mossdale, Hemsol House

County of Kirkcubrightshire

Observer R. J. Cunningham Esq. *clerk V. 25*

River Basin Dee - 3

Mrs Cunningham

8" Copper Rain Gauge, by R. J. Z.

Diameter ...				8							
Height .....				10							
Altitude ...				200							
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.
January ...				2.34	4.56	5.21	9.19	5.24	13.53	3.78	8.86
February ...				6.84	1.08	6.10	7.36	3.76	4.80	2.31	.42
March .....				2.94	1.20	1.38	2.73	4.82	7.31	1.10	3.06
April .....				3.59	3.36	5.97	2.73	2.52	2.21	1.64	2.57
May .....				1.89	4.81	6.84	3.09	3.48	1.82	3.97	3.02
June .....				1.51	2.65	.23	3.34	4.64	7.03	3.13	3.93
July .....				3.68	5.57	1.88	3.59	6.47	3.11	5.18	4.69
August .....				9.08	5.49	6.00	4.75	6.39	9.42	5.63	7.18
September...				7.11	7.87	3.12	3.12	7.41	3.38	.70	4.47
October .....				8.04	5.20	7.07	4.18	5.99	12.08	6.70	9.04
November...				7.41	4.57	1.83	9.24	5.78	10.10	9.62	5.68
December...				5.67	9.25	(5.05)	1.65	2.28	5.91	12.86	6.23
TOTALS...				60.10 D	58.61 P	50.68 D	54.97 D	58.78 D	80.70 D	56.62 D	59.15 D

1923 Oak Tree 53' high 153' dia. NNW.  
1930 "Nothing within 150 yards"  
Site inspected by Dr. Glasspole 10.9.29.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long. W.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1923.	55° 0' 0"	4° 4' 0"	New Galloway	12 m	NW'W.	Balmaghie	4 m SE.



RAINFALL at New Galloway, Clatteringshaw Schoolhouse <sup>20</sup>

County of Kirkcudbright

Observer Sir Alexander Gibb & Partners

River Basin Dee 3.

Galloway Water Power Coy.

Rain Gauge, by \_\_\_\_\_

Diameter ...											
Height .....											
Altitude ...											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...											11.68
February ...											57
March .....											4.30
April .....											2.82
May .....											2.80
June .....											3.94
July .....										5.67	5.17
August .....										7.95	10.56
September...										1.54	5.34
October .....										9.57	13.06
November...										13.59	9.24
December...										15.28	8.65
TOTALS...										imp	78.13 2

1929 Not published under agreement } File 962596/29

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge



Rain Gauge, by .....

1929. Not published } See file 962596/29  
under agreement.

(<sup>e</sup>1383) Wt. 1671—6044. 10,000. 4/21. J. T. & S., Ltd. 160.



RAINFALL at New Galloway, Loch Dee

County of HighlandObserver Sir Alexander Gibb & Partners,

River Basin Dee 3Galloway Water Power Co.,

Rain Gauge, by

Diameter ...											
Height .....											
Altitude ...											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...											16.91
February ...											87
March .....											6.04
April .....											3.42
May .....											3.81
June .....											(5.40)
July .....											586
August .....										(10.94)	11.35
September...										1.93	5.68
October .....										11.91	16.10
November...										17.47	10.94
December...										20.22	11.39
TOTALS...										imp.	97.77

1929 Not Published See File 962596/29.  
under Agreement

Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge



RAINFALL at Newfalloway (Glenlee Park)

County of Westmeath Observer Mr. E. Jamieson  
(Sawney)

River Basin Dec. 3

Symers Rain Gauge, by R.O.

Diameter ...	5										
Height .....	0.6	level									
Altitude ...	234	224									
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	8.31	14.33	8.38	7.21	8.00	6.85					
February ...	6.97	1.24	6.30	11.84	1.41	8.32					
March .....	7.22	12.00	2.66	3.38	1.39	1.71					
April .....	3.45	1.87	3.46	3.93	4.02	6.60					
May .....	7.34	3.01	3.57	2.60	4.26	6.69					
June .....	2.22	.26	1.92	1.57	2.85	.26					
July .....	4.26	5.71	4.90	4.84	5.02	3.16					
August .....	3.58	8.00	4.24	10.50	5.15	4.82					
September...	2.68	2.72	3.13	8.77	7.68	3.94					
October .....	4.81	5.00	3.10	8.86	4.74	7.61					
November...	4.91	4.50	2.88	9.64	4.27	1.85					
December...	7.08	11.63	6.92	5.38	9.14	6.87					
TOTALS...	62.83	70.27	51.46	78.72	57.93	58.68	NR	NR	NR	NR	NR

Position of Station on reduced Ordnance Survey } No. of Map..... Reference No.....  
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1920.			Newfalloway	7 m.	S.	Newfalloway	2 m.	S.W.



RAINFALL at Dalry (Larroch)

County of West Lothian

Observer Arthur Young Esq.

River Basin See - 3

R.W. Leadhill (gdr)

Rain Gauge, by Cassells  
No. 8380

A. G. Milne (gdr) 1926  
(1928) F. Mackintosh.

Diameter ...	8											
Height .....	13										1' 0"	
Altitude ...	250											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS:	
January ...	8.85	13.38	7.72	6.76	6.99	6.57	10.81	6.26	16.53	3.71	10.81	Totals 98.39
February ...	7.73	1.71	5.87	8.65	.95	7.01	7.20	3.46	6.56	2.78	.42	52.44
March .....	9.84	11.96	2.28	3.33	1.29	.89	4.88	5.87	8.59	1.47	3.62	54.02
April .....	4.59	2.05	3.82	4.00	(2.82)	4.28	3.17	3.07	2.82	1.48	2.90	35.00
May .....	8.23	3.67	3.74	2.48	4.25	5.71	3.58	3.45	2.07	5.69	2.62	45.49
June .....	2.88	.24	1.86	1.70	2.99	.30	2.47	5.90	7.58	2.96	3.24	32.12
July .....	4.21	5.66	5.18	5.22	5.53	1.50?	2.76	6.36	2.95	5.33	5.68	50.38
August .....	4.27	6.77	4.48	10.81	4.66	4.40	5.28	7.09	8.66	6.93	9.21	72.56
September...	3.31	3.77	4.39	9.04	8.99	3.98	4.21	7.73	3.16	.83	5.31	54.72
October .....	4.83	4.63	3.49	9.75	4.82	6.71	7.11	7.36	11.48	7.90	11.21	79.29
November...	5.61	4.54	4.26	7.70	4.57	1.63	9.28	7.54	11.02	11.13	7.89	75.17
December...	8.08	10.30	7.09	4.09?	11.17	4.18?	2.37	2.15	7.42	16.85	7.46	81.16
TOTALS...	72.43	68.68	54.18	73.53	59.03	47.16?	63.22	66.24	88.84	67.06	70.37	730.74

1919, gauge fixed 25 ft. from Wat Wall. 10 ft. high.  
1920, Wall 8 ft high. 25 ft off. 2nd.  
1924, interpolated for snow in April

Site inspected by D. Glasspool 10.7.29.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920.			Newfalloway	9 m.	S.	Newfalloway	4 m. S.
1923	55°	4' 11"					



RAINFALL at Dalry (Glendarroch)

County of Highlandshire Observer Miss M. Barclay

River Basin See S.

Wibon's Lowdown Rain Gauge, by

1110. mo 1929

Diameter ...	5											
Height .....	0.11										2'?	
Altitude ...	192											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.	
January ...	7.85	10.49	7.80	5.22	7.99	6.22	9.93	6.15	13.36	3.17	9.27	87.45
February ...	6.84	8.9	5.55	8.47	.83	7.79	6.98	3.83	5.23	2.67	.39	49.47
March .....	7.21	9.51	2.29	2.80	1.22	1.50	4.05	5.33	7.23	1.82	3.23	45.69
April .....	3.55	1.66	3.27	3.79	3.56	6.08	2.62?	2.69	2.31	1.27	2.44	33.24
May .....	6.71	2.84	3.08	1.94	4.06	6.79	3.20	3.19	1.93	4.41	2.09	40.24
June .....	2.22	.29	1.66	1.26	2.63	.25	2.67	5.47	6.57	2.84	2.90	28.26
July .....	4.35	5.26	4.41	3.99	5.31	3.24	2.82	6.81	2.34	4.60	5.98	49.11
August .....	4.02	7.76	3.67	8.87	4.82	4.72	5.75	6.85	8.41	6.14	8.48	69.49
September...	3.21	2.71	3.34	7.45	7.68	3.82	3.84	6.24	2.40	.63	4.55	45.87
October .....	4.38	4.56	3.28	7.60	4.55	7.63	5.12?	6.04	11.08	6.97	9.19	70.40
November...	4.47	4.45	3.13	7.49	3.76	1.88	9.07	6.04	8.88	9.31	6.37	64.85
December...	6.63	8.30	5.39	6.72	8.84	5.57	1.84	2.35	5.84	13.49	6.59	71.56
TOTALS...	61.44	58.72	46.87	65.68	55.25	55.49	57.89	60.99	75.58	56.32	61.48	655.63
	D	D	D	D	P	D	D	D	D	D	D	118.

1920. Jan, 29<sup>th</sup>. Gauge moved for 6 weeks, about 400 yds. S. E.

" Mountain clb out 16 ft. } 5 yds. S.  
Bay about 8"

1925 do. about 18 ft. and 9 ft. - 5-6 yds S.

1926 do. 20 " 8 " 7 " SSW + SSE.

1929. Gauge moved 16<sup>th</sup> Dec. 18 1/2 yards WNW.

Gauge bushes 3'9" high 2 3/4 yds E. { Insp. by J. Blankpoole 10.9.29 }

Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1920			Newfalloway	8 1/4 m.	S.	St. John's	500 yds.	S.



RAINFALL at New Galloway, Backhill of the Bush

County of Perkudbright

Observer Sir Alexander Gibb & Partners,

River Basin Dee 3

Galloway Water Power Coy.

Rain Gauge, by \_\_\_\_\_

Diameter ...											
Height .....											
Altitude ...											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...											12.41
February ...											.62
March .....											5.13
April .....											3.10
May .....											3.97
June .....											4.59
July .....										imp.	5.78
August .....										9.22	10.99
September...										2.24	6.79
October .....										11.90	16.27
November...										15.20	10.63
December...										21.56	10.31
TOTALS...										imp.	90.59

1929 Not published } No. 962596/29  
under agreement.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map .....		Reference No. ....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge



RAINFALL at Dalry, Forest Lodge

County of Linkendbrightshire

Observer Sir J. Wood, Bt.  
per Mr James Murray

River Basin Dee 3

1929 John Cammings Jr.

M.O. Rain Gauge, by \_\_\_\_\_

Diameter ...			5									
Height .....			1.0									
Altitude ...			500									
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.	
January ...	11.00	14.02	9.99	6.79	9.80	7.56	12.14	8.67	18.06	3.64	12.97	Totals. 114.64
February ...	8.48	1.28	6.96	8.99	1.47	10.48	7.39	3.18	6.59	3.24	.48	58.54
March .....	6.83	11.78	2.85	3.47	1.55	2.14	5.02	7.14	8.59	1.33	4.19	54.89
April .....	4.58	1.78	(4.73)	3.96	3.71	7.99	3.80	3.39	2.86	2.01	3.03	41.84
May .....	5.49	2.94	4.72	3.86	4.09	7.03	3.31	4.11	1.60	5.54	3.01	45.70
June .....	1.78	.34	1.98	1.74	2.82	.49	2.37	5.04	7.69	2.71	4.02	30.98
July .....	3.74	3.19	5.67	4.85	6.38	2.15	3.84	6.20	2.53	4.41	5.57	48.53
August .....	6.05	6.15	5.65	10.54	4.97	4.00	4.97	6.32	7.34	7.25	9.98	73.22
September...	1.54	2.57	3.72	8.49	9.92	4.10	4.98	7.57	4.94	.91	6.06	54.80
October .....	4.32	5.33	3.73	10.16	5.11	7.63	7.73	8.33	12.36	10.18	13.46	88.34
November...	3.29	7.25	3.77	9.66	4.25	1.89	9.04	7.35	12.94	13.96	9.51	82.91
December...	4.89	12.79	5.90	8.08	10.74	5.57	2.56	1.99	8.50	19.88	8.04	88.94
TOTALS...	61.99	69.42	59.67	80.59	64.81	61.03	67.15	69.29	94.00	75.06	80.32	783.33

1922. April 14<sup>th</sup> est. Obsr. agrees. Site inspected by Dr. Blampole 10.9.27.  
1929. Oct<sup>r</sup> 22<sup>nd</sup>. gauge moved 40' N.W.  
Buck ledge 4'6" high by road S.W.  
1930 Hedge 3'9" high 15' S.  
1920-21 Received M.O. Edinburgh. entered 29/12/33

Position of Station on reduced Ordnance Survey } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_  
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
			<u>Leis Galloway</u>	<u>15 miles</u>	<u>S.</u>	<u>Dalry</u>	<u>7 miles</u>	<u>S.E.</u>



RAINFALL at Carrasphaire, Carline's Cairn, via Shield

County of Gloucestershire

Observer Sir Alexander Gibb & Partners,

River Basin Dee 3

Galloway Water Power Coy.,

Rain Gauge, by \_\_\_\_\_

2 Mr. P. Wilson

Diameter ...											
Height .....											
Altitude ...											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 <del>1931</del>
January ...											15.31
February ...											62
March .....											604
April .....											3.93
May .....											3.17
June .....											4.47
July .....											9.11
August .....										imp.	13.45
September...										(2.42)	7.93
October .....										10.98	15.59
November...										16.32	11.84
December...										21.86	10.71
TOTALS...										imp.	102.17

1929 Not published } File 962596/29  
under agreement

Position of Station on reduced Ordnance Survey } Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge



RAINFALL at Carpfham (Shiel)

County of Wiltshire Observer Mr. S. Wilson

River Basin Dee - 3

Rain Gauge, by \_\_\_\_\_

Diameter ...	5										
Height .....	1.0										
Altitude ...	850										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS
January ...	11.52	15.42	10.42	8.18	10.73	9.90	14.15	11.59	18.14	3.37	12.66
February ...	7.84	1.72	7.97	9.11	2.63	10.83	8.23	4.84	6.99	3.57	.57
March .....	8.23	13.70	3.21	4.21	1.66	3.48	5.76	8.00	8.35	1.46	4.92
April .....	5.00	2.81	5.29	3.96	3.83	8.20	3.72	5.90	2.89	2.06	3.21
May .....	9.14	4.06	3.98	4.78	4.99	8.73	4.52	4.28	1.61	6.38	3.13
June .....	2.85	1.19	3.26	3.44	3.13	.47	4.31	6.65	9.66	3.62	3.92
July .....	6.71	6.38	4.50	6.48	6.52	2.66	4.44	6.27	3.40	5.32	5.81
August .....	5.31	9.77	5.80	12.63	6.66	4.70	5.25	7.72	9.13	8.27	10.86
September...	4.14	3.70	4.04	10.63	10.68	5.89	4.60	8.57	4.21	1.48	6.70
October .....	5.27	5.80	4.03	11.63	4.55	9.78	8.51	9.26	13.29	10.26	14.15
November...	6.31	5.94	6.15	10.12	4.73	2.47	8.89	7.80	13.71	14.68	10.17
December...	7.83	13.96	8.00	10.66	12.54	8.48	4.84	2.14	8.41	19.84	8.43
TOTALS...	80.25	44.45	66.65	95.83	72.65	75.59	77.22	83.02	99.79	79.81	84.53
	D	D	D	D	D	D	D	D	D	D	D

1920. Pole 7 ft. high. 22 ft. N.W.  
1929 gauge moved 30' November. 28 yards E.  
Stone dyke 4' 6" high 16 yards N.  
Imp by Dr. Blampole 10.9.29.  
1930. Gauge moved 75 feet East in 1929 to site chosen by our inspector.  
Tree 14' high 54' North.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map .....		Reference No. ....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920.			Salisbury	12 m.	N.W.	Carpfham	3 m. N.E.



RAINFALL at Carrphain (Knockgray)

County of Highland Observer Min Clark Kennedy

River Basin Dec-3

Glaister Rain Gauge, by

Diameter ...	8					8					
Height .....	0.11					1.0					
Altitude ...	641					641					
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.
January ...	8.08	10.64	8.77	5.23	8.48	7.44	10.32	5.75	13.83	2.74	9.41
February ...	5.08	.96	6.19	16.82	1.03	7.04	6.28	3.47	5.31	2.69	.39
March .....	6.28	9.26	2.32	3.30	1.11	1.50	3.55	5.80	7.96	1.05	3.28
April .....	3.17	2.20	4.11	3.86	3.58	6.98	3.39	3.56	1.99	1.72	3.13
May .....	6.82	3.01	3.07	3.38	4.72	7.90	3.73	3.21	1.57	4.89	2.45
June .....	2.49	.72	2.32	2.04	2.77	.23	3.57	5.12	6.52	2.09	2.72
July .....	3.74	4.74	(4.50)	5.25	5.33	2.88	3.54	6.12	2.16	4.21	5.31
August .....	4.30	8.13	4.34	9.86	5.13	4.15	4.43	7.51	7.39	5.99	9.98
September...	3.39	2.73	3.46	8.29	8.31	4.26	3.26	5.32	2.93	.97	4.73
October .....	5.36	4.04	2.69	9.56	4.15	7.74	6.35	6.55	11.37	8.35	10.27
November...	4.65	5.00	4.86	7.24	4.26	2.59	7.85	5.55	9.16	11.03	6.50
December...	7.28	8.61	5.39	7.63	10.40	6.13	2.36	1.82	6.22	14.14	7.18
TOTALS...	60.64	60.04	(52.02)	72.48	59.27	58.84	58.63	59.78	76.41	59.87	65.35
	0	0	0	0	0	0	0	0	0	0	0

1922. July. Interpolated.  
1923. Probably less from snow in Feb.  
1929. gauge moved 11/9/29 ? Site inspected by St. Glaspole 10.9.29.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge
1920.			Deinellifton	11 miles	W. of N.W.	Carrphain	1 mile W.



RAINFALL at Cansphairn, Knockingarroch

County of Perkudbright

Observer Sir Alexander Gibb & Partners,

River Basin Dee 3

Galloway Water Power Coy.

Rain Gauge, by \_\_\_\_\_

Diameter ...											
Height .....											
Altitude ...											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 Means.
January ...											8.29
February ...											.23
March .....											3.07
April .....											2.87
May .....											2.43
June .....											2.87
July .....										4.09	5.50
August .....										6.35	9.28
September...										.98	4.27
October .....										7.92	10.68
November...										9.89	6.78
December...										14.26	7.78
TOTALS...										imp. 2	64.05 D

1529

Not published  
under agreement } File  
962596/29

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map _____		Reference No. _____	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge



RAINFALL at Carsphairn, Glennoch

County of Perkudbright

Observer Sir Alesander Gibb & Partners

River Basin Dee 3

Galloway Water Power Coy.

Rain Gauge, by \_\_\_\_\_

Diameter ...											
Height .....											
Altitude ...											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	<sup>1930</sup> <del>MEANS.</del>
January ...											14.92
February ...											.65
March .....											2.88
April .....											6.11
May .....											3.71
June .....											4.07
July .....											6.30
August .....										imp.	12.35
September...										1.84	5.48
October .....										9.31	15.62
November...										13.30	7.38
December...										18.43	11.98
TOTALS...										imp. D	91.45 2

1929 Not published } See File 962596/29  
under agreement

Position of Station on reduced Ordnance Survey } Map, 2 miles to 1 inch Series				No. of Map _____		Reference No. _____	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge



RAINFALL at Carrigrohane, Moor of Maes

County of Limerick

Observer Sir Alexander Gibb & Partner,

River Basin Dee 3

Galloway Water Power Coy.

Rain Gauge, by

Diameter ...											
Height .....											
Altitude ...											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 Means.
January ...											8.77
February ...											27
March .....											3.08
April .....											3.42
May .....											3.47
June .....											2.55
July .....											5.92
August .....										7.53	10.28
September...										1.73	4.17
October .....										9.39	11.22
November...										12.10	8.57
December...										18.90	7.37
TOTALS...										imp.	69.09

1929 Not published } See file  
by agreement 962596/29

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance Direction from gauge



RAINFALL at Auchencairn (Tart House)

County of Midlothian Observer W. Owens, Esq. (25) died 14.24

River Basin Urr & C. H. Y. Owens Esq. 1924

Rain Gauge, by

Diameter ...	5											
Height .....	0.8							1.0				
Altitude ...	30	50										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.	
January ...	6.47	8.53	5.21	3.72	6.40	4.45	6.97	4.93	12.67	3.52	6.63	69.50
February ...	2.87	.62	5.52	6.33	.98	6.18	6.35	3.36	4.35	1.74	.49	39.79
March .....	5.70	7.23	2.95	2.07	1.70	1.47	2.91	4.40	4.70	1.48	3.12	37.73
April .....	3.88	2.03	2.47	4.45	2.97	4.66	2.71	2.51	2.10	1.60	2.21	31.59
May .....	6.07	3.12	3.28	2.70	5.06	7.50	2.17	2.75	1.97	3.59	1.66	39.87
June .....	2.57	.42	1.76	1.48	2.41	.36	3.44	5.40	7.31	2.36	2.67	30.18
July .....	5.12	4.48	5.24	4.11	4.79	2.09	4.39	3.64	4.53	4.95	2.20	45.54
August .....	2.99	8.39	3.77	10.16	5.46	5.07	3.83	5.93	7.25	7.13	7.89	68.87
September...	2.67	2.46	3.05	5.38	7.52	3.66	4.48	8.90	3.55	1.04	4.42	48.13
October .....	2.45	3.01	2.46	7.79	4.92	5.67	3.81	4.95	10.02	7.69	8.78	61.55
November...	2.97	2.17	2.35	5.85	3.72	2.32	8.50	6.70	8.77	8.88	5.52	58.70
December...	4.99	6.21	5.87	6.59	7.93	4.91	1.71	1.90	4.89	10.06	4.46	59.52
TOTALS...	52.75	48.67	43.93	60.63	53.86	48.34	51.27	55.37	72.11	53.99	50.05	590.97

1113

Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
			Castle Douglas or Dalbeattie	7 mi	N.	Auchencairn	1 mi	



RAINFALL at Dalbeattie (Richorn Wood)

County of Kirkcubright Observer <sup>E</sup> MacKillop Rae

River Basin 4 Urte-

British Assoc Rain Gauge, by

Diameter ...	5										
Height .....	1.0										
Altitude ...	54										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	5.54	7.57	4.23	2.61	5.49	4.42	6.66				
February ...	3.47	5.0	4.29	6.80	3.2	5.73	5.95				
March .....	4.91	6.11	3.06	2.26	1.01	.78	1.43				
April .....	3.09	1.81	2.40	3.78	3.26	4.76	2.48				
May .....	5.45	2.79	2.93	1.61	4.30	6.35	2.21				
June .....	2.19	.37	1.53	1.28	1.58	.17	3.77				
July .....	4.11	4.72	4.33	3.50	4.05	2.49	3.76				
August .....	3.41	7.72	3.56	9.47	5.28	4.49	3.97				
September...	3.26	2.21	3.10	4.01	5.47	2.60	3.33				
October .....	2.40	2.17	2.45	6.99	4.14	5.01	3.38				
November...	3.05	2.44	1.92	4.92	2.80	2.68	7.88				
December...	5.65	4.39	5.18	5.64	7.71	3.82	.96				
TOTALS...	46.53	42.80	38.98	52.87	45.41	43.30	45.78	NO.	NO	NO	

1920. Subs. 5ft. 3ft. off. 8.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920.			Dalbeattie	1 1/2 m.	N.	Dalbeattie	1 1/2 m. N.



RAINFALL at Kirkpatrick Durham (Glenlaig).

County of Kirkcubright Observer A. L. Hannay, Esq.  
1922 Edult

River Basin 4 WTC. Mrs. Hannay 1924.

Rain Gauge, by Kirkpatrick

Diameter ...	5										
Height .....	0.6	.9									
Altitude ...	250	250'									
		1500									
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	6.85	8.44	5.08	3.74	6.10	4.92	7.75				
February ...	4.44	1.12	3.75	6.52	.72	7.00	6.72				
March .....	5.53	6.27	2.33	2.49	1.26	1.17	2.94				
April .....	2.94	1.68	2.74	4.16	3.08	4.96	2.41				
May .....	5.04	3.29	2.92	1.75	5.18	7.18					
June .....	2.00	.57	1.80	1.46	2.54	.22					
July .....	4.43	5.20	4.57	2.88	5.46	2.36					
August .....	3.90	8.42	3.47	8.75	6.05	5.31					
September...	3.70	2.06	3.38	6.32	6.84	3.12					
October .....	3.48	2.98	2.20	6.27	5.09	5.99					
November...	3.79	2.79	2.30	5.99	3.57	1.95					
December...	6.30	6.00	5.40	5.55	8.18	4.78					
TOTALS...	52.40	48.82	39.94	55.88	54.07	48.96					
	0	0	0	0	0	0					

1920. Glenlaig 15ft. 6.78 N.W.  
Wall. 8. ... E.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map .....		Reference No. ....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920	55°2	3°57	Castle Douglas	7m.	S.	Gordon	2m. N.



RAINFALL at Gopock (Monywa)

County of Northampton

Observer W. E. Stirling (1917)  
Mrs. Stirling per M.O. (Edin.)

River Basin 4 U.K.

Shrewsbury Rain Gauge, by Richardson  
(Edin.)

Diameter ...	5										
Height .....	1.0										
Altitude ...	580										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	2.58	4.04	(6.38)								
February ...	1.07	.52	5.14								
March .....	2.64	3.61	2.58								
April .....	1.68	.687	2.56								
May .....	2.66	1.63	3.77								
June .....	1.38	.14	2.39								
July .....	9.29	4.02	5.41								
August .....	1.78	6.92	(4.00)								
September...	3.47	2.03	2.11								
October .....	2.88	3.10	2.99								
November..	2.43	3.46	2.74								
December..	2.88	7.01	6.29								
TOTALS...	28.74	37.16	(46.36) #								

1920. Not published.  
1922. Aug. estd, Jan. part estd. Obs. agrees.

N.B. Annual values reported from Survey Map, 1929.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_

Date.	Lat. N.	Long. W.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1917			Monywa	8 m.	N. by E.	Bahmadellay	7 m.	W. by S.
1921	55° 7'	3° 58'						



RAINFALL at Dalbeattie, (Southwick)

County of Northumberland Observer Wm. McE. Stewart Bart.

River Basin Urr FC. 11

John Milner (junior)  
Sir E. Bode Stewart, Bart.

Inverdon Rain Gauge, by N.E.S.

Diameter ...	5										
Height .....	1.0										
Altitude ...	150	75' 1220.									
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	6.37	9.05	4.58	2.34	4.67	3.94	5.58				
February ...	4.32	.61	4.17	6.06	.80	5.51	5.88				
March .....	6.14	6.09	2.26	1.62	1.21	1.42	2.12				
April .....	3.95	1.47	3.12	5.25	2.91	5.07	3.59				
May .....	4.53	3.43	3.31	2.56	5.60	7.07					
June .....	2.91	.40	1.43	1.48	3.14	.29					
July .....	4.81	5.17	5.24	4.92	4.87	1.83					
August .....	3.12	6.61	3.59	11.42	4.43	4.93					
September...	2.73	2.48	3.32	5.20	5.83	3.75					
October .....	2.22	2.74	1.70	6.63	3.88	4.29					
November...	3.42	2.98	1.70	5.76	3.22	1.57					
December...	5.52	5.47	4.72	5.31	7.30	4.06					
TOTALS...	50.03	46.50	39.14	58.55	47.86	43.73					
	0	2	0	0	1	0					

1920. Seedling from 1/25. 9 at 10 1/2. 1/16.6.

~~1918. 1/16.6. 1/25.6.~~

1926. Terminated

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map .....		Reference No. ....	
Date.	Lat. N.	Long. W.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920.	55° 2'	3.33	Southwick	6m.	N.W.	Southwick	1/5-m. W.



RAINFALL at Dalbeattie (Kirkcaldy)

County of Perth and Kinross

Observer Wellwood Maxwell Esq.

River Basin 4 m + c.

Rain Gauge, by N. 83.

Diameter ...	5										
Height .....	0.9										
Altitude ...	30										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	6.28	8.35	4.77	3.34	6.02	4.67	7.07	4.98	12.21	3.81	7.15
February ...	3.79	5.50	4.56	6.52	5.54	6.04	6.56	3.83	3.64	2.20	4.41
March .....	5.44	6.60	3.07	2.15	1.10	1.22	2.48	4.82	5.87	1.24	4.08
April .....	3.16	1.87	3.30	4.10	3.16	5.18	3.19	2.52	1.75	1.61	2.54
May .....	6.08	2.93	3.20	2.29	5.32	6.68	2.13	2.61	2.28	4.07	1.64
June .....	2.02	3.37	1.60	1.51	2.09	1.28	3.73	4.88	6.88	3.13	2.80
July .....	4.23	4.46	4.32	3.77	4.32	2.37	3.99	4.24	3.48	5.46	3.92
August .....	3.79	7.81	4.44	9.63	5.41	5.25	4.13	7.68	6.43	7.27	8.70
September...	3.26	2.37	3.49	5.57	6.68	3.22	4.18	8.62	2.72	1.75	4.04
October .....	2.21	2.62	2.45	7.02	4.56	5.53	3.80	5.34	9.83	9.29	8.02
November...	3.14	2.37	2.07	6.06	3.48	2.39	8.07	6.38	8.29	9.23	5.81
December...	5.53	5.52	5.62	6.04	8.30	4.46	1.25	2.03	5.34	11.06	4.44
TOTALS...	48.95	45.77	42.89	58.00	50.98	47.29	50.88	57.93	68.72	59.12	53.55
	D	D	D	D	D	D	D	D	D	D	D

Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series

No. of Map .....

Reference No. ....

Date.	Lat. N.	Long. W.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1920	54°54'10"	3°49'57"	Dalbeattie	2½ m.	N.	Brattle	2 m.	N.W.



RAINFALL at Dalbeattie, Drumstinchall

County of Linkedbrightshire Observer Mrs R. F. Hanbury

River Basin Urr & C. H.

Standard Japanned iron Rain Gauge, by A. & N. Stokes.  
Glaisher  
Cross lip

Diameter ...			8								
Height .....			0.11								
Altitude ...			400								
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...			4.64	2.86	5.41	4.21	6.38	4.36	10.30	3.25	6.68
February ...			4.04	6.20	.67	4.95	6.16	3.41	3.84	1.62	.39
March .....			2.65	2.00	.95	1.14	2.10	4.18	4.91	1.52	3.70
April .....			2.53	4.49	3.53	5.08	3.34	2.08	1.72	1.14	2.00
May .....			3.54	2.03	4.96	7.14	2.72	2.70	2.23	3.08	1.72
June .....			1.77	1.72	2.88	.27	3.80	5.30	6.96	3.52	2.87
July .....			5.69	4.78	5.18	2.30	3.96	5.09	4.08	6.25	3.54
August .....			4.18	10.60	5.95	5.09	4.67	7.22	6.92	7.06	8.34
September...			3.81	6.08	6.42	3.35	3.78	7.39	3.82	.84	4.23
October .....			2.17	7.66	4.61	4.69	3.74	5.46	9.53	7.81	8.33
November...			1.95	5.23	3.62	1.79	8.43	5.50	7.27	7.24	5.66
December...			5.31	5.87	7.90	3.87	1.21	1.97	4.93	7.99	4.29
TOTALS...			42.28	59.52	52.08	43.88	50.29	54.66	66.51	51.32	51.75
			D	D	D	D	D	D	D	D	D

1922. Garden Sheds. 15 ft high 36 ft N.W.  
1930. Gauge moved 20 ft. S.  
Beech hedge 14' 6" high 14' distant. (direction not stated).

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1922	55	4	Dalbeattie	5 mi	N W	Colvend	3 1/2 mi	S.W.



RAINFALL at Castle Douglas (Collieston)

County of Kirkcubright Observer Miss A. G. Piggan

River Basin H. - H. & C.

Type of Gauge B.A.

Annual Average.....in. based on.....years obs. un-weighted. Period of average.....Ref.....

Diameter .....											
Height .....											
Altitude .....											
Year .....	<u>1920</u> 1931	<u>1921</u> 1932	<u>1922</u> 1933	<u>1923</u> 1934	<u>1924</u> 1935	<u>1925</u> 1936	<u>1926</u> 1937	<u>1927</u> 1938	<u>1928</u> 1939	<u>1929</u> 1940	<u>1930</u> Means
January .....									Records destroyed by fire.	3.18	6.46
February .....										1.47	.30
March .....										1.22	3.13
April .....										1.19	1.60
May .....										3.35	1.88
June .....										2.40	2.72
July .....										4.37	3.79
August .....										7.49	6.19
September .....										3.04	.82
October .....										9.25	7.18
November .....										7.39	7.29
December .....										4.76	11.73
TOTALS .....										64.50 np. late.	50.39 np. late.

Back yrs. 1928 - 1936 received 12/37

Position of Station on reduced Ordnance Survey Map, } No. of Map..... Reference No.....  
1 mile to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge



RAINFALL at Dumfries (Includen House)

County of West Lothian Observer Miss Young, M.B.E.

River Basin 5 m. etc.

Includen Rain Gauge, by N.E.G.

Diameter ...	5"										
Height .....	1.0										
Altitude ...	60										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	5.67	7.89	5.91	2.39	4.68	4.06	6.03	4.39	9.54	2.02	
February ...	4.06	.60	3.73	6.32	.49	5.03	5.30	2.53	3.63	1.44	
March .....	4.52	5.59	2.48	1.96	1.46	1.00	2.20	3.62	5.10	1.03	
April .....	2.69	1.02	2.38	4.30	3.00	4.89	2.15	2.08	1.49	1.20	
May .....	4.83	2.89	2.40	2.26	3.85	5.21	2.74	2.33	1.73	3.21	
June .....	2.03	.54	1.76	1.19	1.63	.35	3.76	3.99	6.27	2.24	
July .....	4.42	5.06	4.48	4.30	4.42	2.19	4.08	9.50	2.98	4.26	
August .....	3.65	7.08	2.91	8.34	4.89	5.06	4.45	7.19	7.06	5.89	
September...	2.38	2.03	2.46	5.38	5.16	2.29	3.87	6.79	2.20	.62	
October .....	2.98	3.08	2.21	6.28	3.82	5.31	3.57	4.61	8.31	3.50	
November...	2.62	2.32	1.61	4.57	3.13	1.72	6.56	4.46	5.29	6.68	
December...	4.60	5.61	4.34	3.96	7.50	3.74	1.05	1.70	3.28	8.17	
TOTALS...	44.45	43.71	36.67	51.25	44.03	40.85	45.76	53.19	56.88	41.76	#
	0	0	0	0	0	0	0	0	0	0	

1920. 26dys 7ft. 45ft. of N.W. & W. Ewel. 54A F. 76517/30  
1928. Flowers 3ft. high 4ft. S.  
Vegetables 2.. .. 4.. N.E.W.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map .....		Reference No. ....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920. 1921.	54° 35'	3° 55' W	Dumfries	2 m.	S. E.	Holywood	1 1/2 m.
							N.W.



RAINFALL at ~~West~~ Norton.

County of Westchester Observer G. Russell

River Basin with TC - 5

Rain Gauge, by \_\_\_\_\_

Diameter ...	5										
Height .....	1.6										
Altitude ...	—	about 75									
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	5.17	5.71									
February ...	3.04	1.21									
March .....	3.90	6.04									
April .....	3.02	.87									
May .....	3.40	1.67									
June .....	1.70	1.78									
July .....	3.86	2.00									
August .....	3.59	8.34									
September...	2.26	2.42									
October .....	2.62	2.11									
November...	2.57	3.16									
December...	3.96	3.13									
TOTALS...	39.09	38.44									

1921. All months (except Dec. and Apr. & Sept.) greatly at variance with our station but observations no explanation to offer  
DO NOT PRINT.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map .....		Reference No. ....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920			Norwell town	1 m	S.	Holywood	1 m. N.



RAINFALL at Dumfries (Gardingston)

County of West Lothian Observer J. Rutherford, Esq. Died XI.25

River Basin 5 W. & C.

Funnel & bottle Rain Gauge, by \_\_\_\_\_

Diameter ...	5										
Height .....	1.0	4.0	1.0								
Altitude ...	98										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	5.84	7.68	5.06	2.50	5.15	4.10					
February ...	3.75	5.8	3.93	6.40	5.0	5.36					
March .....	4.33	5.75	2.48	2.08	1.59	.98					
April .....	2.75	1.05	2.31	4.40	3.24	4.55					
May .....	4.81	2.80	2.81	2.21	4.07	5.12					
June .....	2.07	4.8	1.68	1.26	1.73	.34					
July .....	4.49	5.00	4.78	4.47	4.43	2.26					
August .....	3.49	6.94	3.02	8.18	4.72	5.22					
September...	2.29	1.92	2.55	5.44	5.04	2.26					
October .....	2.99	3.21	2.08	6.32	3.66	5.00					
November...	2.95	2.37	1.66	4.85	3.14	1.75					
December...	4.46	5.68	4.33	4.37	7.45	(3.74)					
TOTALS...	44.46	43.46	36.69	52.48	44.72	40.68	1				
	0	3	0	0	1	d					

1919. Res 25 ft. high. 14 yds: N.E. - see sketch on previous sheet  
1925. Record terminated Nov. 1925. Dec. from included Res.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map .....		Reference No. ....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920	55° 4'	3° 36' W.	Dumfries	* 2 1/2 m.	S.E.	Holywood	1 m.
				* 2 1/2 m.	W. of line		N.



RAINFALL at Dumfries (Gadze)

County of Riverdubhail Observer Col: R. F. Dudgeon

River Basin Nith & C. 5.

Rain Gauge, by \_\_\_\_\_

Diameter ...	5										
Height .....	0-10										
Altitude ...	80										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	7.23	8.31	5.67	2.92	5.31	4.44	7.19	5.43	11.83	1.92	6.95
February ...	4.38	.42	3.82	6.56	.61	6.11	5.59	3.21	5.17	1.54	.35
March .....	6.11	6.82	3.15	1.96	1.51	1.14	2.49	4.08	5.96	1.07	3.22
April .....	2.32	1.26	2.63	5.06	3.33	4.84	2.39	2.38	1.91	1.73	1.83
May .....	5.62	3.32	2.68	2.33	4.68	6.21	2.71	2.65	2.10	3.82	1.81
June .....	1.73	.45	2.04	1.12	1.73	.23	4.47	4.43	7.36	2.90	2.46
July .....	4.87	6.27	4.74	4.38	4.93	2.04	4.09	6.28	3.97	5.56	3.60
August .....	4.02	7.40	3.15	10.33	4.67	6.53	4.95	7.15	6.87	6.24	8.95
September...	2.62	2.25	2.90	6.52	5.80	2.94	4.62	7.66	2.84	.76	3.64
October .....	3.29	3.35	2.38	7.38	3.89	6.00	3.76	4.90	9.25	6.43	8.01
November...	2.78	3.05	1.70	5.55	2.92	2.08	8.08	5.46	6.87	8.33	5.19
December...	6.15	6.27	5.56	4.42	9.42	4.47	1.23	2.16	4.48	8.96	5.44
TOTALS...	52.12	49.17	40.42	58.55	48.80	47.03	51.62	55.79	68.61	49.26	51.45
	D	D	D	D	D	D	D	D	D	D	D

Position of Station on reduced Ordnance Survey } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_  
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long. W.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1913.	55° 2' 5"	3° 37' 15"	Dumfries	3 m.	N.W.E.	Troquear	2 m.	N.W.E.



RAINFALL at Lochbroom (Dumfriesshire Water Works).

Lochbroom20

County of Argyll and Bute Observer J. Smellie Esq.

River Basin 5 h.c. Water Eng. Dumfriesshire

Snowdon Rain Gauge, by N.R.G.

Diameter ...	5											
Height .....	1.0											
Altitude ...	273											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.	
January ...	7.06	8.72	6.41	2.96	5.82	4.80	7.12	4.91	10.99	2.41	7.07	68.27
February ...	4.55	6.0	4.52	6.45	6.7	6.13	6.08	3.29	4.66	1.80	2.27	39.02
March .....	5.51	6.52	2.85	2.50	1.54	1.02	2.51	4.13	5.36	1.17	3.11	36.22
April .....	2.73	1.52	2.67	4.78	3.11	5.68	2.63	2.35	2.03	1.76	1.84	32.10
May .....	5.66	3.35	3.26	2.61	4.65	6.59	2.82	2.65	2.01	3.64	1.82	39.06
June .....	1.69	5.4	1.88	1.37	2.32	3.32	4.05	4.54	7.30	2.70	2.29	29.00
July .....	5.61	6.18	5.40	4.60	5.58	2.18	3.84	6.44	4.09	5.59	4.87	54.38
August .....	3.54	7.23	3.75	9.87	5.27	6.36	4.65	6.68	7.35	5.96	7.29	67.95
September...	2.62	2.44	3.06	6.14	6.02	2.64	3.99	7.25	3.24	1.84	4.16	42.40
October .....	3.38	3.00	2.32	7.19	4.39	5.86	4.42	5.20	10.11	6.48	7.60	59.95
November...	3.05	2.78	1.63	5.78	4.24	2.21	4.33	6.37	7.28	8.07	4.91	55.65
December...	5.64	6.44	4.91	5.05	9.02	3.85	1.33	1.91	4.70	9.94	4.99	57.78
TOTALS...	52.04	49.32	42.66	59.30	52.63	47.64	52.77	55.72	69.12	50.36	50.22	581.78

Position of Station on reduced Ordnance Survey } No. of Map

Map, 2 miles to 1 inch Series } Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920	55° 3'	8° 43' 25"	Lochbroom	2 1/4	S.E.	Lochbroom	1 1/2	S.E.



County of Washoe Observer Maya J. M. Stewart  
River Basin 5 with TC.

*Rain Gauge, by*

TOTALS... 46.41

No. of Map.

Reference No. ....

[illegible]







RAINFALL at Ruthwell (Comlongan East 6)

County of Dumfriesshire Observer Earl of Mansfield  
M. M. Brown (for above)  
River Basin 3 Nith & C.

Rain Gauge, by \_\_\_\_\_

Diameter ...	5											
Height .....	1.0											
Altitude ...	74								68			
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.	
January ...	4.74	6.57	4.70	1.69	4.64	2.04	4.92	3.55	7.46	1.78	5.16	47.25
February ...	2.48	.24	2.94	4.54	.38	4.38	4.63	2.31	3.37	1.35	.16	27.78
March .....	2.88	4.60	1.58	0.88	.98	.74	1.69	2.60	3.86	1.17	2.65	24.63
April .....	2.32	.94	1.94	3.34	2.35	3.34	2.77	1.65	1.26	.99	1.28	22.18
May .....	4.20	2.23	1.52	1.31	3.70	3.63	2.57	2.04	1.64	2.19	1.38	26.51
June .....	1.99	.47	1.39	.93	1.39	.23	2.78	3.12	6.30	1.94	2.68	23.22
July .....	4.08	3.67	2.88	3.32	3.20	1.81	4.31	4.97	3.71	4.83	4.90	41.68
August .....	3.24	5.98	2.59	8.74	3.15	3.82	4.54	5.12	7.45	6.59	8.51	59.73
September...	2.02	1.76	2.18	3.76	3.50	2.82	3.47	5.85	2.26	.39	2.64	30.65
October .....	1.93	2.44	1.23	4.82	2.64	4.08	3.35	3.61	7.27	4.95	6.12	42.44
November...	2.72	2.52	.80	3.17	1.71	1.57	4.83	3.55	5.19	6.29	3.56	35.91
December...	4.51	4.73	3.07	3.97	6.59	3.16	.68	1.16	3.88	5.65	3.59	40.99
TOTALS...	39.2	36.15	26.82	40.47	34.23	31.62	40.54	39.53	53.65	38.12	42.63	422.97
	D.	D.	D.	D.	D.	D.	D.	D.	D.	D.	D.	HTB

1920. Gauging stage 25' hgt. 20ft. off. N.W.  
free 60' " 30' " N.

P.T.O.

Position of Station on reduced Ordnance Survey } No. of Map \_\_\_\_\_  
Map, 2 miles to 1 inch Series

Reference No. \_\_\_\_\_

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1920.	55° 16'	3° 26' 44"	Ruthwell	1 1/4 m.	N.E.	Ruthwell (Parish)	2 1/2 m.	E.



RAINFALL at Ruthwell (Mouswald Schoolhouse)

County of Dumfries Observer Jas. F. Young Esq.  
River Basin 3. Nith & Co.  
M.O. Rain Gauge, by \_\_\_\_\_

Diameter ...						9"		8			8"
Height .....						9"					10"
Altitude ...						60'		116			115
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...					4.59	3.88	7.20	4.57	9.65	2.85	6.35
February ...					.51	5.79	6.87	2.93	4.06	2.25	.33
March .....					1.52	1.04	1.44	4.50	6.62	1.06	3.60
April .....					3.41	5.21	3.12	2.32	1.54	1.58	1.81
May .....					5.33	6.20	3.54	3.32	2.55	3.26	1.70
June .....					2.27	.53	4.51	4.70	7.34	2.86	2.94
July .....					5.03	2.15	5.16	7.64	4.14	5.33	6.13
August .....					4.79	6.44	6.39	7.53	8.49	7.20	9.47
September...					6.05	4.08	4.17	7.07	2.80	.55	3.07
October .....					4.80	5.67	4.46	5.11	9.03	6.93	5.78
November...					2.47	2.31	7.67	4.24	6.48	7.77	4.58
December...					8.61	4.57	1.19	2.43	4.72	6.94	4.32
TOTALS...					49.38	47.87	55.72	56.36	67.42	48.58	50.08

1928. House 20 ft. high 107ds. N. by W.  
1929. -do. 40' " 20 " N.W.

N.B. Rejected from Survey as 4" High.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map .....		Reference No. ....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
			Raicks	2 m.	N. W.	Mouswald	1/2 m. S. S. E.



RAINFALL at Dumfries (Gricliffe Royal Institution)

County of Dumfries Observer M: E. Joss.

River Basin White - S C. C. Castlebrook, Esq. M.D.

No. 1114 Rain Gauge, by P. S. R.  
Snowdon.

Diameter ...	5											
Height .....	1.0											
Altitude ...	140											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.	
January ...	5.36	6.65	4.87	1.91	4.42	3.34	6.02	3.69	8.75	1.79	4.89	51.69
February ...	2.24	.39	2.95	5.15	.24	4.62	4.69	2.28	3.89	1.12	.18	28.82
March .....	4.28	5.04	2.13	1.52	1.21	.72	1.45	3.19	4.88	.77	2.50	27.69
April .....	2.45	.90	2.29	4.10	2.85	4.19	1.91	1.74	1.33	1.11	1.20	23.77
May .....	4.35	2.61	2.31	1.74	3.39	4.75	2.19	2.15	1.70	3.28	1.66	30.10
June .....	1.53	.36	1.44	.96	1.43	.27	3.41	3.77	6.11	1.95	1.87	23.10
July .....	3.67	4.99	3.89	3.78	3.75	1.64	3.69	7.10	3.19	4.57	3.45	43.72
August .....	2.11	6.05	2.60	8.42	3.66	4.90	4.63	5.97	6.60	4.72	7.07	55.73
September...	1.99	1.76	2.21	5.17	4.42	2.46	3.42	6.00	2.13	.89	2.79	32.74
October .....	2.48	2.49	1.78	5.78	3.28	4.66	3.12	4.10	7.61	5.19 <del>6.44</del>	6.12	46.61
November...	2.08	2.20	1.21	3.96	2.54	1.63	6.00	3.98	4.91	6.44 <del>7.19</del>	4.08	39.33
December...	4.36	4.67	4.12	3.56	7.39	3.14	.78	1.61	3.41	7.19	4.40	44.63
TOTALS...	38.90	38.11	31.80	46.05	38.58	36.32	41.31	45.58	54.51	38.52	40.21	
	D	D	D	D	D	D	D	D	D	D	D	

1918. 1<sup>st</sup> Jan. moved 200 yds. N. No trees or other objects near gauge.

1923. Trees 40' High 100 yds away N.E.

N.B. Rejected from Survey as 3" low.

Position of Station on reduced Ordnance Survey } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_  
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1920.	55° 4'	2° 36' W	Dumfries	1 1/4 m.	N.	Dumfries	3/4 m.	N.



RAINFALL at Amisfield (Glenae)

County of Dumfries Observer H. Sharpe Gordon Esq.

River Basin X with rc - 3.

Rain Gauge, by N. & S.

Diameter ...	5										
Height .....	0.11										
Altitude ...	300										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	5.62	7.11	5.62	2.56	4.49	3.53	5.44				
February ...	3.28	6.57	3.88	5.82	3.9	4.41	5.43				
March .....	4.30	4.80	2.33	1.75	1.39	1.82	1.79				
April .....	3.05	1.15	2.26	4.91	2.69	4.11	2.03				
May .....	4.00	2.57	2.73	2.13	4.51	5.57	3.16				
June .....	2.60	.55	1.60	1.28	1.81	.29	3.47				
July .....	3.72	4.65	4.18	4.53	5.22	2.42	5.09				
August .....	3.38	7.26	2.68	7.98	4.98	6.03	3.70				
September...	2.56	1.78	2.54	4.86	4.57	2.56	3.71				
October .....	2.21	2.74	2.23	6.29	3.61	4.43	4.40				
November...	1.95	2.83	1.67	3.84	3.05	1.91	7.09				
December...	4.61	5.12	3.84	4.25	7.46	3.42	1.15				
TOTALS...	41.28	41.19	35.56	50.22	44.17	39.50	46.46	NO			

1920. Gauge 100 ft. 50 yds. N.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920.			Amisfield.	1 1/2 m.	S.	Strivwald	2 m.	S.



RAINFALL at Carnsalloch

County of Dumfriesshire

Observer Miss H. M. Buchanan

River Basin Nith & c 3

N.O. Rain Gauge, by

Diameter ...									5		
Height .....									0.8		
Altitude ...									20		
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...									7.64	1.86	5.62
February ...									3.46	1.48	.11
March .....									4.59	.92	2.92
April .....									1.57	1.20	1.39
May .....									1.78	2.91	1.68
June .....									6.52	2.18	1.75
July .....									3.32	4.31	4.93
August .....									6.63	5.31	7.09
September...									2.22	1.40	3.02
October .....									8.84	5.42	7.15
November...									5.75	6.74	4.50
December...									3.58	7.91	4.79
TOTALS...									55.90 D	40.64 D.	44.95 D.

1928. Gauge in only clear space near house.  
1929 "Trees".

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1928			Dumfriesshire	2.36 mi	N 10° W.		



RAINFALL at.....Blackwood.....

County of.....Dumfries.....Observer.....T.W. Kennedy.....

River Basin.....3-Nith & C.,.....

.....Rain Gauge, by.....

Diameter .....											
Height .....								5"			
Altitude .....								1' 6"			
								90'			
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930
January .....											
February .....											
March .....											
April .....											
May .....											
June .....											
July .....											
August .....											
September .....											
October .....											
November .....											
December .....											
TOTALS .....								45.78	58.50	44.45	46.04

4 1927-30 late/rp.  
Tues 80' high 25°-30° E.

Position of Station on reduced Ordnance Survey } Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
			Couldyath	1m	SE	Clairburn	6m 14.



RAINFALL at Moniaive (Glencash)

County of Dumfries Observer M.R. M. Macmillan

River Basin White - 2

London Rain Gauge, by

Diameter ...	5											
Height .....	1.2		2 0				1.1					
Altitude ...	330		400									
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.	
January ...	8.43	9.91	6.47	4.81	6.15	5.63	8.04	6.24	11.24	2.77	9.73	Totals. 79.42
February ...	5.35	9.5	4.22	7.70	.84	6.29	5.73	3.54	4.70	2.61	.18	42.11
March .....	7.16	8.92	2.37	2.54	1.32	1.38	3.05	4.86	5.93	1.16	3.27	41.96
April .....	3.73	1.58	2.40	4.56	3.44	6.40	2.66	3.13	2.40	1.74	2.65	34.59
May .....	6.55	2.80	3.52	2.29	3.71	6.79	3.55	3.51	1.58	4.72	2.71	41.73
June .....	2.09	.62	1.81	1.33	1.58	.38	3.21	3.79	7.04	2.68	3.08	27.61
July .....	4.82	5.37	4.86	4.73	5.36	3.04	3.87	5.74	2.45	5.92	4.62	50.78
August .....	4.47	7.33	3.14	8.13	5.19	3.99	4.55	7.16	7.65	5.87	7.45	64.43
September...	3.68	1.70	3.08	6.63	6.99	2.14	4.23	7.00	2.82	.98	4.76	44.01
October .....	4.21	4.32	2.72	7.71	5.00	5.75	5.30	5.30	10.12	6.66	9.05	66.14
November...	3.62	2.78	2.83	5.95	3.75	2.01	4.15	5.05	7.63	10.22	6.15	57.14
December...	5.79	8.37	5.53	4.74	9.21	6.48	1.80	2.06	5.44	11.80	6.53	67.75
TOTALS...	59.90	54.65	42.95	61.12	52.54	50.28	53.14	57.38	69.00	56.63	60.08	617.67

1924. Placed at side of tennis court  
1928. Bushes 5 ft. high 6 ft. S.E.

Position of Station on reduced Ordnance Survey } No. of Map  
Map, 2 miles to 1 inch Series

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1911			Moniaive	1 1/2 m.	W.	Glencash	3 1/4 m.	W.
1924			"		N.E.	"	4	N.E.



RAINFALL at Moniaive (Maxwellton House)

County of Dumfries

Observer Lt. Claude V. E. Laurie R.C.  
F. Mossey (Observer)

River Basin 3 m. TC -

Rain Gauge, by \_\_\_\_\_

Diameter ...	5										
Height .....	1.6	1.3									
Altitude ...	400										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	6.22	6.74	6.55	3.52	6.63	5.54	7.68	4.98	10.45	2.43	8.27
February ...	2.67	1.12	4.59	6.83	6.4	5.54	4.88	3.34	4.20	1.61	2.7
March .....	4.77	6.06	2.16	2.61	1.38	1.20	1.96	4.38	6.71	7.4	3.13
April .....	2.06	1.53	2.94	4.56	2.71	4.06	2.28	2.64	1.06	1.33	1.93
May .....	4.96	2.75	2.51	2.23	3.79	6.14	3.64	(2.84)	1.36	3.01	1.21
June .....	1.78	3.3	1.64	1.33	1.58	2.28	3.68	3.99	5.46	2.40	3.10
July .....	4.87	5.52	4.15	4.38	4.53	2.22	3.00	5.72	1.68	4.93	4.74
August .....	2.95	6.99	2.73	8.11	4.53	4.12	4.80	6.90	5.74	5.79	6.43
September...	2.53	1.85	2.57	5.74	6.11	2.35	3.48	6.16	1.89	5.8	4.38
October .....	2.85	3.72	2.38	7.11	4.36	5.52	4.40	5.31	8.43	5.53	7.99
November...	2.33	3.24	2.55	4.68	3.78	2.01	7.92	5.60	5.60	7.11	6.13
December...	4.73	5.54	4.88	5.44	8.22	4.89	1.37	2.53	2.86	10.42	5.95
TOTALS...	48.72	45.39	39.65	56.56	48.26	43.87	49.09	54.39	55.44	45.88	53.53
	0	0	2 imp	d.	d.	d.	d.	d.	d.	np.	np.

1920, 7.25 80 ft. 60 ft. off. N.E.

1928 Total 10 in low probably due to omission. not published  
shown rain gauge in sound. see No. 819174/28

1929 Low np (10")

1930 Low np, overestimated. 470 f 76517/30.

Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series

No. of Map \_\_\_\_\_

Reference No. \_\_\_\_\_

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1920.	55° 11' 10"	3° 51' W	Crosford	1 m.	S.E.	Glencairn	1 m.	W.



RAINFALL at Durrisdeer (Dumfries)

County of Dumfries

Observer W. S. Inglis - died 1921  
R. Stuart (1921)  
Duke of Buccleugh

River Basin 3 h. + c.

Rain Gauge, by (1928) R. A. S. Ritchie, Esq.

Diameter ...	5										
Height .....	0.9										
Altitude ...	191										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	7.90	8.03	7.61	(3.33)	5.55	5.06				1.94	7.73
February ...	4.84	1.18	4.36	6.25	6.5	5.33				2.27	3.9
March .....	5.68	7.29	2.21	2.31	1.40	1.21				1.00	3.02
April .....	2.83	1.47	2.89	4.30	3.00	5.62				1.33	2.39
May .....	5.17	2.82	3.39	2.71	4.45	6.55				4.15	2.08
June .....	2.02	.48	1.43	1.43	2.14	.31				2.27	2.76
July .....	3.78	3.31	4.74	5.93	5.40	2.92				5.28	6.09
August .....	3.88	7.85	2.30	8.43	4.41	3.36				6.08	7.59
September...	4.09	1.22	2.39	5.85	5.58	2.34			* 2.53	1.69	3.49
October .....	2.66	4.20	2.38	6.20	4.74	5.65			9.18	6.16	8.17
November...	3.32	2.63	2.80	4.90	3.39	1.81			7.41	8.32	5.13
December...	4.74	7.29	4.73	4.53	8.85	(5.50)			4.31	11.18	5.46
TOTALS...	50.91	47.77	41.23	56.17	49.56	45.66	*		..	50.67	54.30
		d	d imp	d.	d	d				d	d.

1923: Interpolation for 1-3 Jan; Observer informed.  
1925: Record terminates with Nov. many small falls omitted, and incidence often doubtful. No attempt to adjust daily values.  
1928 Continuation, Edin. letter 78/2792 89/4/29 f 819174/28.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1911			Thornhill	4 m.	S.E.	Morton	4 m.



RAINFALL at *Thornhill (Waulkmill)*

County of *Dumfries* Observer *John L. Rankin, Esq.*

River Basin *3 hills etc.*

Rain Gauge, by *N.S.G.*

Diameter ...	<i>5</i>										
Height .....	<i>0.7</i>										
Altitude ...	<i>232</i>										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	<i>7.27</i>										
February ...	<i>4.68</i>										
March .....	<i>5.27</i>										
April .....	<i>2.64</i>										
May .....	<i>4.90</i>										
June .....	<i>2.37</i>										
July .....	<i>3.82</i>										
August .....	<i>3.79</i>										
September...	<i>3.99</i>										
October .....	<i>2.50</i>										
November...	<i>2.45</i>										
December...	<i>3.45</i>										
TOTALS...	<i>47.13</i>										

*1920, Duvelling House 58ft. to N.*

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map .....		Reference No. ....		
Date.	Lat. N.	Long. <i>W.</i>	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
<i>1920.</i>	<i>55°16'</i>	<i>3.47</i>	<i>Thornhill</i>	<i>2 1/4 m.</i>	<i>S.E.</i>	<i>Marlon</i>	<i>2 1/2</i>	<i>S.E.</i>



RAINFALL at Dallon (Whitecroft)

County of Dumfriesshire Observer Sir W. Maitland - Macleod, K.B.E.

River Basin It, Annan

Recording Rain Gauge, by B. A. 1944

Diameter ...	5											
Height .....	0.6										0' 11"	
Altitude ...	240											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.	
January ...	5.80	7.14	3.96	2.70	4.88	3.49	6.04	4.71	9.27	2.23	5.93	56.15
February ...	3.84	.33	4.01	4.52	.56	5.00	5.96	2.84	3.40	1.64	.28	32.38
March .....	4.58	5.11	2.15	1.77	1.34	1.40	1.89	3.26	5.14	1.63	3.24	31.51
April .....	3.23	1.53	2.21	4.76	3.45	4.64	2.99	2.38	1.30	1.19	1.54	29.22
May .....	4.83	2.88	3.13	2.02	4.96	6.01	3.61	3.01	1.70	2.59	1.62	36.36
June .....	2.64	.99	2.10	1.25	2.30	.38	3.13	4.31	7.08	2.69	2.91	29.78
July .....	5.37	5.28	6.13	5.12	4.76	2.11	3.85	4.78	4.44	5.73	5.99	53.56
August .....	4.32	6.59	3.38	11.41	4.53	6.17	4.43	6.13	7.46	7.17	7.74	69.33
September...	2.75	2.12	3.27	4.81	5.42	3.42	4.05	7.11	2.27	.59	3.12	38.93
October .....	1.80	3.20	2.20	6.98	3.70	4.41	3.52	4.56	7.58	5.89	7.18	51.02
November...	2.82	2.93	1.25	4.52	2.80	1.96	5.78	4.27	5.67	6.79	4.00	42.79
December...	4.71	5.59	5.01	4.09	7.70	4.14	1.28	1.97	4.52	6.08	4.80	49.89
TOTALS...	46.69	43.69	38.80	53.95	46.40	43.13	46.53	49.33	59.83	44.22	48.35	520.92

1920. Glen Rose 9 ft. high. Gyps. off. N.  
1921. Flowers. 2 ft. 3 ft. N.  
1926. Hedge and Greenhouse 10 ft high 10 yds N.  
1928. Gauge moved in March 12 yds. W.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge
1920.	55.3	3.44	Ruthwell,	2 1/2 km.	S.W.	Dallon	1 1/2 km. N.E.



RAINFALL at Dallan (Kishwood)

County of Dumfriesshire

Observer Arthur J Steel, Esq. (died 21/3/27)

River Basin 4 Annan.

(1927) Captain Steel

Howard Rain Gauge, by

per J Group (gaw)

Diameter ...	5										
Height .....	0.8										
Altitude ...	245								250		
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.
January ...	5.80	7.62	4.73	2.78	5.57	3.67	6.16	4.65	9.64	2.29	6.57
February ...	4.51	2.27	4.72	6.76	8.1	4.96	6.73	3.04	4.23	1.56	4.29
March .....	4.92	5.81	2.52	1.90	1.46	1.24	2.11	3.88	5.94	1.47	2.66
April .....	4.18	1.68	2.84	5.44	4.30	4.58	3.71	2.42	1.18	1.37	1.95
May .....	5.68	2.88	3.28	2.57	5.86	7.01	4.02	3.22	1.62	2.92	2.29
June .....	3.15	8.5	3.12	1.32	2.26	1.50	3.56	5.48	7.07	3.05	2.94
July .....	9.29	6.10	7.82	5.78	5.23	2.72	5.03	5.63	4.80	5.92	6.38
August .....	5.21	7.01	4.22	13.49	6.14	6.18	5.62	7.63	8.24	8.40	8.73
September...	2.90	2.36	3.54	6.29	6.08	3.62	5.12	6.85	2.79	7.2	2.97
October .....	2.62	3.31	2.84	8.61	4.84	5.19	4.47	4.89	8.50	6.55	7.98
November...	2.27	2.88	1.72	4.72	3.29	2.08	5.96	4.16	6.33	7.35	4.11
December...	5.03	6.24	5.06	4.89	8.36	4.25	1.07	1.92	4.72	6.76	4.33
TOTALS...	56.56	47.01	46.41	64.55	54.20	46.00	53.56	53.77	65.06	48.36	51.20
	P	P	D	P	P	D	P	D	D	D	D

1920 object nearly 6 ft high - small flooring plant in summer  
1923 looks big

NB. Rejected from survey as 4" too High.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map .....		Reference No. ....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920.			Ruthwell	4 m.	W.	Dallan	1 m. S.W.



RAINFALL at Dalton (School House)

County of Dumfriesshire Observer P. G. Copland, Esq.

River Basin of Annan.

Rain Gauge, by (Bottle and funnel)

Diameter ...	5										
Height .....	1.0										
Altitude ...	175										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	4.57										
February ...	3.49										
March .....	3.73										
April .....	3.09										
May .....	4.43										
June .....	1.82										
July .....	6.91										
August .....	3.99										
September...	2.92										
October .....	2.06										
November...	2.53										
December...	4.36										
TOTALS...	43.87	to Ross-shire 1922.									
	0										

1920. Xedge 5' 10cfs. all round,

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920.	55° 39'	3° 23'	Rathwell	4 m.	S.	Dalton	300 yds.
							W.



RAINFALL at Moffat, St. Ninians

County of Dumfriesshire Observer J. B. Rowley

River Basin H. Annan

Glaisher Rain Gauge, by \_\_\_\_\_

Diameter ...							8				
Height .....							1.6				
Altitude ...							400				
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...							5.66	5.13			
February ...							5.85	2.99			
March .....							2.96	4.60			
April .....							2.19	3.34			
May .....							3.67	3.51			
June .....							4.66	3.82			
July .....							3.86	5.60			
August .....							5.07	4.91			
September...							3.73	5.56			
October .....							5.16	9.77			
November...							8.44	4.82			
December...							1.02	1.40			
TOTALS...							52.27	55.45	N.R.	N.R.	NR
							D	D			

1926. Linn Bushes 3 ft high 10 ft. S  
1927. Wall 12 ft. high 20 yds. N. & N.E.

NB. Rejected from Survey as 7" low.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map .....		Reference No. ....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1926	55° 20'	3° 25' W	Moffat	440 yds	Sw.	Moffat	300 yds Sw.



*Rain Gauge, by*

1920. see: skinned S.M.O.

Reference No. ....

[illegible]



RAINFALL at Burnfoot, Ecclefechan

County of Dumfries Observer <sup>major</sup> H. C. Irving

River Basin Annan 4

Copper funnel Rain Gauge, by \_\_\_\_\_

Diameter ...		5									
Height .....		11									
Altitude ...		160									
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...		6.91	3.89	2.55	5.19						
February ...		1.02	4.25	5.48	8.4						
March .....		5.07	2.58	1.70	1.21						
April .....		1.50	1.66	4.19	3.02						
May .....		2.34	3.52	2.07	5.00						
June .....		.76	1.81	1.24	2.86						
July .....		3.76	6.02	4.66	4.86						
August .....		6.40	3.42	11.43	5.39						
September...		2.10	2.66	5.38	4.36						
October .....		2.79	1.58	6.47	4.58						
November...		2.80	2.11	3.87	3.53						
December...		5.65	4.78	3.49	7.97						
TOTALS...		41.10	38.28	52.53	48.81	N.B.	N.B.	N.O.	N.O.	N.O.	#

1921- stone 27ft high 28yds. N.W.

Position of Station on reduced Ordnance Survey } Map, 2 miles to 1 inch Series				No. of Map		Reference No.		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1921			Kirtlebridge	1 3/4	E.	Hiddleston	1 1/2	NE 1/2 N.



RAINFALL at Lockerbie (Castle Mill)

County of Dumfriesshire

Observer Mr. J. D. Jeffrey

River Basin 4 Annan

Mr. Mc Intosh 1.10.23  
for Sir J. W. Buchanan-Jardine, Bt.

Howden Rain Gauge, by \_\_\_\_\_

Diameter ...	5								5		
Height .....	1.6							0.9	1.9		1' 6"
Altitude ...	199								99?		199'
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	4.87	8.08	(4.36)	(2.40)	4.91	3.50	6.29	4.82	10.91	2.15	6.35
February ...	3.52	.20	3.47	(6.00)	.62	5.35	6.21	2.69	4.39	1.53	.08
March .....	4.16	3.66	2.08	1.52	1.23	1.09	1.93	3.49	4.83	1.15	3.10
April .....	2.93	1.33	2.49	5.02	3.27	4.10	3.35	2.37	.79	1.68	1.96
May .....	5.52	1.92	2.41	2.18	5.05	6.99	3.16	2.96	1.17	3.45	1.97
June .....	1.93	.51	1.84	1.25	2.00	.33	3.44	4.34	5.62	2.63	3.35
July .....	4.25	4.23	5.58	4.29	4.83	2.41	4.81	3.94	4.34	5.86	5.97
August .....	4.21	5.06	3.01	10.40	5.19	5.58	5.84	6.80	8.33	7.55	9.28
September...	1.95	1.86	2.74	4.68	4.90	3.32	5.07	6.02	2.88	.59	2.67
October .....	2.05	2.69	2.07	6.80	4.23	5.36	4.24	4.76	8.05	5.47	7.44
November...	2.92	2.40	1.49	3.51	3.24	1.64	5.62	4.47	6.53	7.86	4.03
December...	4.85	5.14	4.14	4.54	7.79	3.95	1.47	1.69	4.62	7.08	4.71
TOTALS...	43.18	37.08	35.68	52.59	47.28	43.62	51.43	48.35	62.46	46.50	50.91
	D	D	D	D	D	D	D	D	D	D	D

1920. Glanhouse 24' high. 200' off N.

1922. Jan. cond. chiefly for snow.

1922 Jan & Febr figures interpolated.

Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series

No. of Map \_\_\_\_\_

Reference No. \_\_\_\_\_

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1920.			Lockerbie	2 1/2 m.	N.W.	K. All Saints	1 1/2 m.	S.W.



RAINFALL at Lockerbie Thornbank

County of Dumfriess Observer W. Murdoch Esq.

River Basin Annan H.

(1928) N.O. Rain Gauge, by

N

Diameter ...			10						5		
Height .....			3.0						1.0		
Altitude ...			259								
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.
January ...			4.25	3.05	5.85	2.45	5.40	3.95	9.35	1.84	6.12
February ...			3.25	5.70	3.5	4.50	5.50	2.45	3.65	.36	.19
March .....			2.05	1.40	.85	.80	1.35	2.95	5.10	1.23	2.87
April .....			2.45	4.25	2.90	4.10	2.65	2.10	.80	1.27	1.69
May .....			2.85	1.80	4.20	6.45	2.70	2.20	1.80	3.24	1.76
June .....			1.65	1.05	1.65	.15	2.75	4.05	7.19	2.33	2.63
July .....			5.70	3.05	4.05	1.25	3.15	3.40	3.82	5.15	5.07
August .....			3.25	9.41	4.02	4.70	4.40	5.60	8.09	7.20	8.47
September...			2.05	4.55	4.80	2.90	4.05	5.35	2.36	1.12	1.90
October .....			2.40	6.30	3.40	5.05	4.45	5.80	8.68	4.44	8.36
November...			1.60	3.35	2.73	1.55	4.53	3.05	5.94	7.49	3.98
December...			4.60	2.80	7.60	3.65	.85	1.60	3.78	7.68	4.75
TOTALS...			36.10	46.71	42.40	37.55	41.78	42.50	60.56	43.35	47.79

1929 Hedge 4' high 30 yards N + S.  
House. 20' " 50 " W.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1922			Lockerbie	1/8 mi	N	Drippisdale	1/4 mi	N.W.



RAINFALL at Lochnaben (Eithwaite)

County of Dumfriesshire

Observer W. J. Halliday, Esq., M.B.E., J.P.

River Basin 4 Annan.

Loxella Rain Gauge, by 107565.

(1927) B.A.

Diameter ...	5										
Height .....	1.0										
Altitude ...	166										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	5.40	7.46	5.03	2.97	5.03	3.78	5.96	4.56	9.38	1.85	5.91
February ...	2.29	.39	(3.64)	5.96	.75	5.26	5.60	2.90	4.08	1.93	.19
March .....	4.61	5.30	2.14	1.75	1.39	1.11	1.65	3.58	5.11	1.41	2.92
April .....	2.00	1.57	2.54	4.80	3.56	4.99	2.62	2.73	1.27	.99	1.90
May .....	5.41	2.67	2.82	2.10	3.99	5.61	3.68	2.80	1.51	3.36	1.64
June .....	1.69	.59	2.10	1.23	1.98	.51	3.45	4.21	6.72	2.66	2.52
July .....	4.45	5.30	5.83	3.64	4.06	1.88	4.03	7.13	3.63	5.29	5.69
August .....	4.30	6.44	3.28	9.40	5.31	5.16	4.65	6.69	7.92	6.47	7.82
September...	2.31	2.25	2.78	5.12	5.64	3.13	4.15	6.85	2.37	.62	2.76
October .....	2.21	3.07	2.78	6.53	3.42	5.14	4.42	4.36	8.50	5.71	7.70
November...	2.68	2.31	1.74	4.03	2.97	2.32	5.88	4.78	5.57	6.92	4.34
December...	4.55	5.84	4.39	4.16	7.65	3.29	1.31	1.59	4.41	7.55	4.36
TOTALS...	43.90	43.19	39.07	51.71	45.75	42.18	47.40	52.18	60.47	44.76	47.75
	0	D	D	D	D	D	D	D	D	D	D

1920. Eithwaite House 30ft. 37yds. S. of gauge.  
1922. Interpolation accepted for Jan.  
1926. House 30ft high 20yds S.  
1927. Garden wall 5ft. high 18 ft. W.  
" 9 " " 20 " N.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920.	55° 7' N.	3° 25' W.	Lochnaben	1/2 mi.	N.	Lochnaben	200 yds. S.W. by W.



RAINFALL at Auchen Castle Moffat,

County of Dumfries Observer .....

River Basin 4- Annan .....

Type of Gauge.....

Annual Average.....in. based on.....years obs. un-weighted. Period of average.....Ref.....

Diameter ....												
Height ....												
Altitude ....												
Year ....	<sup>20</sup> 1921	<sup>21</sup> 1922	<sup>22</sup> 1923	<sup>23</sup> 1924	<sup>24</sup> 1925	<sup>25</sup> 1926	<sup>26</sup> 1927	<sup>27</sup> 1928	<sup>28</sup> 1929	<sup>29</sup> 1930	Means	
January ....	7.82	9.89	5.49	5.20	7.29	7.46	10.02	7.03	12.03	2.45	10.07	84.75
February ....	5.97	.86	5.41	6.06	.79	5.83	5.97	3.49	7.61	1.99	.39	44.37
March ....	6.67	8.65	3.30	2.95	1.31	1.76	3.43	4.66	8.04	1.44	3.46	45.67
April ....	3.47	1.73	2.87	4.31	3.88	6.12	3.60	3.51	2.25	1.51	2.45	35.50
May ....	6.74	3.07	4.26	3.57	4.67	9.57	3.38	3.53	1.89	4.18	2.46	47.32
June ....	1.36	.66	2.03	2.07	2.74	.59	5.51	4.89	6.91	3.44	3.24	33.44
July ....	4.47	5.81	5.77	5.87	6.27	1.93	3.77	7.41	2.64	5.86	4.95	54.75
August ....	4.66	8.51	3.55	10.08	4.40	4.80	5.47	6.44	8.30	6.82	7.93	70.96
September ....	3.12	3.06	2.97	7.44	6.41	3.13	5.26	6.63	3.43	.85	3.21	45.51
October ....	2.24	3.71	3.32	9.18	4.36	7.69	5.56	6.93	10.99	7.04	10.25	71.27
November ....	3.82	3.21	3.61	5.76	5.29	2.03	9.16	5.09	8.86	10.80	5.92	63.55
December ....	4.93	8.74	6.49	6.93	12.49	5.52	1.55	1.32	5.80	14.86	6.06	74.69
TOTALS ....	55.27	57.90	49.07	69.42	59.90	56.43	62.68	60.93	78.55	61.24	60.39	671.78

Back years 1920-1930 received 1.40. ✓ CH. Record reasonable

Position of Station on reduced Ordnance Survey Map, } No. of Map..... Reference No.....  
1 mile to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge.	Direction



RAINFALL at Eaglesfield, Springkell Gardens

County of Dumfries Observer C. George

River Basin Esk 5

Rain Gauge, by \_\_\_\_\_

Diameter ...									5		
Height .....									0.5		
Altitude ...									300		
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.
January ...									* 9.63	1.92	6.53
February ...									3.94	1.56	1.27
March .....									5.26	1.55	3.21
April.....									1.20	1.33	3.13
May .....									1.33	2.22	2.11
June .....									7.25	2.86	3.47
July .....									5.06	5.39	6.29
August .....									10.35	8.22	8.78
September...									3.23	1.89	2.71
October.....									7.44	6.70	8.05
November...									5.93	7.14	3.89
December...									3.65	7.26	3.63
TOTALS...									64.27 D	47.04 D	52.07 D

1928. Trees 60 ft. high 60 yds. N.S., + 90 yds. E.  
" 14 " " 25 " W.

Position of Station on reduced Ordnance Survey } No. of Map \_\_\_\_\_  
Map, 2 miles to 1 inch Series } Reference No. \_\_\_\_\_

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1928			Kirkelbridge	22 mi	W.	White	22 mi	S.



RAINFALL at Cannobie (Ivrie House)

County of Dumfriesshire

Observer J. H. Milne Home, Esq.

River Basin 5 Ek.

Rain Gauge, by Lennie Blair

Diameter ...	5											
Height .....	0.9											
Altitude ...	200											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.	
January ...	6.26	9.33	4.42	3.96	5.54	5.01	6.46	5.84	12.70	2.28	8.03	69.83
February ...	5.18	.25	4.89	5.17	.95	6.76	6.38	3.60	5.90	1.60	.35	41.03
March .....	4.84	5.92	2.76	1.64	1.41	1.54	3.15	3.93	4.65	1.49	2.78	34.11
April .....	3.62	1.64	3.20	3.70	3.15	5.67	3.58	3.10	1.37	1.48	2.49	33.00
May .....	5.88	2.31	3.25	2.63	5.67	7.30	3.49	2.36	1.67	2.21	1.85	38.62
June .....	2.66	.71	2.55	1.26	3.25	.46	3.60	5.35	8.06	3.67	2.92	34.49
July .....	5.58	4.21	6.39	5.01	5.07	1.96	5.03	3.88	5.41	6.00	6.15	54.69
August .....	4.46	6.36	4.56	13.28	5.16	6.19	5.55	5.35	9.28	7.82	9.05	77.06
September...	2.48	2.13	3.08	6.60	4.88	4.20	6.59	7.89	4.39	1.29	2.93	46.46
October .....	1.40	4.37	2.36	7.51	5.11	5.20	5.21	4.70	7.73	6.05	8.36	58.00
November...	3.09	2.36	1.73	5.70	3.87	1.33	7.36	6.21	7.68	7.18	5.42	51.93
December...	5.41	7.71	4.81	5.00	7.86	4.60	1.29	1.75	5.17	8.86	4.25	56.71
TOTALS...	58.86	47.30	44.00	61.46	51.92	50.22	57.69	53.96	74.01	49.93	54.58	595.93
	D	D	D	D	D	D	D	D	D	D	D	1113

1920, Shrubs. 20 ft. 53 ft. W.

1923 Correction made for snow in November

1925, Shrubs 12 ft. 60 ft. W.

Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1920	55° 7'	2° 59' W.	Gilnachie	2 1/4	S.E.	Longholm.	3 m.	N.



RAINFALL at Langholm (Bramholm)

County of West Dunfriesshire Observer W. G. Everley Esq. F.R.S., J.P.

River Basin 5 62k.

Snawdon Bk. Rain Gauge, by N.A.S.

Diameter ...	5										
Height .....	1.0										
Altitude ...	266						265				
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	6.28	10.35	4.75	4.18	5.68	4.83	6.36	6.01			
February ...	5.66	4.1	5.25	5.64	1.09	8.15	6.63	3.52			
March .....	4.89	6.39	3.07	1.87	1.53	1.62	3.34	3.59			
April .....	3.81	1.81	3.53	4.32	2.99	5.57	3.58	2.30			
May .....	6.35	2.36	3.40	2.73	5.72	7.25	3.46	2.26			
June .....	2.85	.73	2.51	1.39	3.06	.37	3.61	4.99			
July .....	6.28	4.58	7.13	5.32	5.33	1.87	5.20	3.56			
August .....	4.80	6.59	5.25	13.05	5.07	6.36	5.66	6.39			
September...	2.34	2.33	3.21	6.95	5.16	4.29	6.92	7.51			
October .....	1.49	4.37	2.69	7.59	4.70	5.16	5.16	(4.50)			
November...	3.33	2.73	1.81	5.65	4.16	1.34	6.75	(6.00)			
December...	5.52	8.76	5.32	4.68	8.58	4.55	1.61	(1.75)			
TOTALS...	53.60	51.41	47.92	63.37	53.07	51.36	58.28	(52.38)	# 9 to Deelenford Som		

1920. Ordeal 4ft. 10ft. off. 2E,  
1927. Oct. Nov. & Dec. estd. Record Terminated.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series					No. of Map .....		Reference No. ....	
Date.	Lat. N.	Long. W.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920.	55° 7'	2° 59'	Langholm.	2 1/2 m.	N.	Church of St. Andrew	2 1/2 m.	N.



RAINFALL at Largholm (Drove Road)

County of Dumfries Observer Mr: Jackson

River Basin R.R. - 5

Rain Gauge, by \_\_\_\_\_

Diameter ...	5										
Height .....	0.9										
Altitude ...	270										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	7.07	11.37	5.38	4.64	6.28	5.86	7.96	6.45	14.65	2.76	9.10
February ...	6.04	3.8	5.68	6.48	1.30	8.71	6.90	3.75	6.15	1.86	4.6
March .....	5.92	7.84	3.19	2.08	1.38	1.82	3.76	4.60	6.61	1.46	3.39
April .....	4.16	1.72	(3.21)	4.44	3.18	5.70	4.35	3.47	1.46	1.49	2.71
May .....	5.35	2.71	3.35	2.86	5.89	8.02	3.85	2.56	2.07	2.73	2.28
June .....	2.16	.73	2.64	1.71	3.08	.58	3.88	4.69	7.61	3.30	3.45
July .....	5.71	4.97	7.59	5.54	5.42	2.28	4.59	4.82	3.65	6.39	7.10
August .....	4.18	6.79	5.43	11.80	4.49	6.83	5.68	7.37	9.66	8.48	10.16
September...	2.53	2.32	3.05	7.02	5.71	4.69	5.70	6.98	3.46	1.20	3.33
October .....	1.92	4.14	2.98	8.52	4.70	4.58	5.05	6.55	9.54	6.54	6.15
November...	3.79	2.97	2.10	5.82	4.53	1.64	8.03	5.77	7.88	8.23	6.96
December...	5.73	9.48	5.96	5.46	9.71	5.21	1.39	1.57	5.62	10.49	4.94
TOTALS...	54.58	55.42	50.56	66.37	55.67	55.92	61.14	58.58	78.36	54.93	60.03
	D	D	D	D	D	D	D	D	D	D	D

1922. April part cut

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge



RAINFALL at alloffal (Strathpeith)

County of Dumfriesshire Observer Mr. J. H. Hogg, (Edin.)

River Basin 4 Ayr

Simon Rain Gauge, by Edinburgh

300  
ft. B

Diameter ...	5										
Height .....	1.6										
Altitude ...	<del>328</del> <sup>300</sup>										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	8.52	9.71	6.20	5.68							
February ...	6.50	6.6	4.98	8.65							
March .....	6.06	8.74	3.63	1.75							
April .....	2.95	1.50	2.34	4.25							
May .....	6.52	3.34	4.46	2.20							
June .....	1.56	5.3	2.75	1.20							
July .....	5.07	5.90	5.19	5.42							
August .....	5.43	8.11	3.94	8.62							
September...	2.30	1.68	2.66	7.06							
October .....	2.00	3.40	3.57	8.93							
November...	4.05	2.68	3.29	5.75							
December...	5.67	8.85	5.41	5.15							
TOTALS...	57.63	55.09	48.42	64.56	NR	NR	NR	NR	NR	NR	

1920. Beallock 1 mile N.E.  
1919. Bushes 15 ft. high. 30 yds. N.  
1921. Vines 17 ft. 15 yds. North.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920.			Beallock	1 mile	N.E.	Heripatrick Junc. Ga.	1/2 mi. S.E.



RAINFALL at Canobie (Byssumfoot)

County of Dumfries

Observer Mr David Galbe

River Basin 5 - Esk

Rain Gauge, by \_\_\_\_\_

Diameter ...	3										
Height .....	0.9										
Altitude ...	160										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	6.50	8.75	4.13	13.00	5.13	5.00	6.00	4.87	11.38	2.25	
February ...	10.38	.25	4.63		(1.00)	6.25	5.87	3.00	4.87	1.50	
March .....	4.25	5.25	2.50	1.50	1.50	1.75	2.25	3.50	4.75	1.25	
April .....	3.50	1.13	2.62	3.75	2.50	4.75	3.25	2.38	1.13	1.00	
May .....	5.50	2.25	2.75	2.63	2.50	6.75	2.50	2.00	1.62	1.25	
June .....	2.00	.25	2.25	75	3.00	.25	2.75	4.87	7.50	2.25	
July .....	4.37	4.00	5.87	3.75	4.25	1.50	3.25	3.38	4.63	6.25	
August .....	3.75	5.87	4.25	11.75	3.63	5.50	(6.00)	(6.50)	8.62	8.00	
September...	2.50	6.75	2.75	5.75	4.37	3.25	6.25	(7.50)	2.75	1.00	
October .....	1.00		2.12	7.50	4.75	5.00	4.25	4.50	7.75	5.00	
November...	2.75	2.75	1.63	5.25	3.50	1.13	6.38	6.00	7.00	6.50	
December...	5.25	6.50	5.00	5.00	7.00	4.50	1.00	1.75	5.00	7.50	
TOTALS...	51.75	43.75	40.50	60.63	(46.13)	45.63	49.75	50.25	67.00	43.75	#

1924. ? low. Feb. 20th.

Encl. 56A F. 765/17/30

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
			Gilnachie	1 m	N.E.	Canobie		



RAINFALL at Langholm (Graig)

County of Dumfriesshire Observer J. Little, Esq.

River Basin nk - 5

Rain Gauge, by \_\_\_\_\_

Diameter ...	5										
Height .....	1.0										
Altitude ...	450										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	7.75	11.19	4.62	4.50							
February ...	6.05	5.2	5.24	(5.31)							
March .....	6.34	8.47	3.36	2.16							
April .....	3.84	1.43	3.30	3.85							
May .....	6.55	2.80	3.56	2.55							
June .....	2.39	71	2.58	1.96							
July .....	5.36	4.21	6.85	4.20							
August .....	3.53	6.12	4.23	11.64							
September...	2.22	2.33	2.95	6.85							
October .....	1.79	3.45	2.68	8.88							
November...	2.58	2.32	2.05	4.96							
December...	5.40	9.25	5.72	4.45							
TOTALS...	24.80	52.80	47.14	61.31	#						
	D	P	D	D							

1918. 28 in 20 ft. 30 ft. ov.  
1923. Corrected for snow in Feb.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
			Langholm	3 m.	N.	Waterkirk	3	N.W.



RAINFALL at Langholm (Askleton)

County of Dumfries Observer Mr. I. B. Robertson

River Basin 5 - lak

Type of Gauge Snowdon (B)

Annual Average in. based on years obs. un-weighted. Period of average Ref.

Diameter	5"											
Height	4' 0"											
Altitude	445'											
Year	1920 1931	1921 1932	1922 1933	1923 1934	1924 1935	1925 1936	1926 1937	1927 1938	1928 1939	1929 1940	1930 Means	
January	7.44	11.63	4.74	4.22	5.90	6.28	7.80	6.31	14.23	2.07	8.62	Totals 77.24
February	6.23	0.59	5.32	6.74	1.44	8.16	6.95	3.55	6.80	1.40	0.60	47.78
March	6.70	7.85	3.38	2.25	1.04	2.11	3.32	4.82	7.10	1.02	2.95	42.54
April	4.13	1.61	3.64	4.39	3.18	6.26	5.09	4.30	1.51	1.67	2.57	38.35
May	6.53	2.98	3.53	2.49	6.15	7.89	3.72	2.62	1.80	2.97	2.25	42.93
June	1.94	0.69	2.20	1.81	2.67	0.90	4.35	5.50	7.76	2.81	3.14	33.77
July	6.43	4.55	8.02	5.25	6.80	2.60	5.36	3.58	4.59	5.60	5.76	58.54
August	3.48	6.40	4.29	12.45	4.05	5.84	6.27	6.80	9.52	8.54	10.13	77.77
September	2.83	2.09	3.34	6.79	6.06	4.46	6.05	6.36	2.87	0.83	3.96	45.64
October	1.74	4.03	3.17	8.34	4.76	5.40	5.47	7.01	10.21	5.61	9.65	65.39
November	4.96	2.71	2.02	6.06	3.64	1.82	9.80	5.70	8.92	9.05	6.27	60.95
December	6.47	9.67	5.80	4.65	10.25	5.61	1.40	2.27	5.82	11.12	6.08	67.14
TOTALS	58.88	54.80	49.45	65.44	55.94	57.33	65.58	58.82	81.13	52.69	61.98	662.04

Back years entered June 1946: 1917-44. In disagreement with 5040  
Hawell. 6/46.

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series				No. of Map.....		Reference No.....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.
1920			Langholm	5m	S	Ewes	1m S.W.



RAINFALL at Largholm (Eves) Sandy Rought

County of Dunfriesshire Observer Mrs. Lyall

River Basin Ek - 5

Rain Gauge, by Eddies Weddell  
(Edin.)

Diameter ...	5										
Height .....	1.0										
Altitude ...	445										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	7.06	11.02	5.38	4.54	5.93	5.92	8.13	6.24	13.08	2.15	8.83
February ...	5.45	5.9	5.31	6.91	1.27	7.72	6.95	3.60	7.27	1.35	5.54
March .....	6.41	7.82	3.22	2.15	.90	1.58	3.41	4.82	7.11	1.04	2.71
April .....	3.71	1.35	3.38	4.02	3.11	6.16	4.89	4.17	1.46	1.45	2.40
May .....	6.26	3.02	3.89	2.21	5.91	7.81	3.72	2.66	1.73	3.05	2.55
June .....	2.08	.65	2.34	1.76	2.44	.91	4.27	4.86	7.66	2.69	2.30
July .....	6.60	4.31	8.08	5.75	6.48	2.70	5.32	3.30	4.61	5.91	5.88
August .....	3.33	6.52	4.16	12.10	4.08	6.12	6.18	6.82	9.85	8.17	9.88
September...	2.80	2.03	3.40	6.80	5.89	4.59	5.60	6.50	2.81	.82	3.76
October .....	2.54	3.60	3.11	8.27	4.71	5.35	5.32	7.07	10.48	5.46	9.70
November...	4.20	2.62	1.87	5.88	3.75	1.80	9.62	5.75	9.00	8.96	6.00
December...	6.41	9.33	5.81	5.10	10.53	5.55	1.48	2.00	5.85	11.30	6.05
TOTALS...	56.85	52.86	49.95	65.49	55.00	56.21	64.89	57.79	80.91	52.35	60.60

1921. "In the open"

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1920			Largholm	6m.	5 1/2 N 1922 d.	Eves	1 1/2 m.	d.



RAINFALL at Eskdalemuir Observatory

County of Dumfries

Observer The Staff. (all-o.)

River Basin Ek - 5

Air Ministry

Rain Gauge, by

+A

Data for BR 1928 onwards are for period of 24 hours 7h - 7h not ok - 24h as previously and will used for BWR. See form 15D f836612/28.

Diameter ...	11				8								
Height .....	2.0				1 4								
Altitude ...	794												
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.	1920-30	
January ...	8.40	12.32	4.90	5.55	6.88	6.91	9.43	8.16	15.52	2.22	10.76	91.05	Totals 11 years
February ...	6.75	8.1	5.66	6.20	1.42	6.60	7.92	3.45	8.51	2.07	.73	50.12	
March .....	7.44	8.87	3.51	2.38	1.03	2.30	3.76	4.32	6.63	1.31	4.01	45.53	
April .....	4.24	1.91	3.06	4.34	3.86	7.52	4.06	4.23	1.78	1.60	2.30	38.90	
May .....	7.88	3.41	4.25	3.64	5.65	9.30	3.73	4.06	1.54	4.23	3.11	50.80	
June .....	2.80	.91	2.58	2.11	3.11	1.19	3.88	6.07	7.87	4.44	4.18	39.14	
July .....	6.01	4.11	6.84	5.39	5.57	2.51	5.62	5.30	5.24	7.96	5.62	60.17	
August .....	5.97	6.87	3.96	10.31	6.58	6.54	6.95	7.63	9.48	7.74	9.07	81.10	
September...	3.02	2.74	3.03	7.16	7.13	3.79	5.79	9.13	4.37	1.18	4.24	51.58	
October .....	2.12	4.67	3.12	9.58	4.57	6.48	6.06	7.81	11.83	6.87	11.69	74.80	
November...	4.19	3.18	3.63	6.19	5.13	2.04	3.26	6.88	8.82	10.92	6.92	66.16	
December...	6.20	9.81	5.86	5.86	11.30	5.76	2.02	1.76	5.90	13.02	5.38	72.87	
TOTALS...	64.99	59.61	50.40	68.71	62.23	66.94	67.48	68.80	87.49	63.56	68.01	722.22	

Inspected CS. 21. Three gauges ① Berkeley ② M.D. :- both within high wall enclosures + ③ M.D. no enclosure. High walls about 1ft high + 3ft thick + about 4ft away. That of no. 2 has been done. Gauges are all on nearly level grassland on north of obay buildings. Land slopes to east, 100 yds away. Wall & low rises over + S.W. Obay lies on west side of wide open valley. Low hills half mile west + S + 3/4 mi E, subtending angle of 5°. Land in general being very hilly. No. 3 is probably overexposed.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920	55° 19'	3° 12' W	Lockerbie					



RAINFALL at Esdalesville obsy  
*experimental gauge along road gauge with higher thresholds*

County of Dumfries Observer as usual

River Basin kt-5.

unshielded Rain Gauge, by

Diameter ...		5									
Height .....		10									
Altitude ...											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...				5.08							
February ...				5.69							
March .....				2.39							
April.....				3.93							
May .....			3.89	3.67							
June .....			2.75	2.09							
July .....			6.46	4.43							
August .....			3.80								
September...			3.09								
October.....			4.17								
November...			2.49								
December...			5.58								
TOTALS...											

*its selected by CS. Oct '21 another sheet -*  
*1922 July 13<sup>15</sup> estd from other gauges.* See file 32067/21.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge



RAINFALL at Isbaldkennie Obry  
experimental gauge with upper shield

County of Dumfries Observer Archibald

River Basin bk - 5

1410 Rain Gauge, by \_\_\_\_\_

Diameter ...		5									
Height .....		10									
Altitude ...											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...				4.92							
February ...				5.73							
March .....				2.44							
April .....				3.66							
May .....			3.69	3.37							
June .....			2.73	1.78							
July .....			6.48	4.36							
August .....			3.98								
September...			3.04								
October .....			4.35								
November...			2.49								
December...			5.44								
TOTALS...											

Site selected by C.S. 6.12.21 for experimental purposes.  
about 300 yds N. of observatory outside enclosure. On open moorland  
on slight shoulder falling a little in S.W + S. A hummock 200 yds N  
might give slight shelter but not much. Hills half mile S.W + S +  
3/4 mi. E.  
1922. No record for Oct. 23<sup>rd</sup>; Reading approx. for Dec. 23<sup>rd</sup> See file 32067/21

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map .....		Reference No. ....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge



RAINFALL at Eskdalemuir Observatory

County of DumfriesshireObserver Meteorological office.

River Basin Esk 5

Check Rain Gauge, by \_\_\_\_\_

Diameter ...											
Height .....											
Altitude ...											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...											
February ...											
March .....											
April .....											
May .....			4.25								
June .....			2.87								
July .....			6.61								
August .....			3.90								
September...			3.03								
October .....			4.38								
November...			2.47								
December...			5.76								
TOTALS...			imp								

1922. No record for Oct 13<sup>th</sup>. Reading approx for Dec 23<sup>rd</sup> See file 32067/21

Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction







RAINFALL at Kelso (Springwood Seed Ground)

County of Roxborough

Observer Wm. Fairweather

River Basin <sup>Irish</sup> Lower - 2

Inverden - Rain Gauge, by N. & S.

Diameter ...	5										
Height .....	1.0										
Altitude ...	200										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	2.21	4.41	1.97	1.37							
February ...	3.13	.31	2.24	2.51							
March .....	2.77	1.38	1.40	.91							
April .....	1.79	.58	2.41	1.60							
May .....	2.90	1.55	.64	1.79							
June .....	.92	.85	1.77	.76							
July .....	2.66	2.82	3.71	1.55							
August .....	2.21	4.66	2.37	3.74							
September...	1.55	1.61	2.06	1.52							
October .....	1.31	2.61	2.87	1.93							
November...	1.19	1.30	.40	3.57							
December...	2.53	2.22	1.93	2.08							
TOTALS...	26.17	24.30	23.77	23.33	NO	NO	#				

{ 1920. Gauge moved 25 yds. W.  
April

1920. Set off 10ft. 21ft. South.  
30 " 36 " West.

Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long. W.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1920.	55° 23'	2° 25'	Kelso.	5523	225 S. W.	Kelso.	5523	225 S. W.



RAINFALL at Helio (Lempitla)

County of Roxburgh Observer J. Stirling Esq.

River Basin 2. Tweed, Lower. Rt. Bank Ins. Mrs. A. C. Stirling 1930.  
Howdon Rain Gauge, by N. & J.

Diameter ...	5										
Height .....	1.0										
Altitude ...	635										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	2.42	4.50	2.17	1.37	1.57	1.06	2.59	1.76	3.10	1.21	2.50
February ...	2.39	2.6	1.90	2.67	.83	3.88	2.10	.69	1.38	1.27	1.59
March .....	2.91	1.72	1.60	1.01	.75	2.21	1.07	2.47	3.33	.08	2.70
April .....	2.38	.51	2.76	1.70	1.04	2.40	2.55	1.44	1.00	1.42	1.26
May .....	2.65	1.84	.54	1.98	4.61	3.26	2.26	1.72	1.23	.85	1.05
June .....	.92	.82	1.66	1.01	1.94	.30	3.36	3.13	4.20	1.98	.95
July .....	3.56	3.09	3.93	1.70	3.95	2.04	5.23	4.34	1.75	3.19	5.42
August .....	3.92	5.72	2.38	4.50	4.05	2.33	5.08	5.42	4.11	4.12	4.02
September...	1.86	1.46	2.83	1.63	2.42	4.52	4.36	5.58	1.45	.41	5.55
October .....	1.44	2.86	3.18	1.88	3.40	1.89	3.84	2.02	2.75	2.60	
November...	1.29	1.53	.56	3.43	1.04	1.52	2.81	2.94	2.54	2.94	4.65
December...	2.70	1.99	2.31	2.24	2.44	5.50	.61	2.76	1.57	3.52	
TOTALS...	28.44	26.36	25.82	25.12	28.04	30.91	35.86	34.27	28.41	23.59	29.69.
	D	D	D	D	D	D	D	D	D	D	D

Beach ledge At 10-27 ft. N.  
House and trees 30-45 " E.  
House 75 " S.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
			<u>Howdon</u>	<u>3 1/2 m.</u>	<u>N.</u>			



## Rain Gauge, by .....

(<sup>o</sup>1383) Wt. 1671—6044. 10,000. 4/21. J. T. & S., Ltd. 160.



RAINFALL at Hawick (Barrholm) (Park 1927)County of Roxburgh

(1927) date

Observer

J. G. Waring, Esq.River Basin 3 Inver, Derwent(1927) G. W. Griener Esq.Symon Pettigrew  
Howden

Rain Gauge, by

Diameter ...	5										
Height .....	0.6										
Altitude ...	457										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	4.37	5.35	2.77	2.12	3.38	3.70	4.37	3.36	7.52	1.03	5.68
February ...	3.34	.33	3.43	5.37	1.02	5.10	3.74	1.07	4.19	1.36	.70
March .....	4.45	4.12	2.24	1.19	1.05	2.45	2.31	1.94	4.49	.46	2.21
April .....	2.21	.64	2.88	2.85	1.73	3.93	2.80	1.57	1.08	1.51	1.23
May .....	3.78	2.04	1.12	1.85	3.61	5.79	2.46	1.30	1.76	2.28	.91
June .....	1.29	.56	1.49	1.14	1.58	.68	3.45	3.08	5.40	2.03	2.15
July .....	4.39	2.94	4.65	2.09	4.78	1.34	2.84	2.60	2.13	3.94	5.10
August .....	3.30	5.41	2.51	5.50	3.02	4.05	3.73	5.71	6.94	4.95	6.22
September...	1.44	1.72	2.59	3.54	4.29	3.58	3.36	(6.74)	2.04	.50	3.52
October .....	1.91	3.18	2.38	4.18	3.11	3.40	3.06	(4.00)	7.35	3.66	6.27
November...	2.17	1.83	1.02	4.44	1.86	1.56	4.35	2.99	4.59	5.26	4.40
December...	3.35	4.68	3.42	2.44	5.93	4.20	.51	2.17	2.85	7.81	3.68
TOTALS...	36.00	32.80	30.50	56.71	35.36	39.78	36.98	36.53	50.34	34.79	42.07
	0	3	0	0	0	0	0	2	0	0	0

1928. Trees 50 ft. high 30 ft. distance.

Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1920.	55°24'	2°37'W.	Hawick	3½ m.	East	Hawick	3 m.	East



RAINFALL at Roberton Manse

County of Perthshire

Observer Rev. A. E. McInnes

River Basin Yweed 3  
Devon

Rain Gauge, by \_\_\_\_\_

Diameter ...			5								
Height .....			10						20		
Altitude ...			730								
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...			3.19	1.95	3.14	3.75	4.16	4.16	7.05	.88	
February ...			3.26	4.44	.83	5.29	4.00	1.50	3.83	1.20	
March .....			2.73	1.38	1.03	2.29	2.16	2.53	3.85	.37	
April .....			1.71	3.12	2.01	3.63	2.36	2.14	.90	1.35	
May .....			2.11	2.23	4.08	5.98	2.86	1.83	1.48	1.79	
June .....			1.23	1.20	1.68	.66	3.51	3.33	4.98	1.36	
July .....			3.80	1.99	4.87	1.10	2.55	2.91	1.61	3.88	
August .....			2.60	5.37	2.79	3.30	3.53	5.99	6.24	4.30	
September...			1.90	2.87	4.44	3.82	4.76	6.95	2.59	1.44	
October .....			2.50	3.91	2.84	3.28	4.05	4.12	6.83	.	
November...			1.20	4.36	1.72	1.77	4.29	3.06	4.11	.	
December...			3.35	2.55	5.26	3.39	.70	1.69	2.08	.	
TOTALS...			29.58	35.37	34.69	38.26	38.93	40.21	45.55	imp.	

# Terminated Sep<sup>r</sup> 1929. Records now from  
Hodshallowhaugh, 1 mile from Roberton Manse

1922. Manse 45 ft. high 20 ft. N.

1922. From ...  
"only" ...

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1922			Hawick	5½ mi	E	Roberton	300 S.S. W



RAINFALL at Robeson Godshawhugh.

County of Roxburgh.

Observer..... R. T. Fisher Esq.,

River Basin *Lucid. Teviot - c., 3.*

.....*Rain Gauge, by*.....

Diameter ....											5'
Height ....											1' 0"
Altitude ....											2450'
Year ....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930
January ....											5.32
February ....											.48
March ....											2.63
April ....											1.22
May ....											1.50
June ....											2.39
July ....											4.59
August ....											5.37
September ....											3.00
October ....										# 3.29	6.17
November ....										5.34	4.30
December ....										6.97	3.14
TOTALS ....										imp.	40.11 d

1929 # 9 from Robertson manse (see previous sheet).  
1930. wave 4'6" high 7' E. )  
 Lee 12' high. 10 ssus.

1930. wall 4'6" high 7' E. )

Tree 12' high. 10' ssw J.

*Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series*

No. of Map.....

Reference No.....

[illegible]



RAINFALL at *Hawick, Dominican Priory.*

County of *Roxburghshire.* Observer *Sister Mary Augustine.*

River Basin *3 - Tweed - Teviot &c.*

*Snowdon* Rain Gauge, by

Diameter	....	....	....	....	....	....	....	....	....	....	....	5"
Height	....	....	....	....	....	....	....	....	....	....	....	1' 0"
Altitude	....	....	....	....	....	....	....	....	....	....	....	9.440'
Year	....	....	....	....	....	....	....	....	....	....	....	....
	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930	
January	....	....	....	....	....	....	....	....	....	....	....	4.92
February	....	....	....	....	....	....	....	....	....	....	....	1.39
March	....	....	....	....	....	....	....	....	....	....	....	2.32
April	....	....	....	....	....	....	....	....	....	....	....	1.22
May	....	....	....	....	....	....	....	....	....	....	....	1.38
June	....	....	....	....	....	....	....	....	....	....	....	2.08
July	....	....	....	....	....	....	....	....	....	....	....	4.20
August	....	....	....	....	....	....	....	....	....	....	....	5.66
September	....	....	....	....	....	....	....	....	....	....	....	2.71
October	....	....	....	....	....	....	....	....	....	....	....	5.49
November	....	....	....	....	....	....	....	....	....	....	....	4.08
December	....	....	....	....	....	....	....	....	....	....	....	3.44
TOTALS	....	....	....	....	....	....	....	....	....	....	....	37.89 2

1930. *Convent Buildings 30' high 47' E.  
Small silver triches 30' " (approx) 39' W.*

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1930			Hawick	1 m	NE.	Hawick	50 yds N.



RAINFALL at Denholme (Spital Locum)

County of Roxburgh.

Observer L. Grenshields Leadbetter  
A. Archibald (Gardner)

River Basin 3 Tweed, Derwent.

Rain Gauge, by Adie Waddell  
(Glasgow)

Diameter ...	5											
Height .....	0.9											
Altitude ...	410											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.	
January ...	2.53	5.39	2.38	1.77	2.43	3.10	3.49	2.96	5.33	.90	3.46	34.76
February ...	2.33	.35	2.99	3.62	.88	4.93	2.77	1.07	3.09	1.20	.69	23.92
March .....	2.64	2.91	1.89	1.07	1.04	2.36	1.62	2.27	3.73	.09	2.21	22.83
April .....	2.25	.49	2.35	2.56	1.18	2.88	2.60	2.16	1.02	1.32	1.67	20.48
May .....	3.14	2.14	.73	1.49	3.77	5.33	2.84	1.87	1.86	1.40	1.21	25.78
June .....	1.24	.74	1.22	.98	1.78	.57	3.32	3.27	5.31	1.52	1.92	21.87
July .....	4.63	2.67	4.79	2.19	3.89	1.19	3.12	3.07	1.75	3.82	5.20	36.32
August .....	2.72	5.58	2.84	5.69	2.94	2.78	3.42	5.84	4.84	4.85	5.35	47.85
September...	1.62	1.79	2.53	2.19	3.68	4.72	4.50	6.38	1.72	.58	2.43	32.14
October .....	1.56	3.32	2.77	2.90	2.92	2.80	3.58	3.11	5.89	2.90	4.05	35.80
November...	2.00	1.46	.64	4.05	1.42	1.75	3.72	2.63	3.46	3.35	3.35	27.83
December...	2.49	3.51	2.89	2.24	5.00	3.88	.83	2.19	2.06	5.66	2.96	34.71
TOTALS...	33.17	30.35	28.02	30.75	30.93	36.29	35.81	36.82	40.06	27.59	34.50	364.29

1928. Sheds 7 ft. high to eaves on two sides, 6 ft. on one side E. other side open.  
1930. Walls 9' high 83' S. Half grown trees 45' W. Well grown trees 45' N.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_

Date.	Lat. N.	Long. W.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1920.	55° 27' 12.59" N	1° 29' 18" W	Hassenden (N.B.M.)	2 1/4 m.	N.W.	Barry Bedrule	3 1/4 m.	W. & N. E.



RAINFALL at Jedburgh (Jedburgh)

County of Rosburgh. Observer John Scott, Esq.

River Basin 3 Inver, 2 in 100. John Scott (1921)

Snawdon Rain Gauge, by N.E. 3  
No. 2774.

Diameter ...	5										
Height .....	1.0										
Altitude ...	271										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.
January ...	2.60	4.66	1.31	1.62	1.52	1.59	2.32	2.09	3.57	.67	2.22
February ...	2.06	.28	2.09	1.80	.70	4.72	2.16	.74	1.92	.99	.67
March .....	2.56	1.90	1.60	.91	1.06	2.12	.93	2.06	3.10	.11	1.57
April .....	1.71	.69	2.38	1.73	.88	2.10	2.21	1.70	.75	1.42	1.30
May .....	2.82	1.51	.58	1.94	3.42	4.35	2.23	1.85	1.39	1.22	.82
June .....	1.12	.76	1.37	.94	1.49	.35	3.02	3.03	4.38	1.55	1.62
July .....	3.17	2.13	3.91	2.17	3.43	1.31	2.53	2.24	1.48	3.20	4.65
August .....	4.02	5.36	1.85	4.70	2.44	3.77	3.38	5.90	3.75	4.67	3.90
September...	1.35	1.88	2.11	1.63	2.87	4.74	3.96	5.09	1.51	.46	1.86
October .....	1.42	2.82	2.38	2.37	2.42	1.86	3.33	2.25	3.25	2.68	3.32
November...	1.33	1.29	.52	3.16	.96	1.33	2.38	2.32	2.17	2.63	2.86
December...	2.28	2.51	2.16	1.77	3.11	2.90	.51	1.49	1.33	3.86	1.70
TOTALS...	26.86	25.79	22.26	24.74	24.60	31.14	28.96	30.76	28.60	23.46	26.49
	0	0	0	0	0	0	0	0	0	0	0

1920. 40s ~~40s~~ 50ft. 30ft. N.W.  
40s 30 40 S.W.

1919. Aug. 1st G. from Ploughlands.

Position of Station on reduced Ordnance Survey } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_  
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920.	55°32'	2°32'W.	Jedburgh	1/2 m.	N.	Jedburgh	2 m.	S.W.



RAINFALL at Jedburgh (Crailing)

County of Westmorland Observer Major J. A. Paton

River Basin Ure - 3

Glaisher Rain Gauge, by

Diameter ...									4	5		
Height .....									1.1			
Altitude ...									195			
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.	
January ...	2.82	4.83	1.73	1.42	1.56	1.92	2.67	2.27	3.66	.88	2.26	26.02
February ...	2.12	.35	2.18	3.10	.73	5.69	2.12	.85	2.10	.97	.82	21.03
March .....	3.02	1.94	1.36	.92	.80	2.18	1.00	2.09	3.21	.05	1.75	18.32
April.....	1.92	.67	2.92	2.01	.92	2.39	2.47	1.72	.70	1.44	1.32	18.48
May .....	2.46	1.58	.50	1.84	4.24	4.54	2.23	1.55	1.38	1.40	1.07	22.79
June .....	1.08	.79	1.60	.99	1.42	.25	3.16	2.83	4.23	1.61	1.65	19.61
July .....	3.53	2.15	4.08	1.76	3.70	1.53	3.03	2.54	1.43	3.66	5.02	32.43
August .....	3.85	5.45	2.30	4.14	4.07	2.60	3.39	5.83	3.39	4.10	4.82	43.94
September...	1.39	1.75	2.22	1.56	2.19	4.76	3.46	4.81	1.68	.36	1.94	26.12
October.....	1.93	2.88	2.34	2.30	2.97	2.04	4.24	2.07	3.62	2.73	2.94	30.06
November...	1.61	1.31	1.13	4.09	1.09	1.58	2.55	2.24	2.60	2.90	3.12	24.22
December...	2.33	2.75	2.54	1.78	3.87	2.50	.60	1.63	1.47	4.38	2.10	25.95
TOTALS...	28.06	26.45	24.90	25.91	27.56	31.98	30.92	30.43	29.47	24.48	28.81 D.	308.97 JTB

Back years 1905-1928 received V/29.  
1928. New 5" gauge recently installed. See file 819174/28. enc. 134<sup>B</sup>.  
1929. New gauge installed in May.  
1/2" from old gauge.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge



RAINFALL at Arden (Kentish)

County of Roxburgh. Observer Bertram Talbot Esq.

River Basin 3 miles, Teviot etc.

(1927) Standard Rain Gauge, by \_\_\_\_\_

Diameter ...	5					5						
Height .....	2.6					2' 6"			1.0			
Altitude ...	200					250			210			
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.	
January ...	2.83	5.03	1.68	1.88	1.41	1.63	2.51	2.17	3.92	.89	2.40	Totals. 26.35
February ...	2.18	.43	2.26	2.62	.91	4.56	2.42	.99	2.14	1.17	.67	20.35
March .....	3.07	1.90	1.97	1.04	1.09	2.61	.93	2.16	3.79	.15	2.02	20.73
April .....	2.11	.80	2.88	2.04	1.09	2.53	2.22	1.94	.93	1.41	1.51	19.46
May .....	2.89	1.78	.61	2.34	3.51	4.90	2.63	1.95	1.82	1.22	.94	24.59
June .....	1.13	.86	1.45	1.07	1.86	.35	3.37	3.17	4.87	1.49	1.53	21.15
July .....	3.56	2.41	3.95	2.18	3.58	1.57	2.63	2.37	1.55	3.44	4.92	32.16
August .....	4.04	5.81	2.15	4.89	2.95	3.87	3.99	6.18	3.97	4.48	4.32	46.65
September...	1.67	1.98	2.38	1.93	2.95	4.83	4.19	5.18	1.41	.80	2.24	29.06
October .....	1.57	2.79	2.72	2.74	2.87	2.08	3.88	2.39	4.07	2.81	3.27	31.19
November...	1.64	1.56	.68	3.42	1.08	1.57	2.82	2.54	2.78	2.65	3.07	23.81
December...	2.55	2.54	2.23	2.01	(3.28)	2.80	.67	1.98	1.58	4.16	2.22	26.02
TOTALS...	29.24	27.89	24.96	28.16	(26.58)	33.30	32.26	33.02	32.83	24.17	29.11	321.52
			D	D	(D)	D	D	D	D	D	D	D

1924. Dec. 29<sup>th</sup> corrected.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
			Nisbel Sedfoot	2 m. 1 mi	E. SE.	Arden	2 m.	N.W.



## Rain Gauge, by .....

1921. July 5 Aug. short. Not printed.

Reference No. ....

[illegible]



RAINFALL at Linton  
Hels, Ghyllon Park

County of West Yorkshire Observer J. R. B. Elliot Esq.

River Basin Tweed - Teviot & c / 3.

Snowdon Rain Gauge, by \_\_\_\_\_

Diameter ...	5										
Height .....	1. 0										
Altitude ...	250										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...									2.28	1.28	2.60
February ...									1.93	.89	1.54
March .....									2.28	.17	2.31
April .....									.94	1.46	1.72
May .....									1.59	.99	.97
June .....									3.88	1.96	1.09
July .....									1.51	3.43	5.31
August .....									2.52	4.42	3.36
September...									1.78	.49	2.55
October .....									3.02	2.73	2.22
November...									2.59	3.20	3.21
December...									1.18	4.46	2.50
TOTALS...	28.46	26.12	24.13	24.36	27.20	30.58	31.91	30.94	25.50	25.48	29.38

Yearly totals 1917-1927 received 11.3.29.

Position of Station on reduced Ordnance Survey } No. of Map \_\_\_\_\_  
Map, 2 miles to 1 inch Series

Reference No. \_\_\_\_\_

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1929.			Hels. L.N.E.R.	6 mi	N.W.	Linton	4 mi.	E.



RAINFALL at St. Boswells, (The Tars)

County of Roxburgh. Observer J. J. Fairbairn, Esq.

River Basin 3 Inver, Teviot etc.

Rain Gauge, by Edie & Widdieburn

Diameter ...	5										
Height .....	1.6										
Altitude ...	260										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS:
January ...	2.22	4.00	1.94	1.43	1.71	1.62	2.39	2.27	3.35	1.13	1.97
February ...	2.19	1.5	2.29	2.58	.91	3.66	2.64	.89	1.62	1.32	.54
March .....	2.90	2.03	1.55	.78	.64	1.68	.95	1.72	3.26	.15	1.64
April .....	1.88	.38	(2.11)	1.88	1.06	1.83	1.95	1.52	.69	1.20	1.11
May .....	2.57	1.20	.56	1.77	3.41	4.64	1.74	1.55	1.31	1.17	1.07
June .....	1.05	.61	1.67	.82	1.46	.32	2.58	2.88	3.95	1.96	1.71
July .....	2.99	2.62	3.12	1.59	4.14	1.17	2.58	2.57	1.31	3.06	4.03
August .....	2.32	4.31	1.92	4.44	2.73	3.06	3.23	6.30	3.39	4.07	4.85
September...	1.45	1.59	2.02	1.60	2.93	4.07	4.05	4.70	1.27	.20	2.19
October .....	1.41	2.55	1.95	2.23	2.63	2.09	3.03	2.22	3.94	2.66	3.12
November...	1.41	1.35	.55	3.17	1.01	1.64	2.77	1.71	2.51	2.50	2.40
December...	2.69	2.04	1.90	2.00	3.15	2.18	.41	1.51	1.51	3.67	2.48
TOTALS...	26.02	22.83	21.58	24.29	25.78	27.96	28.32	29.84	28.11	23.09	27.11
	0	0	0	0	0	0	0	0	0	0	0

1920. Gauge 16ft. high. 38ft. off. N.  
Gauge 2 ft. 20. 20. 20. N.W.  
1922. Interpolation accepted.  
Site inspected by Dr. Glasspool 20.9.27.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map .....		Reference No. ....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920.			St. Boswells.	2 1/4 m.	N.W.	St. Boswells	1 m. S.



RAINFALL at St Boswells (Monkford)

County of Roxburgh Observer J. E. Bell & S. Mitchell

River Basin 3 Tynes, Tweed etc. John Y. Reid (agent)

Rain Gauge, by \_\_\_\_\_

Diameter ...	5										
Height .....	0.11										
Altitude ...	320										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	2.65	3.96	2.38	1.33	2.28	2.22	2.70	2.89	4.57	1.20	2.74
February ...	2.73	.62	2.02	3.18	.92	4.72	3.04	.97	2.83	1.29	.90
March .....	3.36	2.28	1.68	1.21	.74	1.66	1.71	2.05	4.03	.00	2.05
April .....	1.69	.48	1.69	2.56	1.46	1.89	1.84	1.47	.73	1.73	1.45
May .....	2.36	.85	1.55	1.77	(3.43)	4.97	2.27	2.41	1.56	1.11	1.49
June .....	1.99	.87	1.52	.55	1.91	.32	3.26	2.99	4.28	1.91	2.03
July .....	2.30	1.35	3.08	1.15	3.33	1.50	2.17	3.42	1.51	3.21	4.24
August .....	3.41	4.34	2.02	3.73	2.71	2.98	3.49	5.89	3.76	4.12	5.26
September...	1.21	2.06	1.42	2.80	3.38	3.82	3.88	5.13	2.12	.17	2.68
October .....	1.95	2.69	2.75	2.94	2.51	2.59	3.80	2.15	5.07	2.78	4.28
November...	2.46	1.54	1.05	2.95	1.19	1.53	3.40	2.32	3.43	2.93	3.49
December...	2.99	3.54	2.18	2.38	4.19	3.09	.57	1.80	2.15	4.60	2.76
TOTALS...	29.10	42.8	23.34	26.55	(28.05)	31.29	32.13	33.49	36.04	25.05	33.37

1924. May corrected by surrounding stations. Site inspected by Dr. Glanville 20.9.29.  
18/8/29 Gauge moved in accordance with Inspector's suggestion.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
			St. Boswells				



RAINFALL at Old Melrose Gardens  
County of Bedford Observer Mr S. B. 1880 kg  
River Basin Great Ouse - 3.  
Rain Gauge, by \_\_\_\_\_

Diameter ...	5										
Height .....	1.2 <sup>4</sup>										
Altitude ...	400		200								
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	2.60	3.57	2.10	1.24	1.69	1.51					
February ...	2.42	.65	1.90	3.59	1.12	4.50					
March .....	3.10	2.26	1.57	1.24	.70	1.84					
April .....	2.07	.47	2.25	2.42	1.65	2.58					
May .....	2.96	1.36	.93	1.87	3.24	5.74					
June .....	1.11	.72	2.82	.98	2.02	.41					
July .....	3.57	2.82	3.73	1.60	3.77	1.88					
August .....	3.82	5.67	2.80	4.65	2.69	3.89					
September...	1.31	1.70	1.74	2.12	3.67	4.60					
October .....	2.05	3.25	2.77	2.68	3.07	2.80					
November...	1.48	1.84	1.18	2.41	1.04	1.64					
December...	3.94	2.40	1.93	2.90	3.09	2.91					
TOTALS...	30.37	26.71	25.72	27.70	27.75	34.30	NR	NO.	#		

1920 Weeping Elm 16ft. 30ft. N.  
1918 Wall <sup>and</sup> dwelling house 7ft high. 18ft. N. & 200.  
1919 Ellen Hill 132j' high 1 1/2 m, S.W.  
1923 W.D.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920.	53° 3'	2° 25'	St. Beowells.	2 m.	S.W.	Neotown	2 m S.W.



RAINFALL at Kelso (Springwood Park)

County of Rockburgh

Observer Mr. W. Chaplin *died 1930*

River Basin S. Tweed, Teviot etc.

Inverdon Rain Gauge, by \_\_\_\_\_

Diameter ...	5										
Height .....	1.0										
Altitude ...	130										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.
January ...	1.82	3.76	1.78	1.37	1.55	1.32	2.46	2.04	2.72	.97	1.92
February ...	2.11	.21	1.99	2.51	.61	4.33	2.80	.74	1.77	1.02	.96
March .....	2.30	1.48	1.47	0.87	.69	1.83	1.08	1.99	3.26	.10	1.97
April .....	1.69	.59	2.06	1.62	.98	2.08	2.48	1.21	.78	1.01	1.24
May .....	2.66	1.34	.41	1.90	3.38	3.02	2.22	1.53	1.32	.68	.53
June .....	0.86	.72	1.47	0.82	6.04	.27	2.66	2.77	3.55	1.85	1.09
July .....	2.55	2.46	3.45	1.36		1.80	4.56	2.65	1.83	3.01	5.10
August .....	3.16	4.56	2.31	3.93	2.72	2.46	3.61	6.23	3.67	3.95	3.97
September...	1.55	1.31	2.43	1.50	2.07	3.83	3.91	4.34	1.29	.35	2.30
October .....	1.03	2.55	2.59	1.73	2.71	2.01	3.70	1.92	2.73	2.27	3.01
November...	1.06	1.30	.40	3.54	.85	1.50	2.07	2.22	2.22	2.65	2.48
December...	2.23	1.91	1.63	2.15	2.33	4.13	.57	1.98	1.39	3.32	1.36
TOTALS...	23.02	22.19	21.99	23.30	23.93	28.58	32.12	29.62	26.53	21.18	25.93

1920 Gauge "open".

1923. Dwarf plants.

1925. Snow Dec. 17-22: reading on 22<sup>nd</sup> very doubtful.

1925 Dwarf plants. 9 in. ht. 2 ft. dia. E., W., & S. Nothing on N.

Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1920	53° 36' 2"	1° 48' 1922	Kelso.	1 m.	S.E.	Kelso.	1 m.	E.



RAINFALL at Melrose (Aberdeen) Gauge A.

County of Roxburgh, Observer L. G. Mitchell, Esq.

River Basin H. Tweed - Ettrick &c.

Standard (?) Rain Gauge, by Bryson, Esq.

Diameter ...	5"										
Height .....	0.6										
Altitude ...	480										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	2.39	4.87	2.88	1.97	2.37	2.57	2.80	3.29	5.41	1.09	2.62
February ...	2.97	2.8	3.03	4.19	1.10	5.34	3.58	1.07	2.98	1.92	.70
March .....	4.13	3.19	1.84	1.21	.79	1.69	1.65	2.64	4.21	.15	1.99
April .....	2.23	.50	2.50	2.55	1.66	2.70	2.16	2.08	.91	1.60	1.33
May .....	3.13	1.79	.90	1.80	3.65	5.57	2.70	1.65	1.61	1.33	1.24
June .....	1.15	.54	1.49	1.08	1.28	.49	4.01	2.80	4.83	1.82	2.50
July .....	2.97	3.50	4.24	2.33	4.81	1.40	3.56	3.74	1.60	3.08	3.66
August .....	3.35	5.19	2.52	5.09	2.63	3.45	3.13	7.34	5.45	4.82	6.09
September...	1.49	1.80	2.30	1.98	3.71	4.55	4.37	7.09	1.41	.13	2.70
October .....	1.85	3.20	2.84	2.97	3.22	3.19	3.91	2.34	5.63	3.13	4.77
November...	1.91	1.70	.76	3.17	1.53	1.26	4.59	2.25	3.84	3.67	3.10
December...	2.71	3.30	2.57	2.38	4.68	3.68	.42	1.61	2.21	4.77	2.92
TOTALS...	32.28	29.86	27.87	30.72	31.43	35.89	36.88	37.90	40.09	27.01	33.62
	D	D	D	D	D	D	D	D	D	D	D

1920. alt. stand 5 ft. high. 20 ft. off. N.E.  
On gauge B. 1... 6... ..

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map .....		Reference No. ....	
Date.	Lat. N.	Long. W.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920	55°35'	2°44'	Melrose	1/2 m.	E.N.E.	Melrose	1 m. N.E.



RAINFALL at Melrose Bay. Page B.

County of Orkney, Observer: L. C. Mitchell Esq.

River Basin 4 Tweed, Ettrick.

Inverness Rain Gauge, by Basella  
800 ft.

Diameter ...	5											
Height .....	1.0											
Altitude ...	480											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.	
January ...	2.06	4.50	2.77	1.81	2.22	2.45	2.68	3.16	5.04	1.04	2.46	31.19
February ...	2.85	27	2.89	3.96	1.03	5.03	3.40	1.01	2.82	1.85	.68	25.79
March .....	3.91	3.05	1.82	1.14	.73	1.61	1.60	2.50	4.04	.14	1.89	22.43
April .....	2.16	.49	2.41	2.40	1.57	2.53	2.09	1.95	.88	1.53	1.24	19.25
May .....	3.03	1.68	.83	1.68	3.42	5.30	2.52	1.58	1.50	1.25	1.17	23.96
June .....	1.12	.54	1.45	1.00	1.21	.47	3.81	2.63	4.60	1.71	2.37	20.91
July .....	2.91	3.33	3.99	2.24	4.56	1.35	3.41	3.58	1.50	2.93	3.49	33.29
August .....	3.27	4.99	2.43	4.91	2.46	3.30	2.96	7.02	5.16	4.04	5.71	46.25
September...	1.43	1.69	2.20	1.83	3.55	4.25	4.15	6.78	1.30	.13	2.56	29.87
October .....	1.76	3.20	2.66	2.85	3.02	2.98	3.79	2.18	5.32	3.00	4.51	35.27
November...	1.75	1.67	.71	3.00	1.38	1.20	4.42	2.11	3.60	3.43	2.96	26.23
December...	3.44	3.01	2.48	2.23	4.36	3.53	.41	1.61	2.08	4.45	2.74	30.34
TOTALS...	30.69	28.42	26.64	29.05	29.51	34.00	35.24	36.11	37.84	25.50	31.78	344.78
	D	D	D	D	D	D	D	D	D	D	D	JMB

1920, Melrose, 5 ft. hgt. 14 ft. off. N.E.  
R. page A. 6 mi. " 6 " " S.W.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920	55°35'	2°44'	Melrose	1/2 m.	S.W.	Melrose	1 m. N.E.



RAINFALL at Melrose (Dunrobin)

County of Roxburgh. Observer L. G. L. Roberts Esq., died 11.21.  
A. Y. Roberts (1921)  
River Basin G. Tweed. Leader etc.

Rain Gauge, by \_\_\_\_\_

Diameter ...	5"										
Height .....	1.0										
Altitude ...	360										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.
January ...	2.31	4.01	2.41	1.64	1.82	1.78	2.44	2.47	4.20	1.07	2.00
February ...	2.30	1.7	2.51	3.39	.92	4.53	2.95	.87	2.18	1.41	.90
March .....	2.25	2.30	1.61	.93	.62	1.55	1.36	2.19	3.45	.12	1.75
April .....	2.10	.42	2.22	2.20	1.01	2.18	1.78	1.49	.85	1.46	1.12
May .....	2.74	1.35	.57	1.63	3.40	4.80	2.07	2.08	1.34	.90	1.03
June .....	0.95	.53	1.92	.82	1.31	.41	2.78	2.44	4.10	1.84	1.89
July .....	2.78	2.84	3.23	1.76	4.14	1.53	2.20	3.29	1.39	3.52	3.08
August .....	3.15	4.74	2.30	4.53	2.49	3.14	2.81	6.55	4.43	3.96	5.17
September...	1.27	1.51	2.01	1.60	3.34	4.31	3.65	5.24	1.13	.10	2.28
October .....	1.60	2.81	2.54	2.35	2.70	2.50	3.36	2.48	4.50	2.45	4.15
November...	1.46	1.26	.65	2.88	.93	1.22	3.51	1.86	3.31	2.86	2.99
December...	3.15	2.40	2.12	2.34	3.54	2.96	.30	1.30	1.80	3.73	2.31
TOTALS...	27.06	4.34	24.09	26.07	26.22	30.91	29.21	32.26	32.68	23.42	28.67
	D	D	D	D	D	D	D	D	D	D	D

Site inspected by Dr. Glasspool 20.9.27.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1911			Melrose	3 m.	S.W.	Melrose		



RAINFALL at Smailholm, Landyknowe

County of Roxburgh Observer J. E. Lampleton

River Basin 7 miles, lower L. bank.

Rain Gauge, by \_\_\_\_\_

Diameter ...	5"										
Height .....	1.2										
Altitude ...	520										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	1.44	3.45									
February ...	1.66	1.13									
March .....	2.45	1.10									
April .....	1.95	2.27									
May .....	1.93	1.12									
June .....	.91	.40									
July .....	2.85	2.44									
August .....		3.96									
September...	1.82	1.15									
October .....		3.07									
November...		.57?									
December...	1.58	(2.40)									
TOTALS...		(20.06)?									

1921. Short.

N.B. annual values rejected from Survey Map. 1929.

Position of Station on reduced Ordnance Survey } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_  
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction



RAINFALL at Rebo (lowlands)

County of Roxburgh. Observer J. G. Scott, Esq.

River Basin 7. Tweed, Lower- Left bank tribs.

Shower Rain Gauge, by \_\_\_\_\_

Diameter ...	5											
Height .....	1.0											
Altitude ...	193											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.	
January ...	1.83	4.22	1.75	1.38	1.47	1.08	2.40	1.87	2.87	1.33	2.12	2232
February ...	1.94	27	1.95	2.58	1.73	4.10	2.48	.68	1.47	1.12	1.17	1849
March .....	2.45	1.33	1.25	.81	.64	1.89	1.01	1.76	2.71	.18	1.91	1594
April .....	1.61	.86	1.83	1.51	.82	2.24	2.27	1.37	.87	1.27	1.18	1553
May .....	2.42	1.47	.61	2.09	3.76	2.78	1.94	1.49	1.10	.78	<del>1.74</del>	1918
June .....	0.76	.76	1.75	.71	2.05	.25	2.73	2.66	3.93	2.10	1.23	1843
July .....	2.62	2.79	3.69	1.64	4.19	1.68	3.89	2.78	1.58	3.18	5.43	3347
August .....	2.96	4.76	2.30	4.15	3.34	1.99	3.34	6.04	3.48	3.71	4.28	4035
September...	1.46	1.40	2.26	1.43	2.17	3.89	3.94	4.70	1.18	.37	2.72	2652
October .....	1.13	2.66	2.77	1.84	2.55	1.84	3.32	1.77	2.89	2.45	2.79	2601
November...	1.25	1.28	.29	3.46	.74	.96	2.08	2.27	2.28	2.28	3.00	1989
December...	2.52	1.96	1.84	1.91	2.31	3.34	.55	2.00	1.39	3.65	2.01	2348
TOTALS...	22.95	23.46	22.29	23.51	24.77	26.04	29.95	29.39	25.75	22.42	28.58	279.11
	0	0	0	0	0	0	0	0	0	0	0	MB

1920. 4th Dec 22<sup>nd</sup> 71<sup>st</sup> W  
Hawthorn 20<sup>th</sup> 77<sup>th</sup> E  
House 35<sup>th</sup> 81<sup>st</sup> SE.

Position of Station on reduced Ordnance Survey } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_  
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920	55°36'25"	2°22'37"	Rebo.	1 1/2 m.	S.W.	Rebo.	3/4 m.	S.W.



RAINFALL at Newcastleton Forest

County of Roxburgh Observer John F. Macintyre

River Basin 8. Esk, Tweed Lower Left bank tributary (1927) Forestry Commission of Scotland.

17.0. Rain Gauge, by \_\_\_\_\_

Diameter ...							5				
Height .....							1.0				
Altitude ...							700				
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...							5.60	4.65	12.67	1.87	8.88
February ...							6.30	3.11	5.97	1.22	7.5
March .....							2.42	3.85	5.91	.91	4.03
April .....							4.00	3.49	1.60	1.88	2.18
May .....							2.08	2.60	2.88	2.82	1.68
June .....							3.39	4.60	8.39	1.44	4.68
July .....							6.37	5.38	6.59	4.94	7.67
August .....							4.94	6.97	8.19	9.49	7.89
September...							6.43	7.74	3.25	1.48	4.37
October .....							4.60	5.68	6.34	5.53	6.97
November...							6.84	6.50	7.76	9.19	5.85
December...							1.78	2.11	5.12	9.78	5.11
TOTALS...							54.75	56.68	74.67	50.55	60.06 w.

Position of Station on reduced Ordnance Survey } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_  
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1926	55 12N	2. 46W	Newcastleton	3 m	E	Basketon	2 1/4 m	E SE







RAINFALL at Selkirk (Whitmuir Hall)

County of Selkirk

Observer E.W. Dunlop, Esq.

River Basin Tweed-Teriot etc. 1

1922 Mrs Dunlop, 909a Galloway, gard

Snawdon Rain Gauge, by N.E.G.

Miss Maxwell (1929)

Diameter ...	5										
Height .....	1.0										1' 6"
Altitude ...	800										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	3.27	4.95	2.88	1.63	2.95	2.40	3.89	3.88	6.44		3.66
February ...	2.90	.31	2.87	4.50	1.04	4.37	3.66	1.60	2.34		.74
March .....	4.00	3.50	2.03	1.17	.94	1.48	1.47	2.58			2.47
April .....	2.27	.42	2.57	2.21	1.67	2.84	2.27	1.95			1.57
May .....	3.29	2.14	1.08	2.37	3.98	5.99	2.80	1.86			1.29
June .....	1.26	.66	1.45	1.21	1.66	.54	4.81	3.55			2.59
July .....	4.19	3.60	4.43	2.02	4.71	1.26	2.64	3.79			5.07
August .....	4.51	5.67	2.77	5.37	4.15	4.03	3.31	5.20			6.17
September...	1.66	1.37	2.23	2.00	4.04	5.60	3.94	9.24			3.22
October .....	1.86	3.27	2.87	2.50	2.94	3.09	4.84	3.90		2.93	5.07
November...	2.24	1.75	.75	2.77	1.57	1.19	6.76	2.16		3.70	3.64
December...	3.68	3.09	2.98	2.51	4.94	3.05	.35	1.57		5.64	3.45
TOTALS...	35.13	30.70	28.91	30.26	34.59	35.84	40.74	41.28	..	imp	38.94
	D	D	D	D	D	D	D	D	D	D	D

1920. Low shrubs. 3 ft. 12 ft. N.W.

1922. stands in open ground. Estimated, 13-26 Oct: Dec. complete for snow.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map .....		Reference No. ....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920			Selkirk	3 1/2 m.	N.W.	Selkirk	3 1/2 m. N.W.



RAINFALL at Ettrick House

County of Selkirk Observer Rev. A. Horn  
1930. Rec. W. Addison.  
River Basin Tweed-Ettrick sc. 2

M.O. Rain Gauge, by \_\_\_\_\_  
supplied from S. Ken. Nov. 1918.

Diameter ...	5										
Height .....	1.0										
Altitude ...	790 <sup>2</sup>		796								
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.
January ...	8.50	11.07	4.79	5.90	6.61	8.24	9.84	8.17	14.96		10.14
February ...	7.38	.71	5.95	7.15	1.36	7.98	6.38	2.52	7.40		.56
March .....	8.10	9.87	4.33	2.98	1.06	2.60	3.22	4.58	7.06		3.18
April .....	4.52 <sup>4</sup>	1.41	4.24	4.73	3.75	6.65	4.09	3.24	1.57		2.04
May .....	7.68	3.04	3.17	3.28	5.79	10.06	4.28	3.73	1.99		2.30
June .....	1.91	.52	1.80	1.87	2.09	.85	5.45	4.76	7.57		3.45
July .....	5.21	4.62	5.58	4.66	6.49	1.84	4.73	4.52	3.64		4.58
August .....	5.40	6.81	3.75	7.97	4.73	5.66	5.55	7.22	8.35		8.98
September...	2.45	2.99	2.72	6.79	5.68	4.28	4.07	9.22	3.76		3.91
October .....	2.24	4.65	3.96	8.54	4.19	6.67	5.82	8.83	11.07		10.86
November...	4.33	2.65	2.72	6.17	4.52	2.21	9.17	5.68	8.15		5.61
December...	7.03	9.93	6.79	4.92	12.25	5.72	1.67	2.67	5.25		5.70
TOTALS...	64.77	58.27	49.80	64.96	58.52	62.76	64.27	65.14	80.77	NR.	61.31
	0	D	D	D	D	D	D	D	D		D.

1920. Gies 50 & 60 ft. north to gathoff N.W. and N.E.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map .....		Reference No. ....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920	55°25'	3°10'W.	Selkirk "Ettrick House" 1/2 m from Selkirk	1375.	S.W.	Ettrick	Gauge is 100 from Church and clark.



RAINFALL at *Edinburgh Waterworks (Maggie Stn.)*

County of *Sebergh*

Observer *Alfred Leslie and Reed, C.E.*

River Basin *2 Strick etc.*

Rain Gauge, by

Diameter ...	5								8		
Height .....	1.3										
Altitude ...	1496										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January	7.48	11.18	(3.60)	3.80	5.60	(6.15)	7.95	9.23	12.90	3.10	9.45
February	6.82	.84	(4.00)	10.90	.80	(5.35)	4.82	2.70	2.50	1.90	.86
March	9.53	10.99	4.21	3.35	1.00	(2.10)	(3.15)	4.37	5.27	.53	3.97
April	2.19	1.23	4.61	4.60	4.07	4.82	2.83	3.40	1.70	1.70	2.10
May	6.78	1.49	1.73	2.75	5.65	7.92	4.17	2.46	2.04	5.22	1.60
June	1.45	.42	1.80	1.75	1.10	.52	4.94	4.60	6.00	1.94	3.85
July	5.83	4.16	5.58	4.75	5.18	1.79	4.10	4.89	3.36	3.46	5.30
August	5.13	5.05	2.58	8.90	5.83	4.90	4.53	7.84	8.90	4.93	8.07
September	2.71	2.00	2.40	7.98	5.63	3.53	(5.21)	7.50	2.94	1.00	4.92
October	3.22	4.35	4.10	9.18	2.27	6.34	(3.30)	7.04	12.00	5.10	8.90
November	4.42	3.05	3.70	5.95	3.32	2.60	7.94	4.91	7.45	7.90	4.10
December	5.83	7.20	5.90	4.90	11.45	4.11	1.74	2.30	4.95	11.10	4.70
TOTALS	(62.36)	51.66	44.21	68.8	51.90	(50.13)	(54.68)	61.24	70.01	47.88?	57.82

1922. Jan. & Feb. proportioned.

1925. Jan. to March corrected for snow. amendments improve return but it is by no means certain it is perfect then.

1926. March corrected by maps. M.O. Edinburgh agree.

1929. Printed with?

Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction



RAINFALL at Selkirk (Girdean Reservoir)County of SelkirkObserver L. Pittillo Esq.River Basin 2 Ulrick etc.Snowdon Rain Gauge, by \_\_\_\_\_

Diameter ...	5										
Height .....	1.0										
Altitude ...	900										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.
January ...	3.30	4.20	3.14	1.43	2.30	2.95	3.90	3.95	6.14	1.40	3.50
February ...	2.40	1.30	2.80	5.17	1.20	5.50	3.95	1.35	3.00	3.00	.70
March .....	2.53	3.65	2.12	1.40	.78	1.87	1.50	2.57	4.16	.85	3.40
April .....	2.26	.64	2.20	2.25	1.25	2.70	2.00	2.13	.50	1.24	1.35
May .....	2.80	1.60	1.25	1.82	3.60	5.00	2.83	1.54	1.06	2.00	1.30
June .....	1.10	1.30	2.27	1.23	2.25	1.37	(3.37)	3.00	3.15	1.80	2.32
July .....	4.10	3.06	3.31	2.18	4.65	1.72	2.76	3.50	2.60		4.90
August .....	3.88	5.75	2.80	5.30	2.75	3.60	3.32	6.50	6.65	4.60	6.00
September...	1.70	1.75	1.80	2.15	3.72	4.50	3.74	(8.50)	1.76	.17	2.50
October .....	1.90	3.55	3.00	3.40	2.90	3.00	3.40	4.30	5.50	1.80	4.30
November...	2.40	2.00	1.10	2.83	1.70	1.50	4.90	1.50	4.55	3.70	3.50
December...	3.47	2.93	2.85	2.50	4.80	4.00	.60	1.60	2.20	4.50	3.00
TOTALS...	32.87	31.73	28.64	31.66	31.90	37.71	(36.27)	(40.44)	38.67	27.36	36.77

1920. Moorland road gauge.  
1926. Gauge compared with in June.

Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series

No. of Map \_\_\_\_\_

Reference No. \_\_\_\_\_

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1920.			Girdean.	3 m.	N.	Selkirk	2 m.	W.



RAINFALL at Caddonfoot (Fairlie)

County of Selkirk Observer Alce. J. Roberts Esq.  
(J. Braor. Gardiner.)

River Basin St. Tweed, Upper - Left Bank Tribs.

Shawdon Rain Gauge, by Adrian Wedderburn.  
1930. Mr. R.F. Williams

Diameter ...	5										
Height .....	1.0										
Altitude ...	453										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.
January ...	3.50	4.33	3.65	1.60	2.56	3.15	3.89	3.89	6.51	1.25	3.78
February ...	3.00	.23	2.69	4.64	1.14	5.16	3.65	1.40	3.87	1.73	1.12
March .....	4.31	3.81	2.11	.92	.76	1.66	1.64	2.81	4.63	.19	2.86
April .....	1.96	.47	2.79	3.01	1.86	3.21	2.37	2.20	.79	1.67	1.66
May .....	3.27	2.15	.78	2.49	3.90	5.28	3.07	1.79	1.45	1.83	1.49
June .....	1.02	.45	.92	.84	1.36	.52	3.44	2.93	4.73	2.19	2.49
July .....	2.66	3.36	3.51	2.23	4.72	1.17	2.35	2.44	1.51	3.12	4.22
August .....	3.92	5.13	2.05	5.07	2.18	3.50	3.08	6.86	5.33	4.21	7.75
September...	1.30	1.47	2.10	2.14	3.18	4.41	4.02	9.35	1.50	.21	3.45
October .....	2.32	3.40	3.18	3.42	2.73	2.94	3.87	4.00	6.19	3.64	5.33
November...	2.17	1.71	1.17	4.47	1.71	1.31	5.62	2.71	4.05	(3.52)	3.96
December...	3.86	2.84	2.81	2.85	4.62	3.92	.64	2.32	2.55	(4.87)	3.95
TOTALS...	33.29	29.35	27.76	33.68	30.72	36.23	37.64	42.70	43.11	(28.43)	42.06
	D	D	D	D	D	D	D	D	D	D	D

1920. Woodh. bell; 7 ft. 6 ins. 18 ft off N.  
Shrubbery. 3 .. 6 .. E.  
1929 Nov & Dec interpolated

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map .....		Reference No. ....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920	55°35'30"	2°51'30"	Blonarfolds.	2 1/2 m.	N.W.	Caddonfoot	1 1/2 m. N.W.



RAINFALL at Galashiels (The Peel blow-ford).  
County of Edinburgh Observer W.R. Owens, Esq.  
River Basin 4. Tweed, upper, L. bank. per A. MacDonald  
Rain Gauge, by \_\_\_\_\_

Diameter ...	6						5						
Height .....	1.6						1.0	1.6	1.0				
Altitude ...	500						450						
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.	SUMS	
January ...	4.48	4.72	3.70	2.31	2.88	3.78	4.12	4.42	7.13	1.29	3.57	42.40	
February ...	3.82	4.5	3.72	5.21	1.36	5.65	3.83	1.57	3.57	2.90	1.02	33.10	
March .....	4.32	4.50	3.03	1.27	.74	1.72	2.32	3.78	4.22	0.70	2.08	28.68	
April .....	2.05	.59	2.60	3.56	2.18	3.41	2.25	1.21	.80	2.25	1.47	22.37	
May .....	3.39	2.07	1.07	3.35	3.81	5.90	3.04	1.92	1.61	1.62	1.31	29.09	
June .....	1.11	.48	1.00	1.64	2.09	.45	3.64	3.49	4.31	2.84	2.47	21.63	
July .....	1.36	3.63	4.12	2.41	4.85	1.19	2.24	2.34	1.61	3.11	4.33	31.19	
August .....	3.92	5.04	3.18	5.68	2.65	3.60	4.58	7.04	5.21	4.46	6.69	52.05	
September...	1.00	1.70	2.10	2.36	3.48	5.19	3.05	8.06	1.45	.53	3.29	32.21	
October .....	3.40	3.97	2.31	3.28	3.20	3.12	4.45	4.22	6.38	2.58	4.84	41.75	
November...	2.50	2.11	1.64	3.43	1.75	1.53	6.50	2.93	4.18	3.69	3.39	33.65	
December...	2.96	3.61	3.38	3.35	6.01	3.50	.67	2.89	3.14	7.83	3.88	42.22	
TOTALS...	35.31	32.87	31.85	37.85	33.11	39.04	40.69	43.87	43.61	33.80	38.34		

1924. June. Low total referred to observer who finds it quite correct. 410.34

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1913.			Blonfords	2 m.	E.	Badlamfoot	1 1/4 m. E.



RAINFALL at Galashiels, (Abbotsford Road)

County of Selkirk Observer Dr. G. W. Somerville,

River Basin 5 Tweed-Gala.

Rain Gauge, by

An. Av. 31.7" based on 35 yrs. obs. weighted. period 1881-1915 B.G.N.

Diameter ...	5										
Height .....	0.8										
Altitude ...	416										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.
January ...	3.44	6.32	4.25	2.28	3.96	3.81	3.53	3.03	5.13	1.00	2.65
February ...	3.21	4.3	3.08	(5.46)	1.65	6.81	4.67	.79	2.80	1.44	.82
March .....	4.72	4.69	2.04	.99	.91	2.02	1.82	2.68	3.88	.18	1.94
April .....	2.31	.62	2.74	2.32	1.90	3.75	2.09	2.48	.64	1.35	1.30
May .....	3.39	2.06	1.01	3.03	4.12	6.58	2.49	1.52	1.27	1.23	.97
June .....	1.34	.74	1.55	1.33	1.20	.61	4.06	2.62	3.78	1.56	2.13
July .....	3.14	4.17	6.66	2.31	5.16	1.49	3.50	3.41	1.02	2.63	3.06
August .....	3.52	5.45	3.51	6.50	3.47	4.35	3.98	6.75	4.63	3.93	5.69
September...	1.75	1.48	3.63	2.34	3.89	6.56	3.78	8.64	1.32	.19	2.52
October .....	2.90	3.55	(4.90)	3.52	2.96	3.11	5.53	3.91	4.96	2.70	4.07
November...	2.53	1.82	(1.68)	3.70	1.65	1.65	4.70	2.21	3.39	3.21	3.47
December...	4.68	4.05	3.96	3.77	4.47	3.92	.41	2.29	2.09	5.23	2.63 #
TOTALS...	36.92	35.38	39.01	(37.55)	35.34	44.66	40.46	40.33	34.91	24.65	31.15
	D	D	D	D	D	D	D	D	D	D	D

1922. Record too big from July. Not printed, Nov. 1<sup>st</sup> transferred to Oct. 31<sup>st</sup>.  
1923 not printed - Feb. corr.  
1924 N.P. Rig.  
1925, do.  
Station T. see letter of 25.4.32 file No. 76517/30

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map .....		Reference No. ....		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920	55°55'	2°50'W	Galashiels	½ m.	N.	Galashiels	¼ mi	N.W.



RAINFALL at Galachils (Standing Gauge)

County of Selkirk

Observer W. J. Murray,

River Basin 5 Gala.

1923 F. H. Brown. (Capt.)

Rain Gauge, by \_\_\_\_\_

1925 - The Water Eng's.

Diameter ...	<u>12</u>										
Height .....	<u>1.3</u>										
Altitude ...	<u>800</u>										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	<u>3.76</u>	<u>5.50</u>	<u>3.41</u>	<u>1.76</u>	<u>2.92</u>	<u>3.43</u>	<u>4.00</u>	<u>4.20</u>	<u>7.30</u>	<u>1.21</u>	<u>2.67</u>
February ...	<u>3.15</u>	<u>50</u>	<u>3.16</u>	<u>5.43</u>	<u>1.47</u>	<u>5.87</u>	<u>4.12</u>	<u>1.24</u>	<u>3.46</u>	<u>1.06</u>	<u>1.56</u>
March .....	<u>4.00</u>	<u>3.48</u>	<u>2.35</u>	<u>1.56</u>	<u>4.7</u>	<u>2.15</u>	<u>1.75</u>	<u>2.70</u>	<u>5.06</u>	<u>1.80</u>	<u>1.91</u>
April .....	<u>2.82</u>	<u>55</u>	<u>2.72</u>	<u>3.03</u>	<u>1.58</u>	<u>3.62</u>	<u>2.15</u>	<u>2.20</u>	<u>70</u>	<u>2.10</u>	<u>1.63</u>
May .....	<u>3.57</u>	<u>2.00</u>	<u>1.12</u>	<u>3.16</u>	<u>4.59</u>	<u>5.28</u>	<u>2.73</u>	<u>1.80</u>	<u>1.42</u>	<u>1.63</u>	<u>1.33</u>
June .....	<u>1.12</u>	<u>30</u>	<u>1.02</u>	<u>1.21</u>	<u>1.32</u>	<u>28</u>	<u>3.65</u>	<u>3.25</u>	<u>4.60</u>	<u>2.22</u>	<u>2.23</u>
July .....	<u>3.08</u>	<u>3.24</u>	<u>3.74</u>	<u>2.14</u>	<u>4.73</u>	<u>95</u>	<u>2.80</u>	<u>2.65</u>	<u>1.18</u>	<u>3.24</u>	<u>3.68</u>
August .....	<u>4.25</u>	<u>4.70</u>	<u>2.85</u>	<u>5.94</u>	<u>3.72</u>	<u>2.90</u>	<u>3.00</u>	<u>7.40</u>	<u>5.58</u>	<u>4.28</u>	<u>8.06</u>
September...	<u>1.45</u>	<u>1.70</u>	<u>2.15</u>	<u>2.28</u>	<u>3.38</u>	<u>4.92</u>	<u>3.87</u>	<u>8.20</u>	<u>1.40</u>	<u>34</u>	<u>3.74</u>
October .....	<u>2.70</u>	<u>3.30</u>	<u>2.86</u>	<u>3.38</u>	<u>3.31</u>	<u>3.16</u>	<u>3.70</u>	<u>3.90</u>	<u>6.81</u>	<u>3.56</u>	<u>4.22</u>
November...	<u>2.06</u>	<u>1.78</u>	<u>1.48</u>	<u>3.93</u>	<u>2.24</u>	<u>1.40</u>	<u>6.45</u>	<u>3.00</u>	<u>3.58</u>	<u>4.42</u>	<u>4.72</u>
December...	<u>4.46</u>	<u>3.50</u>	<u>3.45</u>	<u>3.08</u>	<u>6.36</u>	<u>3.48</u>	<u>80</u>	<u>2.25</u>	<u>2.26</u>	<u>7.23</u>	<u>3.21</u>
TOTALS...	<u>36.42</u>	<u>30.55</u>	<u>30.31</u>	<u>36.90</u>	<u>36.39</u>	<u>37.44</u>	<u>39.02</u>	<u>42.79</u>	<u>43.35</u>	<u>32.09</u>	<u>38.46</u>

Back. Years 1925-1942 rec'd Aug. 1944. . Data sum low for altitude of comparison with 5065.  
H. Russell.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map .....		Reference No. ....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
<u>1920</u>			<u>Baceland</u>	<u>3 m.</u>	<u>N.E.</u>	<u>How.</u>	<u>4 m.</u>



RAINFALL at Selkirk (The Hangingshaw.)

County of Selkirk

Observer Miss Johnstone of Alva.  
(Mrs. Mulchrone)

River Basin 2 Strick, etc.

Rain Gauge, by \_\_\_\_\_

6" 8m 16m

Diameter ...	(5)										
Height .....	0.6										
Altitude ...	670										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	3.60	5.22									
February ...	2.47	4.7									
March .....	4.52	4.10									
April .....	2.68	9.6									
May .....	3.46	2.80									
June .....	1.05										
July .....	2.49										
August .....	3.14										
September...	1.79										
October .....	2.37										
November...	2.62										
December...	4.83										
TOTALS...	35.02										

1920. Hour 45 lb. 20 lb-off. N.E.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920	55°20'	2°35'W	Selkirk	6 mi.	E.	Yarrow.	3 1/4 mi. S.W.







County of Peebles

Observer Memo Leslie Reid, F.S.

River Basin Tweed, Upper - Right bank tribs. 1.

Rain Gauge, by \_\_\_\_\_

M

Diameter ...	5										
Height .....	1.3										
Altitude ...	2258										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	7.70	14.67	(6.00)	7.00	7.90	5.61	12.44	8.00	14.50	3.94	11.00 %
February ...	8.25	1.73	(8.70)	8.15	1.30	3.15?	7.78	3.14	5.50	2.50	1.20 %
March .....	9.45	14.98	(6.30)	4.00	1.50	2.05	3.00	6.14	8.00	2.10	4.90 %
April .....	6.75	2.09	(5.60)	3.80	5.90	7.95	5.50	4.02	2.32	2.23	3.79
May .....	9.96	5.42	4.20	3.30	7.33	11.50	6.97	3.77	2.08	6.18	4.02
June .....	2.06	1.40	5.10	2.10	5.53	1.13	6.93	7.24	9.54	3.89	5.49
July .....	9.82	8.50	10.20	8.95	9.50	3.40	6.65	6.74	6.70	8.45	7.75
August .....	8.71	10.30	7.40	14.05	10.47	5.65	9.87	7.50	11.97	7.94	12.60
September...	4.58	2.30	4.80	9.10	9.53	3.60	7.41	7.43	7.40	2.00	9.20
October .....	4.04	4.50	6.40	12.85	7.50	10.73	7.00	11.19	15.40	9.20	18.07
November...	6.91	4.10	4.45	6.15	7.03	3.10	10.10	6.20	12.74	14.04	8.30
December...	8.52	10.90	8.20	7.40	18.54	5.30	4.00	2.75	6.00	12.40	8.31
TOTALS...	87.76	80.89	77.35	86.85	92.05	63.17	87.65	74.12	102.15	74.87	(94.53)

1922. Jan - April proportioned.  
1930. "Jan. Feb & March frozen." average taken.  
Site inspected by St. Glaspoole 19.9.29.

Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge



RAINFALL at Edinburgh Water Works (Garnahope Loch) 4

County of Peebles Observer Alma Lalie & Reid, C.E., M.

River Basin 1 Innes, upper, R. bank.

Rain Gauge, by \_\_\_\_\_

Monthly

Diameter ...	5										
Height .....	13										
Altitude ...	1860										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.
January ...	(8.02)	11.18	5.10	7.50	7.83	6.45	11.33	7.79	17.05	4.63	10.94
February ...	7.35	1.29	7.88	8.00	1.00	3.92	7.33	3.75	2.91	2.41	.64
March .....	10.70	12.62	4.80	3.95	1.25	2.25	2.15	5.81	8.64	1.52	4.60
April .....	7.40	1.24	5.40	4.00	5.30	7.03	4.94	3.30	2.40	1.34	3.31
May .....	9.10	5.10	4.59	3.40	6.85	11.22	6.30	4.81	2.46	6.00	3.05
June .....	2.78	.95	4.15	2.30	4.35	.23	6.84	6.90	7.90	3.14	4.81
July .....	7.30	7.00	9.00	6.25	8.10	2.60	4.97	6.69	4.53	7.67	6.40
August .....	7.15	8.90	6.10	13.10	8.85	6.19	7.14	9.00	12.07	9.10	10.30
September...	4.89	1.80	3.45	8.65	8.62	4.50	5.94	9.86	6.00	1.40	7.19
October .....	4.02	6.88	6.30	12.02	7.00	9.21	5.15	10.14	15.10	9.14	17.04
November...	4.84	3.98	4.20	5.45	5.60	2.25	8.00	7.30	11.39	12.46	7.14
December...	9.14	8.58	(7.50)	6.73	18.30	5.67	2.30	2.95	5.60	11.79	6.00 *
TOTALS	(82.69)	69.52	(68.47)	81.35	83.05	61.52	72.39	78.30	96.05	70.60	(81.32)

1922. Dec. proportioned. Site inspected by Dr. Blampole 18.9.29.  
1930. "x" "pee" "frozen, average taken"

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge



RAINFALL at Edinburgh Waterworks (Loch Grail Head) 2

County of Edinburgh Observer Miss. Lillie Reid C.E. M.

River Basin 1 Tweed, upper, R. bank.

Rain Gauge, by \_\_\_\_\_

*Monthly*

Diameter ...	5										
Height .....	1.0										
Altitude ...	2627										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930-MEANS.
January ..	(8.40)	14.25	(3.70)	4.75	7.37	5.37	8.95	6.87	12.00	3.40	10.50%
February ..	(7.00)	2.67	(4.40)	6.30	1.05	3.20	5.95	2.23	4.00	2.20	.87%
March .....	13.49	10.94	(3.50)	2.15	1.16	2.50	2.27	5.00	6.00	1.90	3.50%
April .....	5.42	1.82	(4.00)	3.20	4.87	6.15	4.88	3.30	1.50	1.94	2.40
May .....	12.41	7.30	2.82	4.70	5.73	9.30	4.63	3.00	2.07	6.00	3.50
June .....	2.62	1.61	3.15	2.20	3.32	.76	5.56	6.15	8.50	2.93	5.84
July .....	8.16	8.32	6.20	5.05	8.43	2.25	4.65	5.70	3.19	4.60	7.60
August .....	8.96	7.08	4.75	10.20	8.07	7.40	6.01	7.20	10.30	6.15	13.45
September...	4.63	2.50	3.65	8.75	7.83	4.28	5.40	10.10	7.10	1.40	9.00
October .....	6.86	3.09	3.75	8.80	5.20	8.10	3.00	9.10	13.45	6.79	17.40
November...	5.42	5.92	3.45	(4.78)	4.60	2.80	8.00	6.10	8.90	10.46	9.94
December...	8.57	9.10	4.85	(5.27)	15.48	7.20	2.09	2.50	5.00	12.10	7.04%
TOTALS...	(92.94)	74.60	48.22	(66.15)	73.11	59.31	61.39	67.25	82.01	59.87	(91.04)

1922. Jan - April proportioned.  
1923. Nov. & Dec. 8. frozen. Observer took average.  
1927. Jan - April " " " " "  
1930. Jan, Feb, March, & Dec. "frozen. Average taken"

Site inspected by Dr. Glasspool 19.9.27.

Position of Station on reduced Ordnance Survey } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_  
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction



RAINFALL at *Edinburgh Waterworks (Glenharvie Farm)*

County of *Peebles* Observer *Wm Leslie Reid Esq.*

River Basin *1 Tweed, upper, R. bank.*

Rain Gauge, by \_\_\_\_\_

Diameter ...	5												
Height .....	13												
Altitude ...	1538												
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.	SVHS	
January ...	9.49	9.37	5.20	6.90	7.30	6.67	9.84	9.00	16.30	1.64	11.00 10.94	92.71	
February ...	8.25	1.40	5.80	10.75	9.5	4.65	6.54	3.36	5.10	2.37	.57 -6.14	49.74	
March .....	11.01	13.86	3.91	3.45	1.05	2.03	2.64	4.99	7.34	1.13	3.47 -6.60	54.88	
April .....	6.39	1.71	4.72	4.20	4.28	6.65	3.90	3.54	2.00	1.46	2.46 -3.31	41.31	
May .....	7.48	5.22	3.38	3.10	5.72	10.35	6.02	4.40	2.42	6.40	2.50 3.05	56.99	
June .....	2.60	1.11	3.20	1.10	2.92	.68	6.42	6.09	7.84	2.40	4.90 -4.81	39.26	
July .....	7.29	5.94	7.15	5.10	6.68	2.26	4.40	6.65	4.05	6.29	5.54 -6.40	61.35	
August .....	6.88	8.80	5.35	11.75	6.85	6.03	6.12	8.20	11.74	8.94	10.10 10.30	90.76	
September...	3.84	3.27	3.25	8.47	7.18	3.93	5.53	9.10	5.60	1.10	7.10 7.19	58.37	
October .....	3.91	4.00	5.40	11.03	5.09	8.40	4.29	9.10	14.74	8.10	15.40 17.04	89.46	
November...	5.00	4.18	3.95	5.05	4.37	2.75	9.93	6.10	11.10	13.35	7.90 7.14	73.68	
December...	6.99	7.50	(6.95)	5.88	13.32	5.22	1.66	2.50	5.40	13.40	6.27 6.00	75.39	
TOTALS...	79.13	66.66	58.26	76.75	65.71	59.62	67.29	73.03	93.63	66.58	77.21 (81.82)	783.90	

1922. Dec. proportioned.  
1923. Nov. 3. pogen. 6.6. took average.  
1930.

Site inspected by Dr. Glasspool 19.9.27.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction



A

Observer *Mrs. Ishie & Reid C.E. M*

*Rain Gauge, by*

Monthly

Diameter ...	8										
Height .....	1.3										
Altitude ...	1538										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.
January ...	8.2 / 10.56										11.00
February ...	7.40 / 1.01										
March .....	10.20 / 11.75										
April .....	7.15 / 1.46										
May .....	9.03 / 4.59										
June .....	2.30 / .89										
July .....	6.51 / 6.45										
August .....	6.94 / 8.40										
September...	4.21 / 1.75										
October .....	3.79 / 3.73										
November...	4.51 / 3.42										
December...	8.05 / 8.19										
TOTALS...	78.30	62.20									

No. of Map.....

Reference No.....

[illegible]



RAINFALL at Edinburgh Water Works, (Galla Truigfoot Farm)

County of Peebles Observer Wm Leslie Reid Esq.

River Basin Tweed, upper, R. bank.

Rain Gauge, by \_\_\_\_\_

Monthly.

Diameter ...	8											
Height .....	1.3											
Altitude ...	966											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.	SUHS
January ...	8.85	9.93	5.49	5.10	6.15	6.45	10.50	8.26	17.15	3.10	10.15	91.13
February ...	6.21	.78	6.22	10.30	1.10	7.83	6.30	2.79	6.14	1.97	.96	50.60
March .....	10.29	10.54	4.11	3.05	1.00	2.55	3.30	4.60	8.50	.69	3.45	52.08
April .....	4.82	1.63	4.89	4.95	4.23	5.07	4.25	3.33	1.94	1.84	2.70	39.65
May .....	7.64	3.97	3.29	3.87	5.18	6.45	5.19	3.05	2.00	5.64	2.05	48.33
June .....	2.16	.82	2.85	2.05	2.33	.52	6.10	5.17	6.45	2.65	4.00	35.10
July .....	5.24	5.49	6.50	4.65	6.65	2.11	3.80	5.63	3.05	3.79	4.69	51.60
August .....	5.31	7.82	3.50	10.30	6.05	5.05	5.35	7.55	8.05	6.95	8.05	73.98
September...	2.63	2.38	2.86 6.00	8.05	7.15	4.25	5.15	8.40	3.45	.97	4.79	50.02
October .....	3.60	3.53	3.20	9.35	4.30	7.45	5.40	8.75	11.64	6.70	11.24	75.16
November...	4.46	3.03	3.15	5.10	4.25	2.25	10.16	5.84	6.94	9.76	5.97	60.91
December...	7.64	6.78	7.40	4.75	13.75	6.13	1.75	2.30	4.74	14.95	6.65	76.84
TOTALS...	68.85	66.70	53.40	71.52	62.14	56.11	67.25	65.67	80.05	59.01	64.70	705.40

Site inspected by St. Blanspore 19.9.27.  
Sept + Oct. 1922 est by MD36.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction



G. A.

Observer - Wm. L. L. & R. C. E.

[illegible]

\*\*\*\*\*

Position of Station on reduced Ordnance Survey } No. of Map..... Reference No.....  
Map, 2 miles to 1 inch Series

(\*1383) Wt. 1671—6044. 10,000. 4/21. J. T. & S., Ltd. 160.



RAINFALL at Edinburgh Water Works (Quartermill) 20

County of Peebles Observer Miss John Reid, C.S. No. 7.

River Basin 1 Tweed, upper, R. bank. M.

Rain Gauge, by \_\_\_\_\_

Monthly												SUMS
Diameter ...	8											
Height .....	1.3											
Altitude ...	1196											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.	
January ...	6.20	8.33	4.23	4.45	5.10	6.27	8.65	6.87	11.65	1.25	7.30	70.30
February ...	4.86	.83	4.00	6.35	.97	5.30	4.58	2.18	4.70	1.25	.35	35.31
March .....	7.00	7.72	2.75	2.05	.42	1.82	2.30	4.02	6.65	.82	3.03	38.58
April .....	3.18	1.33	3.57	3.97	2.92	5.30	2.92	3.45	1.62	1.50	2.10	31.86
May .....	6.32	2.53	3.21	3.29	4.10	6.95	3.90	2.70	1.72	4.30	2.02	41.04
June .....	1.84	.77	2.41	1.70	1.90	.48	5.00	4.95	4.80	2.40	2.79	29.04
July .....	4.35	4.13	5.70	4.45	4.42	1.98	3.47	3.55	3.48	3.65	6.62	45.80
August .....	5.21	5.72	3.20	7.95	4.50	4.62	4.20	6.10	7.80	6.65	7.75	63.70
September...	2.93	2.30	2.71	7.25	4.50	3.82	4.20	6.80	4.38	.85	3.10	42.84
October .....	2.81	3.70	3.42	7.40	3.47	5.32	4.10	6.94	8.85	6.45	8.22	60.68
November...	3.80	1.96	2.90	3.92	3.15	2.25	7.55	5.42	5.92	7.82	5.55	50.24
December...	5.55	6.86	5.30	4.15	10.30	4.62	1.70	1.79	4.06	11.68	4.07	60.08
TOTALS...	53.99	46.18	43.40	56.93	45.75	48.73	52.57	54.77	65.63	48.62	52.90	569.47

Site inspected by Dr. Glanville 19.9.27.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge



RAINFALL at Edinburgh Water Works (Quaterhill) No. 7.A.

County of Peebles. Observer Wm. Leslie Reid, C.E.

River Basin 1 Tweed, upper, R. bank

Rain Gauge, by \_\_\_\_\_

Diameter ...	5										
Height .....	1.3										
Altitude ...	1196										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	6.68	8.98	4.51								
February ...	5.38	.83	4.14								
March .....	7.45	8.36	2.80								
April .....	3.18	1.36	3.71								
May .....	6.71	2.53	3.17								
June .....	1.89	.77	2.38								
July .....	4.52	4.21	5.68								
August .....	5.27	5.86	3.15								
September...	2.98	2.33	2.65								
October .....	2.81	3.73	3.47								
November...	4.01	1.96	1.89								
December...	6.01	7.56	4.11								
TOTALS...	56.89	48.48	41.66								

Position of Station on reduced Ordnance Survey } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_  
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction



RAINFALL at Edinburgh Waterworks (Victoria Lodge) No. 8.

County of Peebles. Observer Alonso Leslie & Reid, C.E.

River Basin 1 Tweed, upper, R. bank.

Rain Gauge, by \_\_\_\_\_

Diameter ...	5					5							
Height .....	1.3												
Altitude ...	904					900							
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.	SUMS	
January ...	6.57	8.78	5.21	4.37	4.99	5.97	8.52	7.10	12.13	1.33	8.63	73.60	
February ...	5.02	7.3	4.48	7.25	1.17	6.95	4.55	2.03	5.58	1.04	.67	39.47	
March .....	7.19	7.32	2.97	2.09	.51	2.24	3.27	4.27	7.92	.65	2.62	41.05	
April .....	3.51	1.55	4.12	4.37	2.99	6.01	3.38	3.62	1.58	1.36	2.14	34.63	
May .....	6.19	2.49	2.91	3.64	4.39	6.58	4.19	2.67	1.65	4.16	2.13	41.00	
June .....	1.80	.77	2.32	1.49	1.76	.47	5.22	4.66	4.85	2.30	3.07	28.71	
July .....	4.17	4.29	5.68	4.11	4.66	1.79	3.48	3.76	3.29	3.55	3.90	42.68	
August .....	5.17	6.25	3.16	7.67	4.24	4.56	4.14	6.50	7.72	6.17	7.71	63.29	
September...	2.34	1.90	2.80	6.35	4.92	3.76	4.59	6.71	3.45	.86	3.78	41.46	
October .....	2.65	4.13	4.00	6.92	3.57	5.23	5.06	6.75	9.06	6.12	8.20	61.69	
November...	2.07	2.21	3.07	4.71	3.08	2.58	8.36	5.77	5.72	7.81	6.04	52.42	
December...	6.32	7.04	5.32	4.27	9.89	5.22	1.87	2.81	4.04	13.55	4.69	65.02	
TOTALS...	54.00	47.46	46.04	57.24	46.17	51.36	56.63	56.65	66.99	48.90	53.58	585.02	
	0	5	0	0	0	0	0	0	0	0	0		

Site inspected by Dr. Glampole 20.9.29.

Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction



RAINFALL at *Edinburgh Water Works, (Victoria Lodge)*

County of *Peebles* Observer *Mrs. Julia Reid* No. *8A*  
River Basin */ Tweed, upper, R. bank.* *Monthly*

Rain Gauge, by

<i>Monthly</i>											
Diameter ...	<i>8</i>										
Height .....	<i>1.3</i>										
Altitude ...	<i>904</i>					<i>900</i>					
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	<i>6.07</i>	<i>8.39</i>	<i>4.95</i>	<i>4.25</i>	<i>4.88</i>	<i>5.77</i>	<i>8.52</i>	<i>6.94</i>	<i>11.62</i>	<i>1.30</i>	<i>8.50</i>
February ...	<i>4.64</i>	<i>.68</i>	<i>4.35</i>	<i>6.84</i>	<i>1.10</i>	<i>6.53</i>	<i>4.50</i>	<i>2.00</i>	<i>5.20</i>	<i>1.04</i>	<i>.69</i>
March .....	<i>6.70</i>	<i>6.98</i>	<i>2.86</i>	<i>2.04</i>	<i>.51</i>	<i>2.20</i>	<i>3.08</i>	<i>4.28</i>	<i>7.68</i>	<i>.63</i>	<i>2.47</i>
April .....	<i>3.36</i>	<i>1.50</i>	<i>4.02</i>	<i>4.29</i>	<i>2.90</i>	<i>5.90</i>	<i>3.34</i>	<i>3.55</i>	<i>1.57</i>	<i>1.36</i>	<i>2.10</i>
May .....	<i>5.98</i>	<i>2.38</i>	<i>2.84</i>	<i>3.56</i>	<i>4.36</i>	<i>6.84</i>	<i>4.25</i>	<i>2.63</i>	<i>1.65</i>	<i>4.16</i>	<i>2.08</i>
June .....	<i>1.78</i>	<i>.76</i>	<i>2.38</i>	<i>1.58</i>	<i>1.77</i>	<i>.47</i>	<i>5.27</i>	<i>4.68</i>	<i>4.78</i>	<i>2.23</i>	<i>3.00</i>
July .....	<i>4.06</i>	<i>4.22</i>	<i>5.52</i>	<i>4.11</i>	<i>4.54</i>	<i>1.82</i>	<i>3.48</i>	<i>3.72</i>	<i>3.21</i>	<i>3.55</i>	<i>3.83</i>
August .....	<i>5.13</i>	<i>6.10</i>	<i>3.08</i>	<i>7.58</i>	<i>4.20</i>	<i>4.40</i>	<i>4.10</i>	<i>6.33</i>	<i>7.66</i>	<i>6.10</i>	<i>7.58</i>
September...	<i>2.30</i>	<i>1.88</i>	<i>2.72</i>	<i>6.25</i>	<i>4.81</i>	<i>3.77</i>	<i>4.61</i>	<i>6.60</i>	<i>3.31</i>	<i>.85</i>	<i>3.73</i>
October .....	<i>2.60</i>	<i>4.09</i>	<i>3.75</i>	<i>6.78</i>	<i>3.54</i>	<i>5.17</i>	<i>5.02</i>	<i>6.70</i>	<i>8.95</i>	<i>6.13</i>	<i>8.10</i>
November...	<i>3.20</i>	<i>2.13</i>	<i>2.92</i>	<i>4.57</i>	<i>2.96</i>	<i>2.60</i>	<i>8.10</i>	<i>5.65</i>	<i>5.61</i>	<i>7.79</i>	<i>6.03</i>
December...	<i>6.05</i>	<i>6.65</i>	<i>5.29</i>	<i>4.02</i>	<i>9.50</i>	<i>5.12</i>	<i>1.83</i>	<i>2.74</i>	<i>3.96</i>	<i>13.54</i>	<i>4.66</i>
TOTALS...	<i>51.87</i>	<i>45.76</i>	<i>44.68</i>	<i>53.87</i>	<i>45.07</i>	<i>50.59</i>	<i>56.10</i>	<i>55.82</i>	<i>65.20</i>	<i>48.68</i>	<i>52.77</i>

*1923 not fitted - check g.*  
*1923. N.P. check g. Dec. relatively low, possibly some snow lost out of monthly gauge in high Dec. winds.*  
*1925. N.P. - check g.*  
*1926. N.P. Check gauge.*  
*1927. " " " "*  
*1928 N.P. " "*  
*1929 do. - do -*

Position of Station on reduced Ordnance Survey } No. of Map  
Map, 2 miles to 1 inch Series

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction







RAINFALL at Stobo Castle

County of Peebles Observer J. Finnie Esq  
John Finnie, Esq  
River Basin 2. Tweed Upper  
Left bank tribs.  
(1926) N.N.O. Rain Gauge, by \_\_\_\_\_

Diameter ...	5					5							
Height .....	1.0	10				9						1' 0"	
Altitude ...	590	594				590						594	
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.	SUMS	
January ...	5.08	7.62	4.55	4.03	3.15	4.53	5.31	5.60	10.48	.90	5.58	56.83	
February ...	4.45	.51	3.31	5.11	.97	5.60	3.39	1.45	4.06	1.11	.64	30.60	
March .....	5.20	4.27	2.52	1.59	.61	1.85	3.08	3.28	4.09	.44	1.77	28.70	
April .....	2.54	1.15	2.21	3.68	1.86	4.43	2.30	3.41	1.23	1.55	1.46	25.82	
May .....	4.25	1.81	1.64	3.00	2.85	6.05	3.50	2.27	1.50	2.65	1.31	30.83	
June .....	1.49	.55	2.45	1.57	1.15	.40	3.46	3.69	4.18	1.83	1.91	22.68	
July .....	4.60	3.32	3.54	3.73	4.31	1.47	2.26	2.68	2.34	2.36	2.70	33.31	
August .....	5.79	6.74	2.41	6.49	2.97	2.98	3.31	4.43	4.02	5.39	7.30	51.83	
September...	2.14	1.71	2.50	3.55	3.49	3.45	4.06	8.32	2.25	.45	3.80	35.72	
October .....	2.25	4.14	3.12	4.01	2.40	3.28	4.95	4.57	5.26	4.82	5.24	44.04	
November...	3.23	1.52	1.79	4.93	1.99	1.25	5.29	3.22	3.70	5.10	4.75	36.77	
December...	3.67	5.31	4.01	3.45	6.27	4.02	1.31	1.64	2.53	10.66	3.51	46.28	
TOTALS...	44.69	38.65	34.05	45.14	32.02	39.31	42.22	44.56	45.64	37.16	39.97	443.41	

1919. Wall 14 ft. high. 18 to 20 ft. S.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge
1920.			Stobo	900 yds.	W. by S.	Stobo	1000 yds. N. by E.



RAINFALL at Peebles (Hydro)

County of Peebles Observer P. Turner, Esq. O.B.E.

River Basin Tweed, S. Bank 2.

Rain Gauge, by A. Baird, Edinburgh

Diameter ...									5		
Height .....									0 9		
Altitude ...									700		
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.
January ...						2.96	3.89	3.56	6.21	1.32	4.18
February ...						4.69	3.33	1.22	3.85	1.39	(.77)
March .....						2.85	2.37	3.42	3.99	.18	(1.87)
April.....						3.68	2.21	2.77	1.09	1.67	1.90
May .....						4.35	2.78	2.50	1.58	1.77	1.50
June .....						.68	3.71	3.12	3.79	1.67	(2.04)
July .....						1.27	2.77	3.17	2.02	3.40	(3.02)
August .....						3.20	3.06	5.42	3.78	4.90	8.02
September...						3.37	4.35	6.74	1.87	.85	3.26
October .....						3.17	5.03	4.57	4.93	4.06	4.25
November...						1.77	4.34	3.27	3.24	3.79	4.80
December...						2.85	1.07	1.98	2.30	8.10	3.45
TOTALS...						35.04	38.91	41.74	38.65	32.60 D	(39.06)

1929 Road 1½' 2' high 8' SW.  
1930. Feb, March, June & July allocated  
    .50 added to March, estimated by surrounding stations.  
22. x 11. 36. Back yro. 1925 - 1927 received from Edinburgh. (f. 497819/36)

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series					No. of Map.....		Reference No.....		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction	
			<u>Peebles</u>	<u>½ mile</u>	<u>SW.</u>	<u>Peebles</u>	<u>¾ mile</u>	<u>SW.</u>	



RAINFALL at Glentworth Forest (Cotelo)

County of Pebbles Observer A. Graham Esq.

River Basin upper Tured - Left Bank Tils / 2 Authority Forestry Commission

M.O. Rain Gauge, by

Diameter										5	
Height										1 1	
Altitude										600	500'
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930
January											3.80
February											.90
March											1.25
April											1.78
May											1.10
June											1.59
July										2.61	3.38
August										3.93	6.68
September										.26	2.77
October										3.32	3.68
November										3.61	4.48
December										8.31	3.72
TOTALS										imp.	35.13? D.

1929 House 20' high 48' E.  
Hedge 4' " 18' N.

1930. Point with? see Enc 43A f 76517/30. (Gauge was found to be leading, is now repaired)

1930 Fence 2' high 12' away surrounding g.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map..... Reference No.....

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
			Pebbles	7600 yds	WNW	Pebbles	8750'	W'N



RAINFALL at Dolphinton (East Kewraig)

County of Peebles (1927) <sup>Calc</sup> Observer James Allan Esq. died 15<sup>th</sup> XII 27

River Basin 2 Tweed, L. bank.

Rain Gauge, by \_\_\_\_\_

Diameter ...	5"										
Height .....	0.10										
Altitude ...	820										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	4.98	7.10	3.79	2.86	3.02	3.72	4.52	4.04			
February ...	4.22	.81	3.36	4.97	1.57	5.05	3.47	1.64			
March .....	4.43	4.69	2.16	1.18	.80	2.98	2.12	3.36			
April .....	2.66	1.23	2.18	3.64	1.62	4.78	2.46	2.96			
May .....	4.57	1.79	2.39	2.54	3.44	4.88	3.93	2.47			
June .....	1.84	.31	1.86	1.42	1.55	.37	3.23	3.70			
July .....	4.09	3.04	4.44	3.84	4.44	2.21	3.38	2.06			
August .....	6.58	5.95	2.44	5.36	3.27	2.33	2.99	5.27			
September...	2.42	1.83	2.22	3.55	3.89	4.22	4.39	8.47			
October .....	1.48	3.70	2.11	3.97	3.20	3.00	5.30	4.19			
November...	2.38	1.41	1.81	4.32	2.21	1.23	4.56	3.87			
December...	3.31	5.15	3.52	4.43	4.45	4.10	1.54	(1.90)			
TOTALS...	42.96	37.01	32.28	42.08	33.46	38.87	41.89	43.93	#		

Position of Station on reduced Ordnance Survey } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_  
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance	Direction	Parish Church.	Distance	Direction
				from gauge			from gauge	



RAINFALL at West Linton (Woodlea Colliery)

County of Peebles Observer Miss Leslie Reid, C.E.

River Basin 2 Tweed, L. bank.

Rain Gauge, by \_\_\_\_\_

Diameter ...	5										
Height .....	1.0										
Altitude ...	801										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.
January ...	4.08	6.79	3.17	2.48	2.83	2.90	4.07	3.36	7.16	1.09	4.87
February ...	3.56	.88	2.76	4.00	1.13	4.37	3.56	1.72	3.21	1.83	.76
March .....	2.73	3.91	1.89	1.23	.66	3.29	2.27	2.99	2.12	.56	2.17
April .....	1.85	1.10	1.81	3.39	1.43	4.48	2.28	2.68	.94	1.45	1.40
May .....	2.30	1.93	2.66	2.40	3.54	4.67	3.58	2.04	1.45	1.57	1.29
June .....	1.37	.55	1.92	1.41	2.16	.55	3.24	3.69	4.50	2.63	2.55
July .....	3.25	2.95	3.92	3.85	3.54	4.85	2.90	3.09	2.83	4.27	3.28
August .....	6.58	5.88	2.31	5.46	3.10	3.05	3.15	6.90	4.85	4.70	6.56
September...	1.89	2.28	2.15	3.31	3.69	4.16	4.04	7.30	3.08	.68	4.77
October .....	1.23	4.49	2.18	3.79	3.50	2.62	4.48	4.80	4.01	4.01	4.81
November...	2.88	1.56	1.62	4.43	1.97	1.04	3.62	3.20	3.38	4.51	4.80
December...	3.22	5.13	2.75	3.52	3.50	3.70	1.24	1.76	3.15	6.45	2.28
TOTALS...	34.94	37.45	29.14	39.57	31.05	36.68	38.43	43.53	40.68	33.25	39.54
	D	D	D	D	D	D	D	D	D	D	D

Site inspected by A. Glasspole 16.9.29.

X below

Position of Station on reduced Ordnance Survey } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_  
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction



RAINFALL at Taiieri (1921)  
Wak Linton (Dahiel House) (Cairnton)

County of Peebles Observer St. J. R. Jeffery

River Basin 2 Tweed, L. bank. W. Mackie Esq. (1921)

Rain Gauge, by Howard & Wilson 1930 :- Dr. R. F. Graham-Joell  
Postong.

Diameter ...	5											
Height .....	1.0	3.6	1.0									
Altitude ...	770	769									780'	
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	<sup>1930.</sup> MEANS.	
January ...	4.63	8.13	3.39	2.70	2.95	3.79	4.60	4.03	7.76	1.08	4.75	Totals, 47.81
February ...	4.33	1.02	2.86	3.92	1.15	4.64	3.82	1.61	3.88	1.23	4.44	28.90
March .....	4.15	4.37	2.04	1.28	1.56	3.34	3.43	3.09	2.05	.65	2.22	27.18
April .....	2.80	1.22	1.85	3.55	1.61	5.35	2.44	3.28	1.03	1.21	1.60	25.94
May .....	4.21	1.82	2.75	2.93	3.86	4.56	4.03	2.08	1.70	1.88	1.34	30.86
June .....	1.94	.52	1.97	1.89	2.37	.61	3.68	3.94	4.88	2.72	2.61	26.83
July .....	4.30	3.07	4.24	4.31	4.03	2.06	3.54	2.61	2.98	4.12	3.18	38.44
August .....	7.35	5.94	2.59	6.18	4.01	3.10	3.21	6.74	5.61	4.90	5.74	55.37
September...	2.03	2.64	2.20	3.71	4.03	4.52	4.47	8.03	3.22	.91	3.40	39.16
October .....	1.22	4.79	2.09	4.55	3.86	2.67	4.99	4.89	4.27	4.56	5.12	43.01
November...	3.25	1.67	1.77	4.80	2.70	1.19	4.01	3.59	3.61	4.96	5.20	36.75
December...	3.37	6.24	3.15	3.73	4.14	3.75	1.76	1.87	3.50	6.56	2.32	40.39
TOTALS...	43.58	41.43	30.90	43.25	35.27	39.58	43.98	45.76	44.49	34.48	37.92	440.64
	D.	D.	D.	D.	D.	D.	D.	D.	D.	D.	D.	486

1920. Corrected by L.L.S. &c.  
1921. Low Hills 40 ft. high from Lint. St.  
Houses. 30 ft. > 60 ft. E.  
1921. Feb. g. moved to Taiieri.  
1930. Position changed in Nov. 1930 to West Linton (Cairnton). New height 780'. 200 yards from Taiieri and a much better exposure.  
Site inspected by Dr. Mansford 10.9.29.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....	
Date.	Lat. N.	Long. <sup>W</sup>	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1914 1921	55°45'	3°21'	Broomlee Broomlee (NBR)	1 m. 1/2 mi.	S. E.	Wak Linton "	250 yds. 150 yds.
							W. N.



RAINFALL at Eddlestone (Porton Reservoir).

County of Peebles.

Observer Wm. Leslie Reid G.E.

River Basin 3. Esk.

Rain Gauge, by \_\_\_\_\_

Diameter ...	11											
Height .....	1.0											
Altitude ...	1000											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	<sup>1930</sup> MEANS.	SUMS
January ...	3.42	6.06	3.29	2.11	2.02	3.17	4.47	2.71	6.11	1.40	4.60	39.36
February ...	3.20	.95	2.29	5.32	1.15	5.51	3.24	1.31	3.47	1.25	.98	28.67
March .....	3.95	3.66	1.86	1.81	.81	3.54	2.20	3.39	4.26	.58	2.29	28.35
April .....	3.28	.86	2.12	3.08	1.78	4.63	2.18	2.53	1.05	1.52	1.75	24.78
May .....	3.81	1.92	2.10	3.02	4.34	5.41	4.47	1.81	1.73	2.00	1.63	32.24
June .....	1.16	.70	1.40	1.34	2.42	.71	4.58	3.12	5.08	2.24	2.87	25.62
July .....	3.90	2.90	4.50	3.50	5.18	1.52	3.31	2.80	2.46	4.76	3.39	38.22
August .....	6.65	6.66	2.30	5.44	3.22	3.40	2.70	5.70	4.61	5.52	7.60	53.80
September...	1.85	1.77	2.48	2.38	3.87	4.70	4.12	7.98	2.39	.42	4.76	36.72
October .....	1.99	4.27	2.38	4.03	3.52	1.95	4.39	4.20	4.51	4.21	4.67	40.12
November...	2.65	1.85	1.42	4.40	1.97	1.34	4.42	3.72	3.72	3.85	6.19	35.53
December...	3.20	5.33	3.05	3.43	3.24	3.20	1.48	3.21	3.07	7.89	2.63	39.73
TOTALS...	39.06	36.93	29.19	39.86	33.52	39.08	41.56	42.48	42.46	35.64	43.36	423.14

Site inspected by Dr. Glaspoole 16.9.29.

Position of Station on reduced Ordnance Survey } No. of Map \_\_\_\_\_  
Map, 2 miles to 1 inch Series

Reference No. \_\_\_\_\_

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction







RAINFALL at Eddlestane (Portman Reservoir) M.

County of Peebles

Observer. Messrs. Leslie Reia CE.

River Basin..... 3 Eek.

.....*Rain Gauge, by*.....

Monthly

[illegible]

1930 Check up. Not entered on survey sheet.

Position of Station on reduced Ordnance Survey } No. of Map.....  
 Map, 2 miles to 1 inch Series

Reference No.....

[illegible]



(1926) Carlisle

RAINFALL at Penrith (N. End Reservoir)County of PeeblesObserver W. N. Tod. died 1925.River Basin S. EskW. Nimmo Tod, (1925) *discontinued*

(1926) Howard Rain Gauge, by

(1926) W. Nimmo Tod. died 20/8/22.  
(1928) J. Gilman

Diameter ...	11						5				
Height .....	0.6						1.0	1.3	1.6		
Altitude ...	1150										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.
January ...	4.50	8.15	4.00	4.00	(3.30)	4.90	(4.50)	3.91	6.24	.58	4.13
February ...	4.50	2.00	3.25	2.30	(.90)	6.40	(3.50)	1.88	2.81	1.26	.49
March .....	3.95	4.50	2.50	2.20	.85	4.50	(3.00)	3.03	2.02	.41	2.33
April .....	3.95	1.45	2.20	3.80	2.00	5.00	2.00	2.49	1.17	1.93	1.50
May .....	4.55	2.30	3.15	4.15	5.15	5.00	3.54	2.27	imp	1.74	1.78
June .....	3.50	.50	2.25	2.35	2.70	-	4.20	3.47		3.19	2.60
July .....	5.00	2.70	3.80	3.90	5.80	-	3.07	2.07		4.07	4.93
August .....	6.80	5.80	3.60	6.90	5.20	-	2.84	7.22		6.46	6.33
September...	2.65	2.40	2.40	4.35	3.90	-	3.91	9.02		.71	4.25
October .....	1.05	3.15	2.15	4.95	5.35	-	4.28	4.99		4.23	4.40
November...	3.10	1.85	3.00	5.00	3.00	-	3.75	3.73	imp	5.40	5.29
December...	4.50	5.90	3.60	3.55	5.95	-	1.16	1.89	2.05	4.83	2.34
TOTALS...	48.05	40.70	35.90	47.45	44.10	-	39.75	45.97	imp	34.81	40.37

1920. 4 feet tower type. 36 ft. high. 16 ft. off. N.

1924. Jan. 4. Reel adjusted.

1925. W. Tod died 21. V. 25. - observations interrupted - recently resumed by new keeper with new gauge. A. W. 24. 3. 26.

1928. Gap in record due to death of former keeper.

1930 Hawthorn Hedge 5' high 6' S.

Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long. W.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1920	55° 46' 25"	3° 21'	Broomlee	5 m.	S.	W. Linton	5 m.	S.







RAINFALL at Earlston (border houses)

County of Berwick

Observer Mr. J. Smith

River Basin 2 Tweed-Leader

for det: Soc. Edinburgh.  
J. J. Fleming (1921)

(1926) No.        Rain Gauge, by N.E.J.

Diameter ...	5					5"							
Height .....	0.10	1.2				1' 2"		1.4					
Altitude ...	360	300	320			300							
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.	SUMS	
January ...	2.44	4.37	2.89	1.74	1.84	2.25	2.90	2.92	5.48	2.11	2.37 +65	31.31	
February ...	2.63	20	2.68	3.70	.97	5.12	3.26	1.11	2.68	1.71	.70 +42	24.76	
March .....	2.57	2.61	1.73	.87	.68	1.86	1.66	2.45	4.30	.12	2.31	22.10	
April .....	2.06	.45	2.64	2.41	1.51	2.53	2.30	1.81	.96	1.77	1.30	19.74	
May .....	3.08	1.40	.82	1.83	3.58	4.80	2.34	1.87	1.49	1.18	1.07	23.46	
June .....	.88	.53	2.15	.90	1.45	.40	3.08	2.48	4.42	1.95	2.06	20.30	
July .....	2.92	3.01	3.51	1.77	4.86	1.81	2.28	3.55	1.43	4.91	3.38	33.43	
August .....	3.71	5.33	2.40	4.19	2.63	4.27	3.33	7.60	4.81	4.89	5.61	48.27	
September...	1.10	1.39	2.08	1.33	3.58	4.74	3.93	6.15	1.19	20	2.84	28.75	
October .....	1.89	2.57	2.95	2.37	2.94	2.58	4.09	3.03	5.15	2.84	4.46	35.17	
November...	1.46	1.44	.67	3.07	1.34	1.22	4.12	2.32	3.88	3.07	3.21	25.80	
December...	3.52	2.69	2.05	2.35	4.01	3.42	.44	.99	1.46	4.14	2.64	27.73	
TOTALS...	29.22	26.29	26.57	26.75	29.39	35.00	33.73	36.28	37.25	28.39	31.95	340.82	

1922, Flower Beds 14 ft high 5 ft 14 in.  
Shrubs 12 " " 9 " 15 in.  
Tree 20 " " 12 " 15 in.

Site inspected by Dr. Glaspark 20.9.29.

Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1913	51° 39'	2° 43'	Earlston	1 mi	1922 N E	Earlston	1 mi	N E



RAINFALL at Earlston, Greenacre

County of Berwickshire Observer Rev. A.P. MacLennan, M.A.

River Basin Berwick Tweed - Leader - 2.

Rain Gauge, by

Diameter											5"
Height											1' 0"
Altitude											300'
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930
January											1.78
February											.95
March											1.95
April											1.16
May											.86
June											1.87
July											3.20
August											5.45
September											2.40
October											3.48
November										2.69	3.27
December										3.81	2.27
TOTALS										imp.	28.64 D.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
			Earlston	50 yds	N.	Earlston	600 yds NE.



RAINFALL at Lauder (Burncastle)

County of Berwick

Observer J. L. Lumball Esq.

River Basin 2 Tweed

Collieston  
Standard Gauge Rain Gauge, by P. & R.

Diameter ...	5"										
Height .....	1.0										
Altitude ...	900										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	2.79	4.79	2.91	1.74	2.47	2.28	3.12	2.82	4.42	1.51	2.30
February ...	1.86	.41	2.43	5.69	1.20	5.66	3.15	.87	1.63	1.85	1.73
March .....	3.58	2.68	2.40	1.28	.58	3.20	1.40	2.73	4.25	.16	2.06
April .....	2.56	.55	3.10	2.45	1.23	3.22	1.79	1.55	1.40	1.24	2.17
May .....	2.62	1.40	.49	3.76	4.92	4.10	2.85	2.19	1.59	1.77	1.08
June .....	.62	.57	1.77	.98	1.09	.74	3.48	2.65	4.46	2.80	2.09
July .....	2.30	2.25	4.09	1.54	4.41	1.35	2.89	4.05	1.50	3.66	3.26
August .....	4.79	3.95	2.03	4.30	2.68	2.17	2.63	6.03	6.01	5.01	5.83
September...	1.18	1.21	2.80	2.26	3.79	4.82	3.90	7.18	2.17	.40	5.10
October .....	2.60	3.30	3.39	2.83	2.93	2.50	3.85	3.81	4.84	3.11	4.14
November...	1.77	1.99	1.11	2.77	1.53	1.73	5.08	3.62	3.71	3.75	4.44
December...	4.22	1.62	2.83	3.28	3.55	2.77	.67	2.82	2.34	4.31	2.38
TOTALS...	30.89	4.72	29.35	32.88	30.38	34.54	34.81	40.32	38.32	29.57	36.58

1922. Trees 20ft high 50ft W.  
1925. " 30ft " 70ft W.  
House 50. " 100 " E.

Obs. says Station is very exposed but gauge  
as sheltered as possible. Evap 134.819174/12

Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1920.			Lauder.	3 m.	S.W.	Lauder 1922	3 mi	S.W.



RAINFALL at Eastcote Burn. (Blethe Pipe) M.

County of Berwick

Observer J. L. L. Turnbull Esq.

River Basin 2 Lower

Stallford  
Mountain Pass Rain Gauge, by F. & P.

Monthly

Diameter ...	5										
Height .....	1.0										
Altitude ...	1200										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	2.30	4.92	3.64	1.98	2.74	2.73	3.81	3.52	5.83	2.09	3.13
February ...	2.27	.87	2.88	6.96	1.52	7.52	3.84	1.21	2.56	1.75	1.87
March .....	3.79	2.85	3.10	1.38	.63	3.50	1.73	3.18	5.79	.28	2.65
April .....	3.40	.73	3.45	3.27	1.23	4.34	2.33	1.82	1.75	2.03	2.79
May .....	2.06	1.75	.84	4.45	5.52	4.12	3.58	3.15	1.79	2.59	1.23
June .....	.57	.80	2.12	1.80	1.64	.93	4.57	3.98	5.63	2.93	2.13
July .....	3.30	2.49	5.69	1.79	5.42	.87	3.35	6.39	1.69	3.78	4.09
August .....	4.90	4.45	2.76	5.43	3.41	2.66	2.77	8.59	6.65	5.11	6.13
September...	1.98	2.30	2.79	3.21	5.20	5.54	4.20	7.98	2.55	.27	5.96
October .....	2.82	2.78	4.47	3.38	3.47	2.90	5.16	3.96	5.18	4.03	4.55
November...	2.25	2.42	1.72	3.76	1.80	2.11	5.77	4.58	5.10	4.60	5.22
December...	4.94	2.52	3.60	4.18	4.22	3.38	.85	2.23	2.76	5.49	2.98
TOTALS...	36.58	28.88	37.06	41.59	36.80	40.60	41.96	50.59	47.28	34.95	42.73
	M.										

1920. Bare moorland.

Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1920.			Lander	8	S.W.	Lander	8m.	S.W.



RAINFALL at Goldstream (Lockton)

County of Berwick Observer J. Litchman, Esq.

River Basin 3 Luedd, Lower, - Left bank tribs.

(1926) Howard Rain Gauge, by Edinburgh

Diameter ...	5											
Height .....	1.0											
Altitude ...	151											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1920. MEANS.	SUMS
January ...	2.01	3.56	1.72	1.20	1.42	.94	2.26	1.76	2.86	1.89	1.89	21.01
February ...	1.43	1.22	1.89	2.69	.71	3.78	2.79	.71	1.33	1.14	1.31	19.00
March .....	2.57	1.37	1.21	.78	.59	2.10	1.08	1.74	2.95	.02	2.23	16.64
April .....	2.09	.55	2.07	1.50	.83	2.28	2.41	1.29	.97	1.49	1.31	16.79
May .....	2.59	1.58	.66	2.33	4.60	3.28	1.66	1.47	.86	1.09	.80	20.92
June .....	.86	.61	1.33	.70	1.75	.27	2.91	2.91	4.89	1.90	1.20	19.33
July .....	4.71	2.55	3.64	1.49	4.91	1.72	3.75	3.82	1.59	2.98	5.14	36.30
August .....	3.67	4.86	2.15	4.03	3.29	2.63	2.79	6.56	3.56	4.29	3.82	41.65
September...	1.75	1.74	2.50	1.99	2.37	4.34	4.74	5.15	1.19	.42	2.77	28.96
October .....	1.48	2.66	2.89	1.85	3.20	1.59	3.77	1.77	2.73	2.57	2.56	27.07
November...	.99	1.45	.63	3.32	.74	1.23	2.33	2.85	2.49	2.72	3.39	22.14
December...	2.53	1.59	1.90	2.23	2.08	2.97	.58	2.55	1.52	3.14	1.92	23.01
TOTALS...	26.68	23.74	22.59	24.11	26.49	27.13	31.07	32.58	26.94	23.15	28.34	292.82

1920. Ridge 7 ft. high. 12<sup>8</sup> ft. off. W. ab.

Position of Station on reduced Ordnance Survey } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_  
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1920.			Hebo.	5 1/2 m.	S.W.	Eccles.	2 1/2 m.	N.E.



RAINFALL at Goldstream School

County of Perthshire Observer J. Campbell Hardie, Esq.

River Basin Tweed, Left Bank 3.

M.O. Rain Gauge, by \_\_\_\_\_

Diameter ...									5		
Height .....									10		
Altitude ...									100		
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.
January ...									2.32	1.37	1.64
February ...									1.17	1.15	1.34
March .....									3.00	1.0	2.17
April.....									.97	1.62	1.25
May .....									.88	.78	.95
June .....									4.50	2.00	1.20
July .....									1.64	3.04	5.39
August .....									3.80	2.70	4.12
September...									1.15	.36	3.12
October.....									2.18	2.47	2.08
November...									2.44	2.81	3.09
December...									1.36	3.53	1.48
TOTALS...	26.09	22.94	22.45	24.43	24.76	28.03	35.29	31.79	25.41	22.83	27.83
									d	d	d.

1928. Apple Tree 8 ft. high 15 ft. W.  
" " 6' 6" " 12 " S.W.  
" " " " 15 " S.E.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1928			Goldstream	1 1/2 mi	E.	Goldstream	200 yds. S.E.



RAINFALL at Coldstream (The Kip)

County of Berwick

Observer W. D. Black  
(obsdnt.) The Earl of Home

River Basin S. Tweed, L. bank.

Rain Gauge, by Cassella 1922.

944  
1910

Diameter ...	5"										
Height .....	1.4	1.6									
Altitude ...	130	>300	130								
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS
January ...	1.97	4.77	2.50	1.32	1.27	.85	2.44	1.75	2.45	1.07	1.30
February ...	1.71	.41	2.04	3.04	.66	3.67	2.74	.70	.93	1.13	1.27
March .....	2.98	1.88	1.04	.86	.54	2.08	1.47	1.64	3.05	.06	2.57
April .....	1.84	.58	2.40	1.47	.86	2.38	2.24	1.16	1.08	1.46	1.05
May .....	2.88	1.71	.41	2.26	4.52	3.28	1.35	1.61	1.24	.90	.74
June .....	0.58	.60	1.66	.76	2.11	.25	3.16	3.22	4.42	1.82	1.01
July .....	4.54	2.47	3.55	1.48	4.61	1.11	4.15	3.22	1.68	2.70	5.03
August .....	2.90	3.93	1.91	3.06	3.20	2.87	2.67	6.37	3.22	4.60	3.68
September...	1.66	1.29	2.60	1.25	2.04	5.16	4.44	5.38	1.01	.16	2.23
October .....	1.30	3.22	2.79	1.75	2.68	1.18	4.22	1.61	1.69	2.54	1.82
November...	1.09	1.47	.62	4.13	.79	1.09	2.52	2.76	2.43	2.62	2.69
December...	2.70	1.67	2.12	2.40	1.85	3.50	.49	2.53	1.52	2.42	1.13
TOTALS...	26.15	4.00	23.64	24.08	25.13	27.42	31.89	31.95	24.72	21.48	24.52
			D	D	D	D	D	D	D	D	D

1921. gauge on grass north of river.

Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
			Coldstream	3 m.	E.	Coldstream	1 m.	E.



RAINFALL at Swinton House (Chorlton).

County of Berwick Observer Rev. A. E. Skelton.

River Basin S. Tweed, L. bank.

"Bril" Rain Gauge, by N.O.G. No. 3171  
B.R.O. cert.

Diameter ...	5"					5"							
Height .....	1.2	1.1				1'							
Altitude ...	200					200'							
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.	SUMS	
January ...	2.11	4.41	2.03	1.41	1.64	1.18	2.48	1.68	3.31	1.53	1.49	23.27	
February ...	1.79	.49	2.04	2.80	.69	4.30	2.64	.68	1.35	1.56	1.44	19.78	
March .....	2.77	1.72	1.31	1.17	.52	2.82	1.41	1.84	2.75	.13	2.41	18.85	
April .....	2.35	.58	2.03	1.35	.81	2.60	2.19	1.30	1.33	1.41	1.50	17.45	
May .....	3.11	2.64	.68	2.03	4.19	3.51	2.01	1.77	.95	1.30	.76	22.95	
June .....	.90	.69	1.93	.89	1.85	.34	2.90	3.11	4.17	2.05	1.30	20.13	
July .....	2.57	2.67	4.14	1.53	4.15	1.79	3.66	3.57	1.82	3.35	3.12	33.31	
August .....	3.02	4.16	2.04	3.78	3.07	2.82	2.78	6.65	3.52	3.90	3.65	39.39	
September...	1.60	1.15	2.52	1.50	2.37	4.33	3.55	5.14	1.51	.19	3.41	27.27	
October .....	1.52	2.74	3.15	2.09	3.01	1.44	3.79	2.46	2.65	2.71	2.69	28.25	
November...	1.14	1.67	.86	3.62	1.05	1.60	2.63	2.87	2.58	2.67	3.53	24.22	
December...	3.43	2.03	2.12	2.36	2.41	(3.49)	.45	1.95	1.48	2.72	1.78	24.22	
TOTALS.	27.25	21.95	24.85	24.53	25.76	(30.22)	30.49	33.02	27.42	23.52	27.08	299.09	

1920. Obs. Height. 24.6 in. 24.6 in. 1925. Dec. 1 inch added for snow.  
20.4 38 ft. 83.6 in. 10.  
7.2 10 ft. 40 ft. 4.2 in.  
" 41.6 in. 59. N.E.  
" 52.6 83. N.W.E.  
" 49.6 78.6 in. E.  
" 39. 53.6 2 E.  
New hedge 20. 53.6 2 E.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920	55°43'	2°16'W.	Duns.	4 1/2 m.	N.W.	Swinton	1 1/2 m. E.



RAINFALL at Swinton House

County of Berwick Observer Rev. A. E. Swinton

River Basin Sw. Tweed, L. bank.

Swinton Rain Gauge, by         

Diameter ...	5										
Height .....	9-10										
Altitude ...	200										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	2.20	4.26	2.09	1.34	1.53						
February ...	1.83	.47	2.01	2.73	.61						
March .....	2.84	1.77	1.25	(1.12)	.54						
April .....	2.38	.60	2.00	(1.30)	.92						
May .....	2.22	2.69	.58	1.80	4.06						
June .....	.92	.70	1.84	.75	1.83						
July .....	2.56	2.69	4.16	1.61	4.26						
August .....	2.99	4.14	1.96	3.75	3.07						
September...	1.63	1.17	2.46	1.48	2.30						
October .....	1.59	2.78	2.99	2.08	2.93						
November...	1.20	1.70	.78	3.56	.97						
December...	3.33	2.02	2.00	2.40	2.35						
TOTALS...	27.69	24.99	24.12	23.92	25.37						
	2	3	d imp								

1920. The gauge 5' 4 ft. east of the standard gauge.  
1921. Apl. 20<sup>th</sup> Gauge moved 43 ft. N.  
    > line 52 ft. 40 ft. N.W.E.  
    30 ft. 42 ft. ESE.  
1923 no printed check g. new tape. no room for brackets on B.  
1924. 7. P. - check g.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge
1920.	55°43'	2°17'W.	Duns.	4 1/2 m.	N.W.	Swinton	1 1/4 m. E.



RAINFALL at Marchmont House

County of Berwick Observer Mr J. A. Wood

River Basin of Tweed - Whiteadder

Peter Ross (1921) for R. F. Ewen  
died 31.3.26

Rain Gauge, by \_\_\_\_\_

Diameter ...	5												
Height .....	1.0												
Altitude ...	498												
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.	SVMS	
January ...	2.57	5.97	2.93	1.67	2.49	1.88	3.16	2.40	4.64	2.17	2.12	32.00	
February ...	2.26	.60	2.96	4.23	1.36	5.28	4.62	1.03	2.56	1.84	1.57	28.31	
March .....	3.71	2.35	2.19	1.03	.90	3.04	1.58	2.67	4.12	.17	2.35	24.11	
April .....	2.22	.68	2.32	1.63	1.24	3.39	3.30	1.82	1.45	1.54	2.18	21.77	
May .....	3.14	2.02	.67	2.16	5.44	4.05	1.95	2.78	1.13	1.71	.95	26.00	
June .....	.72	.72	1.57	1.10	2.38	.28	3.83	3.74	5.39	2.12	1.64	23.49	
July .....	4.07	2.97	5.40	1.80	5.76	2.01	3.50	3.40	1.58	3.88	3.59	27.96	
August .....	3.56	4.47	2.73	4.54	3.61	3.22	3.04	7.94	4.40	4.64	4.70	46.85	
September...	1.81	1.39	3.41	1.71	3.73	4.69	4.55	6.04	1.51	.21	4.49	33.54	
October .....	2.27	3.30	3.44	3.54	3.38	2.17	4.54	2.71	3.86	2.90	3.85	35.96	
November...	1.88	2.19	.92	3.58	1.57	2.16	3.94	3.31	3.42	3.61	4.38	30.96	
December...	4.48	2.62	2.74	3.13	3.58	3.99	.61	2.72	1.99	3.34	2.69	31.89	
TOTALS...	32.69	29.28	31.28	30.12	35.44	36.16	38.62	40.56	36.05	28.13	34.51	372.84	
	0	0	0	0	0	0	0	0	0	0	0	0	

1921 babby - 2 ft. high 10 ft. away N.E. & S.W.  
1925 Mr. R. F. Ewen died 31st March, 1926.

Position of Station on reduced Ordnance Survey } No. of Map \_\_\_\_\_  
Map, 2 miles to 1 inch Series

Reference No. \_\_\_\_\_

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1919.	55°44'	2°25'	Marchmont	3/4 m.	E.	Polwarth	3/4 m.	N.



RAINFALL at Duns, Nisbet House Gardens.

County of Berwick Observer Wm Courieson

River Basin James Waterfall 4 Sardinia

Rain Gauge, by 912

Diameter ...				5							
Height .....				1.0							
Altitude ...				290							
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.
January ...				(1.60)	1.93	.99	2.45	1.58	3.90	1.91	1.81
February ...				3.20	1.19	3.80	2.66	.74	1.95	1.77	1.63
March .....				1.01	.63	2.54	1.06	1.78	3.82	.12	2.10
April.....				1.57	.99	2.03	2.02	1.39	1.55	1.19	1.39
May .....				1.96	4.47	3.00	1.98	2.31	.98	1.21	.86
June .....				.96	1.69	.19	2.55	3.74	4.76	1.69	1.37
July .....				1.81	4.57	1.88	3.29	4.05	1.63	3.52	3.09
August .....				3.90	2.41	2.63	2.26	7.20	4.04	4.17	4.17
September...				1.55	2.46	3.90	3.62	5.20	1.90	.24	3.74
October.....				2.48	2.75	1.28	3.60	2.26	3.12	2.99	2.92
November...				3.68	1.01	1.75	2.94	3.20	3.57	3.25	4.18
December...				2.81	2.23	3.45	.36	2.97	1.88	3.06	2.32
TOTALS...				26.53	26.33	27.44	28.79	36.42	33.10	25.12	29.58

1923. Fruit trees 7' high, 7700 to W. Jan set.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map		Reference No.	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1923			Duns	2 1/2	N	Duns.	2 1/2 N.



RAINFALL at Dumb Occenden

County of PerthObserver A. G. Fraser Esq.

River Basin Lweed Whiteadder 4

Glaisher Rain Gauge, by \_\_\_\_\_

Diameter ...								8			
Height .....								0.7			
Altitude ...								600			
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...								2.27	4.28	2.27	2.08
February ...								.89	2.39	1.57	1.73
March .....								2.43	3.89	.24	1.55
April .....								1.54	1.46	1.53	2.28
May .....								2.46	1.06	1.39	.91
June .....								3.43	5.17	2.14	1.53
July .....								3.54	1.85	3.94	3.67
August .....								6.81	4.68	4.79	4.63
September...								6.15	1.96	.22	5.03
October .....								2.57	3.85	3.18	3.19
November...								3.66	3.89	3.35	4.33
December...								2.80	2.76	3.71	2.69
TOTALS...								38.55	37.24	28.33	33.62
								D	D	D.	D.

1927. Shrubbery 6 ft. high 18 yds. N.  
Wire Fence 4 " " 12 " E.  
Tree 40 " " 30 " S.  
Wall 5 " " 60 " W.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1927	48.	2.23	Dumb	2 1/2 mi	S.	Dumb	2 mi	S.



RAINFALL at Duns Castle

County of Berwick Observer Mr. J. Vallance  
Mr. J. Vallance (1922).  
River Basin 4 Whiteadder for F. S. Hay, Esq.  
Rain Gauge, by \_\_\_\_\_

Diameter ...	5"					5"						
Height .....	3.0	1	0	3	0	1'						
Altitude ...	500					500'						
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.	SUMS
January ...	2.18	4.51	2.15	1.64	2.00	1.36	2.73	2.04	3.68	2.84	2.00	26.63
February ...	2.04	4.40	2.46	3.58	1.32	4.49	3.70	.82	2.03	1.79	1.91	24.54
March .....	3.38	2.10	1.80	1.13	.66	2.82	1.27	2.54	3.86	.13	2.38	22.07
April .....	2.47	.75	2.36	1.72	1.14	2.76	2.53	1.60	1.55	1.67	2.19	20.64
May .....	2.96	2.24	.66	2.06	4.77	4.04	1.92	2.64	1.00	1.49	1.00	24.78
June .....	.78	.70	1.67	1.00	1.75	.35	3.56	3.56	5.19	2.19	1.66	22.41
July .....	3.60	2.45	5.13	1.68	4.86	2.49	3.77	3.53	1.74	4.04	4.08	37.37
August .....	3.47	3.74	2.03	4.31	2.53	2.59	2.25	6.81	4.52	4.52	5.06	41.83
September...	1.37	1.42	2.72	1.53	3.36	4.21	4.28	5.96	2.01	.28	4.36	31.50
October .....	2.28	3.01	3.27	2.74	3.05	1.88	4.30	2.22	3.75	2.95	3.26	32.71
November...	1.61	1.96	1.07	3.33	1.40	1.76	3.64	3.27	3.70	3.27	4.17	29.18
December...	3.90	1.65	2.50	(2.75)	2.85	3.75	.53	2.35	2.24	3.22	2.60	28.34
TOTALS...	30.04	4.93	27.82	27.47	29.69	32.50	34.48	37.34	35.27	27.79	34.67	342.00
	0	0	0	0	0	0	0	0	0	0	0	

1923 1 Dec. interrupted

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map .....		Reference No. ....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920.	55° 48'	2°	Duns.	1 m.	S.E.		



RAINFALL at Duns (Clonderton)

County of Berwick Observer W. J. G. Mapfall,

River Basin 4 Whitadder.

Rain Gauge, by \_\_\_\_\_

Diameter ...	5										
Height .....	1.6										
Altitude ...	356										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	2.04	5.45	2.66	2.06	2.11	1.21	2.96	2.17	3.90	1.91	1.95
February ...	2.16	.35	3.04	3.85	1.36	5.29	3.90	.82	1.49	1.68	1.69
March .....	3.38	1.99	1.69	1.28	.77	3.03	1.01	2.62	3.43	.17	2.28
April .....	2.82	.65	2.29	2.03	1.17	2.79	2.71	1.60	1.71	1.39	1.92
May .....	3.01	2.28	.49	2.18	4.94	3.78	1.75	2.43	1.02	1.18	.91
June .....	.64	.63	1.68	1.41	1.73	.30	3.16	3.70	4.91	2.13	1.60
July .....	2.58	2.54	6.11	1.81	5.35	2.49	3.23	3.49	1.73	3.71	4.00
August .....	3.56	4.23	1.95	4.03	2.51	2.88	2.31	6.40	4.40	4.32	4.63
September...	1.78	1.64	2.62	1.55	3.43	3.91	3.97	6.48	2.14	.27	4.37
October .....	2.58	3.00	3.02	2.62	3.19	1.89	4.05	2.31	2.56	2.94	3.02
November...	1.50	2.07	1.15	4.02	1.44	1.97	3.50	3.14	4.26	4.06	4.13
December...	4.05	1.81	2.62	3.40	2.33	3.38	.53	2.64	2.02	3.03	2.74
TOTALS...	32.10	26.64	29.32	30.24	30.33	32.92	33.08	37.80	33.57	26.79	33.24
	D	D	D	D	D	D	D	D	D	D	D

1925. wall 14ft. high 20ft. dia. N.  
Trees 40 — 100 — W.  
wall 14 — 100 — E.

the school of lat. is from the sheet

Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1925.			Edison. Duns.	1 3/4	W.	Duns.	1 1/2	W.



RAINFALL at West Foulden

County of Berwick Observer J. Hewat Gray, Esq.

River Basin Whiteadder &

(1926) Howard Rain Gauge, by

Diameter ...	5"					5"					
Height .....	1.0					1'					
Altitude ...	240		250			250'					
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	1.67	3.42	1.94	1.44	1.59	.83	2.27	1.56			
February ...	1.31	1.29	1.82	2.43	.82	4.02	2.34	.52			
March .....	2.43	1.16	1.06	1.24	.39	2.04	.87	1.50			
April .....	1.62	.54	1.93	1.24	.95	1.82	2.60	1.16			
May .....	1.93	1.92	.49	1.86	4.03	2.71	1.99	1.89			
June .....	.46	.44	1.22	.52	1.59	.25	2.84	2.88			
July .....	2.97	2.25	2.53	1.58	4.17	1.68	3.33	2.69			
August .....	2.66	3.60	1.68	4.31	2.70	2.34	2.19	6.48			
September...	2.12	.97	2.81	1.19	2.59	3.11	2.98	5.08			
October .....	1.87	2.58	2.73	1.86	2.97	1.31	4.18	1.96			
November...	.89	1.98	1.11	3.58	.98	1.68	2.45	2.84			
December...	3.33	1.19	1.91	2.68	1.98	2.32	.37	2.97			
TOTALS...	23.26	21.34	21.23	23.93	24.76	24.11	28.41	31.53	RR	#	

1925. Trees 30 ft. high. 35 yds W.  
house 25 — 15 — S.W.

Position of Station on reduced Ordnance Survey } No. of Map..... Reference No.....  
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1912			Chipside	4 m.	W.	Foulden	1 1/2 m.	E.



RAINFALL at St. Abb's Head

County of Berwick Observer Barry North Leitch

River Basin 5 East Coast Streams

Rain Gauge, by \_\_\_\_\_

Diameter ...	8											
Height .....	43											
Altitude ...	224											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.	
January ...	1.62	3.85	2.51	1.46	1.59	1.21	2.80	1.53	2.72	1.66	1.70	2271
February ...	1.07	1.13	1.84	3.04	.74	3.68	2.91	.43	1.84	.95	1.28	1991
March .....	2.95	1.19	1.33	.69	.31	3.36	.42	1.71	2.58	.45	1.93	1692
April .....	1.38	.65	1.85	1.71	.78	2.67	1.90	1.53	.94	1.71	2.10	1722
May .....	3.05	1.69	.37	2.32	3.36	3.26	1.18	2.51	.54	.80	.60	1968
June .....	.21	.84	1.69	.84	2.85	.26	2.82	2.74	3.97	2.11	.78	1711
July .....	2.75	2.08	3.94	1.13	4.36	1.95	2.97	1.97	2.50	2.41	3.48	2954
August .....	3.48	3.63	1.56	3.88	2.33	2.23	1.86	6.14	5.32	3.81	3.97	3821
September...	2.20	1.40	2.89	1.55	3.48	3.53	3.70	5.52	1.20	.82	3.93	2972
October .....	.77	2.79	2.19	2.16	5.04	1.94	3.07	2.27	2.35	2.51	2.16	2725
November...	.97	1.81	.99	3.92	1.08	1.87	2.83	2.66	3.35	2.95	3.65	2608
December...	3.12	1.48	1.85	2.87	2.03	2.82	.61	2.24	1.53	3.02	2.13	2370
TOTALS...	23.57	22.54	23.01	25.57	27.95	28.78	27.07	31.25	28.84	22.70	27.71	

Catechism 1926 6. in garden 11 yds from nearest wall; the hill rises at an angle of 45° just behind the wall to a height of 50-70 ft. on west side round by N to NE; similar from E to SE but hill further away; from SE to SE there is a deep hollow outside garden wall. Garden surrounded by wall about 3 ft high, 40 yds away to SSW & NNE, only 20 yds away to S. 6. U tube 5 ft 6. in above ground.

Position of Station on reduced Ordnance Survey } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_  
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction







County of Haddington Observer Sir. W. Keith

River Basin..... 3 - East Coast Streams.....

.....*Rain Gauge*, by.....

[illegible]

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series	No. of Map.....	Reference No.....
---	-----------------	-------------------

[illegible]



RAINFALL at Garwold (Donolly Reservoir).

County of Haddington. Observer J. E. Miller Esq, F.R.S.  
River Basin East Coast Fens. Mr. Andrew Robertson (1925)  
Rain Gauge, by Boro Surveyor (N. Bennett)

Diameter ...	5					<del>6</del> 5					
Height .....	1.0					1'					
Altitude ...	550					500'			550		
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	4.15	5.10	3.25	1.80		1.45	2.40	2.10	3.22	.94	3.20
February ...	3.20	2.86	2.68			3.20	1.85	.71	1.66	.52	.95
March .....	3.60	2.30	2.75			2.40	1.15	2.90	2.68	.15	1.87
April .....	3.20	1.00	2.75			4.20	2.10	1.08	1.04	1.59	1.52
May .....	3.95	1.45	1.10			3.20	2.15	1.80	1.18	1.72	1.15
June .....	0.25	1.00	2.25			.70	3.80	2.73	4.72	2.12	1.50
July .....	4.70	1.36	4.55			2.30	3.80	4.10	1.90	2.41	4.98
August .....	5.70	4.30	3.30			3.00	1.30	6.38	4.10	4.97	5.90
September...	2.15	2.65	2.75			4.70	4.40	7.08	1.87	.21	4.30
October .....	2.25	3.85	5.86			1.50	3.90	3.66	3.62	2.87	2.46
November...	2.85	2.75	1.25			1.00	3.40	2.53	3.96	3.90	4.60
December...	4.15	2.20	2.35			2.90	.62	3.18	2.22	4.30	2.10.
TOTALS...	40.15	30.82	34.84	29.00	30.20	30.55 M	30.87	38.25	32.17	25.70	34.53. M

1920. Reservoir 20 60 x South Site inspected by D. Mansprie 18.7.29.  
Dan, - - - - -  
1920 1922  
seems big  
195099  
23774:19207/leave = 100:81

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920	55°54'43"	2°40'20"	Gifford	3m.	W.	Garwold.	1.2m. N.N.E.



RAINFALL at Garswald (Thorley Reservoir)

County of Haddington

Observer J. C. Miller, Esq. B.E.

River Basin E. coast streams.

M<sup>r</sup> Andrew Robertson. (1925)

(1926) N.O. Rain Gauge, by \_\_\_\_\_

Diameter ...	5"					5	6"		5		
Height .....	1.0						1'				
Altitude ...	700		715				700'				
Year .....	1920	1921	1922	1923	1924	(1925)	(1926)	1927	1928	1929	1930. MEANS.
January ...	3.10	2.80	1.80			2.10	1.25	2.50	3.77	.80	4.27
February ...	2.00	1.65	1.20			1.50	2.70	.73	1.76	.57	1.00
March .....	2.50	1.10	1.50			.75	1.70	2.60	2.75	.13	1.93
April .....	2.25	.50	1.86			1.40	3.60	.98	1.08	1.66	1.55
May .....	2.53	1.30	.50			1.90	3.00	1.92	1.12	1.68	1.08
June .....	0.53	.50	1.10?			3.00	.50	2.85	4.80	1.90	1.30
July .....	3.53	1.00	3.40			3.40	2.10	4.04	1.81	2.30	5.08
August .....	4.90	3.40	2.20			1.10	2.60	6.18	4.20	4.38	6.08
September...	1.10	1.50	1.60?			3.80	3.60	6.72	1.80	.12	4.57
October .....	1.30	2.70	4.00			3.62	1.30	3.58	3.76	2.90	2.32
November...	1.80	1.50	.50?			3.25	.80	2.78	4.03	3.88	4.50
December...	3.00	1.15	1.10?			1.08	2.30	3.72	2.15	4.50	2.40
TOTALS...	28.45	19.10	20.76			26.90	25.45	38.60	33.03	24.82	36.08

1920 objects near gauge - "none".

1925, low. n.p.  
1926. The old float type of gauge has been replaced by type A. which will be used in future.  
Site inspected by Dr. Glassford 18.9.29

N.B. Annual values rejected from Survey Map. 1929.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920.	55° 55' 5"	2° 27' 33"	Gifford.	4 1/2 m	W.	Garswald.	1 mi	N.W.



RAINFALL at Barness LighthouseCounty of HaddingtonObserver Board of Northern Lights.5<sup>th</sup> River Basin

3 E. coast streams.

1926.

Rain Gauge, by \_\_\_\_\_



Diameter ...											
Height .....											
Altitude ...	120										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...	1.67	2.67	1.68	.68	1.10	.56	(2.26)	1.73	2.05	1.22	1.49
February ...	1.21	.50	1.95	2.17	.53	2.58	2.08	.34	1.25	.85	1.11
March .....	2.31	1.16	1.14	1.02	.42	1.98	.56	1.31	1.98	.16	1.88
April .....	1.42	.39	1.41	1.59	.32	1.93	1.26	1.15	.60	1.82	.86
May .....	2.74	.87	.36	1.18	4.04	2.93	1.48	1.64	.70	1.15	.26
June .....	.30	.26	1.23	.74	1.29	.35	1.81	1.86	3.71	1.31	.93
July .....	1.77	1.58	2.91	2.72?	3.14	2.27	3.11	2.15	1.59	2.40	4.19
August .....	3.92	3.15	1.34	3.04?	1.55	1.95	1.23	4.71	3.26	3.39	3.63
September...	.86	1.75	1.77	1.33	2.86	3.47	3.57	4.40	1.39	.16	3.70
October .....	.92	2.78	2.38	1.59	3.59	1.22	3.40	1.96	1.81	2.26	1.80
November...	1.26	1.30	.58	2.02	1.18	.95	2.35	1.90	2.86	2.57	1.87
December...	3.00	1.19	1.57	2.31	1.80	1.92	.25	1.98	1.32	2.54	.81
TOTALS...	21.38	17.60	18.32	20.39?	21.82	22.11	(23.36)	25.13?	22.52?	19.83	22.53

1926. Jan. cond. by maps.

Catechism 1926 S. in garden. Wall 2ft. 6 in. high 9 yds to W  
 opens to E, house 15ft. high 13 yds N, building 13ft. high 7½ yds SSE,  
 wall 4ft 6 in high 18 yds S.  
 S. as sketch above.

N.B. Annual values rejected from Survey Map. 1929

Position of Station on reduced Ordnance Survey  
 Map, 2 miles to 1 inch Series

No. of Map \_\_\_\_\_

Reference No. \_\_\_\_\_

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction



RAINFALL at Dunbar, Belhaven Hill.

County of Haddington Observer W. E. Graham

River Basin 8 Coast Streams 3

Rain Gauge, by \_\_\_\_\_

Diameter ...											
Height .....											
Altitude ...											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...					(1.75)	1.15	2.25	1.58	2.63	1.03	1.19
February ...					.75	3.16	2.67	.88	1.64	1.07	1.62
March .....					.62	2.17	.68	1.80	2.64	.25	2.05
April.....					.48	2.11	1.45	1.06	.81	1.54	.79
May .....				#	1.49	4.47	3.30	2.30	1.67	1.32	1.29
June .....					.94	1.49	.94	2.44	2.87	4.22	1.51
July .....					1.28	3.92	2.42	4.31	2.80	2.11	1.92
August .....					3.71	2.00	1.98	1.91	5.70	3.22	3.81
September...					1.26	3.16	3.93	4.22	5.58	1.55	.19
October.....					1.68	3.93	1.42	3.49	3.05	2.26	2.04
November...					2.68	1.53	1.46	3.02	2.38	2.69	2.43
December...						2.15	2.40	.52	2.99	1.52	3.00
TOTALS...				imp	(26.25) d.	26.44 d.	29.26 d.	32.36 D	26.61 D	20.08 D.	25.66 D.

1923. Dec. mislaid by Ob.  
1924. Jan. sold. Obs. lost record.  
1925. Monthly totals good.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map _____		Reference No. _____	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge



RAINFALL at Summit Hills (Horseshill Res.) B.

County of Haddington

Observer J. Ross, Esq. F.R.S.

River Basin 4 Type 1c.

See page A.  
from March  
and 1919 Oct.

Rain Gauge, by \_\_\_\_\_

(1926) Snowden

Diameter ...	5"	4	5			5"					
Height .....	1.0	2.0				1'					
Altitude ...	950					950'					
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.
January ...	3.00	4.32	1.90	1.98	2.05	4.32	4.97	2.35	4.35	1.00	2.56
February ...	1.90	2.40	2.41	4.92	.98	5.08	(2.26)	.95	2.12	.60	1.80
March .....	2.95	2.34	2.53	1.49	.53	3.18	2.60	2.94	3.17	.28	2.38
April .....	3.30	1.49	3.29	2.08	1.04	2.78	2.50	1.34	1.08	1.98	2.42
May .....	1.82	2.15	.69	3.65	4.88	3.57	2.97	1.69	2.10	2.63	1.78
June .....	1.10	.63	1.83	1.11	2.01	1.15	4.71	2.87	6.73	3.31	1.51
July .....	3.53	2.16	3.78	2.08	4.74	2.03	4.96	3.66	1.84	2.28	5.25
August .....	5.57	5.31	2.28	4.66	4.45	3.06	1.62	9.47	5.73	5.46	7.72
September...	1.36	1.57	2.31	2.65	4.77	5.34	4.29	7.55	2.51	.29	3.85
October .....	2.30	3.85	5.24	3.48	3.30	2.62	3.82	3.00	4.51	3.39	4.80
November...	2.62	2.45	1.27	3.92	4.93	1.25	4.83	3.80	3.75	3.89	3.11
December...	3.60	2.11	2.97	3.70	3.80	3.51	(.97)	3.12	2.42	4.50	2.14
TOTALS...	33.02	30.78	30.50	35.72	37.48	37.89	40.50	42.74	40.31	29.61	39.32.

1920. fence 3 ft. off. — on open hill  
1921. May & June corrected by maps.  
1926. Feb. & Dec. adjusted by surrounding stations.

Position of Station on reduced Ordnance Survey } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_  
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1920	56° 50' 40"	2° 48' W	Stumble	2 1/4 m.	N.N.W.	Stumble	2 1/2 m.	N.N.W.



RAINFALL at Lammesmoor Hills (Hobbs Hill Reservoir)

County of Huddersfield

Observer J. Ross, Esq. C.E.

A.  
2

River Basin 4 Fre & C.

See Appendix  
for: the C.  
(1926) Snarwood

Rain Gauge, by \_\_\_\_\_

Diameter ...	5"	4	5			5"					
Height .....	1.0	2.0				1'					
Altitude ...	998					998'					
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.
January ...	1.85	3.21	1.46	1.27	(1.84)	2.68	3.59	1.62	3.06	.63	1.92
February ...	1.36	1.67	1.67	3.41	.80	3.31		.87	1.28	.40	1.27
March .....	2.15	1.81	2.04	1.21	.47	2.76	1.75	2.61	2.46	.21	2.22
April .....	2.59	.92	2.75	1.74	.82	2.43	1.98	1.09	.84	1.70	1.96
May .....	2.51	1.41	.55	3.18	4.64	3.21	2.57	1.54	1.95	2.20	1.26
June .....	1.18	.72	1.88	0.95	1.65	1.00	4.20	2.60	5.93	2.65	1.39
July .....	3.57	1.91	3.58	1.77	4.10	1.90	4.51	2.68	1.74	1.73	4.87
August .....	5.12	4.57	2.05	3.84	4.07	2.69	1.36	8.68	5.61	5.12	6.88
September...	1.15	1.28	2.16	2.09	4.38	5.10	4.15	7.24	2.25	.20	3.17
October .....	2.08	3.72	4.67	2.93	2.80	2.10	3.06	2.53	3.67	2.98	4.02
November...	1.81	2.03	1.16	3.12	4.49	1.05	2.87	3.12	3.21	2.80	2.70
December...	3.01	2.05	2.31	3.08	(3.54)	2.50		2.80	2.11	3.20	1.90.
TOTALS...	28.38	25.30	26.28	28.62	(33.60)	30.73		37.38	34.11	23.82?	33.56?

1920 open free 3" 4 ft. off surrounding gauge  
1924. Jan & Dec. corrected by own obs. May & June adjusted by maps.  
1925. n.p. low.  
1926. Feb. & Dec. of no value, too low. not printed.  
1930. No action yet, re. inspection, decided to print with ?

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map .....		Reference No. ....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1920.	55° 51'	2° 48' W.	Humble	2 1/4 m.	N.W.W.	Humble	2 1/2 m. N.W.W.



RAINFALL at Sammermuir H. Sammer Loch

County of East Lothian Observer J. Ross

River Basin Tyne & Co. L. W. Supt.

(1926) Snawdon Rain Gauge, by \_\_\_\_\_

Diameter ...				5							
Height .....				1.0							
Altitude ...				900							
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...				1.52	1.60	2.76	2.70	2.00			
February ...				3.32	.80	3.98	1.42	.58			
March .....				2.50	.45	3.57	1.10	2.45			
April.....				1.65	.50	2.30	2.24	1.04			
May .....				2.30	4.81	3.40	3.15	1.57			
June .....				0.98	1.50	1.30	3.24	1.87			
July .....				1.02	4.35	1.85	3.47	2.13			
August .....				2.17	4.20	3.22	1.40	5.48			
September...				1.92	3.41	4.54	3.49	7.28			
October.....				3.10	3.60	2.83	4.06	2.71			
November...				(4.33)	(4.50)	.95	3.05	2.74			
December...				(4.10)	3.89	2.67		1.87			
TOTALS...				(28.91)	(33.61)	33.37		31.72	N.R.	#	

1923. Corrected for snow. Wire fence 4' high 14ft. dist.  
1924. Nov. corrected by sur. strs. May & June corrected by maps.  
1925 n.p. low  
1926. December of no value, too low, not printed.  
1927. Not Published

N.B. Annual values rejected from Survey Map. 1929.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1923	55°57'45"	2°46'20"	Humbie	2.4 mi	N.W.	Humbie	3.4 mi	W.



RAINFALL at Lammerloch Reservoir

County of Haddington Observer J. Ross Esq.

River Basin Lyne & C H Water Supt E. Pothman W.Bd.

N.O.                      Rain Gauge, by                     

New Gauge											
Diameter ...								5			
Height .....								1.0			
Altitude ...								900			
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...								2.30	4.83	.93	2.58
February ...								.95	1.66	.64	1.80
March .....								2.90	2.90	.26	2.31
April .....								1.14	1.23	.89	2.36
May .....								1.77	1.54	2.14	1.22
June .....								2.05	4.42	2.75	1.35
July .....								2.34	1.33	2.24	4.95
August .....								6.17	6.31	5.89	6.73
September...								7.82	2.21	.30	4.43
October .....								3.18	4.32	3.18	4.44
November...								3.56	3.63	4.04	3.13
December...								3.22	2.19	5.64	3.10
TOTALS...								37.40	36.57	28.40	38.40

Heather  
1930. wire fence 8' to S.

N.B. Annual values rejected from Survey Map. 1929

Position of Station on reduced Ordnance Survey } No. of Map                      Reference No.  
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1927			Humbie	2.4 mi	N.W.	Humbie	3.4 mi	W.



RAINFALL at Stobshiel Fillerb

County of Haddington

Observer J. Ross Esq.

River Basin Tyne & C 4

Water Supt E. Pollock Esq.

Snodden Rain Gauge, by \_\_\_\_\_

\_\_\_\_\_

Diameter ...								5			
Height .....								1.0			
Altitude ...								650			
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS
January ...								2.23	4.23	.84	2.33
February ...								.85	2.01	.68	1.42
March .....								2.78	2.79	.22	2.01
April .....								1.20	.85	1.35	1.30
May .....								1.59	1.02	1.68	.84
June .....								2.99	3.45	2.10	1.10
July .....								3.35	1.68	1.09	2.73
August .....								6.01	5.56	4.24	5.45
September...								7.68	2.33	.20	3.04
October .....								3.42	2.83	2.31	2.29
November...								2.78	2.49	2.50	3.64
December...								3.37	2.09	4.91	1.99.
TOTALS...								38.25	31.33?	22.12?	28.14?
								D	d	D.	D.

1927 Brick Filler House 25 ft. high 35 ft. W.  
1930 Year appears about 10" low i.e. printed with?

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map .....		Reference No. ....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge
1927			Humble	1 mi 27.	N.W.	Humble	2 mi. 27. W.



RAINFALL at Public School, Haddington

County of Haddington Observer Alce. Burnett Esq.

River Basin Tyne & Co 4

Rain Gauge, by \_\_\_\_\_

Diameter ...				5							
Height .....				1							
Altitude ...				170							
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...				.85	1.70	1.57					
February ...				2.45	.60	2.99					
March .....				.71	.69	3.08					
April.....				2.28	.57	3.36					
May .....				2.40	4.16	#					
June .....				.82	1.67						
July .....				1.60	(3.70)						
August .....				3.73	(2.40)						
September...				1.61	3.42						
October.....				1.66	3.36						
November...				2.84	1.16						
December...				2.63	1.86						
TOTALS...				23.58	25.30						

1923. Record kept weekly, - Months during vacations.

1924. July & Aug. appertained.

1925. Record interrupted on retirement of A. Burnett - no reply to various letters to his successor until 27.5.26 when he (R. Bonline, Esq.) hopes to resume shortly.

N.B. Annual values rejected from Survey Map. 1929.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1924.	55° 57'	2° 46'	Haddington	400 yds	N.W.	Parish Church.	600 yds	S.E.







RAINFALL at Buckenbury (Houses).

County of Haddington Observer H. J. Rattray.

River Basin 4 Type C.

Shawdon Rain Gauge, by N.E.G.

Diameter ...	5										
Height .....	1.0										
Altitude ...	78										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	2.13	3.77	2.08	.88	1.98						
February ...	1.53	.38	1.99	3.52	.74						
March .....	2.18	1.58	1.70	.66	.53						
April .....	1.72	.93	1.81	1.87	.57						
May .....	2.61	2.04	.59	1.92	5.03						
June .....	0.28	.58	1.81	.91	1.62						
July .....	2.57	1.80	3.26	1.42	4.42						
August .....	5.26	4.71	1.66	3.93	3.12						
September...	1.11	1.58	2.23	1.63	3.32						
October .....	1.67	3.29	2.63	1.67	3.68						
November...	1.82	1.68	.83	3.17	1.49						
December...	2.94	1.78	1.62	2.83	2.13	9/10 E. volume.					
TOTALS...	25.76	24.12	22.21	24.43	28.63	#					

1920. 3rd yr 3 ft. 12 ft. off. S. & N.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series					No. of Map .....		Reference No. ....	
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1920	56° 0'	2° 30' W.	East Linton	1 1/2 m.	W.	Buckenbury	2 m.	W.



## Rain Gauge, by .....

1929 July estimated, no observations taken.

*Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series*

No. of Map.....

Reference No.....

[illegible]



RAINFALL at East Fortune Sanatorium

County of Haddington Observer W. E. Morgan, Clerk of Works

River Basin 5. Firth of Forth

Snowdon Rain Gauge, by \_\_\_\_\_

Diameter ...						5"					
Height .....						1' 4"					
Altitude ...						101' 13"					
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS.
January ...							2.27	1.41	2.66	.63	2.07
February ...							1.96	.78	1.59	.76	1.43
March .....							.58	1.62	1.40	.22	2.00
April .....							1.52	.99	.56	1.86	1.00
May .....							2.45	1.72	1.24	1.52	1.01
June .....							2.78	2.60	4.49	1.86	1.36
July .....						# 1.44	3.69	3.06	2.17	2.34	3.68
August .....						2.33	1.79	6.21	4.16	4.31	5.69
September...						4.23	4.58	6.02	2.30	.14	3.72
October .....						1.23	3.48	2.37	2.58	2.00	1.92
November...						1.08	2.61	1.98	2.40	2.35	2.83
December...	G from Knowes, Haddington					2.74	.27	2.86	1.40	2.14	.96
TOTALS...						-	27.98	31.62	26.95	20.13	27.67
							D	D	D	D	D

1925, No register until 9<sup>th</sup> June.  
wooden hut. 12 ft high. 36 ft. N  
Stevenson Screen. 4 ft. 6 in " 12. " N. N. E.

Position of Station on reduced Ordnance Survey } No. of Map \_\_\_\_\_ Reference No. \_\_\_\_\_  
Map, 2 miles to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1925	56° 0' 20"	2° 43' 15" W.	E. Fortune	1/2 m.	E.	Athelstanford.	1 1/4 m.	S.S. W.



RAINFALL at Gullane (The Warren).

County of Haddington Observer Miss E. M. Meek.

River Basin 5 Firth of Forth

M. O. Patton Rain Gauge, by N. & S.

Diameter ...	8										
Height .....	1.0										
Altitude ...	115										
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	2.07	3.84									
February ...	1.66	.12									
March .....	1.76	1.75									
April .....	1.45	1.02									
May .....	2.71	1.75									
June .....	.74	.55									
July .....	2.50	2.25									
August .....	2.87	3.75									
September...	1.28	1.35									
October .....	.92	3.78									
November...	1.19	1.90									
December...	2.17	2.55									
TOTALS...	22.32	24.61	-								

1920. Corrected by  
S. M. L. S.  
1920. House 36 ft. 11 1/2 ft. East  
Stee. 16 ft. 5 1/2 ft. West.

Position of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series				No. of Map.....		Reference No.....		
Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920.			Gullane	1 m.	E.	St. Established	1/2 m.	S.E.



RAINFALL at North Berwick Reservoir.

County of Haddington Observer J. C. Milley, Esq. C.E.

River Basin 5 Firth of Forth. A Robertson Esq C.E. 1924

Shawdon Rain Gauge, by Boro Surveyor N<sup>th</sup> Berwick

Diameter ...	5											
Height .....	1.6											
Altitude ...	150											
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.	SUMS
January ...	1.78	3.71	1.83	.94	1.87	1.17	2.61	1.33	2.78	.90	1.69	20.61
February ...	1.67	.30	2.12	2.83	.78	3.42	2.42	.98	1.31	1.24	1.85	18.40
March .....	1.88	1.78	1.58	.57	.66	2.15	1.17	1.74	1.78	.34	1.78	15.43
April .....	1.48	.72	1.93	1.98	.76	2.24	1.66	.70	.64	1.91	1.25	15.27
May .....	2.86	1.71	.70	1.59	4.46	3.44	2.25	1.57	1.30	2.05	.86	22.79
June .....	.69	.57	1.88	.96	1.69	.70	2.86	2.23	4.35	1.93	1.60	19.46
July .....	2.34	2.19	2.74	1.15	4.00	1.42	3.61	2.34	1.93	2.46	4.01	28.19
August .....	4.34	4.17	1.44	4.17	2.55	2.29	1.95	6.10	4.27	4.43	4.70	40.41
September...	1.20	1.39	2.18	2.29	4.07	4.42	4.25	5.51	2.25	.28	3.33	31.17
October .....	.90	3.43	1.95	1.32	3.78	1.24	3.65	3.01	2.74	2.25	1.88	26.15
November...	1.86	1.96	1.06	2.32	1.50	.92	2.69	1.89	2.48	2.42	3.07	22.17
December...	2.38	2.02	1.63	2.66	1.68	2.42	.38	2.77	1.79	2.37	1.27	21.37
TOTALS...	23.38	23.95	21.04	22.78	27.80	25.83	29.50	30.17	27.62	22.58	26.79	281.44
	D	D	D	D	D	D	D	D	D	D	D	

1920. No objects within 50 yds.

Site inspected by St. Klamphole 18.9.29.

Position of Station on reduced Ordnance Survey } No. of Map  
Map, 2 miles to 1 inch Series

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1922	56° 4' 7"	2° 47' 37"	North Berwick	4300 yds	NW	North Berwick	4030 yds	N/VW.



RAINFALL at North Berwick Hospital

County of Haddington

Observer J. H. R. Black for J. G. Miller

River Basin Firth of Forth - 5.

a Robertson Esq. C. E. 1924.

Rain Gauge, by

Boro Surveyor N. Berwick

Diameter ...				5							
Height .....				1-0							
Altitude ...			152	153							
Year .....	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 MEANS
January ...				.74	2.06	1.07	2.38	1.25	2.85	.79	1.84
February ...				2.45	.73	3.28	2.17	.97	1.26	1.03	1.30
March .....				.48	.57	2.06	.99	1.57	1.39	.32	1.84
April .....				2.00	.81	2.10	1.35	.59	.49	1.82	1.05
May .....				1.35	4.42	3.29	2.28	1.57	1.21	1.74	.83
June .....			#	.81	1.74	.66	2.64	1.94	3.78	1.69	1.49
July .....			2.67	1.08	3.89	1.30	3.58	2.12	1.74	2.20	3.74
August .....			1.53	4.09	2.37	2.25	1.85	5.72	3.78	4.27	4.84
September...			2.13	2.30	3.52	4.13	3.80	5.40	2.14	.26	3.03
October .....			2.34	1.30	3.67	1.25	3.52	2.83	2.67	2.19	1.91
November...			1.00	2.27	1.47	.90	2.76	1.86	2.41	2.49	2.92
December...			1.61	2.78	1.59	2.60	.34	2.80	1.75	2.29	1.26.
TOTALS...			imp	21.66	26.84	24.89	27.66	28.62	25.47	21.09	26.05
			D	D	D	D	D	D	D	D	D

Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge



Observer. Bd. of Northern Lights.

*Rain Gauge, by*

Reference No. ....



