

SECRET

# THE DAILY WEATHER REPORT

BRITISH SECTION

1st January to 31st March,

1942



AIR MINISTRY, METEOROLOGICAL OFFICE,  
LONDON, W.C.2

# INTRODUCTION

The Daily Weather Report has been issued in three sections since April 1st, 1919, the British and International Sections consisting of four pages and the Upper Air Section of two pages. On 1st January, 1942, all three sections were modified. The International Section was reduced to two pages of charts supplemented at eight-day intervals by a four page tabular statement of foreign observations. The Upper Air Section was increased to four pages giving two pages of charts and diagrams and two pages of observations in tabular form. The British Section of which this forms the Introduction was modified by increasing the scale of the chart on page 2 so that it occupies the whole page, and in consequence the weather forecasts have been transferred to the front page and the table of auxiliary reports to the back page. The various codes which were formerly given on pages 1 and 4 are now incorporated in this Introduction. The increased scale of the chart on page 2 makes it possible to show the observations from a selection of stations in full, the data being set out in accordance with the "station model" adopted by the International Meteorological Conference at Warsaw in September, 1935.

On pp. 1 and 4 two tables of observations taken generally at 13h. and 18h. G.M.T. of "yesterday," and at 1h. and 7h. G.M.T. of "to-day" from about 45 stations in the British Isles, which regularly report to the Meteorological Office, and of the weather in the intervening intervals. These observations are telegraphed in a figure and letter code. The stations are arranged according to Forecast Districts as described at the foot of p. 1 of the report, and also on p. 4 of this Introduction. Whenever it is possible to do so without occupying too much space, the decoded values are set out in full in the table; in other cases, code figures are entered; these are interpreted by reference first to the number printed at the head of the column, and then to the Explanation printed below, where the column numbers are shown in connexion with each of the separate classes of observation. Observations in abridged form for a further selection of stations are printed on the lower part of page 4, and can be interpreted by reference at the head of the columns and to the explanation below.

## Barometric Tendency—(Columns 2 and 17)

The Barometric tendency is expressed in tenths of a millibar.

## Code for wind direction (DD)

Abridged observations (page 4).

Code Number	Direction	Number	Direction
00	Calm	16	S
01	N by E	17	S by W
02	NNNE	18	SSW
03	NE by N	19	SW by S
04	NE	20	SW
05	NE by E	21	SW by W
06	ENE	22	WSW
07	E by N	23	W by S
08	E	24	W
09	E by S	25	W by N
10	ESE	26	WNW
11	SE by E	27	NW by W
12	SE	28	NW
13	SE by S	29	NW by N
14	SSE	30	NNW
15	S by E	31	N by W
		32	N

Note 33 is added to DD to denote unusual gustiness, and 67 is added if a definite squall or line squall has occurred during the preceding hour.

## Code for Height above ground of base of cloud (h) Abridged reports (page 4).

0	... 0	— 150 feet
1	... 150—300	"
2	... 300—600	"
3	... 600—1,000	"
4	... 1,000—2,000	"
5	... 2,000—3,000	"
6	... 3,000—5,000	"
7	... 5,000—6,500	"
8	... 6,500—8,000	"
9	... above 8,000 feet or no low cloud	

## Code for cloud amount (Nh and N).

0	... 0	7	... More than 9 but with openings.
1	... Trace.	8	... 10 tenths.
2	... 1 tenth.	9	... Sky obscured by fog, dust storm or other phenomenon.
3	... 2, 3 tenths.		
4	... 4, 5, 6 tenths.		
5	... 7, 8 tenths.		
6	... 9 tenths.		

## Code for state of ground (E)—Column 31.

0	... Ground dry.	7	... Ground covered with snow, less than 6 ins. deep but ground not frozen.
1	... wet.	8	... covered with snow, less than 6 ins. deep but ground frozen.
2	... flooded.		
3	... frozen hard and dry.		
4	... partly covered with snow or hail.	9	... covered with snow greater than 6 ins. deep.
5	... covered with ice or glazed frost.		Fresh snow has fallen on the mountains.
6	... covered with thawing snow.		

## THE BEAUFORT SCALE OF WIND FORCE [F] Columns 4, 19

Beaufort Number	Admiral Beaufort's General Description of Wind.	Specification for use on Land, based on observations made at British Land Stations.	Limits of Mean Velocities Statute Miles per Hour as recorded by well exposed anemometers about 30 to 40 feet above ground.
0	Calm ...	Calm; smoke rising vertically...	Less than 1
1	Light air ...	Direction of wind shown by smoke drift	1-3
2	Slight breeze ...	Wind felt on face; leaves rustle	4-7
3	Gentle breeze ...	Leaves and small twigs in constant motion; wind extends light flag	8-12
4	Moderate breeze ...	Raises dust and loose paper; small branches are moved	13-18
5	Fresh breeze ...	Small trees in leaf begin to sway; crested wavelets on inland waters...	19-24
6	Strong breeze ...	Large branches in motion; whistling heard in telegraph wires	25-31
7	Moderate gale ...	Whole trees in motion; inconvenience felt when walking against wind ...	32-38
8	Fresh gale ...	Breaks twigs off trees; generally impedes progress...	39-46
9	Strong gale ...	Slight structural damage occurs (chimney pots and slates removed) ...	47-54
10	Whole gale ...	Seldom experienced inland; trees uprooted...	55-63
11	Storm ...	Very rarely experienced; accompanied by widespread damage	64-75
12	Hurricane ...	...	Above 75

## Form of Low Cloud (Cl) — Columns 10, 25

- 0 No low cloud.
- 1 Fair weather Cu.
- 2 Large Cu without anvil.
- 3 Cb.
- 4 Sc formed by the spreading out of Cu.
- 5 Layer of St or Sc.
- 6 Ragged low clouds of bad weather (or fractonimbus).
- 7 Fair weather Cu and Sc.
- 8 Large-Cu (or Cb) and Sc.
- 9 Large-Cu (or Cb) and ragged low clouds of bad weather.

## Form of Medium Cloud (Cm) — Columns 11, 26

- 0 No medium cloud.
- 1 Typical As (thin).
- 2 Typical As (thick) (sun or moon invisible), or (Ns)
- 3 Single layer of Ac or high Sc.
- 4 Ac in isolated patches. Individually decreasing (often lenticular).
- 5 Ac in bands (increasing).
- 6 Ac formed from the spreading out of Cu.
- 7 Ac associated with As or As with parts resembling Ac.
- 8 Ac Castellatus (or Ac in ragged fragments).
- 9 Ac in several layers generally associated with fibrous veils and a chaotic appearance of the sky.

## Cloud Form Abbreviations

Cirrus,—Ci:	Stratocumulus,—Sc:
Cirrocumulus,—Cc:	Stratus,—St:
Cirrostratus,—Cs:	Nimbostratus,—Ns:
Altocumulus,—Ac:	Cumulus,—Cu:
Altostratus,—As:	Cumulonimbus,—Cb:

## Cloud Amount — Columns 13, 14, 28, 29

Columns 13, 28. The figures in these columns indicate the amount of cloud at the height given in Columns 15, 30.  
Columns 14, 29. The figures in these columns indicate the total amount of all forms of cloud.

An entry "4-6" means that the cloud amount may be 4, 5 or 6 tenths; similarly for other grouped entries.

"tr" signifies a small amount of cloud (trace) covering less than 1/20 of the sky.

"q+" signifies an overcast sky with a few small openings.

## Form of High Cloud (Ch) — Columns 11, 27

- 0 No cirriform cloud.
- 1 Fine Ci not increasing: sparse.
- 2 Fine Ci not increasing: abundant but not a continuous layer.
- 3 Anvil Ci (usually dense).
- 4 Fine Ci increasing: usually in tufts.
- 5 Ci or Cs increasing: still below 45° altitude: often in polar bands.
- 6 Ci or Cs increasing and reaching above 45° altitude: often in polar bands.
- 7 Veil of Cs covering whole sky.
- 8 Cs not increasing and not covering whole sky.
- 9 Cs predominating, and a little ci.  
(Ci may occur with any of the types 1 to 8).

## Code for Horizontal Visibility (V) — Columns 9, 24

### Objects not visible at

- 0 Dense fog 55 yards
- 1 Thick fog 220 "
- 2 Fog 550 "
- 3 Moderate fog 1,100 "
- 4 Mist or haze 1 1/4 miles
- 5 Poor visibility 2 1/2 "
- 6 Moderate .. 6 1/4 "
- 7 Good .. 12 1/2 "
- 8 Very good .. 31 "
- 9 Excellent .. beyond 31m.

## Code for State of Sea (S) — Column 32

- 0 Calm—glassy. 5 Rough.
- 1 Calm—rippled. 6 Very rough.
- 2 Smooth. 7 High.
- 3 Slight. 8 Very high.
- 4 Moderate. 9 Phenomenal.

## Rainfall — Columns 36, 37

Tr: = rain has fallen, but amount less than 0.1 m.m.

## GALE WARNINGS\*

The Meteorological Office issues warnings to ports and fishing stations of gales on or near the coasts of the British Isles. When one of these notices has been received at a station a black canvas cone is hoisted. The signals remain hoisted after the receipt of a warning telegram until danger of a gale is passed.

The *North Cone* (point upwards) is hoisted for gales commencing from a Northerly point.

For gales commencing from East or West the *North Cone* will be hoisted if the gale is expected to change to a Northerly direction.

The districts to which warnings are sent are shown in the Report by the following symbols written on page 1 against the forecast districts to which they apply:

▲ North Cone hoisted:


▼ South Cone hoisted:

The time or times of issue of the gale warning telegrams is shown below the "further outlook" on page 1 of the Report.

\*Note.—The public issue of Gale Warnings is suspended for the duration of war.

The *South Cone* (point downwards) is hoisted for gales commencing from a Southerly point. Such gales often veer, sometimes as far as Northwest.

For gales commencing from East or West the *South Cone* will be hoisted if the gale is expected to change to a Southerly direction.





**SECRET**MONTHLY  
SUPPLEMENT,

Page 1.

AIR  
MINISTRY.

# THE DAILY WEATHER REPORT

OF THE METEOROLOGICAL OFFICE, LONDON


February 1942 No. 302

Dry and Dull, Persistently Cold, Particularly in Southeast England.

The month has been notable for its persistently cold character, temperature being below average every day without exception at several stations in the South and East of England. Mean temperature for the month was only 30.7°F at Dunstable, and 33.2°F at Kew, 8°F below normal.

The month opened unsettled with widespread snow in England, where temperature was well below freezing point, and occasional showers in Ireland; these conditions persisted until the 3rd when a thaw spread across England. This was short-lived, however, as pressure rose rapidly to north of the country, and cold air spread back from the Northeast, causing cold, dull, dry weather everywhere with temperature about freezing point day and night. By the 6th, however, milder air spread into Scotland, though cold weather with occasional snow showers persisted over England. Depressions developing between Scotland & Iceland moving southeast to the North Sea, dominated the weather of the second week, with unsettled conditions but some clear intervals. The last depression moved away eastwards on the 12th, and pressure rose considerably over the country as a strong ridge of high pressure spread in from the West, developing into a large anticyclone which covered the country by the 14th, and continued to dominate the weather of the British Isles for the next week. It commenced to move slowly north or northeast on the 16th, and as it receded, a cold easterly current from Europe became established in the South and subsequently over the entire country. From the 20th, the anticyclone decreased in intensity and its centre remained near Iceland so that cold, dull weather, with a few wintry showers chiefly in the East, continued. Weather became less settled in the North on the 25th, with a depression developing to west of Scotland, which subsequently moved northeast and pushed a ridge of high pressure slowly southeast over the country; and, by the end of the month, had cut off the easterly current which had persisted in the extreme Southeast, giving brighter weather there. Sunshine was deficient everywhere in the British Isles, except locally in Scotland; most stations in Southeast England recorded less than half the normal. Precipitation was much below average everywhere, especially in Southwest England. In the Southeastern half of England it fell almost entirely in the form of snow, and slight falls were reported on as many as eighteen days at several places in Southeast England. At Eskdalemuir in Scotland, the ground was covered with more than six inches of snow throughout the month. Ross-on-Wye reported an absolute drought by the 28th. Gales were rare, as was fog, but there was a frost practically every night inland in Great Britain, grass minima of 6°F being reported locally on the 27th.


Daily Rainfall at KEW Observatory.



● = less than 0.5 mm.


RAINFALL. Total for Month. 20 mm.

Daily Sunshine at KEW Observatory.



SUNSHINE. Total for Month. 35 hrs.

Daily Range of Temperature at KEW Observatory.




TEMPERATURE. The pecked curves indicate the maximum temperature recorded each day, and the minimum temperature each night throughout the month. The chain lines show normal values.

## MEAN VALUES FOR THE MONTH.\*

STATIONS.	PRESSURE		TEMPERATURE	
	Mean	Difference from average	Mean	Difference from average
Kew	1019.8	+3.8	44°	-7.9°
Aberdeen	1019.5	+8.3	33.2°	-5.1°
Valentia	1021.0	+7.6	34.6°	-2.3°
			44.8°	
			42.5	

\* Pressure—The mean is for the 24 hours. It is derived from values at 7 h. and 18 h. duly corrected.  
Temperature—mean of Max. and Min.

## WIND FREQUENCIES at 7 hr.



"RUN" of WIND, or total displacement of air relative to the anemographs.

	miles
Kew	6612
Aberdeen	...
Lerwick	11964
Valentia	...

SUMMARY OF RECORDS OF TEMPERATURE, LOW CLOUD, VISIBILITY,

DISTRICT.	STATIONS.	TEMPERATURE.												LOW CLOUD.						FOG, MIST and GOOD VISIBILITY.																				
		Number of daily readings within fixed limits.						Extremes—Warmest and Coldest.						Number of observations within fixed limits.			Number of observations within fixed limits.			Number of observations within fixed limits.		Number of observations within fixed limits.		Number of observations within fixed limits.																
		Maximum.			Minimum.			Days.			Nights.			7 h.		13 h.		7 h.		13 h.		7 h.		13 h.																
		32° or below.	33°-41°	42°-50°	51°-59°	Average Maximum.	23° or below.	24°-32°	33°-41°	42°-50°	Average Minimum.	Highest Max.	Date.	Lowest Max.	Date.	Highest Min.	Date.	Lowest Min.	Date.	Number of Ground Frosts.	Below 1,000 ft.	1,000-5,000 ft.	5,000-8,000 ft.	Below 1,000 ft.	1,000-5,000 ft.	5,000-8,000 ft.	Dense fog.	Thick fog.	Fog.	Mist.	Good Visibility.	Dense fog.	Thick fog.	Fog.	Mist.	Good Visibility.				
1	London (Kew Obsy).	6	19	3	0	45.5	1	22	5	0	36.6	46	12	30	7	39	13	23	22	24	1	26	0	0	24	0	0	0	2	1	1									
	Croydon ...	7	17	4	0	45.2	3	19	6	0	35.9	46	28	29	7	37	4	21	9	24	2	24	0	5	22	0	5	20	0	0	0	2	11	1						
	Thorney Island ...	1	20	7	0	45.7	2	21	5	0	37.6	47	15	31	8	40	4	19	23	24	2	25	1	3	24	0	2	21	0	0	0	2	3	3						
	Lympne ...	11	15	2	0	43.7	4	21	3	0	34.9	43	12	28	22	36	13	16	22	24	10	16	1	10	16	0	12	10	1	0	0	1	3	7						
2	Shoeburyness...	6	18	4	0	45.6	1	25	2	0	34.6	44	16	30	21	37	13	23	22	23	3	24	0	3	20	0	4	19	0	0	0	3	1	5						
	Gorleston ...	6	20	2	0	44.2	1	24	3	0	36.2	45	28	28	21	34	25	23	22	23	1	27	0	0	27	0	1	24	0	0	0	1	0	7						
	Cranwell ...	6	19	3	0	44.0	2	22	4	0	33.6	46	28	30	21	34	14	21	18	25	2	25	0	2	22	1	2	22	0	0	0	2	5	3						
3	Birmingham ... (Edgbaston)	7	17	4	0	43.4	2	24	2	0	35.1	46	3	29	21	35	13	20	27	25	8	15	0	5	20	0	4	18	0	0	1	11	9	0						
4	Ross-on-Wye...	4	16	8	0	45.4	5	18	4	1	35.8	50	3	28	20	43	4	16	27	24	6	17	0	6	18	0	6	16	0	0	0	0	5	7						
5	The Lizard ...	0	12	13	3	*	0	10	13	5	*	52.	2	33	23	48	2	28	23	*	0	28	0	0	28	0	0	28	0	0	0	0	0	21	0	0	0	0	24	
7	Holyhead (Valley) ...	* 5 Days missing.	9	13	1	45.6	1	14	10	3	39.9	51	3	36	21	44	4	23	8	18	3	21	0	1	23	0	2	23	0	0	0	1	4	13	0	0	0	1	15	
8	Chester (Sealand) ...	0	22	5	1	45.6	4	16	8	0	35.8	52	3	33	21	40	4	21	8	21	4	20	0	4	18	2	2	22	0	0	1	4	3	1	0	1	2	3	5	
10	Tynemouth ...	2	25	1	0	44.1	0	21	7	0	36.8	46	12	31	1	37	10	25	27	22	0	28	0	0	28	0	0	28	0	0	0	0	3	10	0	0	0	7	11	
11	Leuchars ...	0	22	6	0	44.0	0	20	8	0	34.4	46	12	34	21	37	12	25	25	20	3	25	0	1	23	1	2	23	0	0	0	1	2	10	0	0	0	0	11	
12	Renfrew ...	1	19	8	0	44.1	3	18	7	0	34.6	47	12	31	20	39	12	18	23	21	3	24	0	4	22	0	2	22	0	1	2	3	9	5	1	0	5	3	8	
	Eskdalemuir ...	4	24	0	0	41.1	11	15	2	0	31.5	41	12	30	21	33	12	13	20	24	11	15	0	10	17	0	7	18	0	0	0	1	0	9	0	0	0	2	17	
13B	Stornoway ...	0	7	21	0	44.7	0	7	21	0	37.1	48	3	36	13	41	15	29	19	19	*	2	26	0	0	28	0	0	28	0	0	0	0	0	26	0	0	0	0	25
15	Aberdeen ...	1	23	4	0	43.8	1	15	12	0	35.7	42	15	32	22	38	12	21	25	17	2	26	0	1	21	0	1	18	0	0	0	5	1	4	0	0	0	3	11	
18	Aldergrove ...	0	15	13	0	44.5	2	15	10	1	35.6	49	3	33	22	42	4	15	23	17	4	21	2	4	22	1	4	19	3	0	0	1	3	15	0	0	1	1	15	
19	Birr Castle ...	1	8	16	3	46.8	2	13	10	3	36.3	53	3	32	22	48	3	21	24	15	1	23	0	1	23	0	1	24	0	0	0	0	0	28	0	0	1	1	25	
20	Valentia (Cahirciveen) ...	0	4	20	4	48.5	1	3	15	9	41.1	51	12	35	22	49	2	22	24	7	2	25	0	3	23	1	2	26	0	0	0	1	0	22	0	0	0	0	23	

### UPPER AIR TEMPERATURE.

## UPPER WINDS.

No. of records of Velocity (km./hr.) within fixed limits.

Pressure mb.	Normal Height. Feet.	BIRCHAM NEWTON.			ALDERGROVE.			PENZANCE.			STATION. Metres.	LYMPNE.						PLYMOUTH (Mt. Batten).						HOLYHEAD (Valley).						RENFREW.						STATION. Metres.	
		Normal Temp. °F.	Mean. °F.	No. of Reports.	Mean. °F.	No. of Reports.	Mean. °F.	No. of Reports.	Mean. °F.	No. of Reports.		*No. of Obs.	6 to 25	26 to 50	51 to 75	76 to 100	Above 100	*No. of Obs.	6 to 25	26 to 50	51 to 75	76 to 100	Above 100	*No. of Obs.	6 to 25	26 to 50	51 to 75	76 to 100	Above 100	*No. of Obs.	6 to 25	26 to 50	51 to 75	76 to 100	Above 100		
												kilometres per hour.	*No. of Obs.	6 to 25	26 to 50	51 to 75	76 to 100	Above 100	*No. of Obs.	6 to 25	26 to 50	51 to 75	76 to 100	Above 100	*No. of Obs.	6 to 25	26 to 50	51 to 75	76 to 100	Above 100							
950	1770	36.4	26.3	56	33.0	56	33.5	28	500 above ground	40	6	21	11	2	0	16	0	5	5	5	1	16	5	8	0	0	0	27	22	5	0	0	0	500 above ground.			
850	4660	29.1	19.2	56	25.7	56	25.5	28	1000 above M.S.L.	30	6	19	5	0	0	13	0	1	4	7	1	9	3	6	0	0	0	17	14	3	0	0	0	1000 above M.S.L.			
750	7870	20.9	13.1	56	18.3	56	21.7	28	2000	"	8	2	5	0	1	0	5	0	0	3	1	1	2	1	1	0	0	0	1	0	1	0	0	0	2000	"	"
650	11460	9.2	3.6	56	8.8	56	11.0	28	3000	"	4	2	2	0	0	0	2	0	0	0	2	0	1	1	0	0	0	0	0	0	0	0	0	0	3000	"	"
550	15550	-4.5	-10.1	56	-6.0	56	-3.0	28	4000	"	1	0	1	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	4000	"	"

† The readings and averages used, are the maximum for the period 7 h.-18 h. and the minimum for the period 18 h.-7 h. Averages are for periods of at least 10 years (See M.O. 364).

\* Winds of 0-5 km/hr. are included in the number of observations.

METEOROLOGICAL OFFICE, AIR MINISTRY, KINGSWAY, LONDON, W.C.2.

N. K. JOHNSON, D.Sc., A.R.C.S., Director

# SUNSHINE, RAINFALL, AND HUMIDITY

February 1942.

Page 3.

DISTRICT.	STATIONS.	SUNSHINE.												RAINFALL.												Days with Thunder.	Days with Snow or Sleet.					
		Number of Days with Duration.				Maximum Duration.		Total for past 12 months.				Highest and Lowest Totals on record for Month.				Number of days with amount.				Maximum fall in 24 hours.		Highest and Lowest Totals on record for Month.										
		Nil.	0·1—3h.	3·1—6h.	6·1—9h.	Above 9h.	Hours.	Date.	Total for Month.	Difference from average.	First year of record.	Highest.	Year.	Lowest.	Year.	0, trace or 0·1 mm.	0·2—1 mm.	1·1—5 mm.	5·1—15 mm.	15·1—25 mm.	Above 25 mm.	mm.	Date.	Total for Month.	Difference from average.	First year of record.	Highest.	Year.	Lowest.	Year.		
1	London (Kew Obsy).	14	10	2	2	0	6·9	14	1329 -140	35 -26	1880	105 1939	23 1940	23	2	2	1	0	0	13	1	681	+75	20 -19	1856	105 1879	2	1855	0	13		
	Croydon	15	9	3	1	0	6·6	13	1416 -103	33 -29	1922	104 1939	27 1940	20	4	3	1	0	0	7	1	650	-29	17 -32	1921	118 1937	4	1921	0	18		
	Thorney Island	*	*	*	*	*	*	*	*	*	1941	*	*	*	*	23	1	3	1	0	0	12	1	*	*	16 -32	1941	133 1900	1	{1934	0	12
	Lympne	15	8	4	1	0	6·3	14	1641 -124	37 -47	1921	124 1928	30 1940	17	8	0	3	0	0	12	3	652	-72	31 -19	1920	121 1937	3	1934	0	18		
2	Shoeburyness	14	9	4	1	0	6·3	28	1437 -275	32 -45	1919	105 {1920 1939}	34 1940	20	6	0	2	0	0	9	3	455	-48	19 -12	1920	83 1937	4	1934	0	16		
	Gorleston	*	*	*	*	*	*	*	*	*	1908	113 1934	41 1931	14	12	1	1	0	0	8	3	561	-61	18 -20	1871	87 1916	4	1891	0	15		
	Cranwell	9	15	2	2	0	8·0	13	1348 -190	46 -24	1921	99 1934	28 1940	15	5	2	1	1	0	20	2	661	+71	36 -2	1917	89 1923	9	1921	0	18		
3	Birmingham (Edgbaston)	11	12	4	1	0	6·8	17	1122 -182	34 -23	1887	108 1887	9 1917	18	5	3	2	0	0	10	1	773	+59	27 -16	1893	149 1923	4	1921	0	15		
4	Ross-on-Wye	11	9	5	3	0	8·4	14	1337 -148	53 -16	1915	119 1934	18 1940	21	4	2	1	0	0	5	1	592	-125	11 -40	1859	170 1923	0	1891	0	8		
5	Falmouth (Observatory)	8	11	4	5	0	8·5	126	1701 -9	73 -7	1881	127 1909	43 1886	18	8	2	0	0	0	3	2	838	-269	7 -87	1871	229 1923	1	1932	0	1		
7	Holyhead (Valley)	*	*	*	*	*	*	*	*	*	1914	108 1930	36 1918	18	6	1	3	0	0	8	27	788	-99	27 -35	1871	152 1884	5	1932	0	4		
8	Chester (Sealand)	15	6	6	1	0	6·5	14	1291 -85	40 -22	1923	91 1933	36 1940	18	5	3	2	0	0	15	1	588	-50	37 -2	1922	124 1937	1	1932	0	12		
10	Tynemouth	*	*	*	*	*	*	*	*	*	1935	*	*	*	*	12	9	5	1	0	0	5	28	527	-94	22 -13	1915	155 1941	15	1934	0	11
11	Leuchars	8	11	4	5	0	8·7	25	1169 -301	69 -7	1922	108 1934	33 1923	14	3	8	3	0	0	7	2	632	-21	37 -8	1922	105 1941	2	1932	0	8		
12	Renfrew	13	10	5	0	0	4·2	25	1161 -32	32 -18	1921	83 1933	22 1923	15	7	3	2	1	0	21	2	881	-58	48 -34	1921	142 1939	1	1932	0	11		
	Eskdalemuir	9	10	5	4	0	8·4	16	1131 -70	61 -47	1910	106 1932	23 1918	13	4	7	2	2	0	24	2	1358	-71	73 -53	1910	242 1915	5	1932	0	15		
13B	Stornoway	8	15	4	1	0	9·0	19	1197 -18	49 -6	1881	91 1886	23 1903	12	4	7	3	2	0	23	26	896	-370	84 -29	1870	204 1898	15	1932	0	7		
15	Aberdeen	8	11	3	5	1	9·4	28	1144 -185	71 -41	1881	121 1898	33 1923	11	5	10	2	0	0	13	3	821	+73	51 -1	1871	130 1923	6	1891	0	13		
18	Aldergrove	10	11	4	3	0	8·7	125	1116 -181	58 0	1927	84 1932	33 1940	14	8	4	1	1	0	18	2	897	+59	47 -14	1926	105 1937	3	1932	0	9		
19	Birr Castle	10	11	4	3	0	7·0	25	*	*	52 -14	1881	102 1906	34 1929	16	8	2	2	0	0	10	28	721	-106	24 -34	1862	133 1925	4	1934	*	*	
20	Valentia (Cahirciveen)	*	*	*	*	*	*	*	*	*	*	1880	112 1930	29 1926	13	9	3	2	1	0	18	27	*	*	47 -85	1866	279 1914	11	1932	*	*	

## MINIMUM SURFACE HUMIDITY.



NO. OF DAYS (MDT. TO MDT.) WITH MINIMA BETWEEN FIXED LIMITS

STATIONS.	95 to 100%	90 to 94%	80 to 89%	70 to 79%	60 to 69%	50 to 59%	40 to 49%	30 to 39%	20 to 29%	10 to 19%	0 to 9%	STATIONS.	0	1	2	3	4	5	6	7	8	9	CODE for State of Ground.	
	%	%	%	%	%	%	%	%	%	%	%		0	1	2	3	4	5	6	7	8	9	0	1
London (Kew) ...	0	0	2	6	8	10	1																	

## PRESSURE: ICELAND TO GULF OF LIONS

February 1942

ISOPOLETHS BASED ON SIX-HOURLY OBSERVATIONS.



\* The diagram is obtained by drawing a line from Akureyri in Iceland to the south of France near Marseilles. The points at which the isobars drawn for 4 mb. pressure intervals intersect this line at 1h., 7h., 13h. and 18h. are plotted consecutively and joined to show the variation of pressure from day to day at any point in the line. The line terminates at Lat. 66° N., Long. 18° W., in the north; at Lat. 44 $\frac{1}{2}$ ° N., Long. 4° E., in the south.


SECRET

Sunday 1st February 1942

No. 29291

Page 1  
BRITISH  
SECTIONTHE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

OBSERVATIONS at 13h. G.M.T. 31st January														OBSERVATIONS at 18h. G.M.T. 31st January														PAST 24 HOURS.																											
District.	Station.	Barom. at M.S.L.		Wind. Change in 8 hours.		Wind. Dir. 0-12		Weather.		Temp. °F.		Humid. % Dew Point °F.		Visibilitv. 0-9		Cloud. Form. Low (10) Med. (11) High (12)				Amount. Low (0-10) Total (0-10)				Height of Base (feet)		Barom. at M.S.L.		Wind. Dir. 0-12		Weather.		Temp. °F.		Humid. % Dew Point °F.		Visibilitv. 0-9				Cloud. Form. Low (25) Med. (26) High (27)				Amount. Low (0-10) Total (0-10)		Height of Base (feet)		State of Ground		Sea 0-9 (31)	7h.-13h. 31st (32)	13h.-18h. 31st (31)	18h..31st (40)	1h..1st (41)	1h..7h. (42)
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(39)	(40)	(41)	(42)																		
1	London (Kew)	15.0	+40	N	4	Zo	35	75	26	6	5	-	-	94	97	2500	20.4	+26	N	3	Zo	33	68	246	5	-	-	94	94	4000	1	*	iddcZo	CZo	CZCmX	CSs, mX																			
	Croydon	4.0	+38	N	5	Zo	35	85	31	6	8	-	-	7-8	10	1500	19.7	+22	N'W	4	Zo	31	92	30	5	5	5	-	2-3	94	2500	1	*	ammd, do	ps, cm	Cm, oot	Og, Komes																		
	S. Farnborough	15.1	+38	N.W.	5	C	36	65	27	7	5	3	-	4-6	97	2000	20.7	+26	N'W	2	Zo	32	65	22	6	5	5	-	2-3	7-8	2000	1	*	modc	cba, cm	CSSM	ossf																		
	Boscombe Down	16.6	+34	N.E.	3	C	36	75	28	7	2	-	-	4-6	7-8	1500	21.0	+10	-	-	Zo	31	75	25	6	4	4	-	-	2-3	7-8	1500	1	*	sirs, m	cba, cm	Cm	cm																	
	Thorney Island	14.7	+40	N.E.	4	C	38	75	31	7	5	-	-	7-8	7-8	1500	20.1	+32	NW	3	Zo	32	75	24	6	4	4	-	-	2-3	7-8	1500	1	*	bed, d, m	cba, cm	bcm, m	Cm, ssm																	
	Lyminge	12.3	+34	NNW	5	Zo	35	85	30	6	3	-	-	4-6	4-6	1500	18.8	+38	N	3	Zo	31	92	29	6	5	6	-	7-8	94	1800	4	*	cm, o, ps	bep, sm	Cm	cm																		
	Manston	11.4	+32	N	6	Zo	35	75	29	6	5	-	-	7-8	7-8	2500	18.1	+36	N	4	Zo	32	75	27	6	5	6	-	4-6	9	2800	1	*	cm, sh, ss	Z, sh, ob, Z	CZ, m	Cm																		
2	Shoeburyness	13.5	+36	N	3	C	35	85	30	7	7	-	-	7-8	7-8	1200	19.2	+34	NNW	2	C	32	85	29	6	5	5	-	-	10	10	2500	1	*	cm, o, rc	cps, ps, cm	bcm, c, cm, b, m	cm, b, m																	
	Felixstowe	12.5	+36	N	4	ps	35	75	28	5	2	-	-	9	9	1600	18.6	+34	NNW	3	Zo	31	85	27	6	5	5	-	-	10	10	1600	3	3	oir, so	cps, sm	cm	cm																	
	Gorleston	13.1	+36	N.E.	5	C	34	85	30	7	3	-	-	7-8	7-8	1500	18.4	+24	N	4	Zo	32	85	28	6	5	5	-	-	10	10	1500	5	4	cpho	C	CZ	cm																	
	Mildenhall	14.4	+34	NNW	4	ps	33	92	31	5	5	-	-	94	10	2000	19.6	+26	NNW	4	Zo	31	85	27	6	5	7	-	-	4-6	10	2000	8	*	cm, s, so	cs, sm	cm	cm																	
	Cranwell	16.4	+30	NNW	4	Zo	33	85	29	6	5	-	-	10	10	1800	19.9	+14	NNW	3	Zo	30	85	25	6	5	1	-	-	2-3	94	3000	8	*	cm, sm, cm	bep, sm	cm, m	com, s																	
3	Birmingham	17.5	+28	N.W.	4	C	35	65	25	6	5	7	-	7-8	7-8	1500	21.1	+10	-	Zo	32	75	26	4	1	-	-	0	0	-	4	*	ad, c	cba, Z	b2	ossf																			
	Upper Heyford	15.3	+34	N	4	Zo	35	65	25	6	1	-	-	6-4	6-7	8200	20.5	+22	N	3	Zo	31	75	26	5	5	3	-	-	2-3	7-8	2500	1	*	cr, bc, Z	b2, cm	cm, sm	cm, ssf																	
4	Ross-on-Wye	17.5	+30	N	3	C	38	65	28	6	1	-	2	1	7-8	3000	20.6	+12	SW'W	1	Zo	34	75	29	5	5	1	-	7-8	94	2500	1	*	Poc, gd, C	CZ	ossr	cm																		
5	Hartland Point	18.4	+30	N	4	C	42	65	30	8	2	6	-	5	4-6	7-8	2000	21.2	+14	NNW	4	G	42	65	32	8	2	-	8	2-3	7-8	2000	1	4	cbc	C	rr, c	rr, c																	
	Bristol	17.5	+38	N	3	Zo	37	75	30	5	5	-	-	94	97	2000	21.3	+18	-	O	34	75	23	3	5	-	-	2-3	2-3	3000	1	*	cir, m, o	bz, bf	ossr, so	orr																			
	Portland Bill	15.8	+36	N	3	C	39	92	37	8	5	2	-	7-8	10	1500	21.0	+36	N	3	Zo	36	92	34	7	5	-	-	4-6	4-6	2500	1	4	co	cbe	bc	rr, ddm																		
	Plymouth	17.8	+30	N.W.	5	bc	45	65	34	8	8	1	-	6	4-6	7-8	2500	22.0	+22	N	2	m	41	85	3																														



# AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts

(The symbols used to indicate fronts are shown below).

**Warm Front.** The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.


**Cold Front.** The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin.

In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

**Occlusion.** The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

**Frontogenesis.** A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

**Frontolysis** is said to occur when a front is in process of dissolution.



## EXPLANATION OF CHART.

**BAROMETER:** Isobars are drawn for intervals of four millibars.

**WIND:** Arrows fly with wind. A full length feather indicates two steps on the Beaufort Scale, and a short feather one step. Calm is indicated by circle outside weather symbol: —○—

**TEMPERATURE** is given in degrees F.

**WEATHER SYMBOLS:** —○— Clear sky. ○ Sky less than 3/10 cloudy. ① Sky 4/10 to 6/10 cloudy. ② Sky 7/10 to 9/10 cloudy. ③ Overcast sky. ④ Rain falling. \* Snow. ☂ Sleet. △ Hail.

Fog = Mist. ⚭ Thunder. (T) Thunderstorm. ⚮ Slight haze. ☀

The hour of observation is not uniform throughout the Hemisphere; a chart showing the hours at which the observations are taken is contained in the Introduction.

**FRONTS** or boundaries between masses of air of different origin are indicated, wherever their characteristics are well pronounced in the following way—

—○— Warm Front on the Surface

—○— Warm Front above the ground

—△— Cold Front on the surface

—△— Cold Front above the ground

—○— Occluded Front (or Occlusion)

—△— Warm Occlusion

—○— Cold Occlusion

—○— Lines of Frontogenesis

Short strokes across the frontal line indicate

Frontolysis. (For explanation see page 3.)

NOTE.—The symbols are placed on the side of the line towards which the front is moving. When the front is stationary the symbols are placed alternately on both sides of the line.

All times are G.M.T. Add one hour to get summer time.

THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Sunday 1st February 1942  
No. 22221

District.	STATIONS.	OBSERVATIONS at 1 hr. G.M.T. 1st February												OBSERVATIONS at 7 hr. G.M.T. 1st February												PAST 24 HOURS.																		
		Height above M.S.L. in feet.	Barom. at M.S.L.	Wind.		Weather.	Cloud.			Form.	Amount.			Height of Base (feet)	Wind.	Cloud.			Form.	Amount.			Height of Base (feet)	State of Ground.	Sea.	TEMPERATURE.			RAINFALL.			SUM- SHINE 31st												
				Change in 3 hours.	Dir.		0-12	Force.	Weather.		Low.	Med.	High	0-10	Total 0-10	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)
1	London (Kew) ...	18	*	*	*	*	1	*	cF	30	*	*	*	*	*	*	*	*	*	*	*	17.4	-24	SSE	2	S <sub>o</sub> s <sub>o</sub>	29	97	29	4	-	2	-	10	10	2500	7	*	37	29	21	0.2	2	0.1
	Croydon ...	217	21.7	-4	SW	1	0	3	m	28	97	27	3	-	-	7	0	10	10	1	17.7	-28	S	3	S <sub>o</sub> s <sub>o</sub>	28	97	27	3	-	2	-	0	10	-	8	*	35	27	23	Tr	1	0.1	
	S. Farnborough ...	226	21.8	-6	-	0	2	15	m	25	85	26	4	-	-	7	0	10	10	1	17.2	-30	SSW	2	S <sub>o</sub> s <sub>o</sub>	29	97	28	4	-	1	-	10	10	1500	8	*	38	27	23	0.1	5	0.0	
	Boscombe Down ...	417	22.0	-6	SSW	2	15	3	m	30	92	28	6	-	-	7	0	10	10	1	15.7	-38	SSE	4	0.5	31	97	31	3	-	2	-	10	10	3000	7	*	37	28	26	Tr	5	1.3	
	Thorney Island ...	10	22.2	-6	W'N	2	15	3	m	29	92	27	4	-	-	7	0	10	10	1	17.2	-34	E'S	3	S <sub>o</sub> s <sub>o</sub>	33	92	31	4	-	2	-	10	10	800	8	*	39	29	24	-	3	*	
	Lymne ...	346	21.7	-2	WNW	1	1	20	m	29	85	27	6	5	-	-	10	10	4000	13.6	-16	-	0	Z <sub>o</sub>	29	92	28	5	15	1	-	10	10	3500	4	1	36	27	23	0.1	-	2.0		
	Manston ...	154	20.8	0	NW	1	20	20	m	31	85	27	6	5	-	-	10	10	3000	18.9	-14	-	0	Z <sub>o</sub>	29	97	29	5	1	2	-	0	10	-	3	*	37	29	24	0.1	-	1.2		
2	Shoeburyness ...	11	*	*	*	*	2	20	m	34	97	30	6	5	-	-	10	10	3500	19.0	-14	-	0	Z <sub>o</sub>	31	75	26	5	5	2	-	10	10	5000	3	*	37	28	24	0.3	-	1.6		
	Felixstowe ...	15	21.1	-2	NW	2	20	20	m	30	97	29	6	5	-	-	10	10	1500	13.5	-2	SW'W	1	Z <sub>o</sub>	30	85	27	6	5	2	-	10	10	1500	9	2	36	28	26	Tr	1	1.2		
	Gorleston ...	5	20.3	0	W'N	2	20	20	m	30	92	29	5	5	-	-	10	10	4000	18.2	-18	SE'E	2	Z <sub>o</sub>	29	92	27	5	1	2	-	0	10	-	8	*	35	28	25	0.2	-	0.0		
	Mildenhall ...	19	21.1	-2	SW	2	20	20	m	28	92	29	5	5	-	-	0	10	-	16.5	-18	SSE	3	S <sub>o</sub> s <sub>o</sub>	29	97	29	4	-	2	-	10	10	4000	8	*	35	27	24	Tr	1	1.0		
3	Birmingham ...	535	*	*	*	*	0	20	m	30	92	27	4	-	-	7	0	10	-	16.2	-22	S	3	SS	28	97	28	3	1	2	-	10	10	800	8	*	35	28	24	0.2	7	0.2		
4	Ross-on-Wye	223	*	*	*	*	*	*	m	30	92	27	4	-	-	7	0	10	-	12.6	-26	SW'W	2	Z <sub>o</sub>	34	97	33	6	-	2	-	10	10	300	7	*	38	31	31	Tr	5	0.3		
5	Hartland Point ...	299	19.4	-18	WSW	4	17	43	m	92	41	7	6	2	-	7-8	10	1500	15.1	-14	NNW	3	C	47	92	44	7	5	2	-	7-8	10	1500	1	4	43	42	39	-	4	4.2			
	Bristol ...	203	20.3	-18	SW	2	17	33	m	92	30	3	1	2	-	10	10	2000	13.0	-34	SW	3	Z <sub>o</sub>	38	97	37	5	-	2	-	10	10	1500	*	38	24	24	0.9	-	0.9				
	Portland Bill ...	32	20.5	-6	S	3	17	33	m	92	36	7	5	-	-	10	10	2500	14.2	-40	NNW	4	Z <sub>o</sub>	41	92	39	7	5	1	-	10	10	2500	1	4	41	35	*	+	6	*			
	Plymouth ...	82	21.5	-16	-	0	17	36	m	92	36	7	5	-	-	9	10	3500	16.4	-18	W'N	4	Z <sub>o</sub>	47	92	45	7	5	1	-	10	10	2500	1	3	45	36	30	-	3	0.4			
	The Lizard ...	240	22.1	-12	W'N	5	17	45	m	92	43	7	5	1	-	10	10	1000	17.9	-10	NNW	5	Z <sub>o</sub>	48	97	48	7	5	6	-	7-87-8	1500	1	5	46	39	*	+	1	5.3				
	Scilly (St. Mary's) ...	163	21.1	-18	WNW	4	17	47	m	97	46	8	5	2	-	7-8	10	1500	19.0	-10	NNW	5	Z <sub>o</sub>	48	92	46	8	5	3	-	4-6-9	1200	1	4	47	44	*	+	1	5.4				
6	Pembroke ...	142	18.2	-28	WSW	6	17	44																																				

~~SECRET~~

Monday 2nd February 1942

1942

No. 29292

Page 1 BRITISH SECTION

THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Monday 2nd February 1942

## DISTRICTS.

FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON, G.M.T. Monday 2nd February 1942.

- |                                |  |
|--------------------------------|--|
| 1 S.E. England                 | Light or moderate southeast wind, freshening later; dull, occasional snow or sleet; local fog; cold.                   |
| 2 E. England ...               |  |
| 3 E. Midlands ...              |  |
| 4 W. Midlands                  | Light variable winds becoming southeast moderate or fresh later; dull, occasional rain sleet or snow; local fog; cold. |
| 5 S.W. England                 |  |
| 6 South Wales                  |  |
| 7 North Wales                  | Moderate northwest wind backing west, fresh; dull, occasional rain or drizzle; rather mild.                            |
| 8 N.W. England                 |  |
| 9 N. Midlands ...              | Light variable winds becoming south moderate or fresh; dull; occasional rain or sleet; snow locally; local fog; cold.  |
| 10 N.E. England                |  |
| 11 S.E. Scotland               | Light southeast winds freshening later; dull, occasional rain, sleet or snow; local fog; mainly cold.                  |
| 12 S.W. Scotland & Isle of Man |  |
| 13A W. Scotland ...            | Light variable winds, becoming southeast moderate or fresh; dull; occasional rain; average temperature.                |
| 13B N.W. Scotland              |  |
| 14 Mid Scotland                | Moderate southeast wind freshening; dull; occasional rain, sleet or snow; cold.  |
| 15 N.E. Scotland               |  |

- |    |                       |
|----|-----------------------|
| 16 | Orkneys and Shetlands |
| 17 | N. W. Ireland         |
| 18 | N. E. Ireland         |
| 19 | S. E. Ireland         |
| 20 | S. W. Ireland         |

## GENERAL INFERENCE


An elongated trough of low pressure extends from Northwest Scotland to the Isle of Wight and a depression off Southwest Iceland is expected to move southeast. In eastern districts of England weather will be dull with occasional snow or sleet, but it will be cloudy and mild in West Wales and Southwest England. It will continue cold in the eastern half of Great Britain.

## FURTHER OUTLOOK

Wintery conditions probably continuing over the eastern half of Great Britain with further snow locally mild in the West.

Forecasts issued at 10.30, G.M.T.

N. K. JOHNSON, D.Sc., A.R.C.S., Director.  
Meteorological Office, Air Ministry, Kingsway, London, W.C.2



# AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

## Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).  
**Warm Front.** The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

**Cold Front.** The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

**Occlusion.** The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

**Frontogenesis.** A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

**Frontolysis.** Is said to occur when a front is in process of dissolution.



## EXPLANATION OF CHART.

**BAROMETER.** Isobars are drawn for intervals of four millibars.

**WIND.** Arrows fly with wind. A full length feather indicates two steps on the Beaufort Scale, and a short feather one step. Calm is indicated by circle outside weather symbol: —○—

**TEMPERATURE** is given in degrees F.

**WEATHER SYMBOLS:** —○— Clear sky. ○ Sky less than 3/10 clouded. ① Sky 4/10 to 6/10 clouded.

② Sky 7/10 to 9/10 clouded. ③ Overcast sky. ● Rain falling. \* Snow. ▲ Sleet. △ Hail.

Fog. ≈ Mist. ≡ Thunder. (T) Thunderstorm. ☀ Slight haze. ☁

The hour of observation is not uniform throughout the Hemisphere; a chart showing the hours at which the observations are taken is contained in the Introduction.

**FRONTS** or boundaries between masses of air of different origin are indicated, wherever their characteristics are well pronounced in the following way—

▲▲▲ = Warm Front on the Surface  
 ▲▲▲ = Warm Front above the ground  
 △△△ = Cold Front on the surface  
 △△△ = Cold Front above the ground

▲▲▲ = Occluded Front (or Occlusion)  
 ▲▲▲ = Warm Occlusion  
 △△△ = Cold Occlusion  
 ▷▷▷ = Lines of Frontogenesis

Short strokes across the frontal line indicate Frontolysis. (For explanation see page 3.)

**NOTE.**—The symbols are placed on the side of the line towards which the front is moving. When the front is stationary the symbols are placed alternately on both sides of the line.

All times are G.M.T. Add one hour to get summer time.

THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Monday 2nd February 1942  
No. 20292

District.	STATIONS.	OBSERVATIONS at 1 hr. G.M.T. 2nd February												OBSERVATIONS at 7 hr. G.M.T. 2nd February												PAST 24 HOURS											
		Height above M.S.L. in feet.	Barom. at M.S.L.	Wind.		Weather.	Cloud.						Barom. at M.S.L.	Wind.		Weather.	Cloud.						Sea.	TEMPERATURE.				RAINFALL.				SUN- SHINE Hrs.					
				Dir.	Force		0-12	(5)	(6)	(7)	(8)	(9)		0-12	(18)	(19)	0-9	(20)	(21)	(22)	(23)	(24)	Max. 7h-18h °F.	Min. 18h-7h °F.	Min. on grass °F.	Day 7h-18h mm.	Night 18h-7h mm.	Day 7h-18h mm.	Night 18h-7h mm.								
1	London (Kew)	18	* * * * *	3	ss	33	*	*	*	*	*	*	*	11-4	0	ESE's	2	op	34	97	33	3	5	-	-	10	10	2500	7	* 34	33	31	7	7	0.0		
	Croydon	217	14.2 -8 S	3	ss	33	97	33	4	-	2	-	*	11-3	-2	SSE	3	id	34	97	33	5	6	-	-	10	10	800	8	* 34	33	32	3	4	0.0		
	S. Farnborough	226	13.1 -14 SE'S	3	dd	33	97	33	5	5	2	-	9	10	700	11-3	+4	0	dd	34	97	33	2	5	-	-	10	10	600	6	* 34	33	32	7	5	0.0	
	Boscombe Down	417	13.8 -10 SSE	2	df	34	97	33	1	-	-	10	10	1500	11-4	-6	N	3	rf	39	97	38	3	6	-	-	10	10	400	6	* 35	32	32	6	3	0.0	
	Thorney Island	10	13.5 -10 ESE	2	rf	35	97	35	3	-	2	-	10	10	450	10-6	-2	N'E	1	rf	37	97	36	4	-	2	-	10	10	450	1	* 36	34	35	9	3	0.0
	Lymne	346	16.5 -6 SE	4	is	31	97	30	6	5	5	-	10	10	600	14-3	-2	SE	4	ss	30	97	30	4	-	2	-	10	10	200	8	* 34	30	30	4	4	0.0
	Manston	154	15.5 -10 S	3	ss	31	85	29	5	5	-	10	10	1200	13-9	+2	SE'S	3	ss	29	97	29	4	5	-	-	10	10	600	8	* 34	29	29	26	1	0.0	
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	13-9	+4	ESE	4	ss	31	92	28	5	-	2	-	10	10	700	8	* 34	30	31	3	4	0.0		
	Felixstowe	15	16.3 -8 S'E	4	is	33	92	32	4	5	-	10	10	1400	14-6	0	SE'S	5	sf	31	92	29	3	-	2	-	10	10	450	4	* 34	30	30	1	4	0.0	
	Gorleston	5	16.9 -10 S'E	4	is	33	85	30	6	5	-	10	10	1500	15-8	+6	SE	5	ss	32	92	29	6	6	-	-	10	10	800	5	* 35	31	31	1	5	0.0	
	Mildenhall	19	14.6 -10 SE'S	3	ss	32	92	31	4	6	5	-	10	10	1500	13-2	+2	SE'E	4	0/s	32	97	31	5	-	2	-	10	10	1500	7	* 33	31	31	2	5	0.0
	Cranwell	240	12.7 -18 SE	4	sf	31	97	31	3	-	2	-	10	10	800	13-4	+14	SE	4	ss	30	97	30	3	-	2	-	10	10	800	8	* 30	29	30	1	5	0.0
3	Birmingham	535	*	*	*	*	*	*	*	*	*	*	*	12-4	+12	NNW	2	r/F	34	97	33	1	-	-	-	10	10	1500	6	* 32	31	31	5	5	0.0		
4	Upper Heyford	408	12.5 -14 SSE	1	rr	32	97	32	3	-	2	-	10	10	450	11-3	+10	0/d	33	97	33	3	-	2	-	10	10	500	6	* 32	32	32	6	4	0.0		
	Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	17-7	+6	NNW	2	c/pr	45	92	43	8	8	-	-	7-8	7-8	2500	1	* 40	34	34	3	2	0.0		
5	Hartland Point	299	15.1 -6 WNW	2	c	47	97	46	8	5	2	-	9	10	2500	14-6	+6	NW	4	c	48	92	47	7	5	2	-	9	10	1500	1	* 48	47	46	-	Tr	0.0
	Bristol	203	11.7 -20 SW	3	c/d	46	97	46	6	5	2	-	7-8	10	1200	11-4	+2	NW	4	dd	48	92	45	7	5	2	-	9	10	900	1	* 48	43	43	1	0.2	0.0
	Portland Bill	32	12.9 -12 WNW	3	c	48	85	46	8	5	2	-	7-8	10	2500	11-3	-3	N	3	c	48	92	46	7	5	-	-	10	10	2500	1	* 48	46	46	1	-	0.0
	Plymouth	82	15.7 -6 NW'N	4	c	50	92	48	8	5	2	-	10	10	3500	14-9	-2	NW'N	4	dd	50	97	49	6	6	1	-	9+10	10	1500	1	* 52	48	48	1	2	0.0
	The Lizard	240	17.2 -8 NW	5	c	49	92	47	8	8	2	-	7-8	10	1500	16-0	-2	NW	6	o	40	97	39	7	5	1	-	10	10	1500	0	* 52	48	48	1	1	0.0
	Scilly (St. Mary's)	163	18.9 -6 NW'N	5	c	49	97	48	7	5	-	9+10	800	17-8	+2	NW'N	5	c	49	97	48	6	5	1	-	10	10	500	1	* 52	48	48	1	1	0.0		
	Guernsey	175	*	*	*	*	*	*	*	*	*	*	*	17-7	+6	NNW	2	c/pr	45	92	43	8	8	-	-	7-8	7-8	2500	1	* 40	34	34	3	2	0.0		
6	Pembroke	142	14.3 -10 WNW	4	ss	49	97	49	8	8	1	-	7-8	9	2500	14-4	+10	NW'N	5	ss	49	97	48	7	8	1	-	7-8	9	2500	1	* 50	45	45	1	0.0	
7																																					

~~SECRET~~

Tuesday 3rd February 1942

No. 29293...

Page 1 BRITISH SECTION

THE DAILY WEATHER REPORT.  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Tuesday 3rd February 1942

## PAST 24 HOURS.

## DISTRICTS.

**FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON, G.M.T., Tuesday, 3rd Feb. 1942.**

- |                                |   |
|--------------------------------|---|
| 1 S.E. England                 | Moderate S.E. wind, fresh on coasts; dull; some snow, turning to rain or sleet in the west, with glazed frost; local fog; continuing cold, but a slight thaw temporarily in west of area. |
| 2 E. England ...               |   |
| 3 E. Midlands ...              |   |
| 4 W. Midlands                  | Moderate or fresh N.W. wind; dull; occasional rain; average temperature or rather mild.   |
| 5 S.W. England                 |   |
| 6 South Wales                  |   |
| 7 North Wales                  | Variable winds; dull; rain or sleet; glazed frost locally; temporarily milder, then cold again.   |
| 8 N.W. England                 |   |
| 9 N. Midlands ...              | Moderate or fresh S.E. winds, strong to gale on coasts, decreasing later; dull;   |
| 10 N.E. England                | ▼ snow or sleet; glazed frost locally; cold.  |
| 11 S.E. Scotland               | ▼   |
| 12 S.W. Scotland & Isle of Man | Variable winds finally E. moderate; dull; rain or sleet; snow locally; temporarily milder than cold again.  |
| 13A W. Scotland ...            |   |
| 13B N.W. Scotland              |   |
| 14 Mid Scotland                |   |
| 15 N.E. Scotland               | ▼ As 9-11.  |

- |                          |  |
|--------------------------|--|
| 16 Orkneys and Shetlands | As 9-11.   |
| 17 N. W. Ireland         | Moderate or fresh N.W. wind, strong locally on coasts; dull; occasional rain; rather mild. |
| 18 N. E. Ireland         |  |
| 19 S. E. Ireland         |  |
| 20 S. W. Ireland         |  |

## GENERAL INFERENCE


A depression over N.W. Scotland is moving slowly S.E. and filling up. A trough of low pressure from N.W. Scotland to Dorsetshire is moving slowly E., but will become very elongated and almost stationary over our eastern districts. It will continue cold with flurries snow in the extreme east but slow thaw conditions with occasional rain or drizzle will extend to the Midlands and the London area. In the west it will be cloudy and mild with occasional rain or drizzle.

## FURTHER OUTLOOK

Wintry conditions probably continuing in the North and East. Gale warning issued 1200 on 2/2 in district 16 and at 0050 on 3/2 in districts 10, 11, 15

Forecasts issued at 1030 G.M.T.

N. K. JOHNSON, D.Sc., A.R.C.S., Director.  
Meteorological Office, Air Ministry, Kingsway, London, W.C.2



# AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

## Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).  
**Warm Front.** The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

**Cold Front.** The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

**Occlusion.** The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

**Frontogenesis.** A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

**Frontolysis.** It is said to occur when a front is in process of dissolution.



Morning of

Tuesday 3rd February

1942.

Clarke's Projection Scale 1 : 4 x 10<sup>7</sup> along meridian at 55° N.  
Statute Miles 0 1 2 3 4 500

## EXPLANATION OF CHART.

**BAROMETER.** Isobars are drawn for intervals of four millibars.

**WIND.** Arrows fly with wind. A full length feather indicates two steps on the Beaufort Scale, and a short feather one step. Calm is indicated by circle outside weather symbol.

**TEMPERATURE** is given in degrees F.

**WEATHER SYMBOLS.** — ○ Clear sky. ○ Sky less than 3/10 clouded. ○ Sky 4/10 to 6/10 clouded.

○ Sky 7/10 to 9/10 clouded. ○ Overcast sky. ● Rain falling. \* Snow. ☂ Sleet. △ Hail.

Fog. ☁ Mist. ☰ Thunderstorm. ☮ Slight haze. ☱

The hour of observation is not uniform throughout the Hemisphere; a chart showing the hours at which the observations are taken is contained in the Introduction.

**FRONTS** of boundaries between masses of air of different origin are indicated, wherever their characteristics are well pronounced in the following way—  
 ▲▲▲ = Warm Front on the Surface  
 ▲▲▲ = Warm Front above the ground  
 ▲▲▲ = Cold Front on the surface  
 ▲▲▲ = Cold Front above the ground

= Occluded Front (or Occlusion)  
 = Warm Occlusion  
 = Cold Occlusion  
 = Lines of Frontogenesis

Short strokes across the frontal line indicate Frontolysis. (For explanation see page 3.)

**NOTE.** The symbols are placed on the side of the line towards which the front is moving. When the front is stationary the symbols are placed alternately on both sides of the line.

All times are G.M.T. Add one hour to get summer time.

THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Tuesday 3rd February 1942  
No. 29, 293

OBSERVATIONS at 1 hr. G.M.T. 3rd February														OBSERVATIONS at 7 hr. G.M.T. 3rd February														PAST 24 HOURS.																														
District.	Stations.	Height above M.S.L. in feet.		Wind.		Cloud.												Wind.		Cloud.												Temperature.				Rainfall.				Sun-shine 2nd Hr.																		
		Barom. M.S.L.		Change in 3 hours.		Dir.		Force.		Weather.		Temp.		Humid.		Dew Point.		Visibilit.		Form.		Amount.		Height of Base (feet).		Barom. at M.S.L.		Wind.		Temp.		Humid.		Dew Point.		Visibilit.		Form.		Amount.		Height of Base (feet).		State of Grounds.		Sea.		Max. Day 7h-18h °F.		Min. Night 18h-7h °F.		Min. on Grass 0-9 °F.		Day 7h-18h mm.		Night 18h-7h mm.		
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)																			
1	London (Kew)	18	*	*	*	*	*	*	*	*	*	*	*	*	*	*	18.1	-32	SSE	3	S <sub>0</sub> S <sub>0</sub>	30	92	23	4	-	2	-	10	10	2500	7	*	34	27	26	0.2	3	0.0																			
	Croydon	217	23.4	-6	SE	2	20	27	92	24.5	5	-	7-8	94	2500	18.8	-22	SE	3	S <sub>0</sub> S <sub>0</sub>	29	97	23	4	-	2	-	10	10	2000	8	*	34	27	26	1	1	0.4																				
	S. Farnborough	226	24.5	-14	ESE	1	20	29	85	26.5	5	-	1	10	10	1800	18.2	-28	S	2	S <sub>0</sub> S <sub>0</sub>	31	92	30	4	-	1	-	10	10	800	8	*	35	27	25	0.3	2	0.0																			
	Boscombe Down	417	22.4	-8	SE'S	4	30S <sub>0</sub>	30	92	28.5	5	-	1	10	10	1500	18.7	-18	S	4	S <sub>0</sub> S <sub>0</sub>	33	97	33	2	-	1	-	10	10	1150	7	*	41	29	28	2	0.5	*																			
	Thorney Island	10	21.8	-18	E	3	20	31	92	29.5	5	-	2	1	10	10	1900	18.3	-26	S	3	S <sub>0</sub> S <sub>0</sub>	34	92	31	6	-	2	-	10	10	1500	7	*	39	29	28	0.3	3	0.0																		
	Lympne	346	23.7	-2	NE	1	20	26	92	23.4	5	-	1	10	10	1200	21.0	-26	SSE	2	S <sub>0</sub> S <sub>0</sub>	29	92	27	4	5	5	-	10	10	1500	8	*	31	24	24	1	1	Tr																			
	Manston	154	24.1	+2	SE'E	2	20	27	85	25.5	5	-	1	10	10	2000	20.2	-26	SSE	2	S <sub>0</sub> S <sub>0</sub>	27	85	24	5	5	5	-	10	10	1200	8	*	31	24	22	0.2	0.2	Tr																			
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	19.6	-34	SSE	4	S <sub>0</sub> S <sub>0</sub>	27	92	25	5	-	2	-	10	10	800	8	*	32	26	Tr	1	1	0.3																			
	Felixstowe	15	23.7	-4	SE'S	3	20	30	75	23.6	5	-	1	10	10	2500	19.8	-24	S'W	4	S <sub>0</sub> S <sub>0</sub>	28	85	25	4	5	5	-	10	10	1200	8	*	32	28	27	1	1	0.0																			
	Gorleston	5	24.0	-2	SE'S	5	20	30	85	27.6	5	-	1	10	10	1500	19.8	-32	SSW	4	S <sub>0</sub> S <sub>0</sub>	29	85	26	6	6	6	-	10	10	1000	8	*	28	26	26	*	0.0	*																			
	Mildenhall	19	23.5	-10	SSE	1	20	26	92	25.6	5	-	1	10	10	2500	17.4	-38	SSE	4	S <sub>0</sub> S <sub>0</sub>	25	97	25	4	5	5	-	10	10	1500	8	*	33	24	24	1	3	0.0																			
	Cranwell	240	22.5	-14	S'E	4	150	24	97	24.4	-	2	-	10	10	2000	14.4	-46	S'E	5	S <sub>0</sub> S <sub>0</sub>	26	97	26	4	-	2	-	10	10	800	9	*	31	21	18	0.1	20	0.0																			
3	Birmingham	535	*	*	*	*	*	*	*	*	*	*	*	*	*	13.9	-36	SSW	3	S <sub>0</sub> S <sub>0</sub>	32	97	31	3	6	6	-	10	10	800	8	*	34	27	27	0.1	6	0.0																				
4	Upper Heyford	408	22.0	-8	SE	3	30S <sub>0</sub>	27	97	26.3	-	2	-	10	10	450	16.4	-28	SSW	3	S <sub>0</sub> S <sub>0</sub>	29	97	29	3	6	6	-	10	10	1150	8	*	34	25	26	-	0.0	*																			
5	Hartland Point	299	17.0	-16	S	4	c	41	32	39.6	5	-	1	-	7-8	97	1500	15.7	-6	WNW	3	c	47	97	46	7	5	1	-	7-8	97	1500	1	3	48	40	39	0.1	1	0.0																		
	Bristol	203	20.8	-6	SE	3	30S <sub>0</sub>	31	32	29.3	5	-	1	-	10	10	800	15.3	-32	S	4	d,d	37	97	36	4	5	2	-	9	10	600	1	*	48	31	33	0.6	2	0.1																		
	Portland Bill	32	20.8	-10	SE	4	r	39	85	36.7	5	-	1	-	10	10	2500	16.9	-22	SSW	4	r,r	40	92	38	7	5	1	-	10	10	2500	1	4	48	36	*	-	0.5	*																		
	Plymouth	82	21.0	-6	ESE	1	30S <sub>0</sub>	41	37	40.8	6	2	-	9	10	1000	17.5	-8	WNW	3	c,c	47	97	47	5	5	1	-	9	10	2500	1	3	51	47	39	-	1	3.8																			
	The Lizard	240	20.0	-12	SSE	3	30S <sub>0</sub>	47	97	47.3	5	-	1	-	10	10	600	17.6	-10	WNW	4	c,c	48	92	46	7	7	1	-	9	10	1500	1	4	52	45	*	0.5	3	1.6																		
	Scilly (St. Mary's)	163	20.1	-6	NW	4	r,f	48	97	48.3	3	-	1	-	10	10	1500	17.8	-14	NW'W	5	c,d	48	97	48	6	8	1	-	9	10	800	1	4	52	46	*	0.2	0.3	1.0																		
	Guernsey	175	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*																		
6	Pembroke	142	17.0	-4	NE	2	dd	45	37	44.5	5	5	-	1	-	10	10	1500	14.8	-18	W	6	c	48	97	47	7	8	1	-	10	10	2500	1	3	50	41	*	6	0.0																		
7	Holyhead	26	13.6	-22	S	7	dr	41	97	41.4	5	5	-	1	-	10	10	400	10.3	-14	W	6	r,r	47	97	47	5	6	2	-	9	10	300	2	4	46	40	39	1	1	*																	
	Chester (Sealand)	16	17.1	-24	SE	5	r,r	32	92	30.4	-	2	-	1	-	10	10	800	10.1	-30	SE	3	r,r	35	92	34	4	5	1	-	10	10	800	4	*	39	32	32	1	0.0	*																	
8	Manchester	235	18.8	-26	SE'S	5	ss	28	97	28.4	-	2	-	10	10	1500	10.6	-38	SSE	5	r,r	33	92	31	5	1	2	-	10	10	1500	7	*	35	28	24	0.3	0.0	*																			
10	Spurn Head	29	22.4	-10	SSW	4	c	29	97	28.6	8	-	-	9	10	4000	14.8	-44	SSE	5	ss	29	97	29	3	8	1	-	10	10	1500	8	4	34	27	26	0.0	*																				
	Catterick	175	19.4	-22	SSE	4	sf	25	97	25.2	-	1	-	10	10	1500	11.6	-32	SE	4	sf	26	97	26	2	-	1	-	10	10	1150	8	*	33	24	24	0.3	0.0	*																			
	Tynemouth	108	19.2	-24	S	5	30S <sub>0</sub>	27	97	25.5	-	2	-	10	10	1500	11.5	-28	S	4	30S <sub>0</sub>	27	92	25	4	-	2	-	10	10	1500	8	4	36	26	25	0.2	2	*																			
11	St. Abbs Head	280	14.2	-36	S	6	30S <sub>0</sub>	27	97	27.4	5	-	1	-	10	10	800	08.2	-22	S	6	ss	25	97	24	4	5	1	-	10	10	800	7	4	34	25	1	1	1	0.0	*																	
	Leuchars	36	14.6	-30	SE	3	30S <sub>0</sub>	30	97	30.3	5	-	1	-	10	10	400	07.4	-34	SE	1	sf	30	97	30	3	-	1	-	10	10	500	8	*	35	30	30	1	20	0.0																		
	Renfrew (Abbots L.)	19	11.0	-38	E	2	30S <sub>0</sub>	33	97	33.3	5	-	1	-	10	10	700	07.2	-22	-	0	d,d	32	97	32	4	5	1	-	10	10	1200	8	*	35	31	32	1	0.0	*																		
	Eskdalemuir	794	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	08.4	-38	S	1	r,s	29	97	28	5	1	2	-	10	10	300	9	*	33	26	23	1	23	0.0															
	Point of Ayre	30	12.3	-36	S	7	r,r	38	97	38.7	6	2	-	9	10	1000	07.2	-18	WNW	5	r,r	47	97	47	7	6	2	-	7-8	10	1000	1	4	41	36	*	1	10	0.0																			
13A	Tiree	22	06.2	-6	WSW																																																					

Abridged observations of additional stations in the AVIATION WEATHER CODE

SECRET

Wednesday 4th February 1942

No. 29,294.


Page 1  
BRITISH  
SECTIONTHE DAILY WEATHER REPORT.  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

## OBSERVATIONS at 13h. G.M.T. 3rd February

## OBSERVATIONS at 18h. G.M.T. 3rd February

## PAST 24 HOURS.

District.	STATION.	Barom. M.S.L. (For heights see p. 4.)	Change in 3 hours. (1)	Wind.			Temp. °F. (5)	Humid. % (6)	Dew Point. °F. (8)	Visibility. 0-9 (9)	Cloud.					Barom. M.S.L. (16)	Change in 3 hours. (17)	Wind.			Temp. °F. (20)	Humid. % (21)	Dew Point. °F. (23)	Visibility. 0-9 (24)	Cloud.					Barom. M.S.L. (25)	Change in 3 hours. (26)	Wind.			Temp. °F. (28)	Humid. % (29)	Dew Point. °F. (30)	Visibility. 0-9 (31)	State of Ground. (32)	WEATHER.										
				Dir.	0-12	Weather.					Form.	Amount.	Height of Base (feet) (10)	Low.	Med.	High	0-10 (11)	Total (12)	0-10 (13)	Low.	Med.	High	0-10 (18)	0-12 (19)	Weather.	Form.	Amount.	Height of Base (feet) (20)	Low.	Med.	High	0-10 (21)	Total (22)	0-10 (23)	Low.	Med.	High	0-10 (25)	Total (26)	0-10 (27)	Low.	Med.	High	0-10 (28)	Total (29)	0-9 (30)	Sea (31)	7h.-13h. (39)	13h.-18h. (40)	18h. (41)
1	London (Kew)	11.1	-40	SSW	+	dd	30	97	85	+	6	2	-	10	10	2500	07.8	-16	SWW	2	df	40	97	89	3	5	-	-	10	10	2500	6	*	16-30d	dd	rrid	id	rofe	cm											
	Croydon	12.3	-3+	S <sup>W</sup>	+	dd	37	97	86	4	-	2	-	10	10	500	08.4	-18	W	3	id	43	97	43	4	2	-	-	10	10	300	6	*	shad	id	fir	cm	idcm												
	S. Farnborough	12.2	-3+	S	2	dd	37	97	87	4	5	-	*	10	10	700	08.7	-14	W's	4	0/3	42	97	41	6	5	-	-	10	10	500	6	*	smg	30	mg	rrdg	idcm												
	Boscombe Down	12.7	-3+	N	+	dd	44	97	84	5	5	-	-	10	10	450	10.4	-10	NNW	4	7	47	65	42	6	5	6	-	9+	9+	600	1	*	o d	FF	cism	cm	bc												
	Thorney Island	12.7	-3+	S <sup>W</sup>	3	dd	42	97	81	5	-	2	-	9+	10	400	09.7	-16	NNW	2	id	46	97	45	6	5	6	-	9+	9+	600	1	*	dd	cm	bded	bc	bc												
	Lyminge	15.6	-10	S	3	dd	32	97	81	5	-	2	-	10	10	500	09.8	-34	NNW	1	7/8	37	97	37	1	-	-	10	10	1500	2	*	dd	cm	bded	cm	bc													
	Manston	13.1	-4+	SSW	5	dd	34	85	20	5	5	-	*	10	10	800	07.7	-28	SWW	3	dd	37	97	37	4	-	-	10	10	1500	6	5	4	ss	ss	dd	dd													
2	Shoeburyness	12.6	-5+	S <sup>W</sup>	5	7/8	33	97	83	5	-	2	-	10	10	1200	08.1	-22	SW	3	rf	38	97	37	3	-	2	-	10	10	600	7	*	5	rrf	fr	mg													
	Felixstowe	12.4	-42	S <sup>W</sup>	5	7/8	33	92	81	6	2	-	9+	10	600	08.4	-28	WSW	3	df	35	97	34	3	-	-	10	10	1500	6	3	0	ssm	0	df	dm														
	Gorleston	10.8	-20	S <sup>W</sup>	5	8/8	33	92	83	4	6	-	-	10	10	1000	08.8	-54	WSW	2	0/3	35	92	32	6	6	-	-	10	10	1000	6	5	0	ssfr	0	ff	cm												
	Mildenhead	03.8	-46	S <sup>W</sup>	4	dd	34	97	83	4	-	2	-	10	10	600	08.1	-10	WSW	4	0/7	38	97	38	4	5	-	-	9+	9+	1500	6	*	0	ssdd	0	mm	om												
	Cranwell	07.3	-36	S <sup>W</sup>	3	z	30	85	34	5	5	-	-	9+	9+	2000	08.4	-6	W's	4	cf	39	97	39	2	5	-	-	9+	9+	3500	6	*	0	ss	0	cm	mi												
3	Birmingham	03.2	-12	SW	3	7/8	40	97	84	5	6	-	-	10	10	800	07.9	0	W	2	c	44	85	40	8	5	7	-	-	4-6	7-8	1500	6	*	ford	oep	cp	odf												
	Upper Heyford	11.6	-26	SSW	3	7/8	32	97	86	2	-	2	-	10	10	300	08.0	-12	SWW	2	cf	33	97	38	1	5	-	-	9+	9+	2500	7	*	0	ssm	0	dfm	bm												
	Ross-on-Wye	10.2	-20	WSW	+	8	40	85	45	8	5	-	*	9+	9+	2500	08.0	-6	W	4	b	50	75	42	8	5	-	-	2-3	2-3	3000	1	*	0	ss	0	dpb	bc												
5	Hartland Point	13.7	-16	W	3	7/8	47	97	87	7	5	7	-	4-6	9+	1500	12.3	-4	NW	4	c	48	97	46	7	5	-	-	9+	9+	800	1	3	0	re	0	bc	cc												
	Bristol	11.9	-22	W	4	7/8	47	97	87	5	5	7	-	10	10	300	09.5	-8	W	3	0/1	41	97	36	5	5	-	-	10	10	500	1	*	0	dd	0	bc	c												
	Portland Bill	12.8	-24	WSW	+	9	47	92	45	8	2	4	-	4-6	10	4000	11.1	-12	SW	+</td																														



# AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

## Explanation of Frontal Lines shown on Charts

(The symbols used to indicate fronts are shown below).


**Warm Front.** The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

**Cold Front.** The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

**Occlusion.** The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

**Frontogenesis.** A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

**Frontolysis.** is said to occur when a front is in process of dissolution.



BRITISH  
SECTIONTHE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.Wednesday 4th February 1942  
No. 29,204

DISTRICT.	STATIONS.	OBSERVATIONS at 1 hr. G.M.T. 4th February												OBSERVATIONS at 7 hr. G.M.T. 4th February												PAST 24 HOURS.													
		Height above M.S.L. in feet.	Barom. at M.S.L. mb. (1)	Change in 3 hours. (2)	Wind.		Weather. (5)	Temp. °F. (6)	% (7)	Humid. F. (8)	Dew Point. °F. (9)	Visibility. 0-9 (10)	Cloud. Form. (11)		Barom. at M.S.L. mb. (16)	Change in 8 hours. (17)	Wind.		Weather. (20)	Temp. °F. (21)	% (22)	Humid. F. (23)	Dew Point. °F. (24)	Visibility. 0-9 (25)	Cloud. Form. (26)		Height of Base (feet) (28)	State of Sea 0-9 (29)	Temperature.		Rainfall.		Sun- shine 3rd. Hrs.. (38)						
					Direc. (3)	Force. (4)							Direc. (18)	Force. (19)																									
1	London (Kew)	18	*	*	*	*	*	41	*	*	*	*	*	*	*	*	10.6	+20	N	3	20	37	85	32	5	-	7	94	10	1500	4	*	40	37	35	2	0.5	0.0	
	Croydon	217	98.0	0	WNW	3	2	42	92	40	5	5	5	-	10	10	2000	09.6	+10	NNW	5	37	85	34	4	*	43	37	35	3	1	0.0							
	S. Farnborough	226	98.5	+2	NNW	3	2	42	92	39	7	5	3	-	7-8	10	2000	10.5	+14	N	3	39	92	37	6	*	43	39	37	2	0.5	0.0							
	Baccombe Down	417	10.2	+6	NW	3	bc	41	92	39	7	5	3	1	2-3	4-6	4000	11.1	+8	NW	3	41	97	40	6	*	47	40	37	2	0.3	0.0							
	Thorney Island	10	09.2	+2	WNW	3	b	41	92	40	7	5	4	-	1	1	4000	10.0	+2	NW	3	42	92	40	6	*	47	40	38	1	0.2	*							
	Lymne	346	07.9	+2	NW	4	id	39	97	38	4	5	-	-	10	10	1200	08.9	+6	NNW	3	35	92	32	5	*	47	40	38	1	0.2	*							
	Manston	154	06.1	+2	NNW	4	ot	38	97	37	3	5	-	-	10	10	500	07.7	+10	NNW	4	35	92	33	3	*	39	35	34	12	0.4	0.0							
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	08.9	+14	NNW	3	35	92	33	6	2	-	-	94	10	800	6	*	38	35	34	9	1	0.0
	Felixstowe	15	05.7	+6	NNW	4	o/d	37	97	37	4	5	5	-	1	10	10	400	08.4	+2	NNE	4	34	85	31	5	*	36	33	32	5	1	0.0						
	Gorleston	5	05.4	+4	NNW	3	ft	36	92	33	2	5	-	-	10	10	1150	08.8	+16	NE	5	32	92	39	6	*	36	32	31	5	3	*							
	Mildenhall	19	06.6	+6	NNW	3	m	37	97	36	4	5	-	-	10	10	300	10.1	+22	NNE	4	33	85	30	4	*	38	32	32	11	0.3	0.0							
	Cranwell	240	07.6	+8	NW	4	m	37	92	35	4	5	-	-	10	10	1500	11.9	+22	NNE	3	33	85	30	4	*	40	35	32	2	0.3	0.0							
3	Birmingham	535	*	*	*	*	*	*	*	*	*	*	*	*	*	*	12.2	+2	NE	3	47	92	34	2	*	46	35	34	2	0.4	0.1								
4	Upper Heyford	408	08.8	+6	WNW	3	2	39	92	37	6	5	-	1	10	10	1500	10.5	+10	N	1	35	97	34	6	*	39	35	33	2	1	*							
	Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	10.9	0	SWN	1	pr	43	85	38	8	*	50	43	38	0.2	Tr	0.0							
5	Hartland Point	299	12.7	+4	NW	4	c	47	85	43	8	5	-	-	94	10	4000	12.7	-4	NW	4	45	92	43	8	*	48	45	44	0.3	-	0.0							
	Bristol	203	10.3	+4	W	2	c	42	92	41	8	5	3	-	7-8	10	3000	11.2	+2	NW	2	41	92	39	6	*	48	(41)	34	1	Tr	0.0							
	Portland Bill	32	10.7	0	NNW	4	c	47	92	45	8	2	-	-	10	10	2500	11.1	+4	NW	4	46	92	46	8	*	48	(46)	*	-	*	*							
	Plymouth	82	13.2	+2	NNW	2	c	47	92	44	8	3	-	6	7-8	9	5700	13.2	-2	NW	3	47	92	43	7	*	9	10	3500	0	3	51	40	38	8	0.0			
	The Lizard	240	14.5	0	NW	4	c	47	92	44	8	3	6	-	4-6	7-8	1500	14.2	-4	NW	4	47	85	43	8	*	51	40	38	Tr	Tr	0.0							
	Scilly (St. Mary's)	163	15.4	+2	N	4	c	48	85	43	8	5	7	-	7-8	9	1200	15.2	-2	NW	4	47	85	41	8	*	52	47	*	Tr	0.3	1.5							
	Guerney	175	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
6	Pembroke	142	12.2	0	NNW	5	cg	48	85	43	8	8	-	-	7-8	7-8	3000	12.8	0	NW	4	46	92	44	7</td														

~~SECRET~~

Thursday 5th February 1942

No. 19295

No. 29295.

Page I

THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Thursday 5th February 1942

No. 19295

No. 29295.

## PAST 24 HOURS.

---

## DISTRICTS.

---

FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON, G.M.T., Thursday 5th February.

- |     |                             |  |
|-----|-----------------------------|--|
| 1   | S.E. England                | Fresh northeast wind strong locally; cloudy with snow at times, mainly slight; temperature slightly below freezing point day and night.                              |
| 2   | E. England ...              |  |
| 3   | E. Midlands ...             |  |
| 4   | W. Midlands                 |  |
| 5   | S.W. England                | Moderate or fresh northeast wind, decreasing; fair with some bright intervals; cold with hard frost at night.  |
| 6   | South Wales                 |  |
| 7   | North Wales                 |  |
| 8   | N.W. England                |  |
| 9   | N. Midlands ...             | Moderate northerly wind becoming light variable; cloudy with slight local snow at first; fair with bright intervals later; cold with frost day and night.            |
| 10  | N.E. England                |  |
| 11  | S.E. Scotland               |  |
| 12  | S.W. Scotland & Isle of Man | Light variable winds; mainly fair with some bright periods, but some slight rain in extreme North and Northwest later; cold with hard frost in many places at night. |
| 13A | W. Scotland ...             |  |
| 13B | N.W. Scotland               |  |
| 14  | Mid Scotland                |  |
| 15  | N.E. Scotland               |  |

- |                          |            |
|--------------------------|------------|
| 16 Orkneys and Shetlands | AS 11-15   |
| 17 N. W. Ireland         | Light east |
| 18 N. E. Ireland         | periods;   |
| 19 S. E. Ireland         |            |
| 20 S. W. Ireland         |            |

## GENERAL INFERENCE


An anticyclone centred off Northwest Scotland is drifting slowly southwest, and a trough of low pressure near the Faeroes will move east-southeast. Cold weather will continue with occasional slight snow in eastern districts. Some fair periods will be enjoyed in the West, and will probably extend eastwards.

#### FURTHER OUTLOOK

Continuing cold generally.  
Occasional wintry showers in eastern districts

Forecasts issued at 10.30 S.M.T

N. K. JOHNSON, D.Sc., A.R.C.S., Director,  
Meteorological Office, Air Ministry, Kingsway, London, W.C.2



# AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

## Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).  
**Warm Front.** The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

**Cold Front.** The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

**Occlusion.** The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

**Frontogenesis.** A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

**Frontolysis** is said to occur when a front is in process of dissolution.



## EXPLANATION OF CHART.

**BAROMETER.** Isobars are drawn for intervals of four millibars.

**WIND.** Arrows fly with wind. A full length feather indicates two steps on the Beaufort Scale, and a short feather one step. Calm is indicated by circle outside weather symbol.

**TEMPERATURE** is given in degrees F.

**WEATHER SYMBOLS.** — ○ Clear sky. ○ Sky less than 3/10 clouded. (○) Sky 4/10 to 6/10 clouded.

○ Sky 7/10 to 9/10 clouded. (○) Overcast sky. ● Rain falling. \* Snow. ▲ Sleet. △ Hail.

Fog. Ⓜ Mist. Ⓝ Thunder. (T) Thunderstorm. Ⓞ Slight haze. ☀ Sun.

The hour of observation is not uniform throughout the Hemisphere: a chart showing the hours at which the observations are taken is contained in the Introduction.

**FRONTS** (or boundaries between masses of air of different origin) are indicated, wherever their characteristics are well pronounced in the following way:

— Warm Front on the Surface

— Warm Front above the ground

— Cold Front on the surface

— Cold Front above the ground

— Short strokes across the frontal line indicate Frontolysis. (For explanation see page 3.)

NOTE.—The symbols are placed on the side of the line towards which the front is moving.

When the front is stationary the symbols are placed alternately on both sides of the line.

All times are G.M.T. Add one hour to get summer time.

BRITISH  
SECTIONTHE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.Thursday, 5th February, 1942  
No. 29295

District.	STATIONS.	OBSERVATIONS at 1 hr. G.M.T. 5th February												OBSERVATIONS at 7 hr. G.M.T. 5th February												PAST 24 HOURS.													
		Height above M.S.L., in feet. mb. (1)	Change in 3 hours. (2)	Wind.		Weather. (5)	Cloud.						Barom. at M.S.L. mb. (16)	Wind.		Weather. (20)	Cloud.						Sea. 0-9 (33)	TEMPERATURE.			RAINFALL.			SUN- SHINE 4th Hrs. (38)									
				Dir. (4)	Force. (4)		Form. (10)	% (11)	Low. (12)	Med. (13)	High. (14)	Total 0-10 (15)		Dir. (18)	Force. (19)		Form. (21)	% (22)	Low. (23)	Med. (24)	High. (25)	Total 0-10 (26)	State of Ground. (27)	Max. Day 7h-18h °F. (33)	Min. Night 18h-7h °F. (34)	Min. on Grass °F. (35)	Day 7h-18h mm. (36)	Night 18h-7h mm. (37)											
1	London (Kew)	18	*	*	*	*	31	*	*	*	*	*	*	20.4	+6	NNE	5	20	75	25	6	5	2	-	9	10	2500	1	*	37	30	28	-	Tr	0.0				
	Croydon	217	15.1	+14	NE	6	20	85	24	5	5	-	-	10	10	3500	20.3	+8	N	4	31	92	29	4	5	-	10	10	2400	3	*	37	29	28	Tr	0.0			
	S. Farnborough	226	20.0	+14	NNE	5	21	75	24	6	5	-	-	10	10	2400	21.1	+6	N'E	3	31	75	26	7	5	-	10	10	1800	4	*	39	30	29	Tr	0.5			
	Boscombe Down	417	20.8	+14	NW'N	4	20	75	26	6	5	-	-	10	10	2200	22.3	+2	NNE	3	29	85	27	6	5	-	4-6	10	1400	4	*	42	29	28	0.2	0.0			
	Thorney Island	10	19.4	+14	NNE	4	20	75	26	6	5	-	-	10	10	2300	20.3	+6	N	3	31	85	28	6	5	6	-	7-8	9+	5700	3	*	43	30	29	Tr	0.3		
	Lyminge	348	16.3	+4	N	4	20	85	26	5	5	-	-	10	10	2100	18.2	+8	N	4	30	92	28	6	5	2	-	9+	10	2200	4	*	36	29	29	Tr	0.0		
	Manston	154	16.7	+6	N'E	6	20	92	30	6	5	-	-	10	10	2600	17.7	+6	NNE	6	31	92	30	5	5	-	10	10	1800	4	*	36	30	28	0.2	0.0			
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	19.0	+8	N	4	31	85	26	6	6	2	-	10	10	1500	8	*	33	29	29	0.2	Tr	0.0			
	Felixstowe	15	18.4	+10	NNE	4	20	75	25	6	5	-	-	10	10	2500	19.2	+8	NE'N	4	32	75	25	7	5	-	10	10	3100	8	4	35	29	28	0.2	Tr	0.0		
	Gorleston	5	18.8	+10	NE	6	20	75	25	6	5	-	-	10	10	1500	19.5	+8	NE	6	34	85	31	6	8	-	10	10	1500	3	5	33	32	29	Tr	*			
	Mildenhall	19	20.5	+10	NNE	4	20	85	26	6	5	-	-	10	10	2400	20.7	+4	N'E	5	32	75	27	6	5	-	10	10	4000	8	*	34	30	27	0.1	0.2	0.0		
	Cranwell	240	22.2	+10	NE'N	3	20	92	28	6	5	-	-	10	10	2500	23.4	+6	N	3	30	97	29	7	5	-	10	10	2500	8	*	33	29	29	0.5	0.0			
3	Birmingham	535	*	*	*	*	*	*	*	*	*	*	*	*	24.5	+8	N	3	29	85	25	5	5	-	9+	9+	2500	4	*	36	28	28	1	Tr	0.0				
4	Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	24.1	+10	NNE	4	31	85	29	6	5	-	10	10	1500	3	*	35	29	29	Tr	0.5	*				
5	Hartland Point	299	20.6	+22	NE	5	20	75	28	6	5	2	-	7-8	10	1500	23.4	+12	NE	5	34	73	27	7	8	-	9	9	1500	1	4	46	33	33	0.3	0.1	0.1		
	Bristol	203	21.8	+14	ENE	5	20	75	26	6	5	-	-	10	10	2400	23.6	+10	ENE	4	31	85	28	5	5	-	10	10	3000	1	*	44	30	29	0.4	Tr	0.0		
	Portland Bill	32	19.2	+12	NE	4	20	85	29	7	5	-	-	10	10	2500	21.0	+10	NE	4	33	85	30	7	5	-	10	10	2500	1	4	48	31	28	1	*			
	Plymouth	82	21.0	12G	ENE	5	20	75	28	7	5	-	-	10	10	2500	23.5	+16	NE'E	4	32	85	27	7	5	3	-	2-3	4-6	3000	1	3	48	31	28	0.1	Tr	*	
	The Lizard	240	20.1	+28	NNE	4	20	85	32	5	8	2	-	7-8	7-8	1500	23.1	+10	NNE	5	33	65	32	5	8	2	-	9	10	1500	0	4	51	30	29	1	-	2.6	
	Scilly (St. Mary's)	163	10.7	+34	E'N	5	20	85	36	6	5	2	-	7-8	10	1500	23.1	+16	NE'E	5	37	65	32	6	5	4	-	7-8	10	1200	1	4	51	37	30	0.6	-	1.5	
	Guernsey	175	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
6	Pembroke	142	23.5	+24	NE'E	6	20	75	28	7	8	1	-	7-8	10	1500	26.1	+16	NE	4	bc	34	85	28	7	2	4	-	2-3	4-6	2500	1	3	48	30	28	Tr	-	*
7	Holyhead	26	25.4	+22	NE	4	20																																

~~SECRET~~

Friday 6th February 1942

No. 29296

Page I BRITISH SECTION

THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

## DISTRICTS.

FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON, G.M.T. Friday 6th February 1942.

- |                                |   |
|--------------------------------|---|
| 1 S.E. England                 | Light or moderate northeast wind, becoming variable; cloudy at first  |
| 2 E. England ...               | with occasional snow near east coast; clear intervals later; frost  |
| 3 E. Midlands ...              | day and night.  |
| 4 W. Midlands                  | Light variable winds; clear intervals at first, cloudy later with slight                                    |
| 5 S.W. England                 | snow locally; local fog; frost day and night  |
| 6 South Wales                  |   |
| 7 North Wales                  |   |
| 8 N.W. England                 | Light variable or north wind; cloudy; occasional snow or sleet;   |
| 9 N. Midlands ...              | cold blue temperature rising a little.  |
| 10 N.E. England                |   |
| 11 S.E. Scotland               |   |
| 12 S.W. Scotland & Isle of Man | Light north or variable wind; dull; local fog; temperature rising a little with a very slow thaw in places. |
| 13A W. Scotland ...            | Light north wind backing northwest, moderate; cloudy,   |
| 13B N.W. Scotland              | occasional rain; local fog; thaw conditions.  |
| 14 Mid Scotland                |   |
| 15 N.E. Scotland               |   |

16 Orkneys and Shetlands

- 17 N. W. Ireland light or moderate northwest or north wind; cloudy;  
18 N. E. Ireland occasional rain; average temperature  
19 S. E. Ireland

## GENERAL INFERENCE

An elongated trough of low pressure extending from Northeast Scotland to Southwest Ireland is moving slowly southeast.

In the North there will be much cloud with a slow thaw but over most of England and Wales cold weather will continue with snow locally.


## FURTHER OUTLOOK

Cold in the South and Midlands with light snow locally.

Probably a slow thaw in the North.

Forecasts issued at 10.30 G.M.T.

N. K. JOHNSON, D.Sc., A.R.C.S., Director,  
Meteorological Office, Air Ministry, Kingsway, London, W.C.2




# AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

## Explanation of Frontal Lines shown on Charts

(The symbols used to indicate fronts are shown below).  
**Warm Front.** The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.  
**Cold Front.** The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin.  
In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.  
**Occlusion.** The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

**Frontogenesis.** A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.  
**Frontolysis.** is said to occur when a front is in process of dissolution.



## EXPLANATION OF CHART.

**BAROMETER.** Isobars are drawn for intervals of four millibars.

**WIND.** Arrows fly with wind. A full length feather indicates two steps on the Beaufort Scale, and a short feather one step. Calm is indicated by circle outside weather symbol: —○—

**TEMPERATURE** is given in degrees F.

**WEATHER SYMBOLS:** —○— Clear sky. ○ Sky less than 3/10 clouded. (○) Sky 4/10 to 6/10 clouded. (○) Sky 7/10 to 9/10 clouded. (○) Overcast sky. ● Rain falling. \* Snow. ♫ Sleet. △ Hail.

Fog = Mist. ⚡ Thunder. (T) Thunderstorm. ☁ Slight haze. ☀

The hour of observation is not uniform throughout the Hemisphere; a chart showing the hours at which the observations are taken is contained in the Introduction.

**FRONTS** or boundaries between masses of air of different origin are indicated, wherever their characteristics are well pronounced in the following way:  
— Warm Front on the Surface  
— Warm Front above the ground  
— Cold Front on the surface  
— Cold Front above the ground

= Occluded Front (or Occlusion)  
= Warm Occlusion  
= Cold Occlusion

= Lines of Frontogenesis

Short strokes across the frontal line indicate Frontolysis. (For explanation see page 3.)

NOTE.—The symbols are placed on the side of the line towards which the front is moving.  
When the front is stationary the symbols are placed alternately on both sides of the line.

All times are G.M.T. Add one hour to get summer time.

THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Friday 6th February 1942

No. 29296

OBSERVATIONS at 1 hr. G.M.T. 6th February.....														OBSERVATIONS at 7 hr. G.M.T. 6th February.....														PAST 24 HOURS.																																																		
DISTRICT.	STATIONS.	Height above M.S.L., in feet.		Wind.		Cloud.												Wind.		Cloud.												TEMPERATURE.					RAINFALL.					SUN-SHINE 5 Hrs.																																				
		Barom. mb. (1)		Change in 3 hours. (2)		Direc. (3)		Wind. 0-12 (4)		Weather. (5)		Temp. °F. (6)		Humid. % (7)		Point. Dew Point. (8)		0-9 Visibility. (9)		Form. (10)		Amount. Low 0-10 (11)		Height of Base. (feet) (12)		Form. (13)		Amount. Low 0-10 (14)		Height of Base. (feet) (15)		Barom. mb. (16)		Wind. 0-12 (17)		Weather. (18)		Temp. °F. (19)		Humid. % (20)		Point. Dew Point. (21)		0-9 Visibility. (22)		Form. (23)		Amount. Low 0-10 (24)		Height of Base. (feet) (25)		Form. (26)		Amount. Low 0-10 (27)		Height of Base. (feet) (28)		State of Sea. 0-9 (29)		Max. 7h-18h °F. (30)		Min. 7h-18h °F. (31)		Min. on Grass °F. (32)		Day mm. (33)		Night mm. (34)		Day 18h-7h mm. (35)		Night 18h-7h mm. (36)		Past 24 hours (37)		Past 24 hours (38)		
		Barom. mb. (1)		Change in 3 hours. (2)		Direc. (3)		Wind. 0-12 (4)		Weather. (5)		Temp. °F. (6)		Humid. % (7)		Point. Dew Point. (8)		0-9 Visibility. (9)		Form. (10)		Amount. Low 0-10 (11)		Height of Base. (feet) (12)		Form. (13)		Amount. Low 0-10 (14)		Height of Base. (feet) (15)		Barom. mb. (16)		Wind. 0-12 (17)		Weather. (18)		Temp. °F. (19)		Humid. % (20)		Point. Dew Point. (21)		0-9 Visibility. (22)		Form. (23)		Amount. Low 0-10 (24)		Height of Base. (feet) (25)		Form. (26)		Amount. Low 0-10 (27)		Height of Base. (feet) (28)		State of Sea. 0-9 (29)		Max. 7h-18h °F. (30)		Min. 7h-18h °F. (31)		Min. on Grass °F. (32)		Day mm. (33)		Night mm. (34)		Day 18h-7h mm. (35)		Night 18h-7h mm. (36)		Past 24 hours (37)		Past 24 hours (38)		
1	London (Kew)	18	*	*	N	5	soso	30	92	23	4	6	-	-	9	10	1800	22.2	-4	NNE	3	130	31	85	27	6	5	2	-	3	10	2800	4	* 33	30	29	0-2	0-1	0-0																																							
	Croydon	217	22.4	0	N	5	soso	30	92	23	4	6	-	-	9	10	1800	22.2	-2	N	3	30	31	97	30	4	5	-	-	10	10	1700	8	* 32	30	29	1	3	0-0																																							
	S. Farnborough	226	23.1	-4	N.E.	4	soso	31	85	26	6	5	-	-	10	10	1700	22.4	-2	N.E.	2	30	31	85	27	7	5	-	-	10	10	2500	3	* 30	29	29	0-0	0-0																																								
	Boscombe Down	417	24.1	-4	N.E.N.	4	zo	30	85	26	6	5	-	-	10	10	2500	23.6	-4	NNE	3	20	31	75	24	6	5	-	-	10	10	2500	4	* 31	29	28	0-4	0-0																																								
	Thorney Island	10	22.3	-4	N	4	o	32	85	27	7	5	-	-	10	10	2200	22.2	-2	N	2	30	31	92	29	6	5	-	-	10	10	1500	3	* 35	30	30	1	Tr																																								
	Lymnape	346	20.7	0	N	4	soso	31	97	31	5	5	-	-	10	10	1200	20.9	+2	N	4	0/5	30	85	27	6	5	-	-	10	10	700	8	* 32	29	29	4	4	0-0																																							
	Manston	154	20.2	-2	N.E.	4	soso	31	97	30	5	5	-	-	10	10	2000	20.1	0	N.E.	4	31	92	29	5	5	-	-	10	10	2000	9	* 32	29	29	11	*	0-0																																								
2	Shoreburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*																																							
	Felixstowe	15	21.7	0	NNE	4	sh	32	85	27	8	5	-	-	10	10	1800	21.5	0	NNE	3	0	31	75	26	6	5	-	-	10	10	2800	8	* 34	30	30	0-6	Tr	0-0																																							
	Gorleston	5	22.3	+2	NE'E	6	c/s	33	85	30	6	8	-	-	10	10	1500	21.2	-10	NE'E	4	2	32	65	21	7	5	-	-	10	10	2400	8	3	33	30	1	0-2	0-0																																							
	Mildenhall	19	23.3	-2	N	3	zo	31	85	28	6	5	-	-	10	10	2900	22.7	-4	N.W.	3	31	92	29	6	5	-	-	10	10	2500	5	5	34	31	1	0-3	*																																								
	Cranwell	240	25.4	-4	N.E.	2	zo	30	97	30	6	5	-	-	10	10	3500	23.9	-8	N	2	28	97	28	5	5	-	-	34	33	27	25	0-3	Tr	0-0																																											
3	Birmingham	535	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*																																								
4	Upper Heyford	408	24.5	-6	N	4	zo	30	85	24	6	5	-	-	10	10	3100	23.9	-2	N.W.	3	m	27	97	25	4	5	-	-	23	23	26	23	0-2	Tr	1.3																																										
5	Hartland Point	299	24.3	-4	NE	5	c	35	65	23	7	8	-	-	9+	9+	2500	23.7	-10	ENE	3	bc	34	65	33	8	2	4	-	-	23	37	29	30	Tr	-	2.0																																									
	Bristol	20	25.3	-6	N	5	zo	32	85	29	5	5	-	-	10	10	4000	24.3	-6	N	2	bft	28	97	27	3	-	-	1	0	Tr	-	3	35	27	1	0-5																																									
	Portland Bill	32	23.1	-2	NE'E	4	c	34	85	30	7	5	-	-	7-8	10	2500	22.2	-8	ENE	4	0	32	85	29	8	5	-	-	10	10	4000	1	4	36	30	*	*																																								
	Plymouth	82	25.0	-6	NE	3	zo	35	85	30	6	5	-	-	10	10	3000	24.3	-6	NNE	3	bc	31	85	29	7	5	-	-	Tr	4-6	4000	0	3	37	31	25	Tr	0-0																																							
	The Lizard	240	24.3	-8	NNE	4	c	35	65	22	7	8	2	-	7-8	9+	1800	24.3	-2	NE	4	bc	34	85	32	8	8	6	-	-	4-6	4-6	2500	0	3	38	30	*	5.3																																							
	Scilly (St.Mary's)	163	25.4	-6	NE	5	c	39	97	38	8	8	-	-	9	9	1500	24.1	-30	NE'E	5	c	37	65	27	8	8	-	-	46	7-8	1500	1	4	39	36	*	0.9																																								
	Guernsey	175	25.4	-6	NE	0	m	29	92	27	4	5	-	-	9+	9+	3000	24.1	-14	-	0	m	28	97	27	4	-	-	5	0	2-3	-	4	35	27	1	Tr	*																																								
6	Pembroke	142	28.2	0	NE	4	bc	34	75	28	8	2	-	-	2-3	2-3	4000	24.9	-12	NE	2	c	34	75	33	8	2	6	-	-	7-8	10	2500	1	4	40	29	*	6.4																																							
7	Holyhead	26	26.9	-16	-	4	c	32	92	30	7	5	7	-	-	4-6	10	2500	23.2	-18	SE	1	c	35	92	33	7	3	2	-	-	7-8	10	2200	1	2	39	31	28	Tr	*																																					
8	Chester(Sealand)	16	26.7	-14	NNW	2	zo	33	85	29	6	5	-	-	10	10	5400	23.8	-14	SSE	1	m	28	92	26	4	-	-	3	0	4-6	-	3	38	28	23	Tr	-	2.8																																							
	Manchester	235	27.2	-6	-	0	m	29	92	27	4	5	-	-	9+	9+	3000	24.1	-14	-	0	m	28	97	27	4	-	-	5	0	2-3	-	4	35	27	19	0-2	*																																								
10	Spurn Head	29	25.3	-6	NE	4	o	33	97	32	7	2	-	-	10	10	1500	23.7	-6	N.E.N.	3	e	33	97	33	7	2	6	-	-	7-8	10	1500	3	4	34	32	*	0-0																																							
	Catterick	175	26.5	-14	N.W.	4	zo	32	97	30	5	5	-	-	10	10	2200	24.1	-10	-	0	zo	27	97	27	6	5	4	-	-	7-8																																															

Abridged observations of additional stations in the AVIATION WEATHER CODE

London Observations											
For the 24 hours ending morning of.....											
Day 7h-18h Kew and Croydon, 9h-18h Kensington 9h-21h other stations except for rainfall which is 9h-18h											
Stations						Weather					
						Morning	Afternoon	Night	Atmospheric Pollution, Milligrams of solid impurity per cubic metre.		
Kew	...	...	...	...	...	CS <sub>0</sub> S <sub>0</sub> Mo	CS <sub>0</sub> S <sub>0</sub> Mo	CS <sub>0</sub> T <sub>0</sub>			
Croydon	...	...	...	...	...	CS <sub>0</sub> S <sub>0</sub>	CS <sub>0</sub> S <sub>0</sub>	CS <sub>0</sub> S <sub>0</sub>			
Greenwich	...	...	...	...	...	CS <sub>0</sub>	CS <sub>0</sub> S <sub>0</sub>	CS <sub>0</sub>			
Camden Square	...	...	...	...	...	0	0	*			
Kensington	...	...	...	...	...	OS	OSP	*			
Hampstead	...	...	...	...	...	OSX	OSX	OSX			
Kew 24 hours ended 7h. Max. Time 7-19h 0.1 Min. Time 8h L0.1 0.4h						Temperature					
						Day	Night	Min on grass	Day	Night	Sun- shine to sunset hrs
Stations.						°F	°F	°F	mm	mm	15h %
						Max	Min	Max	Day	Night	9h %
						°F	°F	°F	mm	mm	To- day
Kew	...	...	...	...	...	33	30	29	0.2	0.1	0.0
Croydon	...	...	...	...	...	32	30	29	1	3	0.0
Greenwich	...	...	...	...	...	33	30	29	0.5	0.2	0.0
Westminster	...	...	...	...	...	34	32	30	0.3		97
Regents Park	...	...	...	...	...	33	30	29	Tr	0.2	95
Camden Square	...	...	...	...	...	32	31	28	1		96
Kensington	...	...	...	...	...	33	30	29	0.1	0.7	98
Hampstead	...	...	...	...	...	31	27	23	0.4	0.2	92

**SECRET**

Saturday 7th February 1942


No 29297

Page 1 BRITISH SECTION

THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Saturday 7th February 1942

FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON, G.M.T. Saturday 20th February 1942.	
1 S.E. England	Light or moderate east wind; cloudy; occasional light snow; becoming a little colder; frost day and night.
2 E. England ...	
3 E. Midlands ...	
4 W. Midlands	Light east winds veering south; cloudy; occasional light sleet or snow; cold; frost day and night.
5 S.W. England	
6 South Wales	
7 North Wales	
8 N.W. England	
9 N. Midlands ...	
10 N.E. England	
11 S.E. Scotland	Light variable winds, becoming south or southwest veering north later; cloudy; occasional rain, sleet or snow; cold but temperature mainly above freezing point.
12 S.W. Scotland & Isle of Man	
13A W. Scotland ...	
13B N.W. Scotland	
14 Mid Scotland	
15 N.E. Scotland	
16 Orkneys and Shetlands	Light or moderate southwest wind veering northwest; cloudy; occasional rain; average temperature.
17 N. W. Ireland	
18 N. E. Ireland	
19 S. E. Ireland	
20 S. W. Ireland	
GENERAL INFERENCE	
Pressure is high to east and to west of the British Isles and relatively low to the south. A small depression is expected to develop near Shetland and move south-southwest.	
Over most of England and Wales cold weather will continue with light snow locally.	
FURTHER OUTLOOK	
Continuing cold over most of England and Wales with snow locally.	
Forecasts issued at 10.30 G.M.T.	
N. K. JOHNSON, D.Sc., A.R.C.S., Director, Meteorological Office, Air Ministry, Kingsway, London, W.C.2	



# AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

## Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).  
**Warm Front.** The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

**Cold Front.** The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

**Occlusion.** The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

**Frontogenesis.** A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

**Frontolysis.** Is said to occur when a front is in process of dissolution.



THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Saturday 7th February 1942

No 29297

District.	Stations.	Observations at 1 hr. G.M.T. 7th February												Observations at 7 hr. G.M.T. 7th February												Past 24 Hours.															
		Wind.		Cloud.										Wind.		Cloud.										Temperature.			Rainfall.												
		Barom. mb. (1)	At M.S.L. (2)	Change in 3 hours. (3)	Dir. (4)	Wind. (5)	Temp. °F. (6)	Humid. (7)	Dew Point. °F. (8)	Visibility, 0-9 (9)	Low. (10)	Med. (11)	High. (12)	Low. (13)	Total 0-10 (14)	Height of Base. (feet) (15)	Barom. mb. (16)	At M.S.L. (17)	Change in 3 hours. (18)	Dir. (19)	Wind. (20)	Temp. °F. (21)	Humid. (22)	Dew Point. °F. (23)	Visibility, 0-9 (24)	Low. (25)	Med. (26)	High. (27)	Low. (28)	Total 0-10 (29)	Height of Base. (feet) (30)	State of Ground. (31)	Sea. 0-9 (32)	Max. Day 7h-18h °F. (33)	Min. Night 18h-7h °F. (34)	Min. on Grass °F. (35)	Day 7h-18h mm. (36)	Night 18h-7h mm. (37)	Sun- shine Hrs. (38)		
1	London (Kew) ...	18	*	*	*	*	30	*	*	*	*	*	*	*	*	*	19.3	+6	NNE	2	C Zo	30	85	27	5	5	2	-	7.8	10	2500	4	*	32	30	29	0.1	Tr	0.0		
	Croydon ...	217	19.5	-6	NNE	3	2	c/d	29	92	27	4	s	-	9+	10	2500	19.7	+2	NE	2	C Zo	29	92	27	4	5	2	-	10	10	1800	8	*	31	29	28	0.2	Tr	0.0	
	S. Farnborough ...	226	19.6	-6	S	2	Zo	30	85	25	6	s	-	9+	9+	3200	20.0	+6	NNNE	2	Sh	30	85	26	6	5	2	-	9	10	1000	3	*	33	29	28	Tr	0.0			
	Bocombe Down ...	417	20.1	-10	N	2	sh	30	85	27	6	s	-	9+	9+	4000	20.2	+2	NE'E	3	C	29	92	27	6	5	7	-	7.8	9	5000	4	*	32	28	24	0.1	Tr	0.8		
	Thorney Island ...	10	18.9	-12	NE	2	Zo	31	85	26	6	s	-	10	10	4100	19.1	+6	NE	3	Zo	31	85	28	6	5	-	-	10	10	4000	3	*	33	30	31	Tr	Tr	*		
	Lympne ...	346	19.2	-2	-	0	o/s	28	92	27	6	s	-	10	10	1200	19.0	+2	NNE	2	i30	29	85	27	6	5	-	-	10	10	1000	9	**	31	28	26	0.2	0.0			
	Manston ...	154	18.5	-6	NEE	3	Zo	30	97	29	6	s	-	10	10	2700	18.5	+2	NEE	4	0/s	30	97	30	6	5	-	-	10	10	2500	9	**	31	29	27	5	*	0.0		
2	Shoeburyness ...	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	19.6	+2	NNE	3	C	28	75	22	7	5	3	-	4.6	7.8	2500	8	*	32	27	24	0.2	Tr	0.0		
	Felixstowe ...	15	19.4	-2	N	2	o/s	31	85	30	6	s	-	10	10	3000	20.2	+10	NE	3	C	30	85	28	7	5	-	-	10	10	2300	8	3	31	29	27	0.2	0.1	0.0		
	Gorleston ...	5	20.1	0	ENE	4	Zo	32	85	29	6	s	3	-	7.8	10	1500	21.5	+4	E	5	phr	30	85	25	6	8	-	-	10	10	1500	5	4	33	28	28	Tr	0.2	*	
	Mildenhall ...	19	20.0	-4	NWN	2	Zo	29	92	28	5	s	-	10	10	2800	21.2	+12	NE'E	3	C	28	85	23	7	5	-	-	9	9	3000	8	*	33	28	27	Tr	Tr	0.0		
	Cranwell ...	240	20.9	-2	N	1	Zo	29	97	18	6	s	-	10	10	2500	21.7	+10	ENE	3	Zo	29	97	29	6	5	-	-	10	10	2000	8	*	34	29	27	Tr	0.1			
3	Birmingham ...	535	*	*	*	*	*	*	*	*	*	*	*	*	*	*	20.8	+4	NE	2	o/f	30	92	28	3	5	-	-	10	10	1500	4	*	35	29	28	-	0.2	0.2		
4	Upper Heyford ...	408	20.0	-8	NE	1	i30	29	97	28	5	s	-	10	10	3000	20.5	+6	NNE	2	i30	28	97	28	5	2	-	-	10	10	3000	8	*	34	28	27	-	Tr	*		
5	Hartland Point ...	299	19.7	-8	SE	1	C	35	75	28	7	s	-	7.8	9+	2500	17.9	-6	N	3	c/f	39	92	36	7	8	2	-	-	7.8	10	1500	1	3	40	35	33	-	1	4.3	
	Bristol ...	20.1	-12	-	0	i30	32	92	29	3	s	-	-	10	10	2400	20.3	+2	N	1	0/s	30	97	29	5	5	-	-	10	10	2500	6	*	35	29	28	-	0.6	0.3		
	Portland Bill ...	32	18.9	-12	NE	2	O	32	92	29	3	s	-	-	10	10	2500	18.1	-6	ENE	3	C	32	85	29	7	5	7	-	-	7.8	10	4000	1	4	38	30	*	-	*	
	Plymouth ...	82	20.0	-10	-	0	Zo	32	97	31	6	s	-	-	9	9	4500	18.9	-4	SE	2	ps	32	97	31	4	5	7	-	-	10	10	2000	1	2	39	30	24	6.3		
	The Lizard ...	240	20.2	-4	NNE	2	C	36	75	32	7	s	2	-	7.8	9+	1500	18.3	-4	-	0	o	36	85	22	7	5	-	-	10	10	1500	0	3	41	34	*	-	7.4		
	Scilly (St. Mary's) ...	163	20.1	-6	S	1	C	35	75	31	7	s	2	-	4.6	10	1500	18.0	+10	N	1	o	40	85	35	7	5	-	-	10	10	1500	1	3	40	36	*	-	0.0		
6	Pembroke ...	142	20.5	0	SE	2	ro	30	97	33	7	s	-	-	10	10	1500	19.2	-2	NNE	4	ro	39	97	39	6	8	-	-	9+	9+	2500	1	1	41	31	*	-	0.0		
7	Holyhead ...	26	19.8	-2	E	1	Ido	39	92	37	6	s	2	-	9	10	1700	19.7	0	NNE	3	C	41	85	36	7	5	-	-	9+	9+	2200	1	3	41	39	35	Tr	*		
	Chester (Sealand) ...	16	20.0	-2	-	0	rs	33	97	32	3	s	-	-	10	10	300	20.3	+4	E	3	df	33	97	32	3	3	-	2	-	10	10	400	4	*	35	33	32	-	3	0.0
8	Manchester ...	235	20.5	-2	-	0	cf	32	97	32	2	-	2	-	10	10	1000	21.5	+16	E	2	OF	31	97	31	3	-	2	-	10	10	2000	8	*	35	31	30	-	1	*	
10	Spurn Head ...	29	20.6	-4	NNW	2	C	32	97	32	7	s	2	-	7.8	10	1500	22.4	+18	E	4	Ss	32	97	32	7	8	-	-	10	10	1500	7	4	35	30	*	-	0.3		
	Catterick ...	175	20.6	-2	SSE	2	df	31	97	30	3	s	-	-	10	10	300	23.7	+20	-	0	sh	31	92	30	2	5	-	-	10	10	1500	5	*	35	30	32	0.3	0.2		
	Tynemouth ...	108	20.6	0	SE	4	rro	34	97	33	5	-	2	-	10	10	1500	23.7	+14	E	4	o	35	92	32	7	-	2	-	10	10	1500	4	3	35	33	31	0.1	*		
11	St. Abbs Head ...	280	20.3	+10	NNE	2	C	33	97	37	7	s	2	-	9	10	1500	24.3	+24	SSE	1	C	35	92	32	7	5	4	-	-	7.8	9+	1500	4	2	40	34	0.5	1	*	
	Leuchars ...	36	21.8	+6	-	0	ido	38	92	36	7	s	-	-	9+	9+	1800	23.8	+4	-	0	dd	36	97	35	4	5	-	-	10	10	900	6	*	42	35	32	Tr	0.0		
	Renfrew (Abbots L.) ...	19	21.5	-10	-	0	bcf	30	97	30	3	s	-	-	4.6	4.6	3500	23.9	+14	E	2	m/f	36	92	34	4	5	3	-	7.8	9+	2800	8	*	37	27	26	0.3	-	0.0	
	Eakdalemuir ...	794	*	*	*	*	*	*	*	*	*	*	*	*	*	*	24.2	+20	NEE	3	o	32	92	29	6	5	-	-	10	10	900	9	*	35	31	30	1	-	0.3		
	Point of Ayre ...	30	26.0	+4	N	2	Zo	37	97	37	6	s	-	-	2.3	2.3	4000	21.2	+2	NE	4	C	40	85	35	7	5	-	-	9+	9+	2000	1	4	40	35	*	0.2	0.0		
13A	Tiree ...	22	22.5	0	N	2	bc	45	85	40	8	1	3	-	2.3	4.6	3500	22.7	+2	N	3	C	44	85	41	8	5	-	-	9	9	2500	0	3	47	44	*	-	1.4		
13B	Stornoway ...	80	23.8	0	W	1	C	41	92	40	7	s	7	-	7.8	10	2000	23.7	0	WSW	2	ojf	40	97	40	7	5	-	-	10	10	500	1	1	46	39	*	-	0.7		
15	Dalwhinnie ...	1176	*	*	*	*	*	*	*	*	*	*	*	*	*	*	24.1	+6	-	0	o	33	75	23	6	5	-	-	10	10	1500	8	*	37	32	29	-	*	0.0		
	Aberdeen ...	79	*	*	*	*	*	*	*	*	*	*	*	*	*	*	23.6	+8	NW	1	ct	35	97	35																	

**Abridged observations of additional stations in the AVIATION WEATHER CODE**

**III** = Index Number of Station—See M.O. 252 or list issued on 1st of each month.

ww, W = Present and past weather—See M.O. 252.  
h, Nh = Height and amount of low cloud—See M.O. 252.

**N, Nh** = Height and amount of low cloud—See M.O. 252.  
**N** = Total amount of cloud—See M.O. 252.

$C_L C_M$  = Form of low and medium cloud—See page 1.

V = Visibility. F = Force of wind—See page 4.  
 DD = Direction of wind (8 = E, 16 = S, 24 = W, 32 = N).

DD = Direction of wind ( $8 = E$ ,  $16 = S$ ,  $24 = W$ ,  $32 = N$ ).  
S = Sea disturbance reported from P.

3 Sea disturbance reported from Dungeness.  
\_\_\_\_\_  
(single copies 1d each)

TERMS OF SUBSCRIPTION. { Single Copies, 1d. each:  
2/8 per month; 8/6 per annum.

76 Terms of subscription: (2/6 per month; 6/6 per year)

Digitized by srujanika@gmail.com

Digitized by srujanika@gmail.com

SECRET

Sunday 8th February 1942

No. 29298


Page 1  
BRITISH  
SECTIONTHE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

## OBSERVATIONS at 13h. G.M.T. 7th February

## OBSERVATIONS at 18h. G.M.T. 7th February

## PAST 24 HOURS.

DISTRICT.	STATION.	Wind.												Wind.												Cloud.												WEATHER.																					
		Barom. mb.		Change in 8 hours.		Dir.		0-12		Weather.		Temp. °F.		% Humid.		Dew Point. °F.		Visibil.		Cloud.		Form.		Amount.		Height of Base (feet)		Barom. at M.S.L.		Change in 8 hours.		Dir.		0-12		Weather.		Temp. °F.		Humid.		Dew Point. °F.		Visibil.		Cloud.		Form.		Amount.		Height of Base (feet)		State of Ground.	Sea.	7h.-13h.	13h.-18h.	18h-7h to	1h.-7h.
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)	(42)																
1	London (Kew)	22.0	+8	NE	4	is0	29	75	22	6	8	3	-	9	9+	1500	257	+26	NE	4	zo	27	75	21	5	5	-	-	10	10	1500	4	*	cis0z0	cis0z0	cz	cz																						
	Croydon	21.7	+8	NE	4	sos0	28	92	26	4	5	-	-	10	10	2200	250	+24	ENE	4	is0	27	92	23	4	5	2	-	9+	10	1800	8	*	mcmsoso	sooso	cm	cm																						
	S. Farnborough	22.0	+10	ENE	4	is0	30	65	22	6	7	-	-	9+	9+	1800	253	+24	NE	4	0/s	27	75	22	6	5	-	-	10	10	1400	3	*	cshs0m	smo	cm	cm																						
	Boscombe Down	21.7	+4	ENE	4	%/s	29	92	27	7	5	-	-	10	10	2500	247	+22	ENE	4	c	28	85	24	7	5	-	-	9	9	2000	4	*	cmrcm	c	cm	cm																						
	Thorney Island	20.7	+4	NE	4	c	32	85	28	7	7	3	-	4.6	4.6	1000	238	+26	NE	4	zo	29	75	24	6	8	-	-	7.8	10	1500	3	*	cmobc	isopsc	cm	cm																						
	Lynupne	21.5	+10	ENE	3	sos0	26	92	25	5	5	-	-	10	10	200	242	+18	NE	3	zo	27	97	26	6	5	-	-	10	10	900	9	4	omsoss	omsob	cm	cm																						
	Manston	21.1	+6	ENE	4	sos0	26	85	22	6	5	-	-	10	10	1800	244	+24	NE	4	zo	27	92	25	6	5	-	-	10	10	1000	9	*	isososomo	sosacmo	cm	cm																						
2	Shoeburyness	22.0	+10	NE	4	ss	28	85	24	6	-	2	-	10	10	1200	254	+14	NE	4	is0	27	91	25	7	5	-	-	10	10	1200	8	*	bccssmo	iss0sm0	cm	cm																						
	Felixstowe	22.6	+10	NE	5	is0	27	85	22	6	5	-	-	10	10	1500	255	+18	NE	5	0/s	27	75	20	8	5	-	-	10	10	1700	8	3	isohisom	cis0s0	cm	cm																						
	Gorleston	23.9	+10	NE	5	zo	27	82	25	6	5	-	-	10	10	1500	273	+20	E	4	zo	27	92	24	6	5	-	-	10	10	1500	5	5	cpshch	cpho	c	c																						
	Mildenhall	23.9	+8	NE	4	sh	29	85	25	7	5	-	-	10	10	2500	269	+20	ENE	4	c	27	85	22	8	5	-	-	10	10	1600	8	*	cmoishc	cis0hc	cez	cez																						
	Cranwell	24.8	+6	ENE	3	%/s	29	85	23	8	5	-	-	10	10	2500	276	+20	ENE	2	c	29	85	24	7	5	-	-	10	10	2100	8	*	cmocso	cise	cm	cm																						
3	Birmingham	24.0	+12	ENE	3	c	28	65	19	6	5	-	-	9	9	2500	269	+16	NE	3	m	28	75	23	4	3	-	-	10	10	1500	4	*	fciso	com	cm	ocz																						
	Upper Heyford	23.2	+10	NE	5	sh	28	92	26	8	5	-	-	10	10	2500	265	+28	ENE	5	c	26	97	26	7	5	-	-	10	10	1500	8	*	cs0hc	cs0hc	cm	cm																						
4	Ross-on-Wye	23.1	+10	ENE	4	c	28	85	25	7	5	-	-	10	10	3000	261	+20	NE	3	c	29	75	21	7	5	-	-	10	10	3000	3	*	is0c	pscc	c	c																						
5	Hartland Point	20.9	+10	E	3	bc	34	85	30	8	2	-	-	4.6	4.6	2500	241	+30	NNE	4	c	31	92	29	7	5	4	-	9	9+	1500	1	4	bcb	bcc	bcb	bcb																						
	Bristol	22.5	+6	E	3	zo	31	75	18	6	5	2	-	9+	10	2000	257	+22	E	3	zo	29	75	22	6	5	2	-	7.8	10	3000	4	*	cs0s0m0	c,cm0	cm	cm																						
	Portland Bill	19.6	+4	ENE	4	c	34	85	31	8	5	-	-	10	10	4000	224	+12	NE	4	c	32	85	29	7	5	-	-	10	10	2500	1	4	c	c	o	o																						
	Plymouth	20.2	+4	E/S	4	bc	35	85	30	8	3	-	-	4.6	4.6	3000	237	+26	ENE	4	zo	30	85	26	7	5	-	-	7.8	7.8	3500	1	3	cmoc	c	cm	bbc																						
	The Lizard	18.9	+6	ENE	5	c	37	85	32	8	8	2	-	2.8	9+																																												



# AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

## Explanation of Frontal Lines shown on Charts

(The symbols used to indicate fronts are shown below).

**Warm Front.** The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.


**Cold Front.** The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin.

In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

**Occlusion.** The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

**Frontogenesis.** A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

**Frontolysis.** Is said to occur when a front is in process of dissolution.



## EXPLANATION OF CHART.

**BAROMETER.** Isobars are drawn for intervals of four millibars.

**WIND.** Arrows fly with wind. A full length feather indicates two steps on the Beaufort Scale, and a short feather one step. Calm is indicated by circle outside weather symbol: —○—

**TEMPERATURE** is given in degrees F.

**WEATHER SYMBOLS:** —○— Clear sky. ○— Sky less than 3/10 clouded. (○)— Sky 4/10 to 6/10 clouded.

(○)— Sky 7/10 to 9/10 clouded. (○)— Overcast sky. ●— Rain falling. \*— Snow. ♫— Sleet. △— Hail.

Fog = Mist. ⚡— Thunder. (⚡)— Thunderstorm. ☁— Slight haze. ☀— Sun.

The hour of observation is not uniform throughout the Hemisphere; a chart showing the hours at which the observations are taken is contained in the Introduction.


**FRONTS** or boundaries between masses of air of different origin are indicated, wherever their characteristics are well pronounced in the following way—

- = Occluded Front (or Occlusion)
- = Warm Occlusion
- = Cold Occlusion
- = Warm Front on the Surface
- = Warm Front above the ground
- = Cold Front on the surface
- = Cold Front above the ground

Short strokes across the frontal line indicate Frontolysis. (For explanation see page 3.)

NOTE.—The symbols are placed on the side of the line towards which the front is moving. When the front is stationary the symbols are placed alternately on both sides of the line.

All times are G.M.T. Add one hour to get summer time.



THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.Sunday 8th February 1942  
No. 29298

District.	STATIONS.	OBSERVATIONS at 1 hr. G.M.T. 8th February												OBSERVATIONS at 7 hr. G.M.T. 8th February												PAST 24 HOURS.											
		Height above M.S.L. in feet.	Barom. at M.S.L. mb. (1)	Change in 3 hours.		Wind. Dir. (2)	Force. (3)	Weather. (4)	Temp. °F. (5)	% Humid. (6)	Dew Point. °F. (7)	Visability. Yards (8)	Cloud.			Barom. at M.S.L. mb. (16)	Change in 8 hours.		Wind. Dir. (17)	Force. (18)	Weather. (19)	Temp. °F. (20)	% Humid. (21)	Dew Point. °F. (22)	Visability. Yards (23)	Cloud.			Sea. State (24)	Max. Day 7h-18h °F. (25)	Min. Night 18h-7h °F. (26)	Min. on grass 7h-18h mm. (27)	Day 7h-18h mm. (28)	Night 7h-18h mm. (29)	Sun- shine Hrs. (30)		
				(2)	(3)								(9)	(10)	(11)	(12)	(13)	(14)	(15)																		
1	London (Kew)	18	*	*	*	*	3	*	26	*	*	*	*	*	*	*	*	*	29.0	+4	26	2	27	75	20	5	5	-	10	10	1500	3	* 30	26	25	Tr	- 0.0
	Croydon	217	28.1	+8	2	2	3	3	26	92	22	4	5	-	-	10	10	2700	28.6	+6	3	25	85	20	5	5	-	-	10	10	2500	8	* 29	25	24	0.4	- 0.7
	S. Farnborough	226	28.6	+6	2	2	3	3	26	75	21	2	5	-	-	10	10	2000	28.3	+2	2	25	75	19	6	5	-	-	9+	9+	1500	3	* 31	24	24	Tr	- 0.5
	Boscombe Down	417	28.8	+10	2	2	4	3	24	85	21	6	5	-	-	10	10	1100	29.3	+6	3	23	75	17	7	5	-	-	10	10	1000	4	* 30	22	22	Tr	- 0.2
	Thorney Island	10	27.0	+10	2	2	3	3	28	75	21	6	5	-	-	10	10	2300	28.4	+6	3	27	75	21	6	5	-	-	10	10	2500	3	* 34	24	22	Tr	- *
	Lymne	346	27.2	+10	2	2	3	3	25	85	20	6	5	-	-	10	10	300	27.2	+2	2	27	85	22	8	5	-	-	10	10	1000	9	* 29	25	24	0.2	- 0.0
	Manston	154	27.8	+8	2	2	4	4	26	97	26	6	5	-	-	10	10	2300	27.0	-2	3	29	97	26	6	5	-	-	10	10	2500	9	* 30	25	22	0.9	- 0.0
2	Shoeburyness	11	*	*	*	*	2	*	28	75	21	7	5	-	-	10	10	2200	28.1	+2	2	28	75	24	5	5	-	-	10	10	2500	8	* 30	27	27	0.4	- Tr 0.0
	Felixstowe	15	28.1	+2	2	2	2	2	28	85	22	6	5	-	-	10	10	1500	27.7	-4	1	28	92	28	6	5	-	-	10	10	2600	8	* 23	26	26	0.2	- 0.0
	Gorleston	5	28.3	+2	2	2	1	2	27	75	22	6	5	-	-	10	10	1900	28.7	-2	2	27	75	26	7	5	-	-	9+	9+	2500	5	* 30	26	26	0.2	- *
	Mildenhall	19	29.2	+2	2	2	1	2	27	92	25	6	5	-	-	10	10	1800	28.5	-6	2	21	97	26	7	5	-	-	1	1	2000	8	* 31	21	20	0.2	- 0.0
3	Birmingham	535	*	*	*	*	2	*	25	85	19	6	5	-	-	10	10	1500	29.3	+2	2	25	75	18	5	5	-	-	9+	9+	4000	4	* 30	25	21	Tr	- 0.0
4	Upper Heyford	408	25.2	+6	2	2	3	3	25	85	19	6	5	-	-	10	10	1500	29.3	+2	2	25	85	21	7	5	-	-	10	10	1700	4	* 29	24	24	Tr	- *
	Ross-on-Wye	223	*	*	*	*	2	*	25	85	19	6	5	-	-	10	10	1500	29.1	0	2	27	75	21	6	5	-	-	10	10	2000	3	* 31	27	26	0.2	- 0.0
5	Hartland Point	299	27.8	+14	2	2	4	4	29	65	20	7	-	-	0	0	-	28.2	+4	2	26	65	16	7	1	4	-	-	TF	2-3	2500	3	4 40	26	24	-	- 2.8
	Bristol	263	25.3	+10	2	2	4	4	26	85	22	6	5	-	-	10	10	1300	29.6	+2	2	25	85	20	6	5	-	-	9+	9+	1800	4	* 31	25	24	Tr	- 0.0
	Portland Bill	32	26.8	+14	2	2	4	4	30	85	27	7	5	-	-	10	10	2500	29.1	+22	4	30	85	27	7	5	-	-	10	10	2500	1	* 34	28	-	-	- *
	Plymouth	82	27.2	+14	2	2	4	4	30	75	24	6	5	-	-	10	10	2500	28.4	+8	4	25	75	19	7	5	4	-	-	2-3	3000	3	3 37	25	21	0.6	- 0.7
	The Lizard	240	25.5	+4	2	2	5	5	33	75	22	6	5	2	-	9	10	1000	26.3	+4	4	33	92	32	7	8	2	-	-	9	10	1500	0	4 38	30	-	


SECRET

Monday 7th February 1942

No. 29299

Page 1  
BRITISH  
SECTIONTHE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

District.	STATION.	OBSERVATIONS at 13h. G.M.T. 8th February												OBSERVATIONS at 18h. G.M.T. 8th February												PAST 24 HOURS.											
		Wind.			Temp.			Dew Point.			Cloud.			Wind.			Temp.			Dew Point.			Cloud.			Weather.		7h.-13h. (39)		13h.-18h. (40)		18h.- 8h. (41)		1h.-7h. (42)			
		Barom. at M.S.L. (1)	Change in 3 hours. (2)	Dir. (3)	0-12 (4)	Weather. (5)	°F. (6)	% Humid. (7)	°F. (8)	Dew Point. 0-9 (9)	Low. (10)	Med. (11)	High. (12)	0-10 (13)	Total (14)	Height of Base (feet) (15)	Barom. at M.S.L. (16)	Change in 3 hours. (17)	Dir. (18)	0-12 (19)	Weather. (20)	°F. (21)	% Humid. (22)	Dew Point. 0-9 (23)	Low. (25)	Med. (26)	High. (27)	0-10 (28)	Total (29)	Height of Base (feet) (30)	State of Ground. (31)	Sea (32)	7h.-13h. (39)	13h.-18h. (40)	18h.- 8h. (41)	1h.-7h. (42)	
1	London (Kew)	28.3	-14	NW'N	2	Zo	29	65	20	5	-	-	0	0	-	26.9	-4	WSW	1	Zo	29	78	23	4	-	-	0	0	-	3	*	cbebz	bzobm	bmooff	offx		
	Croydon	28.5	-10	NE	1	Zo	28	85	21	4	5	-	9	9	2500	27.1	-2	WSW	1	bft	24	85	20	2	-	-	0	0	-	8	*	cmaem	cmfbcb	bfxbcf	fcmdo		
	S. Farnborough	29.1	-10	NNE	2	Zo	30	65	19	6	5	-	-	7.8	7.8	2500	27.1	-2	WNW	1	Zo	29	75	23	6	-	-	7	0	9+	3	*	bbczo	bzb,oz	zbcbmc	rofoc	
	Boscombe Down	29.5	-6	-	0	C	28	75	21	7	5	-	-	7.8	7.8	3000	27.9	-4	NW'N	2	Zo	29	75	23	6	-	-	2	0	2-3	3	*	cde	be, bca	bmobcm	cishcm	
	Thorney Island	28.9	-8	NE	2	Zo	30	65	21	6	5	-	-	4.6	4.6	4000	27.5	-2	-	0	Zo	27	75	21	6	-	-	6	0	4-6	3	*	cmebemo	be, bca	bmobcm	cmxcm	
	Lyminge	27.7	-6	NNW	2	C	29	85	26	8	5	-	-	10	10	2200	27.1	+2	NW	1	bz	22	85	19	6	-	-	2	0	2-3	3	*	g1s0m,c	zbzbm	bzobm	cmxcm	
	Manston	27.5	-10	N	3	C	29	75	26	7	5	-	-	94	94	2500	26.6	-2	-	0	Zo	24	92	23	5	-	-	1	0	1	9	*	g1s0m,c	zbzbm	bzobm	cmlofop	
2	Shoeburyness	28.3	-12	N'W	1	C	30	65	21	8	7	-	-	9	9	3500	26.7	-8	NW	1	bc	26	75	21	6	-	-	1	0	2-3	8	*	cmeac	abebm	xbmobcmef		
	Felixstowe	27.9	-10	NNW	2	C	33	85	20	8	5	-	-	4.6	4.6	3000	26.3	-14	W's	2	Zo	28	75	19	6	-	-	8	0	4-6	4	*	cey	beybb	bzifcom	omciocom	
	Gorleston	27.4	-8	NWN	3	Zo	32	85	29	6	5	3	-	4.6	7.8	2000	25.8	-12	W'N	2	bc	30	85	27	7	-	-	3	0	4-6	5	*	cffend	ce	bzcbm	cmffend	
	Mildenhall	27.3	-14	W	2	bc	32	65	23	8	-	-	6	0	7.6	-	26.2	-10	SW'W	2	Zo	29	85	25	5	-	-	0	Tr	-	8	*	cczoisobe	bzcbm	bzcbm	cmfflo	
	Cranwell	27.4	-10	W	3	m	31	75	24	4	-	-	2	0	4.6	-	25.6	-6	W	3	m	34	75	29	4	5	-	-	10	10	2500	8	*	bmakem	beem	beem	cmffmf
3	Birmingham	28.3	-6	WNW	2	m	32	75	26	4	-	-	0	0	-	26.7	-6	NW	2	m	33	85	29	4	5	-	-	10	10	800	4	*	cbz	beem	beem	coffo	
	Upper Heyford	28.8	-14	W	2	Zo	29	76	22	6	-	-	6	0	7.8	-	27.1	-4	WNW	2	Zo	30	85	27	5	-	-	6	0	7.8	4	*	ebbec	ebbec	ebbec	cmido	
4	Ross-on-Wye	28.8	-10	W'S	1	b	32	75	24	7	-	-	1	0	1	-	27.4	-6	SSW	1	Zo	33	75	27	5	-	-	10	10	2000	1	*	cb	beebz	beebz	cmido	
5	Hartland Point	29.3	-4	N	2	C	32	75	26	7	7	-	-	7.8	7.8	2500	27.9	-4	NE	2	bc	34	75	25	7	5	4	-	1	2-3	2500	3	2	bce	be	bce	bccirc
	Bristol	29.8	-18	NNE	2	Zo	30	65	22	5	S	-	-	4.6	4.6	3000	27.9	-6	-	0	m	28	92	25	4	5	-	8	1	4-6	3500	3	*	cbem	bem	bcbmc	clsoododo
	Portland Bill	29.0	-14	NE	4	C	27	85	23	8	2	-	-	9	9	4000	27.2	+2	N	3	bc	28	75	24	8	4	-	-	4-6	4-6	1	4	c	bz	bz	bcbc	
	Plymouth	29.3	-8	NW	1	Zo	34	85	29	6	2	-	-	0	0	-	28.1	-2	N	1	Zo	35	92	30	5	-	-	1	0	Tr	-	3	cbcc	bmo	bmo	bmcmox	
	The Lizard	28.0	+4	NE	3	bc	36	75	30	8	2	-	-	4.6	9.6	2500	28.0	+2	N'E	2	bc	31	85	27	8	8	-	-	2-3	2-3	3	3	bcc	bc	bcc	bcc	
	Scilly (St. Mary's)	28.0	-2	NNE	3	C	38	65	32	7	8	-	-	9	9	1200	28.1	0	NE	3	c	36	75	27	8	8	-	-	7-8	7-8	1	4	c	bco	bco	cbcc	
6	Pembroke	30.2	-4	N'W	1	Zo	35	65	26	6	2	4	-	-	2.3	2.3	3000	28.5	+2																		



# AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

## Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).  
**Warm Front.** The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar, or maritime polar origin.

**Cold Front.** The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

**Occlusion.** The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

**Frontogenesis.** A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

**Frontolysis.** is said to occur when a front is in process of dissolution.



## EXPLANATION OF CHART.

**BAROMETER.** Isobars are drawn for intervals of four millibars.

**WIND.** Arrows fly with wind. A full length feather indicates two steps on the Beaufort Scale, and a short feather one step. Calm is indicated by circle outside weather symbol: ○

**TEMPERATURE** is given in degrees F.

**WEATHER SYMBOLS.** ○ Clear sky. ◻ Sky less than 3/10 cloudy. ◑ Sky 4/10 to 6/10 cloudy.

◻ Sky 7/10 to 9/10 cloudy. ◊ Overcast sky. ● Rain falling. \* Snow. ♦ Sleet. △ Hail.

Fog = Mist. = Thunder. (%) Thunderstorm. ☉ Slight haze. ☀

The hour of observation is not uniform throughout the Hemisphere; a chart showing the hours at which the observations are taken is contained in the Introduction.

**FRONTS** or boundaries between masses of air of different origin are indicated, wherever their characteristics are well pronounced in the following way:

▲ Warm Front on the Surface

▲ Warm Front above the ground

▲ Cold Front on the surface

▲ Cold Front above the ground

= Occluded Front (or Occlusion)

= Warm Occlusion

= Cold Occlusion

= Lines of Frontogenesis

Short strokes across the frontal line indicate

Frontolysis. (For explanation see page 3.)

NOTE.—The symbols are placed on the side of the line towards which the front is moving.

When the front is stationary the symbols are placed alternately on both sides of the line.

All times are G.M.T. Add one hour to get summer time.

THE DAILY WEATHER REPORT.  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.Monday 9th February 1942  
No. 23299


DISTRICT.	STATIONS.	OBSERVATIONS at 1 hr. G.M.T. 9th February												OBSERVATIONS at 7 hr. G.M.T. 9th February												PAST 24 HOURS.																		
		Height above M.S.L. mb.	Barom. at M.S.L. (1)	Change in 3 hours. (2)	Wind.		Temp. (5)	% (6)	Humid. (7)	Dew Point. (8)	Cloud.			Barom. at M.S.L. (16)	Change in 8 hours. (17)	Wind.		Temp. (21)	% (22)	Humid. (23)	Dew Point. (24)	Cloud.			Sea. (30)	Max. Day 7h-18h °F. (31)	Min. Night 18h-7h °F. (32)	Min. on Grass °F. (34)	Day 7h-18h mm. (35)	Night 7h-18h mm. (36)	Sun- shine hrs. (37)													
					Dir. (3)	Force. (4)					Low. (10)	Total (11)	Med. (12)	High. (13)		Dir. (18)	Force. (19)	Low. (20)				Total (21)	Med. (22)	High. (23)	Low. (24)	Total (25)	Med. (26)	High. (27)	Low. (28)	Total (29)	State of Group. (30)													
1	London (Kew)	18	*	*	*	*	27	*	*	*	*	-	-	4-6	4-6	3000	23-1	-8	WSW	1	f	32	92	30	2	-	-	-	10	10	1500	3	*	31	27	16	-	Tr	30					
	Croydon	217	25-2	-16	S	1	bef	24	97	22	3	5	-	-	4-6	4-6	3000	23-2	-10	W'N	2	%/d	33	92	31	4	5	-	-	10	10	1600	7	*	30	21	17	-	0-1	0-8				
	S. Farnborough	226	26-8	-14	W'N	1	m	27	92	26	4	5	-	-	4-6	4-6	3000	24-0	-10	NW	2	20	34	85	30	6	5	-	-	10	10	2000	3	*	32	24	15	-	0-2	3-7				
	Boscombe Down	417	26-5	-12	NNW	3	20	29	92	29	5	5	-	-	10	10	3000	24-0	-10	W'N	2	20	32	92	30	6	5	-	-	10	10	1900	3	*	30	25	22	-	Tr	4-4				
	Thorney Island	10	25-7	-12	NW	2	m	26	92	24	1	5	-	-	10	10	4000	23-2	-10	W'N	2	m	32	92	30	4	5	-	-	10	10	2500	5	*	31	24	20	-	11	4-				
	Lyminge	346	25-4	-14	-	0	m	23	85	20	4	-	-	-	7	0	10	23-1	-8	o	27	97	26	4	5	-	-	10	10	3000	9	2	29	16	8	-	-	1-6						
	Manston	154	24-5	-14	NNW	2	m	28	85	25	4	5	-	-	10	10	1400	22-3	-10	NNW	2	o/f	31	92	23	3	5	-	-	10	10	2600	9	*	29	20	15	-	Tr	1-1				
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	22-6	-2	W'S	1	c/f	31	92	29	3	5	-	-	9+	9+	2500	4	*	32	25	20	-	Tr	0-0
	Felixstowe	15	24-2	-12	NNW	-	m	30	85	25	4	5	-	-	10	10	2400	22-4	0	NNW	1	m	31	92	29	4	5	-	-	10	10	3500	8	2	34	26	21	-	Tr	2-7				
	Gorleston	5	24-4	-8	NNW	3	zo	32	85	25	5	5	-	-	10	10	1500	22-0	-6	NN'N	2	o/f	32	92	29	3	5	-	-	10	10	1500	5	2	32	31	26	-	Tr	4-				
	Mildenhall	19	24-3	-14	SW	2	m	32	85	28	4	5	-	-	10	10	3100	22-2	-4	WSW	2	d/f	33	97	32	2	-	-	-	10	10	1500	8	*	33	25	27	Tr	0-1	5-0				
	Cranwell	240	24-0	-12	"W	3	rf	35	97	34	3	5	-	-	10	10	2000	22-5	-2	NN'N	2	f	35	97	34	3	5	-	-	9+	9+	3000	6	*	35	34	32	-	0-4	6-5				
3	Birmingham	535	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	23-1	-6	NW	2	d/f	36	97	35	1	-	-	-	10	10	1500	4	*	34	29	27	-	1	5-2	
4	Ross-on-Wye	408	25-7	-12	NNW	2	i/o	33	92	31	5	5	-	-	9	9	1500	23-3	-8	NNW	2	i/o	34	97	34	4	-	-	-	10	10	500	5	*	32	29	25	-	1	*				
		223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	23-7	-10	SW	1	o/f	34	92	32	5	5	-	-	10	10	1500	1	*	35	29	21	-	0-3	4-1		
5	Hartland Point	299	26-8	-10	NNE	3	bc	39	75	32	7	5	-	-	4-6	4-6	2500	24-6	-10	SW	2	U	40	85	35	7	5	1	-	7-8	10	2500	1	2	35	34	30	3	Tr	3-7				
	Bristol	203	26-6	-10	-	0	o/f	30	85	26	3	5	-	-	10	10	2700	23-9	-8	0	o/f	34	97	33	4	5	-	-	10	10	2500	1	*	33	26	18	-	0-3	4-4					
	Portland Bill	32	26-7	-4	N	1	bc	32	85	29	7	5	-	-	4-6	4-6	4000	23-5	-12	N	2	c	37	92	34	7	5	-	-	10	10	4000	1	3	32	37	*	-	*					
	Plymouth	82	27-5	-4	-	0	m	30	92	28	4	-	-	-	0	0	24-9	-10	0	z	33	92	31	5	5	-	-	10	10	3000	3	2	35	27	21	-	8-0							
	The Lizard	240	27-5	-6	NNE	2	bc	34																																				

SECRET

Tuesday 10th February 1942

No. 29300

Page 1  
BRITISH  
SECTIONTHE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.
DISTRICT.	STATIONS. (For heights see p. 4.)	OBSERVATIONS at 13h. G.M.T. 9th February								OBSERVATIONS at 18h. G.M.T. 9th February								PAST 24 HOURS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Barom. at M.S.L. mb.	Change in 8 hours. (1)	Wind.		Weather. (6)	Temp. °F. (5)	Dew Point. °F. (7)	Humid. (8)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (16)	Wind.		Weather. (18)	Temp. °F. (19)	Dew Point. °F. (20)	Humid. (21)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (17)	Wind.		Weather. (20)	Temp. °F. (21)	Dew Point. °F. (22)	Humid. (23)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (18)	Wind.		Weather. (24)	Temp. °F. (25)	Dew Point. °F. (26)	Humid. (27)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (28)	Wind.		Weather. (29)	Temp. °F. (29)	Dew Point. °F. (30)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (31)	Wind.		Weather. (32)	Temp. °F. (33)	Dew Point. °F. (34)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (35)	Wind.		Weather. (36)	Temp. °F. (37)	Dew Point. °F. (38)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (39)	Wind.		Weather. (40)	Temp. °F. (41)	Dew Point. °F. (42)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (43)	Wind.		Weather. (44)	Temp. °F. (45)	Dew Point. °F. (46)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (47)	Wind.		Weather. (48)	Temp. °F. (49)	Dew Point. °F. (50)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (51)	Wind.		Weather. (52)	Temp. °F. (53)	Dew Point. °F. (54)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (55)	Wind.		Weather. (56)	Temp. °F. (57)	Dew Point. °F. (58)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (59)	Wind.		Weather. (60)	Temp. °F. (61)	Dew Point. °F. (62)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (63)	Wind.		Weather. (64)	Temp. °F. (65)	Dew Point. °F. (66)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (67)	Wind.		Weather. (68)	Temp. °F. (69)	Dew Point. °F. (70)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (71)	Wind.		Weather. (72)	Temp. °F. (73)	Dew Point. °F. (74)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (75)	Wind.		Weather. (76)	Temp. °F. (77)	Dew Point. °F. (78)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (79)	Wind.		Weather. (80)	Temp. °F. (81)	Dew Point. °F. (82)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (83)	Wind.		Weather. (84)	Temp. °F. (85)	Dew Point. °F. (86)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (87)	Wind.		Weather. (88)	Temp. °F. (89)	Dew Point. °F. (90)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (91)	Wind.		Weather. (92)	Temp. °F. (93)	Dew Point. °F. (94)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (95)	Wind.		Weather. (96)	Temp. °F. (97)	Dew Point. °F. (98)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (99)	Wind.		Weather. (100)	Temp. °F. (101)	Dew Point. °F. (102)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (103)	Wind.		Weather. (104)	Temp. °F. (105)	Dew Point. °F. (106)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (107)	Wind.		Weather. (108)	Temp. °F. (109)	Dew Point. °F. (110)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (111)	Wind.		Weather. (112)	Temp. °F. (113)	Dew Point. °F. (114)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (115)	Wind.		Weather. (116)	Temp. °F. (117)	Dew Point. °F. (118)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (119)	Wind.		Weather. (120)	Temp. °F. (121)	Dew Point. °F. (122)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (123)	Wind.		Weather. (124)	Temp. °F. (125)	Dew Point. °F. (126)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (127)	Wind.		Weather. (128)	Temp. °F. (129)	Dew Point. °F. (130)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (131)	Wind.		Weather. (132)	Temp. °F. (133)	Dew Point. °F. (134)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (135)	Wind.		Weather. (136)	Temp. °F. (137)	Dew Point. °F. (138)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (139)	Wind.		Weather. (140)	Temp. °F. (141)	Dew Point. °F. (142)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (143)	Wind.		Weather. (144)	Temp. °F. (145)	Dew Point. °F. (146)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (147)	Wind.		Weather. (148)	Temp. °F. (149)	Dew Point. °F. (150)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (151)	Wind.		Weather. (152)	Temp. °F. (153)	Dew Point. °F. (154)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (155)	Wind.		Weather. (156)	Temp. °F. (157)	Dew Point. °F. (158)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (159)	Wind.		Weather. (160)	Temp. °F. (161)	Dew Point. °F. (162)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (163)	Wind.		Weather. (164)	Temp. °F. (165)	Dew Point. °F. (166)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (167)	Wind.		Weather. (168)	Temp. °F. (169)	Dew Point. °F. (170)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (171)	Wind.		Weather. (172)	Temp. °F. (173)	Dew Point. °F. (174)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (175)	Wind.		Weather. (176)	Temp. °F. (177)	Dew Point. °F. (178)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (179)	Wind.		Weather. (180)	Temp. °F. (181)	Dew Point. °F. (182)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (183)	Wind.		Weather. (184)	Temp. °F. (185)	Dew Point. °F. (186)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (187)	Wind.		Weather. (188)	Temp. °F. (189)	Dew Point. °F. (190)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (191)	Wind.		Weather. (192)	Temp. °F. (193)	Dew Point. °F. (194)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (195)	Wind.		Weather. (196)	Temp. °F. (197)	Dew Point. °F. (198)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (199)	Wind.		Weather. (200)	Temp. °F. (201)	Dew Point. °F. (202)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (203)	Wind.		Weather. (204)	Temp. °F. (205)	Dew Point. °F. (206)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (207)	Wind.		Weather. (208)	Temp. °F. (209)	Dew Point. °F. (210)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (211)	Wind.		Weather. (212)	Temp. °F. (213)	Dew Point. °F. (214)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (215)	Wind.		Weather. (216)	Temp. °F. (217)	Dew Point. °F. (218)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (219)	Wind.		Weather. (220)	Temp. °F. (221)	Dew Point. °F. (222)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (223)	Wind.		Weather. (224)	Temp. °F. (225)	Dew Point. °F. (226)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (227)	Wind.		Weather. (228)	Temp. °F. (229)	Dew Point. °F. (230)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (231)	Wind.		Weather. (232)	Temp. °F. (233)	Dew Point. °F. (234)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (235)	Wind.		Weather. (236)	Temp. °F. (237)	Dew Point. °F. (238)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (239)	Wind.		Weather. (240)	Temp. °F. (241)	Dew Point. °F. (242)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (243)	Wind.		Weather. (244)	Temp. °F. (245)	Dew Point. °F. (246)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (247)	Wind.		Weather. (248)	Temp. °F. (249)	Dew Point. °F. (250)	Cloud.				Barom. at M.S.L. mb.	Change in 8 hours. (251)	Wind.		Weather. (252)	Temp. °F. (253)	Dew Point. °F. (2



# AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).  
**Warm Front.** The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

**Cold Front.** The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

**Occlusion.** The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

**Frontogenesis.** A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

**Frontolysis.** Said to occur when a front is in process of dissolution.



## EXPLANATION OF CHART.

**BAROMETER.** Isobars are drawn for intervals of four millibars.

**WIND.** Arrows fly with wind. A full length feather indicates two steps on the Beaufort Scale, and a short feather one step. Calm is indicated by circle outside weather symbol.—○

**TEMPERATURE** is given in degrees F.

**WEATHER SYMBOLS:** —○ Clear sky. ○ Sky less than 3/10 clouded. ① Sky 4/10 to 6/10 clouded.

② Sky 7/10 to 9/10 clouded. ③ Overcast sky. ● Rain falling. \* Snow. ■ Sleet. △ Hail.

Fog. ≡ Mist. ≡ Thunder. (T) Thunderstorm. ☉ Slight haze. ☀

The hour of observation is not uniform throughout the Hemisphere; a chart showing the hours at which the observations are taken is contained in the Introduction.

**FRONTS** or boundaries between masses of air of different origin are indicated, wherever their characteristics are well pronounced in the following way—

— Warm Front on the Surface

— Warm Front above the ground

— Cold Front on the surface

— Cold Front above the ground

= Occluded Front (or Occlusion)

= Warm Occlusion

= Cold Occlusion

= Lines of Frontogenesis

Short strokes across the frontal line indicate Frontolysis. (For explanation see page 3.)

NOTE.—The symbols are placed on the side of the line towards which the front is moving.

When the front is stationary the symbols are placed alternately on both sides of the line.

All times are G.M.T. Add one hour to get summer time.

THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Tuesday 10th February 1942

No. 29300

District.	Stations.	Observations at 1 hr. G.M.T. 10th February												Observations at 7 hr. G.M.T. 10th February												Past 24 Hours													
		Height above M.S.L. in feet. (1)	Barom. at M.S.L. (2)	Wind.		Weather. (5)	Cloud.				Barom. at M.S.L. (16)	Wind.		Weather. (20)	Cloud.				Barom. at M.S.L. (16)	Wind.		Weather. (20)	Cloud.				Sea. (30)	Max. Day 7h-18h °F. (31)	Min. Night 18h-7h °F. (32)	Total Low 0-10 (21)	Total 0-10 (22)	State of Ground. 0-9 (31)	Sea. (33)	Max. Day 7h-18h °F. (34)	Min. Night 18h-7h °F. (35)	Day 7h-18h mm. (36)	Night 18h-7h mm. (37)	Sun- shine Hrs. (38)	
				Change in 3 hours. (3)	Dir. (4)		Low. (10)	Med. (11)	High. (12)	Total (13)		Change in 3 hours. (14)	Dir. (15)	0-12 (16)	Temp. °F. (17)	Humid. % (18)	Dew Point. °F. (19)	0-9 (20)	Form. (21)	Amount. (22)	Height of Base. (feet) (23)	Change in 3 hours. (24)	Dir. (25)	0-12 (26)	Temp. °F. (27)	Humid. % (28)	Dew Point. °F. (29)	0-9 (30)	Form. (31)	Amount. (32)	Height of Base. (feet) (33)	Sea. (34)	Max. Day 7h-18h °F. (35)	Min. Night 18h-7h °F. (36)	Day 7h-18h mm. (37)	Night 18h-7h mm. (38)	Sun- shine Hrs. (38)		
1	London (Kew)	18	*	*	*	*	*	*	*	*	*	*	*	16.8	-20	SW	2	z	35 97	35 5	5	5	-	-	+	+	2500	1	*	40	34	32	0.2	0.3	0.0				
	Croydon	217	21.1	-14	w	1	f	35 97	35 1	-	-	10	10	150	17.3	-20	w	2	c/p	36 83	33 4	5	7	-	-	7.8	10	1700	4	*	36	34	32	0.3	0.2	0.0			
	S. Farnborough	226	21.3	-14	w's	1	of	35 97	34 2	5	-	10	10	800	17.3	-26	ww	2	c/p	35 92	33 4	5	-	-	-	+	+	2500	1	*	41	33	32	0.3	11	0.0			
	Boscombe Down	417	22.2	-8	NW	2	of	35 97	34 3	5	-	10	10	3100	18.9	-14	w's	3	c/p	36 92	34 3	5	-	-	-	+	+	2500	1	*	41	34	33	0.5	-	0.0			
	Thorney Island	10	21.2	-8	NNW	2	zo	37 97	36 5	5	-	10	10	3400	18.4	-14	w'n	2	of	36 97	35 3	5	-	-	-	10	10	2500	1	*	41	35	25	0.3	-	*			
	Lymnne	346	21.1	-8	NW	2	f	34 97	34 2	-	-	10	10	150	18.5	-16	ww	1	ff	33 97	33 2	-	-	-	-	10	10	1500	6	2	38	33	32	0.0	-	0.0			
	Manton	154	20.3	-10	NW	3	ff	33 97	33 1	-	-	10	10	150	16.6	-42	ww	3	ff	33 97	33 4	5	-	-	-	10	10	3000	9	*	36	32	29	-	-	0.2			
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	16.6	-22	ww	3	c/p	34 92	32 3	5	-	-	1	4.6	7.8	2600	4	*	38	32	31	Tr	0.0
	Felixstowe	15	20.4	-10	NW	2	m	33 97	32 4	5	-	9+9	2100	16.0	-18	ww	3	c/p	33 97	32 4	5	-	-	-	+	+	3300	4	1	39	30	28	Tr	0.0	*				
	Gorleston	5	20.3	-20	w	2	zo	32 97	31 6	-4	9	0	2.3	-	14.8	-22	w	3	zo	34 85	30 6	5	-	-	10	10	1500	6	2	41	31	28	Tr	0.2	*				
	Mildenhall	19	20.2	-18	sw'w	2	zo	33 97	33 5	5	-	10	10	1500	14.8	-26	ww	4	zo	34 92	32 5	5	-	-	-	10	10	3500	6	*	37	33	30	0.3	0.1	0.0			
	Cranwell	240	19.3	-22	ww	4	of	38 97	38 3	5	-	10	10	2500	13.1	-32	w	5	zo	35 97	35 5	5	-	-	-	9+9	3000	6	*	41	33	31	31	0.2					
3	Birmingham	535	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	15.8	-12	ww	3	m	37 92	35 4	5	-	-	+	+	1500	4	*	40	32	32	0.3	-	0.0	
4	Upper Heyford	408	21.5	-10	NNW	1	f	33 97	33 1	-	-	10	10	150	16.8	-28	ww	3	zo	36 92	33 5	5	-	-	7.8	7.8	3000	1	*	38	32	31	-	*					
	Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	17.5	-20.5	ww	2	zo	39 85	85 6	5	-	-	+	+	3000	1	*	43	37	35	0.1	-	0.0	
5	Hartland Point	299	21.9	-12	sw	2	c	42 85	38 9	5	2	-	7.8	10	1500	19.1	-14	ww	2	c	43 75	37 8	5	2	-	-	7.8	10	2500	1	3	43	41	39	0.5	-	0.2		
	Bristol	203	21.6	-16	-	0	of	37 97	36 2	5	-	10	10	2800	18.1	-20	ww	3	zo	39 85	36 6	5	7	-	-	4.6	10	3500	1	*	42	36	34	0.6	-	0.0			
	Portland Bill	32	22.5	-4	NNE	3	o	40 92	38 7	5	-	10	10	2500	19.6	-8	NW	4	o	42 92	39 7	5	-	-	-	40	10	2500	1										

~~SECRET~~

Wednesday 11th February 1942

No. 29301

No. 29,021

Page 1 BRITISH SECTION

THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Wednesday 11th February 1942

No. 29381

## DISTRICTS.

**FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON, G.M.T.** Wednesday 11th February, 1942.

- |   |                 |   |
|---|-----------------|---|
| 1 | S.E. England    |   |
| 2 | E. England ...  | Light N.W. wind backing west moderate. Fair at first. |
| 3 | E. Midlands ... | Cloudy later with occasional slight rain. Less cold.  |
| 4 | W. Midlands     |   |
| 5 | S.W. England    |   |
| 6 | South Wales     |   |

- 7 North Wales  
8 N.W. England  
9 N. Midlands ..  
10 N.E. England  
11 S.E. Scotland  
12 S.W. Scotland

Moderate west wind veering N.W. fresh on coasts. Mainly cloudy. Occasional light rain. Less cold.

- & Isle of Man

13A W. Scotland ... Moderate w. to N.W. wind, fresh or strong locally on  
coasts. Cloudy. Occasional rain. Less cold.

13B N.W. Scotland

14 Mid Scotland

15 N.E. Scotland

## 16 Orkneys and Shetlands

AS 13A - 15

- 17 N. W. Ireland
  - 18 N. E. Ireland
  - 19 S. E. Ireland
  - 20 S. W. Ireland

Troughs of low pressure are moving S.E. across the British Isles. There will be occasional rain in the North. In the South weather will be fair at first, but cloudy conditions are expected later with occasional slight rain. It will become milder generally.


## FURTHER OUTLOOK

Probably becoming colder again with wintry showers in the North and near the East coast.

Gale warning issued 0715h on 11:242 in districts 13A 13B 16 and 15 and 18 (part of)

Forecasts issued at 10.30h. G.M.T.

N. K. JOHNSON, D.Sc., A.R.C.S., Director.  
Meteorological Office, Air Ministry, Kingsway, London, W.C.2



# AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts

(The symbols used to indicate fronts are shown below).

**Warm Front.** The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.


**Cold Front.** The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin.

In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

**Occlusion.** The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

**Frontogenesis.** A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

**Frontolysis.** is said to occur when a front is in process of dissolution.



Page 4. BRITISH SECTION		THE DAILY WEATHER REPORT OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.																		Wednesday 11th February 1942 No. 29,301																		
District.	STATIONS.	OBSERVATIONS at 1 hr. G.M.T. 11th February										OBSERVATIONS at 7 hr. G.M.T. 11th February										PAST 24 HOURS.																
		Height above M.S.L. in feet.	Barom. at M.S.L.	Change in 3 hours.	Wind.		Weather.	Temp. °F.	% Humid.	Dew Point. °F.	Visibility.	Cloud.			Form.	Amount.	Height of Base. (feet)	Sea. 0-9	Wind.	Weather.	Temp. °F.	% Humid.	Dew Point. °F.	Visibility.	Cloud.			Form.	Amount.	Height of Base. (feet)	State of Sea. 0-9	TEMPERATURE.			RAINFALL.			SUNSHINE Hrs.
					Dir.	Force.						Low.	Med.	High							Low.	Med.	High							Max. Day 7h-18h °F.	Min. Night 18h-7h °F.	Min. on Grass 7h-18h °F.	Day 7h-18h mm.	Night 18h-7h mm.	10am			
1	London (Kew)	18	*	*	*	*	*	*	*	35	*	*	*	*	*	*	*	*	*	18.1	+16	NNW 2	20	30 75 25 5	5	-	-	23	2.3 2500	1	*	44	30	23	Tr	0.1	0.2	
	Croydon	217	14.3	+26	N	5	20	35 85 30 5	6	7	-	7.3	10	2600	17.7	+14	NNW 2	20	29 85 26 5	5	-	-	1	2.3 4.6 3000	3	*	43	29	26	Tr	0.0	0.0						
	S. Farnborough	226	15.1	+28	NW	2	c	35 75	29	5	-	10	10	2000	18.3	+14	NW 2	bc	29 85 25 7	-	-	1	0	2.3	3	*	45	28	24	-	Tr	0.2						
	Boscombe Down	417	16.0	+30	NE'N	3	bc	34 85	30	7	5	-	-	2.3	2.3 2000	19.2	+14	N	20	27 92 25 6	5	-	-	1	Tr 4000	3	*	45	27	23	-	Tr	0.1					
	Thorney Island	10	14.2	+22	NE'N	3	c	38 85	33	7	5	-	-	4.6	7.8 1800	17.8	+18	N	20	30 85 27 6	5	4	-	11	1 2.3 2500	3	*	47	25	26	Tr	0.1	*					
	Lyminge	346	13.2	+18	NNW	2	bc	34 92	32	5	6	-	-	10	10	1500	16.9	+18	NN 3	bc	30 92 29 7	7	2	-	1	2.3 800	4	*	42	23	27	Tr	0.5					
	Manston	154	12.5	+28	N	6	20	34 85	31	6	5	-	-	10	10	1000	16.4	+22	NNW 4	31	85 28 7	5	-	5	Tr 23 1200	4	*	40	31	25	0.1	Tr	0.0					
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	17.5	+20	NW 2	bc	30 85 27 7	5	3	-	2.3 4.6 2500	8	*	44	30	25	Tr	Tr	0.2		
	Felixstowe	15	12.8	+22	NNW	1	bc/s	33 92	31	7	5	-	-	2.3	2.3 1500	16.5	+16	NW 3	bc	30 85 27 6	8	-	-	2.3 2.3 4000	3	3	43	29	28	0.1	1	1.1						
	Gorleston	5	13.7	+24	NNE	4	20	33 85	30	6	8	-	-	4.6	4.6 1500	15.9	+18	NNW 2	20	29 92 26 6	5	-	-	2.3 4.6 2000	7	3	43	28	26	Tr	0.1	*						
	Mildenhall	19	14.0	+24	NW	5	bc	32 92	31	6	5	-	-	2.3	2.3 2500	17.0	+10	NW 3	20	27 92 26 6	5	3	1	Tr 46 2500	8	*	43	26	17	1	2.2							
	Cranwell	240	15.4	+20	NNW	3	20	30 92	29	6	5	-	-	Tr	2000	17.9	+12	NNW 3	20	27 92 24 6	5	7	-	1	3 2500	4	*	43	24	24	2	0.2	1.6					
3	Birmingham	535	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	19.3	+8	NW 3	bf	26 85 22 3	-	7	-	0	1	4	*	45	25	20	0.2	1	1.6		
4	Ross-on-Wye	408	16.0	+24	N	4	b	32 87	29	7	4	-	0	Tr	-	18.3	+12	NW 3	bc	27 97 26 7	-	4	-	0	2.3	-	3	*	44	27	23	-	0.6	*				
5	Hartland Point	299	16.4	+10	NNW	3	c	41 75	35	8	5	-	-	7.8	7.8 1500	18.6	+10	NE 4	bc	36 65 23 8	4	-	-	2.3 2.3 2500	1	4	47	37	33	0.6	1	0.7						
	Bristol	26	16.6	+34	NE	2	20	35 85	32	6	5	-	-	2.3	2.3 3000	19.6	+14	N 1	m	28 85 24 4	5	-	-	Tr 3000	3	*	46	27	18	Tr	0.6							
	Portland Bill	32	14.2	+6	N	4	0	42 92	40	7	5	-	-	10	10	2500	17.8	+16	NE 3	bc	32 85 28 8	4	-	-	4.6 4.6 2500	1	4	46	32	-	-	0.6						
	Plymouth	82	16.3	-2	NW	3	bc	45 97	43	7	5	1	-	10	10	1500	19.4	+18	NE 3	20	33 92 38 6	-	1	0	Tr	1	3	49	33	26	Tr	0.3	1.5					
	The Lizard	240	16.9	-6	NW	4	c	45 92	43	7	8	2	-	7.8	9+ 1500	19.4	+16	NNW 3	bc	35 92 32 7	8	-	-	4.6 4.6 2500	0	4	46	34	4	1	0.0							
	Scilly (St.Mary's)	163	17.8	-6	NNW	4	c	46 85	43	8	8	-	-	7.8	7.8 200	19.0	+2	E'N 3	c	42 75 33 8	5	2	-	7.8	9+ 1200	1	3	48	44	*	-	0.1	0.0					
6	Pembroke	142	18.0	+16	N'E	4	bc	37 75	37	7	7	-	-	2.3	2.3 2500	20.1	+12	ENE 3	c	35 75 28 7	5	4	-	7.8	7.8 2500	1	2	47	32	*	Tr	-	1.5					
7	Holyhead	26	18.3	+14	MNE	3	c	34 75	28	7	5	-	-	9	9	2500	19.6	+4	NNE 1	bc	29 85 25 9	5	4	-	7.8	2.3 3000	3	2	48	29	22	0.6	Tr	*				
8	Chester(Sealand)	16	18.3	+18	NW	3	b	29 75	23	7	5	-	-	1	1	400																						

~~SECRET~~

Thursday 12th February 1942

No. 29302.

Page 1 BRITISH SECTION

THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Thursday 12th February 1942

PAST 24 HOURS

## DISTRICTS.

**FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON, G.M.T. Thursday, 12th February.**

- 1 S.E. England
  - 2 E. England ...▲
  - 3 E. Midlands ...
  - 4 W. Midlands
  - 5 S.W. England
  - 6 South Wales ▲
  - 7 North Wales ▲
  - 8 N.W. England ▲
  - 9 N. Midlands ...
  - 10 N.E. England ▲
  - 11 S.E. Scotland ▲
  - 12 S.W. Scotland & I. of Man ▲

Fresh west wind, strong on coasts, veering northwest to north. Cloudy at first with local rain and clear intervals later, with snow showers locally, more particularly near coasts. Becoming very cold with frost day and night.

- 16 Orkneys and Shetlands.  
17 N. W. Ireland  
18 N. E. Ireland  
19 S. E. Ireland  
20 S. W. Ireland

Moderate west wind, veering northwest or north, fresh locally on coasts. Cloudy at first with local rain. Clear intervals and wintry showers later. Becoming cold with day and night frost.

## **GENERAL INFERENCE**


A depression northeast of Shetland is moving southeast and an associated trough over North Scotland is moving south. Very cold northerly winds will spread south over the British Isles, giving snow showers in many areas. Appreciable snowfall is likely in North Scotland and locally near East and West coasts.

- 13A W. Scotland ...▲ Wind northwest to north fresh or strong, gale on coasts.  
13B N.W. Scotland▲ Cloudy; heavy snow showers. Very cold; frost day and night.  
14 Mid Scotland  
15 N.E. Scotland ▲

**FURTHER OUTLOOK**  
Continuing cold with severe night frost. Snow showers in the North and near the East coast.  
A Gale Warning issued 0715 11.2. in districts 13A, 13B, 16 and 15 & 18 (part of).  
Issued 0220 12.2. in districts 7, 8, 10, 11, 12 and 15 & 18 (part of).  
Issued 1030 12.2. in districts 6, 15, and 2 (part of).

Forecasts issued at 1030 G.M.T.

N. K. JOHNSON, D.Sc., A.R.C.S., Director,  
Meteorological Office, Air Ministry, Kingsway, London, W.C.2



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

### Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).

**Cold Front.** The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

**Occlusion.** The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

**Frontogenesis.** A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

**Frontolysis** is said to occur when a front is in process of dissolution.



THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Thursday 12th February 1942  
No. 23302.

District.	STATION.	OBSERVATIONS at 1 hr. G.M.T. 12th February...												OBSERVATIONS at 7 hr. G.M.T. 12th February...												PAST 24 HOURS.																
		Height above M.S.L. in feet.	Barom. at M.S.L. mb. (1)	Change in 3 hours (2)	Wind. Dir. (3)	Force. (4)	Weather. (5)	Temp. °F. (6)	Humid. % (7)	Dew Point. °F. (8)	Cloud.			Barom. at M.S.L. mb. (16)	Change in 3 hours (17)	Wind. Dir. (18)	Force. (19)	Weather. (20)	Temp. °F. (21)	Humid. % (22)	Dew Point. °F. (23)	Cloud.			Height of base (feet) (30)	State of Sea. (31)		Sea. (32)	Temperature.			Rainfall.			Sun- shine Hrs. (38)							
											Form.	Amount.	Height of base (feet) (15)																													
1	London (Kew)	18	*	*	*	*	*	30	*	*	*	*	*	*	*	*	*	*	*	*	14·9	-20	SW	3	15	31	85	26	5	2	-2	10	2500	3	26	29	15	-	Tr	1·6		
	Croydon	217	19·3	-8	SW'W	2	Zo	29	75	22	5	5	-	-	2-3-3	3000	15·8	-16	SSW	3	c	33	75	27	6	5	7	-4-6	10	3000	3	36	28	23	-	-	0·5					
	S. Farnborough	226	15·5	-6	WSW	2	Zo	27	85	25	4	-	-	5	0	4-6	-	16·0	-16	WSW	3	s, S,	33	75	27	5	-	2	-	0	10	3	38	26	19	-	-	3·7				
	Boscombe Down	417	20·2	-6	-	0	Zo	26	85	24	5	-	-	7	-	0	4-6	-	16·9	-20	WSW	2	Zo	32	85	28	6	5	-	-	94	34	3000	3	35	25	19	-	Tr	2·2		
	Thorney Island	10	20·3	-4	NW	1	Zo	26	97	26	5	-	-	6	0	9	-	17·0	-16	W	1	Zo	30	92	28	5	2	3	7	Tr	10	2500	3	39	24	19	-	Tr	*			
	Lymne	346	20·4	-6	-	0	Zo	24	97	24	5	-	-	6	0	0	-	17·6	-14	W	2	Zo	28	85	23	6	-	7	2	0	4-6	-	4	35	23	13	-	-	4·4			
	Manston	154	18·7	-10	WSW	2	Zo	28	85	25	6	5	7	-	1	4-6	2500	15·3	-22	SW'W	4	Zo	29	92	28	6	5	7	-	1	94	34	3000	4	34	26	21	-	-	2·8		
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	15·4	-18	SW	3	c	31	75	25	4	5	-	-	94	34	3500	3	36	28	21	Tr	-	2·5
	Felixstowe	15	17·9	-8	W	3	Zo	31	75	25	5	-	-	8	0	7-8	-	13·9	-22	WSW	4	Zo	31	75	25	6	5	3	-4-6	10	5200	3	35	30	26	-	-	3·0				
	Gorleston	5	16·4	-10	W	4	Zo	30	92	29	6	5	-	-	10	10	1500	12·0	-16	WNW	4	Zo	32	92	31	6	5	-	-	10	10	1500	5	36	29	29	-	*	*			
	Mildenhall	19	17·0	-12	SW'S	3	Zo	29	85	25	5	-	-	1	-	0	4-6	-	13·0	-20	SW	4	Zo	33	92	31	6	5	-	-	10	10	4000	8	33	28	23	-	Tr	0·3		
	Cranwell	240	14·9	-18	WSW	4	Zo	31	92	29	5	5	-	-	2-3	10	4000	10·7	-18	WSW	5	Zo	34	92	33	6	5	-	-	10	10	1800	6	35	30	27	-	Tr	1·1			
3	Birmingham	535	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	12·4	-26	SW	3	c	34	92	32	4	5	-	-	10	10	2500	4	35	28	26	-	-	0·7	
4	Upper Heyford	408	18·1	-14	W'S	2	Zo	27	85	23	6	-	-	6	0	7-8	-	14·9	-16	SW	4	Zo	32	85	29	6	5	-	-	10	10	5000	3	35	26	21	-	1	*			
5	Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	13·9	-16	SW	3	c	39	85	34	7	5	1	-	7-8	10	2000	1	36	29	22	-	-	2·0	
6	Pembroke	142	15·4	-8	WNW	4	c	42	75	34	8	8	1	-	7-8	10	2500	16·4	-4	WNW	6	Zo	46	92	44	8	8	1	-	7-8	10	2500	1	39	36	32	-	Tr	2·9			
7	Holyhead	26	15·6	-18	W	5	5r	41	92	36	7	5	2	-	7-8	10	1700	11·6	-10	W	6	Zo	45	85	42	8	5	2	-4-6	10	1800	1	41	38	35	-	0·1	*				
8	Chester (Sealand)	16	15·0	-24	-	0	Zo	36	65	29	6	5	7	8	2-3	9	6500	10·6	-22	W	3	Zo	43	75	36	6	5	2	-	9	10	2600	0	27	34	28	-	0·0				
9	Manchester	235	16·2	-70	SSW	4	c	32	85	28	6	5	7	-	4-6	10	2700	11·2	-16	SW'W	3	Zo	37	92	35	5	5	-	-	10	10	1500	1	35	31	27	-	Tr	*			
10	Spurn Head	29	12·9	-20	WSW	4	bc	33	97	33	6	1	-	-	2-3	2-3	4000	08·4	-24	WSW	6	c	36	92																		

~~SECRET~~

Friday 13th February 1942  
No 29383

Page 1 BRITISH SECTION

THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Friday 13th February 1942  
No 29383

## DISTRICTS.

**FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON, G.M.T. Friday 13th February.**

- |                   |  |
|-------------------|--|
| 1 S.E. England    |  |
| 2 E. England ...  | Fresh northwest to north-northwest wind, strong locally on coasts. Mainly fair with considerable bright periods, but some scattered wintry showers, mainly in eastern and western coastal districts. |
| 3 E. Midlands ... |  |
| 4 W. Midlands     |  |
| 5 S.W. England    | Rather cold with frost at night in many places.  |

16 Orkneys and Shetlands	As 13A-15
17 N. W. Ireland	Moderate northerly winds, becoming variable later. Fair apart from scattered showers at first; some general rain in the Northwest later. Rather cold.
18 N. E. Ireland	
19 S. E. Ireland	
20 S. W. Ireland	


**GENERAL INFERENCE**  
A broad current of rather cold northwest to north winds covers the country. There will be occasional wintry showers in Scotland and scattered wintry showers elsewhere, mainly in eastern and western coastal districts, but considerable bright periods. A depression is developing in the neighbourhood of Iceland, which will move southeast and later bring more general precipitation into Scotland.

## FURTHER OUTLOOK

- Some general precipitation spreading southeastwards across the British Isles; probably rain in southern districts.  
▲ Gale warnings still in operation in districts 10, 11, 15 & 16. Issued at 0715 11.2. in 16 & partly 15; at 0220 12.2. & in 10, 11 and part of 15.

Forecasts issued at 1030 G.M.T.

N. K. JOHNSON, D.Sc., A.R.C.S., Director.  
Meteorological Office, Air Ministry, Kingsway, London, W.C.2



# AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

## Explanation of Frontal Lines shown on Charts

(The symbols used to indicate fronts are shown below).

**Warm Front.** The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

**Cold Front.** The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

**Occlusion.** The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

**Frontogenesis.** A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

**Frontolysis.** is said to occur when a front is in process of dissolution.



Morning of

Friday 13th February

1942.

Clarke's Projection Scale 1 : 4 x 10<sup>7</sup> along meridian at 55° N.

Statute Miles 0 1 2 3 4 500

## EXPLANATION OF CHART.

**BAROMETER.** Isobars are drawn for intervals of four millibars.

**WIND.** Arrows fly with wind. A full length feather indicates two steps on the Beaufort Scale, and a short feather one step. Calm is indicated by circle outside weather symbol: —○—

**TEMPERATURE** is given in degrees F.

**WEATHER SYMBOLS:** —○— Clear sky. ○ Sky less than 3/10 clouded. (○) Sky 4/10 to 6/10 clouded.

(○) Sky 7/10 to 9/10 clouded. (○) Overcast sky. ● Rain falling. \* Snow. ♀ Sleet. △ Hail.

Fog. Ⓜ Mist. Ⓝ Thunder. (Ⓣ) Thunderstorm. Ⓞ Slight haze. Ⓟ

The hour of observation is not uniform throughout the Hemisphere: a chart showing the hours at which the observations are taken is contained in the Introduction.

**FRONTS** or boundaries between masses of air of different origin are indicated, wherever their characteristics are well pronounced in the following way—

—▲— Warm Front on the Surface

—●— Cold Front on the Surface

—▲— Cold Front above the ground

—●— Warm Front above the ground

—▲— Cold Front above the ground

**NOTE.** The symbols are placed on the side of the line towards which the front is moving.

When the front is stationary the symbols are placed alternately on both sides of the line.

= Occluded Front (or Occlusion)

= Warm Occlusion

= Cold Occlusion

= Lines of Frontogenesis

Short strokes across the frontal line indicate Frontolysis. (For explanation see page 3.)

All times are G.M.T. Add one hour to get summer time.

THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Friday 13th February 1942  
No. 23303

District.	Stations.	Observations at 1 hr. G.M.T. 13th February												Observations at 7 hr. G.M.T. 13th February												Past 24 Hours.																	
		Height above M.S.L. in feet.	Barom. at M.S.L. mb. (1)	Change in 3 hours. (2)	Wind. Dir. (3)	Force. (4)	Weather. (5)	Cloud.						Barom. at M.S.L. mb. (16)	Change in 3 hours. (17)	Wind. Dir. (18)	Force. (19)	Cloud.						Sea. 0-9 (30)	Temperature. Max. 7h-18h °F. (33)	Rainfall. Min. on Ground mm. (34)	Sun- shine Hrs. (38)																
								Form. (6)	Amount. (7)	% (8)	Dew Point. (9)	0-9 (10)	Low (11)	Med. (12)	Total (13)	High (14)	0-9 (21)	Low (22)	% (23)	Dew Point. (24)	0-9 (25)	Low (26)	Med. (27)	Total (28)	High (29)	State of Ground (31)	(32)																
1	London (Kew) ...	18	*	-2	W N	2	+	44	*	*	*	*	*	*	*	*	*	12.5	+16	NW	3	20	33	75	31	6	5	-	-	4-6-4-6	2500	1	*	4-6	32	Tr	0.1	0.1					
	Croydon ...	217	10.2	-2	W N	2	+	42	85	33	6	5	-	-	-	-	-	12.4	+16	NW	2	bc	38	75	32	6	5	4	6	2-3-4-6	4000	1	*	4-7	38	32	0.1	0.1					
	S. Farnborough ...	226	10.7	0	W N	3	+	20	40	24	37	0	-	-	-	-	13.0	+18	NW	3	c	40	65	31	7	5	-	-	1-7-8	3500	1	*	4-6	39	35	Tr	0.2						
	Boscombe Down ...	417	12.2	+14	W N	4	+	42	92	40	7	5	7	-	T	2-3	4000	14.1	+14	NW	2	bc	40	92	37	8	8	-	-	4-6-4-6	2000	1	*	4-7	39	36	0.2	0.3					
	Thorney Island ...	10	11.8	-2	W N	4	+	20	43	92	40	6	5	-	S	2-3	7-8	4000	13.0	+14	NW	3	c/r	40	85	37	7	5	3	-	+6-7-8	2500	1	*	4-7	39	39	0.1	*				
	Lymne ...	346	10.8	-4	W	5	+	42	92	40	8	2	-	-	-	-	7-8	7-8	2500	11.8	+10	WN	4	20	36	85	32	6	4	-	1	1	3200	1	3	4-3	36	33	0.1	0.0			
	Manston ...	154	08.6	-4	W	5	+	20	85	33	6	5	-	-	S+	3400	10.6	+18	NW	4	20	30	85	31	6	2	3	2	Tr	1	4000	4	*	4-2	56	30	TP	0.0					
2	Shoeburyness ...	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	11.5	+10	NW	4	bc	37	83	32	7	5	-	-	4-6-4-6	3500	1	*	+4	37	30	Tr	-	0.6				
	Felixstowe ...	15	07.1	-2	W N	5	+	20	85	37	6	5	-	-	-	-	-	10.0	+10	2700	10.5	+22	WN	4	pr	37	75	31	8	2	-	-	3+4	2000	1	3	4-2	37	33	0.1	0.0		
	Gorleston ...	5	05.7	-8	W	5	+	b6/pr	39	75	32	5	-	-	-	-	-	2-3	2-3	1500	08.0	+16	NW	4	bc	35	85	29	7	5	-	-	2-3	2-3	2000	1	3	4-1	34	31	0.2	*	
	Mildenhall ...	19	07.0	+2	W	5	+	20	92	39	6	5	-	-	-	-	-	10.0	+10	5200	10.0	+22	NW	2	20	34	97	33	6	5	4	-	7-8	3	4000	1	*	4-2	34	27	TP	0.0	
	Cranwell ...	240	07.3	-10	NW	4	+	20	75	33	6	5	-	-	-	-	-	2-3	2-3	3000	11.1	+24	NW	4	20	34	75	27	6	5	-	1	Tr	1	3500	4	*	4-1	34	28	0.4	0.0	
3	Birmingham ...	535	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	13.1	+14	NW	4	c	35	75	29	6	5	-	-	5	Tr	1500	1	*	+4	35	30	0.3	3	0.0			
4	Upper Heyford ...	408	05.6	+2	W N	4	+	bc	41	85	30	7	8	4	-	-	-	2-3	2-3	2500	13.1	+22	NW	3	c	36	85	31	7	4	-	-	7-8	7-8	2500	1	*	4-2	36	31	0.3	0.5	
	Ross-on-Wye ...	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	14.3	+16	N	3	c	39	85	34	8	5	-	-	7-8	7-8	3000	1	*	+7	39	34	0.1	0.0				
5	Hartland Point ...	299	15.6	+6	WNW	4	+	bc	46	92	43	8	4	4	-	-	-	4-6	9	2500	16.5	+6	NNW	4	c	44	85	40	8	3	-	-	9	9	2500	1	4	4-7	43	42	0.4	1	0.1
	Bristol ...	263	12.3	0	W	5	+	20	44	92	41	6	5	-	-	-	24	24	3800	14.3	+12	NW	3	bc	40	85	34	7	5	4	1	2-3	2-3	3000	1	*	+5	40	33	0.4	-	0.0	
	Portland Bill ...	32	14.2	+4	W	4	+	bc	45	92	43	7	5	-	-	-	-	7-8	7-8	2500	14.0	+6	NW	3	c	30	45	92	45	7	3	2	-	7-8	10	2500	1	*	4-7	47	*	-	*
	Plymouth ...	82	16.7	+2	WNW	5	+	bc	47	92	45	7	5	-	-	-	-	24	24	3000	17.1	+6	NW	4	bc	46	92	43	8	2	-	-	2-4	6-4-6	3000	1	3	50	46	39	7	0.5	0.6
	The Lizard ...	240	18.3	+2	NW	5	+	bc	47	75	44	8	8	-	-	-	-	2-3	2-3	2000	18.4	+4	NW	5	c	42	85	44	7	8	2	-	9	10	1500	0	4	51	46	27	TP	0.0	
	Scilly (St. Mary's) ...	163	19.7	+																																							


SECRET

Saturday 14th February 1942

No. 29304

Page 1  
BRITISH  
SECTIONTHE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

DISTRICT.	STATION.	OBSERVATIONS at 13h. G.M.T. 13th February												OBSERVATIONS at 18h. G.M.T. 13th February												PAST 24 HOURS.													
		Barom. at M.S.L. (1)	Change in 3 hours (2)	Wind.		Weather. (5)	Temp. °F. (6)	% Humid. (7)	Dew Point. °F. (8)	Visibility 0-9 (9)	Cloud.					Barom. at M.S.L. (16)	Change in 3 hours (17)	Wind.		Weather. (20)	Temp. °F. (21)	% Humid. (22)	Dew Point. °F. (23)	Visibility 0-9 (24)	Cloud.					State of Ground. (31)	Sea (32)	WEATHER.							
				Dir.	0-12 (4)						Form.	Low.	Med.	High	Amount.			Dir.	0-12 (18)			Wind.	Dir. (19)	Low.	Med.	High	Amount.	Height of Base (feet) (30)											
1	London (Kew)	16.5	+14	NW	4	c	40	35	17	7	1	-	6	4.6	7.8	2500	20.6	+34	NW	2	zo	36	55	22	6	-	-	1	0	2-3	-	1	*	obcay	c,bzoy	bzoy	bz <sub>o</sub>		
	Croydon	16.1	+12	NW	4	c	39	55	23	6	2	-	-	4.6	10	2300	19.6	+24	NNW	3	m	25	55	21	4	-	-	0	0	-	1	*	dzbdzoy	bez,cz	bzbm	bzbmx			
	S. Farnborough	17.3	+12	NW	4	c	39	45	22	7	7	-	-	9	9	3200	20.6	+22	NW	3	bc	35	55	23	6	5	-	-	1	1	Tr	2-3	3000	1	*	cobey	ey,bcb	byzo	b <sub>o</sub> x
	Boscombe Down	18.3	+16	NW	4	c	40	65	30	8	7	-	-	9	9	2000	21.7	+30	N	3	b	35	65	24	7	5	-	-	1	1	4000	1	*	cpr,bee	bxcba	bcb	bx		
	Thorney Island	17.1	+12	NW	4	c	42	65	29	8	7	4	-	4.6	9	4000	20.6	+14	NW	3	b	37	65	27	7	5	-	-	1	1	Tr	1	4000	1	*	cobcc	b	b	b
	Lymupne	15.0	+12	NW	4	c	40	55	24	8	1	-	-	7.8	7.8	2500	19.4	+30	NW	3	b	33	65	22	7	5	-	-	2	0	Tr	-	1	hemzbc	bz,by	bbcbzo	b <sub>o</sub> bm <sub>x</sub>		
	Manston	14.6	+12	NW	6	zo	38	65	28	6	4	-	1	0	Tr	-	18.5	+26	NW	5	bo	34	75	26	7	-	-	3	0	2-3	-	1	*	hemob	bz,ebz,b	abczo	b <sub>o</sub> z <sub>x</sub>		
2	Shoeburyness	15.6	+10	NNW	5	bc	40	55	25	7	2	-	-	2-3	2-3	3500	19.4	+26	NW	3	b	34	75	26	6	-	-	1	0	Tc	-	3	*	bybzo	bccb	*	b <sub>o</sub> m <sub>x</sub>		
	Felixstowe	14.1	+10	NNW	5	bc	39	55	22	7	1	-	1	2-3	4-6	4500	17.8	+24	NW	5	b	35	65	26	7	4	-	-	1	1	Tr	Tr	4000	1	4	cmbc	bz,by	b <sub>o</sub> m <sub>x</sub>	b <sub>o</sub> m <sub>x</sub>
	Gorleston	12.6	+14	NNW	6	bc	37	55	23	7	2	-	-	4.6	4-6	3000	15.8	+28	NNW	5	bc	36	92	33	7	2	-	-	2-3	2-3	2300	1	3	bez,y	bzq,y	b <sub>o</sub> z <sub>x</sub>	b <sub>o</sub> z <sub>x</sub>		
	Mildenhall	14.7	+20	NW	6	bc	38	65	26	8	1	-	1	2-3	2-3	2000	18.8	+22	NNW	3	bc	33	75	28	7	4	-	3	1	2-3	4000	1	*	obzbc	bz,kqb	b <sub>o</sub> m <sub>x</sub>	b <sub>o</sub> m <sub>x</sub>		
	Cranwell	15.6	+20	NNW	5	zo	38	55	22	7	2	-	-	7.8	7.8	2500	19.1	+26	NW	5	zo	33	75	27	6	4	-	3	1	Tr	Tr	3000	4	*	bbczo	baby	b <sub>o</sub> z <sub>x</sub>	b <sub>o</sub> z <sub>x</sub>	
3	Birmingham	17.6	+16	NW	5	ps	36	65	25	7	8	-	-	9	9	1500	21.4	+28	NW	4	b	33	55	20	6	-	7	-	0	1	-	1	*	bcps	cbe	bz	bz <sub>x</sub>		
	Upper Heyford	16.8	+10	NNW	5	c	37	65	26	7	8	6	-	7.8	7.8	2500	20.2	+18	NW	4	zo	33	85	29	6	-	7	-	0	1	-	1	*	cobcmo	cpr,sbeno	bz	b <sub>o</sub> m <sub>x</sub>		
	Ross-on-Wye	13.1	+12	NW	3	c	41	65	30	8	8	-	-	7.8	7.8	3000	21.0	+26	N	3	bc	36	65	22	8	4	-	2	1	2-3	3000	1	*	cobey	cobey	bz	bz		
5	Hartland Point	20.7	+16	N	4	c	42	55	27	8	5	4	-	4.6	7-8	2000	23.1	+26	NNW	4	c	41	65	32	8	5	-	-	94	94	2000	1	4	wro	obcc	obccy	b <sub>o</sub> z <sub>x</sub>		
	Bristol	18.9	+22	N	4	c	41	75	32	8	8	-	-	9	9	2000	22.8	+32	N	4	bc	37	55	23	7	4	-	5	1	2-3	4000	1	*	obcc	obccy	b <sub>o</sub> z <sub>x</sub>	b <sub>o</sub> z <sub>x</sub>		
	Portland Bill	18.6	+12	NNW	3	c	46	85	42	8	5	-	-	4.6	7-8	4000	20.2	+12	NW	3	c	42	85	37	8	5	-	-	10	10	4000	1	4	c	obcc	bz	bz		
	Plymouth	20.4	+14	NW	5	c	46	75	38	8	8	-	-	7.8	7.8	3000	22.9	+20	N	5	bc	41	95	36	8	7	-	1	Tr	4-6	3000	0	3	bee	obcc	bz	b <sub>o</sub> m <sub>x</sub>		
	The Lizard	20.8	+12	N	5	c	47	75	40	8	8	6	-	7.8	7.8	2500	24.1	+20	N	4	c	45	75	34	8	8	6	-	7.8	7.8	1500	0	4	cpr	cpr	c	c		
	Scilly (St. Mary's)	22.2	+14	N'E	4	c	48	75	40	8	8	7	-	4.6	94</td																								



# AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

## Explanation of Frontal Lines shown on Charts

(The symbols used to indicate fronts are shown below).


**Warm Front.** The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

**Cold Front.** The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

**Occlusion.** The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

**Frontogenesis.** A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

**Frontolysis.** Is said to occur when a front is in process of dissolution.






SECRET

Sunday 15th February 1942

No 29305

Page 1  
BRITISH  
SECTIONTHE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

DISTRICT.	STATIONS.	OBSERVATIONS at 13h. G.M.T. 14th February												OBSERVATIONS at 18h. G.M.T. 14th February												PAST 24 HOURS.																			
		Wind.			Cloud.			Wind.			Cloud.			Wind.			Cloud.			Wind.			Cloud.			Wind.			Cloud.																
		Barom. mb. (1)	Change in 3 hours. (2)	Dir. (3)	0-12 (4)	Weather. (5)	Temp. °F. (6)	% Humid. (7)	Dew Point. °F. (8)	Visibilitv. 0-9 (9)	Low. (10)	Med. (11)	High. (12)	Total 0-10 (13)	Height of Base (feet) (14)	Barom. mb. (16)	Change in 3 hours. (17)	Dir. (18)	0-12 (19)	Weather. (20)	% Temp. (21)	% Humid. (22)	Dew Point. °F. (23)	Visibilitv. 0-9 (24)	Low. (25)	Med. (26)	High. (27)	Total 0-10 (28)	Height of Base (feet) (29)	State of Ground. (30)	Sea 0-9 (31)	7h.-13h. (39)	13h.-18h. (40)	18h.-15h. (41)	1h.-7h. (42)										
(For heights see p. 4.)																																													
1 London (Kew) ...	29.6 +6 NW 3	Zo 39 SS 25 6 7 - 6 1 2-3 2500	31.3 +16 NNE 2	Zo 37 65 26 6 5 3 1 7-8 9+ 2500 1	* bocy z obc, czo cz	29.2 +4 NW 3	Zo 39 SS 26 5 1 - 1 2-3 4-6 3000	30.9 +14 NNW 3	m 35 75 27 4 4 3 - 4-6 7-8 4000 1	* obmcz y bcz y bzbc fz	30.4 +6 NNW 3	Zo 40 SS 24 6 1 - 1 Tr 1 2500	31.5 +12 NWN 1	Zo 37 65 26 5 7 - 0 7-8 - 1	* bmcxzbz bybcz czm	31.1 +8 NW 3	bc 37 SS 22 7 1 - 1 2-3 4-6 3000	32.1 +10 NNW 2	Zo 34 65 23 6 4 - 1 Tr 1 4000 1	* bmcbbc bmc	30.0 +2 NNW 4	C 42 45 23 6 1 - 1 5 Tr 9 4000	31.8 +14 N'W 2	Zo 35 75 28 6 5 3 - 9 5 6000 1	* bcy ebcy bmc	29.9 +6 NNW 3	Zo 38 75 31 6 1 3 2 1 9+ 2200	30.2 +18 N'W 2	Zo 34 85 31 6 5 S - 9+ 9+ 5000 1	* bcy bmc bmc	28.4 +12 NWN 5	Zo 37 75 29 6 5 7 1 4-6 4-6 6000	30.3 +3 NWN 3	Zo 34 85 30 5 S - 9+ 9+ 5000 1	* bcz x m bcps m bmc										
2 Shoeburyness ...	28.6 +14 NNW 3	C 39 65 29 7 - 3 - 0 7-8 -	30.6 +14 NNW 2	C 36 85 31 6 4 - 9+ 9+ 2800 1	* omcsoc cloccm cm e	28.0 +12 NWN 4	C 38 75 29 7 7 - 9+ 9+ 5000	30.3 +18 NWN 3	Zo 36 85 30 6 5 - 9+ 9+ 5000 1	* bcmo probcm obcm	28.1 +20 MNW 3	Zo 37 85 32 6 8 - 7-8 7-8 2600	29.4 +8 WNW 3	Zo 36 85 32 6 5 - 4-6 4-6 1600 6	* bcc bc	28.8 +18 NWN 4	C 37 75 29 7 2 7 6 2-3 9 2500	30.8 +10 NW'W 2	Zo 35 85 32 6 5 7 - 9+ 10 3000 1	* cccm ccm	29.6 +12 NW 4	5/5 35 75 29 7 5 - 9+ 9+ 3500	31.2 +10 NW'W 3	C 35 75 23 7 5 - 4-6 10 3000 4	* Czols o cm am																				
3 Birmingham ...	31.1 +8 N 3	Zo 37 SS 23 6 1 - 1 Tr 2-3 2500	32.5 +10 NW 3	m 34 65 23 4 - 5 1 0 2-3 - 1	* fidacz bz bz	30.5 +10 NNW 2	Zo 37 65 26 6 - 3 1 0 2-3 -	31.7 +16 NNW 2	Zo 34 75 27 6 4 3 2 1 4-6 6000 1	* bcmo bcmobc bm bm	31.0 +8 N 3	b 39 SS 22 8 1 - 1 1 3500	32.1 +10 NW'W 1	Zo 35 65 26 6 - 1 0 1 - 1	* b by	31.8 +8 NE 3	C 40 65 29 8 5 - 9+ 9+ 3500	32.7 +8 MNE 3	C 39 65 28 8 5 - 9 9 3000 0	* yc cy ebc	31.6 +6 N 3	bc 39 SS 24 8 1 - 8 1 4-6 4000	32.7 +12 N 1	m 35 65 25 4 7 - 0 1 - 1	* bzobcy bcybz bzbf	30.9 +4 N 2	C 41 85 36 8 1 4 - 4-6 7-8 4000	32.1 +10 NE 2	bc 35 85 25 8 4 - 4-6 4-6 4000 1	* acc bcbc bebe	31.3 +4 NNE 3	bc 42 65 32 8 1 - 4-6 4-6 3500	33.4 +14 NEN 2	Zo 39 85 33 6 5 - Tr 5700 0	* bmcnmo bbcb bm	31.8 +6 ENE 3	C 45 55 31 8 6 - 7-8 7-8 2500	32.3 +14 NE 2	C 41 65 32 8 2 - 7-8 10 1500 1	* cbc c	31.8 +8 SES 1	C 45 65 34 8 5 - 9+ 9+ 1800	32.3 +6 - 0	C 43 75 36 8 5 - 9+ 9+ 1500 1	* c c
5 Hartland Point ...	31.8 +8 NE 3	C 40 65 29 8 5 - 9+ 9+ 3500	32.7 +8 MNE 3	C 39 65 28 8 5 - 9 9 3000 0	4. bcc bz	31.6 +6 N 3	bc 39 SS 24 8 1 - 8 1 4-6 4000	32.7 +12 N 1	m 35 65 25 4 7 - 0 1 - 1	* bzobcy bcybz bzbf	30.9 +4 N 2	C 41 85 36 8 1 4 - 4-6 7-8 4000	32.1 +10 NE 2	bc 35 85 25 8 4 - 4-6 4-6 4000 1	* acc bcbc bebe	31.3 +4 NNE 3	bc 42 65 32 8 1 - 4-6 4-6 3500	33.4 +14 NEN 2	Zo 39 85 33 6 5 - Tr 5700 0	* bmcnmo bbcb bm	31.8 +6 SES 1	C 45 65 34 8 5 - 9+ 9+ 1800	32.3 +6 - 0	C 43 75 36 8 5 - 9+ 9+ 1500 1	* c c	31.2 +6 SES 1	C 45 65 34 8 5 - 9+ 9+ 1800	32.5 +6 - 0	C 43 75 36 8 5 - 9+ 9+ 1500 1	* c c															
6 Pembroke ...	33.1 +20 NNE	C 42 65 30 8 5 - 9 9 2500	33.1 +6 ESE 1	O 41 65 29 8 5 - 10 10 4000	5. c c	31.8 +12 - 0	O 40 65 30 8 5 - 10 10 4000	32.6 +10 - 0	O 39 75 32 8 5 - 9+ 9+ 3500 1	2. c c	31.5 +4 NNW 2	C 41 45 23 8 1 2 1 7-8 4000	32.7 +10 NWN 1	Zo 32 65 22 6 5 - 3 Tr 2-3 4000 1	* bccz obc ob	31.2 +6 NNW 1	Zo 38 55 21 6 1 6 2 Tr 9+ 4000	32.5 +10 NW 3	Zo 32 75 26 5 4 4 - 1 2-3 4000 3	* cmo cbcz obcz	31.7 +10 NW 4	C 40 65 30 8 - 7 5 0 0+ -	32.5 +6 - 0	C 39 65 29 8 7 - 0 10 - 0	* o o																				
10 Spurn Head ...	29.1 +22 NNW 4	is 34 57 34 5 8 - 10 10 450	30.8 +10 NW'W 3	ro 36 92 34 7 8 - 2 9 9 1500 1	4. eqiso ciro	30.4 +14 NNW 4	C 34 55 26 7 5 3 5 7-8 9 3500	32.6 +18 WNW 2	C 35 75 28 7 5 4 - 2-3 9 3500 0	4. ccy c	30.3 +14 NNW 5	C 38 45 16 6 8 - 9+ 9+ 2600	31.4 +6 NW'W 4	Zo 38 65 26 5 8 - 9 9 2500 1	* cbc c	29.4 +14 NNW 5	C 38 45 16 6 8 - 9+ 9+ 2600	31.5 +10 NW'W 4	Zo 38 65 26 5 8 - 9 9 2500 1	* cmo cmzb bbang																									
11 St. Abbs Head ...	29.7 +12 NWN 4	is 34 57 34 5 8 - 10 10 450	31.3 +6 WNW 3	bc 36 75 29 8 7 4 - 4-6 4-6 2500 3	3. cbc bz	30.4 +10 NWN 3	C 37 75 29 8 7 2 Tr 7-8 3500	31.2 +6 W 1	bc 33 75 28 8 4 - 2 Tr 4-6 4000 0	3. cbc bz	30.3 +14 NNW 2	C 42 55 28 8 5 - 6 4-6 7-8 4500	32.0 +16 NSW 2	Zo 38 75 30 6 5 - 10 10 3500 3	3. cm cm	30.0 +16 NNW 2	C 36 55 21 8 1 3 5 1 7-8 2800	32.4 +16 - 0	C 30 75 30 6 5 - 2-3 7-8 3000 3	* cbc bz	31.5 +6 - 0	O 40 65 30 8 - 7 5 0 0+ -	32.5 +6 - 0	C 39 65 29 8 7 - 0 10 - 0	* o o																				
12 Renfrew (Abbots 1.) ...	30.3 +14 NNW 2	C 42 55 28 8 5 - 6 4-6 7-8 4500	32.0 +16 NSW 2	Zo 38 75 30 6 5 - 10 10 3500	3. cm cm	30.0 +16 NNW 2	C 36 55 21 8 1 3 5 1 7-8 2800	32.4 +16 - 0	C 30 75 30 6 5 - 2-3 7-8 3000 3	3. cm cm	30.0 +16 NNW 2	C 36 55 21 8 1 3 5 1 7-8 2800	32.5 +6 - 0	C 30 75 30 6 5 - 2-3 7-8 3000 3	3. cm cm	30.0 +16 NNW 2	C 36 55 21 8 1 3 5 1 7-8 2800	32.5 +6 - 0	C 30 75 30 6 5 - 2-3 7-8 3000 3	3. cm cm																									
13A Tiree ...	28.7 +6 SSW 1	C 42 85 37 9 5 5 - 8+ 8+ 3500	29.1 +4 SSW 2	C 43 85 39 8 5 5 - 9+ 9+ 2500	3. c c	27.9 +2 S 4	C 43 85 36 8 5 5 - 7-8 9 2500	29.6 +6 SSW 4	C 43 85 38 8 5 7 - 4-6 7-8 1500 1	2. c c	27.6 +6 W 1	C 43 85 36 8 5 5 - 10 10 2500	30.8 +16 WNW 2	Zo 34 75 27 6 5 - 7-8 9+ 2500 4	2. c c	27.6 +6 W 1	C 43 85 36 8 5 5 - 10 10 2500	30.8 +16 WNW 2	Zo																										



# AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

## Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).  
Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions—the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis is said to occur when a front is in process of dissolution.




BRITISH  
SECTIONTHE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.Sunday 15th February 1942  
No. 23305

District.	Stations.	Observations at 1 hr. G.M.T. 15th February															Observations at 7 hr. G.M.T. 15th February															Past 24 Hours.											
		Height above M.S.L. in feet.	Barom. at M.S.L.	Change in 3 hours.		Wind.			Weather.	Temp. °F.	Humid.	Dew Point.	Visibility.	Cloud.					Barom. at M.S.L.	Change in 3 hours.		Wind.			Weather.	Temp. °F.	Humid.	Dew Point.	Visibility.	Cloud.					State of Group.	Sea.	Temperature.			Rainfall.			Sun-shine 14h Hrs.
				(2)	(3)	(4)	(5)	(10)						(11)	(12)	(13)	(14)	(16)		(17)	(18)	(19)	(20)	(21)	(22)		(23)			(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)
1	London (Kew)	18	*	*	*	*	*	*	36	*	*	*	*	*	*	*	*	*	34.4	+4	NNW	1	7	35	75	28	5	5	-	-	10	10	2500	1	*	41	35	30	-	-	6.9		
	Croydon	217	33.3	+10	NW	2	2	3	34	85	30	4	-	3	-	0	9+	-	33.4	+2	W	2	33	85	29	4	5	7	-	9+	10	3000	1	*	40	32	30	-	-	5.7			
	S. Farnborough	226	34.5	+10	NW	1	-	2	32	85	23	5	5	-	-	9+	9+	3200	34.5	+8	W	2	31	75	26	5	5	-	-	9+	9+	3000	3	*	42	30	28	-	-	7.6			
	Boscombe Down	417	34.8	+6	NW	2	-	2	29	85	24	6	5	-	-	0	0	-	35.4	+6	NW	2	25	92	22	6	-	-	1	0	2-3	-	3	*	39	24	18	-	-	8.0			
	Thorney Island	10	34.0	+4	NW	1	-	2	30	92	27	6	5	-	-	4-6	4-6	4000	34.2	+2	NW	2	27	92	25	4	5	-	-	2-3	23	2500	3	*	42	26	21	-	-	4.7			
	Lympne	346	32.4	16	NNW	3	3	3	33	85	30	6	5	-	-	10	10	5000	32.7	+2	NNW	1	31	92	30	6	5	-	-	2-3	4-6	5500	3	3	39	31	28	-	-	6.3			
	Manston	154	32.7	+12	NNW	3	3	3	34	92	31	5	5	-	-	10	10	4000	33.2	+6	NNW	2	33	92	31	5	5	-	-	9+	9+	3500	3	*	38	32	27	Tr	47				
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	33.7	+4	NNW	2	33	92	31	7	5	-	-	10	10	4500	3	*	41	31	28	Tr	-	5.2			
	Felixstowe	15	32.7	+10	NNW	3	3	3	35	75	29	6	5	-	-	10	10	6000	33.2	+6	NNW	2	34	92	32	6	5	-	-	9+	9+	4700	1	2	40	33	30	Tr	-	4.3			
	Gorleston	5	32.0	+6	NNW	2	2	2	38	92	30	6	5	-	-	10	10	1500	32.5	+6	NNW	2	34	85	30	6	5	4	-	-	2-3	4-6	1500	4	2	38	33	31	-	-	*		
	Mildenhall	19	33.5	+10	NW	2	2	2	33	92	31	6	5	-	-	9	9	4500	34.0	+6	NNW	1	33	97	81	4	5	-	-	9+	9+	4500	3	*	39	32	28	-	-	4.2			
	Cranwell	240	33.7	+10	NNW	3	3	34	75	28	5	5	-	-	10	10	4000	34.2	+6	NNW	2	31	85	27	4	5	-	-	10	10	4000	4	*	37	31	30	Tr	-	1.6				
3	Birmingham	535	*	*	*	*	*	*	28	92	26	4	-	-	0	0	*	35.3	0	bef	2	27	92	25	2	-	-	6	0	4-6	-	3	*	38	26	14	-	-	4.2				
4	Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	35.3	0	NNW	1	26	92	23	4	-	7	-	0	4-6	-	3	*	38	25	22	15	-	8.4			
5	Hartland Point	299	34.2	+4	ENE	3	3	3	bc	38	65	28	8	5	-	-	4-6	4-6	2500	33.9	+2	SE	3	0	35	75	28	8	5	2	-	7-8	9+	2500	0	3	42	35	33	-	-	0.1	
	Bristol	20	35.3	+8	-	0	0	0	bf	27	85	23	3	-	-	0	0	-	35.5	+2	SSW	1	23	92	20	3	-	-	1	0	Tr	-	3	*	40	22	21	-	-	8.5			
	Portland Bill	32	33.7	+4	2	2	2	bc	36	85	33	8	5	-	-	4-6	4-6	4000	35.2	-2	N	2	bc	35	85	29	7	5	-	-	4-6	4-6	2500	1	3	42	42	*	-	-	*		
	Plymouth	82	35.0	+6	-	0	0	0	27	85	25	5	-	-	0	0	-	35.0	+2	-	0	26	92	24	5	5	-	-	1	Tr	1	5700	3	3	42	39	21	-	-	8.6			
	The Lizard	240	34.5	+8	Z	3	3	37	75	30	7	8	6	-	-	4-6	4-6	2500	34.1	+4	ENE	3	0	39	75	32	7	8	-	-	7-8	7-8	2000	0	3	45	36	17	Tr	-	1.7		
	Scilly (St. Mary's)	163	33.9	+4	Z	3	3	37	75	30	7	8	6	-	-	4-6	4-6	2500	34.1	+4	SSW	1	42	65	23	8	5	-	-	10	10	1500	1	3	45	40	*	-	-	0.1			
	Guernsey	175	*	*	*	*	*	*	42	65	32																																

SECRET

Monday 16th February 1942  
No. 25306Page 1  
BRITISH  
SECTIONTHE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

DISTRICT.	STATIONS. (For heights see p. 4.)	OBSERVATIONS at 13h. G.M.T. 15th February												OBSERVATIONS at 18h. G.M.T. 15th February												PAST 24 HOURS.																																																																																																																																																																																															
		Barom. at M.S.L. (1)	Change in 8 hours. (2)	Wind. Dir. (3)		Temp. °F. (5)	Humid. % (6)	Dew Point. °F. (8)	Visiblity. 0-9 (9)	Cloud.				Barom. at M.S.L. (16)	Change in 8 hours. (17)	Wind. Dir. (18)		Temp. °F. (20)	Humid. % (21)	Dew Point. °F. (24)	Visiblity. 0-9 (25)	Cloud.				State of Ground. 0-9 (30)	Sea. (31)	WEATHER.		7h.-13h. ...15h. (39)	13h.-18h. ...16h. (40)	18h.-19h. 1h.-6h. (41)	1h.-7h. ...16h. (42)																																																																																																																																																																																								
				Wind. 0-12 (4)	Weather. (5)					Low. (10)	Med. (11)	High. (12)	Low. 0-10 (13)	Total 0-10 (14)	Height of Base (feet) (15)	Wind. 0-12 (19)	Weather. (20)					Low. (25)	Med. (26)	High. (27)	Low. 0-10 (28)	Total 0-10 (29)	Height of Base (feet) (30)	Sea. (31)	7h.-13h. ...15h. (39)	13h.-18h. ...16h. (40)	18h.-19h. 1h.-6h. (41)	1h.-7h. ...16h. (42)																																																																																																																																																																																									
1 London (Kew)	35.3 0 N'E 2	Z	39 65 30 5 5 - - 10 10 4000 31.0 +10 NNE 2	Z	39 65 31 3 5 - - 14 24 3500 35.0 +6 N 2	Z	37 75 29 6 5 - - 24 24 4200 36.1 +8 NNE 1	Z	38 75 26 5 5 - - 24 24 4200 37.5 +6 6H 1	Z	37 75 25 6 5 - - 24 24 4200 38.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 38.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 39.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 39.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 40.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 40.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 41.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 41.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 42.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 42.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 43.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 43.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 44.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 44.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 45.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 45.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 46.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 46.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 47.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 47.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 48.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 48.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 49.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 49.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 50.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 50.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 51.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 51.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 52.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 52.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 53.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 53.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 54.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 54.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 55.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 55.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 56.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 56.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 57.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 57.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 58.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 58.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 59.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 59.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 60.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 60.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 61.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 61.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 62.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 62.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 63.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 63.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 64.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 64.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 65.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 65.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 66.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 66.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 67.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 67.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 68.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 68.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 69.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 69.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 70.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 70.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 71.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 71.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 72.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 72.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 73.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 73.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 74.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 74.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 75.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 75.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 76.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 76.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 77.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 77.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 78.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 78.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 79.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 79.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 80.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 80.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 81.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 81.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 82.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 82.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 83.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 83.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 84.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 84.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 85.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 85.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 86.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 86.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 87.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 87.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 88.0 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 88.5 +6 N 1	Z	37 75 21 4 5 - - 24 24 4200 89.0 +6 N 1	Z	37



# AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

## Explanation of Frontal Lines shown on Charts

(The symbols used to indicate fronts are shown below).



**Warm Front.** The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

**Cold Front.** The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

**Occlusion.** The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

**Frontogenesis.** A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

**Frontolysis.** Is said to occur when a front is in process of dissolution.



## EXPLANATION OF CHART.

**BAROMETER.** Isobars are drawn for intervals of four millibars.

**WIND.** Arrows fly with wind. A full length feather indicates two steps on the Beaufort Scale, and a short feather one step. Calm is indicated by circle outside weather symbol: —○—

**TEMPERATURE** is given in degrees F.

**WEATHER SYMBOLS:** —○— Clear sky. ○ Sky less than 3/10 clouded. (○) Sky 4/10 to 6/10 clouded.

(○) Sky 7/10 to 9/10 clouded. (●) Overcast sky. ● Rain falling. \* Snow. ♀ Sleet. △ Hail.

Fog. Ⓜ Mist. Ⓜ Thunder. (T) Thunderstorm. Ⓜ Slight haze. Ⓜ

The hour of observation is not uniform throughout the Hemisphere; a chart showing the hours at which the observations are taken is contained in the Introduction.

**FRONTS** or boundaries between masses of air of different origin are indicated, wherever their characteristics are well pronounced in the following way—

—○— Warm Front on the Surface.

—○— Warm Front above the ground.

—●— Cold Front on the Surface.

—●— Cold Front above the ground.

= Occluded Front (or Occlusion)  
= Warm Occlusion  
= Cold Occlusion

= Lines of Frontogenesis

Short strokes across the frontal line indicate

Frontolysis. (For explanation see page 3.)

NOTE.—The symbols are placed on the side of the line towards which the front is moving. When the front is stationary the symbols are placed alternately on both sides of the line.

All times are G.M.T. Add one hour to get summer time.

BRITISH  
SECTIONTHE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.Monday 16th February 1942  
No. 29306

DISTRICT.	STATIONS.	OBSERVATIONS at 1 hr. G.M.T. 16th February															OBSERVATIONS at 7 hr. G.M.T. 16th February															PAST 24 HOURS.										
		Height above M.S.L. in feet.	Barom. at M.S.L. mb. (1)	Wind.		Change in 3 hours.	Dir. (3)	Force. (4)	Westerly. (5)	Temp. °F. (6)	% Humid. (7)	°F. Dew Point. (8)	Visibility. 0-9 (9)	Cloud.					Barom. at M.S.L. mb. (16)	Wind.		Change in 3 hours.	Dir. (18)	Force. (19)	Weather. (20)	Temp. °F. (21)	% Humid. (22)	°F. Dew Point. (23)	Visibility. 0-9 (24)	Cloud.					State of Sea. (30)	State of Ground. 0-9 (31)	TEMPERATURE.		RAINFALL.		SUN-SHINE Hrs. (38)	
				0-12	(5)									Low. (10)	Total. (11)	Mod. (12)	High (14)	Form.		Amount.	Height of Base. (feet) (10)	Low. (11)	Total. (12)	Mod. (13)	High (14)	Form.		Amount.	Height of Base. (feet) (20)	Low. (21)	Total. (22)	Mod. (23)	High (24)	0-9 (30)			(31)	(32)	(33)	(34)	(35)	(36)
1 London (Kew)	18	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	38.8	H0	NE'6	4	Zo	32	75	24	5	5	3	+	9	94	2500	3	*	40	30	24	-	-	0.0
Croydon	217	36.5	+8	EHE	2	m	30	92	28	4	-	-	0	0	-	39.7	+8	EHE	4	%	30	85	26	5	6	7	+	94	10	2200	3	*	39	28	28	-	-	0.0				
S. Farnborough	226	37.0	+4	ME'S	2	Zo	34	85	30	6	S	-	9	9	1400	38.5	+8	NE'E	2.	Zo	30	85	26	6	5	-	-	94	9	3500	3	*	41	28	24	-	-	0.2				
Boscombe Down	417	36.8	+4	NE'N	2	Zo	33	85	27	6	S	-	10	10	3900	38.5	+14	EHE	3	Zo	27	97	26	6	5	-	-	2-3	2-3	3000	3	*	42	27	23	-	-	6.4				
Thorney Island	10	36.3	+2	-	0	Zo	34	85	31	6	S	-	4.6	4.6	2000	37.4	+10	EHE	3	Zo	31	85	27	6	5	-	-	94	94	1500	3	*	41	29	25	-	-	6.4				
Lymnepne	346	35.9	+2	EHE	2	Zo	32	75	25	6	4	-	7.8	7.8	3500	37.4	+12	E'N	4	Zo	29	75	22	6	5	-	-	94	94	900	4	*	40	29	25	-	-	3.0				
Manston	154	36.3	0	NE	4	Zo	33	65	25	6	5	-	7.8	7.8	3000	38.4	+16	EHE	5	Zo	30	85	27	6	5	-	-	94	94	2500	3	*	40	30	27	TF	TF	11.6				
2 Shoeburyness	11	8	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	39.9	+12	NE	3	C	31	75	24	6	5	-	-	94	94	2500	3	*	42	28	24	-	-	0.4	
Felixstowe	15	37.5	+4	NE	3	Zo	32	65	21	6	S	-	4.6	4.6	3000	39.5	+18	E'S	3	C	32	75	24	7	5	-	-	94	94	3000	1	*	42	30	27	TF	-	1.8				
Gorleston	5	37.6	+4	E	3	Zo	32	75	26	6	S	-	10	10	1000	39.9	+18	EHE	4	C	32	95	27	7	3	-	-	94	94	1000	3	*	39	21	25	-	*	0.4				
Mildenhall	19	38.4	+8	NE	2	Zo	28	97	27	5	-	-	0	0	-	39.9	+6	EHE	3	Zo	30	92	28	6	5	-	-	9	9	2500	3	*	38	26	16	-	TF	0.0				
Cranwell	240	38.5	+6	-	0	Zo	30	97	30	4	-	-	0	0	-	40.5	+10	E	3	Zo	30	85	27	6	5	-	-	10	10	2800	4	*	13	26	19	-	-	7.5				
3 Birmingham	535	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	39.4	+6	EHE	3	Zo	29	97	27	6	5	-	-	94	94	1000	3	*	34	42	26	22	-	2	*
Upper Heyford	408	57.5	+6	EHE	2	Zo	32	85	29	5	S	-	10	10	1300	39.4	+6	EHE	3	Zo	25	97	24	4	-	-	0	0	-	3	*	41	23	15	-	-	7.5					
4 Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	39.0	+16	EHE	1	Zo	25	97	24	4	-	-	0	0	-	3	*	41	23	15	-	-	7.5		
5 Hartland Point	299	35.6	+8	ESE	2	b	34	75	28	7	-	-	0	0	-	36.7	+16	E	3	b	33	65	22	7	-	-	0	0	-	0	*	42	22	29	-	-	0.0					
Bristol	209	37.5	+6	-	0	bft	25	97	23	3	-	-	0	0	-	39.0	+14	SS	1	bft	27	97	25	4	-	-	0	0	-	3	*	41	24	13	-	-	4.9					
Portland Bill	32	35.7	+4	NE	3	bc	38	85	35	7	4	-	4.6	4.6	4000	36.1	+6	E	4	bc	34	85	31	8	5	-	-	46	46	4000	1	3	41	32	*	5.5						
Plymouth	82	36.2	+6	E	1	n	32	92	29	4	S	-	7.8	7.8	2500	36.9	+10	-	0	z	32	85	28	5	5	-	-	4.6	4.6	3500	3	2	45	31	24	-	-	5.5				
The Lizard	240	34.1	0	SE'E	4	c	43	75	34	7	S	-	9	10	1500	34.3	+8	ESE	5	c	41	65	32	7	5	-	-	10	10	1500	0	4	43	40								


SECRET

Tuesday 17th February 1942

No. 29307

BRITISH  
SECTIONTHE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

District.	STATIONS. (For heights see p. 4.)	OBSERVATIONS at 13h. G.M.T. 16th February												OBSERVATIONS at 18h. G.M.T. 16th February												PAST 24 HOURS.													
		Barom. at M.S.L. (1)	Change in 3 hours. (2)	Wind.		Weather.	Temp. °F. (5)	% Humid. (6)	Dew Point. °F. (8)	Visibility, 0-9 (9)	Cloud.			Barom. at M.S.L. (16)	Change in 8 hours. (17)	Wind.		Weather.	Temp. °F. (20)	% Humid. (21)	Dew Point. °F. (23)	Visibility, 0-9 (24)	Cloud.			Barom. at M.S.L. (18)	Change in 8 hours. (19)	Wind.		Weather.	Temp. °F. (25)	% Humid. (26)	Dew Point. °F. (28)	Visibility, 0-9 (29)	Height of Base (feet) (30)	State of Ground. (31)	Sea 0-9 (32)	WEATHER.	
				Dir.	0-12 (4)						Low.	Med.	High.			Dir.	0-12 (4)						Low.	Med.	High.			Low.	Med.	High.									
1	London (Kew) ...	40.2	+2	ENE	4	Zo	35	55	22	6	S	-	-	7-8	7-8	+000	41.0	+6	NE'E	4	Zo	32	65	20	6	S	-	-	9+	9+	2500	3	*	cloczoy	czay	czo	cz		
	Croydon ...	39.9	+4	ENE	4	Zo	33	75	25	6	I	-	-	7-8	7-8	2300	40.5	+2	NE	4	Zo	31	75	24	5	S	-	-	10	10	2200	3	*	cmobcz	cmobcz	cz-cm	cz		
	S. Farnborough ...	40.5	+2	N.E.W.	4	Zo	36	65	25	6	I	-	-	4-6	4-6	3000	40.2	+4	ENE	3	Zo	32	75	24	5	S	4	3	-	2-3	4-6	3000	3	*	czx	bczobac	bz-c	cz	
	Boscombe Down ...	40.2	+6	E	4	Zo	34	65	25	6	S	-	-	8	9	3000	40.5	0	NE'E	3	Zo	30	75	24	5	S	-	-	0	0	-	3	*	ocmocm	bzobz	bemocm	cm		
	Thorney Island ...	39.4	-2	ENE	4	Zo	35	75	25	7	S	-	-	4-6	7-8	2500	39.5	0	NE'E	2	Zo	32	75	24	6	S	1	7	8	0	2-3	-	3	*	cmoxcm	bzobz	bemocm	cm	
	Lymnpe ...	38.9	+2	N.E.W.	4	bc	32	65	22	6	I	-	-	2-3	2-3	3200	39.0	+2	NNE	5	Zo	31	85	28	6	S	-	-	10	10	2800	3	*	czdcbz	bccsomo	cmo	cmo		
	Manston ...	40.0	-2	N.E.W.	5	Zo	33	75	26	6	S	-	-	9	9	2500	39.5	-2	NEW	5	Zo	33	85	26	6	S	-	-	10	10	2000	1	*	bcmo	czorrio	cpstmo	czsh		
2	Shoeburyness ...	40.7	0	ENE	4	C	34	75	28	6	S	-	-	9+	9+	2700	41.1	+2	N'E	3	C	32	75	26	6	S	-	-	10	10	1900	3	*	cmoccmo	cmgc	cmo	cmo		
	Felixstowe ...	41.4	+2	ENE	4	Zo	32	75	23	6	S	-	-	9	9	1800	41.3	-2	NE	4	Zo	31	75	23	6	S	-	-	10	10	1600	2	4	cczo	cz	cmoc	cz		
	Gorleston ...	41.8	+2	N.E.W.	4	Zo	33	85	29	6	S	-	-	3+	3+	3500	41.9	0	ENE	5	Zo	32	85	28	6	S	-	-	10	10	1500	3	4	czoc	cmo	cmo	cmo		
	Mildenhall ...	42.0	0	E	2	C	34	85	29	7	S	-	-	7-8	7-8	2800	42.5	+2	NE	4	Zo	32	75	25	7	S	-	-	10	10	2500	0	*	c	cmo	cmo	cmo		
	Cranwell ...	42.7	+6	ESE	4	C	33	92	30	7	S	-	-	9	9	2500	43.2	+6	NE'E	3	Zo	31	85	24	6	S	-	-	10	10	2500	4	*	bcc	ccmo	cmo	cmo		
3	Birmingham ...	41.3	+6	ESE	3	Zo	32	65	21	6	I	-	-	4-6	4-6	2500	41.8	+4	E	2	Zo	29	75	23	4	S	-	-	4-6	4-6	2500	3	*	fbbcz	bz	bcc	cz		
4	Upper Heyford ...	41.1	+6	EN	4	Zo	31	92	20	6	I	-	-	9+	9+	3000	41.6	+6	NE'E	3	Zo	29	75	23	6	S	-	-	0	T	-	3	*	C	bzobz	bccm	cmo		
5	Ross-on-Wye	40.7	0	ENE	2	C	32	75	25	6	S	-	-	7-8	7-8	3500	41.3	+4	E'N	2	Zo	30	75	23	6	S	-	-	T	T	2500	1	*	bmcz	clcbz	bz	cz		
5	Hartland Point ...	38.2	+6	ESE	3	bc	35	65	24	8	I	-	-	2-3	2-3	2500	39.4	+10	E	2	bc	33	65	22	7	S	-	-	4-6	4-6	2000	1	3	bcc	bc	b	bc		
	Bristol ...	40.3	0	ENE	3	Zo	35	75	28	6	S	-	-	4-6	4-6	2500	41.3	+20	E	1	Zo	30	75	24	5	S	-	-	0	0	-	3	*	bmmbcbc	bz	cmo	co		
	Portland Bill ...	38.2	+6	E	5	C	35	92	33	8	I	-	-	7-8	10	4000	38.5	-2	ENE	4	bc	35	92	32	8	S	-	-	4-6	4-6	4000	1	4	c	clcc	bc	co		
	Plymouth ...	38.2	+2	ESE	5	Zo	37	85	32	7	S	-	-	9	9	3500	38.5	+10	ESE	4	Zo	33	75	25	6	S	-	-	4-6	4-6	3500	0	4	bmobch	cmocm	bmx	cmo		
	The Lizard ...	36.1	+18	ESE	6	C	42	55	28	8	S	-</td																											



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

**Explanation of Frontal Lines shown on Charts**

(The symbols used to indicate fronts are shown below).


**• Warm Front.** The air mass which moves towards this border of polar, sub-polar or maritime polar origin.

**Cold Front.** The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

**Occlusion.** The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

**Frontogenesis.** A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.  
**Frontolysis** is said to occur when a front is in process of dissolution.

**Frontolysis** is said to occur when a front is in process of dissolution.



THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Tuesday 17th February 1942  
No. 29307

DISTRICT.	STATIONS.	OBSERVATIONS at 1 hr. G.M.T. 17th February.....															OBSERVATIONS at 7 hr. G.M.T. 17th February.....															PAST 24 HOURS.									
		Height above M.S.L. in feet.	Barom. at M.S.L.	Wind.			Weather.	Cloud.					Barom. at M.S.L.	Wind.			Weather.	Cloud.					Height of Base (feet)	State of Sea.	TEMPERATURE.				RAINFALL.				SUN-SHINE Hrs.								
				mb.	(1)	Change in 3 hours.		Form.	Amount.	Vis.	Low.	Med.	High.	mb.	Change in 3 hours.	Form.		Amount.	Vis.	Low.	Med.	High.	Low.	Total	0-10	0-9	Max. Day 7h-18h °F.	Min. Night 18h-7h °F.	Min. on Grass mm.	Day 7h-18h mm.	Night 18h-7h mm.										
1	London (Kew)	18	*	*	*	*	*	*	*	*	*	*	*	*	*	38.0	-10	NNE	4	Zo	32	75	26	6	5	-	+	10	10	2500	3	*	35	30	29	-	-	2.0			
	Croydon	217	39.3	-10	NNE	4	Zo	31	85	26	6	5	-	-	10	10	1700	37.2	-8	NNE	5	Zo	31	75	25	5	5	-	-	2-8	10	2200	3	*	34	30	29	-	-	3.0	
	S. Farnborough	226	40.8	-4	NE	3	C	31	75	25	7	5	-	-	10	10	1600	38.5	-6	NNE	3	C	31	75	24	7	5	-	-	10	10	2000	3	*	36	30	28	-	-	3.2	
	Baccombe Down	417	40.7	-2	NE'E	4	Zo	28	75	22	6	5	-	-	10	10	1700	39.1	-6	NE	3	C	29	92	27	7	5	-	-	10	10	1200	3	*	34	26	23	-	-	2.3	
	Thorney Island	10	39.7	-2	NNE	4	Zo	32	85	28	6	5	-	-	10	10	2800	37.5	-6	NE	4	Zo	32	85	28	6	5	-	-	9	10	4000	3	*	36	27	26	-	-	2.0	
	Lymnne	346	38.1	-6	NE	5	Zo	32	85	29	6	5	-	-	10	10	1500	35.2	-12	NNE	6	Zo	33	85	30	6	5	-	-	10	10	1200	3	4	33	31	31	Tr	-	5.0	
	Manston	154	38.8	-6	NE	5	Zo	34	65	26	6	8	-	-	10	10	2600	36.1	-8	NE	6	Zo	35	75	26	6	5	-	-	10	10	2000	3	*	34	31	29	-	T	1.8	
2	Shoeburyness	11	4*	*	*	*	E	*	*	*	*	*	*	*	*	37.3	-14	NNE	4	C	32	85	27	6	5	-	-	10	10	2000	3	*	35	31	30	-	-	0.3			
	Felixstowe	15	40.8	-4	NE'E	4	Zo	32	75	26	5	5	-	-	10	10	2100	37.5	-14	NEW	5	C	33	75	27	7	5	-	-	10	10	2300	0	4	34	31	30	-	-	0.3	
	Gorleston	5	41.3	-4	NE'E	6	Zo	33	92	30	5	S	-	-	10	10	450	38.3	-14	NEW	5	C	34	92	33	7	5	-	-	10	10	1500	3	4	33	31	30	-	-	4.0	
	Mildenhall	19	42.2	-2	NE'E	4	Zo	31	92	30	6	S	-	-	10	10	2000	40.0	-6	NE'N	3	C	33	92	30	7	5	-	-	9+ 9+	2500	3	*	36	31	30	-	-	2.0		
	Cranwell	240	43.1	-2	ESE	3	Zo	31	85	28	6	5	-	-	10	10	2000	41.5	-8	NE	3	Zo	32	92	29	6	5	-	-	9+ 9+	2200	4	*	34	31	30	-	-	2.7		
3	Birmingham	535	*	*	*	*	*	*	*	*	*	*	*	*	*	40.9	-2	NE	3	Zo	30	75	24	4	5	-	-	10	10	1500	3	*	33	28	24	-	-	2.7			
4	Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	40.4	-6	NE	3	C	30	75	23	7	5	-	-	10	10	1800	3	*	33	28	24	-	-	2.0			
5	Hartland Point	299	37.9	-10	E	4	b	29	75	22	7	-	-	0	0	38.1	-8	ENE	3	c	29	65	16	7	5	-	-	9	9	3000	3	3	36	26	23	-	-	8.3			
	Bristol	203	41.6	-6	E'N	2	Zo	29	85	24	5	S	-	-	10	10	2000	40.2	-6	ENE	2	Zo	30	92	28	6	5	-	-	10	10	2500	3	*	36	24	13	-	-	4.2	
	Portland Bill	32	38.5	-10	ENE	4	bc	31	85	28	7	S	-	-	4.6-4.6	4000	37.1	-4	NE	4	C	31	85	28	7	S	-	-	10	10	2500	1	4	38	29	*	-	-	2.7		
	Plymouth	82	39.6	-2	ESE	3	Zo	29	85	25	S	-	-	0	0	38.6	-6	EWE	3	Zo	29	92	23	6	5	-	-	9+ 9+	3000	3	3	38	27	20	-	-	2.7				
	The Lizard	240	37.6	-4	ESE	5	C	38	75	31	7	8	2	-	-	2.8	9+	1500	37.1	-4	E	4	C	35	75	29	7	8	2	-	9	10	1500	0	4	42	34	*	-	-	2.4
	Scilly (St. Mary's)	163	37.5	-2	ESE	4	Zo	39	65	26	7	S	-	-	7.8	7-8	1500	36.4	-4	ESE	4	c	36	78	32	7	5	-	-	9+ 9+	1500	0	4	44	35	*	-	-	3.1		
6	Pembroke	142	41.4	0	E'N	4	Zo	30	85	27	6	2	-	-	1	1	4000	40.0	-6	EWE	4	bc	28	92	26	6	5	-	-	2-3	2-3	4000	3	3	40	25	*	-	-	6.1	
7	Holyhead	26	41.2	-2	NE	2	Zo	27	85	25	S	-	-	0	0	40.6	0	EWE	1	Zo	27	85	22	6	5	-	-	0	0	3	1	*	42	25	17	-	-	6.1			
8	Chester (Sealand)	16	43.5	+4	SE'S																																				

**SECRET**

Wednesday 18th February 1942

No. 29308

Page 1 BRITISH SECTION

THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Wednesday 18th February 1942

OBSERVATIONS at 13h. G.M.T. 17th February																			OBSERVATIONS at 18h. G.M.T. 17th February																		PAST 24 HOURS.							
District.	STATIONS. (For heights see p. 4.)		Barom. at M.S.L.		Wind.		Cloud.										Barom. at M.S.L.		Wind.		Cloud										WEATHER.													
			mb.	Change in 3 hours.	Dir.	0-Force.	Weather.	Temp. °F.	Humid. % Dew Point. °F.	Visibility. 0-9	Form.	Amount.	Height of Base (feet)	Low.	Total 0-10	Total 0-10	Height of Base (feet)	State of Ground. 0-9	Sea 0-9	7h.-13h.	13h.-18h.	18h.-14h. to	1h.-7h.																					
1	London (Kew)	35.0	-20	NEN	4	0	35	75	27	6	S	-	10	10	1500	34.1	-4	NE	5	Zo	34	75	27	S	S	-	-	10	10	500	3	*	cisoCzo	cisoCzo	cisoCzo	Czo								
	Croydon	34.3	-18	NEN	5	0	34	75	28	6	S	-	9	10	600	33.2	-2	NNE	6	Zo	33	85	30	S	S	-	-	10	10	800	3	*	cm,rs	S	cm,foSo	Soh,Cmo								
	S. Farnborough	35.5	-22	NEE	4	0	34	75	29	6	S	-	10	10	1000	33.6	-10	NE	5	Zo	35	75	27	6	S	-	-	10	10	1600	0	*	cshrm	cisoZoC	Cmo	isofoSoMo								
	Boscombe Down	36.0	-22	NE	4	0	33	75	27	7	S	-	10	10	2000	34.3	-8	NE	4	O	34	75	28	7	S	-	-	10	10	1000	3	*	C	C	C	C								
	Thorney Island	34.6	-24	NE	4	0	35	92	32	6	S	-	10	10	2500	33.0	-10	NEN	3	Zo	35	75	28	6	2	8	-	-	7-8	10	1500	0	*	cm,	cmo	cmo	crsmo							
	Lynpne	32.4	+14	NEN	4	0	33	85	30	6	S	-	10	10	500	32.4	-2	NE	5	O	31	85	28	7	S	-	-	10	10	700	3	5	cmoidash	emodash	cmo	cmo								
	Manston	33.6	-14	NE	5	0	33	85	29	6	S	-	10	10	1200	33.1	+4	NEE	5	sh	31	85	28	6	S	-	-	10	10	1500	3	*	id,sh,c,m,cmash	cmash	cmo	cmo								
2	Shoeburyness	34.6	-8	NNE	5	0	35	85	30	6	S	-	10	10	1500	34.2	+2	NE'N	6	sh	32	92	30	6	S	-	-	10	10	1300	3	*	Cmo	irashrm	Cmo	Cmo								
	Felixstowe	35.0	-14	NE	5	0	35	75	29	6	S	-	10	10	1300	34.4	+2	NE'E	5	Zo	32	75	25	6	S	-	-	10	10	1800	0	4	soh,o	0m,sh,o	Cmo	Cmo								
	Gorleston	36.3	-14	NEE	6	0	35	85	31	7	S	-	10	10	1800	35.0	-6	ENE	6	O	32	85	28	6	S	-	-	10	10	1200	3	5	C	C	C	C								
	Mildenhaugh	36.9	-18	NE	5	0	37	75	30	8	S	-	5+	5+	1800	36.3	0	NE	5	O	33	92	30	7	S	-	-	10	10	1500	3	*	C	C	C	C								
	Cranwell	39.5	-14	NNE	4	0	35	85	32	5	S	-	9	9	2000	37.9	-6	NE	5	Zo	33	92	30	6	S	-	-	10	10	1800	4	*	CCiso	ccmo	cmoiso	cmoiso								
3	Birmingham	31.8	-6	NE	4	0	32	85	29	5	S	2	-	7-8	10	1500	36.7	-8	NE	3	Zo	34	85	30	5	6	-	-	10	10	800	3	*	coiso	0z	0	0c							
4	Upper Heyford	37.2	-18	NEN	5	0	34	85	29	7	S	-	10	10	2000	35.8	-2	NEN	5	O	33	85	29	7	5	-	-	10	10	1800	3	*	cisoMo	C	closeMo	cmofosomo								
	Ross-on-Wye	38.1	-20	NE	4	0	34	75	28	6	S	-	10	10	2500	36.3	-18	NE	3	Zo	35	75	28	6	5	-	-	10	10	2000	3	*	C	C	C	C								
5	Hartland Point	36.9	-12	NNE	3	0	33	75	26	7	S	-	9+	9+	2000	34.1	-12	NE	5	C	35	75	28	7	S	-	-	9+	9+	2000	3	4	C	C	C	C								
	Bristol	37.5	-20	NEN	4	0	32	85	30	6	S	-	10	10	2500	35.0	-10	NNE	4	Zo	35	75	29	5	S	-	-	10	10	1600	3	*	cmo	C2mo	Cmo	Cshmo								
	Portland Bill	34.8	-12	NE	4	0	35	85	34	7	S	-	10	10	2500	32.9	-10	NE	4	O	35	85	32	7	S	-	-	10	10	2500	1	4	0	0	0	0								
	Plymouth	37.1	-10	NE	5	0	32	85	29	6	S	-	9+	9+	3500	34.6	-14	NE	4	Zo	35	75	27	6	S	-	-	10	10	3500	3	3	cmo	cmo	cmo	cmo								
	The Lizard	35.7	-8	ENE	5	0	34	92	32	7	S	2	-	7-8	10	1500	33.8	-6	NE'E	5	O	35	85	31	7	S	-	-	10	10	1500	0	5	C	C	C	OC							
	Scilly (St. Mary's)	36.2	-2	E'N	4	0	36	75	29	6	S	-	10	10	1500	34.1	-10	E'N	4	O	34	75	25	6	S	-	-	10	10	1500	0	4	C	C	C	C								
6	Pembroke	39.9	0	E'N	4	bc	36	75	27	7	2	-	2-3	2-3	3000	36.8	-4	NE	5	C	35	85	29	7	8	4	-	-	7-8	9	2500	0	3	bx,mo	b	bc	C							
7	Holyhead	41.0	-2	E	6	zo	36	85	31	6	8	-	1	1	3000	37.9	-14	ENE	4	Zo	36	75	29	5	5	-	-	2-3	2-3	3000	0	3	bm,xdmo	bcmo	bc,mo	bmo								
8	Chester (Sealand)	41.1	-14	N'E	2	m	35	75	29	4	S	-	10	10	1500	39.2	-10	N	1	m	34	85	30	4	S	-	-	10	10	1500	3	*	cib,bm,m	OmfcZo	cmfbm,bbcc,ccmo	cmfbm								
	Manchester	41.0	-2	NEN	4	0	s	34	75	26	6	S	-	10	10	3000	38.8	-10	NE	3	C	36	75	28	7	S	-	-	7-8	7-8	3000	3	*	cmo,3o	cmo	bcc	bc							
10	Spurn Head	40.0	-14	NE'E	5	0	ps	36	85	32	7	S	-	5	9	2500	38.7	-2	NE	5	O	34	92	32	7	8	-	-	10	10	2500	0	4	cps	0	0	C							
	Catterick	42.6	-10	NEN	3	0	s	37	85	32	6	S	-	9+	9+	3500	41.0	-8	NNE	2	C	34	97	34	4	S	-	-	9+	10	900	1	*	cs	cmosoprmn,cmo	bc,mc,cmo	bc,mc,cmo							
	Tynemouth	43.0	-10	NE	4	0	C	36	85	30	8	S	-	9	9	2500	41.1	-8	NE	4	C	37	92	34	7	8	-	-	9+	9+	2200	3	4	oc	cps	cps	C							
11	St. Abbs Head	44.0	+2	NE	2	C	36	85	32	8	S	7	-	4-6	7-8	2800	42.6	-4	N	2	C	36	85	33	8	S	2	-	9	10	3000	0	2	C	C	cr,oc	Cif							
	Leuchars	44.6	-6	-	0	Zo	36	85	31	6	S	-	9+	9+	2800	43.3	-8		0	C	35	85	31	7	S	-	-	9+	9+	3500	1	*	cm,x,cmo	cm,xc,cmo	DDm	DDm								
12	Renfrew (Abbots I.)	44.1	-2	ENE	3	0	f	35	65	26	6	S	-	4-6	4-6	2500	42.8	-8	ENE	2	Zo	36	75	29	5	S	-	-	10	10	2500	3	*	bf,fc,cmo	bf,fc,cmo	Cma,if	Cma,if							
	Eskdalemuir	44.0	-4	ENE	3	C	32	85	27	6	S	-	9+	9+	1100	42.5	-4	NE	2	C	32	75	24	6	S	-	-	9+	9+	1100	3	*	bx,cmo	bc,ps	ps,obc	bc,obc								
	Point of Ayre	42.5	-4	SE	3	b	40	65	27	7	I	-	1	1	2000	40.4	-10	E	4	b	37	75	30	7	2	-	-	1	1	2000	0	4	cbb	cbb	b	bc,obc								
13A	Tiree	41.2	0	SSE	3	b	41	85	36	7	I	-	-	TF	TF	3500	40.8	-2	SSE	1	bc	37	85	34	7	S	-	-	2-3	2-3	3500	0	3	bc	bcc	bcc	bcc							
13B	Stornoway	42.7	-10	NE	1	bc	44	75	36	6	S	-	9	1	46	2500	41.5	-4	ENE	2	C	40	85	35	7	S	4	-	1	2-3	2-3	2500	1	1	bcc	bcc	C	C						
15	Dalwhinnie	44.7	+2	S	3	b	32	75	26	8	2	-	-	TF	TF	2500	43.9	-2	S	2	bc	27	75	21	8	2	3	-	-	1	4-6	2500	4	*	bcc	bcc	bcc	bcc						
	Aberdeen	45.3	-2	ESE	1	0	37	85	32	7	S	-	-	10	10	2700	43.8	-8	NNW	2	C	35	85	29	6	S	3	-	9	9+	2100	4	2	ff,fc	bc,zo,bc	em,obr,ro	em,obr,ro							
	Wick	45.0	0	S	3	C	38	75	33	7	S	-	4	7-8	9	3000	44.3	-2	SSE	2	bc	37	85	33	7	S	7	-	4-6	4-6	2200	1	*	bc,mc,oc	cbc	cbc,doc	Cmo							
	Sumburgh	45.8	+2	SSW	2	C	43	85	38	8	S	-	-	9	9	5000	45.3	+2	-	0	Zo	37	97	36	6	S	-	-	9	9	4000	1	3	bc	cbc	cmo	0							
17	Blacksod Point	38.0	-6	SEE'	5	bc	39	75	32	8	-	4	-	0	2-3	-	3																											

## DISTRICTS.

FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON, G.M.T. Wednesday 18th February 1942.

- |                                |  |
|--------------------------------|--|
| 1 S.E. England                 | Moderate northeast winds; dull; slight local snow flurries; temperature persistently near freezing point.                              |
| 2 E. England ...               |  |
| 3 E. Midlands ...              |  |
| 4 W. Midlands                  |  |
| 5 S.W. England                 |  |
| 6 South Wales                  | Moderate easterly winds; cloudy or dull; cold with night frost in most places.   |
| 7 North Wales                  |  |
| 8 N.W. England                 |  |
| 9 N. Midlands ...              |  |
| 10 N.E. England                | As 1-4   |
| 11 S.E. Scotland               |  |
| 12 S.W. Scotland & Isle of Man | Light variable to easterly wind; cloudy or dull; some slight rain or drizzle chiefly in the East; cold but temperature above freezing. |
| 13A W. Scotland ...            |  |
| 13B N.W. Scotland              |  |
| 14 Mid Scotland                |  |
| 15 N.E. Scotland               |  |

- |                          |          |
|--------------------------|----------|
| 16 Orkneys and Shetlands | As 11-15 |
| 17 N. W. Ireland         | Moderate |
| 18 N. E. Ireland         | Cloudy   |
| 19 S. E. Ireland         |          |
| 20 S. W. Ireland         |          |

## **GENERAL INFERENCE**

A large and intense anticyclone centred near the Faeroes covers the British Isles.


Weather will continue cold and mainly dull with very slight local snow showers occasionally in Eastern England and Midlands and some drizzle in Scotland.

## FURTHER OUTLOOK

Possibility of a slight rise in temperature in England.

Forecasts issued at 10.30, G.M.T.

N. K. JOHNSON, D.Sc., A.R.C.S., Director,  
Meteorological Office, Air Ministry, Kingsway, London, W.C.2





BRITISH  
SECTIONTHE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Wednesday 18th February 1942

No. 29308

## OBSERVATIONS at 1 hr. G.M.T. 18th February

## OBSERVATIONS at 7 hr. G.M.T. 18th February

## PAST 24 HOURS.

DISTRICT	STATIONS	Height above M.S.L. in feet. mb. (1)	Barom. at. M.S.I. (2)	Wind.												Cloud.												Wind.												PAST 24 HOURS.							
				Wind.				Weather.				Cloud.				Wind.				Cloud.				Wind.				Cloud.				Wind.				Temperature.				Rainfall.				SUN- SHINE 17h. hr.			
				Change in 3 hours. (3)	Dir.	Force. (4)	Westerly. (5)	% (6)	Temp. °F. (7)	Dew Point. °F. (8)	Humid. (9)	0-9 (10)	Low. (11)	Med. (12)	Total (13)	Height of Base. (feet) (14)	Barom. at. M.S.L. mb. (16)	Change in 3 hours. (17)	Dir.	Force. (18)	Weather. (19)	% (20)	Dew Point. °F. (21)	Humid. (22)	0-9 (23)	Low. (24)	Med. (25)	Total (26)	Height of Base. (feet) (27)	State of Ground. (28)	Sea. (29)	0-9 (30)	Low. (31)	Med. (32)	Sea. (33)	Max. Day 7h-18h °F. (34)	Min. Night 18h-7h °F. (35)	Min. on Grass °F. (36)	Day 7h-18h mm. (37)	Night 18h-7h mm. (38)							
1 London (Kew)	18 *	*	*	*	NE	4	13	29	85	25	65	-	-	0	10	1800	343	562	+2	NE'E	3	20	30	75	25	55	-	-	10	10	1800	3	*	36	29	28	Tr	0·0									
Croydon	217	34·7	+6	NE	4	13	30	85	27	65	-	-	0	10	1800	361	562	+2	NE	4	20	29	85	25	65	-	-	10	10	2100	3	*	35	28	28	Tr	0·0										
S. Farnborough	226	353	+10	E'N	4	20	30	85	27	65	-	-	0	10	1800	361	562	+6	NE	3	20	29	85	26	65	-	-	10	10	1200	3	*	35	28	28	Tr	0·0										
Boscombe Down	417	353	+6	ENE	3	C	31	92	29	7	5	-	-	0	10	1100	356	562	+2	E'N	3	28	85	25	65	-	-	10	10	1500	3	*	34	27	27	Tr	-										
Thorney Island	10	34·6	+10	NNE	3	20	31	85	29	65	5	-	-	0	10	1800	351	562	+4	NE	3	30	85	28	65	-	-	10	10	1800	0	*	36	30	30	Tr	-										
Lyminge	346	34·3	+2	NE	4	20	29	85	25	65	5	-	-	0	10	1100	343	562	+2	NE	4	20	29	85	25	65	-	-	10	10	700	3	4	34	27	28	Tr	-									
Manston	154	34·8	+2	NE'E	4	20	30	85	27	65	-	-	0	10	1300	372	562	+2	NE'E	4	20	30	85	26	65	-	-	10	10	1200	3	*	36	28	26	Tr	-										
2 Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	35	29	29	Tr	-	0·0			
Felixstowe	15	35·9	+4	NE'E	4	20	38	85	34	65	5	-	-	10	10	1900	308	562	0	NE'E	4	20	30	85	24	65	-	-	10	10	1500	3	4	35	30	28	Tr	-	0·0								
Gorleston	5	36·4	0	E	4	20	30	82	27	65	5	-	-	10	10	1300	364	562	+2	NE	4	20	30	85	26	65	-	-	10	10	1500	3	4	35	30	28	Tr	-	0·0								
Mildenhall	19	36·9	0	ENE	4	C	31	97	29	7	5	-	-	10	10	1200	369	562	+2	E'N	4	20	30	85	27	65	-	-	10	10	1500	3	*	37	29	29	Tr	-	0·0								
Cranwell	240	38·0	+2	E'N	3	C	31	92	28	6	5	-	-	10	10	1400	380	562	0	E	3	0/5	30	92	29	65	-	-	10	10	1800	4	*	37	30	30	Tr	-	1·3								
3 Birmingham	535	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	34	23	29	Tr	-	0·0			
Upper Heyford	408	36·2	+2	NE	5	20	30	75	25	65	5	-	-	10	10	1400	364	562	+4	NE'E	4	28	52	26	7	5	-	-	10	10	1500	3	*	35	28	28	Tr	-	0·0								
4 Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	35	30	30	Tr	-	0·0				
5 Hartland Point	299	34·5	+10	NE	5	C	34	75	25	7	5	-	-	9+9t	2500	350	+8	E'N	4	20	31	85	25	7	5	-	-	9+9t	2500	3	4	36	30	30	Tr	-	0·6										
Bristol	20	36·1	+10	ENE	3	20	31	85	28	55	5	-	-	10	10	2000	362	562	+6	E	3	0/5	30	92	28	65	2	-	9+9t	1500	3	*	35	30	29	Tr	-	0·0									
Portland Bill	32	33·3	-2	NE	4	0	32	85	29	7	5	-	-	10	10	2500	343	562	+14	E	4	0	31	85	28	7	5	-	-	10	10	2500	1	4	35	29	29	Tr	-	*							
Plymouth	82	34·6	+6	T	NE	4	20	35	75	25	65	5	-	-	10	10	2500	348	562	+2	E'N																										


SECRET

Thursday 19th February 1942

No. 23309

Page 1  
BRITISH  
SECTIONTHE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

District.	STATIONS. (For heights see p. 4.)	OBSERVATIONS at 13h. G.M.T. 18th February										OBSERVATIONS at 18h. G.M.T. 18th February										PAST 24 HOURS.															
		Barom. at M.S.L. (mb.)	Change in 8 hours. (2)	Wind.		Weather. (5)	Temp. °F. (6)	% Humid. (7)	Dew Point. °F. (8)	Visibility. 0-9 (9)	Cloud.					Barom. at M.S.L. (mb.)	Change in 8 hours. (16)	Wind.		Weather. (20)	Temp. °F. (21)	% Humid. (22)	Dew Point. °F. (23)	Visibility. 0-9 (24)	Cloud.					State of Ground. 0-9 (31)	Sea. (32)	WEATHER.					
				Dir.	Force. (4)						Form. (10)	Med. (11)	High. (12)	Low. 0-10 (13)	Total 0-10 (14)	Height of Base (feet) (15)		Dir.	Force. (17)																		
1	London (Kew)	36.4	0	NE	3	zo	32	75	26	6	5	-	-	10	10	1500	36.3	+10	NEN	3	zo	31	75	26	5	5	-	-	10	10	1500	3	*	CZo	CZo	CMo	CZo
	Croydon	35.6	-2	NE	4	C	31	85	28	6	5	-	-	10	10	1400	35.5	+8	NE	4	zo	30	85	27	5	5	-	-	10	10	1600	3	*	cmois.	CMo	CMo	CMo
	S. Farnborough	36.3	+2	NE	3	zo	31	85	27	5	5	-	-	10	10	1600	36.7	+12	ENE	2	zo	31	85	26	5	5	-	-	10	10	1400	3	*	moc	CMoO	OMo	MOC
	Boscombe Down	36.5	+2	ENE	3	zo	30	75	25	6	5	-	-	10	10	1200	36.7	+6	NE'E	3	zo	30	85	25	6	5	-	-	10	10	1000	3	*	CMo	CMo	CMo	CMo
	Thorney Island	35.7	-2	NE	3	o	33	75	26	7	5	-	-	10	10	1500	35.7	+6	NE	3	zo	32	75	25	6	5	-	-	10	10	1500	1	*	cmoc	CMo	CMo	CMo
	Lyminge	34.6	0	sh	31	92	29	5	5	-	-	10	10	500	35.2	+6	NNE	4	zo	30	85	27	6	5	-	-	10	10	400	3	*	shmo	shmo	shmo	shmo		
	Manston	35.6	0	NE	4	sh	31	85	28	6	5	-	-	10	10	1200	35.9	+8	NNE	4	zo	30	92	23	6	5	-	-	10	10	700	3	*	cmosh	CMo	CMo	CMo
2	Shoreburness	36.3	0	NNE	4	sh	32	92	30	6	5	-	-	10	10	1400	36.5	+2	NNE	4	c	30	92	28	7	5	-	-	10	10	1800	3	*	cishmoc	cishmoc	c	CMo
	Felixstowe	36.7	+2	NEE	3	sh	31	85	27	6	5	-	-	10	10	1500	36.8	+6	NNE	4	c	31	85	27	8	5	-	-	10	10	2000	3	3	Ois.	Ois.	Ois.	Ois.
	Gorleston	37.6	0	ENE	4	%/s	31	85	28	7	5	-	-	10	10	1100	37.3	+6	E'N	4	o	31	92	29	7	5	-	-	10	10	1100	3	5	OSoC	C	C	C
	Mildenhall	37.6	-2	NEE	4	%/s	32	75	27	7	5	-	-	10	10	1500	37.6	+2	ENE	4	zo	31	85	27	6	5	-	-	10	10	2500	3	*	cisoc	cisom	cisom	CMo
	Cranwell	38.6	0	EN	3	sh	31	97	31	7	5	-	-	10	10	1200	38.6	+4	ENE	3	sh	30	85	27	7	5	-	-	10	10	2000	4	*	csh	csmo	csmo	CMoC
3	Birmingham	37.4	-2	ENE	3	%/s	30	85	26	6	5	-	-	10	10	800	37.3	0	ENE	3	zo	30	85	26	5	5	-	-	10	10	800	3	*	ciso	ciso	ciso	c
4	Upper Heyford	37.3	+2	NEE	4	%/s	29	92	26	6	5	-	-	10	10	1500	37.3	+8	NEE	4	zo	29	92	27	6	5	-	-	10	10	1100	3	*	crossmo	CZo	CZo	CMo
4	Ross-on-Wye	37.0	0	ENE	3	o	31	75	25	6	5	-	-	10	10	1500	37.0	0	NNE	3	o	31	85	27	6	5	-	-	10	10	800	3	*	C	C	OC	OC
5	Hartland Point	35.5	0	ENE	3	c	31	75	23	7	5	2	-	9+	10	2000	35.5	+4	ENE	3	c	30	85	25	6	5	2	-	9+	10	1900	3	3	g	g	bcc	bcc
	Bristol	36.6	-2	ENE	3	z	31	85	26	6	5	-	-	10	10	1100	37.0	+6	NEE	2	zo	30	85	26	5	5	-	-	10	10	1000	3	*	cmois.	CMo	CMo	CMo
	Portland Bill	35.0	+4	ENE	4	o	32	85	29	7	5	-	-	10	10	2500	35.5	+8	NE	4	zo	33	92	28	5	5	-	-	10	10	2500	1	5	o	o	OO	OO
	Plymouth	35.7	+6	ENE	3	z	32	75	27	6	5	-	-	10	10	3000	36.0	+4	ENE	4	zo	32	85	29	5	5	-	-	10	10	2000	3	*	CMo	CMo	CMo	CMo
	The Lizard	34.5	+8	E	5	o	36	75	29	7	5	-	-	10	10	1000	34.5	+8	E'N	4	c	35	85	31	7	8	2	-	7-8	10	1000	4	*	OC	C	C	C
	Scilly (St. Mary's)	32.8	-2	ESE	4	o	40	65	29	7	5	-	-	10	10	1500	32.8	-2	E'S	4	c	38	85	33	6	5	2	-	4-6	10	1500	4	*	C	C	C	C</



# AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

## Explanation of Frontal Lines shown on Charts

(The symbols used to indicate fronts are shown below).


**Warm Front.** The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

**Cold Front.** The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

**Occlusion.** The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

**Frontogenesis.** A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

**Frontolysis.** is said to occur when a front is in process of dissolution.



THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Thursday 19th February 1942  
No. 29309

District.	STATIONS.	OBSERVATIONS at 1 hr. G.M.T. 19th February															OBSERVATIONS at 7 hr. G.M.T. 19th February															PAST 24 HOURS.									
		Height above M.S.L. in feet.	Barom. at M.S.L. mb. (1)	Change in 3 hours.	Wind.		Dir.	Force. (4)	Wester. (5)	Temp. °F. (6)	% (7)	Humid. °F. (8)	Dew Point. °F. (9)	Visibility. 0-9 (10)	Cloud.			Height of Base. (feet) (15)	Wind.		Dir.	Force. (18)	Weather. (20)	Cloud.			Height of Base. (feet) (30)	Temperature.		Rainfall.		Sun- shine 18th Hr. (38)									
					0-12	(3)									Low. (11)	Med. (12)	High (13)	Total (14)						0-12	(19)	0-9 (24)		Low. (25)	Med. (26)	High (27)	Total (28)	0-10 (29)	Sea. (31)	Max. Day 7h-18h °F. (33)	Min. Night 18h-7h °F. (34)	Min. on Grass °F. (35)	Day 7h-18h mm. (36)	Night 18h-7h mm. (37)			
1	London (Kew)	18	*	*	*	*	NE	4	C	29	85	26	6	5	-	10	10	2100	063	0	NE	2	zo	29	75	23	6	5	-	-	10	10	2500	3	*	32	28	28	-	-	0.0
	Croydon	217	37.0	0	NE	4	C	29	85	26	6	5	-	10	10	2100	063	0	NE	3	zo	28	85	24	5	5	-	-	10	10	1600	3	*	31	28	27	Tr	17	0.0		
	S. Farnborough	226	37.2	-4	NE	3	zo	30	85	26	6	5	-	10	10	1000	036	-2	ENE	3	zo	28	85	25	6	5	-	-	10	10	1000	3	*	32	28	28	-	-	0.0		
	Boscombe Down	417	37.3	-2	NE'E	4	zo	28	92	27	6	5	-	10	10	700	036	-4	ENE	2	zo	27	97	26	6	5	-	-	10	10	1200	3	*	30	26	26	-	-	0.0		
	Thorney Island	10	36.7	-4	NE	4	zo	30	92	28	5	5	-	10	10	1000	036	0	NNE	3	zo	29	85	26	6	5	-	-	10	10	1600	0	*	33	29	29	-	-	0.0		
	Lympne	346	36.2	+2	NE	3	zo	30	85	27	6	5	-	10	10	1000	035	7	O	NE	2	C	30	85	24	8	5	-	-	10	10	1100	3	4	31	29	29	Tr	-	0.0	
	Manston	154	37.1	+2	NE	4	zo	31	92	23	6	5	-	10	10	1400	036	0	NNNE	4	zo	31	85	28	6	5	-	-	10	10	1800	3	*	31	29	27	Tr	-	0.0		
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	33	29	29	Tr	-	0.0	
	Felixstowe	15	38.0	+6	NE'E	3	zo	30	85	24	6	5	-	10	10	1900	037	1	O	NNE	2	C	31	75	24	8	5	-	-	10	10	2000	3	3	31	30	29	Tr	-	0.0	
	Gorleston	5	38.3	0	NE'E	4	zo	31	92	28	6	5	-	10	10	1500	036	-7	NE'N	3	zo	32	92	23	7	5	-	-	7	8	7	8	1300	3	4	32	30	29	Tr	-	0.0
	Mildenhall	19	39.1	+2	NE'E	2	zo	30	85	26	6	5	-	10	10	1400	038	0	NE'N	2	C	29	75	24	7	5	-	-	9	9	2200	3	*	35	28	27	Tr	-	0.0		
	Cranwell	240	39.5	-2	NE'E	3	zo	30	85	27	6	5	-	10	10	1200	038	7	O	ENE	2	C	29	92	26	7	5	-	-	10	10	2200	4	*	32	29	28	Tr	-	0.0	
3	Birmingham	535	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	30	27	27	Tr	-	0.0	
4	Upper Heyford	408	37.8	-6	NE	4	zo	27	97	26	6	5	-	10	10	900	037	4	NE'E	3	C	27	92	24	7	5	-	-	10	10	1200	3	*	30	27	27	Tr	-	0.0		
	Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	31	28	28	-	-	0.0	
5	Hartland Point	299	36.1	+2	E	3	C	29	85	24	6	5	2	-	9	10	1500	035	0	ENE	3	C	28	85	22	6	5	-	-	9	9	1500	3	3	31	27	25	-	-	0.0	
	Bristol	20	37.4	-4	E'N	4	zo	29	92	27	5	5	-	10	10	1100	036	-4	E'S	3	zo	27	97	23	6	5	-	-	10	10	1200	3	*	31	27	26	Tr	-	0.0		
	Portland Bill	32	36.4	+8	NE	4	0	32	85	29	7	5	-	10	10	2500	034	8	10	NE	4	0	31	85	27	7	5	-	-	10	10	2500	1	4	34	29	-	*	-	0.0	
	Plymouth	82	35.8	0	EN	4	zo	32	75	26	5	5	-	10	10	2000	035	0	E	4	zo	31	85	28	5	5	-	-	10	10	2000	0	3	32	31	-	-	0.0			
	The Lizard	240	34.0	-2	E'S	5	C	38	75	32	6	5	2	-	9	10	1000	032	4	E'S	5	C	38	85	33	6	8	2	-	9	10	1500	0	5	37	34	-</td				

SECRET


Friday 20th February 1942  
No. 29, 310Page 1  
BRITISH SECTIONTHE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

## OBSERVATIONS at 13h. G.M.T. 19th February

## OBSERVATIONS at 18h. G.M.T. 19th February

## PAST 24 HOURS.

District	Stations. (For heights see p. 4.)	Wind.												Wind.												Cloud.												WEATHER.																															
		Baron. M.S.L.			Change in 8 hours.			0-12			Weather.			Temp. °F.			Humid.			Dew Point.			Form.			Amount.			Height of Base (feet)			Baron. M.S.L.			Change in 8 hours.			Wind.			Temp. °F.			Humid.			Dew Point.			Form.			Amount.			Height of Base (feet)			State of Sea 0-9			7h.-13h.		12h.-18h.		18h.-19h.		1h.-7h.	
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)	(42)																										
1	London (Kew)	36.6	+2	N 2 E 2	3	3	3	3	3	32	65	23	5	5	-	-	7-8	7-8	4000	34.6	-8	N E	2	m	34	65	24	4	-	-	0	0	~	3	*	c g	b e b z	b f c x	c x m o																														
	Croydon	35.8	-2	N 2 E 2	3	3	3	3	3	31	75	25	6	5	-	-	9	9	2200	34.1	-8	Z E	1	b c f 4	31	85	27	3	5	-	-	2-3	2-3	2500	3	*	c m g	c z b m o	b f c m o	c m o c m																													
	S. Farnborough	36.3	-10	N 2 E 2	3	3	3	3	3	31	75	25	4	5	-	-	4-6	4-6	1700	34.6	-4	N E	0	31	75	25	5	-	-	0	0	+	3	*	c g	b c b z	b c f o n o	b m o																															
	Boscombe Down	36.3	-8	N 2 E 2	3	3	3	3	3	32	75	26	6	5	3	-	-	T r	2-3	1500	34.6	-10	N E	3	29	85	24	6	-	-	0	0	+	3	*	c m	b c m o	c m o																															
	Thorney Island	36.3	-6	N 2 E 2	3	3	3	3	3	32	75	26	7	5	-	-	4-6	4-6	2500	34.1	-10	N E	2	32	85	27	6	7	-	-	0	0	+	3	*	c m	b c b m	b m																															
	Lyminge	34.8	-6	N 2 E 2	3	3	3	3	3	35	75	28	8	5	-	-	9+	9+	2200	34.1	-2	N E	3	33	75	28	8	5	-	-	9+	9+	2500	1	*	c g	b c b m	b m	c m o																														
	Manston	35.4	-4	N 2 E 2	3	3	3	3	3	35	75	27	8	5	-	-	9+	9+	2000	34.5	-2	N E	3	33	75	28	8	5	-	-	9+	9+	1600	1	*	c m	c	s h i s o	s o l s o	m o l s o																													
2	Shoeburyness	35.0	-2	N 2 E 2	3	3	3	3	3	35	65	25	8	5	-	-	9+	9+	2800	24.8	-2	N E	3	32	85	28	8	5	3	-	-	7-8	9	2500	3	*	c m g	c b v c	c	c m o																													
	Felixstowe	35.1	-6	N 2 E 2	3	3	3	3	3	37	65	27	7	5	-	-	4-6	4-6	2500	35.3	-2	N E	3	32	75	22	7	5	-	-	9+	9+	1800	1	*	c b g	b c c	c c m o	c m o c																														
	Gorleston	36.7	0	N 2 E 2	3	3	3	3	3	35	65	25	7	8	-	-	9+	9+	1500	34.9	-14	N E	2	33	75	27	7	5	7	-	-	7-8	10	1500	1	*	c	c p s o h	c z o s o h																														
	Middlehall	37.0	-6	N 2 E 2	3	3	3	3	3	36	75	23	8	5	-	-	7-8	7-8	3000	35.8	-2	N E	3	33	85	28	8	5	-	-	9+	9+	2000	0	*	c b g	b c c	c c m o	c m o																														
	Cranwell	38.0	-2	N 2 E 2	3	3	3	3	3	32	62	30	8	5	-	-	9+	9+	2000	35.8	-10	N E	3	31	85	26	7	5	-	-	9+	9+	2000	4	*	c	c c m o	c b z	b b z																														
3	Birmingham	32.8	-6	N 2 E 2	2	2	2	2	2	32	75	25	5	7	-	-	9	9	2500	34.8	-12	E N E	2	31	75	25	4	-	-	0	0	-	3	*	c e z	c b m	c	c o																															
	Upper Heyford	36.5	-10	N 2 E 2	2	2	2	2	2	32	85	28	7	5	-	-	4-6	4-6	2500	35.2	-2	E N E	2	30	87	20	6	7	-	-	0	0	-	3	*	c g g	b e b m	b m o	b c m o c m																														
4	Ross-on-Wye	36.8	-6	N 2 E 2	3	3	3	3	3	31	75	23	6	7	-	-	8	1	2-3	3000	34.3	-14	N E	2	31	75	26	6	-	-	1	0	-	3	*	c z e	b e b m	b b z	b x c m o																														
5	Hartland Point	34.3	-4	E N E	3	3	3	3	3	29	75	22	7	5	-	-	9+	9+	1200	32.1	-10	E N E	2	31	85	25	7	-	-	5	0	1	3	*	c m	b c b m	b	b																															
	Bristol	36.6	-6	N 2 E 2	2	2	2	2	2	29	82	29	6	5	-	-	9	9	1500	34.7	-10	N E	1	29	85	25	6	-	-	1	0	-	3	*	c i s	b f	b f	c m x																															
	Portland Bill	35.4	-10	N 2 E 2	4	4	4	4	4	34	85	31	7	5	-	-	10	10	2500	33.1	-18	N E	4	33	85	30	7	5	-</																																								



# AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

## Explanation of Frontal Lines shown on Charts

(The symbols used to indicate fronts are shown below).

**Warm Front.** The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.


**Cold Front.** The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin.

In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

**Occlusion.** The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

**Frontogenesis.** A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

**Frontolysis** is said to occur when a front is in process of dissolution.



## EXPLANATION OF CHART.

**BAROMETER.** Isobars are drawn for intervals of four millibars.

**WIND.** Arrows fly with wind. A full length feather indicates two steps on the Beaufort Scale, and a short feather one step. Calm is indicated by circle outside weather symbol: —○—.

**TEMPERATURE** is given in degrees F.

**WEATHER SYMBOLS:** —○— Clear sky. ○ Sky less than 3/10 clouded. (○) Sky 4/10 to 6/10 clouded. (○) Sky 7/10 to 9/10 clouded. (○) Overcast sky. ● Rain falling. \* Snow. # Sleet. △ Hail.

Fog. = Mist. = Thunder. (T) Thunderstorm. Slight haze. ☀

The hour of observation is not uniform throughout the Hemisphere; a chart showing the hours at which the observations are taken is contained in the Introduction.

**FRONTS** or boundaries between masses of air of different origin are indicated, wherever their characteristics are well pronounced in the following way—

= Warm Front on the Surface

= Warm Front above the ground

= Cold Front on the surface

= Cold Front above the ground

**NOTE.** The symbols are placed on the side of the line towards which the front is moving.

When the front is stationary the symbols are placed alternately on both sides of the line.

= Occluded Front (or Occlusion)

= Warm Occlusion

= Cold Occlusion

= Lines of Frontogenesis

Short strokes across the frontal line indicate Frontolysis. (For explanation see page 3.)

All times are G.M.T. Add one hour to get summer time.

THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Friday 20th February 1942

No. 29,310

District.	STATIONS.	OBSERVATIONS at 1 hr. G.M.T. 20th February												OBSERVATIONS at 7 hr. G.M.T. 20th February												PAST 24 HOURS.															
		Height above M.S.L. in feet. Barom. mb. (1)	Change in 3 hours. (2)	Wind.		Weather. (5)	Temp. (6)	% (7)	Humid. (8)	Dew Point. (9)	Cloud.				Barom. mb. (16)	Change in 8 hours. (17)	Wind.		Weather. (20)	Temp. (21)	% (22)	Humid. (23)	Dew Point. (24)	Cloud.				Barom. mb. (16)	Height of Base (feet) (25)	State of Sea. (26)	Max. Day 7h-18h °F. (33)	Min. Night 18h-7h °F. (34)	Min. on Grass °F. (35)	Day 7h-18h mm. (36)	Night 18h-7h mm. (37)	Sun- shine hrs. (38)					
				Direc. (3)	Force. (4)						Form. (10)	Amount. (11)	Height of Base (feet) (12)	Low. (13)	Med. (14)	High. (15)			Direc. (18)	Force. (19)				Form. (21)	Amount. (22)	Low. (25)	Med. (26)	High. (27)	Total (28)	0-9 (29)	0-9 (30)	0-9 (31)	0-9 (32)								
1	London (Kew)	18	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	30.3	-16	NNE	2	zo	30.3	75	-5	6	5	-	-	10	10	2500	3	*	35	29	16	-	-	2.2
	Croydon	217	32.6	-6	NNE	1	zo	29.85	26	6	5	-	-	10	10	1600	30.3	-6	NNNE	2	m	29.92	28	4	5	-	-	10	10	1800	3	*	34	28	23	-	-	3.2			
	S. Farnborough	226	33.0	-2	E	3	0/f	28.85	25	5	5	-	-	10	10	1000	30.1	-14	NE'E	2	zo	29.85	25	5	5	-	-	10	10	1000	3	*	34	22	15	-	-	2.4			
	Boscombe Down	417	33.0	-4	E'N	2	zo	26.97	25	6	5	-	-	10	10	1200	31.1	-10	-	o	zo	26.97	25	6	5	-	-	10	10	1200	3	*	33	23	15	-	-	0.4			
	Thorney Island	10	32.4	-8	NE	3	zo	30.85	26	5	5	-	-	10	10	1700	23.5	-14	NE	2	zo	31.85	29	6	5	-	-	10	10	2000	0	*	36	15	14	-	-	*			
	Lyminge	346	31.8	-12	NNE	1	sh	31.85	27	6	5	-	-	10	10	1600	29.4	-6	N	2	c	31.92	29	7	5	-	-	10	10	1500	3	*	36	29	27	-	-	0.1			
	Manston	154	32.0	-10	NNE	3	is	34.85	29	6	5	-	-	9	9	1200	29.7	-6	N'E	4	zo	32.92	30	6	5	-	-	10	10	1800	8	*	37	31	27	-	-	0.6			
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	30.1	-8	N	2	c	31.85	27	6	5	-	-	10	10	2500	3	*	38	30	27	-	-	3.3		
	Felixstowe	15	32.6	-12	N'E	1	zo	32.75	25	6	5	-	-	10	10	2600	30.4	-8	NNNE	2	c	33.85	28	7	5	-	-	10	10	3000	3	2	37	32	29	-	-	3.9			
	Gorleston	5	33.2	-6	NE	2	sh	31.85	29	6	5	-	-	10	10	1500	30.6	-6	NW	2	ps	32.92	31	6	8	-	-	9	10	1500	4	2	35	32	29	-	-	*			
	Mildenall	19	33.6	-10	E'N	2	zo	31.92	29	6	5	-	-	10	10	1800	31.0	-10	NW	2	zo	31.97	30	6	5	-	-	10	10	2100	0	*	38	30	26	-	-	6.2			
	Cranwell	240	34.0	-6	E	2	zo	29.92	27	6	5	-	-	10	10	1200	31.4	-10	-	o	c	28.97	27	7	5	-	-	10	10	1200	4	*	34	28	27	-	-	0.2			
3	Birmingham	535	*	*	#	*	*	*	*	*	*	*	*	*	*	*	31.3	-8	E	2	zo	25.85	21	5	5	-	-	10	10	800	3	*	33	24	19	-	-	4.2			
4	Upper Heyford	408	33.0	-10	NE	2	zo	26.92	23	6	5	-	-	4.6	4.6	1600	31.1	-10	ENE	2	zo	25.92	23	6	5	-	-	10	10	1200	3	*	35	24	21	Tr	-	*			
	Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	30.7	-10	-	o	zo	25.97	24	5	5	-	-	10	10	800	3	*	35	20	12	-	-	4.1			
5	Hartland Point	299	30.2	-14	E	3	b	28.85	24	6	5	-	-	0	0	-	27.0	-14	ENE	3	b	30.85	25	6	4	-	-	10	Tr	2500	3	3	32	27	23	-	-	3.1			
	Bristol	20	33.4	-4	-	o	bft	23.97	21	5	5	-	-	0	0	-	31.1	-6	E	2	m	26.97	23	4	5	-	-	10	10	1200	3	*	35	21	10	-	-	3.9			
	Portland Bill	32	30.7	-14	E	4	c	32.85	23	7	5	2	-	7.8	10	2500	28.7	-6	E	4	c	33.85	30	7	5	-	-	10	10	2500	1	4	34	30	29	-	-	*			
	Plymouth	82	30.3	-8	SE	3	zo	35.85	31	6	5	-	-	5	9	2000	29.7	-10	SE	4	zo	34.85	31	6	5	-	-	2.3	2.3	2000	0	3	34	30	29	-	-	0.0			
	The Lizard	240	27.9	-16	ESE	6	bc	40.85	35	8	8	-	-	4.6	4.6	1600	25.7	-10	ESE	6	bc</td																				

~~SECRET~~

Saturday 3rd February 1942

No. 29311

Page 1 BRITISH SECTION

THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Saturday 31st February 1942  
No. 2931

## DISTRICTS.

**FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON, G.M.T.** Saturday 21st February 1942.


- |  |  |                          |   |
|--|--|--------------------------|---|
| 1 S.E. England   | Moderate N.E. to E. winds, fresh locally on the coast later; dull; occasional snow, mostly slight; practically continuous frost.   | 16 Orkneys and Shetlands | AS 12-15-   |
| 2 E. England ...   |  | 17 N.W. Ireland          |   |
| 3 E. Midlands ...  |  | 18 N.E. Ireland          |   |
| 4 W. Midlands  |  | 19 S.E. Ireland          | Moderate to fresh Easterly winds, strong on coast with chance of gale; mainly overcast; cold. |
| 5 S.W. England   | Moderate to fresh easterly winds, strong at times on the coast; cloudy to overcast; slight snow locally at first; chance of general snowfall later; temperature mainly near freezing point except on extreme S.W. coast. | 20 S.W. Ireland          |   |
| 6 South Wales  |  |                          |   |
| 7 North Wales  | Light to moderate easterly winds; mainly cloudy; slight snow locally occasionally; cold with frost in many places.   |                          |   |
| 8 N.W. England   |  |                          |   |
| 9 N. Midlands ...  |  |                          |   |
| 10 N.E. England  | Moderate E. to S.E. winds; overcast; occasional snow showers cold with temperature near freezing point.  |                          |   |
| 11 S.E. Scotland   |  |                          |   |
| 12 S.W. Scotland & Isle of Man   |  |                          |   |
| 13A W. Scotland ...  | Light to moderate S.E. to E. winds; mainly cloudy; local wintry showers on the northeast coast. Cold with frost locally at night.  |                          |   |
| 13B N.W. Scotland  |  |                          |   |
| 14 Mid Scotland  |  |                          |   |
| 15 N.E. Scotland   |  |                          |   |
| <b>GENERAL INFERENCE</b>   |  |                          |   |
| Pressure continues high to northward of the British Isles. There is a depression to northeast of the Azores and an associated trough over Portugal and Spain is at present spreading northeast. Cold easterly winds will continue with dull weather and occasional slight snow in many districts. There is a possibility of general snowfall in S.W. England by the end of the period. |  |                          |   |
| <b>FURTHER OUTLOOK</b>   |  |                          |   |
| Continuing cold and wintry. Possibility of snow in the South.  |  |                          |   |
| Forecasts issued at 10.30. G.M.T.  |  |                          |   |
| N. K. JOHNSON, D.Sc., A.R.C.S., Director,<br>Meteorological Office, Air Ministry, Kingsway, London, W.C.2  |  |                          |   |

## FURTHER OUTLOOK

Continuing cold and wintry. Possibility of snow in the South.

Forecasts issued at 10.30. G.M.T.

N. K. JOHNSON, D.Sc., A.R.C.S., Director,  
Meteorological Office, Air Ministry, Kingsway, London, W.C.2



# AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

## Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).  
**Warm Front.** The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

**Cold Front.** The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

**Occlusion.** The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

**Frontogenesis.** A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

**Frontolysis** is said to occur when a front is in process of dissolution.



Morning of

Saturday 21st February


1942.

All times are G.M.T. Add one hour to get summer time.

THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.Saturday 21st February 1942  
No. 29, 311

District.	STATIONS	OBSERVATIONS at 1 hr. G.M.T. 21st February															OBSERVATIONS at 7 hr. G.M.T. 21st February															PAST 24 HOURS.											
		Height above M.S.L. in feet. mb. (1)	Barom. at M.S.L. (2)	Wind.		Weather.	Cloud.					Barom. at M.S.L. (16)	Wind.		Weather.	Cloud.					Sea. 0-9 (33)	TEMPERATURE.			RAINFALL.			SUN- SHINE Hrs. (36)															
				Dir. (3)	Force (4)		Form. (10)	Amount. (11)	Low. (12)	Med. (13)	High (14)		Dir. (18)	Force (19)		Form. (21)	Amount. (22)	Dew Point. (23)	0-9 (24)	Low. (25)	Med. (26)	High (27)	Total 0-10 (28)	Height of Base (29)	State of Ground. (30)	0-9 (31)	0-9 (32)	Max. Day 7h-18h °F. (33)	Min. Night 18h-7h °F. (34)	Min. on Gross °F. (35)	Day 7h-18h mm. (36)	Night 18h-7h mm. (37)											
1	London (Kew)	18	*	*	*	*	*	*	*	*	*	*	16.4	-18	NE	3	20	30	75	25	5	5	-	-	10	10	2500	3	*	34	30	29	Tr	18	0.0								
	Croydon	217	21.1	-22	NE	2	sh	32	92	30	4	5	-	-	10	10	900	17.0	-16	NE	3	20	29	29	Tr	18	0.0																
	S. Farnborough	226	20.8	-22	N	1	m	31	85	28	4	5	-	-	10	10	800	15.9	-22	NE	2	20	32	27	6	5	-	-	10	10	1400	3	*										
	Boscombe Down	417	21.2	-22	NNE	1	zo	30	85	26	6	5	-	-	10	10	3000	16.9	-30	NE	2	16	30	29	4	5	-	-	10	10	600	3	*										
	Thorpey Island	10	20.3	-24	NE	3	zo	32	85	27	5	5	-	-	10	10	3800	17.4	-16	NNE	2	c	29	85	24	8	5	-	-	10	10	3200	4	*									
	Lymnne	346	21.1	-38	NNW	1	iso	30	92	29	6	7	-	-	10	10	2700	17.4	-16	NNE	4	s	29	85	26	7	5	-	-	10	10	2800	3	*									
	Manston	154	20.2	-22	NNE	4	%s	33	85	27	5	5	-	-	10	10	3600	16.0	-18	NNE	4	s	29	85	26	7	5	-	-	10	10	2800	3	*									
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	36	28	27	-	18	0.0					
	Felixstowe	15	21.1	-16	NE	3	zo	32	85	27	6	5	-	-	10	10	2500	16.9	-18	NE	3	is	29	75	23	8	5	-	-	10	10	3700	4	*									
	Gorleston	5	22.2	-10	ENE	5	zo	32	85	28	6	5	-	-	10	10	1500	18.2	-14	E	5	16	85	21	6	5	-	-	10	10	1500	3	*										
	Mildenhall	19	21.4	-22	NE	'N	2	%s	32	97	32	5	5	-	-	10	10	2300	17.6	-22	N'E	2	so	28	85	25	6	5	-	-	10	10	1800	4	*								
	Cranwell	240	22.0	-26	N	1	m	31	97	30	4	5	-	-	10	10	2500	18.1	-22	N	3	16	97	29	5	5	-	-	10	10	1800	4	*										
3	Birmingham	535	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	31	28	22	-	Tr	0.0						
4	Upper Heyford	408	22.5	-18	NNE	2	zo	29	97	27	6	5	-	-	10	10	3200	17.3	-16	NE	4	9%	28	97	28	4	5	-	-	10	10	1500	3	*									
	Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	32	27	24	-	Tr	0.0						
5	Hartland Point	299	18.7	-26	ENE	4	b	30	75	23	7	5	-	-	0	0	-	14.8	-16	ENE	4	bc	32	65	21	7	4	-	-	4	36	28	28	-	-	8.2							
	Bristol	26	21.9	-14	ENE	3	m	31	85	28	4	5	-	-	10	10	2800	18.2	-22	-	0	o	29	92	22	3	5	-	-	10	10	3000	3	*									
	Portland Bill	32	19.8	-14	E	4	0	31	85	29	7	5	-	-	10	10	2500	15.6	-20	E	4	0	30	85	27	7	5	-	-	10	10	2500	1	*									
	Plymouth	82	18.5	-22	ESE	4	zo	32	85	29	6	5	-	-	4.6	6	2000	15.0	-18	E	4	zo	34	85	31	6	5	-	-	9	9	2000	0	*									
	The Lizard	240	16.6	-28	ESE	6	c	39	75	32	8	8	2	-	7.8	7.8	1500	12.8	-16	ESE	6	c	38	75	31	8	8	2	-	9	10	1500	0	5									
	Scilly (St. Mary's)	163	16.4	-10	ESE	5	c	39	75	31	8	8	-	-	7.8	7.8	1500	11.5	-24	ESE	5	cjp	39	75	38	4	4	7	-	9	9	1500	0	7.8									
	Guernsey	175	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	42	37	38	*	-	-					
6	Pembroke	142	20.5	-22	E	5	c	32	97	32	6	8	-	-	9	9	2500	16.3	-20	ENE	4	c	30	97	26	6	8	-	-	7.8	10	4000	2	*									
7	Holyhead	26	21.4	-12	NE	1	m	33	85	29	4	5	-	-	10	10	2100	17.6	-14	NE	3</																						





# AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

## Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).  
**Warm Front.** The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

**Cold Front.** The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

**Occlusion.** The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

**Frontogenesis.** A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

**Frontolysis** is said to occur when a front is in process of dissolution.



THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Sunday 22nd February ..... 1942  
No. 29,312.

OBSERVATIONS at 1 hr. G.M.T. 22nd February.....												OBSERVATIONS at 7 hr. G.M.T. 22nd February.....												PAST 24 HOURS.																
DISTRICT.	STATIONS.	Height above M.S.L. in feet. Barom. at M.S.L. mb. (1)	Change in 3 hours. (2)	Wind.				Cloud.						Barom. at M.S.L. mb. (16)	Change in 3 hours. (17)	Wind.				Cloud.						Sea. State of Ground. 0-9 (31)	TEMPERATURE.			RAINFALL.			SUN-SHINE 24hr. Hrs. (38)							
				Dir.	Force 0-12 (4)	Weather. (5)	Temp. °F. (6)	% Humid. (7)	Dew Point. °F. (8)	0-9 (9)	Form.			Amount.			Height of Base. (feet) (15)	Dir.	Force 0-12 (19)	Weather. (20)	Temp. °F. (21)	% Humid. (22)	Dew Point. °F. (23)	0-9 (24)	Form.			Amount.			Sea. State of Ground. 0-9 (31)	Max. Day 7h-18h °F. (33)	Min. Night 18h-7h °F. (34)	Min. on Grass (35)	Day mm. 7h-18h (36)	Night mm. 18h-7h (37)				
																	Low.	Med.	High.	Low.	Med.	High.	Total 0-10 (13)	Total 0-10 (14)	Total 0-10 (15)	Low.	Med.	High.	Total 0-10 (25)	Total 0-10 (26)	Total 0-10 (27)									
1	London (Kew)	18	*	*	*	*	24	*	*	*	*	*	*	*	*	*	09.6	-6	N'E	2	zo	25	75	18	5	5	-	-	9+	9+	2500	3	*	30	23	19	Tr	-	0.3	
	Croydon	217	09.1	-10	NE	3	is	24	85	21	5	5	-	-	10	10	4100	08.0	-2	NNE	2	zo	24	75	18	5	5	-	-	10	10	5000	4	*	30	23	20	0.1	Tr	0.2
	S. Farnborough	226	08.9	-12	NNE	3	m	23	85	19	4	5	-	-	10	10	3000	07.7	-2	N'E	1	zo	22	75	17	6	5	7	-	-	4-6+	2600	3	*	33	20	16	Tr	Tr	0.5
	Beacombe Down	417	10.5	+2	NE'N	2	zo	19	85	16	6	-	-	0	0	-	08.5	-6	NE	3	zo	18	92	15	6	-	7	-	0	Tr	-	3	*	32	16	12	0.5	Tr	0.5	
	Thorney Island	10	08.7	-10	NE'N	3	zo	23	85	19	5	-	1	-	10	10	-	07.2	-2	NNE	3	zo	24	75	18	6	5	-	-	10	10	4000	3	*	35	21	15	Tr	Tr	*
	Lympne	346	09.2	-8	NNE	1	zo	26	85	22	6	5	-	-	10	10	1900	08.0	-2	NE	1	zo	25	87	23	6	5	-	-	10	10	2200	4	*	30	16	12	0.4	-	3.4
	Manston	154	08.2	-10	ESE	1	zo	27	85	24	6	5	-	-	10	10	2500	06.9	-6	NNW	1	is	27	85	24	5	5	-	-	10	10	1600	8	*	30	19	3	1	0.1	3.0
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	07.9	-6	N	3	o	25	85	22	5	5	-	-	10	10	1200	4	*	30	23	19	0.2	Tr	2.5	
	Felixstowe	15	09.0	-10	N'E	2	sh	25	75	19	6	5	-	-	10	10	2000	07.4	-8	N'W	2	zo	25	85	20	6	5	-	-	10	10	2500	4	*	29	24	23	1	0.1	2.6
	Gorleston	5	10.5	-14	N'W	2	is	25	85	21	6	8	-	-	10	10	1500	08.2	-10	NW'N	2	is	24	85	19	5	5	-	-	10	10	1500	8	2	28	23	22	0.6	0.4	*
	Mildenhall	19	10.0	-14	NNW	2	zo	24	97	23	6	5	-	-	10	10	3000	08.0	-14	NNE	2	so	25	85	23	6	5	-	-	10	10	2500	4	*	30	20	15	0.2	Tr	2.3
	Cranwell	240	10.6	-14	N'W	2	so	26	97	26	4	5	-	-	10	10	1500	08.7	-6	N	1	so	26	87	26	5	5	-	-	10	10	1500	8	*	30	24	21	1	0.3	2.0
3	Birmingham	535	*	*	*	*	*	*	*	*	*	*	*	*	*	*	08.6	-6	NNE	3	sh	26	92	24	4	6	-	-	10	10	800	4	*	29	23	17	0.1	Tr	0.2	
	Upper Heyford	408	09.9	-14	NNE	3	is	22	92	18	5	5	-	-	10	10	2400	08.3	-6	NNE	3	%s	25	92	22	6	5	-	-	10	10	1500	3	*	30	19	15	Tr	Tr	*
4	Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	08.7	-10	E	2	zo	26	85	22	5	5	-	-	10	10	1500	3	*	32	21	17	Tr	-	0.1	
5	Hartland Point	299	08.1	0	NE	5	c	25	65	12	6	5	2	-	9+	10	1500	07.3	-4	ENE	4	c	25	75	17	6	5	-	-	9+	9+	1500	3	3	34	24	23	-	-	0.0
	Bristol	203	11.2	-2	ENE	3	zo	21	92	18	5	-	-	0	0	-	08.8	-8	ENE	3	zo	25	85	21	5	5	-	-	10	10	2200	3	*	35	18	12	Tr	-	0.2	
	Portland Bill	32	08.0	-8	NE	4	o	31	85	28	7	5	-	-	10	10	2500	07.1	-2	NE	4	bc	25	85	21	7	5	-	-	4.6	4.6	4000	1	4	35	23	*	-	-	*
	Plymouth	82	07.6	-6	E	4	zo	28	87	27	6	5	-	-	10	10	2000	06.9	0	E	3	zo	28	92	20	6	5	-	-	11	11	2000	3	3	35	22	17	Tr	-	0.0
	The Lizard	240	05.3	-2	ENE	6	o	32	75	26	7	5	-	-	10	10	1000	04.7	-2	NE	6	o	29	52	27	5	5	-	-	10	10	1000	0	5	38	28	*	0.5	-	0.0
	Scilly (St.Mary's)	163	05.1	-2	ENE	5	c	34	75	33	6	5	-	-	10	10	1500	04.3	-4	ENE	5	c	32	85	25	6	5	-	-	10	10	1500	3	5	40	32	*	Tr	-	0.0
	Guernsey	175	05.1	-2	ENE	5	c	34	97	29	6	8	-	-	10	10	1500	08.4	-4	ENE	3	so	29	97	28	6	8	-	-	10	10	1500	8	3	30	27	*	-	-	5.0
6	Pembroke	142	09.3	-4	ENE	5	c	28	92	25	7	8	-	-	9+	9+	2500	08.7	-6	N'E	3	c	26	97	25	6	8	-	-	9+	9+	2500	0	3	34	23	*	-	-	5.0
7	Holyhead	26	11.7	-6	ENE	5	zo	28	85	24	5	5	-	-	10	10	2600	10.0	-10	ENE	3	zo	30	92	28	6	5	-	-	10	10	2500	3	3	36	27	*	Tr	*	*
8	Chester(Sealand)	16	12.3	-12	NE'N	1	zo	28	85	25	5	5	-	-	10	10	2500	10.2	-8	NNW	2	is	29	92	27	6	5	-	-	10	10	3000	3	*	31	27	25	Tr	-	0.0
	Manchester	235	12.1	-10	NNE	2	o	27	75	20	6	9	-	-	10	10	2500	09.9	-10	N	2	%s	28	92	25	6	9	-	-	7.8	10	2000	4	*	31	25	21	0.2	Tr	*
10	Spurn Head	29	10.5	-16	ENE	4	is	29	97	29	6	8	-	-	10	10	1500	08.4	-4	ENE	3	so	29	97	28	6	8	-	-	10	10	1500	8	3	30	27	*	0.4	Tr	1.6
	Catterick	175	13.1	-14	N	2	so	27	92	25	5	5	-	-	10	10	1800	10.4	-10	N	2	so	28	92	26	4	5	-	-	10	10	1500	8	*	31	26	26	0.5	1	2.2
	Tynemouth	108	14.7	-20	NE	5	o	31	97	31	6	-2	-	10	10	2500	10.7	-14	NE	5	%s	32	92	30	7	-2	-	10	10	1500	4	4	32	30	29	0.3	0.3	*		
11	St. Abbs Head	280	14.5	-28	NE	2	c	25	97	29	7	5	2	-	9	10	1500	12.0	-8	NE	4	so	31	92	28	6	5	2	-	4.6	10	2000	7	4	30	28	*	0.2	1	*
	Leuchars	36	16.0	-12	N	2	is	30	92	28	5	5	-	-	10	10	2500	13.3	-10	N	2	%s	29	97	28	6	5	-	-	10	10	1500	4	*	34	28	26	1	2	*
12	Renfrew(Abbotsl.)	19	15.8	-12	ENE	2	is	29	85	26	5	5	-	-	10	10	2000	13.9	-6	NE'N	1	is	29	85	24	7	5	-	-	10	10	2300	1	*	34	27	26	0.3	0.1	0.3
	Eskdalemuir	794	*</																																					

Abridged observations of additional stations in the AVIATION WEATHER CODE

~~SECRET~~

Monday 23rd February 1942

No. 29313

Page 1 BRITISH SECTION

THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

## DISTRICTS.

FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON, G.M.T. Monday 13rd February 1942.

- |     |                             |   |
|-----|-----------------------------|---|
| 1   | S.E. England                | Light northerly winds backing Northwest or West later; cloudy to overcast at first with light local snow showers; probably clear periods later; mainly frosty   |
| 2   | E. England ...              |   |
| 3   | E. Midlands ...             |   |
| 4   | W. Midlands                 | Light northeast to north winds, fresh at first on the Southwest coast; bright periods; local snow showers especially later; frost at night  |
| 5   | S.W. England                |   |
| 6   | South Wales                 |   |
| 7   | North Wales                 | Light northwest to west winds, veering northerly later and freshening;  |
| 8   | N.W. England                |   |
| 9   | N. Midlands ...             | variable sky with bright periods, some light snow showers; mainly frosty.   |
| 10  | N.E. England                |   |
| 11  | S.E. Scotland               |   |
| 12  | S.W. Scotland & Isle of Man | Light west to northwest winds, becoming northerly, moderate to fresh later; mainly cloudy with some snowfall, mainly slight except locally in hills; bright periods and snow showers later. Cold and mainly frosty. |
| 13A | W. Scotland ...             |   |
| 13B | N.W. Scotland               |   |
| 14  | Mid Scotland                |   |
| 15  | N.E. Scotland               |   |

- |                          |   |
|--------------------------|---|
| 16 Orkneys and Shetlands | As 11-15.   |
| 17 N. W. Ireland         |   |
| 18 N. E. Ireland         | Light, rather variable winds; mainly fine at first, but local snow showers in the North later. Cold with persistent frost inland. |
| 19 S. E. Ireland         |   |
| 20 S. W. Ireland         |   |

## GENERAL INFERENCE


Pressure is high to the North and low to the South of the British Isles. A shallow depression northeast of Shetland tends to become somewhat deeper and is moving Southwest. There will be occasional light snow in Scotland, and some light local snow showers in Midlands and East England, but on the whole bright periods will predominate especially in the West.

## FURTHER OUTLOOK

Continuing mainly wintry in most districts.

Forecasts issued at 10:30 G.M.T.

N. K. JOHNSON, D.Sc., A.R.C.S., Director,  
Meteorological Office, Air Ministry, Kingsway, London, W.C.2



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

### Explanation of Frontal Lines shown on Charts

**Explanation of Frontal Lines shown on Charts**

**Warm Front.** The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

**Cold Front:** The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin.

In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.


**Occlusion.** The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

as "warm" or "cold" occurrences.

**Frontogenesis.** A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

**Frontolysis** is said to occur when a front is in process of dissolution.

**Frontolysis** is said to occur when a front is in process of dissolution.



THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Monday 23rd February 1942  
No. 29313

District.	Stations.	Observations at 1 hr. G.M.T. 23rd February												Observations at 7 hr. G.M.T. 23rd February												Past 24 Hours.													
		Wind.			Cloud.			Wind.			Cloud.			Temperature.			Rainfall.			Sunshine.																			
		Height above M.S.L. in feet.	Barom. at M.S.L.	Change in 3 hours.	Dir.	Force.	Weather.	Temp.	%	Dew Point.	0-9	Low.	Med.	Total	High.	Barom. at M.S.L.	Change in 8 hours.	Dir.	Force.	Weather.	Temp.	%	Dew Point.	0-9	Low.	Total	High.	Sea. 0-9	Max. Day 7h-18h	Min. Night 18h-7h	Min. on Grass 7h-7h	Day 7h-18h mm.	Night 18h-7h mm.	22nd Hrs.					
1	London (Kew)	18	*	*	*	*	*	20	*	*	*	*	*	*	*	042	-6	NNE	3	5	29	85	23	5	5	-	-	10	10	2500	3	*	31	26	13	-	-	37	
	Croydon	217	06.0	-2	NE	1	0f+	23	92	22	3	5	-	-	7-8	7-8	4500	047	-2	NNE	2	27	92	26	4	5	-	-	10	10	3000	3	*	31	23	16	Tr	-	41
	S. Farnborough	226	05.8	-4	N	1	0f+	24	85	21	3	5	-	-	10	10	2000	043	-8	NNE	2	27	85	24	4	5	-	-	10	10	3000	3	*	33	19	13	-	-	63
	Boscombe Down	417	07.0	-2	N	1	N	2	97	18	5	5	-	-	5	0	1	051	-10	NNE	2	24	97	23	6	8	-	-	10	10	2000	3	*	32	18	13	Tr	Tr	42
	Thorney Island	10	06.1	-2	N	2	N	2	85	18	5	5	-	-	7-8	7-8	3100	046	-14	NNE	1	22	97	21	5	5	7	-	-2-3	94	4000	3	*	33	10	10	-	-	*
	Lymne	346	06.5	-6	N	2	N	2	85	20	5	5	-	-	4-G	4-G	2000	044	-10	NNE	2	28	75	20	6	5	-	-	10	10	1100	4	3	28	20	14	0.3	-	0.2
	Manston	154	05.3	-6	N	3	N	3	65	19	5	5	-	-	10	10	2400	035	-G	NNE	3	30	75	22	6	5	-	-	10	10	2500	8	*	28	26	23	0.6	-	0.0
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	32	24	16	Tr	-	0.7					
	Felixstowe	15	06.7	-2	N	1	N	1	85	24	6	5	-	-	10	10	3000	040	-6	N	2	29	85	24	6	5	-	-	10	10	3000	4	1	30	24	16	0.1	-	2.0
	Gorleston	5	06.1	-6	N	1	N	1	85	23	5	5	-	-	10	10	1500	052	-4	N	4	31	85	28	6	5	-	-	10	10	1200	8	2	30	25	23	1	-	*
	Mildenhall	19	05.9	-6	W	2	W	2	87	28	5	5	-	-	10	10	2900	051	-2	W	2	29	85	26	6	5	-	-	10	10	4000	3	*	31	22	13	Tr	Tr	3.3
	Cranwell	240	06.5	-6	N	2	N	2	87	28	5	5	-	-	10	10	2000	055	-6	N	2	28	87	27	4	5	-	-	10	10	1800	8	*	32	26	21	0.5	Tr	2.9
3	Birmingham	535	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	32	26	22	Tr	-	0.9						
4	Ross-on-Wye	408	06.3	-4	N	1	N	1	87	24	4	5	-	-	5+ 9+	4000	045	-10	N	1	27	92	25	4	5	-	-	10	10	3000	3	*	33	22	19	Tr	-	*	
	*	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	34	25	16	-	-	1.8						
5	Hartland Point	299	06.1	-2	N	4	N	4	85	30	6	5	-	-	7-8	7-8	1500	042	-8	N	4	31	65	21	6	5	-	-	9+ 9+	1500	3	4	33	28	10	Tr	-	0.0	
	Bristol	264	07.4	-4	-	-	-	85	22	3	5	-	-	9	9	2400	062	-2	N	2	28	87	27	4	5	-	-	10	10	4000	3	*	33	23	10	-	-	0.0	
	Portland Bill	32	06.5	+8	N	2	N	2	85	23	7	2	-	-	2-3-2-3	4000	043	-12	N	2	27	85	28	7	4	-	-	4+ 8	4000	1	4	34	24	*	-	-	*		
	Plymouth	82	06.1	-2	N	4	N	4	85	20	5	5	-	-	0	0	-	046	-6	N	3	28	85	23	5	-	-	0	7-8	-	3	3	34	26	22	-	-	(3.3) 53	
	The Lizard	240	05.2	0	N	4	N	4	92	28	6	5	2	-	7-8	10	1500	040	-2	N	4	29	85	25	6	8	-	-	4+ 6+ 6	2500	0	4	33	28	*	-	-	0.0	
	Scilly (St. Mary's)	163	05.1	-6	E	5	E	5	75	28	6	8	6	3	4-6-9	1500	037	-6	E	4	34	85	30	6	8	6	-	7-8	84	1500	1	5	34	32	*	-	-	2.8	
	Guernsey	175	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	32	29	22	Tr	-	0.0						
6	Pembroke	142	07.0	-8	N	4	N	4	85	30	6	5	-	-	2-3-2-3	4000	061	-6	N	5	32	85	30	8	2	-	-	2-3-4-5	3600	3	3	36	26	22	-	-	0.1		
7	Holyhead	26	07.8	-2	N	3	N	3	85	31	6	5	-	-	10	10	2800	064	-6	N	3	34	85	30	6	5	-	-	10	10	3000	3	3	36	30	25	Tr	-	*
8	Chester (Sealand)	16	07.7	-6	N	2	N	2	85	31	4	5	-																										

SECRET

Tuesday 24th February 1942

No. 20314


Page 1  
BRITISH  
SECTIONTHE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

## OBSERVATIONS at 12h. G.M.T. 23rd February.

## OBSERVATIONS at 18h. G.M.T. 23rd February.

## PAST 24 HOURS.

DISTRICT.	STATION.	Barom. at M.S.L. (For heights see p. 4.)	Change in 3 hours.	Wind.		Weather.	Temp. °F.	Humid. % Dew Point. °F.	Visibility. 0-9	Cloud.						Barom. at M.S.L. (15)	Change in 8 hours.	Wind.		Weather.	Temp. °F.	Humid. % Dew Point. °F.	Visibility. 0-9	Cloud.						State of ground. 0-9	Sea. 0-9	7h.-13h. 23rd.	12h.-18h. 23rd.	18h. 24th.	23h. 24th.	1h.-7h. 24th.	
				Dir.	0-12					Form.	Low.	Med.	High.	Amount.	Height of base (feet)			Dir.	0-12	Form.	Low.	Med.	High.	Amount.	Height of base (feet)												
				(1)	(2)					(10)	(11)	(12)	(13)	(14)	(15)			(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(39)	(40)	(41)	(42)							
1	London (Kew)	03.4	-8	N.E.	4	LS	33	65	22	6	5	-	-	10	10	1500	02.9	0	NE	3	Z	32	55	21	6	8	3	-	7-8	24	1500	3	*	cis, zo	CZ, CZY	cy, cz	CZ
	Croydon	03.4	-8	N.E.	4	Zo	31	75	23	5	5	-	-	10	10	2500	02.7	0	NE	4	Z	31	75	25	4	5	7	-	7-8	24	1800	3	*	cmps, mo	CZ, CZ	cm, is	CZ
	S. Farnborough	03.4	-10	N.E.	3	Zo	32	65	23	5	7	3	-	7-8	9+	1700	02.5	0	NE	3	Z	33	65	23	6	7	-	-	5+ 9+	24	1800	3	*	cm, zo	CZ	z, c	CZ
	Boscombe Down	03.5	-10	E.N.	4	C	31	75	23	7	9	-	-	10	10	2000	03.4	0	NE	4	Z	31	75	23	7	9	-	-	9+ 10	24	1600	0	*	cm, bcp, pg	C	c	C
	Thorney Island	03.5	-10	N.E.	4	Zo	33	65	23	6	5	7	-	7-8	10	4000	02.7	-2	NNE	2	Z	33	75	25	7	9	-	-	10	10	2500	3	*	cm, o	CZ	cm, is	CZ
	Lymnpe	03.6	-4	NNE	3	Zo	31	85	28	6	5	7	-	9+	9+	1200	02.9	+2	NNE	4	Sh	30	85	25	6	6	-	-	10	10	700	4	*	cm, sh	CZ, sh	cm, is	CZ
	Manston	02.8	-6	NNW	4	Sh	31	85	28	6	5	-	-	10	10	1500	02.3	+2	NE	4	Z	31	85	23	6	5	-	-	10	10	1500	8	*	cm, sh	CZ, sh	cm, is	CZ
2	Shoeburyness	04.5	-4	N.E.	3	C	33	65	23	6	-	7	-	0	7-8	-	03.7	+2	NE	3	C	31	85	26	6	5	7	-	1	9+	2500	1	*	cm, o	CZ	cm, is	CZ
	Felixstowe	03.8	-8	NE	2	C	33	65	23	7	5	1	-	9	9+	4000	03.5	+6	N.E.	3	C	30	85	25	7	8	-	-	2-3	7-8	2500	4	2	cm, ps, mo	CZ, CZ	cm, is	CZ
	Gorleston	04.7	-6	NE	3	Zo	32	65	29	6	8	-	-	7-8	7-8	1500	04.4	+2	ENE	4	C	31	92	29	7	8	-	-	10	10	1600	4	3	cm, zo	C	ps, is	CZ
	Mildenhaugh	04.8	-6	NE	3	C	32	85	29	7	8	-	-	2	4-6	1800	04.3	+2	NE	3	C	31	75	25	7	8	7	-	9-6	9+	2000	3	*	cm, o, m, e	CZ	cm, is	CZ
	Cranwell	05.3	-6	NNB	3	C/S	33	85	29	7	6	-	-	4-6	9	1200	05.8	+6	NNE	3	C/S	31	97	30	5	5	-	-	9	9	2500	8	*	cm, s, m, e	CZ	cm, is	CZ
3	Birmingham	05.5	-2	E.N.E.	3	LS	31	85	27	4	6	1	-	10	10	800	05.6	+2	NNE	3	Z	32	75	25	5	5	-	-	10	10	1500	4	*	018, o	CZ	018, o	CZ
	Upper Heyford	04.6	-6	NE	2	LS	31	85	26	5	8	-	-	10	10	2500	03.9	-2	NE	4	C	30	75	23	7	8	-	-	10	10	1800	3	*	cm, m, e	CZ	cm, is	CZ
4	Ross-on-Wye	04.6	-6	NE	3	LS	33	75	27	4	6	3	-	7-8	9+	300	04.5	0	NE	3	C	33	65	23	6	5	-	-	10	10	2000	3	*	cm, is	CZ	cm, is	CZ
5	Hartland Point	03.7	-8	NNB	5	C	32	55	19	7	5	-	-	9+	9+	1500	02.8	-2	NNE	5	C	33	75	27	6	5	-	-	10	10	1500	3	4	cm, o, m, o	CZ	cm, is	CZ
	Bristol	04.8	-10	NNB	4	Zo	32	75	28	6	5	-	-	9+	9+	3000	04.5	+2	NE	4	Z	33	75	27	6	5	2	-	9+	10	3000	0	*	cm, m, o	CZ	cm, is	CZ
	Portland Bill	03.8	-6	NE	3	C	33	85	29	7	5	-	-	10	10	4000	02.7	-4	NE	4	C	33	85	30	7	5	-	-	10	10	2500	1	4	cm, o, m, e	CZ	cm, is	CZ
	Plymouth	03.2	-14	NE	4	Zo	32	65	24	6	5	-	-	9+	9+	3500	02.5	-2	ENE	5	Z	32	65	25	6	5	-	-	9+	9+	3500	3	3	cm, o, m, e	CZ	cm, is	CZ
	The Lizard	03.4	-6	NNB	4	O	32	85	28	5	5	-	-	10	10	1000	01.9	-4	NE	4	C	32	75	25	6	5	1	-	7-8	10	1500	0	4	cm, o, m, e	CZ	cm, is	CZ
	Scilly (St. Mary's)	02.9	0	E.N.	5	C	33	85	30	7	6	-	-	10	10	1500	01.8	-4	ENE	5	C	35	65														



# AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

(The symbols used to indicate fronts are shown below).


**Warm Front.** The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

**Cold Front.** The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

**Oclusion.** The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

**Frontogenesis.** A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

**Frontolysis** is said to occur when a front is in process of dissolution.




THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Tuesday 24th February 1942  
No. 23314

District.	STATIONS.	OBSERVATIONS at 1 hr. G.M.T. 24th February												OBSERVATIONS at 7 hr. G.M.T. 24th February												PAST 24 HOURS.																
		Height above M.S.L. in feet.	Barom. at M.S.L. mb. (1)	Change in 3 hours. (2)	Wind.			Weather.	Cloud.			Form.	Amount.	Height of base (feet)	Barom. at M.S.L. mb. (16)	Change in 3 hours. (17)	Wind.			Weather.	Cloud.			Form.	Amount.	Height of base (feet)	State of Sea. (30)	TEMPERATURE.		RAINFALL.		SUN- SHINE Hrs. (38)										
					Dir.	Force (0-12) (4)	Wind. (5)		% (6)	Temp. °F. (7)	Humid. % (8)	Dew Point. °F. (9)	Visibility. 0-9 (10)	Low. (11)	Med. (12)	High. (13)	Total (14)	Low. (15)	Dir.	Force (0-12) (18)	Wind. (19)	% (20)	Temp. °F. (21)	Humid. % (22)	Dew Point. °F. (23)	Visibility. 0-9 (24)	Low. (25)	Med. (26)	High. (27)	Total (28)	State of Sea. (29)	Max. 7h-18h °F. (33)	Min. 18h-7h °F. (34)	Min. on grass °F. (35)	Day 7h-18h mm. (36)	Night 18h-7h mm. (37)						
1	London (Kew) ...	18	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	02.4	-2	NE	4	2	32	75	24	6	5	-	-	10	10	2500	3	*	35	30	28	Tr	0.1	0.4
	Croydon ...	217	02.0	-2	NE	3	NE	3	30	85	26	5	5	-	-	2.3	10	2500	02.0	+4	NE	4	18	81	27	5	5	-	-	10	10	1200	4	*	33	29	28	Tr	0.1	0.1		
	S. Farnborough ...	226	02.1	-2	NE	2	NE	3	30	75	23	6	5	-	-	10	10	2600	02.5	+2	NE	4	29	81	25	6	5	-	-	10	10	2000	3	*	33	30	28	Tr	7	0.0		
	Boscombe Down ...	417	03.7	-2	NE	4	NE	3	29	65	20	7	8	-	-	7.8	7-8	2700	03.0	0	NE	5	29	85	24	7	5	-	-	10	10	3000	0	*	32	28	26	Tr	1	0.4		
	Thorney Island ...	10	02.4	-2	NE	3	NE	3	31	75	25	6	5	-	-	10	10	3100	01.6	-2	NE	4	29	85	27	7	5	-	-	9	10	1500	3	*	33	31	26	Tr	1	*		
	Lympne ...	346	02.7	0	NE	4	NE	5	31	85	27	6	5	-	-	10	10	1200	02.0	-6	NE	5	32	85	25	6	5	-	-	10	10	1000	4	*	31	30	29	Tr	1	0.0		
	Manston ...	154	02.2	-2	NE	5	NE	5	32	85	27	6	5	-	-	10	10	2000	01.8	+2	NE	5	31	85	28	6	5	-	-	10	10	1800	8	*	32	30	27	0.1	Tr	0.0		
2	Shoeburyness ...	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	03.4	+4	NE	4	3h	33	85	29	6	5	-	-	10	10	1200	3	*	35	29	26	-	Tr	0.7
	Felixstowe ...	15	03.6	+2	NE	4	NE	4	32	75	25	7	5	-	-	10	10	2400	03.1	+2	NE	4	3h	33	75	27	7	5	-	-	10	10	2000	3	*	35	29	26	Tr	0.4	*	
	Gorleston ...	5	04.8	+2	NE	5	NE	5	32	92	29	6	8	-	-	10	10	1500	04.7	+6	NE	5	3h	32	92	31	7	8	-	-	9	10	1500	4	*	32	30	26	Tr	0.3	*	
	Mildenhall ...	19	04.6	-2	NE	3	NE	3	31	85	26	6	5	-	-	10	10	3600	04.4	+2	NE	2	3h	31	82	28	6	5	7	-	-	7.8	10	1500	3	*	35	28	26	0.1	-	1.8
	Cranwell ...	240	05.0	+2	NE	5	NE	5	30	97	30	5	5	-	-	10	10	1200	05.6	+2	NE	5	3h	30	97	30	5	5	3	-	-	4.0	10	4000	3	*	33	29	28	0.1	0.5	
3	Birmingham ...	535	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	05.5	+2	NE	3	3h	30	92	28	3	5	-	-	10	10	4500	4	*	32	29	24	0.1	Tr	0.0	
4	Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	04.7	0	NE	3	3h	30	85	28	5	5	-	-	10	10	1500	3	*	33	30	26	Tr	0.0	*	
5	Hartland Point ...	299	03.3	-2	NE	5	NE	5	34	65	23	7	5	-	-	5+	5+	2500	02.5	+2	NE	4	3h	33	65	24	7	5	-	-	5+	5+	1800	3	4	34	32	32	-	0.1		
	Bristol ...	203	04.5	-2	NE	2	NE	2	31	85	28	6	5	-	-	3+	3+	3800	04.7	+2	NE	2	3h	30	92	28	5	5	2	-	-	7.8	10	2500	0	*	33	27	26	Tr	-	0.5
	Portland Bill ...	32	01.0	-4	NE	4	NE	4	31	85	28	7	5	-	-	10	10	2500	02.1	-6	NE	4	3h	32	85	20	7	5	-	-	10	10	2500	1	4	34	28	-	0.1	*		
	Plymouth ...	82	02.5	-2	NE	5	NE	5	33	75	25	7	5	-	-	5+	5+	4000	02.2	+2	NE	5	3h	32	65	23	7	5	-	-	5+	5+	3500	3	*	34	31	29	-	0.1		
	The Lizard ...	240	01.7	-2	NE	5	NE	5	33	75	26	6	8	2	-	7.8	9+	1500	01.6	0	NE	5	3h	32	8																	





# AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

## Explanation of Frontal Lines shown on Charts

(The symbols used to indicate fronts are shown below).

**Warm Front.** The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

**Cold Front.** The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin.

In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

**Occlusion.** The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

**Frontogenesis.** A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

**Frontolysis.** is said to occur when a front is in process of dissolution.

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140°

50° 60° 70° 80° 90° 100° 110° 120° 130° 140°

170°W. 180° 170°E. 160° 150° 140

THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Wednesday 25th February 1942

No. 23315

OBSERVATIONS at 1 hr. G.M.T. 25th February.												OBSERVATIONS at 7 hr. G.M.T. 25th February.												PAST 24 HOURS.																						
District.	Stations.	Height above M.S.L. in feet.		Wind.				Cloud.								Wind.		Cloud.								Temperature.				Rainfall.																
		Barom. mb.	M.S.L.	Change in 3 hours.	Direc.	0-12	Force.	Weather.	%	Temp.	%	Humid.	%	Dew Point.	0-9	Visibility	Form.	Amount	Height of Base (feet)	Barom. mb.	Change in 3 hours.	Direc.	0-12	Force.	Weather.	%	Temp.	%	Dew Point.	0-9	Visibility	Form.	Amount	Height of Base (feet)	State of Ground 0-9	Sea.	Max. Day 7h-18h °F.	Min. Night 18h-7h °F.	Min. on Grass °F.	Day 7h-18h mm.	Night 18h-7h mm.					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)							
1	London (Kew)	18	*	*	*	*	*	*	*	32	*	*	*	*	*	*	*	*	076	+10	ZNE	+	4	34	75	27	6	5	-	-	2+3+	2500	3	*	36	31	27	TR	-	0	0	0	0	0		
	Croydon	217	-0.4	+0.6	W	W	2	+	0	31	85	27	6	5	7	-	9+10	4100	+10	ZNE	2	+	32	85	27	5	5	-	-	4-5-10	1200	3	*	35	30	28	TR	-	0	0	0	0	0			
	S. Farnborough	226	0.6	-0.7	+0.6	W	W	3	+	31	75	25	7	5	3	-	7-8	3000	+7.7	ZNE	2	+	33	75	26	7	5	-	-	9	10	3000	3	*	35	30	26	TR	-	0	0	0	0	0		
	Boscombe Down	417	-0.7	-0.3	+0.6	W	W	3	+	30	85	26	7	-	3	-	0	9	-	08+	+8	ZNE	2	+	31	75	25	8	8	-	-	10	10	2000	0	*	36	28	24	TR	-	0	0	0	0	0
	Thorney Island	10	0.5	-0.8	+0.6	W	W	3	+	31	85	25	6	5	3	-	9	9	4000	0.7	NNW	2	+	33	85	25	7	5	-	-	7-8	10	4000	3	*	46	30	24	TR	-	0	0	0	0	0	
	Lympne	346	-0.5	-0.3	+0.2	W	W	2	+	32	83	28	7	5	2	-	7-8	10	3200	0.6	E	2	+	31	92	30	5	5	-	-	10	10	1200	4	*	35	31	30	TR	-	0	0	3	1.4	0.5	
	Manston	154	0.5	-0.2	+0.4	W	W	2	+	33	75	28	6	5	7	-	9	10	1600	0.6	E	2	+	31	92	30	5	5	-	-	10	10	1500	8	*	36	31	28	TR	-	0	0	3	1.4	0.5	
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	07.4	+6	ZNE	3	+	32	97	32	6	-	-	10	10	1500	8	*	37	31	29	TR	-	1	0	0	0	0		
	Felixstowe	15	0.0	-0.6	+2	W	W	3	+	34	75	27	8	5	-	-	3+4	3200	0.7	NE	4	+	33	85	30	8	8	-	-	10	10	1400	4	*	36	32	31	TR	-	0	0	3	0.3	0		
	Gorleston	5	0.8	-1	+0.6	W	W	3	+	34	85	30	7	5	-	-	10	10	1800	0.9	E	5	+	33	85	30	7	8	-	-	10	10	1400	4	*	35	34	32	TR	-	0	0	0	0	0	
	Mildenhall	19	0.3	-0.8	+0.8	W	W	3	+	32	85	29	7	5	-	-	10	10	4000	0.8	E	3	+	33	75	26	8	5	-	-	10	10	9000	0	*	37	28	20	TR	-	0	0	3	0.3	0	
	Cranwell	240	-0.1	+0.6	W	W	2	+	34	92	28	6	-	7	-	0	7-8	-	10.3	+6	ZNE	2	+	30	92	28	6	5	-	-	9+5	1800	4	*	37	29	26	TR	-	0	0	1	0	0		
3	Birmingham	535	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	10.1	+8	N	2	+	30	85	26	3	5	-	-	4-6	7-8	2500	3	*	37	29	24	TR	-	0	0	5	0.5	0		
4	Upper Heyford	408	0.8	-0	+1.0	W	W	3	+	31	85	28	6	5	-	-	10	10	2500	0.5	E	2	+	30	97	29	5	5	-	-	9+8	1000	3	*	37	30	30	TR	-	0	2	1	1	0		
5	Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.8	+6	NNW	3	+	32	85	28	5	5	-	-	10	10	2000	3	*	37	29	23	TR	-	0	1	0	0	0		
5	Hartland Point	299	-0.7	+8	W	W	4	+	35	75	23	7	5	-	-	9+9	2500	0.8	+10	ZNE	2	+	35	65	24	7	5	-	-	9+9	2500	0	3	36	34	32	TR	-	0	0	0	0	0			
	Bristol	20.9	-0.3	+6	W	W	4	+	32	85	29	6	5	-	-	9+9	3500	0.8	+10	ZNE	4	+	32	85	27	4	5	-	-	9	10	2000	0	*	37	30	28	TR	-	1	0	0	0	0		
	Portland Bill	32	0.6	-0	+14	W	W	4	+	32	85	29	8	2	4	-	-	4-6	4000	0.7	E	4	+	31	85	27	4	4	-	-	10	10	1000	1	*	36	20	20	TR	-	1	0	0	0	0	
	Plymouth	82	-0.7	+6	W	W	4	+	33	75	27	7	5	-	-	1	1	4000	0.8	E	5	+	33	65	25	7	5	-	-	7-8	7-8	3000	3	*	38	30	22	TR	-	0	0	0	0	0		
	The Lizard	240	-0.7	+6	W	W	4	+	34	75	27	7	8	2	-	-	7-8	2000	0.8	+6	ZNE	4	+	32	75	26	7	8	-	-	7-8	7-8	2000	0	3	36	29	22	TR	-	0	0	0	0	0	
	Scilly (St. Mary's)	163	-0.7	+10	W	W	4	+	32	65	26	7	5	2	-	-	7-8	10	1500	0.8	E	4	+	37	55	22	7	5	-	-	7-8	7-8	1500	0	4	38	37	*	TR	-	0	0	0	0	0	
	Guernsey	175	-0.7	+10	W	W	4	+	33	65	26	7	5	2	-	-	7-8	10	1500	0.8	E	4	+	37	55	22	7	5	-	-	7-8	7-8	1500	0	4	38	37	*	TR	-	0	0	0	0	0	
6	Pembroke	142	-0.3	+6	W	W	3	+	32	85	30	6	1	-	-	-	1	-	4000	10.3	NE	2	+	30	75	27	6	2	-	-	2-3	2-3	3000	0	2	40	26	*	TR	-	2	0	0	0	0	
7	Holyhead	26	0.9	-0	+6	W	W	1	+	31	92	29	5	1	-	-	-	0	-	10.7	+6	SSE	1	+	28	92	28	3	5	-	-	1	2-3	4000	3	*	37	30	28	TR	-	1	0	0	0	0
8	Chester(Sealand)	16	-0.3	-0.4	+4	W	W	2	+	27	92	25	2	0	-	-	-	0	-	11.7	+6	WNW	1	+	28	92	26	2	5	-	-	3+3	2500	3	*	38	28	22	TR	-	0	0	0	0	0	
8	Manchester	235	-0.5	+10	W	W	3	0	23	97	23	3	-	-	-	-	0	-	11.7	+10	Cf	0	+	26	97	26	2	5	-	-	7-8	7-8	3500	3	*	37	21	15	TR	-	0	0	0	0	0	
10	Spurn Head	29	-0.1	+1.1	W	W	3	0	35	85	33	7	7	-	-	9	9	4000	0.7	E	4	+	35	85	31	7	7	-	-	4-6	7-8	4000	3	*	39	33	*	TR	-	0	0	0	0	0		
	Catterick	175	-0.1	+10	NW	2	2	0	Cf	32	92	26	3	5	-	-	9+9	4000	12.5	+10	NNE	1	+	29	97	28	4	9	-	-	2	4-6	8	1500	7	*	37	29	26	TR	-	0	4	0.7	0	0
	Tynemouth	108	-0.1	+8	NNW	3	0	C/ps	34	92	33	6	8	-	-	9	9	2500	13.0	+12	NNW	2	+	30	87	30	5	8	-	-	7-8	7-8	2500	8	3	39	29	27	TR	-	0	2	0	0	0	
11	St. Abbs Head	280	-0.3	+8	EESE	1	1	0	C	35	85	31	8	5	-	-	9+9	2500	11.7	+4	NNW	1	+	34	92	31	8	2	-	-	1	2-3	2500	4	2	37	33	*	TR	-	0	3	0	0	0	
	Leuchars	36	-0.6	+6	-	1	0	C	29	97	28	8	1	-	-	0	0	-	12.8	+10	S	0	+	26	87	25	6	8	-	-	TR	TR	4000	4	*	41	26	18	TR	-	0	3	0	0	0	
12	Renfrew (Abbots L.)	19	-0.7	+6	-	0	C	33	85	30	2	5	-	-	7-8	7-8	+500	12.6	+10	ZNE	1	+	26	97	26	1	-	-	10	10	4150	3	*	38	26	20	TR	-	0	0	0	0	0			
	Eskdalemuir	794	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	13.1	+4	ZNE	0	+	26	92	22	6	5	-	-	2-3	2-3	1100	9	*	39	24	17	TR	-	0	0	0	0	0		
	Point of Ayre	30	-0.5	+6</																																										

Abridged observations of additional stations in the AVIATION WEATHER CODE

13h. G.M.T.				18h. G.M.T.				01h. G.M.T.				07h. G.M.T.			
IIC <sub>L</sub>	C <sub>M</sub>	wwVhN <sub>h</sub>	DDFWN	C <sub>L</sub>	C <sub>M</sub>	wwVhN <sub>h</sub>	DDFWN	C <sub>L</sub>	C <sub>M</sub>	wwVhN <sub>h</sub>	DDFWN	C <sub>L</sub>	C <sub>M</sub>	wwVhN <sub>h</sub>	DDFWN
109 77	02864	00024	53	00564	20223	5-	01864	52114	5-	00863	18213	333 5-	01864	08214	5-
115			54	01944	22225	54	01943	22224	54	01951	16214	334 --	05555	10117	--
203 74	01343	16324				56	00590	12323				340 5-	05667	04327	56
206 80	0564	00014	43	08161	00014	5-	01763	22113	5-	01763	00013	336 8-	26853	04387	5-
210						44	00852	21103	40	00590	00001	00	00890	20200	336 57
220 80	01355	14386	56	01854	14214				57	02853	17416	350			57
230 53	01866	32127	5-	01867	16127	03	02790	00027	03	01890	00015	368 8-	83647	03387	5-
245						83	00851	31102	50	00861	24101	379 8-	26757	02387	5-
260 87	05565	30125	53	08154	08125	8-	08167	08147	5-	47348	08128	390 5-	05653	05578	57
278 83	00852	10212	5-	02757	10212	5-	05566	00026	50	05561	00001	382 8-	02847	36427	
279 8-	05556	04127	3-	05664	00025	00	05666	04100	50	04661	00001	438 56	02654	04616	
285						13	01853	32315				430 50	02853	37577	5-
288 8-	08467	06736	50	47363	00043	5-	45247	00087	--	4-109	00079	409 5-	02757	02527	5-
575 7-	02867	00027	5-	02867	00027	00	05690	00010	00	05630	08100	III = Index Number of Station—See M.O. 252 or list issued on 1st of each month. ww. W = Present and past weather—See M.O. 252. h, Nh = Height and amount of low cloud—See M.O. 252. N = Total amount of cloud—See M.O. 252. C <sub>L</sub> , C <sub>M</sub> = Form of low and medium cloud—See page 1. V = Visibility. F = Force of wind—See page 4. DD = Direction of wind (8 = E, 16 = S, 24 = W, 32 = N).	05633	28284	
301 5-	05676	04326	5-	05667	08617	50	05581	06141	50	47271	02201				
321 5-	05668	04178	50	00763	04173	5-	05565	01115	55	05461	31213				
299 50	02755	04115	50	0754	32114	8-	05663	03203	50	01754	04214				
292						44	00762	32113	5-	47275	28245	5-	08165	22245	--
310 --	02628	04318								01634	04314		TERMS OF SUBSCRIPTION. Single Copies, 1d. each; by post 1d. 1/6 per month; 6/6 per quarter; 25/- per year.		
614 73	02665	06227								08450	02323				

~~SECRET~~

Thursday 26th February 1942

No. 2931G

Page 1 BRITISH SECTION

THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

OBSERVATIONS at 13h. G.M.T. 25th February															OBSERVATIONS at 18h. G.M.T. 25th February															PAST 24 HOURS.								
Distraction.	STATION.		Barom. at M.S.L. (1)	Change in 3 hours (2)	Wind.		Dir. (3)	0-12 (4)	Weather. (5)	Temp. °F. (6)	% Humid. (7)	Dew Point. °F. (8)	0-9 Visibility (9)	Cloud.					Barom. at M.S.L. (16)	Wind.		Dir. (17)	0-12 (18)	Weather. (20)	Temp. °F. (21)	% Humid. (22)	Dew Point. °F. (23)	0-9 Visibility (24)	Cloud					State of Ground. 0-9 (31)	Sea. 0-9 (32)	WEATHER.		
					Low. (10)	Med. (11)	High. (12)							Form. (13)	Amount. Low 0-10 (14)	Amount. Total 0-10 (15)	Low. (25)	Med. (26)					High. (27)	Amount. Low 0-10 (28)	Amount. Total 0-10 (29)	Height of Base (feet) (30)												
	(For heights see p. 4.)	Wind. (3)			Dir. (4)	0-12 (5)	Weather. (6)	Temp. °F. (7)	% Humid. (8)	Dew Point. °F. (9)	0-9 Visibility (10)	Low. (11)	Med. (12)	High. (13)	Amount. Low 0-10 (14)	Amount. Total 0-10 (15)	Wind. (16)	Dir. (17)					0-12 (18)	Weather. (20)	Temp. °F. (21)	% Humid. (22)	Dew Point. °F. (23)	0-9 Visibility (24)	Form. (25)	Amount. Low 0-10 (26)	Amount. Total 0-10 (27)	Height of Base (feet) (28)	State of Ground. 0-9 (29)	Sea. 7h.-13h. (39)	Sea. 13h.-18h. (40)	Sea. 18h-24h. (41)	Sea. 1h.-7h. (42)	
1	London (Kew)	09.6	+10	NNE	4	Zo	36	55	24	6	8	3	-	4-6	7-8	2500	11.6	+14	NE	4	Zo	32	65	31	6	5	-	-	-	5+	9+	2500	3	* ZO C20	cyc20	C20	Cm0	
	Croydon	09.2	+10	NNE	5	Zo	35	75	27	6	8	3	-	9+	9+	1600	11.3	+12	NNE	5	Zo	31	85	28	5	5	-	-	-	10	10	2500	3	* ZLASH	b6m0	C20	C20S0Cm0	
	S. Farnborough	09.8	+8	NNE	5	C	36	65	25	7	1	3	-	4-6	7-8	3000	11.6	+14	NE'N	3	Zo	33	65	22	7	4	5	-	-	3	3	3000	3	* ZLASH	b6c0	b6c0	b6bZCm0	
	Boscombe Down	10.2	+4	NE	5	G	37	65	31	8	1	-	-	7-8	7-8	1800	12.4	+20	NE	4	Zo	32	65	23	8	5	-	-	-	3	3	2500	0	* ZLASH	b6c0	b6c0	b6c0	
	Thorney Island	09.2	+10	NNE	3	Zo	36	75	29	6	5	3	-	9+	10	4000	11.1	+18	NNE	4	Zo	35	65	25	6	6	-	-	-	4-6	7-8	2500	0	* ZLASH	b6c0	b6c0	b6c0	
	Lyminge	08.7	+6	NEN	5	SoS	31	92	29	6	9	-	-	10	10	900	10.4	+10	N'NE	5	Zo	30	82	28	5	5	-	-	-	10	10	500	4	* ZLASH	b6c0	b6c0	b6c0	
	Manston	08.3	+6	NEN	5	sh	31	97	30	4	5	1	-	9+	10	800	0.9	+14	N'NE	5	Zo	30	97	50	5	5	-	-	-	10	10	700	8	* ZLASH	b6c0	b6c0	b6c0	
2	Shoeburyness	09.9	+12	NEN	4	C	32	85	28	6	5	7	-	9+	10	2400	11.5	+10	N'E	4	O/S	31	85	27	7	5	-	-	-	10	10	1800	4	* ZEASCMO	am,ISG	C	Cm0	
	Felixstowe	09.3	+10	NE'E	4	G	33	75	26	7	8	-	-	10	10	1800	11.3	+10	NNE	4	IS	31	75	26	7	5	-	-	-	10	10	1700	4	* CPSG	c150	C150	C150	
	Gorleston	11.0	+6	ENE	5	C	32	85	29	7	8	-	-	10	10	1600	2.3	+12	NE	5	Zo	31	85	27	6	5	-	-	-	10	10	1500	4	* ZEAS	c6	C6	C6	
	Mildenhall	11.3	+10	NE	3	G	35	75	27	8	5	-	-	7-8	9+	2800	2.8	+10	NE	4	C	31	75	24	7	5	-	-	-	9+	9+	2500	0	* ZEAS	c6	C6	C6	
	Cranwell	12.8	+6	NE	4	G	35	75	28	8	3	-	-	9	9	1800	13.9	+6	NE	4	Zo	32	85	25	7	5	-	-	-	10	10	2500	1	* ZEAS	c6	C6	C6	
3	Birmingham	12.7	+8	NE	4	C	35	65	25	6	5	-	-	8+	9+	2500	14.0	+8	NNE	3	ZPS	32	85	28	5	5	-	-	-	2-3	2-3	4000	3	* ZEAS	c6c	cbcps0	Cm0	
	Upper Heyford	10.9	+10	NE	4	C	35	65	24	8	3	-	-	7-8	7-8	3200	12.3	+6	NNE	3	C	32	75	24	8	4	-	-	-	7-8	7-8	2500	3	* ZEAS	c6c	cbcps0	Cm0	
4	Ross-on-Wye	11.9	+6	NE	4	bc	37	55	21	6	7	-	-	4-6	4-6	3500	13.0	+6	N'NE	2	Zo	34	65	23	6	5	-	-	-	1	1	3000	3	* ZEAS	b2z	b2z	C20	
5	Hartland Point	11.5	+4	NNE	3	b	38	55	24	7	1	-	-	Tr	Tr	2500	12.2	+6	NE	2	b	38	65	26	7	-	-	-	0	0	-	0	2	b2b	b	b6m0	b6bcbm0	
	Bristol	11.7	+6	NEN	4	bc	30	53	24	7	7	-	-	4-6	4-6	2500	3.1	+10	NNE	3	Zo	33	75	28	6	5	-	-	-	Tr	Tr	4000	0	* ZMB	smibcay	b20fex	Cfxfmz0	
	Portland Bill	09.3	+12	NE	4	C	40	85	38	8	2	-	-	7-8	7-8	4000	0.9	+6	NE	4	bc	36	85	29	8	2	-	-	-	4-6	4-6	4000	1	* ZMB	b6	b6	b6	
	Plymouth	10.5	+6	NS	4	Zo	41	45	24	7	1	4	-	Tr	1	3000	12.1	+14	N'NE	3	Zo	37	55	24	6	1	-	-	0	1	-	0	3	emb	b6m0	b6m0	b6m0	
	The Lizard	11.5	+8	NN	4	bc	39	85	34	8	2	6	-	4-6	4-6	2500	11.9	+2	N	3	bc	36	75	29	6	4	-	-	-	2-3	2-3	2500	0	* ZMB	b6	b6	b6	
	Scilly (St. Mary's)	11.4	+10	NE	4	bc	43	85	26	8	8	1	-	4-6	4-6	1800	12.0	+6	N'EN	4	bc	39	65	26	8	3	-	-	4-6	4-6	1800	0	* ZMB	b6cay	b6cay	b6cay		
6	Pembroke	12.8	+6	E'N	3	b	39	65	28	6	-	-	-	0	0	-	-	13.5	+4	NNE	3	b	36	75	27	7	-	-	-	0	0	-	0	1	b6m0	b2z	b2z	b2bmx
7	Holyhead	13.1	+8	ENE	2	bc	40	65	31	7	5	-	-	2-3	2-3	3000	14.1	+8	NE	3	b	34	85	29	7	1	-	-	-	Tr	Tr	4000	0	* ZMB	b2fmm0	b2fmm0	b2fmmx	
8	Chester (Sealand)	13.5	+12	NR'E	1	cp	36	75	30	3	5	-	-	7-8	7-8	3500	14.7	+10	NNE	1	Zo	33	75	27	4	5	-	-	-	1	1	3500	1	* ZMB	cp	b2fpx	Fb2cmx	
	Manchester	13.4	+6	ENE	3	bc	40	55	25	7	2	-	-	4-6	4-6	3500	14.6	+10	NEE	3	Zo	34	75	27	6	4	-	-	-	4-6	7-8	4000	3	* ZMB	b2cay	b2cay	b2cmx	
10	Spurn Head	13.0	+10	ENE	4	C	36	75	29	7	7	-	-	9	9	4000	14.0	+8	NE'E	4	C	32	75	25	7	7	-	-	-	7-8	9+	2500	0	* ZMB	c	c	opso	
	Catterick	14.2	+4	NE	2	Zo	38	75	30	6	2	-	-	2-3	2-3	2800	15.9	+14	NE	1	bc	32	92	30	8	5	-	-	-	4-6	4-6	2700	4	* ZMB	b6bcma	b6bcma	cfmm0	
	Tynemouth	14.9	+6	NNW	3	bc	38	85	34	8	2	-	-	+6-6	+6-6	2500	16.3	+6	E	3	bc	36	85	30	8	2	4	-	-	1	4-6	2800	4	* ZMB	b6m0	b6m0	c	
11	St. Abbs Head	14.7	+14	SSW	1	b	40	75	32	7	4	4	-	Tr	1	2500	15.2	+2	SSW	2	bc	34	85	28	8	4	4	-	-	1	2-3	2500	4	* ZMB	b2c	b2c	b2c	
	Leuchars	14.8	+8	SW	1	Zo	40	75	31	6	1	-	-	Tr	Tr	3500	14.8	+2	-	0	b	35	75	29	7	5	6	-	-	Tr	Tr	3000	4	* ZMB	b6fbm0	b6fbm0	b6fbx	
12	Rentfrew (Abbots I.)	14.2	+4	-	0	b	39	75	32	3	1	-	-	2-3	2-3	3500	14.8	+6	W	1	Zo	37	65	27	6	4	5	-	-	Tr	1	3000	1	* ZMB	op2z	b2bZ	b2bZ	
	Eskdalemuir	14.7	+4	-	0	b	35	75	28	8	1	-	-	1	1	1800	16.1	+8	-	0	b	28	75	19	8	1	4	-	-	0	1	-	9	2	b6cay	b6cay	b6cay	b6cay
	Point of Ayre...	14.4	+14	A'S	3	b	39	85	34	7	2	-	-	Tr	Tr	3000	16.0	+6	S'E	2	b	35	75	28	8	1	4	-	-	0	Tr	-	0	1	b	b	b	b
13A	Tiree	11.9	+4	SSW	4	C	40	65	32	8	5	-	-	9+	9+	2800	12.3	+4	SSW	3	bc	39	85</															

## DISTRICTS

FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON, G.M.T. *Thursday 26th February 1842*

- |                                  |  |   |  |
|----------------------------------|--|---|--|
| 1 S.E. England                   | Moderate northeast winds, decreasing slowly later; mainly dull, with light snow flurries locally; clearer periods likely tonight; cold; temperature about freezing point.      | 16 Orkneys and Shetlands  | becoming less cold slowly.                                 |
| 2 E. England ...                 |  | 17 N.W. Ireland   | Moderate southwest wind, fair, variable cloud, rather cold |
| 3 E. Midlands ...                |  | 18 N.E. Ireland   | but temperature tending to rise                            |
| 4 W. Midlands                    |  | 19 S.E. Ireland   | light variable wind; fine; cold; hard frost at night.      |
| 5 S.W. England                   | Light variable winds; fine; local fog developing tonight; cold; hard frost at night.   | 20 S.W. Ireland   | As 17.   |
| 6 South Wales                    |  |   |  |
| 7 North Wales                    |  |   |  |
| 8 N.W. England                   |  |   |  |
| 9 N. Midlands ...                |  |   |  |
| 10 N.E. England                  |  |   |  |
| 11 S.E. Scotland                 |  |   |  |
| 12 S.W. Scotland & Isle of Man   | Light to moderate south to southwest wind; fair; temperature rising very slowly.   |   |  |
| 13A W. Scotland ...              |  |   |  |
| 13B N.W. Scotland                | Moderate to light westerly winds, freshening from southwest, perhaps becoming strong later; cloudy, occasional slight rain or sleet; fairer brighter periods locally; cold but | FURTHER OUTLOOK   | temperature rising above freezing                          |
| 14 Mid Scotland                  |  |   |  |
| 15 N.E. Scotland                 |  |   |  |
| Forecasts issued at 10.30 G.M.T. |  | N. K. JOHNSON, D.Sc., A.R.C.S., Director.<br>Meteorological Office, Air Ministry, Kingsway, London, W.C.2 |  |

## GENERAL INFERENCE

A ridge of high pressure extends from northeast to southwest across the central British Isles with an almost stationary trough of lower pressure along the northwest seaboard and another trough further to the North. In the Southeast and South of England cold northeast winds will persist with mainly dull weather and a little light occasional snow in East Anglia. In North Scotland occasional rain or sleet. Elsewhere [redacted]


## FURTHER OUTLOOK

mainly fine weather with day

Continuing dry and cold over most of England. Less settled in Scotland with temperature rising.

Forecasts issued at 10.30, G.M.T.

N. K. JOHNSON, D.Sc., A.R.C.S., Director,  
Meteorological Office, Air Ministry, Kingsway, London, W.C.2



# AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).  
Warm Front. The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

Cold Front. The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

Occlusion. The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions of the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

Frontogenesis. A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

Frontolysis is said to occur when a front is in process of dissolution.



BRITISH  
SECTIONTHE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.Thursday, 26th February 1942  
No. 29316

DISTRICT.	STATIONS.	OBSERVATIONS at 1 hr. G.M.T. 26th February															OBSERVATIONS at 7 hr. G.M.T. 26th February															PAST 24 HOURS.										
		Height above M.S.L., in feet. mb. (1)	Barom. at M.S.L. (2)	Wind.		Weather. (5)	Temp. (6)	% (7)	Humid. (8)	Dew Point. (9)	Cloud. Form. (10)			Height of Base (feet) (15)	Barom. at M.S.L. (16)	Wind.		Weather. (20)	Temp. (21)	% (22)	Humid. (23)	Dew Point. (24)	Cloud. Form. (25)			Height of Base (feet) (30)	State of Sea. (31)	0-9 (32)	TEMPERATURE.			RAINFALL.			SUN- SHINE 25th Hrs. (38)							
				Change in 3 hours. (3)	Dir. (4)						Low (10)	Med. (11)	High (12)	Total (13)		Dir. (18)	Force (19)						Low (23)	Med. (24)	High (25)	Total (26)	Med. (27)	High (28)	Total (29)	7h-18h °F. (33)	18h-7h °F. (34)	Min. Night °F. (35)	Max. Day °F. (36)	Min. on Grass °F. (37)	Day 7h-18h mm. (38)	Night 18h-7h mm. (39)						
1	London (Kew)	18	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	2-2		
	Croydon	217	13.2	+2	NNE	4	zo	30	75	28	5	5	-	-	10	10	3200	13.8	+6	NNE	3	zo	32	28	4	5	-	-	10	10	1000	3	*	37	29	24	-	-	0-0			
	S. Farnborough	226	14.1	+10	N'E	2	bc	29	75	22	7	5	-	-	2-3	2-3	3000	14.2	+6	N'E	3	zo	31	28	6	5	2	-	10	10	1400	3	*	35	29	29	Tr	Tr	0-4			
	Boscombe Down	417	14.4	+8	NE	5	c	31	75	23	7	5	-	-	10	10	2600	15.0	+8	N'E	3	c	30	75	24	7	5	-	-	10	10	2500	0	*	39	28	22	-	-	3-0		
	Thorney Island	10	13.3	+10	NNE	4	zo	30	85	24	6	5	-	-	7-8	10	2400	13.6	+4	NNE	3	c	31	85	27	7	5	-	-	10	10	1500	0	*	38	27	22	-	-	4-4		
	Lympne	346	11.7	+4	N	5	zo	31	92	29	6	5	-	-	10	10	700	12.7	+8	NNE	5	zo	31	92	29	6	5	-	-	10	10	500	4	4	31	30	29	0-4	Tr	0-0		
	Manston	154	11.2	+6	NNE	4	zo	32	85	29	6	5	-	-	10	10	1000	12.2	+12	NSE'N	4	zo	32	57	30	5	5	-	-	10	10	800	8	*	32	30	29	0-4	0-1	0-0		
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	33	30	29	Tr	-	0-0
	Felixstowe	15	12.6	+2	NNE	3	c	32	85	28	7	5	-	-	10	10	1200	14.0	+10	NG	4	sh	31	85	27	6	5	-	-	10	10	800	4	3	33	30	30	0-1	Tr	0-0		
	Corleston	5	13.3	+4	E'N	5	iso	33	85	30	6	8	-	-	10	10	1500	14.7	+10	E'N	5	iso	32	75	26	6	8	-	-	10	10	1500	3	5	34	32	30	0-1	Tr	0-0		
	Mildenhall	19	14.1	+2	N'G	3	zo	31	75	24	6	5	-	-	10	10	1800	14.7	+8	NE	4	zo	32	85	27	6	5	-	-	10	10	1200	3	*	37	30	28	-	-	1-5		
	Cranwell	240	15.5	+6	NE'N	3	zo	30	85	26	6	5	-	-	10	10	2600	16.2	+6	N	2	zo	31	92	29	6	5	-	-	10	10	2500	4	*	38	30	29	Tr	-	2-6		
3	Birmingham	535	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	37	28	25	Tr	0-5	
4	Upper Heyford	408	14.6	+6	N'E	3	c	30	75	23	7	5	-	-	9	9	3100	15.2	+4	N'W	3	c	30	85	24	7	5	-	-	10	10	2100	3	*	38	29	27	-	-	3-1		
	Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	39	29	23	-	-	3-1
5	Hartland Point	299	14.8	+6	NE	4	bc	35	65	24	6	1	-	-	2-3	2-3	4000	15.7	+8	NE	4	bc	31	65	21	7	1	-	-	7	18	3000	3	41	31	28	-	-	5-1			
	Bristol	260	15.7	+10	-	0	pf	28	85	25	8	5	-	-	10	10	2800	16.5	+8	E'N	2	c	30	65	20	7	5	-	-	10	10	2500	3	*	40	25	12	-	-	5-3		
	Portland Bill	32	13.0	+6	NE	3	b	31	85	28	8	-	-	-	0	0	-	13.8	+8	NE	4	bc	28	85	24	8	2	-	-	4.6	4.6	4000	1	4	40	27	*	-	-	5-4		
	Plymouth	82	14.9	+6	NNE	3	zo	30	75	24	6	-	-	-	0	0	-	15.9	+6	o	3	bc	30	75	23	6	4	-	-	2.3	2.3	4000	3	2	42	24	15	-	-	8-4		
	The Lizard	240	14.8	+8	N																																					

~~SECRET~~

Friday 27th February 1942

No. 29317

Page 1

THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Friday 27th February 1942

## DISTRICTS.

FORECASTS FOR THE 24 HOURS COMMENCING 12 NOON, G.M.T. Friday 27th February

- |     |                             |  |
|-----|-----------------------------|--|
| 1   | S.E. England                |  |
| 2   | E. England ...              | Light variable wind; fair; cold keen frost tonight; local fog at night.  |
| 3   | E. Midlands ...             |  |
| 4   | W. Midlands                 | Moderate southwest wind becoming fresh locally; cloudy, occasional rain later, some sleet or snow on high ground;        |
| 5   | S.W. England                | fog tonight in industrial areas, rather cold but temperature rising slowly.  |
| 6   | South Wales                 |  |
| 7   | North Wales                 |  |
| 8   | N.W. England                |  |
| 9   | N. Midlands ...             |  |
| 10  | N.E. England                |  |
| 11  | S.E. Scotland               |  |
| 12  | S.W. Scotland & Isle of Man |  |
| 13A | W. Scotland ...             | Moderate or fresh southwest to west wind, strong locally on coasts, cloudy, rain at times, sleet or snow on high ground, |
| 13B | N.W. Scotland               |  |
| 14  | Mid Scotland                | rather cold but temperature rising slowly.   |
| 15  | N.E. Scotland               |  |

- |                          |             |
|--------------------------|-------------|
| 16 Orkneys and Shetlands | As 13A - 15 |
| 17 N. W. Ireland         |             |
| 18 N. E. Ireland         | As 4-12.    |
| 19 S. E. Ireland         |             |
| 20 S. W. Ireland         |             |

## GENERAL INFERENCE

A ridge of high pressure lying southwest to northeast across Southeast England is moving slowly southeast and depressions are moving northeast off the western seaboard.

It will continue fair and cold in the Southeast but elsewhere weather will be cloudy with occasional rain and it will become milder than of late.


#### **FURTHER OUTLOOK**

West to southwest winds and milder weather spreading to all districts.

Gale warning issued 13.45 26.2.42 in district 16.

Forecasts issued at 10.30h.

N. K. JOHNSON, D.Sc., A.R.C.S., Director.  
Meteorological Office, Air Ministry, Kingsway, London, W.C.2



AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

### **Explanation of Frontal Lines shown on Charts**

(The symbols used to indicate fronts are shown below).


**Warm Front.** The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

**Cold Front.** The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

**Occlusion.** The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

**Frontogenesis.** A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

**Frontolysis** is said to occur when a front is in process of dissolution.



BRITISH  
SECTION

THE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

Friday 27th February 1942

No. 29317

District.	Stations.	Observations at 1 hr. G.M.T. 27th February														Observations at 7 hr. G.M.T. 27th February														Past 24 Hours.													
		Height above M.S.L. in feet.		Barom. at M.S.L.		Wind.		Wind.		Weather.		Cloud.										Wind.		Wind.		Cloud.										Temperature.				Rainfall.			
		mb. (1)	Change in 3 hours. (2)	Dir. (3)	Force. (4)	Dir. (5)	Force. (6)	Temp. (7)	% Dew Point. (8)	% Humid. (9)	Visibility. (10)	Low. (11)	Med. (12)	High. (13)	Low. 0-10 (14)	Total 0-10 (15)	Height of Base. (feet.)	Barom. at M.S.L. (16)	Change in 3 hours. (17)	Dir. (18)	Force. (19)	Weather. (20)	Temp. (21)	% Dew Point. (22)	% Humid. (23)	Visibility. (24)	Low. (25)	Med. (26)	High. (27)	Low. 0-10 (28)	Total 0-10 (29)	Height of Base (feet) (30)	State of Ground. 0-9 (31)	Sea. (32)	Max. Day 7h-18h °F. (33)	Min. Night 18h-7h °F. (34)	Min. on Grass °F. (35)	Day 7h-18h mm. (36)	Night 18h-7h mm. (37)	26h Hrs. (38)			
1	London (Kew)	18	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	800	15.8	-4	NNE	2	20	32	75	27	S	S	-	-	10	10	2500	3	*	34	31	30	Tr	-	0.0		
	Croydon	217	16.5	0	NNE	3	m	32	92	30	4	5	-	-	10	10	1300	15.9	-4	N	2	m	31	92	29	4	S	S	-	-	10	10	300	3	*	33	30	30	Tr	-	0.0		
	S. Farnborough	226	16.6	0	N'W	2	z	31	85	27	5	S	-	-	10	10	-	16.1	-2	NNW	1	20	30	85	26	6	5	-	-	10	10	1800	3	*	34	29	29	Tr	-	0.0			
	Boscombe Down	417	17.3	0	N	2	z	23	97	22	6	-	-	-	0	0	-	17.6	0	N	1	m	19	97	18	4	-	-	-	-	0	0	-	3	*	34	19	14	Tr	-	0.0		
	Thorney Island	10	16.4	+2	NNE	2	z	32	85	28	6	S	-	-	10	10	1500	16.1	-2	N'W	2	z	32	85	28	6	S	S	-	-	10	10	1500	3	*	35	30	17	-	-	*		
	Lymnpe	346	16.2	+2	N	3	ido	31	92	30	S	S	-	-	10	10	+100	16.1	0	N'W	2	z	30	97	29	6	S	S	-	-	10	10	400	3	3	33	30	30	Tr	-	0.0		
	Manston	154	15.1	0	N	3	z	32	92	30	6	S	-	-	10	10	800	14.9	+2	N	2	z	31	85	28	5	S	S	-	-	10	10	800	4	*	33	31	28	-	-	0.0		
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	15.9	-2	N	2	0	32	92	31	5	S	S	-	-	10	10	1000	3	*	34	31	31	Tr	-	0.0		
	Felixstowe	15	16.2	-2	N	2	z	32	85	29	6	S	-	-	10	10	1100	14.7	-2	NNE	2	z	31	85	27	6	S	S	-	-	10	10	800	3	2	34	31	30	0.1	-	0.0		
	Gorleston	5	16.7	-2	ENE	2	z	33	85	29	6	S	-	-	10	10	1500	16.1	-4	NE'E	2	z	32	85	29	6	S	S	-	-	10	10	1500	0	2	33	31	30	Tr	-	*		
	Mildenhall	19	16.5	-2	NNW	2	0/d	32	92	30	5	S	-	-	10	10	900	15.7	-6	NWN	1	z	31	85	29	5	S	S	-	-	10	10	1500	0	*	34	31	30	Tr	-	0.0		
	Cranwell	240	17.2	-6	NW	2	z	30	92	29	6	S	-	-	10	10	2500	16.0	-6	W	2	z	30	92	28	6	S	S	-	-	10	10	2000	3	*	36	29	27	Tr	-	1.3		
3	Birmingham	535	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	16.4	-6	SW	1	m	22	92	20	4	-	-	-	0	0	-	3	*	36	20	6	-	-	3.3			
4	Upper Heyford	408	17.3	-2	NNW	1	m	23	97	21	4	S	3	-	2-3	4-6	2000	16.6	-2	NWN	2	z	20	97	18	5	S	S	-	-	0	0	-	3	*	33	19	15	Tr	-	*		
5	Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	17.1	-8	SW	1	m	17	92	15	4	-	-	-	0	0	-	3	*	37	16	9	-	-	4.0			
6	Hartland Point	299	17.1	-2	SSE	2	b	30	85	25	7	-	-	-	0	0	-	15.9	-6	SW	3	b	31	75	23	7	-	-	-	0	0	-	3	3	38	29	25	-	-	8.6			
	Bristol	203	18.3	-2	-	0	b/f	22	97	21	2	-	-	-	0	0	-	17.8	-6	-	0	b/f	17	92	15	3	-	-	-	0	0	-	3	36	15	6	-	-	0.1				
	Portland Bill	32	17.0	+8	NE	3	bc	32	85	29	7	2	-	-	4-6	4-6	4000	16.2	-4	NE	2	bc	26	85	22	7	S	S	-	-	4-6	46	2500	1	3	36	25	*	-	*			
	Plymouth	82	18.1	+2	-	0	m	23	92	21	4	-	-	-	0	0	-	17.6	-2	0	m	21	97	20	4	-	-	-	0	0	-	3	2	42	21	15	6.2	-	2.3				
	The Lizard	240	17.7	0	NE	2	bc	31	85	27	7	4	-	-	2-3	2-3	2500	16.7	-4	SSE	3	bc	33	65	22	6	S	S	-	-	2-3	2-3	2500	2	4	40	29	*	-	*			
	Scilly (St.Mary's)	163	17.4	-2	E'Z	1	b	35	75	28	8	-	-	-	0	0	-	15.8	-6	S'W	2	b	34	75	26	7	-	-	-	0	0	-	0	3	42	33	*	-	9.0				
6	Pembroke	142	17.3	0	ENE	2	z	31	85	28	6	-	-	-	0	0	-	15.3	-10	SSW	3	c	40	75	33	7	S	S	-	-	7-8	7-8	2500	0	3	39	27	*	-	8.8			
7	Holyhead	26	15.8	-10	S	5	z	35	85	32	5	S	-	-	TR	TR	4000	13.2	-14	SSE	5	z	35	85	30	6	S	S	-	-	4-6	46	3000	2	4	42	26	17	-	*			
8	Chester(Sealand)	16	16.9	-12	SE	2	m	25	85	20	4	-	-	-	0	0	-	15.1	-6	SE'E	3	m	22	85	18	4	-	-	-	0	0	-	3	*	39	22	19	3.8	*				
10	Spurn Head	29	17.5	0	NNW	4	ido	33	92	31	7	-	2	-	10	10	1500	15.7	-4	NNW	3	o	32	92	30	7	S	S	-	-	10	10	1500	0	3	35	31	*	-	1.8			
	Catterick	175	17.7	-8	-	0	m	23	92	22	4	-	-	-	0	0	-	15.4	-14	S	2	m	22	92	20	4	-	-	-	5	*	36	20	17	-	3.2							
	Tynemouth	108	17.9	-4	W	2	m	33	85	30	4	-	-	-	0	0	-	14.6	-10	W	3	zo	26	75	20	5	S	S	-	-	2-3	2-3	2500	3	3	36	25	23	*				
11	St. Abbs Head	280	14.9	-14	SSW	4	b	27	85	23	5	-	-	-	0	0	-	10.1	-22	SW	5	bc	27	85	21	6	S	S	-	-	4-6	4-6	2500	3	3	34	25	*	-	8.8			
	Leuchars	36	14.2	-14	SW	2	z	30	92	28	5	-	3	-	0	46	-	10.8	-14	SW	1	zo	32	85	29	5	S	S	-	-	9	10	3000	3	*	35	30	22	4.1				
12	Renfrew (Abbots L)	19	13.6	-18	-	0	z	33	85	28	5	S	3	-	9	9+	5000	0.88	-18	S'E	3	ir	36	85	33	4	S	S	-	-	9	10	1800	1	*	42	31	26	2.1				
	Eskdalemuir	794	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	12.6	-20	-	0	0	25	92	22	6	S	S	-	-	10	10	900	9	*	33	15	10	2.1				
	Point of Ayre	30	14.7	-2	SW	4	z	37	85	32	8	S	*	*	7-8	7-8	2000	11.2	-14	SW	4	zo	40	85	35	6	S	S	-	-	7-8	10	2000	0	3	40	33	*	8.5				
13A	Tiree	22	07.3	-24	S	5	rr	42	97	38	7	-	2	-	10	10	1800	05.2	0	SW'S	2	o	33	97	36	7	S	S	-	-	10	10	1800	1	4	46	38	*	-	9			
13B	Stornoway	80	04.6	-6	SW	5	pr	40	97	40	7	8	7	-	7-8	10	1500	01.7	-16	SSW	3	cr	37	92	34	7	S	S	-	-	7-8	10	1500	1	2	43	34	*	7				
15	Dalwhinnie	1176	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	06.8	-36	S	4	cr	33	85	29	5	S	S	-	-	9+	9+	1500	4	*	37	31	29	0.2				
	Aberdeen	79	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	08.1	-20	S'E	3	c	34	85	28	6	S	S	-	-	4-6	7-8	1500	4	*	38	33	30	7.1				
	Wick	119	09.4	-18	S'W	6	z	38	75	32																																	

Abridged observations of additional stations in the AVIATION WEATHER CODE

13h. G.M.T. 26th February				18h. G.M.T.				01h. G.M.T. 27th February				07h. G.M.T.										
I	H	I	C	M	w	V	h	N	D	DF	W	N	D	DF	W	N	D	DF	N	D	DF	
7	3300	05650	0	08100	00	00650	0	26100	00	04590	0	20200	54	01673	12							
3	334--	05590	0	12202									--	01572	00							
7	34000	05650	0	02210	00	05690	0	06200	00	08490	0	00000	00	08490	1							
3	1345-	72644	0	04478	5-	78655	0	1378	5-	05648	0	32178	5-	05648	32							
3	33610	01763	0	04813	50	05642	0	04312					50	05543	31							
	3505-	78638	0	02478	5-	05648	0	0378	5-	05648	0	30228	5-	05648	24							
	36850	00651	0	04811	00	05690	0	00000	00	05590	0	00000	00	08490	3							
	3795-	05658	0	02378	5-	05656	0	02316	00	05590	0	02120	00	05590	0							
	3905-	05636	0	02478	5-	05636	0	02328	5-	08428	0	01128	5-	05547	3							
	382												05	08490	x							
	4385-	10548	0	04528									5-	02558	32							
	4305-	08448	0	02328	52	05556	0	02328	5-	05548	0	32228	5-	05648	30							
	40900	05750	0	03300	00	05690	0	1200	00	05690	0	08200	00	05690	14							

III = Index Number of Station—See M.O. 252 or list issued on 1st of each month.

W.W. W = Present and past weather—See M.O. 252.  
h. N<sub>c</sub> = Height and amount of low cloud—See M.O. 252.

$N_h$  = Height and amount of low cloud—See M.O. 252.  
 $N$  = Total amount of cloud—See M.O. 252.

$C_L C_M$  = Form of low and medium cloud—See page 1.  
 $V$  = Visibility.  $F$  = Force of wind—See page 4.

**DD** = Direction of wind ( $8 = E$ ,  $16 = S$ ,  $24 = W$ ,

§ Sea disturbance reported from Dungeness.

**TERMS OF SUBSCRIPTION.** | Single Copies,  
2/6 per month

MEMBERSHIP SUBSCRIPTION (2/- per month; 6/- per quarter; 25/- per year)


Digitized by srujanika@gmail.com

LONDON OBSERVATIONS						
24 hours ending morning of 27th February						
18h Kew and Croydon, 9h-18h Kensington other stations except for rainfall which is 9h-18h						
S	Weather				Atmospheric Pollution, Milligrams of solid impurity per cubic metre.	Kew 24 hours ended 9h. Max. Temp 0·2 26° Min. Temp 10·1 02°
	Morning	Afternoon	Night	Cooling		
... 10s, cm	cz	cz, cm	cz, cm	-	—	—
... 15, shm	cm, cm	cm	cm	-	—	—
... cis	c	c	c	-	—	—
... 0	0	0	*	-	—	—
... 0	0	0	*	-	—	—
... os	ok	o	o	-	—	—
Temperature				Rainfall		
Day	Night	Min	Min	Sun- shine to sunset hrs	Humidity	27th
	Max	Min	on grass	Day	Night	
°F	°F	°F	mm	mm	15h %	9h %
34	31	30	Tr	-	0·4	*
33	30	30	Tr	-	0·0	*
33	31	30	Tr	-	0·0 75	85
35	32	31	-	-	-	70 86
34	31	30	-	-	-	84 95
34	32	29	-	-	-	• 85
35	32	30	-	-	-	82 91
32	29	26	Tr	-	-	• 91

SECRET

Saturday, 28th February 1942  
No. 29318Page 1  
BRITISH  
SECTIONTHE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.

DISTRICT	STATION	OBSERVATIONS at 13h. G.M.T. 27th February															OBSERVATIONS at 18h. G.M.T. 27th February															PAST 24 HOURS														
		Barom. at M.S.L. (mb.) (1)	Change in 8 hours. (2)	Wind.		Weather. (5)	Temp. °F. (6)	Humid. % (7)	Dew Point. °F. (8)	Cloud.					Barom. at M.S.L. (mb.) (16)	Change in 8 hours. (17)	Wind.		Weather. (20)	Temp. °F. (21)	Humid. % (22)	Dew Point. °F. (23)	Visibility. 0-9 (24)	Cloud.					Barom. at M.S.L. (mb.) (18)	Change in 8 hours. (19)	Wind.		Weather. (25)	Temp. °F. (26)	Humid. % (27)	Dew Point. °F. (28)	Visibility. 0-9 (29)	Height of Base (feet) (30)	State of Ground. (31)	Sea. 0-9 (32)	WEATHER.		7h.-13h. (39)	13h.-18h. (40)	18h-27h. to (41)	1h.-7h. (42)
				Dir. (3)	Force. (4)					Low. (10)	Med. (11)	High. (12)	Total 0-10 (13)	0-10 (14)	Height of Base (feet) (15)		Dir. (18)	Force. (19)	WEATHER.															7h.-13h. (39)		13h.-18h. (40)	18h-27h. to (41)	1h.-7h. (42)								
1 London (Kew) ...	15.0 -10 W's 1	zo	36 65 26 5 - 3 6 0 7.8 - 13.3 -4 SSW 1	m	34 65 24 4 - 4 1 0 1 0 Tr - 3 * cmbczo bzoz bzmox b,cmox	15.3 -6 NWW 1	zo	35 75 27 4 5 - 9+ 91 2200 14.2 0 S'w 1	m	33 65 24 4 - 4 1 0 1 0 Tr - 3 * cmbz bmxcmo bzmoxcmo	15.5 -14 SSW 1	bc	40 55 25 7 5 - 11 11 3000 14.0 2 SSW 2	zo	35 65 24 6 - 1 1 0 1 Tr - 0 * cmo,b byzo bzocmo cx,bcm	15.9 -14 - o zo	33 55 26 6 - 0 0 - 14.5 -2 SWS 3	zo	32 92 30 6 - 3 5 0 2-3 - 0 * bmo,y,bcmo bcmo bcmox	15.7 -8 SW 1	bc	39 65 28 7 1 - 23 23 4000 14.6 -2 SW 2	zo	33 85 29 5 5 - 1 1 4000 0 * cbc bzfbm bbbcm	Lyupne ...	16.2 -2 NWW 2	zo	31 50 6 5 - 10 10 400 15.6 -2 zo	31 85 28 5 5 - 7.8 7.8 400 3 * omo omocmo bfmx bcmox	Manston ...	15.0 -6 NWN 2	zo	32 85 28 6 5 - 10 10 900 14.5 0 zo	31 85 28 6 5 - 7.8 9+ 1500 4 * cmo bcam												
2 Shoeburyness ...	15.9 -4 NW 1	o	35 75 25 6 5 - 10 10 1500 14.6 0 SSW 2	b	32 85 25 5 - 4 1 0 2-3 - 1 * cmoo bzobmo bmobfx	Felixstowe ...	15.3 -6 SSE 1	zo	34 75 28 6 5 - 10 10 1400 14.3 -2 WSW 3	zo	31 92 28 6 5 - Tr Tr 2600 1 * 2 omobcmo bmobmx	Gorleston ...	15.4 -8 SE'E 2	zo	34 92 31 6 8 - 9 9 1200 13.8 -8 SSW 3	zo	34 85 30 6 - 3 0 2-3 - 0 * 2 cmo bcbmox	Mildenhall ...	15.1 -10 W 1	zo	35 75 27 6 5 - 10 10 1500 12.9 -12 S 2	zo	34 75 27 6 - 4 0 2-3 - 0 * cmo czobzo czobzo	Cranwell ...	13.9 -22 SW 3	b	37 55 22 7 - 0 0 - 11.6 -6 S 2	zo	32 85 28 5 - 8 0 1 - 1 * cmobmo bzobmo bm,cmo																	
3 Birmingham ...	13.8 -14 SSW 2	zo	38 55 24 6 - 1 0 1 - 11.4 -10 S 3	zo	37 55 23 6 5 - Tr Tr 4000 3 * bz b,bz	Upper Heyford ...	14.5 -14 SW 2	zo	38 45 19 6 - 0 0 - 3.3 -2 SSW 2	zo	36 55 20 5 - 6 0 4.6 - 3 * bmczoy bzoy	Ross-on-Wye	13.7 -20 WSW 2	zo	41 55 25 6 - 0 0 - 2.1 -8 S'w 3	zo	39 55 24 6 5 - 7.8 7.8 3000 0 * bmfx bzye																													
5 Hartland Point ...	14.4 -10 SW 3	bc	39 45 20 7 - 4 5 0 4.6 - 11.8 -10 SW 2	c	42 55 28 7 5 - 5 9 2400 0 * by bzey	Bristol ...	15.8 -14 W 1	zo	43 55 28 6 - 9 0 11 - 14.1 -6 S 3	zo	38 55 26 6 - 9 0 2-3 - 0 * bffzy bzoczoy bzocmo	Portland Bill ...	16.5 -6 NE 2	bc	37 75 32 8 5 - 14.6 4.6 2500 14.3 -6 SW 2	c	39 85 36 7 5 - 7.8 7.8 2500 1 * 3 bcbc	Plymouth ...	16.3 -6 SSW 2	zo	42 55 26 6 - 1 0 11 - 14.1 -6 SW 4	zo	42 75 35 6 5 - 7.8 5 3000 0 * bmbo,bzoz bzoc,czo	The Lizard ...	16. -6 S 4	bc	45 65 34 6 4 - 14.6 4.6 2200 14.0 -4 SSW 5	c	44 85 39 8 8 2 - 7.8 9+ 1500 0 * bc bzcc	Scilly (St. Mary's) ...	14.5 -10 SW'S 4	bc	47 55 34 8 6 4 - 2.3 4.6 1500 12.3 -4 SW'N 3	bc	47 85 43 8 8 4 4 4.6 4.6 1500 0 * bbey bccbc	Guernsey ...										
6 Pembroke ...	12.9 -12 SSW 6	cq	42 85 38 6 8 6 - 7.8 9+ 3000 10.0 -12 SW 6	cq	45 92 13 7 8 4 - 7.8 7.8 2500 0 * cqmo cqz	Holyhead ...	09.7 -20 S 6	zo	42 85 34 5 5 - 9+ 9 3000 05.9 -20 SW'S 6	zo	43 97 41 5 6 2 - 9+ 10 600 1 * 5 cpxcmo cqro	Chester (Sealand) ...	11.7 -22 SE'S 3	zo	42 55 27 5 5 - 9 9 1500 08.9 -10 SSE 3	zo	41 65 29 6 5 7 - 4.6 9 2500 0 * bxbcmz bzobz	Manchester ...	11.8 -30 S 4	m	41 55 26 4 - 5 2 0 46 - 09.6 -6 S'E 5	zo	39 65 25 6 5 4 - 4.6 4.6 5000 1 * bbezy bzobz																							
10 Spurn Head ...	13.9 -18 SW 4	bc	36 85 32 6 5 - 1 2.3 2500 11.2 -4 S 4	bc	35 75 28 6 7 4 1 - 2.3 4.6 4000 0 * 3 bc	Catterick ...	11.5 -26 S 3	cpt	37 75 30 3 5 3 - 1 7.8 6000 02.7 -10 S 3	zo	39 75 32 3 5 7 - 4.6 7.8 3500 4 * bmc cfmcsf	Tynemouth ...	11.3 -20 SSW 3	m	36 75 29 4 2 3 - 1.6 9 2500 07.3 -12 S 3	m	39 75 31 4 5 - 7.8 7.8 1800 1 * becm cm																													
11 St. Abbs Head ...	06.2 -32 SSW 5	c	37 75 29 7 8 4 - 7.8 9+ 1500 02.6 -14 SSW 5	9/	35 92 32 5 5 4 - 4.6 7.8 1500 1 * 3 dcme,c	Leuchars ...	04.7 -28 S 4	rs	37 85 33 6 5 2 - 2.3 10 2500 01.6 -8 SW 2	zo	37 85 34 6 8 - 1 3200 2 * cmocxcmo,bzomos,3,cb	Renfrew (Abbots L.) ...	04.7 -20 SW'S 4	rr	38 92 35 6 6 - 10 10 700 01.9 -16 SSW 3	zo	40 85 35 5 9 - 4.6 4.6 500 1 * mofalrr crrcbc	Eskdalemuir ...	02.0 -30 SW'N 4	rs	33 92 30 6 - 2 10 10 300 04.0 -8 SSW 4	rs	37 97 34 4 2 - 10 10 1500 9 * osimo rsoso	Point of Ayre ...	07.2 -24 SW'S 6	rr	41 85 37 6 6 2 - 4.6 10 1000 04.3 -14 WN 4	rr	40 97 39 8 6 2 - 7.8 9+ 1800 1 * ciro rrciro																	
13A Tiree ...	00.6 -24 SW'S 6	bc	43 85 38 8 8 - 4.6 4.6 2500 06.6 -2 WSW 5	bc/ph	42 75 36 7 8 - 4.6 4.6 1800 0 * 4 cpisbc ephr,bc	13B Stornoway ...	99.6 -32 S 7	c	42 85 33 6 5 2 - 4.6 7.8 2000 07.0 -40 SSW 6	rr	43 92 41 7 5 7 - 7.8 9+ 1600 1 * 5 cpri,rs cprrs	15 Dalwhinnie ...	02.1 -22 S 4	zo	33 97 33 4 5 - 10 10 1500 09.7 -20 SSW 4	ps	32 92 32 3 - 10 10 1500 6 * cpxs,o epxaso	Aberdeen ...	04.5 -28 S'E 5	zo	37 85 32 6 7 - 4.6 7.8 1200 00.1 -32 S'W 4	zo	36 92 34 6 6 - 2.3 2.3 1200 4 * crosobc bzobz	Wick ...	02.0 -16 S 5	zo	38 85 36 6 5 - 9+ 9 1800 05.6 -38 S 5	bc	39 85 35 7 5 - 4.6 4.6 4000 0 * ifocomo,ro ifobc	Sumburgh ...	02.3 -22 S 7	zo	38 97 37 6 6 - 10 10 1500 05.8 -30 S'E 6	zo	39 97 37 6 6 - 10 10 600 1 * cilformo,											



# AIR MINISTRY, METEOROLOGICAL OFFICE. Chart of Weather in the Northern Hemisphere.

## Explanation of Frontal Lines shown on Charts


(The symbols used to indicate fronts are shown below).  
**Warm Front.** The air mass which moves towards this boundary is normally of tropical or sub-tropical origin, while that which moves away from it is normally of polar, sub-polar or maritime polar origin.

**Cold Front.** The air mass which moves towards this boundary is normally of polar, etc., origin, while that which moves away from it is of tropical, etc., origin. In certain cases the boundary is not recognisable at the surface, but its existence is deduced from upper air observations. Such boundaries are indicated by special symbols.

**Occlusion.** The air between the warm and the cold fronts of a depression is of tropical or sub-tropical origin, and is known as the warm sector. The air in front of the warm front and in the rear of the cold front is of polar or maritime polar origin. During the life-history of the depression the warm sector is lifted from the earth's surface, until the cold front has overtaken the warm front. The depression is then said to be occluded, and at the surface the warm and cold fronts coalesce, becoming a single front known as the occluded front or occlusion. Occlusions the structure of which is tending to resemble warm or cold fronts are known as "warm" or "cold" occlusions.

**Frontogenesis.** A line along which a warm or cold front is in process of formation is known as a line of Frontogenesis. The nature of the development is indicated by the use of the "warm" or "cold" symbols widely spaced along the line.

**Frontolysis.** is said to occur when a front is in process of dissolution.



Morning of

Saturday 28th February

1942.

## EXPLANATION OF CHART.

**BAROMETER.** Isobars are drawn for intervals of four millibars.

**WIND.** Arrows fly with wind. A full length feather indicates two steps on the Beaufort Scale, and a short feather one step. Calm is indicated by circle outside weather symbol: —○—

**TEMPERATURE** is given in degrees F.

**WEATHER SYMBOLS:** —○— Clear sky. ○— Sky less than 3/10 clouded. (○) Sky 4/10 to 6/10 clouded. (●) Sky 7/10 to 9/10 clouded. (●) Overcast sky. ● Rain falling. \* Snow. ♫ Sleet. △ Hail.

Fog = Mist. ⚡ Thunder. (⚡) Thunderstorm. ☀ Slight haze. ☁

The hour of observation is not uniform throughout the Hemisphere: a chart showing the hours at which the observations are taken is contained in the Introduction.

**FRONTS** or boundaries between masses of air of different origin are indicated, wherever their characteristics are well pronounced in the following way—

= Warm Front on the Surface  
 = Warm Front above the ground  
 = Cold Front on the surface  
 = Cold Front above the ground

= Occluded Front (or Occlusion)  
 = Warm Occlusion  
 = Cold Occlusion  
 = Lines of Frontogenesis

Short strokes across the frontal line indicate Frontolysis. (For explanation see page 3.)

NOTE.—The symbols are placed on the side of the line towards which the front is moving.

When the front is stationary the symbols are placed alternately on both sides of the line.

All times are G.M.T. Add one hour to get summer time.

BRITISH  
SECTIONTHE DAILY WEATHER REPORT  
OF THE METEOROLOGICAL OFFICE, AIR MINISTRY, LONDON.Saturday 28th February 1942  
No 29348

District.	Stations.	Observations at 1 hr. G.M.T. 28th February												Observations at 7 hr. G.M.T. 28th February												Past 24 Hours.																							
		Wind.			Weather.			Cloud.			Wind.			Weather.			Cloud.			Temperature.			Rainfall.			Sunshine																							
		Height above M.S.L. in feet.	Barom. at M.S.L.	Change in 3 hours.	Dir.	Force.	Temp.	% Humid.	Dew Point.	Visibility.	Form.	Amount.	Height of Base (feet).	Barom. at M.S.L.	Change in 3 hours.	Dir.	Force.	Temp.	% Humid.	Dew Point.	Visibility.	Form.	Amount.	Height of Base (feet).	Sea.	Max. 7h-18h °F.	Min. 18h-7h °F.	Min. on grass °F.	Day 7h-18h mm.	Night 18h-7h mm.	Hrs.																		
1	London (Kew)	18	*	*	*	*	34	*	*	*	*	*	11.7	-10	S	2	20	35	92	33	5	5	-2	7.8	51	1500	3	*	59	28	16	-	-	4.3															
	Croydon	217	3.7	-2	SSW	3	m	29	97	28	+	-	2	0	9.8	-	12.6	-6	S	3	20	34	92	31	6	5	-	5	9	1200	?	*	10	28	22	-	-	3.8											
	S. Farnborough	226	3.8	-2	SSW	3	zo	32	85	29	5	-	5	0	9.7	-	11.7	-10	S'W	3	20	36	92	34	5	5	-	9	23	23	800	1	*	44	29	23	-	-	5.5										
	Boscombe Down	417	3.8	-6	SSW	3	zo	34	92	30	6	5	-	5	9	+	9	3000	12.1	-10	S	3	20	34	97	33	6	5	-	1	Tr	2.3	4000	3	*	42	27	22	-	-	7.8								
	Thorney Island	16	14.5	-4	E	1	zo	31	97	30	6	-	1	0	17	-	12.7	-8	SSW	3	20	38	92	35	6	5	-	5	9	51	4000	0	*	41	25	15	-	-	*										
	Lymne	346	16.0	-4	SSW	2	zo	31	85	27	5	-	6	0	4.6	-	15.3	-2	S	1	zo	33	85	30	5	5	-	5	9	17	4.6	900	3	*	34	32	28	20	-	-	0.0								
	Manston	154	14.3	+6	SSW	3	m	30	92	28	4	5	-	5	5	4500	13.6	0	S'W	3	zo	33	92	29	6	-	3	2	0	2.3	-	4	*	32	28	22	-	-	0.0										
2	Shoeburyness	11	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	13.4	T4	S'W	3	bef	32	92	30	3	-	3	2	0	4.6	-	3	*	37	29	22	-	-	0.0
	Felixstowe	15	14.0	-6	SW's	2	m	31	97	31	4	-	5	0	2.3	-	12.5	-2	SSW	3	zo	32	92	30	5	5	-	5	9	51	4000	3	2	36	30	25	-	-	2.4										
	Gorleston	5	12.6	-14	SW	3	zo	30	85	27	6	-	5	0	0	-	12.0	+2	S'W	4	zo	33	85	30	6	5	7	-	4.6	7.8	1500	3	3	38	29	25	-	-	*										
	Mildenhall	19	12.1	-6	SSW	4	b/r	32	75	26	4	-	7	-	0	4.6	-	10.6	-2	S'W	4	zo	35	85	31	6	5	7	6	1	5	9	4000	0	*	38	22	-	Tr	2.3	*								
	Cranwell	240	0.9	-10	SW	4	zo	35	75	28	5	-	7	-	0	9	-	0.8	-2	S'W	4	zo	37	92	35	6	-	7	6	0	9	-	1	*	35	31	24	-	-	5.0									
3	Birmingham	535	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	08.6	-4	SSW	3	C	37	92	35	6	5	7	-	4.6	51	1500	1	*	41	30	28	-	Tr	6.8	
4	Upper Heyford	408	12.1	-8	SSW	3	zo	33	85	29	5	5	-	5	9	+	5	2800	10.4	-6	SSW	2	zo	34	85	30	5	5	7	-	7.8	5	1200	3	*	40	30	25	-	-	*								
	Ross-on-Wye	223	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	09.2	-6	SSW	3	C	39	85	35	7	5	4	1	7.8	9	2600	1	*	44	35	29	-	-	7.4	
5	Hartland Point	299	0.1	-8	SW	4	c	43	75	34	7	5	6	-	4.6	7.8	1500	08.3	-4	SW	4	c	42	85	38	7	5	4	-	7.8	9	2000	0	3	43	41	39	-	-	6.4									
	Bristol	203	2.9	-2	S	4	zo	30	85	24	6	-	7	5	0	9	-	11.3	-6	S'W	3	zo	40	85	37	6	5	7	5	2.3	7.8	2500	0	*	44	35	32	-	-	6.1									
	Portland Bill	32	3.2	-14	SW	4	c	41	92	38	7	5	2	-	7.8	10	2500	11.5	-8	SW	4	c	42	92	40	7	5	-	-	10	10	2500	1	4	39	37	*	-	-	*									
	Plymouth	82	14.0	5	SW's	4	c	45	85	40	8	7	-	5	9	4000	10.1	-10	SSW	4	c	44	82	41	7	4	7	6	2.3	5	2500	0	3	44	41	35	-	-	7.2										
	The Lizard	240	12.0	-6	SW's	4	c	45	92	43	8	8	7	-	4.6	7.8	2500	08.7	-16	SSW	5	c/p	45	92	43	8	8	2	-	9	10	1500	1	5	46	43	*	-	-	0.5									
	Scilly (St. Mary's)	163	11.0	-8	SW's	4	c	46	92	44	8	5	3	-	7.8	7.8	1500	07.2	-20	SW's	5	c	46	75	39	8	8	2	6	2.3	7.8	1500	0	4	48	37	*	-	-	8.7									
6	Pembroke	142	0.9	-4	SW	5	c	45	97	45	7	2	7	-	2.3	9	2500	07.0	-4	SSW	5	c	44	92	40	8	2	4	-	2.3	7.8	3000	0	4	46	38	27	-	Tr	3.3									
7	Holyhead	26	0.6	+4	S'W	4	pr	12	52	40	8	8	7	-	10																																		